

Index

A

- absolute flux calibration
 - FOS 31-22
 - GHR 36-12, 37-13
- absolute sensitivity
 - WF/PC-1 45-21
- ACCUM mode
 - FOS 30-38
 - GHR, COMB 34-9
 - GHR, examining data 35-29
 - GHR, STEP-PATT 34-9
- accuracy
 - astrometric, improving 3-10
 - FOS 32-3
 - FOS photometric 32-16, 32-17
 - FOS wavelength 32-16
 - FOS, pointing 30-28
 - FOS, target acquisition 32-4
 - FOS, timing 32-62
 - GHR 37-2
 - HSP data 42-8
 - WF/PC-1 45-22
- ACQ/PEAK
 - FOS 30-30
- acquisition
 - FOS, assessing 30-26
 - FOS, binary 30-27
 - FOS, firmware 30-36
 - FOS, image 30-33
 - FOS, peak-up 30-30
 - FOS, pointing accuracy 30-28
 - GHR, assessing 35-19
 - GHR, early BRIGHT and FAINT 34-3
 - GHR, errors 35-24, 37-28
 - GHR, SSA pickup 35-3
 - mirrors, GHR 34-7
 - modes, GHR 34-11
- analog data
 - HSP 39-3
- analog to digital
 - WF/PC-1 fixup 45-8
- analysis
 - images, general in STSDAS 3-8
 - spectra, general in STSDAS 3-21
 - spectra, general tasks in IRAF 3-25
 - spectra, STIS 3-23
- analysis package
 - image analysis 3-2
- aperture throughput correction
 - FOS 31-21
- apertures
 - FOS 29-9, 29-15
 - FOS, center 29-11
 - FOS, target location in 32-2
 - FOS, wheel non-repeatability 32-6
 - GHR 34-3
 - GHR, offsets 37-23
- apphot package
 - aperture photometry 3-15
- archive 1-1 to 1-24
 - access to 1-2
 - documentation 1-3
 - file names 2-1
 - FTP data retrieval 1-17
 - instrument search 1-8
 - searching 1-5
 - StarView access software 1-2
 - world wide web access 1-3

IX-2 Index

area scans
 HSP 40-6

arithmetic
 imset, msarith task 3-13
 spectra, splot task 3-27

array
 FITS table 2-9

astrometry
 basic, in STSDAS 3-9
 FOS, COSTAR 32-62
 improving accuracy 3-10
 tasks in STSDAS 3-9

B

background
 dark, FOS 32-55

background correction
 FOS 31-18
 GHRs 36-8, 37-16
 inappropriate subtraction,
 GHRs 37-18

background image
 GHRs 35-4

Baum spot
 WF/PC-1 43-6

bias level
 WF/PC-1 45-8

bibliography
 GHRs 34-14
 WF/PC-1 43-4

binary acquisition
 FOS target acquisition 30-27

binary target acquisition
 FOS 29-24, 30-28

blemishes
 GHRs detector 37-20

blue detector
 FOS 29-7

C

calfos
 input files 30-2, 31-5
 recalibration 31-26

calhrs task 36-1, 36-16

calhsp task 41-1

calibrated output files
 FOS 30-4, 30-6, 30-7, 31-27

calibration
 flux, GHRs 37-2
 FOS process 31-13
 GHRs process 36-1, 36-5
 HSP process 41-1
 limitations, HSP 42-1
 parameters 45-20
 reasons to recalibrate 45-12
 reference files, FOS 30-2, 30-7,
 31-5
 reference files, identifying 1-19
 reference files, WF/PC-1 45-13
 reference tables, HSP 41-6
 software, STSDAS 3-1
 WF/PC-1 process 45-7

calwfp task 45-7, 45-20

camera configuration
 WF/PC-1 43-4

carrousel
 errors, GHRs 37-25
 grating, GHRs 34-6

catalog
 see "archive"

CDBS
 FOS reference tables 31-7
 HSP reference tables 41-6

chcalpar 45-20

ckwwfpc 45-20

clock error
 HSP 42-6

commands
 splot cursor 3-28

conversion
 counts to flux or magnitude
 3-15
 flux to wavelength, resample
 task 3-21

corner diodes
 GHRs 34-7

cosmic rays
 WF/PC-1 46-6

COSTAR
 effect on FOS 29-4, 29-19
 effect on GHRs 34-3, 34-10

- FOS polarimetry 32-65
- LSF, FOS 32-61
- PSF, FOS 32-60
- PSF, GHRS 38-1
- count rate
 - converting FOS raw counts 31-15
 - converting GHRS 36-2
- counts
 - flux conversion 3-15
 - magnitude conversion 3-15
- crrej 45-19
- CTE file
 - WF/PC-1 45-9
- cursor
 - splot commands 3-28

D

- dark file
 - WF/PC-1 45-10
- data
 - analysis software, STSDAS 3-1
 - archive, retrieving files from (see also "archive") 1-1
 - file names 44-1
 - proprietary, retrieving 1-3
 - tape, reading 1-22
- data quality files
 - FOS 30-3
 - GHRS 35-2, 35-4, 35-7, 37-22, 37-32
 - HSP 40-3
 - WF/PC-1 45-12
- data quality flags
 - FOS 30-5
 - GHRS 37-23
 - HSP 40-3
 - WF/PC-1 45-12
- data quality initialization
 - GHRS 36-2
- data tapes
 - FOS 30-1
- dataset
 - GHRS observations 35-1
 - HSP observations 40-1
 - retrieving from archive 1-12
 - see also "imset"
- dead diode reference file
 - GHRS 37-18
- dead diodes
 - FOS 32-53
- deadtime correction
 - HSP 41-2
- decontaminations
 - WF/PC-1 46-2
- deconvolution
 - lucy task 38-4
- deflection calibration
 - GHRS 34-10
- delta flats
 - WF/PC-1 45-18
- detectors
 - blemishes, GHRS 37-20
 - Digicon 29-7, 34-7
 - FOS 29-7, 29-11
 - GHRS 34-7
 - HSP 39-2
 - photocathode granularity, GHRS 34-8
- Digicon detectors
 - FOS 29-11
 - GHRS 34-7
- digital data
 - HSP 39-3
- diode response
 - GHRS 36-3
- diodes
 - centering spectrum on array 37-17
 - corner, GHRS 34-7
 - dead, FOS 32-53
 - dead, GHRS 37-18
 - flaky, GHRS 37-20
 - focus, GHRS 34-7
 - location of image on array, FOS 32-7

IX-4 Index

- noisy, FOS 32-53
- science, GHRS 34-7
- special diode image, GHRS 35-4
- special, GHRS 35-5
- disabled diodes
 - FOS blue detector 31-11
 - FOS red detector 31-11
- disconlab task
 - position display 3-9
- dispersers
 - FOS 29-11
 - GHRS 34-5
- dispersion coefficients
 - GHRS 36-18
- display
 - display task 3-4
 - image 3-4
 - SAOimage 3-6
 - spectra 3-17
- display task
 - HSP data 40-5, 40-6
 - images in STSDAS 3-4
- documentation
 - archive 1-3
 - FOS 29-2
 - HSP 39-1
 - GHRS 34-12
 - HSP 42-9
 - IRAF 3-32
 - STSDAS 3-32
 - WF/PC-1 43-2
- Doppler compensation
 - GHRS 36-4, 37-24

E

- early acquisition
 - FOS target acquisition 29-24, 30-33
- echelle
 - blaze function, GHRS 37-18
 - grating, GHRS 34-6
- echelle ripple
 - GHRS 36-12
- echelle spectra
 - echplot task 3-19

- echo
 - HSP data 42-7
- echplot task
 - plot echelle spectra 3-19
- engineering data
 - extracted, GHRS 35-3
 - FOS 30-15
- error sources
 - FOS, described 32-1
 - GHRS, summary 37-2
 - WF/PC-1 46-1
- exposure logsheet
 - FOS 30-24, 30-25
 - GHRS 35-14
- exposure time
 - FOS observation 33-2, 33-3, 33-5
- extended source
 - photometric correction, FOS 32-35
 - photometric correction, GHRS 37-15
- extension
 - file names, see "datasets"
 - FITS file 2-3
 - FITS, appending 2-6
 - WF/PC-1 files 44-2
- extinction
 - GHRS bibliography 34-14
- extracted data
 - GHRS 35-3

F

- FGS
 - single mode, GHRS 35-28
- FGW
 - see "filter-grating wheel"
- field of view
 - WF/PC-1 43-4
- file
 - PostScript, creating 3-20
- file names 31-27, 35-2, 40-2, 44-1
- file sizes
 - GHRS 35-5

- files
 - FITS, working with 2-4
 - GHR5 35-1
 - naming conventions 2-1
 - retrieving from archive 1-1 to 1-24
 - see also "datasets"
 - see also "reference files"
 - specifying, STIS 3-18
- filter-grating wheel
 - FOS, non-repeatability 32-6
- firmware
 - FOS target acquisition 29-25, 30-36
- FITS
 - files, working with 2-3 to 2-9
 - format, described 2-3
 - GEIS files in 2-11
 - strfits FITS reader task 1-22
 - table 2-7
 - table, array in cell 2-9
 - tape, files on 1-22
- fitting package
 - fit spectra 3-29
 - tasks in 3-29
- flaky diodes
 - see "diodes"
- flat field
 - FOS calibration 31-20
 - FOS, generating 32-44
 - FOS, gratings 32-46
 - FOS, inaccuracy in 32-38
 - FOS, inappropriate 32-43
 - WF/PC-1 calibration 45-10
 - WF/PC-1, improving 46-7
- flux
 - calibration, FOS 32-20
 - calibration, GHR5 37-2
 - combine with wavelength, mkmultispec 3-21
 - from counts 3-15
- focus
 - FOS, changes in 32-16
- focus diodes
 - GHR5 34-8
- format
 - archive data retrieval 1-13
- FOS
 - absolute flux calibration 31-22
 - aperture dilution 32-35
 - aperture size 29-15
 - apertures 29-9
 - binary target acquisition 30-28
 - calibrated output files 30-4, 31-27
 - calibration accuracies 32-3
 - COSTAR 29-4, 29-19
 - count rate conversion 31-15
 - data acquisition 29-15
 - data quality flags 30-5
 - data quality initialization 31-15
 - dead diode reference file 32-53
 - dead diodes 32-53
 - described 29-1
 - detector efficiency 29-7
 - detectors 29-7
 - disabled diodes 31-11
 - display spectra 3-17
 - documentation 29-2, 39-1, 43-2
 - exposure logsheet 30-25
 - extended source correction 32-35
 - FGW motion 32-6
 - flat field correction 31-20
 - flat field reference file 32-40
 - GIM correction 31-16, 32-14
 - gratings, adjoining 32-37
 - group parameters 30-9, 30-14
 - header keywords 30-9
 - history of 29-4
 - instrument description 29-4
 - modes 29-20
 - noisy diode 32-53
 - paired aperture calibration anomaly 31-25
 - paired pulse correction 31-17
 - paper products 30-15
 - peak-up target acquisition 30-31
 - polarimetric calibration 30-42
 - reference files 30-7, 31-29

- sensitivity decline 32-19
- sky subtraction 31-20
- special mode processing 31-23
- spectrophotometry 29-20, 30-38
- spectropolarimetry 29-21, 30-42
- statistical errors, calculating
 - 31-14
- timing accuracy 32-62
- target acquisition 32-21
- timing, start, stop and exposure
 - length 33-1
- wavelength scale 31-21
- waveplate 29-12
- FP-SPLIT data
 - GHRs 35-32, 36-19
- FTP
 - archive data retrieval 1-17
- fwplot task
 - spectra display 3-18
- G**
- GEIS format
 - header file 2-12
 - working with 2-12
- geomagnetically induced motion
 - see "GIM"
- geometric distortion
 - correction 3-9
- GHRs
 - acquisition assessment 35-19, 37-28
 - acquisition mirrors 34-7
 - acquisition modes 34-11
 - apertures 34-3
 - calibrated data 35-4
 - carrousel 34-6, 37-25
 - catastrophic failure 34-3
 - corner diodes 34-7
 - COSTAR 34-10, 38-1
 - dataset 35-1
 - deflection calibration 34-10
 - descriptions 34-3
 - detector blemishes 37-20
 - detectors 34-7
 - diodes, dead 37-18
 - diodes, focus 34-8
 - dispersers 34-5
 - display spectra 3-17
 - documentation 34-12
 - Doppler compensation
 - problems 37-24
 - echelle 34-6
 - exposure logsheet 35-14
 - file size 35-5
 - files in dataset 35-2
 - flux calibration 37-2
 - focus diodes 34-8
 - gratings, wavelength ranges
 - 34-6
 - header keywords 35-8
 - instrument history 34-2
 - jitter 35-23
 - low-voltage power supply
 - problem 34-3
 - LSF 38-3
 - optical path 34-4
 - paper products 35-9
 - Phase II proposal 35-1
 - pipeline calibration 36-2
 - PSF 38-1
 - recalibration 36-13
 - reference files 35-8
 - return-to-brightest 35-21
 - SC1 lamp failure 34-3
 - science data, raw 35-2
 - science diodes 34-7
 - side 1 vs. side 2 34-10
 - spectrum y-balance 34-10
 - SPYBAL 36-17
 - target acquisition 34-11, 37-28
 - timing observations 37-29
 - wavelength data 34-10
 - wavelength scale 37-26
 - zero point offset 36-18
- GIM correction
 - FOS 29-18, 31-16, 32-14
 - GHRs 37-25
- granularity shift
 - FOS 32-42
- grating
 - carrousel 34-6
 - cross-dispersing 34-6

- echelle 34-6
- FOS, overlap 32-37
- GHRIS, wavelength ranges 34-6
- gratings
 - first-order, GHRIS 34-5
- GRNDMODE
 - FOS target acquisition modes 30-38
- group
 - number in image 2-12
 - parameter, FOS 30-9, 30-14
 - working with 3-7
- grspec task
 - plot groups 3-18
- guide star
 - acquisition problems 32-5, 35-27
- guiding modes
 - GHRIS 35-23

H

- hardcopy
 - see "print" or "paper products"
- header
 - file, GEIS 2-12
 - keyword, inheritance in FITS 2-6
- header data unit
 - FITS file 2-3
- header keywords
 - FOS 30-9, 31-28
 - GHRIS 35-8
 - HSP 40-4, 41-2
 - WF/PC-1 44-1, 44-3
- heliocentric correction
 - FOS 33-6
 - GHRIS 36-13
- help
 - STSDAS and IRAF tasks 3-2
- histograms
 - WF/PC-1 45-11, 45-12
- hot diode (see "noisy diode") 32-53
- hot pixels
 - WF/PC-1 46-5

HSP

- area scans, displaying 40-6
- bogus data 42-7
- clock errors 42-6
- data echo 42-7
- deadtime correction 41-4
- displaying data 40-5
- file types 40-1
- header keyword values 40-4
- instrument design 39-2
- modes 39-3
- orbital period 42-4
- prism aperture calibration 42-2
- references 42-9
- sample time, computing 41-5
- timing information 42-1
- true count rate, computing 41-4
- true photocurrent,
 - computing 41-5
- VIS degradation 42-3

Hubble Data Archive
see "archive"

I

- icons
 - used in this manual xiv
- igi
 - plotting with 3-20
 - printing plots 3-19
- image
 - display 3-4
 - GEIS file 2-13
 - plot data, implot 3-10
 - section 3-7
 - see also "FITS"
 - STSDAS tasks 3-2
 - working with 3-2
- IMAGE mode
 - FOS 30-47
 - GHRIS 34-11
- Image Reduction and Analysis Facility
 - see "IRAF"
- image set
 - see "imset"

IX-8 Index

imcalc 45-19
imcopy task
 FITS files 2-6
imexamine task
 image display and plot 3-11
imgtools package
 multigroup GEIS images 3-2
implot task
 plot image data 3-10
imset
 combination, msjoin task 3-14
 extraction, mssplit task 3-14
 statistics, msstatistics task 3-14
 STSDAS tasks for 3-12
imtab task
 header to table 3-22
incident angle correction
 GHRs 36-11
inheritance
 FITS header 2-6
instrument
 archive search, specifying 1-8
 see "FOS", "GHRs", "HSP" or
 "WF/PC-1"
interactive target acquisition
 FOS 29-24
IPPPSSOOT file names 44-1
IPSSOOOT
 see "files, naming conventions"
IRAF
 described 3-1
 documentation 3-32
 psikern, PostScript 3-20
 spectra analysis 3-25
ISRs
 see "documentation"

J
jitter
 effect on FOS 32-5, 32-22
 effect on GHRs 35-23
 effect on WF/PC-1 46-12

K

Kelsall's spots
 WF/PC-1 43-6
keystroke
 commands xiv
keyword
 FOS header 30-9, 31-28
 GHRs header 35-8
 HSP header 40-4
keywords
 FITS header 2-6
 see also "header"

L

line spread function
 FOS 32-61
 GHRs 38-3
 see "LSF"
lock
 false 35-25
 loss of 35-26
 target, see "acquisition"
log files
 GHRs observation 35-7
 OMS, GHRsOMS files
 see "log files"
logsheet
 exposure, GHRs 35-14, 35-34
low-voltage power supply
 GHRs, failures 34-2
LSA
 see "apertures"

M

magnitude
 from counts 3-15
math
 see "arithmetic"
measles
 WF/PC-1 46-2
mkmultispec task 3-21
modes
 see "FOS", "GHRs", "HSP" and
 "WF/PC-1"

mosaic
 WF/PC-1 images 43-6

motion
 FOS filter-grating wheel 32-6
 spacecraft, GHRS 35-23

msarith task
 imset arithmetic 3-13

mscombine task
 combine imset 3-13

msjoin task
 combine imset 3-14

mssplit task
 extract imset 3-14

msstatistics task
 imset statistics 3-14

mstools package
 FITS image extensions 3-2

multispec format
 described 3-21

N

naming conventions
 files, HST data 2-1

nfit1d task 3-29

ngaussfit task 3-29

NICMOS
 imset, STSDAS tasks 3-12

noisy diode
 FOS, effect of 32-53

noisy diodes
 see "diodes"

north task 43-6

O

observation log file
 see "log files"

observed PSF library 46-11

obsum task 37-24

offsets
 aperture, GHRS 37-23

OPMODE
 FOS data acquisition modes
 30-38

optical path
 FOS 29-7
 GHRS 34-4

OPUS
 see "pipeline"

orientation
 GHRS 35-29

overscanning
 FOS spectra 29-16

P

package
 STSDAS, structure 3-2, 3-3

paired pulse correction
 FOS 31-17
 GHRS 36-3

paper products
 FOS 30-15
 GHRS 35-9

parameters
 calibration, chcalpar 45-20

peak-up
 FOS target acquisition 30-30

peak-up target acquisition
 FOS 29-24, 30-30, 30-31

PERIOD mode
 FOS 30-45, 31-24

Phase II proposal
 GHRS 35-1

photocathode centering
 FOS 32-22

photocathode granularity
 GHRS 34-8

photocathode mapping
 GHRS 36-3

photocathode nonuniformity
 GHRS 36-4

photocurrent
 computing HSP 41-5

photometric accuracy
 FOS 32-2, 32-17, 32-18

IX-10 Index

photometry
 basic, in STSDAS 3-15
 HSP 39-2
 synthetic 3-16
 WF/PC-1 46-9
 WF/PC-1 keywords 45-11
photon
 counting, FOS 29-18
pipeline
 files produced by 2-1
 see "calibration"
pixel coordinate
 converting to RA and Dec 3-9
pixel data
 GEIS file 2-13
plate distortion
 WF/PC-1 46-13
plot
 igi task 3-20
PODPS data quality
 see "data quality files"
point spread function
 (see also "PSF")
 WF/PC-1 46-11
pointing accuracy
 FOS 30-28, 32-21
POLARIMETRY mode
 FOS 31-24, 32-64
polarizers
 FOS 29-12
position
 RA and Dec in STSDAS 3-9
PostScript
 psikern, IRAF 3-20
power supply
 GHRs, low-voltage 34-2
pp_dads task 30-15
preflash
 WF/PC-1 45-9
print
 plots, igi 3-19
printouts
 see "paper products"
prism mode
 HSP 42-2

proprietary
 data, retrieving 1-3
PSF
 FOS 29-19, 32-60
 GHRs 38-1
 WF/PC-1 46-11, 46-12
psikern
 PostScript IRAF kernel 3-20

Q

quality masks (see "data quality files") 40-3
quantum efficiency
 FOS 29-7

R

RAPID mode
 FOS 29-21, 30-40, 31-23, 33-5
 GHRs **35-34**
rapid readout
 FOS data acquisition 29-21,
 30-40
recalibration
 GHRs 36-13
 reasons to recalibrate 36-13,
 45-12
 see also "calibration"
 WF/PC-1 45-12, 45-20
recentering
 GHRs 35-28
red detector
 FOS 29-7
reddening 34-14
reference file
 FOS background 32-56
 location, setting 45-20
reference files
 archive retrieval 1-19
 determining best 36-15, 45-14
 FOS 31-29
 FOS calibration 30-7, 31-5
 GHRs 35-8, 36-16
 identification of 1-19
 see also "calibration"
 WF/PC-1 44-3

- reference tables
 - calhrs 36-15
 - calhsp, required 41-6
 - FOS 31-7
- REPEAT observation
 - combining with FP-SPLIT, GHRIS 36-19
- resample task
 - flux to wavelength 3-21
- return-to-brightest
 - GHRIS 35-3, **35-21**
- routine science data process
 - see "calibration"
- RSDP
 - FOS calibration pipeline 31-1
 - GHRIS calibration pipeline 36-1
 - HSP calibration 41-1
 - pipeline calibration 36-2, 45-1
- S**
- sample time
 - HSP 41-5
- SAOimage
 - display image 3-6
- saturated pixels
 - WF/PC-1 45-7
- saturation
 - FOS detector electronics 31-17
- SC1 lamp
 - GHRIS, failure 34-3
- scattered light
 - FOS 31-19, 32-58
 - WF/PC-1 46-2
- science data
 - FOS 30-2, 30-4
 - GHRIS 35-2
 - HSP 40-3
- science diodes
 - GHRIS 34-7
- science header line
 - FOS 30-2
- science trailer line
 - FOS 30-3
- search patterns
 - GHRIS acquisitions 35-19
- searching
 - archive, search criteria 1-7
- section
 - image 3-7
- sensitivity
 - functions, GHRIS 37-2
 - long-term changes, GHRIS 37-14
 - monitoring, GHRIS 37-7
- sgraph task
 - plot group 3-18
 - plot STIS spectra 3-18
- sky subtraction
 - FOS 31-20
- software
 - STSDAS 3-1
 - Space Telescope Science Data Analysis System
 - see "STSDAS"
- spacecraft motion
 - GHRIS 35-23
- spatial scan
 - GHRIS 35-36
- specalign task 35-32
- specfit task
 - fit models to spectrum 3-32
- special mode processing
 - FOS 31-23
- spectra
 - analysis tasks, IRAF 3-25
 - analysis, STSDAS 3-21
 - analysis, tasks in STSDAS 3-26
 - display 3-17
 - display, STIS 3-18
 - fitting 3-29
 - locating, FOS 32-7
 - specfit task 3-32
- spectrophotometry
 - FOS data acquisition 29-20, 30-38
 - FOS time-resolved 29-21, 30-45
 - FOS, errors 32-36
- spectropolarimetry
 - FOS data acquisition 29-21, 29-22, 30-42, 30-47

- spectrum
 - shape, GHRS 37-16
 - spectrum y-balance
 - GHRS 34-10, 36-17
 - splot task
 - cursor commands 3-28
 - plot spectra 3-27
 - SSA
 - see "apertures"
 - standard header package
 - HSP 40-2
 - standard header packet
 - FOS 30-3
 - GHRS 35-3
 - standard stars
 - GHRS flux 37-3
 - start time
 - FOS observation 33-1
 - StarView
 - archive software 1-2
 - command usage 1-5
 - dataset retrieval 1-12
 - search criteria, range 1-8
 - WF/PC-1 reference files 45-14
 - static mask
 - WF/PC-1 45-7
 - statistical error
 - GHRS 35-4
 - statistical errors
 - FOS 31-14
 - stepping pattern
 - GHRS, properties 35-6
 - STIS
 - analysis, preparing 3-23
 - display spectra 3-18
 - echelle spectra, plotting 3-19
 - imset, STSDAS tasks for 3-12
 - strfits task 1-22
 - STSDAS 3-1 to 3-33
 - astrometry 3-9
 - astrometry in 3-9
 - calibration routines 45-3
 - documentation 3-32
 - image analysis tasks 3-12
 - image display 3-4
 - image, display 3-7
 - image, section 3-7
 - images 3-2
 - imset tasks 3-12
 - organization of 3-1, 3-3
 - photometry in 3-15
 - spectra analysis tasks 3-26
 - synthetic photometry 3-16
 - tables 3-2
 - substepping
 - FOS spectra 29-16
 - merging bins, GHRS 36-7
 - suffix
 - see "datasets"
 - switches (see "keyword," "calibration," or "header")
 - synphot
 - WF/PC-1 absolute sensitivity 45-22
 - synphot package
 - synthetic photometry 3-16
 - synthetic photometry
 - see "synphot"
- T**
- table
 - FITS 2-7
 - STSDAS 3-2
 - tape
 - data, reading 1-22
 - target acquisition
 - binary, FOS 30-27
 - FOS 29-22, 29-24, 30-26
 - GHRS 34-11, 37-28
 - peak-up, FOS 30-31
 - the 33-1
 - thermal breathing
 - effect on focus 32-15
 - time
 - FOS header information 33-2
 - FOS start and stop 33-1
 - time correction
 - FOS 31-23, 32-62, 33-5
 - time variability
 - FOS 32-19
 - GHRS 37-29
 - HSP 42-1

- time-resolved spectrophotometry
 - FOS 30-46
- tomultispec task
 - extract STIS spectral orders 3-23
- trailer file
 - GHR 35-4
- transformation
 - pixel coordinates to RA and Dec 3-9
- true count rate
 - HSP 41-4
- ttools 45-13
- ttools package
 - STSDAS tables 3-4
- txtable task
 - extract arrays 3-25
- typographic conventions
 - in this manual xiv
- U**
- unique data log
 - FOS 30-3, 30-6
 - GHR 35-3
 - HSP 40-2
- unit
 - counts to flux/mag, conversion 3-15
- V**
- vacuum wavelength scale
 - FOS 31-21
 - GHR 36-13
- VAX (see "VMS")
- vignetting
 - removal, GHR 36-4, 37-4
- visual detector
 - HSP 42-3
- W**
- warning
 - types in this document xv, 32-4
- wavecal task 36-18
- wavelength
 - combine with flux, mkmultispec 3-21
 - GHR 36-7
 - GHR data 34-10
- wavelength accuracy
 - FOS 32-16
- wavelength calibration
 - FOS 29-14, 32-49
 - GHR 36-17, 36-18, 37-23
- wavelength scale
 - FOS 31-21
 - GHR 37-31
- wavelength solution
 - GHR 35-4
- waveplate
 - FOS 29-12
- WF/PC-1
 - absolute sensitivity 45-21
 - calibration 45-1
 - cosmic rays 46-6
 - data acquisition 43-4
 - data analysis 46-1
 - data quality 45-12
 - data quality flags 45-12
 - decontamination effects 46-2
 - delta flats 45-18
 - error sources 46-1
 - field of view 43-4
 - header keywords 44-3, 44-4
 - hot pixels 46-5
 - instrument description 43-3
 - jitter 46-12
 - measles 46-2
 - mosaic detector images 43-6
 - photometry 46-9
 - plate distortion 46-13
 - PSF 46-11
 - readout modes 43-4
 - reference files 44-3
 - scattered light 46-2
- WFPC2
 - absolute sensitivity 45-21
- wmosaic task 43-6
- World Coordinate System
 - mkmultispec task 3-21

IX-14 Index

world wide web
 archive access 1-3
WWW page
 FOS 29-3, 39-2, 43-2

X

xstarview
 see "StarView"
xy2rd task
 pixel coordinates to RA and
 Dec 3-9

Y

y-base unit
 FOS 29-12, 32-7
 FOS uncertainty 32-8

Z

zero order photometry
 FOS 33-7
zero point offset
 GHRs 36-18