TABLE 1. Data for New L Dwarfs

Name of L Dwarf[a] (1)	J (2)	H (3)	K_s (4)	$J-K_s$ (5)	$J-H$ (6)	$H-K_s$ (7)	Telescope (8)	Obs. Date (UT) (9)	Exposure Time (sec) (10)
2MASSW J0015447+351603	13.82±0.04	12.81±0.03	12.24±0.03	1.58±0.05	1.00±0.05	0.57±0.05	Keck	1999 Jul 17	1200
2MASSI J0028394+150141	16.49±0.14	15.33±0.10	14.62±0.13	1.87±0.19	1.16±0.17	0.71±0.16	Keck	1998 Dec 14	3600
								1998 Dec 16	2400
2MASSW J0030300−145033	16.79±0.16	15.36±0.09	14.38±0.08	2.41±0.18	1.44±0.18	0.98±0.12	Keck	1999 Jul 18	2400
2MASSW J0036159+182110	12.44±0.04	11.58±0.03	11.03±0.03	1.41±0.05	0.86±0.05	0.55±0.04	Keck	1998 Dec 14	1800
								1998 Dec 16	900
2MASSW J0051107−154417	15.23±0.05	14.15±0.04	13.42±0.05	1.81±0.07	1.08±0.07	0.72±0.06	Keck	1999 Jul 18	1200
2MASSW J0058425−065123	14.32±0.03	13.45±0.03	12.91±0.04	1.41±0.05	0.88±0.04	0.54±0.04	Keck	1999 Jul 17	900
2MASSI J0103320+193536	16.26±0.09	14.88±0.06	14.15±0.07	2.11±0.11	1.38±0.11	0.73±0.09	Keck	1998 Dec 14	2400
								1998 Dec 16	2400
2MASSW J0135358+120522	14.43±0.04	13.44±0.03	12.86±0.03	1.57±0.05	0.99±0.05	0.57±0.05	Keck	1999 Jul 17	900
2MASSW J0205034+125142	15.69±0.06	14.47±0.05	13.68±0.05	2.01±0.08	1.22±0.08	0.79±0.07	Keck	1998 Dec 14	2400
2MASSW J0208183+254253	14.02±0.03	13.11±0.04	12.58±0.04	1.44±0.05	0.91±0.05	0.53±0.05	Keck	1999 Jul 17	600
2MASSW J0208236+273740	15.70±0.07	14.55±0.06	13.87±0.06	1.83±0.09	1.15±0.09	0.68±0.08	Keck	1998 Dec 15	2400
2MASSW J0208549+250048	16.24±0.10	15.00±0.09	14.38±0.08	1.86±0.13	1.24±0.13	0.62±0.12	Keck	1998 Dec 15	2400
2MASSI J0224367+253704	16.55±0.11	15.42±0.09	14.67±0.09	1.88±0.14	1.13±0.14	0.75±0.13	Keck	1998 Dec 15	2400
								1998 Dec 16	2400
2MASSI J0302012+135814	16.55±0.12	15.46±0.09	14.55±0.09	2.00±0.15	1.09±0.15	0.91±0.13	Keck	1998 Dec 14	2400
								1998 Dec 16	1200
2MASSW J0306268+154514	17.12±0.19	16.24±0.22	15.16±0.14	1.96±0.24	0.88±0.29	1.08±0.26	Keck	1998 Dec 24	3600
2MASSW J0309088−194938	15.82±0.06	14.67±0.06	14.08±0.07	1.74±0.09	1.16±0.09	0.59±0.09	Keck	1999 Jul 18	1200
2MASSW J0310599+164816	16.43±0.11	14.95±0.07	14.40±0.10	2.03±0.15	1.48±0.13	0.55±0.12	Keck	1998 Dec 15	4800
								1998 Dec 16	3600
2MASSI J0328426+230205	16.67±0.14	15.62±0.13	14.84±0.13	1.83±0.19	1.05±0.19	0.78±0.18	Keck	1998 Dec 15	3600
								1998 Dec 16	3600
								1999 Mar 04	2400
2MASSW J0337036−175807	15.60±0.06	14.39±0.05	13.57±0.04	2.03±0.07	1.21±0.07	0.83±0.06	Keck	1999 Jul 17	2400
2MASSI J0409095+210439	15.55±0.07	14.46±0.06	13.84±0.06	1.71±0.09	1.09±0.09	0.62±0.08	Keck	1998 Dec 16	1200
2MASSW J0708213+295035	16.75±0.12	15.54±0.12	14.69±0.09	2.06±0.15	1.21±0.17	0.85±0.15	Keck	1998 Dec 24	2400
2MASSW J0740096+321203	16.17±0.09	14.84±0.06	14.18±0.06	1.99±0.11	1.33±0.11	0.66±0.08	Keck	1998 Dec 14	2400
2MASSI J0746425+200032	11.74±0.03	11.00±0.04	10.49±0.03	1.25±0.04	0.74±0.05	0.51±0.05	Keck	1998 Dec 24	600
2MASSI J0753321+291711	15.49±0.05	14.49±0.05	13.85±0.06	1.64±0.08	1.00±0.07	0.64±0.08	Keck	1998 Dec 24	2400
2MASSI J0756252+124456	16.66±0.14	15.76±0.15	14.67±0.12	1.99±0.18	0.90±0.21	1.09±0.19	Keck	1998 Dec 15	2400
								1998 Dec 16	1200
2MASSW J0801405+462850	16.29±0.14	15.44±0.15	14.54±0.11	1.75±0.18	0.85±0.21	0.90±0.19	Keck	1998 Dec 15	2400
2MASSW J0820299+450031	16.29±0.11	15.00±0.09	14.23±0.08	2.06±0.14	1.29±0.14	0.77±0.12	Keck	1998 Dec 14	3600
								1998 Dec 16	2400
2MASSI J0825196+211552	15.12±0.04	13.79±0.04	13.05±0.04	2.07±0.06	1.33±0.06	0.74±0.06	Keck	1998 Dec 14	2400

TABLE 1. (continued)

Name of L Dwarf[a]	J	H	K_s	$J-K_s$	$J-H$	$H-K_s$	Telescope	Obs. Date (UT)	Exposure Time (sec)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
2MASSW J0829066+145622	14.72±0.03	13.79±0.04	13.12±0.05	1.60±0.06	0.93±0.05	0.67±0.06	Keck	1998 Dec 15	1200
2MASSW J0829570+265510	17.08±0.20	15.74±0.14	14.81±0.10	2.27±0.30	1.34±0.24	0.93±0.17	Keck	1998 Dec 24	2400
2MASSW J0832045−012835	14.13±0.03	13.31±0.03	12.69±0.03	1.44±0.04	0.82±0.04	0.62±0.04	Keck	1999 Mar 04	1200
2MASSW J0920122+351742	15.59±0.07	14.66±0.07	13.93±0.08	1.66±0.11	0.93±0.10	0.73±0.11	Keck	1998 Dec 24	2400
2MASSW J0928397−160312	15.34±0.05	14.30±0.04	13.64±0.05	1.70±0.07	1.04±0.06	0.66±0.06	Keck	1998 Dec 25	2400
2MASSW J0929336+342952	16.60±0.13	15.52±0.12	14.62±0.11	1.98±0.17	1.08±0.18	0.90±0.16	Keck	1998 Dec 15	2400
								1998 Dec 16	3600
2MASSW J0944027+313132	15.50±0.06	14.61±0.06	13.98±0.05	1.52±0.08	0.89±0.08	0.63±0.08	Keck	1998 Dec 25	2400
2MASSW J0951054+355801	17.29±0.25	15.77±0.14	15.04±0.12	2.25±0.28	1.52±0.29	0.73±0.18	Keck	1998 Dec 15	3600
								1998 Dec 16	3600
2MASSI J1029216+162652	14.31±0.04	13.35±0.04	12.61±0.04	1.70±0.06	0.96±0.06	0.74±0.06	Keck	1998 Dec 14	1200
2MASSW J1035245+250745	14.70±0.04	13.88±0.04	13.28±0.04	1.42±0.06	0.82±0.06	0.60±0.06	Keck	1998 Dec 25	1200
2MASSW J1102337−235945	17.04±0.19	15.61±0.13	14.79±0.09	2.25±0.21	1.43±0.23	0.82±0.16	Keck	1998 Dec 14	2400
								1998 Dec 16	2400
2MASSW J1112257+354813	14.57±0.04	13.47±0.04	12.69±0.05	1.88±0.06	1.10±0.06	0.78±0.06	Keck	1998 Dec 14	1200
								1999 Mar 04	1200
								1999 Mar 05	3600
2MASSW J1123556+412228	16.07±0.08	15.14±0.08	14.34±0.06	1.73±0.10	0.93±0.11	0.80±0.10	Keck	1998 Dec 25	2400
2MASSW J1239272+551537	14.67±0.03	13.54±0.04	12.74±0.03	1.93±0.05	1.13±0.05	0.80±0.05	Keck	1999 Jul 17	1200
2MASSW J1246467+402715	15.00±0.04	13.98±0.04	13.30±0.04	1.70±0.06	1.02±0.06	0.68±0.06	Keck	1998 Dec 24	600
2MASSI J1332286+263508	16.11±0.10	15.10±0.09	14.36±0.08	1.75±0.13	1.01±0.13	0.74±0.12	Keck	1998 Dec 25	1200
2MASSW J1338261+414034	14.22±0.03	13.30±0.03	12.75±0.04	1.47±0.05	0.92±0.04	0.55±0.05	Keck	1998 Dec 14	1200
2MASSW J1343167+394508	16.18±0.08	14.85±0.06	14.11±0.06	2.07±0.10	1.33±0.10	0.74±0.08	Keck	1998 Dec 14	1200
2MASSW J1411175+393636	14.68±0.04	13.81±0.07	13.27±0.05	1.41±0.06	0.87±0.08	0.54±0.09	Keck	1999 Mar 05	1800
2MASSW J1412244+163312	13.89±0.04	13.06±0.03	12.59±0.03	1.30±0.05	0.83±0.05	0.47±0.04	Keck	1998 Dec 25	1200
2MASSW J1438549−130910	15.53±0.05	14.52±0.05	13.88±0.06	1.65±0.08	1.01±0.07	0.64±0.08	Keck	1999 Mar 04	2400
2MASSW J1449378+235537	15.80±0.08	15.07±0.09	14.34±0.10	1.46±0.13	0.73±0.12	0.73±0.13	Palomar	1998 Jul 19	1200
2MASSW J1507476−162738	12.82±0.03	11.90±0.03	11.30±0.03	1.52±0.04	0.92±0.04	0.60±0.04	Keck	1998 Dec 24	900
								1999 Mar 05	1800
2MASSW J1523226+301456	16.32±0.11	15.00±0.07	14.24±0.07	2.09±0.13	1.33±0.13	0.76±0.10	Keck	1998 Dec 24	3600
								1998 Dec 25	4600
								1999 Mar 04	3600
								1999 Mar 31	4800
2MASSI J1526140+204341	15.62±0.07	14.50±0.06	13.92±0.06	1.70±0.09	1.12±0.09	0.58±0.08	Palomar	1998 Sep 20	1200
2MASSI J1600054+170832	16.10±0.10	15.13±0.08	14.67±0.12	1.43±0.16	0.97±0.13	0.46±0.14	Keck	1999 Jul 16	1200
2MASSW J1615441+355900	14.55±0.04	13.55±0.04	12.89±0.05	1.67±0.06	1.00±0.06	0.66±0.06	Keck	1999 Jul 16	1200
2MASSI J1656188+283506	17.10±0.20	15.93±0.15	14.96±0.16	2.14±0.26	1.17±0.25	0.97±0.22	Keck	1998 Aug 13	2400
								1999 Jul 17	1200

TABLE 1. (continued)

Name of L Dwarf[a]	J	H	K_s	$J-K_s$	$J-H$	$H-K_s$	Telescope	Obs. Date (UT)	Exposure Time (sec)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
2MASSI J1711457+223204	17.10±0.19	15.77±0.11	14.69±0.10	2.41±0.21	1.33±0.22	1.08±0.15	Keck	1998 Aug 13	2400
2MASSI J1726000+153819	15.65±0.07	14.46±0.06	13.64±0.05	2.01±0.09	1.19±0.09	0.82±0.08	Keck	1998 Aug 13	2400
2MASSW J1728114+394859	15.96±0.08	14.78±0.07	13.90±0.05	2.07±0.10	1.18±0.11	0.88±0.09	Keck	1999 Jul 16	2400
2MASSW J1743415+212707	15.80±0.09	14.78±0.07	14.29±0.10	1.51±0.13	1.02±0.11	0.49±0.12	Keck	1999 Jul 17	1200
2MASSW J1841086+311727	16.12±0.10	14.97±0.07	14.18±0.08	1.95±0.13	1.15±0.12	0.80±0.11	Keck	1999 Jul 18	2400
2MASSI J2054358+151904	16.51±0.13	15.58±0.14	14.82±0.16	1.69±0.21	0.93±0.19	0.76±0.21	Keck	1998 Aug 13	2400
2MASSI J2057153+171515	16.11±0.11	15.21±0.09	14.57±0.13	1.54±0.17	0.90±0.14	0.64±0.16	Keck	1999 Jul 17	1200
2MASSW J2101154+175658	16.87±0.19	15.70±0.14	15.04±0.19	1.83±0.27	1.17±0.24	0.66±0.24	Keck	1998 Aug 13	3600
2MASSW J2206540−421721	15.57±0.07	14.48±0.06	13.60±0.06	1.97±0.09	1.09±0.09	0.88±0.08	Keck	1999 Jul 17	1200
2MASSW J2208136+292121	15.82±0.09	14.83±0.08	14.09±0.08	1.73±0.12	0.99±0.12	0.74±0.11	Keck	1998 Dec 24	2150
								1998 Dec 25	2400
2MASSW J2224438−015852	14.05±0.03	12.80±0.03	12.02±0.03	2.04±0.04	1.25±0.04	0.79±0.04	Keck	1999 Jul 16	1200

[a]Source designations for 2MASS discoveries are given as "2MASx Jhhmmss[.]s±ddmmss." The "x" in the prefix will vary depending upon the catalog from which the object was taken; "P" is used for objects discovered in the prototype data, "SW" is used for objects taken from the actual survey's working database, and "SI" is used for objects taken from one of the 2MASS incremental releases. The suffix conforms to IAU nomenclature convention and is the sexigesimal R.A. and decl. at J2000 equinox.