

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15967	WLM	0	2	0.53	-15	29	52.1	COS/FUV	Spectroscopic	G130M	3	0	
15967	WLM	0	2	0.53	-15	29	52.1	COS/FUV	Spectroscopic	G160M	18	0	
15902	AND-XX	0	7	30.768	35	8	1.68	ACS/WFC	Imaging	F606W	10	0	
15902	AND-XX	0	7	30.768	35	8	1.68	ACS/WFC	Imaging	F814W	0	10	
15936	ABELL-2744-HFFPAR	0	13	53.27	-30	22	47.8	ACS/WFC	Imaging	CLEAR1L	0	8	
15936	ABELL-2744-HFFPAR	0	13	53.27	-30	22	47.8	ACS/WFC	Imaging	CLEAR1L	0	8	
15936	ABELL-2744-HFFPAR	0	13	53.27	-30	22	47.8	ACS/WFC	Imaging	CLEAR1L	0	8	
15936	ABELL-2744-HFFPAR	0	13	53.27	-30	22	47.8	ACS/WFC	Imaging	CLEAR1L	0	8	
15940	ACO-2744-PAR	0	13	53.6	-30	22	54.3	ACS/WFC	Imaging	F606W	0	4	
15940	ACO-2744	0	14	20.03	-30	23	17.8	WFC3/UVIS	Imaging	F225W	8	0	
15936	ABELL-2744	0	14	21.2	-30	23	50.1	WFC3/UVIS	Imaging	F200LP	8	0	
15936	ABELL-2744	0	14	21.2	-30	23	50.1	WFC3/UVIS	Imaging	F200LP	8	0	
15936	ABELL-2744	0	14	21.2	-30	23	50.1	WFC3/UVIS	Imaging	F200LP	8	0	
15936	ABELL-2744	0	14	21.2	-30	23	50.1	WFC3/UVIS	Imaging	F200LP	8	0	
15840	J0021+0052	0	21	1.0296	0	52	48.08	COS/NUV	Spectroscopic	G185M	1	0	
15825	-9-CET	0	22	51.7883	-12	12	33.97	COS/FUV	Spectroscopic	G130M	3	0	
15902	AND-XXVI	0	23	45.984	47	54	59.4	ACS/WFC	Imaging	F814W	10	0	
15902	AND-XXVI	0	23	45.984	47	54	59.4	ACS/WFC	Imaging	F606W	0	10	
15914	NGC104-BSS3	0	24	4.39	-72	0	35.9	ACS/SBC	Imaging	F140LP	4	0	
15914	NGC104-BSS1-2	0	24	9.79	-72	4	53.08	ACS/SBC	Imaging	F150LP	4	0	
15914	NGC104-BSS4	0	24	14.63	-72	7	37.06	ACS/SBC	Imaging	F150LP	4	0	
15955	V-CT-TUC	0	25	14.662	-61	30	48.25	COS/NUV	Spectroscopic	G230L	3	0	
15911	CETUS-DSPH	0	26	8.797	-11	4	35.5	ACS/WFC	Imaging	F814W	4	0	
15911	CETUS-DSPH	0	26	8.797	-11	4	35.5	ACS/WFC	Imaging	F814W	4	0	
15914	NGC104-BSS5	0	26	10.47	-72	11	7.64	ACS/SBC	Imaging	F140LP	4	0	
15923	SDSSJ0029+2544	0	29	27.388	25	44	1.78	WFC3/UVIS	Imaging	F606W	2	0	
15887	HE0027-3118	0	29	37.332	-31	2	8.99	COS/FUV	Spectroscopic	G130M	7	0	
15902	AND-XXV	0	30	8.256	46	51	2.88	ACS/WFC	Imaging	F606W	12	0	
15902	AND-XXV	0	30	8.256	46	51	2.88	ACS/WFC	Imaging	F814W	0	12	
15902	AND-XXXII	0	35	58.896	51	33	37.8	ACS/WFC	Imaging	F814W	12	0	
15902	AND-XXXII	0	35	58.896	51	33	37.8	ACS/WFC	Imaging	F606W	0	12	
15924	LSPM-J0036+1821	0	36	17.0934	18	21	12.21	WFC3/IR	Spectroscopic	G141	5	0	
15902	AND-XXX	0	36	34.656	49	38	48.48	ACS/WFC	Imaging	F814W	10	0	
15902	AND-XXX	0	36	34.656	49	38	48.48	ACS/WFC	Imaging	F606W	0	10	
15840	HARO11-KNOTC	0	36	51.82	-33	33	17	COS/NUV	Spectroscopic	G185M	1	0	
15902	AND-XVII	0	37	7.656	44	19	26.4	ACS/WFC	Imaging	F814W	10	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15902	AND-XVII	0	37	7.656	44	19	26.4	ACS/WFC	Imaging	F606W	0	10	
15902	NGC205	0	40	21.552	41	40	57.72	ACS/WFC	Imaging	F814W	12	0	
15902	NGC205	0	40	21.552	41	40	57.72	ACS/WFC	Imaging	F606W	0	12	
15822	MAC-OB-69-2	0	40	56.448	41	3	8.11	COS/FUV	Spectroscopic	G140L	3	0	
15822	MLA-329	0	41	14.95	40	44	48.2	COS/FUV	Spectroscopic	G140L	4	0	
15932	M31-45	0	42	10.5194	41	9	42.43	WFC3/IR	Imaging	F127M	1	0	
15932	M31-45	0	42	10.5194	41	9	42.43	WFC3/IR	Imaging	F127M			
15932	M31-43	0	42	18.8658	41	11	36.33	WFC3/IR	Imaging	F139M	1	0	
15932	M31-43	0	42	18.8658	41	11	36.33	WFC3/IR	Imaging	F139M			
15932	M31-46	0	42	20.4621	41	8	6.29	WFC3/IR	Imaging	F139M	1	0	
15932	M31-46	0	42	20.4621	41	8	6.29	WFC3/IR	Imaging	F139M			
15932	M31-42	0	42	26.4082	41	16	39.85	WFC3/IR	Imaging	F127M	1	0	
15932	M31-42	0	42	26.4082	41	16	39.85	WFC3/IR	Imaging	F127M			
15932	M31-41	0	42	27.2335	41	13	28.45	WFC3/IR	Imaging	F153M	1	0	
15932	M31-41	0	42	27.2335	41	13	28.45	WFC3/IR	Imaging	F153M			
15932	M31-44	0	42	28.7834	41	10	3.65	WFC3/IR	Imaging	F153M	1	0	
15932	M31-44	0	42	28.7834	41	10	3.65	WFC3/IR	Imaging	F153M			
15932	M31-36	0	42	34.4449	41	18	46.59	WFC3/IR	Imaging	F127M	1	0	
15932	M31-36	0	42	34.4449	41	18	46.59	WFC3/IR	Imaging	F127M			
15932	M31-40	0	42	36.9975	41	11	55.58	WFC3/IR	Imaging	F139M	1	0	
15932	M31-40	0	42	36.9975	41	11	55.58	WFC3/IR	Imaging	F139M			
15952	M-32	0	42	41.825	40	51	54.61	WFC3/IR	Imaging	F127M	4	0	
15952	M-32	0	42	41.825	40	51	54.61	WFC3/IR	Imaging	F139M			
15952	M-32	0	42	41.825	40	51	54.61	WFC3/IR	Imaging	F153M			
15932	M31-39	0	42	51.5478	41	12	55.32	WFC3/IR	Imaging	F127M	1	0	
15932	M31-39	0	42	51.5478	41	12	55.32	WFC3/IR	Imaging	F127M			
15932	M31-35	0	42	53.9819	41	19	31.66	WFC3/IR	Imaging	F153M	1	0	
15932	M31-35	0	42	53.9819	41	19	31.66	WFC3/IR	Imaging	F153M			
15932	M31-38	0	42	59.8107	41	14	53.34	WFC3/IR	Imaging	F153M	1	0	
15932	M31-38	0	42	59.8107	41	14	53.34	WFC3/IR	Imaging	F153M			
15932	M31-33	0	43	2.4546	41	21	24.57	WFC3/IR	Imaging	F127M	1	0	
15932	M31-33	0	43	2.4546	41	21	24.57	WFC3/IR	Imaging	F127M			
15932	M31-37	0	43	4.1131	41	17	51.94	WFC3/IR	Imaging	F139M	1	0	
15932	M31-37	0	43	4.1131	41	17	51.94	WFC3/IR	Imaging	F139M			
15932	M31-32	0	43	11.2206	41	23	21.23	WFC3/IR	Imaging	F153M	1	0	
15932	M31-32	0	43	11.2206	41	23	21.23	WFC3/IR	Imaging	F153M			

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15932	M31-34	0	43	12.4899	41	19	47.35	WFC3/IR	Imaging	F139M	1	0	
15932	M31-34	0	43	12.4899	41	19	47.35	WFC3/IR	Imaging	F139M			
15837	LHA-115-N-9	0	43	36.6922	-73	2	26.72	COS/FUV	Spectroscopic	G130M	1	0	
15822	MLA-947	0	44	12.44	41	29	41.7	COS/FUV	Spectroscopic	G140L	4	0	
15822	MS87-IT1-40	0	44	20.58	41	54	12.5	COS/FUV	Spectroscopic	G140L	4	0	
15833	M31N-2008-12A	0	45	28.82	41	54	10.1	STIS/FUV-MAMA	Spectroscopic	G140L	3	0	Yes (Disruptive)
15833	M31N-2008-12A	0	45	28.82	41	54	10.1	STIS/FUV-MAMA	Spectroscopic	G140L	4	0	Yes (Disruptive)
15833	M31N-2008-12A	0	45	28.82	41	54	10.1	STIS/FUV-MAMA	Spectroscopic	G140L	5	0	Yes (Disruptive)
15833	M31N-2008-12A	0	45	28.82	41	54	10.1	STIS/FUV-MAMA	Spectroscopic	G140L	5	0	Yes (Disruptive)
15932	M31-22	0	45	59.0071	42	4	48.47	WFC3/IR	Imaging	F139M	1	0	
15932	M31-22	0	45	59.0071	42	4	48.47	WFC3/IR	Imaging	F139M	0	1	
15932	M31-23	0	46	10.2259	42	8	9.06	WFC3/IR	Imaging	F153M	1	0	
15932	M31-23	0	46	10.2259	42	8	9.06	WFC3/IR	Imaging	F153M	0	1	
15932	M31-21	0	46	16.585	42	4	12.5	WFC3/IR	Imaging	F127M	1	0	
15932	M31-21	0	46	16.585	42	4	12.5	WFC3/IR	Imaging	F127M	0	1	
15902	AND-XI	0	46	20.448	33	47	55.68	ACS/WFC	Imaging	F606W	10	0	
15902	AND-XI	0	46	20.448	33	47	55.68	ACS/WFC	Imaging	F814W	0	10	
15932	M31-31	0	46	31.9382	42	15	33.67	WFC3/IR	Imaging	F139M	1	0	
15932	M31-31	0	46	31.9382	42	15	33.67	WFC3/IR	Imaging	F139M			
15837	LIN-78	0	46	32.63	-73	6	5.7	COS/FUV	Spectroscopic	G160M	1	0	
15932	M31-28	0	46	37.534	42	11	18.42	WFC3/IR	Imaging	F139M	1	0	
15932	M31-28	0	46	37.534	42	11	18.42	WFC3/IR	Imaging	F139M			
15932	M31-24	0	46	38.0153	42	8	6.01	WFC3/IR	Imaging	F127M	1	0	
15932	M31-24	0	46	38.0153	42	8	6.01	WFC3/IR	Imaging	F127M	0	1	
15912	N12	0	46	40.4364	-73	5	50.84	ACS/WFC	Imaging	F475W	4	0	
15912	N12	0	46	40.4364	-73	5	50.84	ACS/WFC	Imaging	F475W	2	0	
15932	M31-29	0	46	43.6794	42	13	51.41	WFC3/IR	Imaging	F153M	1	0	
15932	M31-29	0	46	43.6794	42	13	51.41	WFC3/IR	Imaging	F153M			
15932	M31-30	0	46	50.2642	42	15	55.39	WFC3/IR	Imaging	F127M	1	0	
15932	M31-30	0	46	50.2642	42	15	55.39	WFC3/IR	Imaging	F127M			
15932	M31-25	0	46	53.9101	42	12	13.17	WFC3/IR	Imaging	F139M	1	0	
15932	M31-25	0	46	53.9101	42	12	13.17	WFC3/IR	Imaging	F139M	0	1	
15932	M31-26	0	47	1.88	42	14	15.18	WFC3/IR	Imaging	F153M	1	0	
15932	M31-26	0	47	1.88	42	14	15.18	WFC3/IR	Imaging	F153M	0	1	
15938	NGC253-DW3	0	47	7.177	-23	57	21.68	ACS/WFC	Imaging	F814W	0	1	
15938	NGC253-DW3	0	47	7.177	-23	57	21.68	WFC3/UVIS	Imaging	F606W	1	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15932	M31-27	0	47	9.0596	42	16	13.47	WFC3/IR	Imaging	F127M	1	0	
15932	M31-27	0	47	9.0596	42	16	13.47	WFC3/IR	Imaging	F127M	0	1	
15902	AND-XII	0	47	26.448	34	22	39	ACS/WFC	Imaging	F606W	11	0	
15902	AND-XII	0	47	26.448	34	22	39	ACS/WFC	Imaging	F814W	0	11	
15938	NGC253-DW6	0	47	27.1826	-25	13	7.55	ACS/WFC	Imaging	F606W	1	0	
15938	NGC253-DW6	0	47	27.1826	-25	13	7.55	ACS/WFC	Imaging	F814W	0	1	
15938	NGC253-DW1	0	47	34.93	-26	23	19.7	ACS/WFC	Imaging	F606W	1	0	
15938	NGC253-DW1	0	47	34.93	-26	23	19.7	ACS/WFC	Imaging	F814W	0	1	
15837	BBB-SMC-266	0	47	50.0513	-73	8	21.07	COS/FUV	Spectroscopic	G130M	1	0	
15912	N19	0	47	51.0532	-73	9	1.32	ACS/WFC	Imaging	F814W	0	4	
15912	N19	0	47	51.0532	-73	9	1.32	ACS/WFC	Imaging	F814W	0	2	
15917	NGC-253-ACS-MINOR	0	47	51.5266	-25	8	16.63	WFC3/IR	Imaging	F160W	0	1	
15917	NGC-253-ACS-MINOR	0	47	51.5266	-25	8	16.63	WFC3/IR	Imaging	F160W	0	1	
15912	BAR-S	0	47	58.9648	-73	15	25.36	WFC3/IR	Imaging	F160W	0	6	
15912	BAR-S	0	47	58.9648	-73	15	25.36	WFC3/IR	Imaging	F160W	0	4	
15912	CROSS-W	0	48	18.1892	-73	5	1.7	WFC3/UVIS	Imaging	F657N	0	6	
15912	CROSS-W	0	48	18.1892	-73	5	1.7	WFC3/UVIS	Imaging	F657N	0	2	
15917	NGC-253-ACS-MAJOR	0	48	18.2576	-25	8	1.31	WFC3/IR	Imaging	F110W	1	0	
15917	NGC-253-ACS-MAJOR	0	48	18.2576	-25	8	1.31	WFC3/IR	Imaging	F110W	1	0	
15912	BAR-N	0	48	23.4999	-73	9	44.93	WFC3/IR	Imaging	F110W	6	0	
15912	BAR-N	0	48	23.4999	-73	9	44.93	WFC3/IR	Imaging	F110W	4	0	
15912	CROSS-E	0	49	4.8243	-73	9	48.73	WFC3/UVIS	Imaging	F547M	6	0	
15912	CROSS-E	0	49	4.8243	-73	9	48.73	WFC3/UVIS	Imaging	F547M	2	0	
15837	SPT-CLJ0049-2440	0	49	10.7462	-24	40	47.38	WFC3/IR	Imaging	F105W	1	0	
15837	SPT-CLJ0049-2440	0	49	10.7462	-24	40	47.38	ACS/WFC	Imaging	F814W	1	0	
15837	SPT-CLJ0049-2440	0	49	10.7462	-24	40	47.38	ACS/WFC	Imaging	F606W	1	0	
15837	OGLE-J004942.75-731717.7	0	49	42.7445	-73	17	18.18	COS/FUV	Spectroscopic	G130M	1	0	
15837	SK-32	0	50	1.8682	-72	11	26.61	COS/FUV	Spectroscopic	G130M	1	0	
15938	NGC253-DW5	0	50	26.0148	-26	43	42.76	WFC3/UVIS	Imaging	F814W	0	1	
15938	NGC253-DW5	0	50	26.0148	-26	43	42.76	ACS/WFC	Imaging	F606W	1	0	
15951	2MASSJ00512646-1053170	0	51	26.4242	-10	53	20.11	STIS/NUV-MAMA	Spectroscopic	E230M	12	0	
15902	AND-XIV	0	51	35.352	29	41	47.04	ACS/WFC	Imaging	F606W	10	0	
15902	AND-XIV	0	51	35.352	29	41	47.04	ACS/WFC	Imaging	F814W	0	10	
15902	AND-XIII	0	51	50.472	33	0	8.64	ACS/WFC	Imaging	F814W	10	0	
15902	AND-XIII	0	51	50.472	33	0	8.64	ACS/WFC	Imaging	F606W	0	10	
15875	SMALL-MAGELLANIC-CLOUD	0	52	44.7816	-72	49	42.96	WFC3/IR	Imaging	F125W	0	1	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15875	SMALL-MAGELLANIC-CLOUD	0	52	44.7816	-72	49	42.96	WFC3/IR	Spectroscopic	G102	0	1	
15902	AND-IX	0	52	52.344	43	11	43.08	ACS/WFC	Imaging	F814W	10	0	
15902	AND-IX	0	52	52.344	43	11	43.08	ACS/WFC	Imaging	F606W	0	10	
15864	WS35	0	53	11.21	67	30	2.1	STIS/FUV-MAMA	Spectroscopic	G140L	5	0	
15864	WS35	0	53	11.21	67	30	2.1	STIS/NUV-MAMA	Spectroscopic	G230L	5	0	
15837	OGLE-SMC-SC6-246635	0	53	12.8556	-72	36	59.98	COS/FUV	Spectroscopic	G160M	1	0	
15938	NGC253-DW4	0	53	49.0293	-25	28	28.43	WFC3/UVIS	Imaging	F606W	1	0	
15938	NGC253-DW4	0	53	49.0293	-25	28	28.43	WFC3/UVIS	Imaging	F814W	0	1	
15917	NGC-300-ACS-MAJOR	0	54	38.2285	-37	36	0.07	WFC3/IR	Imaging	F110W	1	0	
15917	NGC-300-ACS-MAJOR	0	54	38.2285	-37	36	0.07	WFC3/IR	Imaging	F110W	1	0	
15890	PG-0052+251	0	54	52.1182	25	25	38.98	COS/FUV	Spectroscopic	G140L	1	0	
15917	NGC-300-ACS-MINOR	0	55	5.7228	-37	37	32.41	WFC3/IR	Imaging	F160W	0	1	
15917	NGC-300-ACS-MINOR	0	55	5.7228	-37	37	32.41	WFC3/IR	Imaging	F160W	0	1	
15837	MA93-1125	0	59	11.757	-72	9	56.91	COS/FUV	Spectroscopic	G160M	1	0	
15837	SK-101	1	1	57.2256	-72	12	42.24	COS/FUV	Spectroscopic	G130M	1	0	
15887	MRK969	1	2	40.249	-12	50	57.45	COS/FUV	Spectroscopic	G130M	5	0	
15837	SK-107	1	2	51.9529	-71	48	24.81	COS/FUV	Spectroscopic	G160M	1	0	
15837	MOA-J010321.3-720538	1	3	21.3038	-72	5	38.18	COS/FUV	Spectroscopic	G160M	1	0	
15880	IC1613-C9	1	4	38.63	2	9	44.4	COS/FUV	Spectroscopic	G130M	6	0	
15880	IC1613-C9	1	4	38.63	2	9	44.4	COS/FUV	Spectroscopic	G130M			
15880	IC1613-B11	1	4	43.8	2	6	44.75	COS/FUV	Spectroscopic	G130M	4	0	
15880	IC1613-B11	1	4	43.8	2	6	44.75	COS/FUV	Spectroscopic	G130M			
15880	IC1613-36611	1	4	44.8	2	6	32.7	COS/FUV	Spectroscopic	G130M	6	0	
15880	IC1613-36611	1	4	44.8	2	6	32.7	COS/FUV	Spectroscopic	G130M			
15880	IC1613-61331	1	5	0.2	2	9	13.1	COS/FUV	Spectroscopic	G130M	7	0	
15880	IC1613-61331	1	5	0.2	2	9	13.1	COS/FUV	Spectroscopic	G130M			
15880	IC1613-64066	1	5	2.07	2	9	28.1	COS/FUV	Spectroscopic	G130M	4	0	
15880	IC1613-64066	1	5	2.07	2	9	28.1	COS/FUV	Spectroscopic	G130M			
15880	IC1613-67559	1	5	4.8	2	9	23.2	COS/FUV	Spectroscopic	G130M	7	0	
15880	IC1613-67559	1	5	4.8	2	9	23.2	COS/FUV	Spectroscopic	G130M			
15880	IC1613-67684	1	5	4.9	2	9	32.6	COS/FUV	Spectroscopic	G130M	6	0	
15880	IC1613-67684	1	5	4.9	2	9	32.6	COS/FUV	Spectroscopic	G130M			
15880	IC1613-A13	1	5	6.25	2	10	43	COS/FUV	Spectroscopic	G130M	2	0	
15880	IC1613-A13	1	5	6.25	2	10	43	COS/FUV	Spectroscopic	G130M			
15880	IC1613-B3	1	5	6.34	2	9	32.9	COS/FUV	Spectroscopic	G130M	3	0	
15880	IC1613-B3	1	5	6.34	2	9	32.9	COS/FUV	Spectroscopic	G130M			

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15837	AZV-377	1	5	7.3849	-72	48	18.73	COS/FUV	Spectroscopic	G130M	1	0	
15880	IC1613-A15	1	5	8.74	2	10	1.1	COS/FUV	Spectroscopic	G130M	5	0	
15880	IC1613-A15	1	5	8.74	2	10	1.1	COS/FUV	Spectroscopic	G130M			
15865	J010534+234960	1	5	33.7399	23	49	59.63	COS/FUV	Spectroscopic	G140L	3	0	
15902	AND-X	1	6	33.288	44	48	19.08	ACS/WFC	Imaging	F606W	10	0	
15902	AND-X	1	6	33.288	44	48	19.08	ACS/WFC	Imaging	F814W	0	10	
15899	ZTF18ABXFTQM	1	7	33.61	23	28	34.4	STIS/NUV-MAMA	Spectroscopic	G230L	3	0	
15837	AZV-435	1	8	17.908	-71	59	54.39	COS/FUV	Spectroscopic	G160M	1	0	
15837	MA93-1694	1	9	21.9525	-73	15	41.94	COS/FUV	Spectroscopic	G130M	1	0	
15902	AND-V	1	10	17.424	47	37	48	ACS/WFC	Imaging	F814W	12	0	
15902	AND-V	1	10	17.424	47	37	48	ACS/WFC	Imaging	F606W	0	12	
15887	UVQSJ011054-154540	1	10	54.99	-15	45	40.1	COS/FUV	Spectroscopic	G160M	8	0	
15837	SK-148	1	12	29.0121	-72	29	29.08	COS/FUV	Spectroscopic	G160M	1	0	
15923	SDSSJ0113+0250	1	13	0.575	2	50	46.2	WFC3/UVIS	Imaging	F606W	2	0	
15837	DACHS-SMC-3-10	1	13	42.4532	-73	17	29.54	COS/FUV	Spectroscopic	G130M	1	0	
15837	LIN-508	1	14	55.0217	-72	21	38.12	COS/FUV	Spectroscopic	G160M	1	0	
15837	AZV-493	1	17	18.4892	-73	17	52.63	COS/FUV	Spectroscopic	G160M	1	0	
15902	AND-XXIV	1	18	29.712	46	21	49.32	ACS/WFC	Imaging	F606W	10	0	
15902	AND-XXIV	1	18	29.712	46	21	49.32	ACS/WFC	Imaging	F814W	0	10	
15840	MRK996	1	27	35.511	-6	19	36.06	COS/FUV	Spectroscopic	G130M	3	0	
15902	AND-XXII	1	27	39.744	28	5	31.56	ACS/WFC	Imaging	F814W	10	0	
15902	AND-XXII	1	27	39.744	28	5	31.56	ACS/WFC	Imaging	F606W	0	10	
15902	AND-XXIII	1	29	21.504	38	43	13.8	ACS/WFC	Imaging	F606W	10	0	
15902	AND-XXIII	1	29	21.504	38	43	13.8	ACS/WFC	Imaging	F814W	0	10	
15837	SK-183	1	29	24.5516	-73	33	16.37	COS/FUV	Spectroscopic	G130M	1	0	
15845	J0130-0014	1	30	32.37	0	14	32.52	COS/FUV	Spectroscopic	G140L	4	0	
15855	MCA1-B	1	32	37.68	30	40	5.6	WFC3/UVIS	Imaging	F225W	2	0	
15855	MCA1-B	1	32	37.68	30	40	5.6	WFC3/UVIS	Imaging	F336W	0		
15855	MCA1-B	1	32	37.68	30	40	5.6	WFC3/UVIS	Imaging	F438W	0		
15855	MCA1-B	1	32	37.68	30	40	5.6	WFC3/UVIS	Imaging	F606W	0		
15855	MCA1-B	1	32	37.68	30	40	5.6	WFC3/UVIS	Imaging	F814W	0		
15932	M33-01	1	33	33.352	30	32	14.86	WFC3/IR	Imaging	F153M	1	0	
15932	M33-01	1	33	33.352	30	32	14.86	WFC3/IR	Imaging	F153M			
15932	M33-02	1	33	39.8482	30	34	54.64	WFC3/IR	Imaging	F127M	1	0	
15932	M33-02	1	33	39.8482	30	34	54.64	WFC3/IR	Imaging	F127M			
15932	M33-03	1	33	45.2024	30	37	32.74	WFC3/IR	Imaging	F139M	1	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15932	M33-03	1	33	45.2024	30	37	32.74	WFC3/IR	Imaging	F139M			
15932	M33-04	1	33	51.0068	30	40	4.78	WFC3/IR	Imaging	F153M	1	0	
15932	M33-04	1	33	51.0068	30	40	4.78	WFC3/IR	Imaging	F153M			
15932	M33-05	1	33	56.5021	30	42	49.91	WFC3/IR	Imaging	F127M	1	0	
15932	M33-05	1	33	56.5021	30	42	49.91	WFC3/IR	Imaging	F127M			
15909	NGC-612	1	33	57.751	-36	29	35.8	WFC3/IR	Imaging	F110W	1	0	
15932	M33-06	1	34	3.0373	30	45	40.51	WFC3/IR	Imaging	F139M	1	0	
15932	M33-06	1	34	3.0373	30	45	40.51	WFC3/IR	Imaging	F139M			
15932	M33-07	1	34	9.1735	30	48	26.6	WFC3/IR	Imaging	F153M	1	0	
15932	M33-07	1	34	9.1735	30	48	26.6	WFC3/IR	Imaging	F153M			
15947	LSPM-J0135+1445	1	35	32.8346	14	45	53.56	WFC3/IR	Spectroscopic	G141	6	0	
15842	WHL0137-08	1	37	25	-8	27	25	ACS/WFC	Imaging	F475W	2	0	
15842	WHL0137-08	1	37	25	-8	27	25	ACS/WFC	Imaging	F814W	5	0	
15842	WHL0137-08	1	37	25	-8	27	25	WFC3/IR	Imaging	F110W	2	0	
15842	WHL0137-08	1	37	25	-8	27	25	ACS/WFC	Imaging	F435W	0	2	
15842	WHL0137-08	1	37	25	-8	27	25	ACS/WFC	Imaging	F814W	0	7	
15842	WHL0137-08	1	37	25	-8	27	25	WFC3/UVIS	Imaging	F606W			
15842	WHL0137-08	1	37	25	-8	27	25	WFC3/IR	Imaging	F105W			
15842	WHL0137-08	1	37	25	-8	27	25	WFC3/IR	Imaging	F125W			
15842	WHL0137-08	1	37	25	-8	27	25	WFC3/IR	Imaging	F140W			
15842	WHL0137-08	1	37	25	-8	27	25	WFC3/IR	Imaging	F160W			
15939	Q0138-0005	1	38	25.498	0	5	33.97	WFC3/UVIS	Imaging	F336W	3	0	
15947	BPS-CS-29504-0036	1	39	42.8003	-34	42	40.34	WFC3/IR	Spectroscopic	G141	5	0	
15845	J0141-0304	1	41	42.85	-3	4	51.12	COS/FUV	Spectroscopic	G160M	4	0	
15840	UM133	1	44	41.365	4	53	25.32	COS/FUV	Spectroscopic	G130M	3	0	
15861	V-BY-CAS	1	47	11.9201	61	25	20.98	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15947	GD-1400	1	47	21.8996	-21	56	51.76	WFC3/IR	Spectroscopic	G141	8	0	
15865	J015208-043117	1	52	7.9963	-4	31	17.17	COS/FUV	Spectroscopic	G140L	2	0	
15939	J0152-2001	1	52	27.34	-20	1	7.1	WFC3/UVIS	Imaging	F336W	2	0	
15939	Q0152+0023	1	52	49.687	0	23	14.6	WFC3/UVIS	Imaging	F336W	3	0	
15923	SDSSJ0201+3228	2	1	21.395	32	28	29.67	WFC3/UVIS	Imaging	F606W	3	0	
15865	J020819-040136	2	8	18.9076	-4	1	36.37	COS/FUV	Spectroscopic	G160M	4	0	
15955	CD-46-644	2	10	55.3913	-46	3	58.66	COS/FUV	Spectroscopic	G130M	3	0	
15862	UDS7815	2	17	34.2775	-5	15	35.68	WFC3/IR	Imaging	F105W	2	0	
15931	UDS-603	2	17	42.47	-4	58	57.8	WFC3/IR	Imaging	F105W	1	0	
15901	SEGUE-II	2	19	16	20	10	31	ACS/WFC	Imaging	F814W	1	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15901	SEGUE-II	2	19	16	20	10	31	ACS/WFC	Imaging	F475W	2	0	
15890	2MASX-J02201453-0728593	2	20	14.5754	-7	28	59.28	COS/FUV	Spectroscopic	G140L	1	0	
15869	HD-14476	2	22	16.9645	57	16	18.94	COS/FUV	Spectroscopic	G160M	1	0	
15901	ERIDANUS-III	2	22	45.5	-52	17	1	ACS/WFC	Imaging	F606W	0	4	
15901	ERIDANUS-III	2	22	45.5	-52	17	1	WFC3/UVIS	Imaging	F475W	0	4	
15909	NGC-997	2	37	14.48	7	18	20.13	WFC3/IR	Imaging	F160W	1	0	
15889	SN2009IG-FIELD	2	38	11.61	-1	18	45.11	WFC3/IR	Spectroscopic	G141	1	0	Yes (Non-Disruptive)
15940	ACO-370	2	39	50.5	-1	35	8	WFC3/UVIS	Imaging	F225W	8	0	
15936	ABELL-370	2	39	52.8	-1	34	36	ACS/WFC	Imaging	CLEAR1L	8	0	
15936	ABELL-370	2	39	52.8	-1	34	36	ACS/WFC	Imaging	CLEAR1L	8	0	
15936	ABELL-370	2	39	52.8	-1	34	36	ACS/WFC	Imaging	CLEAR1L	8	0	
15936	ABELL-370	2	39	52.8	-1	34	36	ACS/WFC	Imaging	CLEAR1L	8	0	
15940	ACO-370-PAR	2	40	13.4	-1	37	32.8	ACS/WFC	Imaging	F435W	0	4	
15936	ABELL-370-HFFPAR	2	40	13.51	-1	37	34	WFC3/UVIS	Imaging	F200LP	0	8	
15936	ABELL-370-HFFPAR	2	40	13.51	-1	37	34	WFC3/UVIS	Imaging	F200LP	0	8	
15936	ABELL-370-HFFPAR	2	40	13.51	-1	37	34	WFC3/UVIS	Imaging	F200LP	0	8	
15936	ABELL-370-HFFPAR	2	40	13.51	-1	37	34	WFC3/UVIS	Imaging	F200LP	0	8	
15815	HD-16429-AAAB	2	40	44.951	61	16	56.04	STIS/CCD	Spectroscopic	G430M	3	0	
15850	NGC1052-DF2	2	41	45.895	-8	24	26.5	WFC3/UVIS	Imaging	F225W	3	0	
15851	NGC1052-DF2	2	41	45.895	-8	24	26.5	ACS/WFC	Imaging	F814W	10	0	
15851	NGC1052-DF2	2	41	45.895	-8	24	26.5	ACS/WFC	Imaging	F606W	0	10	
15851	NGC1052-DF2	2	41	45.895	-8	24	26.5	WFC3/UVIS	Imaging	F814W	10	0	
15851	NGC1052-DF2	2	41	45.895	-8	24	26.5	WFC3/UVIS	Imaging	F606W	0	10	
15851	NGC1052-DF2	2	41	45.895	-8	24	26.5	ACS/WFC	Imaging	F814W	10	0	
15851	NGC1052-DF2	2	41	45.895	-8	24	26.5	ACS/WFC	Imaging	F606W	0	10	
15851	NGC1052-DF2	2	41	45.895	-8	24	26.5	WFC3/UVIS	Imaging	F814W	8	0	
15851	NGC1052-DF2	2	41	45.895	-8	24	26.5	WFC3/UVIS	Imaging	F606W	0	8	
15955	CD-23-1056	2	46	42.8871	-23	5	11.8	COS/FUV	Spectroscopic	G160M	6	0	
15901	HOR-I	2	55	31.7	-54	7	8	WFC3/UVIS	Imaging	F475W	0	2	
15901	HOR-I	2	55	31.7	-54	7	8	ACS/WFC	Imaging	F814W	0	3	
15902	AND-XXXIII	3	1	23.904	40	59	21.84	ACS/WFC	Imaging	F606W	12	0	
15902	AND-XXXIII	3	1	23.904	40	59	21.84	ACS/WFC	Imaging	F814W	0	12	
15955	CD-35-1167	3	19	8.6665	-35	7	0.3	COS/FUV	Spectroscopic	G160M	3	0	
15825	-KAP01-CET	3	19	21.696	3	22	12.7	COS/FUV	Spectroscopic	G130M	2	0	
15955	BD+07-499	3	20	29.1951	8	27	16.02	COS/NUV	Spectroscopic	G230L	2	0	
15889	SN2002FK-FIELD	3	22	5.71	-15	24	3.2	WFC3/IR	Imaging	F098M	1	0	Yes (Non-Disruptive)

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15844	EMACSJ0324.0+2421	3	24	0	24	21	0	ACS/WFC	Imaging	F435W	3	0	
15844	EMACSJ0324.0+2421	3	24	0	24	21	0	WFC3/IR	Imaging	F140W	2	0	
15906	-EPS-ERI	3	32	54.8234	-9	27	29.43	STIS/CCD	Imaging	WEDGE1.8	1	0	
15906	-EPS-ERI	3	32	54.8234	-9	27	29.43	STIS/CCD	Imaging	WEDGE1.8	1	0	
15906	-EPS-ERI	3	32	54.8234	-9	27	29.43	STIS/CCD	Imaging	WEDGE1.8	1	0	
15906	-EPS-ERI	3	32	54.8234	-9	27	29.43	STIS/CCD	Imaging	WEDGE1.8	1	0	
15825	-EPS-ERI	3	32	55.845	-9	27	29.73	COS/FUV	Spectroscopic	G130M	2	0	
15889	SN2012FR-FIELD	3	33	35.99	-36	7	37.7	WFC3/IR	Imaging	F140W	1	0	Yes (Non-Disruptive)
15901	RETICULUM-II	3	35	42.1	-54	2	57	WFC3/UVIS	Imaging	F395N	0	1	
15901	RETICULUM-II	3	35	42.1	-54	2	57	ACS/WFC	Imaging	F606W	0	2	
15909	NGC-1387	3	36	57.0326	-35	30	23.69	WFC3/UVIS	Imaging	F475W	1	0	
15828	SBS-0335-052	3	37	44.0616	-5	2	40.2	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15828	SBS-0335-052	3	37	44.0616	-5	2	40.2	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
15852	NGC-1407	3	40	11.904	-18	34	49.36	COS/FUV	Spectroscopic	G130M	4	0	
15906	-DEL-ERI	3	43	14.8032	-9	45	36.68	STIS/CCD	Imaging	WEDGE1.8	1	0	
15906	-DEL-ERI	3	43	14.8032	-9	45	36.68	STIS/CCD	Imaging	WEDGE1.8	1	0	
15906	-DEL-ERI	3	43	14.8032	-9	45	36.68	STIS/CCD	Imaging	WEDGE1.8	1	0	
15906	-DEL-ERI	3	43	14.8032	-9	45	36.68	STIS/CCD	Imaging	WEDGE1.8	1	0	
15955	BD+16-502	3	43	52.5642	16	40	19.31	COS/NUV	Spectroscopic	G230L	4	0	
15901	ERIDANUS-II	3	44	21.1	-43	32	0	ACS/WFC	Imaging	F475W	0	2	
15901	ERIDANUS-II	3	44	21.1	-43	32	0	WFC3/UVIS	Imaging	F395N	0	2	
15889	SN2001EL-FIELD	3	44	30.57	-44	38	23.71	WFC3/IR	Spectroscopic	G141	1	0	Yes (Non-Disruptive)
15901	RETICULUM-III	3	45	24	-60	27	0	ACS/WFC	Imaging	F814W	0	4	
15901	RETICULUM-III	3	45	24	-60	27	0	ACS/WFC	Imaging	F475W	0	3	
15849	EGGR-26	3	55	21.99	9	47	18	WFC3/IR	Imaging	F110W	1	0	
15903	HD25025	3	58	1.7664	-13	30	30.66	WFC3/UVIS	Imaging	F275W	3	0	
15840	J0405-3648	4	5	20.459	-36	48	59.14	COS/NUV	Spectroscopic	G185M	4	0	
15940	MCS-J0416.1-2403	4	16	8.38	-24	4	20.8	WFC3/UVIS	Imaging	F225W	8	0	
15936	MACSJ0416.1-2403	4	16	8.9	-24	6	49.1	ACS/WFC	Imaging	CLEAR1L	8	0	
15936	MACSJ0416.1-2403	4	16	8.9	-24	6	49.1	ACS/WFC	Imaging	CLEAR1L	8	0	
15936	MACSJ0416.1-2403	4	16	8.9	-24	6	49.1	ACS/WFC	Imaging	CLEAR1L	8	0	
15936	MACSJ0416.1-2403	4	16	8.9	-24	6	49.1	ACS/WFC	Imaging	CLEAR1L	8	0	
15940	MCS-J0416.1-2403-PAR	4	16	33.1	-24	6	48.7	ACS/WFC	Imaging	F606W	0	4	
15936	MACSJ0416.1-2403-HFFPAR	4	16	33.4	-24	6	49.1	WFC3/UVIS	Imaging	F200LP	0	8	
15936	MACSJ0416.1-2403-HFFPAR	4	16	33.4	-24	6	49.1	WFC3/UVIS	Imaging	F200LP	0	8	
15936	MACSJ0416.1-2403-HFFPAR	4	16	33.4	-24	6	49.1	WFC3/UVIS	Imaging	F200LP	0	8	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15936	MACSJ0416.1-2403-HFFPAR	4	16	33.4	-24	6	49.1	WFC3/UVIS	Imaging	F200LP	0	8	
15889	SN2005DF-FIELD	4	17	37.85	-62	46	9.52	WFC3/IR	Imaging	F140W	1	0	Yes (Non-Disruptive)
15939	Q0420+0127	4	23	15.8	-1	20	33.07	WFC3/UVIS	Imaging	F475W	2	0	
15825	V-V993-TAU	4	27	35.8914	15	35	21.09	COS/FUV	Spectroscopic	G130M	3	0	
15934	K2-136	4	29	39.0868	22	52	57.24	STIS/FUV-MAMA	Spectroscopic	G140M	1	0	
15955	V-V925-TAU	4	30	38.1974	22	54	28.83	COS/FUV	Spectroscopic	G130M	4	0	
15814	TOI-270	4	33	39.8593	-51	57	26.62	WFC3/IR	Spectroscopic	G141	12	0	
15814	TOI-270	4	33	39.8593	-51	57	26.62	WFC3/IR	Spectroscopic	G141	12	0	
15814	TOI-270	4	33	39.8593	-51	57	26.62	STIS/FUV-MAMA	Spectroscopic	G140M	2	0	
15955	STKM-1-495	4	35	2.551	8	39	30.55	COS/NUV	Spectroscopic	G230L	3	0	
15904	HD29139	4	35	55.2391	16	30	33.49	STIS/FUV-MAMA	Spectroscopic	G140M	4	0	
15919	ADFS27	4	36	57.03	-54	38	9	ACS/WFC	Imaging	F606W	2	0	
15919	ADFS27	4	36	57.03	-54	38	9	WFC3/IR	Imaging	F098M	3	0	
15919	ADFS27	4	36	57.03	-54	38	9	WFC3/IR	Imaging	F160W			
15829	J0439+1634	4	39	47.098	16	34	15.82	WFC3/IR	Imaging	F125W	8	0	
15829	PSF0439+1636	4	39	56.29	16	36	5.2	WFC3/IR	Imaging	F160W	1	0	
15887	CTS47	4	40	44.7306	-34	41	51.15	COS/FUV	Spectroscopic	G130M	7	0	
15901	PIC-I	4	43	47.4	-50	16	59	ACS/WFC	Imaging	F606W	4	0	
15901	PIC-I	4	43	47.4	-50	16	59	WFC3/UVIS	Imaging	F475W	3	0	
15955	UCAC4-518-008871	4	45	19.6092	13	34	27.34	COS/NUV	Spectroscopic	G230L	2	0	
15955	TYC-8083-45-5	4	48	0.6677	-50	41	25.7	COS/FUV	Spectroscopic	G130M	2	0	
15955	UCAC4-525-009613	4	51	2.4235	14	58	16.68	COS/FUV	Spectroscopic	G160M	3	0	
15939	Q0454-220	4	56	8.927	-21	59	9.6	WFC3/UVIS	Imaging	F475W	2	0	
15939	Q0454+039	4	56	47.174	4	0	52.94	WFC3/UVIS	Imaging	F336W	1	0	
15824	LMCE055-1	4	56	48.72	-69	36	40.3	COS/FUV	Spectroscopic	G160M	1	0	
15887	IRAS04596-2257	5	1	48.617	-22	53	23.1	COS/FUV	Spectroscopic	G160M	6	0	
15945	NGC-1818	5	4	13.3	-66	26	5.47	WFC3/UVIS	Imaging	F606W	2	0	
15945	NGC-1818	5	4	13.3	-66	26	5.47	WFC3/UVIS	Imaging	F814W	0	2	
15945	NGC-1818	5	4	13.3	-66	26	5.47	ACS/WFC	Imaging	F606W	2	0	
15945	NGC-1818	5	4	13.3	-66	26	5.47	ACS/WFC	Imaging	F814W	0	2	
15824	LMC277-2	5	4	32.65	-68	0	59.7	COS/FUV	Spectroscopic	G160M	1	0	
15824	LMC079-1	5	7	13.33	-70	33	33.9	COS/FUV	Spectroscopic	G160M	1	0	
15837	SPT-CLJ0512-3848	5	12	59.6983	-38	47	32.65	ACS/WFC	Imaging	F814W	1	0	
15837	SPT-CLJ0512-3848	5	12	59.6983	-38	47	32.65	ACS/WFC	Imaging	F606W	1	0	
15837	SPT-CLJ0512-3848	5	12	59.6983	-38	47	32.65	WFC3/IR	Imaging	F140W	1	0	
15824	LMCE169-1	5	21	22.84	-65	52	49	COS/FUV	Spectroscopic	G160M	1	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15875	LARGE-MAGELLANIC-CLOUD	5	23	34.5264	-69	45	22.07	WFC3/IR	Imaging	F110W	0	1	
15875	LARGE-MAGELLANIC-CLOUD	5	23	34.5264	-69	45	22.07	WFC3/IR	Imaging	F160W	0	1	
15875	LARGE-MAGELLANIC-CLOUD	5	23	34.5264	-69	45	22.07	WFC3/IR	Spectroscopic	G141	0	1	
15824	LMCE159-1	5	24	56.89	-66	26	44.5	COS/FUV	Spectroscopic	G160M	1	0	
15818	SNR-J052501-693842	5	25	2.2	-69	38	39	ACS/WFC	Imaging	F475W	1	0	
15818	SNR-J052501-693842	5	25	2.2	-69	38	39	ACS/WFC	Imaging	F502N	1	0	
15818	SNR-J052501-693842	5	25	2.2	-69	38	39	WFC3/IR	Imaging	F164N	1	0	
15815	IU-AUR-AB	5	27	52.398	34	46	58.23	STIS/CCD	Spectroscopic	G430M	1	0	
15824	LMC199-1	5	28	27.12	-69	6	36.2	COS/FUV	Spectroscopic	G160M	1	0	
15824	LMC170-2	5	29	18.18	-69	19	43.2	COS/FUV	Spectroscopic	G160M	1	0	
15955	TYC-8098-414-1	5	33	25.5761	-51	17	13.18	COS/FUV	Spectroscopic	G160M	4	0	
15824	LMC172-1	5	35	0.9	-69	21	20.2	COS/FUV	Spectroscopic	G160M	1	0	
15815	THETA1-ORI-CACB	5	35	16.463	-5	23	23.18	STIS/CCD	Spectroscopic	G430M	4	0	
15815	IOTA-ORI	5	35	25.981	-5	54	35.64	STIS/CCD	Spectroscopic	G430M	1	0	
15951	2MASSJ05383296-5904280	5	38	32.946	-59	4	27.87	STIS/NUV-MAMA	Spectroscopic	E230M	5	0	
15942	BAT99-106	5	38	42.291	-69	6	3.45	STIS/CCD	Spectroscopic	G430M	1	0	
15942	BAT99-108	5	38	42.43	-69	6	2.2	STIS/CCD	Spectroscopic	G430M	1	0	
15942	BAT99-109	5	38	42.45	-69	6	2.2	STIS/CCD	Spectroscopic	G430M	1	0	
15942	BAT99-112	5	38	42.9162	-69	6	4.94	STIS/CCD	Spectroscopic	G430M	1	0	
15824	LMC174-1	5	40	3.57	-69	37	53.1	COS/FUV	Spectroscopic	G160M	1	0	
15815	ZETA-ORI-AAAB	5	40	45.527	-1	56	33.26	STIS/CCD	Spectroscopic	G430M	3	0	
15824	LMCE078-3	5	41	17.5	-69	6	56.2	COS/FUV	Spectroscopic	G160M	1	0	
15920	SPT0615-JD	6	15	55.032	-57	46	19.56	WFC3/IR	Imaging	F105W	1	0	
15920	SPT0615-JD	6	15	55.032	-57	46	19.56	WFC3/IR	Imaging	F125W	1	0	
15920	SPT0615-JD	6	15	55.032	-57	46	19.56	WFC3/IR	Imaging	F140W	2	0	
15920	SPT0615-JD	6	15	55.032	-57	46	19.56	WFC3/IR	Imaging	F160W	2	0	
15920	SPT0615-JD	6	15	55.032	-57	46	19.56	ACS/WFC	Imaging	F435W	0	6	
15920	SPT0615-JD	6	15	55.032	-57	46	19.56	ACS/WFC	Imaging	F606W			
15920	SPT0615-JD	6	15	55.032	-57	46	19.56	ACS/WFC	Imaging	F814W			
15869	ALS45	6	24	55.621	19	45	54.64	COS/FUV	Spectroscopic	G160M	3	0	
15815	15-MON-AAAB	6	40	58.656	9	53	44.71	STIS/CCD	Spectroscopic	G430M	2	0	
15869	ALS86	6	46	25.87	-7	29	14.78	COS/FUV	Spectroscopic	G130M	2	0	
15817	GAI AJ0649-7624	6	49	34.85	-76	24	58.1	COS/FUV	Spectroscopic	G130M	1	0	
15861	V-TX-MON	6	50	52.2708	-1	25	45.23	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15869	BD-00D1491	6	55	17.3	0	33	40	COS/NUV	Spectroscopic	G185M	2	0	
15955	HD-266611	6	57	4.6925	30	45	23.37	COS/FUV	Spectroscopic	G130M	7	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15817	GAIAJ0707-7438	7	7	54.84	-74	38	27.9	COS/FUV	Spectroscopic	G130M	1	0	
15940	CLG-J0717+3745-PAR	7	17	17	37	49	47.3	ACS/WFC	Imaging	F435W	0	4	
15936	MACSJ0717.5+3745	7	17	34	37	44	49	WFC3/UVIS	Imaging	F200LP	8	0	
15936	MACSJ0717.5+3745	7	17	34	37	44	49	WFC3/UVIS	Imaging	F200LP	8	0	
15936	MACSJ0717.5+3745	7	17	34	37	44	49	WFC3/UVIS	Imaging	F200LP	8	0	
15936	MACSJ0717.5+3745	7	17	34	37	44	49	WFC3/UVIS	Imaging	F200LP	8	0	
15936	MACSJ0717.5+3745-HFFPAR	7	17	35.6	37	44	44	ACS/WFC	Imaging	CLEAR1L	0	8	
15936	MACSJ0717.5+3745-HFFPAR	7	17	35.6	37	44	44	ACS/WFC	Imaging	CLEAR1L	0	8	
15936	MACSJ0717.5+3745-HFFPAR	7	17	35.6	37	44	44	ACS/WFC	Imaging	CLEAR1L	0	8	
15936	MACSJ0717.5+3745-HFFPAR	7	17	35.6	37	44	44	ACS/WFC	Imaging	CLEAR1L	0	8	
15940	CLG-J0717+3745	7	17	36.5	37	45	23	WFC3/UVIS	Imaging	F225W	8	0	
15815	TAU-CMA-AAAB	7	18	42.487	-24	57	15.78	STIS/CCD	Spectroscopic	G430M	1	0	
15869	BD-21D1882	7	20	10.164	-21	53	27.16	COS/NUV	Spectroscopic	G185M	1	0	
15917	NGC-2403-ACS-MAJOR	7	35	48.9618	65	38	51.18	ACS/WFC	Imaging	F606W	1	0	
15917	NGC-2403-ACS-MAJOR	7	35	48.9618	65	38	51.18	ACS/WFC	Imaging	F606W	1	0	
15917	NGC-2403-ACS-MINOR	7	36	8.1531	65	32	58.3	ACS/WFC	Imaging	F814W	0	1	
15917	NGC-2403-ACS-MINOR	7	36	8.1531	65	32	58.3	ACS/WFC	Imaging	F814W	0	1	
15889	SN2015F-FIELD	7	36	15.76	-69	30	23	WFC3/IR	Imaging	F098M	1	0	Yes (Non-Disruptive)
15923	SDSSJ0742+3341	7	42	49.686	33	41	48.99	WFC3/UVIS	Imaging	F606W	2	0	
15923	SDSSJ0755+3445	7	55	23.525	34	45	39.59	WFC3/UVIS	Imaging	F606W	3	0	
15899	AT2018ZR	7	56	54.55	34	15	43.6	STIS/FUV-MAMA	Spectroscopic	G140L	8	0	
15861	V-NT-PUP	7	58	46.34	-38	59	39.8	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15869	ALS15608	7	58	55.535	-28	35	23.87	COS/NUV	Spectroscopic	G185M	3	0	
15957	Q0759+651	8	4	30.49	64	59	52.43	ACS/SBC	Imaging	F140LP	1	0	
15957	Q0759+651	8	4	30.49	64	59	52.43	ACS/SBC	Imaging	F150LP	1	0	
15957	Q0759+651	8	4	30.49	64	59	52.43	ACS/SBC	Imaging	F165LP	1	0	
15889	SN2018GV-FIELD	8	5	34.61	-11	26	16.3	WFC3/IR	Imaging	F125W	1	0	Yes (Non-Disruptive)
15840	J0808+3939	8	8	44.28	39	48	52.51	COS/NUV	Spectroscopic	G185M	1	0	
15856	L-98-59	8	18	7.8865	-68	18	52.08	WFC3/IR	Spectroscopic	G141	20	0	
15856	L-98-59	8	18	7.8865	-68	18	52.08	WFC3/IR	Spectroscopic	G141	4	0	
15856	L-98-59	8	18	7.8865	-68	18	52.08	WFC3/IR	Spectroscopic	G141	4	0	
15840	J0823+2806	8	23	54.96	28	6	21.6	COS/NUV	Spectroscopic	G185M	1	0	
15881	J082555	8	25	55.52	35	32	31.9	COS/FUV	Spectroscopic	G160M	5	0	
15935	J0833+1005-OFFNUCLEUS	8	33	15.08	10	0	52.4	COS/FUV	Spectroscopic	G140L	2	0	
15935	J0833+1005-NUCLEUS	8	33	15.08	10	0	52.4	COS/FUV	Spectroscopic	G140L	1	0	
15846	HE-2-10	8	36	15.1344	-26	24	33.77	STIS/CCD	Spectroscopic	G430M	2	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15935	J0841+0101-OFFNUCLEUS	8	41	35.09	1	1	56.3	COS/NUV	Spectroscopic	G230L	1	0	
15935	J0841+0101-NUCLEUS	8	41	35.09	1	1	56.3	COS/NUV	Spectroscopic	G230L	1	0	
15845	J0844+5312	8	44	57.9	53	12	30.11	COS/FUV	Spectroscopic	G140L	4	0	
15975	BSBH1	8	47	16.04	37	32	18.1	WFC3/IR	Imaging	F160W	1	0	
15866	J085215.34+171143.8	8	52	15.345	17	11	43.85	COS/FUV	Spectroscopic	G130M	4	0	
15975	BSBH2	8	52	37.02	20	4	11	WFC3/IR	Imaging	F160W	1	0	
15852	NGC-2695	8	54	27.0743	-3	4	0.99	COS/FUV	Spectroscopic	G160M	4	0	
15896	HADOT-144	9	0	13.45	4	59	0.95	COS/FUV	Spectroscopic	G160M	5	0	
15941	J0901+2119	9	1	45.61	21	19	27.7	STIS/NUV-MAMA	Spectroscopic	G230L	5	0	
15915	SDSSJ090613.75+561015.5	9	6	13.7712	56	10	15.2	COS/FUV	Spectroscopic	G160M	5	0	
15857	NGC-2808	9	12	3.1	-64	51	48.6	ACS/WFC	Imaging	F814W	2	0	
15857	NGC-2808	9	12	3.1	-64	51	48.6	WFC3/UVIS	Imaging	F336W	6	0	
15857	NGC-2808	9	12	3.1	-64	51	48.6	ACS/WFC	Imaging	F606W	2	0	
15909	HYDRA-A	9	18	5.669	-12	5	43.95	WFC3/UVIS	Imaging	F475W	1	0	
15923	SDSSJ0918+4518	9	18	7.866	45	18	56.77	WFC3/UVIS	Imaging	F606W	2	0	
15923	SDSSJ0918+5104	9	18	59.213	51	4	52.59	WFC3/UVIS	Imaging	F606W	3	0	
15866	J091954.28+291408.3	9	19	54.282	29	14	8.36	COS/FUV	Spectroscopic	G130M	2	0	
15941	J0925+1403	9	25	32.37	14	3	13.06	STIS/NUV-MAMA	Spectroscopic	G230L	3	0	
15840	J0926+4427	9	26	0.44	44	27	36.54	COS/NUV	Spectroscopic	G225M	2	0	
15975	BSBH3	9	28	37.98	60	25	21	WFC3/IR	Imaging	F160W	1	0	
15930	STREAMW2	9	36	46.3108	30	18	16.58	WFC3/UVIS	Imaging	F814W	0	1	
15930	STREAMW2	9	36	46.3108	30	18	16.58	WFC3/UVIS	Imaging	F814W	0	1	
15930	STREAMW2	9	36	46.3108	30	18	16.58	WFC3/UVIS	Imaging	F814W	0	1	
15930	STREAMW2	9	36	46.3108	30	18	16.58	WFC3/UVIS	Imaging	F814W	0	1	
15930	STREAMW1	9	36	59.0668	30	16	20.36	WFC3/UVIS	Imaging	F606W	0	6	
15930	STREAMW1	9	36	59.0668	30	16	20.36	WFC3/UVIS	Imaging	F606W	0	6	
15930	STREAMW1	9	36	59.0668	30	16	20.36	WFC3/UVIS	Imaging	F606W	0	6	
15930	STREAMW1	9	36	59.0668	30	16	20.36	WFC3/UVIS	Imaging	F606W	0	6	
15840	J0938+5428	9	38	13.49	54	28	25.09	COS/NUV	Spectroscopic	G225M	2	0	
15840	J0940+2935	9	40	12.874	29	35	30.21	COS/NUV	Spectroscopic	G225M	3	0	
15860	KISO3868	9	40	13	29	35	30	WFC3/UVIS	Imaging	F390W	3	0	
15860	KISO3868	9	40	13	29	35	30	WFC3/UVIS	Imaging	F390W	3	0	
15840	J0942+3547	9	42	52.78	35	47	25.98	COS/NUV	Spectroscopic	G185M	2	0	
15840	J0944-0038	9	44	1.87	0	38	32.18	COS/NUV	Spectroscopic	G185M	4	0	
15860	SBS0	9	44	17	54	11	34	WFC3/UVIS	Imaging	F547M	1	0	
15860	SBS0	9	44	17	54	11	34	WFC3/UVIS	Imaging	F547M	1	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15840	J0944+3424	9	44	25.87	34	42	8.49	COS/FUV	Spectroscopic	G130M	4	0	
15861	V-FN-VEL	9	48	41.4916	-55	31	10.36	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15890	PG-0947+396	9	50	48.3804	39	26	50.47	COS/FUV	Spectroscopic	G140L	1	0	
15915	SDSSJ095418.16+471725.1	9	54	18.16	47	17	25.1	COS/FUV	Spectroscopic	G160M	7	0	
15846	NGC-3049	9	54	49.651	9	16	17.9	STIS/CCD	Spectroscopic	G430L	1	0	
15861	V-GX-CAR	9	55	26.162	-58	25	46.93	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15826	TON1129	9	56	23.2141	32	36	21.67	COS/FUV	Spectroscopic	G130M	0		
15872	VV2006-J095632.5+512824	9	56	32.4866	51	28	23.78	ACS/WFC	Imaging	F606W	1	0	
15872	VV2006-J095632.5+512824	9	56	32.4866	51	28	23.78	ACS/WFC	Imaging	F850LP	1	0	
15872	VV2006-J095632.5+512824	9	56	32.4866	51	28	23.78	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
15917	M-81-ACS-MAJOR	9	56	35.1195	68	56	45.32	ACS/WFC	Imaging	F606W	1	0	
15917	M-81-ACS-MAJOR	9	56	35.1195	68	56	45.32	ACS/WFC	Imaging	F606W	1	0	
15917	M-81-ACS-MINOR	9	56	44.9445	69	2	40.73	ACS/WFC	Imaging	F814W	0	1	
15917	M-81-ACS-MINOR	9	56	44.9445	69	2	40.73	ACS/WFC	Imaging	F814W	0	1	
15890	PG-0953+414	9	56	52.364	41	15	22.55	COS/FUV	Spectroscopic	G140L	1	0	
15826	FBQSJ095820.9+322402	9	58	20.9436	32	24	2.24	COS/FUV	Spectroscopic	G130M	1	0	
15826	SDSSJ095914.85+320357.2	9	59	14.8499	32	3	57.28	COS/FUV	Spectroscopic	G130M	2	0	
15911	LEOA-DIRR	9	59	23.7459	30	45	23.59	WFC3/UVIS	Imaging	F814W	0	4	
15911	LEOA-DIRR	9	59	23.7459	30	45	23.59	WFC3/UVIS	Imaging	F814W	0	4	
15921	J095927.52+304457.82	9	59	27.52	30	44	57.82	COS/FUV	Spectroscopic	G160M	8	0	
15921	J095930.22+304437.14	9	59	30.22	30	44	37.14	COS/FUV	Spectroscopic	G160M	8	0	
15935	J1000+1242-OFFNUCLEUS	10	0	13.14	12	42	26.2	COS/FUV	Spectroscopic	G140L	1	0	
15935	J1000+1242-NUCLEUS	10	0	13.14	12	42	26.2	COS/FUV	Spectroscopic	G140L	1	0	
15862	COSMOS20646	10	0	19.644	2	15	45.9	WFC3/IR	Imaging	F140W	2	0	
15862	COSMOS47074	10	0	30.3336	2	23	1.6	WFC3/IR	Imaging	F105W	1	0	
15910	RO-1001	10	1	23.014	2	20	2.73	WFC3/IR	Imaging	F160W	5	0	
15910	RO-1001	10	1	23.014	2	20	2.73	WFC3/IR	Imaging	F125W	3	0	
15910	RO-1001	10	1	23.014	2	20	2.73	WFC3/UVIS	Imaging	F606W	3	0	
15931	UVISTA-1307	10	2	31.81	2	31	17.1	WFC3/IR	Imaging	F105W	1	0	
15828	NGC-3125	10	6	33.372	-29	56	5.5	STIS/CCD	Spectroscopic	G430L	1	0	
15828	NGC-3125	10	6	33.372	-29	56	5.5	COS/FUV	Spectroscopic	G160M	2	0	
15846	NGC-3125	10	6	33.372	-29	56	5.5	STIS/CCD	Spectroscopic	G430M	2	0	
15901	SEGUE-I	10	7	3.2	16	4	25	WFC3/UVIS	Imaging	F475W	0	2	
15901	SEGUE-I	10	7	3.2	16	4	25	ACS/WFC	Imaging	F814W	0	2	
15915	SDSSJ100935.66+265648.9	10	9	35.6664	26	56	49.02	COS/FUV	Spectroscopic	G160M	5	0	
15935	J1010+1413-OFFNUCLEUS	10	10	22.96	14	13	1	COS/FUV	Spectroscopic	G140L	1	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15935	J1010+1413-NUCLEUS	10	10	22.96	14	13	1	COS/FUV	Spectroscopic	G140L	1	0	
15880	SEXTANS-A-OB321	10	11	0.665	-4	40	44.3	COS/FUV	Spectroscopic	G130M	7	0	
15880	SEXTANS-A-OB321	10	11	0.665	-4	40	44.3	COS/FUV	Spectroscopic	G130M			
15880	SEXTANS-A-OB622	10	11	2.38	-4	40	14.6	COS/FUV	Spectroscopic	G130M	8	0	
15880	SEXTANS-A-OB622	10	11	2.38	-4	40	14.6	COS/FUV	Spectroscopic	G130M			
15880	SEXTANS-A-OB521	10	11	5.38	-4	42	40.1	COS/FUV	Spectroscopic	G130M	6	0	
15880	SEXTANS-A-OB521	10	11	5.38	-4	42	40.1	COS/FUV	Spectroscopic	G130M			
15967	SEXTANS-A	10	11	5.38	4	43	18.4	COS/FUV	Spectroscopic	G130M	8	0	
15967	SEXTANS-A	10	11	5.38	4	43	18.4	COS/FUV	Spectroscopic	G160M	10	0	
15880	SEXTANS-A-OB523	10	11	6.05	-4	42	11.4	COS/FUV	Spectroscopic	G130M	6	0	
15880	SEXTANS-A-OB523	10	11	6.05	-4	42	11.4	COS/FUV	Spectroscopic	G130M			
15941	J1011+1947	10	11	38.28	19	47	20.9	STIS/NUV-MAMA	Spectroscopic	G230L	5	0	
15845	J1014+5501	10	14	23.78	55	1	43.82	COS/FUV	Spectroscopic	G160M	4	0	
15930	SPUR2	10	15	17.9579	42	26	36.7	ACS/WFC	Imaging	F814W	1	0	
15930	SPUR2	10	15	17.9579	42	26	36.7	ACS/WFC	Imaging	F814W	1	0	
15930	SPUR2	10	15	17.9579	42	26	36.7	ACS/WFC	Imaging	F814W	1	0	
15930	SPUR2	10	15	17.9579	42	26	36.7	ACS/WFC	Imaging	F814W	1	0	
15930	SPUR4	10	15	29.8663	42	29	9.73	WFC3/UVIS	Imaging	F814W	0	1	
15930	SPUR4	10	15	29.8663	42	29	9.73	WFC3/UVIS	Imaging	F814W	0	1	
15930	SPUR4	10	15	29.8663	42	29	9.73	WFC3/UVIS	Imaging	F814W	0	1	
15930	SPUR4	10	15	29.8663	42	29	9.73	WFC3/UVIS	Imaging	F814W	0	1	
15930	SPUR1	10	15	31.7823	42	24	24.88	ACS/WFC	Imaging	F606W	6	0	
15930	SPUR1	10	15	31.7823	42	24	24.88	ACS/WFC	Imaging	F606W	6	0	
15930	SPUR1	10	15	31.7823	42	24	24.88	ACS/WFC	Imaging	F606W	6	0	
15930	SPUR1	10	15	31.7823	42	24	24.88	ACS/WFC	Imaging	F606W	6	0	
15930	SPUR3	10	15	43.6933	42	26	57.84	WFC3/UVIS	Imaging	F606W	0	6	
15930	SPUR3	10	15	43.6933	42	26	57.84	WFC3/UVIS	Imaging	F606W	0	6	
15930	SPUR3	10	15	43.6933	42	26	57.84	WFC3/UVIS	Imaging	F606W	0	6	
15930	SPUR3	10	15	43.6933	42	26	57.84	WFC3/UVIS	Imaging	F606W	0	6	
15840	J1016+3754	10	16	24.48	37	54	46.08	COS/FUV	Spectroscopic	G130M	2	0	
15908	NGC-3147	10	16	53.632	73	24	2.34	STIS/CCD	Spectroscopic	G750M	4	0	
15908	NGC-3147	10	16	53.632	73	24	2.34	STIS/CCD	Spectroscopic	G750L			
15908	NGC-3147	10	16	53.632	73	24	2.34	STIS/FUV-MAMA	Spectroscopic	G140L			
15967	LEO-P	10	21	45.1	18	5	16.62	COS/FUV	Spectroscopic	G160M	6	0	
15967	LEO-P	10	21	45.1	18	5	16.62	COS/FUV	Spectroscopic	G130M	4	0	
15930	STREAME1	10	23	31.2088	42	11	58.35	ACS/WFC	Imaging	F606W	6	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15930	STREAME1	10	23	31.2088	42	11	58.35	ACS/WFC	Imaging	F606W	6	0	
15930	STREAME1	10	23	31.2088	42	11	58.35	ACS/WFC	Imaging	F606W	6	0	
15930	STREAME1	10	23	31.2088	42	11	58.35	ACS/WFC	Imaging	F606W	6	0	
15930	STREAME2	10	23	44.6911	42	9	42.91	ACS/WFC	Imaging	F814W	1	0	
15930	STREAME2	10	23	44.6911	42	9	42.91	ACS/WFC	Imaging	F814W	1	0	
15930	STREAME2	10	23	44.6911	42	9	42.91	ACS/WFC	Imaging	F814W	1	0	
15930	STREAME2	10	23	44.6911	42	9	42.91	ACS/WFC	Imaging	F814W	1	0	
15811	SUPERCLASS	10	24	0	68	0	0	ACS/WFC	Imaging	F814W	10	0	
15811	SUPERCLASS	10	24	0	68	0	0	WFC3/IR	Imaging	F140W	0	10	
15840	J1024+0524	10	24	29.25	5	24	51.02	COS/NUV	Spectroscopic	G225M	2	0	
15840	J1025+3622	10	25	48.38	36	22	58.42	COS/NUV	Spectroscopic	G185M	4	0	
15909	NGC-3245	10	27	18.3854	28	30	26.63	WFC3/IR	Imaging	F110W	1	0	
15861	V-YZ-CAR	10	28	16.8469	-59	21	0.67	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15889	SN2019NP-FIELD	10	29	21.96	29	30	38.4	WFC3/IR	Imaging	F140W	1	0	Yes (Non-Disruptive)
15909	NGC-3271	10	30	26.481	-35	21	34.34	WFC3/IR	Imaging	F160W	1	0	
15955	BD+57-1274	10	31	43.2244	57	6	57.11	COS/FUV	Spectroscopic	G160M	4	0	
15846	MRK-33	10	32	31.956	54	24	3.53	STIS/CCD	Spectroscopic	G430L	2	0	
15869	CPD-57D3485	10	35	28.49	-58	12	49.8	COS/FUV	Spectroscopic	G130M	3	0	
15866	J103640.74+565125.9	10	36	40.743	56	51	25.98	COS/FUV	Spectroscopic	G130M	3	0	
15840	J104457	10	44	57.79	3	53	13.1	COS/FUV	Spectroscopic	G130M	3	0	
15812	ETACAR	10	45	3.5137	-59	41	3.99	STIS/CCD	Spectroscopic	G750M	6	0	
15812	ETACAR	10	45	3.5137	-59	41	3.99	STIS/CCD	Spectroscopic	G430M	4	0	
15812	ETACAR	10	45	3.5137	-59	41	3.99	STIS/CCD	Spectroscopic	G430L	0		
15812	ETACAR	10	45	3.5137	-59	41	3.99	STIS/CCD	Spectroscopic	G230MB	0		
15812	ETACAR	10	45	3.5137	-59	41	3.99	STIS/CCD	Spectroscopic	G230LB	0		
15812	ETACAR	10	45	3.5137	-59	41	3.99	STIS/FUV-MAMA	Spectroscopic	E140M	0		
15812	ETACAR	10	45	3.5137	-59	41	3.99	STIS/NUV-MAMA	Spectroscopic	E230M	0		
15823	ETA-CAR	10	45	3.546	-59	41	3.95	WFC3/UVIS	Imaging	F336W	2	0	
15823	ETA-CAR	10	45	3.546	-59	41	3.95	WFC3/UVIS	Imaging	F658N	4	0	
15823	ETA-CAR	10	45	3.546	-59	41	3.95	WFC3/UVIS	Imaging	F336W			
15823	ETA-CAR	10	45	3.546	-59	41	3.95	STIS/CCD	Spectroscopic	G230MB			
15845	J1046+5827	10	46	1.93	58	27	56.75	COS/FUV	Spectroscopic	G140L	4	0	
15926	HD-93396	10	46	49.6573	-9	23	57.71	WFC3/IR	Imaging	F126N	9	0	
15926	HD-93396	10	46	49.6573	-9	23	57.71	WFC3/IR	Spectroscopic	G102	0		
15884	LUHMAN-16	10	49	14.143	-53	19	4.59	WFC3/UVIS	Imaging	F814W	2	0	
15884	LUHMAN-16	10	49	14.143	-53	19	4.59	WFC3/UVIS	Imaging	F606W			

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15901	WILLMAN-I	10	49	21	51	3	0	WFC3/UVIS	Imaging	F475W	2	0	
15901	WILLMAN-I	10	49	21	51	3	0	ACS/WFC	Imaging	F814W	2	0	
15889	SN2012HT-FIELD	10	53	22.75	16	46	34.9	WFC3/IR	Imaging	F160W	1	0	Yes (Non-Disruptive)
15898	WD1054-226	10	56	38.5429	-22	52	51.46	STIS/NUV-MAMA	Spectroscopic	G230L	4	0	
15865	J110359+483456	11	3	59.0028	48	34	55.95	COS/FUV	Spectroscopic	G160M	2	0	
15865	J110506+594741	11	5	6.3301	59	47	41.37	COS/FUV	Spectroscopic	G160M	2	0	
15840	J1105+4444	11	5	8.16	44	44	47.4	COS/FUV	Spectroscopic	G130M	2	0	
15923	SDSSJ1110+3649	11	10	40.426	36	49	24.4	WFC3/UVIS	Imaging	F606W	3	0	
15939	Q1110+0048	11	10	55	0	48	54.4	WFC3/UVIS	Imaging	F475W	3	0	
15975	BSBH4	11	12	30.9	18	13	11.4	WFC3/IR	Imaging	F160W	1	0	
15840	J1112+5503	11	12	44.05	55	3	47.01	COS/NUV	Spectroscopic	G225M	4	0	
15840	J1119+5130	11	19	34.365	51	30	12.02	COS/NUV	Spectroscopic	G185M	2	0	
15840	J1129+2034	11	29	14.15	20	34	52.01	COS/NUV	Spectroscopic	G225M	3	0	
15939	J1130-1449	11	30	7.04	-14	49	27.4	WFC3/UVIS	Imaging	F336W	2	0	
15860	SBS1	11	32	2	57	22	45	WFC3/UVIS	Imaging	F657N	3	0	
15860	SBS1	11	32	2	57	22	45	WFC3/UVIS	Imaging	F657N	3	0	
15840	SBSG1129+576	11	32	2.644	57	22	36.39	COS/NUV	Spectroscopic	G185M	6	0	
15840	J1132+1411	11	32	35.35	14	11	29.83	COS/FUV	Spectroscopic	G130M	2	0	
15845	J1137+3605	11	37	47.76	36	5	4.62	COS/FUV	Spectroscopic	G160M	4	0	
15840	J1144+4012	11	44	22.28	40	12	21.19	COS/NUV	Spectroscopic	G225M	6	0	
15909	NGC-3862	11	45	5.009	19	36	22.74	WFC3/UVIS	Imaging	F475W	1	0	
15840	J1148+2546	11	48	27.34	25	46	11.77	COS/NUV	Spectroscopic	G185M	2	0	
15854	WD1145+0145	11	48	33.5846	1	28	59.36	COS/NUV	Spectroscopic	G185M	1	0	
15854	WD1145+0145	11	48	33.5846	1	28	59.36	COS/NUV	Spectroscopic	G185M	1	0	
15854	WD1145+0145	11	48	33.5846	1	28	59.36	COS/NUV	Spectroscopic	G185M	1	0	
15854	WD1145+0145	11	48	33.5846	1	28	59.36	COS/NUV	Spectroscopic	G225M	1	0	
15854	WD1145+0145	11	48	33.5846	1	28	59.36	COS/NUV	Spectroscopic	G225M	1	0	
15854	WD1145+0145	11	48	33.5846	1	28	59.36	COS/NUV	Spectroscopic	G225M	1	0	
15854	WD1145+0145	11	48	33.5846	1	28	59.36	STIS/NUV-MAMA	Spectroscopic	E230M	3	0	
15940	MCS-J1149.5+2223	11	49	35.8	22	23	55	WFC3/UVIS	Imaging	F225W	8	0	
15936	MACSJ1149.5+2223	11	49	36.3144	22	23	59.32	WFC3/UVIS	Imaging	F200LP	8	0	
15936	MACSJ1149.5+2223	11	49	36.3144	22	23	59.32	WFC3/UVIS	Imaging	F200LP	8	0	
15936	MACSJ1149.5+2223	11	49	36.3144	22	23	59.32	WFC3/UVIS	Imaging	F200LP	8	0	
15936	MACSJ1149.5+2223	11	49	36.3144	22	23	59.32	WFC3/UVIS	Imaging	F200LP	8	0	
15936	MACSJ1149.5+2223-HFFPAR	11	49	40.457	22	18	1.53	ACS/WFC	Imaging	CLEAR1L	0	8	
15936	MACSJ1149.5+2223-HFFPAR	11	49	40.457	22	18	1.53	ACS/WFC	Imaging	CLEAR1L	0	8	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15936	MACSJ1149.5+2223-HFFPAR	11	49	40.457	22	18	1.53	ACS/WFC	Imaging	CLEAR1L	0	8	
15936	MACSJ1149.5+2223-HFFPAR	11	49	40.457	22	18	1.53	ACS/WFC	Imaging	CLEAR1L	0	8	
15940	MCS-J1149.5+2223-PAR	11	49	40.5	22	18	2.3	ACS/WFC	Imaging	F606W	0	4	
15840	J1150+1501	11	50	2.73	15	1	23.48	COS/FUV	Spectroscopic	G130M	1	0	
15860	UM461	11	51	33	-2	22	22	ACS/WFC	Imaging	F814W	1	0	
15860	UM461	11	51	33	-2	22	22	ACS/WFC	Imaging	F814W	1	0	
15941	J1152+3400	11	52	4.88	34	0	49.88	STIS/NUV-MAMA	Spectroscopic	G230L	3	0	
15954	SDSS-J115219.99+024814.4	11	52	20.0343	2	48	14.27	COS/FUV	Spectroscopic	G140L	5	0	
15853	SN-2017EIN	11	52	53.26	44	7	26.2	WFC3/UVIS	Imaging	F336W	2	0	
15853	SN-2017EIN	11	52	53.26	44	7	26.2	WFC3/UVIS	Imaging	F555W			
15853	SN-2017EIN	11	52	53.26	44	7	26.2	WFC3/UVIS	Imaging	F814W			
15889	SN2011BY-FIELD	11	55	45.56	55	19	33.82	WFC3/IR	Imaging	F098M	1	0	Yes (Non-Disruptive)
15840	J1157+3220	11	57	31.68	32	20	30.12	COS/FUV	Spectroscopic	G130M	2	0	
15845	J1157+5801	11	57	44.8	58	1	42.69	COS/FUV	Spectroscopic	G140L	4	0	
15840	J1200+1343	12	0	33.42	13	43	7.95	COS/FUV	Spectroscopic	G130M	8	0	
15889	SN2007SR-FIELD	12	1	52.8	-18	58	21.68	WFC3/IR	Spectroscopic	G102	1	0	Yes (Non-Disruptive)
15923	SDSSJ1201+4743	12	1	59.026	47	43	23.2	WFC3/UVIS	Imaging	F606W	3	0	
15881	J120202	12	2	2.494	54	15	51.05	COS/FUV	Spectroscopic	G160M	5	0	
15826	2MASXJ12022678-0129155	12	2	26.759	-1	29	15.28	COS/FUV	Spectroscopic	G130M	2	0	
15826	SDSSJ120233.08+022559.7	12	2	33.0872	2	25	59.76	COS/FUV	Spectroscopic	G130M	2	0	
15909	NGC-4061	12	4	1.471	20	13	56.34	WFC3/UVIS	Imaging	F814W	1	0	
15890	PG-1202+281	12	4	42.1098	27	54	11.87	COS/FUV	Spectroscopic	G130M	1	0	
15939	J1211+1030	12	11	40.59	10	30	2	WFC3/UVIS	Imaging	F475W	1	0	
15959	RMJ121218.5+273255.1	12	12	18.48	27	32	54.96	WFC3/IR	Imaging	F105W	2	0	
15959	RMJ121218.5+273255.1	12	12	18.48	27	32	54.96	WFC3/IR	Imaging	F125W	1	0	
15959	RMJ121218.5+273255.1	12	12	18.48	27	32	54.96	WFC3/IR	Imaging	F140W	1	0	
15959	RMJ121218.5+273255.1	12	12	18.48	27	32	54.96	WFC3/IR	Imaging	F160W	1	0	
15959	RMJ121218.5+273255.1	12	12	18.48	27	32	54.96	ACS/WFC	Imaging	F435W			
15959	RMJ121218.5+273255.1	12	12	18.48	27	32	54.96	ACS/WFC	Imaging	F606W			
15959	RMJ121218.5+273255.1	12	12	18.48	27	32	54.96	ACS/WFC	Imaging	F814W			
15955	BD+49-2126	12	15	8.8224	48	43	57.24	COS/FUV	Spectroscopic	G130M	7	0	
15846	NGC-4214	12	15	39.1704	36	19	36.8	STIS/CCD	Spectroscopic	G430M	2	0	
15819	NAME-WISE-J1217+1626	12	17	57.73	16	26	20.4	WFC3/IR	Spectroscopic	G102	2	0	
15819	NAME-WISE-J1217+1626	12	17	57.73	16	26	20.4	WFC3/IR	Spectroscopic	G141	4	0	
15890	PG-1216+069	12	19	20.9317	6	38	38.47	COS/FUV	Spectroscopic	G140L	1	0	
15909	NGC-4261	12	19	23.2161	5	49	29.7	WFC3/IR	Imaging	F110W	1	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15865	J121948+481411	12	19	47.8527	48	14	10.59	COS/FUV	Spectroscopic	G140L	2	0	
15901	HYDRA-II	12	21	42.1	-31	59	7	ACS/WFC	Imaging	F606W	0	2	
15901	HYDRA-II	12	21	42.1	-31	59	7	WFC3/UVIS	Imaging	F475W	0	2	
15935	J1222-0007-OFFNUCLEUS	12	22	17.85	0	7	43.7	COS/FUV	Spectroscopic	G140L	2	0	
15935	J1222-0007-NUCLEUS	12	22	17.85	0	7	43.7	COS/NUV	Spectroscopic	G230L	1	0	
15840	J1225+6109	12	25	5.412	61	9	11.3	COS/FUV	Spectroscopic	G130M	2	0	
15909	NGC-4373A	12	25	37.738	-39	19	11.02	WFC3/IR	Imaging	F160W	1	0	
15923	SDSSJ1226+5457	12	26	56.459	54	57	39.05	WFC3/UVIS	Imaging	F606W	2	0	
15889	SN2012CG-FIELD	12	27	12.83	9	25	13.19	WFC3/IR	Imaging	F125W	1	0	Yes (Non-Disruptive)
15909	NGC-4429	12	27	26.504	11	6	27.58	WFC3/IR	Imaging	F110W	1	0	
15909	NGC-4435	12	27	40.503	13	4	44.48	WFC3/IR	Imaging	F160W	1	0	
15975	BSBH5	12	29	9.52	0	35	30	WFC3/IR	Imaging	F160W	1	0	
15904	HD108903	12	31	9.9596	-57	6	47.57	STIS/FUV-MAMA	Spectroscopic	G140M	4	0	
15939	Q1229-021	12	32	0.01	-2	24	4.8	WFC3/UVIS	Imaging	F336W	1	0	
15885	SDSSJ123210.30+264434.6	12	32	10.3	26	44	34.6	COS/FUV	Spectroscopic	G130M	5	0	
15863	SN2016IET	12	32	33.23	27	7	15.49	ACS/WFC	Imaging	F625W	1	0	
15863	SN2016IET	12	32	33.23	27	7	15.49	WFC3/IR	Imaging	F110W	3	0	
15863	SN2016IET	12	32	33.23	27	7	15.49	WFC3/IR	Imaging	F160W	1	0	
15863	SN2016IET	12	32	33.23	27	7	15.49	WFC3/UVIS	Imaging	F225W	2	0	
15866	J123317.75+103538.1	12	33	17.759	10	35	38.19	COS/FUV	Spectroscopic	G130M	4	0	
15838	WASP-107	12	33	32.7426	-10	8	46.37	WFC3/UVIS	Spectroscopic	G280	16	0	
15885	SDSSJ123415.58+253552.2	12	34	15.58	25	35	52.2	COS/FUV	Spectroscopic	G130M	6	0	
15977	GN-Z11	12	36	25	62	14	31	WFC3/IR	Imaging	F160W	4	0	
15977	GN-Z11	12	36	25	62	14	31	WFC3/IR	Imaging	F140W	3	0	
15977	GN-Z11	12	36	25	62	14	31	WFC3/IR	Imaging	F125W	4	0	
15977	GN-Z11	12	36	25	62	14	31	ACS/WFC	Imaging	F435W	0	11	
15885	SDSSJ123657.20+265701.2	12	36	57.2	26	57	1.2	COS/FUV	Spectroscopic	G130M	2	0	
15870	2MASS-J12373919+6526148	12	37	36.705	65	26	6.67	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
15870	2MASS-J12373919+6526148	12	37	36.705	65	26	6.67	STIS/FUV-MAMA	Spectroscopic	G140L	3	0	
15870	2MASS-J12373919+6526148	12	37	36.705	65	26	6.67	STIS/FUV-MAMA	Spectroscopic	G140M	1	0	
15885	IC3599	12	37	41.18	26	42	27.4	COS/FUV	Spectroscopic	G130M	1	0	
15885	SDSSJ123923.28+253900.9	12	39	23.28	25	39	0.9	COS/FUV	Spectroscopic	G130M	7	0	
15916	HD-110058	12	39	46.1959	-49	11	55.55	COS/FUV	Spectroscopic	G130M	3	0	
15916	HD-110058	12	39	46.1959	-49	11	55.55	STIS/NUV-MAMA	Spectroscopic	E230H	2	0	
15916	HD-110058	12	39	46.1959	-49	11	55.55	STIS/NUV-MAMA	Spectroscopic	E230H	1	0	
15885	SDSSJ124135.99+255250.9	12	41	35.99	25	52	50.9	COS/FUV	Spectroscopic	G130M	3	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15941	J1243+4646	12	43	0.63	46	46	50.4	STIS/NUV-MAMA	Spectroscopic	G230L	5	0	
15892	IRAS12419-5414	12	44	46.093	-54	31	13.32	STIS/CCD	Spectroscopic	G750M	4	0	
15846	NGC-4670	12	45	17.15	27	7	31.76	STIS/CCD	Spectroscopic	G430L	2	0	
15865	J124619+444902	12	46	19.4951	44	49	2.43	COS/FUV	Spectroscopic	G160M	1	0	
15941	J1248+4259	12	48	10.48	42	59	53.6	STIS/NUV-MAMA	Spectroscopic	G230L	5	0	
15909	NGC-4751	12	52	50.7516	-42	39	35.53	WFC3/UVIS	Imaging	F475W	1	0	
15840	J1253-0312	12	53	5.96	-3	12	58.84	COS/FUV	Spectroscopic	G130M	3	0	
15909	NGC-4797	12	54	55.1464	27	24	45.94	WFC3/IR	Imaging	F110W	1	0	
15935	J1255-0339-OFFNUCLEUS	12	55	47.84	-3	39	9.6	COS/NUV	Spectroscopic	G230L	1	0	
15935	J1255-0339-NUCLEUS	12	55	47.84	-3	39	9.6	COS/FUV	Spectroscopic	G140L	2	0	
15941	J1256+4509	12	56	44.15	45	9	17	STIS/NUV-MAMA	Spectroscopic	G230L	5	0	
15901	CVN-II-DSPH	12	57	10.0008	34	19	14.99	ACS/WFC	Imaging	F814W	2	0	
15901	CVN-II-DSPH	12	57	10.0008	34	19	14.99	ACS/WFC	Imaging	F475W	2	0	
15956	J1305-SOURCE	13	5	50.168	-72	18	2.26	WFC3/UVIS	Imaging	F814W	10	0	
15956	J1305-SOURCE	13	5	50.168	-72	18	2.26	WFC3/UVIS	Imaging	F555W	0		
15890	PG-1307+085	13	9	47.0031	8	19	48.21	COS/FUV	Spectroscopic	G140L	1	0	
15886	GW170817	13	9	48.07	-23	22	53.4	WFC3/UVIS	Imaging	F814W	3	0	
15886	GW170817	13	9	48.07	-23	22	53.4	WFC3/IR	Imaging	F110W	4	0	
15886	GW170817	13	9	48.07	-23	22	53.4	WFC3/IR	Imaging	F140W	3	0	
15886	GW170817	13	9	48.07	-23	22	53.4	WFC3/IR	Imaging	F160W	3	0	
15840	J1314+3452	13	14	47.37	34	52	59.81	COS/FUV	Spectroscopic	G130M	5	0	
15896	KISSR-1516	13	15	49.43	43	34	30.46	COS/FUV	Spectroscopic	G160M	5	0	
15819	-E-VIR-B	13	16	46.1663	9	25	29.91	WFC3/IR	Spectroscopic	G102	1	0	
15819	-E-VIR-B	13	16	46.1663	9	25	29.91	WFC3/IR	Spectroscopic	G141	3	0	
15909	NGC-5084	13	20	16.923	-21	49	39.28	WFC3/IR	Imaging	F160W	1	0	
15840	J132347	13	23	47.52	-1	32	51.94	COS/FUV	Spectroscopic	G130M	9	0	
15950	2MASSJ13260399+7023462	13	26	3.9952	70	23	46.31	WFC3/UVIS	Imaging	F475W	1	0	
15950	2MASSJ13260399+7023462	13	26	3.9952	70	23	46.31	WFC3/IR	Imaging	F160W			
15950	2MASSJ13260399+7023462	13	26	3.9952	70	23	46.31	WFC3/IR	Imaging	F105W			
15857	NGC-5139-OMEGA-CEN	13	26	47.27	-47	28	46.2	ACS/WFC	Imaging	F606W	0	3	
15857	NGC-5139-OMEGA-CEN	13	26	47.27	-47	28	46.2	WFC3/UVIS	Imaging	F438W	0	6	
15857	NGC-5139-OMEGA-CEN	13	26	47.27	-47	28	46.2	ACS/WFC	Imaging	F814W	3	0	
15861	V-V659-CEN	13	31	33.3976	-61	34	56.54	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15909	NGC-5193	13	31	53.5251	-33	14	3.58	WFC3/UVIS	Imaging	F475W	1	0	
15909	NGC-5208	13	32	27.909	7	18	59.91	WFC3/UVIS	Imaging	F814W	1	0	
15941	J1333+6246	13	33	3.96	62	46	3.78	STIS/NUV-MAMA	Spectroscopic	G230L	4	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15955	BD+05-2767	13	34	21.5022	4	40	2.64	COS/FUV	Spectroscopic	G130M	7	0	
15890	LBQS-1338-0038	13	41	13.9355	0	53	15.03	COS/FUV	Spectroscopic	G140L	1	0	
15857	NGC-5272-M-3	13	42	11.61	28	22	38.1	WFC3/UVIS	Imaging	F275W	3	0	
15857	NGC-5272-M-3	13	42	11.61	28	22	38.1	ACS/WFC	Imaging	F814W	0	4	
15857	NGC-5272-M-3	13	42	11.61	28	22	38.1	ACS/WFC	Imaging	F435W	2	0	
15939	Q1342-0035	13	42	46.236	0	35	44.27	WFC3/UVIS	Imaging	F625W	3	0	
15939	Q1345-0023	13	45	47.82	0	23	23.86	WFC3/IR	Imaging	F105W	3	0	
15975	BSBH6	13	45	48.5	11	44	43.5	WFC3/IR	Imaging	F160W	1	0	
15845	J1352+5617	13	52	35.8	56	17	1.41	COS/FUV	Spectroscopic	G160M	4	0	
15844	EMACSJ1353.7+4329	13	53	49	43	29	0	ACS/WFC	Imaging	F606W	2	0	
15844	EMACSJ1353.7+4329	13	53	49	43	29	0	WFC3/IR	Imaging	F160W	3	0	
15890	PG-1352+183	13	54	35.6873	18	5	17.5	COS/NUV	Spectroscopic	G185M	1	0	
15866	J135522.89+303324.7	13	55	22.896	30	33	24.76	COS/FUV	Spectroscopic	G130M	3	0	
15840	LY52	13	59	50.88	57	26	22.92	COS/NUV	Spectroscopic	G185M	1	0	
15846	TOL-89	14	1	20.082	-33	4	11.06	STIS/CCD	Spectroscopic	G430M	1	0	
15890	2MASS-J14025120+2631175	14	2	51.1985	26	31	17.55	COS/FUV	Spectroscopic	G140L	2	0	
15946	M101-F2	14	2	55.777	54	20	45.56	WFC3/UVIS	Imaging	F300X	1	0	
15946	M101-F2	14	2	55.777	54	20	45.56	WFC3/UVIS	Imaging	F300X	1	0	
15858	M101-DW22	14	3	3.3	54	47	12	ACS/WFC	Imaging	F814W	0	1	
15858	M101-DW22	14	3	3.3	54	47	12	ACS/WFC	Imaging	F814W	0	1	
15889	SN2011FE-FIELD	14	3	5.81	54	16	25.39	WFC3/IR	Imaging	F105W	1	0	Yes (Non-Disruptive)
15946	M101-F1	14	3	33.626	54	21	57.82	WFC3/UVIS	Imaging	F300X	1	0	
15946	M101-F1	14	3	33.626	54	21	57.82	WFC3/UVIS	Imaging	F300X	1	0	
15970	SDSSRM720	14	5	18.0211	53	15	30.02	WFC3/UVIS	Imaging	F225W			
15849	RM720	14	5	18.0216	53	15	30.02	WFC3/UVIS	Imaging	F606W	2	0	
15858	M101-DW35	14	5	36.2	54	49	2	WFC3/UVIS	Imaging	F814W	0	1	
15858	M101-DW35	14	5	36.2	54	49	2	WFC3/UVIS	Imaging	F814W	0	1	
15858	M101-DW23	14	7	8.4	54	33	49	WFC3/UVIS	Imaging	F606W	1	0	
15858	M101-DW23	14	7	8.4	54	33	49	WFC3/UVIS	Imaging	F606W	1	0	
15858	M101-DW21	14	7	56.5	54	56	3	ACS/WFC	Imaging	F606W	1	0	
15858	M101-DW21	14	7	56.5	54	56	3	ACS/WFC	Imaging	F606W	1	0	
15830	V-V1032-CEN	14	8	10.1137	-41	23	52.95	WFC3/UVIS	Imaging	F656N	18	0	
15830	V-V1032-CEN	14	8	10.1137	-41	23	52.95	WFC3/UVIS	Imaging	F336W			
15849	RM776	14	8	12.0936	53	53	3.3	WFC3/IR	Imaging	F110W	2	0	
15849	RM601	14	9	4.428	54	3	44.25	WFC3/IR	Imaging	F110W	2	0	
15849	RM305	14	10	4.272	52	31	41	WFC3/UVIS	Imaging	F606W	2	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15970	SDSSRM305	14	10	4.2732	52	31	41	WFC3/UVIS	Imaging	F225W	1	0	
15975	BSBH7	14	10	20.57	36	43	22.7	WFC3/IR	Imaging	F160W	1	0	
15849	RM399	14	10	31.3272	52	15	33.75	WFC3/UVIS	Imaging	F606W	2	0	
15849	RM160	14	10	41.2536	53	18	48.99	WFC3/IR	Imaging	F110W	2	0	
15849	RM267	14	11	12.7176	53	45	7.15	WFC3/IR	Imaging	F110W	2	0	
15849	RM622	14	11	15.1872	51	52	8.99	WFC3/UVIS	Imaging	F606W	2	0	
15970	SDSSRM622	14	11	15.1874	51	52	8.99	WFC3/UVIS	Imaging	F275W			
15849	RM371	14	11	23.4192	52	13	31.68	WFC3/IR	Imaging	F110W	2	0	
15970	SDSSRM371	14	11	23.4196	52	13	31.68	WFC3/UVIS	Imaging	F225W	1	0	
15947	SDSS-J141126.20+200911.1	14	11	26.1715	20	9	11.29	WFC3/IR	Spectroscopic	G141	6	0	
15849	RM634	14	11	35.8872	51	50	4.52	WFC3/UVIS	Imaging	F606W	2	0	
15970	SDSSRM634	14	11	35.8877	51	50	4.52	WFC3/UVIS	Imaging	F225W			
15849	RM551	14	11	47.064	51	56	19.77	WFC3/IR	Imaging	F110W	2	0	
15970	SDSSRM551	14	11	47.0646	51	56	19.77	WFC3/UVIS	Imaging	F275W			
15970	SDSSRM21	14	13	14.9718	53	1	39.43	WFC3/UVIS	Imaging	F336W	1	0	
15849	RM782	14	13	18.96	54	32	2.4	WFC3/UVIS	Imaging	F606W	2	0	
15970	SDSSRM17	14	13	24.2759	53	5	26.95	WFC3/UVIS	Imaging	F275W	1	0	
15849	RM017	14	13	24.276	53	5	26.95	WFC3/IR	Imaging	F110W	2	0	
15970	SDSSRM457	14	14	17.1267	51	57	22.6	WFC3/UVIS	Imaging	F275W			
15840	J1414+0540	14	14	54.1296	5	40	47.6	COS/NUV	Spectroscopic	G185M	6	0	
15849	RM033	14	15	32.3568	52	49	5.92	WFC3/UVIS	Imaging	F606W	2	0	
15970	SDSSRM33	14	15	32.3571	52	49	5.92	WFC3/UVIS	Imaging	F275W	1	0	
15970	SDSSRM16	14	16	6.953	53	9	29.77	WFC3/UVIS	Imaging	F336W	1	0	
15840	J1416+1223	14	16	12.87	12	23	40.42	COS/NUV	Spectroscopic	G185M	2	0	
15970	SDSSRM840	14	16	45.15	54	25	40.75	WFC3/UVIS	Imaging	F275W			
15849	RM840	14	16	45.1512	54	25	40.75	WFC3/UVIS	Imaging	F606W	2	0	
15849	RM191	14	16	45.5784	53	44	46.78	WFC3/UVIS	Imaging	F606W	2	0	
15970	SDSSRM191	14	16	45.5795	53	44	46.78	WFC3/UVIS	Imaging	F225W	1	0	
15970	SDSSRM694	14	17	6.6757	51	43	40.06	WFC3/UVIS	Imaging	F225W			
15970	SDSSRM519	14	17	12.2959	51	56	45.53	WFC3/UVIS	Imaging	F225W			
15849	RM177	14	17	24.5904	52	30	24.89	WFC3/IR	Imaging	F110W	1	0	
15849	RM790	14	17	29.2704	53	18	26.54	WFC3/IR	Imaging	F110W	2	0	
15840	J141851	14	18	51.119	21	2	39.84	COS/FUV	Spectroscopic	G130M	8	0	
15970	SDSSRM428	14	18	56.1949	53	58	44.98	WFC3/UVIS	Imaging	F336W	1	0	
15862	EGS68650	14	19	14.1648	52	50	18.26	WFC3/IR	Imaging	F140W	2	0	
15970	SDSSRM779	14	19	23.3663	54	22	1.73	WFC3/UVIS	Imaging	F275W			

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15849	RM779	14	19	23.3664	54	22	1.73	WFC3/UVIS	Imaging	F606W	2	0	
15862	EGS40898	14	19	31.9176	52	50	25.49	WFC3/IR	Imaging	F105W	1	0	
15849	RM300	14	19	41.1072	53	36	49.63	WFC3/IR	Imaging	F110W	2	0	
15862	EGS26890	14	19	52.2096	52	55	58.68	WFC3/IR	Imaging	F140W	1	0	
15970	SDSSRM215	14	19	52.2338	53	13	40.94	WFC3/UVIS	Imaging	F275W	1	0	
15849	RM338	14	19	55.6248	53	40	7.16	WFC3/IR	Imaging	F110W	2	0	
15970	SDSSRM338	14	19	55.6249	53	40	7.16	WFC3/UVIS	Imaging	F275W	1	0	
15862	EGS6811	14	20	8.4912	52	53	26.4	WFC3/IR	Imaging	F105W	1	0	
15849	RM301	14	20	10.2456	52	40	29.63	WFC3/IR	Imaging	F110W	2	0	
15849	RM265	14	20	23.88	53	16	5.06	WFC3/IR	Imaging	F110W	2	0	
15896	KISSR-1759	14	20	38.12	43	43	33.13	COS/FUV	Spectroscopic	G140L	5	0	
15970	SDSSRM320	14	20	38.5212	53	24	16.49	WFC3/UVIS	Imaging	F225W	1	0	
15970	SDSSRM645	14	20	39.7958	52	3	59.72	WFC3/UVIS	Imaging	F275W			
15849	RM645	14	20	39.7968	52	3	59.72	WFC3/UVIS	Imaging	F606W	2	0	
15862	EGS20381	14	20	45.2184	53	2	1.12	WFC3/IR	Imaging	F105W	2	0	
15970	SDSSRM589	14	20	49.2812	52	10	53.3	WFC3/UVIS	Imaging	F336W			
15849	RM589	14	20	49.2816	52	10	53.3	WFC3/UVIS	Imaging	F606W	2	0	
15970	SDSSRM316	14	20	52.4375	52	56	22.42	WFC3/UVIS	Imaging	F275W	1	0	
15849	RM316	14	20	52.4376	52	56	22.42	WFC3/UVIS	Imaging	F606W	2	0	
15862	EGS44164	14	20	56.266	53	4	29.85	WFC3/IR	Imaging	F105W	2	0	
15849	RM781	14	21	3.528	51	58	19.47	WFC3/UVIS	Imaging	F606W	2	0	
15970	SDSSRM781	14	21	3.5289	51	58	19.47	WFC3/UVIS	Imaging	F225W			
15970	SDSSRM392	14	21	12.2931	52	41	47.25	WFC3/UVIS	Imaging	F275W	1	0	
15849	RM772	14	21	35.9016	52	31	38.91	WFC3/IR	Imaging	F110W	2	0	
15889	SN2007AF-FIELD	14	22	21.06	0	23	37.72	WFC3/IR	Imaging	F160W	1	0	Yes (Non-Disruptive)
15826	SBS1421+511	14	23	14.1833	50	55	37.29	COS/FUV	Spectroscopic	G130M	5	0	
15970	SDSSRM707	14	24	17.2239	53	2	8.87	WFC3/UVIS	Imaging	F275W			
15866	J142501.46+382100.5	14	25	1.461	38	21	0.52	COS/FUV	Spectroscopic	G130M	3	0	
15865	J142535+524902	14	25	35.1104	52	49	2.18	COS/FUV	Spectroscopic	G160M	3	0	
15890	PG-1425+267	14	27	35.6075	26	32	14.54	COS/FUV	Spectroscopic	G140L	1	0	
15840	J1428+1653	14	28	56.41	16	53	39.32	COS/NUV	Spectroscopic	G185M	3	0	
15826	SDSSJ142940.73+032125.8	14	29	40.7446	3	21	25.88	COS/FUV	Spectroscopic	G130M	4	0	
15890	PG-1427+480	14	29	43.074	47	47	26.22	COS/FUV	Spectroscopic	G130M	1	0	
15840	J1429+0643	14	29	47	6	43	34.95	COS/NUV	Spectroscopic	G185M	4	0	
15939	Q1431-0050	14	31	43.742	0	50	12.48	WFC3/UVIS	Imaging	F336W	3	0	
15826	SDSSJ143145.99+030143.8	14	31	45.9924	3	1	43.86	COS/FUV	Spectroscopic	G130M	0		

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15889	SN2013AA-2017CBV-FIELD	14	32	33.88	-44	13	27.8	WFC3/IR	Spectroscopic	G102	1	0	Yes (Non-Disruptive)
15889	SN2003DU-FIELD	14	34	35.8	59	20	3.8	WFC3/IR	Imaging	F105W	1	0	Yes (Non-Disruptive)
15890	PG-1435-067	14	38	16.1631	-6	58	20.66	COS/FUV	Spectroscopic	G160M	3	0	
15941	J1442-0209	14	42	31.39	-2	9	52.03	STIS/NUV-MAMA	Spectroscopic	G230L	3	0	
15840	HS1442+4250	14	44	11.463	42	37	35.57	COS/NUV	Spectroscopic	G225M	2	0	
15890	SDSS-J14441467+0633067	14	44	14.6655	6	33	6.7	COS/NUV	Spectroscopic	G185M	1	0	
15840	J1448-0110	14	48	5.38	-1	10	57.72	COS/FUV	Spectroscopic	G130M	2	0	
15826	2MASXJ14515156+5914001	14	51	51.5369	59	14	0.08	COS/FUV	Spectroscopic	G130M	0		
15816	GAIA-DR2-587801283595137702	14	55	3.0474	-60	12	40.85	STIS/CCD	Spectroscopic	G750L	1	0	
15816	GAIA-DR2-587801283595137702	14	55	3.0474	-60	12	40.85	WFC3/IR	Spectroscopic	G102	1	0	
15916	HD-131488	14	55	8.0285	-41	7	13.4	COS/FUV	Spectroscopic	G130M	12	0	
15916	HD-131488	14	55	8.0285	-41	7	13.4	STIS/FUV-MAMA	Spectroscopic	E140H	3	0	
15916	HD-131488	14	55	8.0285	-41	7	13.4	STIS/FUV-MAMA	Spectroscopic	E140H	2	0	
15941	J1503+3644	15	3	42.83	36	44	50.75	STIS/NUV-MAMA	Spectroscopic	G230L	4	0	
15889	SN2017ERP-FIELD	15	9	14.81	-11	20	3.2	WFC3/IR	Imaging	F105W	1	0	Yes (Non-Disruptive)
15939	Q1515+0410	15	15	5.12	4	10	12.1	WFC3/UVIS	Imaging	F475W	3	0	
15857	NGC-5904-M-5	15	18	33.23	2	4	51.5	ACS/WFC	Imaging	F814W	3	0	
15857	NGC-5904-M-5	15	18	33.23	2	4	51.5	ACS/WFC	Imaging	F606W	4	0	
15857	NGC-5904-M-5	15	18	33.23	2	4	51.5	WFC3/UVIS	Imaging	F275W	0	3	
15816	GAIA-DR2-587690862138946022	15	20	44.509	-58	27	6.41	STIS/CCD	Spectroscopic	G430L	1	0	
15816	GAIA-DR2-587690862138946022	15	20	44.509	-58	27	6.41	STIS/CCD	Spectroscopic	G750L	1	0	
15889	SN2005CF-FIELD	15	21	32.21	-7	24	47.48	WFC3/IR	Imaging	F125W	1	0	Yes (Non-Disruptive)
15840	J1521+0759	15	21	41.52	7	59	21.77	COS/NUV	Spectroscopic	G185M	1	0	
15934	K2-233	15	21	55.1763	-20	13	54.47	STIS/FUV-MAMA	Spectroscopic	G140M	1	0	
15840	J1525+0757	15	25	21.84	7	57	20.3	COS/NUV	Spectroscopic	G185M	1	0	
15844	EMACSJ1527.6+2044	15	27	36	20	44	0	ACS/WFC	Imaging	F814W	3	0	
15844	EMACSJ1527.6+2044	15	27	36	20	44	0	ACS/WFC	Imaging	F435W	4	0	
15890	HB89-1529+050	15	32	28.8001	4	53	58.41	COS/FUV	Spectroscopic	G140L	1	0	
15975	BSBH8	15	37	5.95	0	55	22.8	WFC3/IR	Imaging	F160W	1	0	
15816	GAIA-DR2-588521388120203763	15	38	17.2863	-54	30	50.32	WFC3/IR	Spectroscopic	G141	1	0	
15816	GAIA-DR2-588521388120203763	15	38	17.2863	-54	30	50.32	STIS/CCD	Spectroscopic	G430L	1	0	
15897	ZTFJ153932.16+502738.8	15	39	32.16	50	27	38.8	COS/FUV	Spectroscopic	G130M	10	0	
15896	KISSR-847	15	43	55.24	29	27	50.16	COS/NUV	Imaging	MIRRORA	5	0	
15840	J1545+0858	15	45	43.44	8	58	1.34	COS/FUV	Spectroscopic	G130M	3	0	
15866	J154741.88+343357.3	15	47	41.882	34	33	57.32	COS/FUV	Spectroscopic	G130M	2	0	
15896	KISSR-2042	15	49	45.59	43	3	25.51	COS/NUV	Imaging	MIRRORA	5	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15966	SUNBURST-ARC	15	49	59.83	-78	11	13.2	WFC3/UVIS	Spectroscopic	G280	27	0	
15949	PSZ1G311.65-18.48	15	50	6.9	-78	11	30.3	WFC3/UVIS	Imaging	F275W	42	0	
15949	PSZ1G311.65-18.48	15	50	6.9	-78	11	30.3	WFC3/UVIS	Imaging	F390W	0		
15949	PSZ1G311.65-18.48	15	50	6.9	-78	11	30.3	WFC3/IR	Imaging	F126N	0		
15949	PSZ1G311.65-18.48	15	50	6.9	-78	11	30.3	WFC3/IR	Imaging	F128N	0		
15949	PSZ1G311.65-18.48	15	50	6.9	-78	11	30.3	WFC3/IR	Imaging	F153M	0		
15949	PSZ1G311.65-18.48	15	50	6.9	-78	11	30.3	WFC3/IR	Imaging	F164N	0		
15949	PSZ1G311.65-18.48	15	50	6.9	-78	11	30.3	WFC3/IR	Imaging	F167N	0		
15901	DRACO-II	15	52	47.6	64	33	55	WFC3/UVIS	Imaging	F395N	2	0	
15901	DRACO-II	15	52	47.6	64	33	55	ACS/WFC	Imaging	F606W	2	0	
15835	QSO-B1553+113	15	55	43.0439	11	11	24.37	COS/NUV	Spectroscopic	G185M	4	0	
15971	V-RU-LUP	15	56	42.2959	-37	49	15.83	STIS/CCD	Imaging	WEDGEA0.6	3	0	
15947	SDSS-J155720.78+091624.7	15	57	20.768	9	16	24.38	WFC3/IR	Spectroscopic	G141	10	0	
15939	Q1554-203	15	57	21.18	-20	29	12.1	WFC3/UVIS	Imaging	F814W	3	0	
15971	HD-142709	15	57	40.383	-42	37	30.2	STIS/CCD	Imaging	WEDGEA1.0	1	0	
15866	J160951.81+353843.7	16	9	51.813	35	38	43.79	COS/FUV	Spectroscopic	G130M	4	0	
15840	J1612+0817	16	12	45.52	8	17	1.01	COS/NUV	Spectroscopic	G185M	3	0	
15816	GAIA-DR2-593490393840925196	16	14	9.7288	-51	47	14.78	WFC3/IR	Spectroscopic	G102	1	0	
15816	GAIA-DR2-593490393840925196	16	14	9.7288	-51	47	14.78	WFC3/IR	Spectroscopic	G141	1	0	
15974	AT2018COWHOST	16	16	0.2242	22	16	4.38	WFC3/UVIS	Imaging	F665N	1	0	
15974	AT2018COWHOST	16	16	0.2242	22	16	4.38	WFC3/UVIS	Imaging	F657N	1	0	
15974	AT2018COWHOST	16	16	0.2242	22	16	4.38	WFC3/UVIS	Imaging	F225W	1	0	
15974	AT2018COWHOST	16	16	0.2242	22	16	4.38	WFC3/UVIS	Imaging	F336W	0		
15974	AT2018COWHOST	16	16	0.2242	22	16	4.38	WFC3/UVIS	Imaging	F555W	0		
15974	AT2018COWHOST	16	16	0.2242	22	16	4.38	WFC3/UVIS	Imaging	F814W	0		
15933	M4	16	23	35.22	-26	31	32.7	WFC3/UVIS	Imaging	F606W	2	0	
15933	M4	16	23	35.22	-26	31	32.7	WFC3/UVIS	Imaging	F336W	1	0	
15933	M4	16	23	35.22	-26	31	32.7	WFC3/UVIS	Imaging	F467M	1	0	
15933	M4	16	23	35.22	-26	31	32.7	WFC3/UVIS	Imaging	F547M	1	0	
15933	M4	16	23	35.22	-26	31	32.7	WFC3/UVIS	Imaging	F850LP	1	0	
15890	PG-1626+554	16	27	56.1123	55	22	31.56	COS/FUV	Spectroscopic	G140L	2	0	
15958	GRB-130606A	16	37	35.12	29	47	46.4	WFC3/IR	Imaging	F105W	2	0	
15958	GRB-130606A	16	37	35.12	29	47	46.4	WFC3/IR	Imaging	F160W	2	0	
15869	CD-41D11034	16	54	11.265	-41	48	53.8	COS/NUV	Spectroscopic	G185M	1	0	
15826	UVQSJ170043.71+223700.2	17	0	43.71	22	37	0.2	COS/FUV	Spectroscopic	G130M	3	0	
15819	NAME-WISE-J1711+3500	17	11	4.51	35	0	35.1	WFC3/IR	Spectroscopic	G102	2	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15819	NAME-WISE-J1711+3500	17	11	4.51	35	0	35.1	WFC3/IR	Spectroscopic	G141	4	0	
15953	NGC-6302	17	13	44.339	-37	6	10.95	WFC3/UVIS	Imaging	F343N	1	0	
15953	NGC-6302	17	13	44.339	-37	6	10.95	WFC3/UVIS	Imaging	F502N	1	0	
15953	NGC-6302	17	13	44.339	-37	6	10.95	WFC3/UVIS	Imaging	F673N	1	0	
15953	NGC-6302	17	13	44.339	-37	6	10.95	WFC3/IR	Imaging	F130N	1	0	
15953	NGC-6302	17	13	44.339	-37	6	10.95	WFC3/IR	Imaging	F164N	1	0	
15953	NGC-6302	17	13	44.339	-37	6	10.95	WFC3/IR	Imaging	F160W			
15857	NGC-6341-M-92	17	17	7.38	43	8	9.4	WFC3/UVIS	Imaging	F336W	2	0	
15857	NGC-6341-M-92	17	17	7.38	43	8	9.4	ACS/WFC	Imaging	F435W	4	0	
15857	NGC-6341-M-92	17	17	7.38	43	8	9.4	WFC3/UVIS	Imaging	F275W	3	0	
15924	2MASSJ1721039+334415	17	21	1.3274	33	44	26.09	WFC3/IR	Spectroscopic	G141	5	0	
15816	GAIA-DR2-405724119977032691	17	49	16.8582	-29	12	37.77	STIS/CCD	Spectroscopic	G430L	1	0	
15816	GAIA-DR2-405724119977032691	17	49	16.8582	-29	12	37.77	STIS/CCD	Spectroscopic	G750L	1	0	
15869	DSH393-3	17	49	59.9	-35	32	40.7	COS/NUV	Spectroscopic	G185M	3	0	
15844	EMACSJ1756.8+4008	17	56	48	40	8	0	WFC3/IR	Imaging	F105W	2	0	
15844	EMACSJ1756.8+4008	17	56	48	40	8	0	ACS/WFC	Imaging	F606W	3	0	
15869	DSH279-8	18	1	33.828	-45	31	56.34	COS/FUV	Spectroscopic	G160M	2	0	
15869	LSIV-13D30	18	19	18.483	-13	55	40.01	COS/NUV	Spectroscopic	G185M	3	0	
15844	EMACSJ1823.1+7822	18	23	6	78	22	0	WFC3/IR	Imaging	F125W	3	0	
15844	EMACSJ1823.1+7822	18	23	6	78	22	0	ACS/WFC	Imaging	F814W	4	0	
15918	J1825-3757	18	25	22.15	-37	57	26.1	STIS/NUV-MAMA	Spectroscopic	G230L	3	0	
15918	J1825-3757	18	25	22.15	-37	57	26.1	STIS/FUV-MAMA	Spectroscopic	G140L	0		
15869	LS5130	18	50	7.2	-13	3	28	COS/FUV	Spectroscopic	G130M	2	0	
15924	2MASS-J19064801+4011089	19	6	48.668	40	11	5.81	WFC3/IR	Spectroscopic	G141	6	0	
15857	NGC-6752	19	10	52.11	-59	59	4.4	ACS/WFC	Imaging	F606W	2	0	
15857	NGC-6752	19	10	52.11	-59	59	4.4	ACS/WFC	Imaging	F814W	0	4	
15857	NGC-6752	19	10	52.11	-59	59	4.4	ACS/WFC	Imaging	F435W	2	0	
15819	HD-182488B	19	23	34.1155	33	13	21.59	WFC3/IR	Spectroscopic	G102	1	0	
15819	HD-182488B	19	23	34.1155	33	13	21.59	WFC3/IR	Spectroscopic	G141	3	0	
15846	TOL-1924-416	19	27	58.338	-41	34	30.81	STIS/CCD	Spectroscopic	G430L	2	0	
15911	SAG-DIRR	19	30	0.1247	-17	40	45.76	WFC3/UVIS	Imaging	F814W	0	4	
15911	SAG-DIRR	19	30	0.1247	-17	40	45.76	WFC3/UVIS	Imaging	F814W	0	8	
15827	NGC-6810	19	43	34.2443	-58	39	18.81	ACS/SBC	Imaging	F140LP	4	0	
15901	SAGITTARIUS-II	19	52	40.512	-22	4	5.16	WFC3/UVIS	Imaging	F475W	2	0	
15901	SAGITTARIUS-II	19	52	40.512	-22	4	5.16	ACS/WFC	Imaging	F814W	2	0	
15861	V-MW-CYG	20	12	22.8284	32	52	17.83	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15907	HD-191849	20	13	54.537	-45	9	52.95	STIS/CCD	Imaging	BAR5	3	0	
15907	HD-191849	20	13	54.537	-45	9	52.95	STIS/CCD	Imaging	WEDGEA0.6	9	0	
15907	HD-191849	20	13	54.537	-45	9	52.95	STIS/CCD	Imaging	WEDGEA1.0			
15815	HD-193322-AAAB	20	18	6.99	40	43	55.46	STIS/CCD	Spectroscopic	G430M	3	0	
15815	HD-193443-AB	20	18	51.707	38	16	46.5	STIS/CCD	Spectroscopic	G430M	1	0	
15820	HD-195689	20	31	26.3759	39	56	20.1	WFC3/IR	Spectroscopic	G141	6	0	
15877	NGC6946-10	20	34	9.061	60	9	21.2	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-10	20	34	9.061	60	9	21.2	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-13	20	34	22.203	60	7	22.13	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-13	20	34	22.203	60	7	22.13	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-6	20	34	23.591	60	11	9.97	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-6	20	34	23.591	60	11	9.97	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-15	20	34	35.318	60	5	22.98	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-15	20	34	35.318	60	5	22.98	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-9	20	34	36.73	60	9	10.81	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-9	20	34	36.73	60	9	10.81	WFC3/UVIS	Imaging	F336W	1	0	
15877	GENERIC-PARRALEL	20	34	36.73	60	9	10.81	ACS/WFC	Imaging	F435W	0	42	
15877	NGC6946-3	20	34	38.218	60	12	59.17	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-3	20	34	38.218	60	12	59.17	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-12	20	34	49.842	60	7	11.57	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-12	20	34	49.842	60	7	11.57	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-5	20	34	51.355	60	10	59.92	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-5	20	34	51.355	60	10	59.92	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-14	20	35	2.928	60	5	12.26	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-14	20	35	2.928	60	5	12.26	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-8	20	35	4.464	60	9	0.59	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-8	20	35	4.464	60	9	0.59	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-2	20	35	6.007	60	12	48.93	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-2	20	35	6.007	60	12	48.93	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-11	20	35	17.548	60	7	1.19	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-11	20	35	17.548	60	7	1.19	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-4	20	35	19.114	60	10	49.51	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-4	20	35	19.114	60	10	49.51	WFC3/UVIS	Imaging	F336W	1	0	
15877	NGC6946-7	20	35	32.194	60	8	50.01	WFC3/UVIS	Imaging	F275W	2	0	
15877	NGC6946-7	20	35	32.194	60	8	50.01	WFC3/UVIS	Imaging	F336W	1	0	
15836	V-AU-MIC-1	20	45	9.8729	-31	20	32.82	WFC3/IR	Spectroscopic	G102	8	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15836	V-AU-MIC-1	20	45	9.8729	-31	20	32.82	WFC3/IR	Spectroscopic	G141	8	0	
15836	V-AU-MIC-1	20	45	9.8729	-31	20	32.82	STIS/FUV-MAMA	Spectroscopic	E140M	7	0	
15836	V-AU-MIC-1	20	45	9.8729	-31	20	32.82	STIS/FUV-MAMA	Spectroscopic	E140M	6	0	
15907	V-AU-MIC	20	45	9.8729	-31	20	32.82	STIS/CCD	Imaging	BAR5	3	0	
15907	V-AU-MIC	20	45	9.8729	-31	20	32.82	STIS/CCD	Imaging	BAR5	6	0	
15909	NGC-6958	20	48	42.6064	-37	59	50.88	WFC3/IR	Imaging	F110W	1	0	
15893	CYGLOOP-NENR1	20	56	2.1821	31	56	6.4	WFC3/UVIS	Imaging	F656N	6	0	
15893	CYGLOOP-NENR1	20	56	2.1821	31	56	6.4	WFC3/UVIS	Imaging	F502N			
15883	SPT-CL-J2106-5844	21	6	4	-58	44	36	WFC3/IR	Imaging	F105W	4	0	
15883	SPT-CL-J2106-5844	21	6	4	-58	44	36	WFC3/IR	Imaging	F160W	0		
15953	NGC-7027	21	7	1.8	42	14	10	WFC3/UVIS	Imaging	FQ243N	1	0	
15953	NGC-7027	21	7	1.8	42	14	10	WFC3/UVIS	Imaging	F487N	1	0	
15953	NGC-7027	21	7	1.8	42	14	10	WFC3/UVIS	Imaging	F656N	1	0	
15953	NGC-7027	21	7	1.8	42	14	10	WFC3/IR	Imaging	F128N	1	0	
15953	NGC-7027	21	7	1.8	42	14	10	WFC3/IR	Imaging	F110W	1	0	
15953	NGC-7027	21	7	1.8	42	14	10	WFC3/IR	Imaging	F167N	1	0	
15901	INDUS-I	21	8	49.97	-51	9	48.6	ACS/WFC	Imaging	F475W	2	0	
15901	INDUS-I	21	8	49.97	-51	9	48.6	WFC3/UVIS	Imaging	F395N	2	0	
15878	FRB190102	21	29	39.7008	-79	28	32.3	WFC3/UVIS	Imaging	F300X	1	0	
15878	FRB190102	21	29	39.7008	-79	28	32.3	WFC3/IR	Imaging	F160W	1	0	
15857	NGC-7078-M-15	21	29	58.33	12	10	1.1	ACS/WFC	Imaging	F606W	0	3	
15857	NGC-7078-M-15	21	29	58.33	12	10	1.1	WFC3/UVIS	Imaging	F275W	3	0	
15857	NGC-7078-M-15	21	29	58.33	12	10	1.1	WFC3/UVIS	Imaging	F336W	0	3	
15939	J2131-1207	21	31	35.26	-12	7	4.8	WFC3/UVIS	Imaging	F438W	2	0	
15871	D6-2	21	38	26.9972	25	22	25.36	STIS/NUV-MAMA	Spectroscopic	G230L	6	0	
15815	HD-206267-AAAB	21	38	57.618	57	29	20.55	STIS/CCD	Imaging	F25ND5	1	0	
15968	MUDFQ2139-4434	21	42	24.6993	-44	19	47.51	WFC3/UVIS	Imaging	F336W	8	0	
15878	FRB180924	21	44	25.26	-40	54	0.07	WFC3/UVIS	Imaging	F300X	1	0	
15878	FRB180924	21	44	25.26	-40	54	0.07	WFC3/IR	Imaging	F160W	1	0	
15955	HIP-107345	21	44	30.1228	-60	58	38.89	COS/NUV	Spectroscopic	G230L	2	0	
15878	FRB181112	21	49	23.64	-52	58	15.31	WFC3/IR	Imaging	F160W	1	0	
15878	FRB181112	21	49	23.64	-52	58	15.31	WFC3/UVIS	Imaging	F300X	1	0	
15861	V-VZ-CYG	21	51	41.4405	43	8	2.53	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15813	HD209458	22	3	10.773	18	53	3.55	WFC3/IR	Spectroscopic	G141	60	0	
15947	GSC2.3-SBBO006229	22	3	40.5965	-12	15	12.95	WFC3/IR	Spectroscopic	G141	4	0	
15889	SN2013DY-FIELD	22	18	17.6	40	34	9.59	WFC3/IR	Spectroscopic	G141	1	0	Yes (Non-Disruptive)

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15861	V-MU-CEP	22	23	38.61	57	40	50.8	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
15911	TUCANA-DSPH	22	41	46.5931	-64	25	24.2	ACS/WFC	Imaging	F814W	4	0	
15911	TUCANA-DSPH	22	41	46.5931	-64	25	24.2	ACS/WFC	Imaging	F814W	8	0	
15936	ABELL-S1063	22	48	44.3	-44	31	48.4	ACS/WFC	Imaging	CLEAR1L	8	0	
15936	ABELL-S1063	22	48	44.3	-44	31	48.4	ACS/WFC	Imaging	CLEAR1L	8	0	
15936	ABELL-S1063	22	48	44.3	-44	31	48.4	ACS/WFC	Imaging	CLEAR1L	8	0	
15936	ABELL-S1063	22	48	44.3	-44	31	48.4	ACS/WFC	Imaging	CLEAR1L	8	0	
15940	ACO-S-1063	22	48	54.3	-44	31	7	WFC3/UVIS	Imaging	F225W	8	0	
15940	ACO-S-1063-PAR	22	49	17.7	-44	32	43.8	ACS/WFC	Imaging	F435W	0	4	
15936	ABELL-S1063-HFFPAR	22	49	17.8	-44	32	43.3	WFC3/UVIS	Imaging	F200LP	0	8	
15936	ABELL-S1063-HFFPAR	22	49	17.8	-44	32	43.3	WFC3/UVIS	Imaging	F200LP	0	8	
15936	ABELL-S1063-HFFPAR	22	49	17.8	-44	32	43.3	WFC3/UVIS	Imaging	F200LP	0	8	
15936	ABELL-S1063-HFFPAR	22	49	17.8	-44	32	43.3	WFC3/UVIS	Imaging	F200LP	0	8	
15905	-DEL-AQR	22	54	38.9696	-15	49	15.36	STIS/CCD	Imaging	WEDGEA0.6	1	0	
15905	-DEL-AQR	22	54	38.9696	-15	49	15.36	STIS/CCD	Imaging	WEDGEA0.6	1	0	
15905	-DEL-AQR	22	54	38.9696	-15	49	15.36	STIS/CCD	Imaging	WEDGEA0.6	1	0	
15905	-DEL-AQR	22	54	38.9696	-15	49	15.36	STIS/CCD	Imaging	WEDGEA0.6	1	0	
15901	GRUS-I	22	56	42.4	-50	9	48	WFC3/UVIS	Imaging	F395N	2	0	
15901	GRUS-I	22	56	42.4	-50	9	48	ACS/WFC	Imaging	F606W	3	0	
15905	-ALF-PSA	22	57	39.4373	-29	37	22.61	STIS/CCD	Imaging	WEDGEA0.6	1	0	
15905	-ALF-PSA	22	57	39.4373	-29	37	22.61	STIS/CCD	Imaging	WEDGEA0.6	1	0	
15905	-ALF-PSA	22	57	39.4373	-29	37	22.61	STIS/CCD	Imaging	WEDGEA0.6	1	0	
15905	-ALF-PSA	22	57	39.4373	-29	37	22.61	STIS/CCD	Imaging	WEDGEA0.6	1	0	
15902	AND-XXXI	22	58	18.432	41	17	35.16	ACS/WFC	Imaging	F814W	10	0	
15902	AND-XXXI	22	58	18.432	41	17	35.16	ACS/WFC	Imaging	F606W	0	10	
15901	PISCES-II	22	58	31	5	57	9	WFC3/UVIS	Imaging	F395N	0	2	
15901	PISCES-II	22	58	31	5	57	9	ACS/WFC	Imaging	F606W	0	2	
15969	HD-219666	23	18	14.224	-56	54	14.35	WFC3/IR	Spectroscopic	G141	12	0	
15969	HD-219666	23	18	14.224	-56	54	14.35	WFC3/IR	Spectroscopic	G102	12	0	
15837	SPT-CLJ2325-4111	23	25	12.1588	-41	12	2.86	ACS/WFC	Imaging	F606W	1	0	
15837	SPT-CLJ2325-4111	23	25	12.1588	-41	12	2.86	WFC3/IR	Imaging	F140W	1	0	
15837	SPT-CLJ2325-4111	23	25	12.1588	-41	12	2.86	WFC3/IR	Imaging	F105W	1	0	
15902	AND-VII	23	26	29.808	50	40	41.16	ACS/WFC	Imaging	F606W	10	0	
15902	AND-VII	23	26	29.808	50	40	41.16	ACS/WFC	Imaging	F814W	0	10	
15859	GJ9827	23	27	4.8365	-1	17	10.58	STIS/FUV-MAMA	Spectroscopic	G140M	5	0	
15859	GJ9827	23	27	4.8365	-1	17	10.58	STIS/FUV-MAMA	Spectroscopic	G140M	5	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15839	V-ZZ-PSC	23	28	47.6365	5	14	54.23	COS/FUV	Spectroscopic	G130M	35	0	
15901	TUCANA-V	23	37	24	-63	16	0	ACS/WFC	Imaging	F475W	4	0	
15901	TUCANA-V	23	37	24	-63	16	0	WFC3/UVIS	Imaging	F395N	4	0	
15901	PHOENIX-II	23	39	59.4	-54	24	22	ACS/WFC	Imaging	F475W	0	2	
15901	PHOENIX-II	23	39	59.4	-54	24	22	WFC3/UVIS	Imaging	F395N	0	2	
15923	SDSSJ2342-0120	23	42	48.684	-1	20	32.54	WFC3/UVIS	Imaging	F606W	2	0	
15831	PHOENIX-XRAY-ARC	23	44	40.9	-42	41	54	WFC3/IR	Imaging	F140W	4	0	
15831	PHOENIX-XRAY-ARC	23	44	40.9	-42	41	54	WFC3/IR	Imaging	F125W	0		
15831	PHOENIX-XRAY-ARC	23	44	40.9	-42	41	54	WFC3/IR	Imaging	F098M	0		
15831	PHOENIX-XRAY-ARC	23	44	40.9	-42	41	54	WFC3/IR	Imaging	F160W	0		
15902	AND-VI	23	51	42.408	24	34	47.64	ACS/WFC	Imaging	F606W	10	0	
15902	AND-VI	23	51	42.408	24	34	47.64	ACS/WFC	Imaging	F814W	0	10	
15939	Q2353-0028	23	53	21.614	0	28	41.66	WFC3/UVIS	Imaging	F625W	3	0	
15902	AND-XXI	23	54	41.184	42	28	24.24	ACS/WFC	Imaging	F606W	13	0	
15902	AND-XXI	23	54	41.184	42	28	24.24	ACS/WFC	Imaging	F814W	0	13	
15955	UCAC3-13-31217	23	58	56.6012	-83	39	42.53	COS/FUV	Spectroscopic	G160M	7	0	
15902	AND-XXIX	23	59	2.448	30	45	23.04	ACS/WFC	Imaging	F814W	10	0	
15902	AND-XXIX	23	59	2.448	30	45	23.04	ACS/WFC	Imaging	F606W	0	10	
15834								STIS/NUV-MAMA	Spectroscopic	G230L	3	0	
15834								STIS/FUV-MAMA	Spectroscopic	G140L	2	0	Yes (Disruptive)
15834								STIS/NUV-MAMA	Spectroscopic	G230L	1	0	Yes (Non-Disruptive)
15841								WFC3/UVIS	Spectroscopic	G280	4	0	Yes (Disruptive)
15841								WFC3/IR	Imaging	F110W	2	0	Yes (Non-Disruptive)
15841								WFC3/IR	Imaging	F160W	2	0	Yes (Non-Disruptive)
15841								WFC3/IR	Imaging	F110W	2	0	Yes (Non-Disruptive)
15841								WFC3/IR	Imaging	F160W	2	0	Yes (Non-Disruptive)
15841								WFC3/IR	Imaging	F110W	2	0	Yes (Non-Disruptive)
15841								WFC3/IR	Imaging	F160W	2	0	Yes (Non-Disruptive)
15847								COS/FUV	Spectroscopic	G130M	8	0	Yes (Disruptive)
15847								COS/FUV	Spectroscopic	G160M	8	0	Yes (Disruptive)
15847								STIS/NUV-MAMA	Spectroscopic	G230L	2	0	Yes (Disruptive)
15848								COS/FUV	Spectroscopic	G130M	8	0	
15868								COS/FUV	Spectroscopic	G140L	1	0	
15868								COS/FUV	Spectroscopic	G140L	1	0	
15868								COS/FUV	Spectroscopic	G140L	1	0	
15868								COS/FUV	Spectroscopic	G140L	1	0	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15869							STIS/FUV-MAMA	Spectroscopic	E140M	0			
15869							STIS/NUV-MAMA	Spectroscopic	E230M	0			
15876							STIS/CCD	Spectroscopic	G430L	3	0		
15876							STIS/CCD	Spectroscopic	G230LB	1	0		
15876							STIS/CCD	Spectroscopic	G430L	4	0		
15876							COS/FUV	Spectroscopic	G130M	1	0		
15876							STIS/CCD	Spectroscopic	G230LB	4	0		Yes (Disruptive)
15876							STIS/CCD	Spectroscopic	G430L	3	0		Yes (Disruptive)
15876							STIS/CCD	Spectroscopic	G230LB	3	0		Yes (Disruptive)
15876							COS/FUV	Spectroscopic	G160M				
15876							STIS/NUV-MAMA	Spectroscopic	G230L				
15888							WFC3/UVIS	Imaging	F625W	0	34		
15888							WFC3/UVIS	Imaging	F775W	0	33		
15888							WFC3/UVIS	Imaging	F656N	0	33		
15888							WFC3/UVIS	Imaging	F502N	0			
15888							ACS/WFC	Imaging	F625W	0			
15888							ACS/WFC	Imaging	F775W	0			
15888							ACS/WFC	Imaging	F658N	0			
15888							ACS/WFC	Imaging	F502N	0			
15888							WFC3/UVIS	Imaging	F555W	0			
15888							WFC3/UVIS	Imaging	F343N	0			
15888							WFC3/UVIS	Imaging	F280N	0			
15888							WFC3/UVIS	Imaging	F631N	0			
15889	TOO-NIR-SNIA-06						WFC3/IR	Imaging	F125W	1	0		
15889	TOO-NIR-SNIA-07						WFC3/IR	Imaging	F140W	1	0		
15889	TOO-NIR-SNIA-08						WFC3/IR	Imaging	F160W	1	0		
15889	TOO-NIR-SNIA-09						WFC3/IR	Spectroscopic	G102	1	0		
15889	TOO-NIR-SNIA-10						WFC3/IR	Spectroscopic	G141	1	0		
15889	TOO-NIR-SNIA-11						WFC3/IR	Imaging	F098M	1	0		
15889	TOO-NIR-SNIA-12						WFC3/IR	Imaging	F105W	1	0		
15889	TOO-NIR-SNIA-13						WFC3/IR	Imaging	F125W	1	0		
15889	TOO-NIR-SNIA-14						WFC3/IR	Imaging	F140W	1	0		
15889	TOO-NIR-SNIA-15						WFC3/IR	Imaging	F160W	1	0		
15889	TOO-NIR-SNIA-16						WFC3/IR	Spectroscopic	G102	1	0		
15889	TOO-NIR-SNIA-17						WFC3/IR	Spectroscopic	G141	1	0		
15889	TOO-NIR-SNIA-18						WFC3/IR	Imaging	F098M	1	0		

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15889	TOO-NIR-SNIA-19						WFC3/IR	Imaging	F105W	1	0		
15889	TOO-NIR-SNIA-20						WFC3/IR	Imaging	F125W	1	0		
15889	TOO-NIR-SNIA-21						WFC3/IR	Imaging	F140W	1	0		
15889	TOO-NIR-SNIA-22						WFC3/IR	Imaging	F160W	1	0		
15889	TOO-NIR-SNIA-23						WFC3/IR	Spectroscopic	G102	1	0		
15889	TOO-NIR-SNIA-24						WFC3/IR	Spectroscopic	G141	1	0		
15889	TOO-NIR-SNIA-01						WFC3/IR	Imaging	F098M	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-02						WFC3/IR	Imaging	F105W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-03						WFC3/IR	Imaging	F125W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-04						WFC3/IR	Imaging	F140W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-05						WFC3/IR	Imaging	F160W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-06						WFC3/IR	Spectroscopic	G102	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-07						WFC3/IR	Spectroscopic	G141	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-08						WFC3/IR	Imaging	F098M	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-09						WFC3/IR	Imaging	F105W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-10						WFC3/IR	Imaging	F125W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-11						WFC3/IR	Imaging	F140W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-12						WFC3/IR	Imaging	F160W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-13						WFC3/IR	Spectroscopic	G102	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-14						WFC3/IR	Spectroscopic	G141	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-15						WFC3/IR	Imaging	F098M	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-16						WFC3/IR	Imaging	F105W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-17						WFC3/IR	Imaging	F125W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-18						WFC3/IR	Imaging	F140W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-19						WFC3/IR	Imaging	F160W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-20						WFC3/IR	Spectroscopic	G102	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-21						WFC3/IR	Spectroscopic	G141	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-22						WFC3/IR	Imaging	F098M	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-23						WFC3/IR	Imaging	F105W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-24						WFC3/IR	Imaging	F125W	1	0	Yes (Non-Disruptive)	
15889	TEMPLATE-NIR-SNIA-01						WFC3/IR	Imaging	F140W	1	0	Yes (Non-Disruptive)	
15889	TEMPLATE-NIR-SNIA-02						WFC3/IR	Imaging	F160W	1	0	Yes (Non-Disruptive)	
15889	TEMPLATE-NIR-SNIA-03						WFC3/IR	Spectroscopic	G102	1	0	Yes (Non-Disruptive)	
15889	TEMPLATE-NIR-SNIA-04						WFC3/IR	Spectroscopic	G141	1	0	Yes (Non-Disruptive)	
15889	TEMPLATE-NIR-SNIA-05						WFC3/IR	Imaging	F098M	1	0	Yes (Non-Disruptive)	
15889	TEMPLATE-NIR-SNIA-06						WFC3/IR	Imaging	F105W	1	0	Yes (Non-Disruptive)	

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15889	TEMPLATE-NIR-SNIA-07						WFC3/IR	Imaging	F125W	1	0	Yes (Non-Disruptive)	
15889	TEMPLATE-NIR-SNIA-08						WFC3/IR	Imaging	F140W	1	0	Yes (Non-Disruptive)	
15889	TEMPLATE-NIR-SNIA-09						WFC3/IR	Imaging	F160W	1	0	Yes (Non-Disruptive)	
15889	TEMPLATE-NIR-SNIA-10						WFC3/IR	Spectroscopic	G102	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-01						WFC3/IR	Imaging	F160W	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-02						WFC3/IR	Spectroscopic	G102	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-03						WFC3/IR	Spectroscopic	G141	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-04						WFC3/IR	Imaging	F098M	1	0	Yes (Non-Disruptive)	
15889	TOO-NIR-SNIA-05						WFC3/IR	Imaging	F105W	1	0	Yes (Non-Disruptive)	
15891							WFC3/UVIS	Imaging	F814W	0	1		
15891							WFC3/UVIS	Imaging	F475W	0	2		
15891							WFC3/UVIS	Imaging	F336W	0	3		
15891							WFC3/UVIS	Imaging	F275W	0	4		
15891							WFC3/IR	Imaging	F110W	0			
15891							WFC3/IR	Imaging	F160W	0			
15913							STIS/NUV-MAMA	Spectroscopic	G230L	2	0	Yes (Non-Disruptive)	
15925							STIS/NUV-MAMA	Spectroscopic	G230L	1	0		
15925							STIS/NUV-MAMA	Spectroscopic	G230L	1	0		
15925							STIS/NUV-MAMA	Spectroscopic	G230L	1	0		
15925							STIS/NUV-MAMA	Spectroscopic	G230L	1	0		
15925							STIS/NUV-MAMA	Spectroscopic	G230L	1	0		
15925							STIS/CCD	Spectroscopic	G430L	1	0		
15925							STIS/CCD	Spectroscopic	G750L	1	0		
15925							STIS/CCD	Spectroscopic	G430L	1	0		
15925							STIS/CCD	Spectroscopic	G750L	1	0		
15925							STIS/CCD	Spectroscopic	G430L	1	0		
15925							STIS/CCD	Spectroscopic	G750L	1	0		
15925							STIS/CCD	Spectroscopic	G430L	1	0		
15925							STIS/CCD	Spectroscopic	G750L	1	0		
15925							STIS/CCD	Spectroscopic	G430L	1	0		
15925							STIS/CCD	Spectroscopic	G750L	1	0		
15925							STIS/NUV-MAMA	Spectroscopic	G230L	1	0		
15925							STIS/CCD	Spectroscopic	G750L	1	0		
15925							STIS/CCD	Spectroscopic	G430L	1	0		
15925							STIS/NUV-MAMA	Spectroscopic	G230L	1	0		

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15925							STIS/CCD	Spectroscopic	G750L	1	0		
15925							STIS/CCD	Spectroscopic	G430L	1	0		
15925							STIS/NUV-MAMA	Spectroscopic	G230L	1	0		
15925							STIS/CCD	Spectroscopic	G750L	1	0		
15925							STIS/CCD	Spectroscopic	G430L	1	0		
15927							WFC3/UVIS	Imaging	FQ889N	2	0	Yes (Disruptive)	
15927							WFC3/UVIS	Imaging	F275W	2	0	Yes (Disruptive)	
15927							WFC3/UVIS	Imaging	FQ727N				
15927							WFC3/UVIS	Imaging	F631N				
15927							WFC3/UVIS	Imaging	F502N				
15927							WFC3/UVIS	Imaging	F225W				
15927							WFC3/UVIS	Imaging	F343N				
15927							WFC3/UVIS	Imaging	F395N				
15935							COS/FUV	Spectroscopic	G130M	1	0		
15935							COS/FUV	Spectroscopic	G140L	2	0		
15935							COS/FUV	Spectroscopic	G130M	1	0		
15935							COS/FUV	Spectroscopic	G140L	1	0		
15935							COS/FUV	Spectroscopic	G130M	1	0		
15943							WFC3/IR	Spectroscopic	G102	6	0	Yes (Disruptive)	
15943							WFC3/IR	Spectroscopic	G141	6	0	Yes (Disruptive)	
15943							WFC3/IR	Imaging	F105W				
15943							WFC3/IR	Imaging	F110W				
15943							WFC3/IR	Imaging	F125W				
15943							WFC3/IR	Imaging	F140W				
15943							WFC3/IR	Imaging	F160W				
15948							STIS/NUV-MAMA	Spectroscopic	E230M	3	0		
15948							STIS/NUV-MAMA	Spectroscopic	E230H	2	0		
15948							STIS/NUV-MAMA	Spectroscopic	E230H	1	0		
15964							WFC3/IR	Imaging	F110W	4	0	Yes (Disruptive)	
15964							WFC3/IR	Imaging	F160W	2	0	Yes (Disruptive)	
15964							WFC3/IR	Imaging	F160W	4	0	Yes (Disruptive)	
15965							WFC3/UVIS	Imaging	F689M	6	0	Yes (Non-Disruptive)	
15965							WFC3/UVIS	Imaging	F845M	0			
15965							WFC3/UVIS	Imaging	F487N	0			
15976							STIS/FUV-MAMA	Spectroscopic	E140H	4	0		
15976							STIS/FUV-MAMA	Spectroscopic	E140H	4	0		

Cycle 27 Exposure Catalog (Based on Phase I Submissions)

Phase II ID	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
15976							STIS/FUV-MAMA	Spectroscopic	E140H	3	0		
15978							WFC3/UVIS	Imaging	F350LP	2	0		
15978							WFC3/UVIS	Imaging	F350LP	2	0		
15978							WFC3/UVIS	Imaging	F350LP	2	0		
15978							WFC3/UVIS	Imaging	F350LP	2	0		