

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16301	UVQSJ000009.65-163441.4	0	0	9.648	-16	34	41.52	COS/FUV	Spectroscopic	G130M	8	0	
16301	UVQSJ000009.65-163441.4	0	0	9.648	-16	34	41.52	COS/FUV	Spectroscopic	G130M			
16301	UVQSJ000009.65-163441.4	0	0	9.648	-16	34	41.52	COS/FUV	Spectroscopic	G160M			
16301	UVQSJ000009.65-163441.4	0	0	9.648	-16	34	41.52	COS/FUV	Spectroscopic	G160M			
16224	TYC-6992-827-1	0	1	13.3842	-33	27	7.03	STIS/FUV-MAMA	Spectroscopic	G140L	2	0	
16241	2MASXJ00014596-7657144	0	1	46.0884	-76	57	14.27	WFC3/UVIS	Imaging	F225W	1	0	
16162	WLM-POS1	0	1	58.459	-15	26	40.2	WFC3/IR	Imaging	F160W	1	0	
16162	WLM-POS1	0	1	58.459	-15	26	40.2	WFC3/UVIS	Imaging	F475W	1	0	
16162	WLM-POS2	0	1	59.299	-15	30	56.78	WFC3/IR	Imaging	F127M	0	1	
16162	WLM-POS2	0	1	59.299	-15	30	56.78	WFC3/IR	Imaging	F127M			
16241	NGC7811	0	2	26.4252	3	21	6.88	WFC3/UVIS	Imaging	F225W	1	0	
16241	MRK335	0	6	19.5361	20	12	10.62	WFC3/UVIS	Imaging	F225W	1	0	
16281	3C2	0	6	22	0	4	2	WFC3/IR	Imaging	F140W	1	0	
16204	GAI AJ0006+2858	0	6	34.74	28	58	46.75	COS/NUV	Spectroscopic	G230L	2	0	
16224	TYC-8467-109-1	0	9	48.3986	-56	45	2.18	STIS/FUV-MAMA	Spectroscopic	G140L	4	0	
16301	VV2006-J001641.9-312657	0	16	41.8887	-31	26	56.6	COS/FUV	Spectroscopic	G130M	7	0	
16301	VV2006-J001641.9-312657	0	16	41.8887	-31	26	56.6	COS/FUV	Spectroscopic	G160M			
16301	VV2006-J001641.9-312657	0	16	41.8887	-31	26	56.6	COS/FUV	Spectroscopic	G160M			
16301	VV2006-J001641.9-312657	0	16	41.8887	-31	26	56.6	COS/FUV	Spectroscopic	G130M			
16281	3C9	0	20	25	15	40	5	WFC3/UVIS	Imaging	F606W	1	0	
16224	2MASS-J00212706-1101097	0	21	27.124	-11	1	9.83	STIS/FUV-MAMA	Spectroscopic	G140L	4	0	
16173	HE0021-1819	0	23	55.3752	-18	2	50.71	WFC3/UVIS	Imaging	F225W	1	0	
16218	47TUC-W62	0	23	59.34	-72	4	48.25	STIS/FUV-MAMA	Spectroscopic	G140L	5	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F435W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F625W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F658N			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F435W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F625W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F658N			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F435W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F625W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F658N			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F435W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F625W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F658N			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F435W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F625W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F658N			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F435W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F625W			

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F658N			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F435W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F625W			
16217	NGC-104	0	24	5.359	-72	4	53.2	ACS/WFC	Imaging	F658N			
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	0	1	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	1	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	1	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	1	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	1	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	1	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	1	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	1	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	1	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F225W	1	0	
16217	NGC-104	0	24	5.359	-72	4	53.2	WFC3/UVIS	Imaging	F275W	1	0	
16269	NGC-105	0	25	16.7514	12	53	1.92	WFC3/IR	Imaging	F160W	6	0	
16269	NGC-105	0	25	16.7514	12	53	1.92	WFC3/UVIS	Imaging	F814W	2	0	
16269	NGC-105	0	25	16.7514	12	53	1.92	WFC3/UVIS	Imaging	F555W	3	0	
16269	NGC-105	0	25	16.7514	12	53	1.92	WFC3/UVIS	Imaging	F350LP	11	0	
16226	CETUS-DWARF-GALAXY	0	26	10.8	-11	3	14	ACS/WFC	Imaging	F475W	0	12	
16226	CETUS-DWARF-GALAXY	0	26	10.8	-11	3	14	WFC3/UVIS	Imaging	F395N	0	11	
16224	BD-15-83	0	29	45.3357	-15	9	17.86	STIS/FUV-MAMA	Spectroscopic	G140L	3	0	
16288	VV2006-J003340.2-005525	0	33	40.2154	0	55	25.58	COS/FUV	Spectroscopic	G130M	6	0	
16281	3C13	0	34	14	39	24	1	WFC3/IR	Imaging	F140W	1	0	
16273	ANDROMEDA-III	0	35	31.8145	36	30	12.55	ACS/WFC	Imaging	F814W	4	0	
16273	ANDROMEDA-III	0	35	31.8145	36	30	12.55	WFC3/UVIS	Imaging	F814W	0	3	
16281	3C14	0	36	6	18	37	5	WFC3/UVIS	Imaging	F606W	1	0	
16241	Z535-12	0	36	20.9432	45	39	53.64	WFC3/UVIS	Imaging	F225W	1	0	
16260	HARO-11-KNOT-A	0	36	52.132	-33	33	19.48	COS/FUV	Spectroscopic	G130M	6	0	
16260	HARO-11-KNOT-A	0	36	52.132	-33	33	19.48	WFC3/UVIS	Imaging	FQ492N	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16260	HARO-11-KNOT-B	0	36	52.225	-33	33	16.34	COS/FUV	Spectroscopic	G130M	6	0	
16260	HARO-11-KNOT-C	0	36	52.475	-33	33	16.7	COS/FUV	Spectroscopic	G130M	6	0	
16318	SDSSJ0037+3014	0	37	57.4	30	14	39.7	COS/FUV	Spectroscopic	G140L	1	0	
16223	JO201	0	41	30.29	-9	15	45.9	WFC3/UVIS	Imaging	F814W	5	0	
16223	JO201	0	41	30.29	-9	15	45.9	WFC3/UVIS	Imaging	F680N			
16223	JO201	0	41	30.29	-9	15	45.9	WFC3/UVIS	Imaging	F275W			
16223	JO201	0	41	30.29	-9	15	45.9	WFC3/UVIS	Imaging	F336W			
16223	JO201	0	41	30.29	-9	15	45.9	WFC3/UVIS	Imaging	F606W			
16173	HE0040-1105	0	42	36.8632	-10	49	22.08	WFC3/UVIS	Imaging	F336W	1	0	
16273	ANDROMEDA-I	0	45	42.2295	38	2	9.56	ACS/WFC	Imaging	F814W	10	0	
16273	ANDROMEDA-I	0	45	42.2295	38	2	9.56	WFC3/UVIS	Imaging	F814W	0	8	
16318	SDSSJ0046-0224	0	46	2.34	-2	24	49.7	COS/FUV	Spectroscopic	G140L	1	0	
16291	SDSS-J004846.45-004611.9	0	48	46.456	0	46	11.95	WFC3/UVIS	Imaging	F814W	1	0	
16291	SDSS-J004846.45-004611.9	0	48	46.456	0	46	11.95	WFC3/UVIS	Imaging	F606W	2	0	
16291	SDSS-J004846.45-004611.9	0	48	46.456	0	46	11.95	WFC3/UVIS	Imaging	F657N	6	0	
16241	UGC524	0	51	35.0187	29	24	4.64	WFC3/UVIS	Imaging	F225W	1	0	
16298	NGC288	0	52	45.24	-26	34	57.4	ACS/WFC	Imaging	F814W	1	0	
16289	NGC-288	0	52	45.25	-26	34	57.5	WFC3/IR	Imaging	F160W	9	0	
16289	NGC-288	0	52	45.25	-26	34	57.5	WFC3/UVIS	Imaging	F438W	0	9	
16301	RXSJ00537+2232	0	53	46.152	22	32	22.2	COS/FUV	Spectroscopic	G160M	2	0	
16301	RXSJ00537+2232	0	53	46.152	22	32	22.2	COS/FUV	Spectroscopic	G130M			
16301	RXSJ00537+2232	0	53	46.152	22	32	22.2	COS/FUV	Spectroscopic	G130M			
16301	RXSJ00537+2232	0	53	46.152	22	32	22.2	COS/FUV	Spectroscopic	G160M			
16316	NGC-300	0	54	53.446	-37	41	3.18	WFC3/UVIS	Imaging	F218W	1	0	
16316	NGC-300	0	54	53.446	-37	41	3.18	WFC3/UVIS	Imaging	F218W	4	0	
16273	ANDROMEDA-XVI	0	59	33.4192	32	23	36.01	ACS/WFC	Imaging	F814W	7	0	
16273	ANDROMEDA-XVI	0	59	33.4192	32	23	36.01	WFC3/UVIS	Imaging	F814W	0	10	
16241	MRK352	0	59	53.2803	31	49	37.28	WFC3/UVIS	Imaging	F225W	1	0	
16318	QSO-010238+423140	1	2	38.08	42	31	40.4	COS/FUV	Spectroscopic	G140L	1	0	
16219	GALEX-J010328.6+354730	1	3	28.6828	35	47	30.08	COS/FUV	Spectroscopic	G130M	10	0	
16219	GALEX-J010415.8+402243	1	4	15.8427	40	22	43.57	COS/FUV	Spectroscopic	G130M	2	0	
16162	IC-1613	1	4	47.641	2	7	4.24	WFC3/IR	Imaging	F139M	0	1	
16162	IC-1613	1	4	47.641	2	7	4.24	WFC3/IR	Imaging	F110W	1	0	
16316	UGC-685	1	7	22.55	16	41	3.1	ACS/SBC	Imaging	F150LP	2	0	
16316	UGC-685	1	7	22.55	16	41	3.1	WFC3/UVIS	Imaging	F218W	1	0	
16173	HE-0108-4743	1	11	9.7	-47	27	35	WFC3/UVIS	Imaging	F225W	1	0	
16273	ANDROMEDA-XV	1	14	18.1595	38	6	50.82	ACS/WFC	Imaging	F814W	10	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16273	ANDROMEDA-XV	1	14	18.1595	38	6	50.82	WFC3/UVIS	Imaging	F814W	0	4	
16273	ANDROMEDA-II	1	16	23.8072	33	25	51.02	ACS/WFC	Imaging	F814W	3	0	
16273	ANDROMEDA-II	1	16	23.8072	33	25	51.02	WFC3/UVIS	Imaging	F814W	0	10	
16173	HE0114-0015	1	17	3.588	0	0	27.41	WFC3/UVIS	Imaging	F336W	1	0	
16281	3C36	1	17	59	45	36	2	WFC3/IR	Imaging	F140W	1	0	
16173	HE0119-0118	1	21	59.8145	-1	2	24.37	WFC3/UVIS	Imaging	F225W	1	0	
16241	FAIRALL9	1	23	45.7726	-58	48	20.79	WFC3/UVIS	Imaging	F225W	1	0	
16227	UM323	1	26	46.59	0	38	46.1	COS/FUV	Spectroscopic	G130M	6	0	
16241	MRK359	1	27	32.5175	19	10	43.8	WFC3/UVIS	Imaging	F225W	1	0	
16281	3C43	1	29	59	23	38	2	WFC3/UVIS	Imaging	F606W	1	0	
16230	2DFS-3947	1	30	37.1859	-73	25	14.39	STIS/CCD	Spectroscopic	G230LB	1	0	
16230	2DFS-3947	1	30	37.1859	-73	25	14.39	STIS/CCD	Spectroscopic	G430L			
16170	NM2011-J013241.39+303416.2	1	32	41.3474	30	34	15.9	COS/FUV	Spectroscopic	G140L	9	0	
16274	M33-DISK4	1	33	8.5461	30	14	55.35	WFC3/UVIS	Imaging	F606W	0	5	
16274	M33-DISK4	1	33	8.5461	30	14	55.35	WFC3/UVIS	Imaging	F814W	5	0	
16274	M33-DISK3	1	33	21.5115	30	22	21.74	ACS/WFC	Imaging	F814W	5	0	
16274	M33-DISK3	1	33	21.5115	30	22	21.74	WFC3/UVIS	Imaging	F606W	0	5	
16274	M33-U49	1	33	38.2986	30	48	26.86	ACS/WFC	Imaging	F814W	0	5	
16274	M33-U49	1	33	38.2986	30	48	26.86	WFC3/UVIS	Imaging	F606W	5	0	
16274	M33-DISK2	1	33	38.8214	30	28	51.91	ACS/WFC	Imaging	F814W	5	0	
16274	M33-DISK2	1	33	38.8214	30	28	51.91	WFC3/UVIS	Imaging	F814W	0	5	
16170	NM2011-J013425.11+301950.3	1	34	25.0843	30	19	50.14	COS/FUV	Spectroscopic	G140L	3	0	
16274	M33-M9	1	34	27.7209	30	37	51.6	ACS/WFC	Imaging	F814W	0	5	
16274	M33-M9	1	34	27.7209	30	37	51.6	WFC3/UVIS	Imaging	F814W	5	0	
16170	NM2011-J013447.32+310748.8	1	34	47.294	31	7	48.74	COS/FUV	Spectroscopic	G140L	3	0	
16170	NM2011-J013507.24+304500.9	1	35	7.2198	30	45	0.83	COS/FUV	Spectroscopic	G140L	2	0	
16170	NAME-ROMANOS-STAR	1	35	9.7012	30	41	57.16	COS/FUV	Spectroscopic	G140L	2	0	
16170	NM2011-J013510.27+304522.9	1	35	10.27	30	45	22.9	COS/FUV	Spectroscopic	G140L	1	0	
16318	QSO-014515+411618	1	45	15.19	41	16	18	COS/FUV	Spectroscopic	G140L	1	0	
16204	WD0145+234	1	47	54.8	23	39	42.1	COS/NUV	Spectroscopic	G230L	1	0	
16241	ESO354-4	1	51	41.8592	-36	11	16.18	WFC3/UVIS	Imaging	F225W	1	0	
16249	WD0148+467	1	52	2.88	47	0	3.6	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16249	WD0148+467	1	52	2.88	47	0	3.6	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16249	WD0148+467	1	52	2.88	47	0	3.6	WFC3/IR	Spectroscopic	G102	1	0	
16246	UGC-01395	1	55	22.0392	6	36	42.66	WFC3/UVIS	Imaging	FQ508N	1	0	
16241	LEDA2295246	1	57	10.9536	47	15	59.22	WFC3/UVIS	Imaging	F225W	1	0	
16213	J0159+0751	1	59	52.75	7	51	48.9	COS/FUV	Spectroscopic	G140L	2	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16213	J0159+0751	1	59	52.75	7	51	48.9	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16246	NGC-788	2	1	6.4623	-6	48	57.15	WFC3/UVIS	Imaging	F547M	1	0	
16241	MRK1018	2	6	15.9887	0	17	29.24	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE0203-0031	2	6	15.9898	0	17	29.22	WFC3/UVIS	Imaging	F336W	1	0	
16269	ESO-478-6	2	9	18.077	-23	24	54.24	WFC3/IR	Imaging	F160W	6	0	
16269	ESO-478-6	2	9	18.077	-23	24	54.24	WFC3/UVIS	Imaging	F814W	2	0	
16269	ESO-478-6	2	9	18.077	-23	24	54.24	WFC3/UVIS	Imaging	F555W	3	0	
16269	ESO-478-6	2	9	18.077	-23	24	54.24	WFC3/UVIS	Imaging	F350LP	11	0	
16318	TOL0207-398	2	9	28.6	-39	39	39	COS/FUV	Spectroscopic	G140L	1	0	
16173	HE0212-0059	2	14	33.5611	0	46	0.18	WFC3/UVIS	Imaging	F225W	1	0	
16241	MRK590	2	14	33.5628	0	46	0.19	WFC3/UVIS	Imaging	F225W	1	0	
16285	HD-14434	2	21	52.4115	56	54	17.98	STIS/NUV-MAMA	Spectroscopic	E230H	3	0	
16281	3C65	2	23	43	40	0	5	WFC3/IR	Imaging	F140W	1	0	
16300	SPARCS-J0224	2	24	26.953	-3	23	46.73	ACS/WFC	Imaging	F475W	3	0	
16300	SPARCS-J0224	2	24	26.953	-3	23	46.73	ACS/WFC	Imaging	F625W	3	0	
16300	SPARCS-J0225	2	25	46.108	-3	55	29.47	ACS/WFC	Imaging	F475W	3	0	
16300	SPARCS-J0225	2	25	46.108	-3	55	29.47	ACS/WFC	Imaging	F625W	3	0	
16173	HE0224-2834	2	26	25.7181	-28	20	58.84	WFC3/UVIS	Imaging	F336W	1	0	
16295	XMM3-3085	2	26	59.08	-5	12	17.49	WFC3/IR	Imaging	F140W			
16295	XMM3-3085	2	26	59.08	-5	12	17.49	WFC3/IR	Spectroscopic	G141	4	0	
16241	MRK1040	2	28	14.4732	31	18	41.54	WFC3/UVIS	Imaging	F225W	1	0	
16166	BD-07-436A	2	28	37.3253	-7	3	38.4	STIS/FUV-MAMA	Spectroscopic	G140L	3	0	
16168	WASP-77A	2	28	37.3253	-7	3	38.4	WFC3/IR	Spectroscopic	G141	10	0	
16293	HYDRUS1-2	2	28	55.632	-79	17	31.92	ACS/WFC	Imaging	F814W	0	1	
16293	HYDRUS1-2	2	28	55.632	-79	17	31.92	ACS/WFC	Imaging	F606W	1	0	
16173	HE0227-0913	2	30	5.5226	-8	59	53.21	WFC3/UVIS	Imaging	F225W	1	0	
16241	MRK1044	2	30	5.5265	-8	59	53.24	WFC3/UVIS	Imaging	F225W	1	0	
16293	HYDRUS1-1	2	30	11.088	-79	19	1.92	ACS/WFC	Imaging	F606W	1	0	
16293	HYDRUS1-1	2	30	11.088	-79	19	1.92	WFC3/UVIS	Imaging	F814W	0	1	
16249	WD0227+050	2	30	16.56	5	15	50.4	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16249	WD0227+050	2	30	16.56	5	15	50.4	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16249	WD0227+050	2	30	16.56	5	15	50.4	WFC3/IR	Spectroscopic	G102	1	0	
16271	J0232+0025	2	32	29.51	0	25	4.22	COS/FUV	Spectroscopic	G140L	5	0	
16281	3C68.2	2	34	23	31	34	1	WFC3/UVIS	Imaging	F606W	1	0	
16241	NGC985	2	34	37.8324	-8	47	16.05	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE0232-0900	2	34	37.882	-8	47	17.02	WFC3/UVIS	Imaging	F336W	1	0	
16224	TYC-6434-457-1	2	38	35.404	-23	32	41.95	STIS/FUV-MAMA	Spectroscopic	G140L	2	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16243	WISEJ0238-1332	2	38	42.6	-13	32	10.66	WFC3/IR	Imaging	F110W	1	0	
16241	MRK595	2	41	34.8721	7	11	13.78	WFC3/UVIS	Imaging	F225W	1	0	
16210	J0241+7801	2	41	34.92	78	1	7.1	STIS/CCD	Spectroscopic	G750L	1	0	
16210	J0246+6922	2	46	28.63	69	22	34	STIS/CCD	Spectroscopic	G750L	1	0	
16173	HE0253-1641	2	56	2.6513	-16	29	15.52	WFC3/UVIS	Imaging	F225W	1	0	
16241	ESO31-8	3	7	35.3451	-72	50	2.56	WFC3/UVIS	Imaging	F225W	1	0	
16196	WG-7	3	9	48.1964	-56	23	48.38	COS/FUV	Spectroscopic	G160M	5	0	
16196	WG-7	3	9	48.1964	-56	23	48.38	COS/FUV	Spectroscopic	G160M	13	0	
16318	UM682	3	10	28.1	-19	9	44	COS/FUV	Spectroscopic	G140L	1	0	
16249	WD0310-688	3	10	30.72	-68	36	0	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16249	WD0310-688	3	10	30.72	-68	36	0	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16249	WD0310-688	3	10	30.72	-68	36	0	WFC3/IR	Spectroscopic	G102	1	0	
16225	WD0310-688	3	10	31.0202	-68	36	3.38	STIS/NUV-MAMA	Spectroscopic	E230H	1	0	
16237	SPT0311L2	3	11	13.3	-58	22	57	WFC3/IR	Imaging	F125W	2	0	
16237	SPT0311L2	3	11	13.3	-58	22	57	WFC3/IR	Imaging	F125W	2	0	
16237	SPT0311CENTER	3	11	26	-58	23	58	WFC3/IR	Imaging	F160W	3	0	
16237	SPT0311ACSCENTER	3	11	26.1	-58	24	12.4	ACS/WFC	Imaging	F814W	8	0	
16237	SPT0311ACSCENTER	3	11	26.1	-58	24	12.4	WFC3/IR	Imaging	F125W	2	0	
16237	SPT0311L1	3	11	33.5	-58	25	44	WFC3/IR	Imaging	F160W	3	0	
16237	SPT0311L1	3	11	33.5	-58	25	44	WFC3/IR	Imaging	F160W	3	0	
16318	QSO-031427-171624	3	14	27.11	-17	16	24.6	COS/FUV	Spectroscopic	G140L	1	0	
16318	QSO-031642-233840	3	16	42.64	-23	38	40.3	COS/FUV	Spectroscopic	G140L	1	0	
16316	NGC-1313	3	18	16.046	-66	29	53.74	WFC3/UVIS	Imaging	F657N	1	0	
16316	NGC-1313	3	18	16.046	-66	29	53.74	WFC3/UVIS	Imaging	F218W	3	0	
16197	LP-412-31	3	21	0.0963	18	54	18.79	STIS/NUV-MAMA	Spectroscopic	G230L	3	0	
16197	LP-412-31	3	21	0.0963	18	54	18.79	STIS/NUV-MAMA	Spectroscopic	G230L	4	0	
16300	SPARCS-0330	3	30	54.335	-28	43	7.6	ACS/WFC	Imaging	F475W	3	0	
16300	SPARCS-0330	3	30	54.335	-28	43	7.6	ACS/WFC	Imaging	F625W	3	0	
16298	PALOMAR1	3	33	20.04	79	34	51.78	ACS/WFC	Imaging	F814W	1	0	
16246	NGC-1358	3	33	39.6845	-5	5	22.23	WFC3/UVIS	Imaging	FQ508N	1	0	
16318	QSO-033340-265227	3	33	40.22	-26	52	27.5	COS/FUV	Spectroscopic	G140L	1	0	
16229	WISE0336-0143	3	36	5.05	-1	43	50.4	WFC3/IR	Imaging	F160W	1	0	
16229	WISE0336-0143	3	36	5.05	-1	43	50.4	WFC3/IR	Imaging	F160W	1	0	
16175	SBS0335-052E-3	3	37	43.992	-5	2	38.47	STIS/CCD	Spectroscopic	G430L	2	0	
16175	SBS0335-052E-3	3	37	43.992	-5	2	38.47	STIS/FUV-MAMA	Spectroscopic	G140L	6	0	
16209	SBS-0335-052	3	37	44.0616	-5	2	40.2	ACS/SBC	Imaging	F165LP	3	0	
16209	SBS-0335-052	3	37	44.0616	-5	2	40.2	ACS/SBC	Imaging	F150LP	6	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16209	SBS-0335-052	3	37	44.0616	-5	2	40.2	ACS/WFC	RampFilter	FR462N	4	0	
16209	SBS-0335-052	3	37	44.0616	-5	2	40.2	WFC3/UVIS	Imaging	F336W			
16209	SBS-0335-052	3	37	44.0616	-5	2	40.2	WFC3/UVIS	Imaging	F606W			
16209	SBS-0335-052	3	37	44.0616	-5	2	40.2	WFC3/UVIS	Imaging	F665N			
16224	CPD-65-264	3	45	24.5922	-65	4	50.93	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16241	HE0345-3033	3	47	5.4528	-30	23	50.92	WFC3/UVIS	Imaging	F225W	1	0	
16204	GAIAJ0347+1624	3	47	36.7	16	24	8.8	COS/NUV	Spectroscopic	G230L	2	0	
16173	HE0345+0056	3	47	40.1888	1	5	14.05	WFC3/UVIS	Imaging	F336W	1	0	
16229	WISE0350-5658	3	49	59.937	-56	58	39.19	WFC3/IR	Imaging	F105W	1	0	
16229	WISE0350-5658	3	49	59.937	-56	58	39.19	WFC3/IR	Imaging	F125W	1	0	
16173	HE0351+0240	3	54	9.465	2	49	30.67	WFC3/UVIS	Imaging	F225W	1	0	
16302	SCH06-J0359+2009-B	3	59	9.9	20	9	36.1	WFC3/UVIS	Imaging	F225W	1	0	
16302	SCH06-J0359+2009-B	3	59	9.9	20	9	36.1	WFC3/UVIS	Imaging	F775W	1	0	
16229	WISE0359-5401	3	59	33.756	-54	2	9.06	WFC3/IR	Imaging	F160W	1	0	
16229	WISE0359-5401	3	59	33.756	-54	2	9.06	WFC3/IR	Imaging	F160W	1	0	
16243	WISEJ0402-2651	4	2	35.55	-26	51	45.44	WFC3/IR	Imaging	F110W	1	0	
16241	FAIRALL1119	4	5	1.7011	-37	11	15.27	WFC3/UVIS	Imaging	F225W	1	0	
16163	V-V1298-TAU	4	5	19.597	20	9	25.31	COS/FUV	Spectroscopic	G160M	1	0	
16163	V-V1298-TAU	4	5	19.597	20	9	25.31	COS/FUV	Spectroscopic	G130M	15	0	
16163	V-V1298-TAU	4	5	19.597	20	9	25.31	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16229	WISE0410+1502	4	10	23.755	15	2	15.23	WFC3/IR	Imaging	F105W	1	0	
16229	WISE0410+1502	4	10	23.755	15	2	15.23	WFC3/IR	Imaging	F160W	1	0	
16173	HE0412-0803	4	14	52.6568	-7	55	39.69	WFC3/UVIS	Imaging	F336W	1	0	
16241	IRAS04124-0803	4	14	52.6617	-7	55	39.7	WFC3/UVIS	Imaging	F225W	1	0	
16250	N1559	4	17	37	-62	47	0	WFC3/IR	Imaging	F160W	1	0	
16250	N1559	4	17	37	-62	47	0	WFC3/IR	Imaging	F160W	1	0	
16250	N1559	4	17	37	-62	47	0	WFC3/IR	Imaging	F160W	1	0	
16250	N1559	4	17	37	-62	47	0	WFC3/IR	Imaging	F160W			
16302	KPNO-12	4	19	1.3	28	2	48.7	WFC3/UVIS	Imaging	F656N	1	0	
16302	KPNO-12	4	19	1.3	28	2	48.7	WFC3/UVIS	Imaging	F625W	1	0	
16302	FU-TAU-B	4	23	35.386	25	3	3.05	WFC3/UVIS	Imaging	F336W	1	0	
16302	FU-TAU-B	4	23	35.386	25	3	3.05	WFC3/UVIS	Imaging	F225W	1	0	
16268	SDSSPJ042348.57-041403.5	4	23	48.2241	-4	14	2.14	WFC3/IR	Spectroscopic	G102	1	0	
16268	SDSSPJ042348.57-041403.5	4	23	48.2241	-4	14	2.14	WFC3/IR	Spectroscopic	G102	2	0	
16241	LEDA135180	4	29	38.3055	-21	9	43.79	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE0429-0247	4	31	37.0712	-2	41	23.94	WFC3/UVIS	Imaging	F225W	1	0	
16281	3C119	4	32	36	41	38	2	WFC3/IR	Imaging	F140W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16241	3C120	4	33	11.0924	5	21	15.55	WFC3/UVIS	Imaging	F225W	1	0	
16318	QSO-043330-051522	4	33	30.36	-5	15	22.9	COS/FUV	Spectroscopic	G140L	1	0	
16233	V-AA-TAU	4	34	55.4262	24	28	52.71	STIS/CCD	Spectroscopic	G750M	5	0	
16233	V-AA-TAU	4	34	55.4262	24	28	52.71	STIS/FUV-MAMA	Spectroscopic	G140M	12	0	
16173	HE0433-1028	4	36	22.2985	-10	22	33.99	WFC3/UVIS	Imaging	F336W	1	0	
16169	GD-61	4	38	39.381	41	9	30.65	COS/FUV	Spectroscopic	G160M	1	0	
16281	3C124	4	41	59	1	21	0	WFC3/UVIS	Imaging	F606W	1	0	
16165	SN-2017GAX	4	45	49.43	-59	14	42.56	WFC3/UVIS	Imaging	F555W	1	0	
16298	PALOMAR2	4	46	5.9088	31	22	53.4	ACS/WFC	Imaging	F814W	1	0	
16246	NGC-1667	4	48	37.205	-6	19	11.47	WFC3/UVIS	Imaging	F547M	1	0	
16317	QSO-045011-432429	4	50	11.37	-43	24	29.75	COS/FUV	Spectroscopic	G140L	4	0	
16316	NGC-1705	4	54	13.5	-53	21	39.82	ACS/SBC	Imaging	F150LP	1	0	
16316	NGC-1705	4	54	13.5	-53	21	39.82	WFC3/UVIS	Imaging	F218W	1	0	
16272	HD-32257	4	56	2.8982	-69	27	21.55	COS/FUV	Spectroscopic	G130M	2	0	
16272	HD-32125	4	56	11.1002	-66	17	33.05	COS/FUV	Spectroscopic	G130M	2	0	
16272	HD-32228	4	56	34.666	-66	28	26.34	COS/FUV	Spectroscopic	G160M	1	0	
16299	LMCE055-1	4	56	48.72	-69	36	40.3	COS/FUV	Spectroscopic	G140L	2	0	
16307	HAT-P-70B	4	58	12.5627	9	59	52.8	STIS/CCD	Spectroscopic	G430M	5	0	
16307	HAT-P-70B	4	58	12.5627	9	59	52.8	STIS/CCD	Spectroscopic	G430M	5	0	
16255	NGC-1783	4	59	8.59	-65	59	15.84	WFC3/UVIS	Imaging	F438W	2	0	
16255	NGC-1783	4	59	8.59	-65	59	15.84	WFC3/UVIS	Imaging	F343N	8	0	
16241	LEDA75258	5	2	9.0483	3	31	49.92	WFC3/UVIS	Imaging	F225W	1	0	
16272	BREY-16A	5	9	53.7714	-68	52	52.47	COS/FUV	Spectroscopic	G130M	1	0	
16204	GAIAJ0510+2315	5	10	2.1	23	15	40.9	COS/NUV	Spectroscopic	G230L	2	0	
16241	IRAS05078+1626	5	10	45.5328	16	29	58.15	WFC3/UVIS	Imaging	F225W	1	0	
16218	NGC1851-FUV1	5	14	6.69	-40	2	48.35	STIS/FUV-MAMA	Spectroscopic	G140L	5	0	
16298	NGC1851	5	14	6.7584	-40	2	47.58	ACS/WFC	Imaging	F814W	1	0	
16177	NGC-1851	5	14	6.76	-40	2	47.6	ACS/WFC	Imaging	F814W	0	1	
16177	NGC-1851	5	14	6.76	-40	2	47.6	WFC3/IR	Imaging	F160W	0	1	
16241	ARK120	5	16	11.4055	0	8	59.14	WFC3/UVIS	Imaging	F225W	1	0	
16224	TYC-8097-337-1	5	16	27.7598	-51	16	44.32	STIS/FUV-MAMA	Spectroscopic	G140L	3	0	
16272	HD-35517	5	19	16.3578	-69	39	20	COS/FUV	Spectroscopic	G130M	1	0	
16161	SNR-B0519-69.0	5	19	34.84	-69	2	8.01	ACS/WFC	Imaging	F658N	2	0	
16241	ESO362-18	5	19	35.8164	-32	39	27.91	WFC3/UVIS	Imaging	F225W	1	0	
16241	PICTORA	5	19	49.723	-45	46	43.84	WFC3/UVIS	Imaging	F225W	1	0	
16272	HD-36156	5	23	10.0651	-71	20	50.84	COS/FUV	Spectroscopic	G160M	1	0	
16287	ESO-253-3	5	25	18.058	-46	0	21.36	WFC3/UVIS	Imaging	F275W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16272	HD-36521	5	26	30.236	-68	50	27.56	COS/FUV	Spectroscopic	G130M	1	0	
16272	HD-37026	5	30	12.1678	-67	26	8.32	COS/FUV	Spectroscopic	G130M	1	0	
16272	HD-37248	5	30	38.703	-71	1	47.8	COS/FUV	Spectroscopic	G160M	1	0	
16304	HD-269698	5	31	44.2128	-67	38	1.37	STIS/FUV-MAMA	Spectroscopic	E140M	2	0	
16304	HD-269698	5	31	44.2128	-67	38	1.37	STIS/FUV-MAMA	Spectroscopic	E140M	2	0	
16304	HD-269698	5	31	44.2128	-67	38	1.37	STIS/FUV-MAMA	Spectroscopic	E140M	2	0	
16304	HD-269698	5	31	44.2128	-67	38	1.37	STIS/FUV-MAMA	Spectroscopic	E140M	2	0	
16304	HD-269698	5	31	44.2128	-67	38	1.37	STIS/FUV-MAMA	Spectroscopic	E140M	6	0	
16304	HD-269698	5	31	44.2128	-67	38	1.37	STIS/FUV-MAMA	Spectroscopic	E140M	6	0	
16304	HD-269698	5	31	44.2128	-67	38	1.37	STIS/FUV-MAMA	Spectroscopic	E140M	6	0	
16229	WISE0535-7500	5	35	16.3	-75	0	24.71	WFC3/IR	Imaging	F125W	1	0	
16229	WISE0535-7500	5	35	16.3	-75	0	24.71	WFC3/IR	Imaging	F160W	1	0	
16265	SN-1987A	5	35	28.02	-69	16	11.07	WFC3/UVIS	Imaging	F625W	5	0	
16265	SN-1987A	5	35	28.02	-69	16	11.07	WFC3/UVIS	Imaging	F438W	12	0	
16265	SN-1987A	5	35	28.02	-69	16	11.07	WFC3/UVIS	Imaging	F657N			
16265	SN-1987A	5	35	28.02	-69	16	11.07	WFC3/UVIS	Imaging	F502N			
16265	SN-1987A	5	35	28.02	-69	16	11.07	WFC3/UVIS	Imaging	F275W			
16265	SN-1987A	5	35	28.02	-69	16	11.07	WFC3/UVIS	Imaging	F280N			
16265	SN-1987A	5	35	28.02	-69	16	11.07	WFC3/UVIS	Imaging	F336W			
16265	SN-1987A	5	35	28.02	-69	16	11.07	WFC3/UVIS	Imaging	F555W			
16265	SN-1987A	5	35	28.02	-69	16	11.07	WFC3/UVIS	Imaging	F814W			
16272	BREY-58A	5	35	42.287	-69	11	52.57	COS/FUV	Spectroscopic	G130M	2	0	
16272	HD-269818	5	35	43.4996	-69	10	58.02	COS/FUV	Spectroscopic	G130M	1	0	
16272	HD-38030	5	36	51.385	-69	25	56.73	COS/FUV	Spectroscopic	G160M	1	0	
16272	BREY-70	5	37	29.2573	-69	20	47.57	COS/FUV	Spectroscopic	G130M	1	0	
16272	BREY-70A	5	37	35.7091	-69	8	40.24	COS/FUV	Spectroscopic	G130M	2	0	
16272	HD-269888	5	37	44.6399	-69	14	25.67	COS/FUV	Spectroscopic	G160M	2	0	
16272	HD-269891	5	37	49.0393	-69	5	8.21	COS/FUV	Spectroscopic	G130M	1	0	
16302	S-ORI-J0538-0259	5	38	29.5	-2	59	59.1	WFC3/UVIS	Imaging	F775W	1	0	
16302	S-ORI-J0538-0259	5	38	29.5	-2	59	59.1	WFC3/UVIS	Imaging	F656N	1	0	
16272	RMC-140	5	38	41.62	-69	5	14	COS/FUV	Spectroscopic	G130M	1	0	
16272	BREY-83	5	38	44.112	-69	5	54.96	COS/FUV	Spectroscopic	G160M	1	0	
16302	S-ORI-56	5	39	0.8	-2	21	41.8	WFC3/UVIS	Imaging	F225W	1	0	
16302	S-ORI-56	5	39	0.8	-2	21	41.8	WFC3/UVIS	Imaging	F775W	1	0	
16272	BREY-90A	5	39	3.7812	-69	3	46.55	COS/FUV	Spectroscopic	G130M	2	0	
16272	HD-38448	5	39	56.121	-69	24	24.23	COS/FUV	Spectroscopic	G130M	1	0	
16272	BREY-95A	5	40	13.7055	-69	24	1.83	COS/FUV	Spectroscopic	G160M	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16285	HD-37903	5	41	38.389	-2	15	32.48	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16285	HD-38087	5	43	0.5743	-2	18	45.43	STIS/NUV-MAMA	Spectroscopic	E230H	2	0	
16241	ESO424-12	5	43	32.959	-27	39	5.12	WFC3/UVIS	Imaging	F225W	1	0	
16174	BETA-PIC	5	47	17.0877	-51	3	59.45	STIS/CCD	Imaging	WEDGE1.0	3	0	
16287	ESO-488-30	5	48	48.5349	-24	22	44.77	WFC3/UVIS	Imaging	F275W	1	0	
16241	IRAS05480+5927	5	52	28.1642	59	28	36.97	WFC3/UVIS	Imaging	F225W	1	0	
16232	IRAS05506+2414	5	53	43.55	24	14	44	STIS/CCD	Spectroscopic	G750M	2	0	
16232	IRAS05506+2414	5	53	43.55	24	14	44	WFC3/IR	Imaging	F110W	1	0	
16232	IRAS05506+2414	5	53	43.55	24	14	44	WFC3/IR	Imaging	F160W			
16232	IRAS05506+2414	5	53	43.55	24	14	44	WFC3/IR	Imaging	F164N			
16232	IRAS05506+2414	5	53	43.55	24	14	44	WFC3/IR	Imaging	F167N			
16232	IRAS05506+2414	5	53	43.55	24	14	44	WFC3/UVIS	Imaging	F657N	1	0	
16232	IRAS05506+2414	5	53	43.55	24	14	44	WFC3/UVIS	Imaging	F606W	1	0	
16225	HD40307	5	54	4.241	-60	1	24.49	STIS/NUV-MAMA	Spectroscopic	E230H	1	0	
16241	UGC3374	5	54	53.6063	46	26	21.77	WFC3/UVIS	Imaging	F225W	1	0	
16204	GAI AJ0611-6931	6	11	31.7	-69	31	0.6	COS/NUV	Spectroscopic	G230L	2	0	
16241	ESO121-28	6	23	45.5535	-60	58	44.43	WFC3/UVIS	Imaging	F225W	1	0	
16224	2MASS-J06281844-7621467	6	28	18.4543	-76	21	45.77	STIS/FUV-MAMA	Spectroscopic	G140L	4	0	
16207	UCAC3-49-21611	6	28	22.972	-65	34	43.01	COS/FUV	Spectroscopic	G140L	10	0	
16207	UCAC3-49-21611	6	28	22.972	-65	34	43.01	STIS/CCD	Spectroscopic	G430L	1	0	
16207	UCAC3-49-21611	6	28	22.972	-65	34	43.01	STIS/NUV-MAMA	Spectroscopic	G230L	4	0	
16236	WASP-12	6	30	32.7948	29	40	20.26	WFC3/IR	Spectroscopic	G141	22	0	
16241	UGC3478	6	32	47.1733	63	40	25.34	WFC3/UVIS	Imaging	F225W	1	0	
16229	WISE0647-6232	6	47	23.237	-62	32	35.52	WFC3/IR	Imaging	F160W	1	0	
16229	WISE0647-6232	6	47	23.237	-62	32	35.52	WFC3/IR	Imaging	F105W	1	0	
16174	ALPHA-PIC	6	48	11.4551	-61	56	29	STIS/CCD	Imaging	WEDGE1.0	3	0	
16174	ALPHA-PIC	6	48	11.4551	-61	56	29	STIS/CCD	Imaging	WEDGE1.0	3	0	
16241	MRK6	6	52	12.3257	74	25	37.16	WFC3/UVIS	Imaging	F225W	1	0	
16241	FRL-265	6	56	29.792	-65	33	37.73	WFC3/UVIS	Imaging	F225W	1	0	
16241	MRK374	6	59	38.0926	54	11	47.6	WFC3/UVIS	Imaging	F225W	1	0	
16202	HD-53143	6	59	59.6555	-61	20	10.25	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53143	6	59	59.6555	-61	20	10.25	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53143	6	59	59.6555	-61	20	10.25	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53143	6	59	59.6555	-61	20	10.25	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53143	6	59	59.6555	-61	20	10.25	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53143	6	59	59.6555	-61	20	10.25	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53143	6	59	59.6555	-61	20	10.25	STIS/CCD	Imaging	WEDGEA1.8	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16202	HD-53143	6	59	59.6555	-61	20	10.25	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16281	3C173	7	2	17	37	57	2	WFC3/IR	Imaging	F140W	1	0	
16202	HD-53706	7	3	58.7761	-43	36	34.94	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53706	7	3	58.7761	-43	36	34.94	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53706	7	3	58.7761	-43	36	34.94	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53706	7	3	58.7761	-43	36	34.94	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53706	7	3	58.7761	-43	36	34.94	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53706	7	3	58.7761	-43	36	34.94	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16202	HD-53706	7	3	58.7761	-43	36	34.94	STIS/CCD	Imaging	WEDGEA1.8	1	0	
16241	VIIZW118	7	7	13.0918	64	35	58.98	WFC3/UVIS	Imaging	F225W	1	0	
16229	WISE0713-2917	7	13	22.556	-29	17	51.96	WFC3/IR	Imaging	F105W	1	0	
16229	WISE0713-2917	7	13	22.556	-29	17	51.96	WFC3/IR	Imaging	F125W	1	0	
16268	WISEJ072003.20-084651.2	7	20	3.1932	-8	46	51.85	WFC3/IR	Spectroscopic	G102	1	0	
16268	WISEJ072003.20-084651.2	7	20	3.1932	-8	46	51.85	WFC3/IR	Spectroscopic	G102	1	0	
16281	3C181	7	28	10	14	37	3	WFC3/UVIS	Imaging	F606W	1	0	
16261	MRK71	7	28	42.72	69	11	21.07	ACS/SBC	Imaging	F165LP	12	0	
16261	MRK71	7	28	42.72	69	11	21.07	ACS/SBC	Imaging	F150LP	13	0	
16261	MRK71	7	28	42.72	69	11	21.07	STIS/CCD	Spectroscopic	G430L			
16261	MRK71	7	28	42.72	69	11	21.07	STIS/FUV-MAMA	Spectroscopic	G140L			
16169	SDSSJ0731+2417	7	31	10.34	24	17	3	COS/FUV	Spectroscopic	G160M	2	0	
16229	WISE0734-7157	7	34	44.022	-71	57	44.05	WFC3/IR	Imaging	F125W	1	0	
16293	CARINA2-3	7	35	40.296	-57	59	56.76	WFC3/UVIS	Imaging	F814W	0	1	
16293	CARINA2-3	7	35	40.296	-57	59	56.76	WFC3/UVIS	Imaging	F606W	1	0	
16293	CARINA2-2	7	36	2.928	-57	56	56.76	ACS/WFC	Imaging	F814W	0	1	
16293	CARINA2-2	7	36	2.928	-57	56	56.76	WFC3/UVIS	Imaging	F606W	1	0	
16293	CARINA2-1	7	36	25.584	-57	59	56.76	ACS/WFC	Imaging	F814W	0	1	
16293	CARINA2-1	7	36	25.584	-57	59	56.76	ACS/WFC	Imaging	F606W	1	0	
16241	MRK9	7	36	57.024	58	46	13.49	WFC3/UVIS	Imaging	F225W	1	0	
16241	MRK79	7	42	32.8159	49	48	34.89	WFC3/UVIS	Imaging	F225W	1	0	
16246	MRK-78	7	42	41.7031	65	10	37.43	WFC3/UVIS	Imaging	FQ508N	1	0	
16287	NGC-2466	7	45	15.963	-71	24	37.63	WFC3/UVIS	Imaging	F275W	1	0	
16268	2MASSJ0746425+200032	7	46	42.0885	20	0	31.96	WFC3/IR	Spectroscopic	G141	1	0	
16268	2MASSJ0746425+200032	7	46	42.0885	20	0	31.96	WFC3/IR	Spectroscopic	G141	1	0	
16241	MRK10	7	47	29.07	60	56	0.84	WFC3/UVIS	Imaging	F225W	1	0	
16210	J0749+2255	7	49	22.97	22	55	11.8	STIS/CCD	Spectroscopic	G750L	1	0	
16319	HD-63433	7	49	55.0488	27	21	47.28	STIS/FUV-MAMA	Spectroscopic	G140M	18	0	
16319	HD-63433	7	49	55.0488	27	21	47.28	STIS/FUV-MAMA	Spectroscopic	G140M	18	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16210	J0753+4247	7	53	50.577	42	47	43.91	STIS/CCD	Spectroscopic	G750L	1	0	
16242	J0755+3911	7	55	25.2909	39	11	9.89	COS/FUV	Spectroscopic	G130M	1	0	
16241	MRK382	7	55	25.2943	39	11	9.91	WFC3/UVIS	Imaging	F225W	1	0	
16242	J0758+4219	7	58	19.6865	42	19	35.16	COS/FUV	Spectroscopic	G130M	1	0	
16281	3C190	8	1	33	14	14	4	WFC3/IR	Imaging	F140W	1	0	
16318	QSO-080147+211019	8	1	47.12	21	10	19.7	COS/FUV	Spectroscopic	G140L	1	0	
16281	3C191	8	4	48	10	15	2	WFC3/UVIS	Imaging	F606W	1	0	
16288	2MASX-J08045271+2120504	8	4	52.7358	21	20	50.21	COS/FUV	Spectroscopic	G130M	1	0	
16250	N2525	8	5	38	-11	25	37	WFC3/IR	Imaging	F110W	1	0	
16250	N2525	8	5	38	-11	25	37	WFC3/IR	Imaging	F110W	1	0	
16250	N2525	8	5	38	-11	25	37	WFC3/IR	Imaging	F110W	1	0	
16250	N2525	8	5	38	-11	25	37	WFC3/IR	Imaging	F110W	1	0	
16281	3C194	8	10	3	42	28	0	WFC3/IR	Imaging	F140W	1	0	
16241	PG0804+761	8	10	58.6464	76	2	42.47	WFC3/UVIS	Imaging	F225W	1	0	
16249	GALEXJ081237.8+173701	8	12	37.8	17	37	1.61	STIS/CCD	Spectroscopic	G750L	1	0	
16249	GALEXJ081237.8+173701	8	12	37.8	17	37	1.61	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16249	GALEXJ081237.8+173701	8	12	37.8	17	37	1.61	WFC3/IR	Spectroscopic	G102	1	0	
16166	L-98-59	8	18	7.8865	-68	18	52.08	STIS/CCD	Spectroscopic	G430L	6	0	
16316	UGC-4305	8	19	4.9878	70	43	13.03	ACS/SBC	Imaging	F150LP	1	0	
16316	UGC-4305	8	19	4.9878	70	43	13.03	WFC3/UVIS	Imaging	F218W	1	0	
16182	SST2011-J081929.00+704219.3	8	19	28.99	70	42	19.4	COS/FUV	Spectroscopic	G140L	17	0	
16210	J0823+2418	8	23	41.07	24	18	5.4	STIS/CCD	Spectroscopic	G750L	1	0	
16318	QSO-082447-110236	8	24	47.26	-11	2	36	COS/FUV	Spectroscopic	G140L	1	0	
16229	WISE0825+2805	8	25	7.28	28	5	44.73	WFC3/IR	Imaging	F160W	1	0	
16267	HIP41378	8	26	27.7987	10	4	49.33	WFC3/IR	Spectroscopic	G141	18	0	
16197	LHS-2021	8	30	32.0569	9	47	8.32	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16197	LHS-2021	8	30	32.0569	9	47	8.32	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16316	UGC-4459	8	34	7.29	66	10	54.6	ACS/SBC	Imaging	F150LP	1	0	
16316	UGC-4459	8	34	7.29	66	10	54.6	WFC3/UVIS	Imaging	F218W	3	0	
16241	NGC2617	8	35	38.8034	-4	5	17.94	WFC3/UVIS	Imaging	F225W	1	0	
16281	3C204	8	37	44	65	13	3	WFC3/UVIS	Imaging	F606W	1	0	
16271	J0837+4512	8	37	58.69	45	12	33.3	COS/FUV	Spectroscopic	G140L	5	0	
16242	J0838+2453	8	38	10.944	24	53	43.01	COS/FUV	Spectroscopic	G130M	3	0	
16281	3C205	8	39	6	57	54	1	WFC3/IR	Imaging	F140W	1	0	
16285	HD-73882	8	39	9.529	-40	25	9.2	STIS/NUV-MAMA	Spectroscopic	E230H	2	0	
16318	QSO-084017+314525	8	40	17.5	31	45	25	COS/FUV	Spectroscopic	G140L	1	0	
16210	J0841+4825	8	41	29.77	48	25	48.3	STIS/CCD	Spectroscopic	G750L	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16220	AD3116	8	42	39.3997	19	24	51.7	WFC3/IR	Spectroscopic	G141	5	0	
16288	SBSG-0839+541	8	43	13.4067	53	57	18.89	COS/FUV	Spectroscopic	G130M	6	0	
16204	WD0842+572	8	46	2.4	57	3	28.3	COS/NUV	Spectroscopic	G230L	2	0	
16318	SDSSJ0847+3831	8	47	15.16	38	31	9.9	COS/FUV	Spectroscopic	G140L	1	0	
16241	PG0844+349	8	47	42.4471	34	45	4.47	WFC3/UVIS	Imaging	F225W	1	0	
16244	WOC52068	8	49	21.4846	12	4	22.81	ACS/SBC	Imaging	F140LP	2	0	
16244	WOC512020	8	51	8.854	11	57	53.72	ACS/SBC	Imaging	F165LP	2	0	
16244	WOC59005	8	51	15.4471	11	47	31.38	ACS/SBC	Imaging	F150LP	2	0	
16244	WFC3FIELD-4001+3001+9005	8	51	19.2	11	48	22.27	ACS/SBC	Imaging	F165LP	1	0	
16244	WOC54001+3001	8	51	22.29	11	49	7.8	ACS/SBC	Imaging	F140LP	2	0	
16244	WOC51003	8	51	22.8	11	48	1.67	ACS/SBC	Imaging	F150LP	2	0	
16244	WOC511006	8	51	29.8572	11	51	29.93	ACS/SBC	Imaging	F140LP	2	0	
16244	WOC514020	8	52	3.502	11	47	48.1	ACS/SBC	Imaging	F150LP	2	0	
16244	WOC56025	8	52	5.8085	11	42	24.69	ACS/SBC	Imaging	F165LP	2	0	
16241	1RXSJ085215.3+075356	8	52	15.113	7	53	36.15	WFC3/UVIS	Imaging	F225W	1	0	
16197	LP-666-9	8	53	35.6257	-3	29	35.29	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16197	LP-666-9	8	53	35.6257	-3	29	35.29	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16281	3C208.1	8	54	39	14	5	5	WFC3/UVIS	Imaging	F606W	1	0	
16173	HE0934+0119	8	55	54.2745	0	51	11	WFC3/UVIS	Imaging	F336W	1	0	
16173	HE0853+0102	8	56	17.8314	-1	38	7.36	WFC3/UVIS	Imaging	F225W	1	0	
16186	GAMA-526784	8	57	8.4	0	58	33.96	ACS/WFC	Imaging	F606W	1	0	
16186	GAMA-526784	8	57	8.4	0	58	33.96	ACS/WFC	Imaging	F814W	1	0	
16186	GAMA-526784	8	57	8.4	0	58	33.96	WFC3/UVIS	Imaging	F275W	1	0	
16281	3C212	8	58	41	14	9	4	WFC3/IR	Imaging	F140W	1	0	
16243	WISEJ0859+5349	8	59	38.96	53	49	8.8	WFC3/IR	Imaging	F110W	1	0	
16271	J0901+5111	9	1	38.28	51	11	46.57	COS/FUV	Spectroscopic	G140L	5	0	
16210	J0904+3332	9	4	8.68	33	32	5.1	STIS/CCD	Spectroscopic	G750L	1	0	
16241	SDSSJ090436.96+553602.7	9	4	36.9566	55	36	2.68	WFC3/UVIS	Imaging	F225W	1	0	
16187	J0910-PSF	9	9	11.62	-4	6	22.6	WFC3/IR	Imaging	F125W	1	0	
16187	J0910-G	9	10	40.933	-4	14	18.14	WFC3/IR	Imaging	F160W	8	0	
16187	J0910-Q	9	10	54.5	-4	14	6.8	WFC3/IR	Imaging	F125W	8	0	
16241	NGC-2782	9	14	5.12	40	6	49.68	WFC3/UVIS	Imaging	F225W	1	0	
16184	GLEAMJ091734-001243	9	17	34.4088	0	12	42.57	WFC3/IR	Imaging	F105W	1	0	
16184	GLEAMJ091734-001243	9	17	34.4088	0	12	42.57	WFC3/IR	Spectroscopic	G141	4	0	
16241	MRK704	9	18	26.0018	16	18	19.76	WFC3/UVIS	Imaging	F225W	1	0	
16318	QSO-092004+010012	9	20	4.91	1	0	12.7	COS/FUV	Spectroscopic	G140L	1	0	
16298	E3	9	20	57.0696	-77	16	54.8	ACS/WFC	Imaging	F814W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16241	Z121-75	9	23	42.995	22	54	32.61	WFC3/UVIS	Imaging	F225W	1	0	
16241	MRK110	9	25	12.851	52	17	10.38	WFC3/UVIS	Imaging	F225W	1	0	
16241	MRK705	9	26	3.2698	12	44	3.81	WFC3/UVIS	Imaging	F225W	1	0	
16241	NGC2885	9	27	18.5047	23	1	12.3	WFC3/UVIS	Imaging	F225W	1	0	
16166	L-678-39	9	36	1.7915	-21	39	54.23	STIS/FUV-MAMA	Spectroscopic	G140L	4	0	
16281	3C222	9	36	32	4	22	1	WFC3/UVIS	Imaging	F606W	1	0	
16243	WISEJ0938+0634	9	38	52.9	6	34	40.8	WFC3/IR	Imaging	F110W	1	0	
16243	WISEJ0940+5233	9	40	5.5	52	33	59.1	WFC3/IR	Imaging	F110W	1	0	
16316	UGC-5139	9	40	32.33	71	10	56	ACS/SBC	Imaging	F150LP	1	0	
16316	UGC-5139	9	40	32.33	71	10	56	WFC3/UVIS	Imaging	F218W	3	0	
16241	Z122-55	9	42	4.7866	23	41	7	WFC3/UVIS	Imaging	F225W	1	0	
16281	3C225A	9	42	8	13	51	5	WFC3/IR	Imaging	F140W	1	0	
16227	SBS0940+544	9	44	16.59	54	11	34.3	COS/FUV	Spectroscopic	G130M	6	0	
16191	NAME-F8D1	9	44	47.1	67	26	19	ACS/WFC	Imaging	F606W	0	1	
16191	NAME-F8D1	9	44	47.1	67	26	19	ACS/WFC	Imaging	F606W	0	1	
16191	NAME-F8D1	9	44	47.1	67	26	19	ACS/WFC	Imaging	F606W	0	9	
16191	NAME-F8D1	9	44	47.1	67	26	19	ACS/WFC	Imaging	F814W	0	18	
16191	NAME-F8D1	9	44	47.1	67	26	19	ACS/WFC	Imaging	F814W	1	0	
16191	NAME-F8D1	9	44	47.1	67	26	19	ACS/WFC	Imaging	F814W	1	0	
16191	NAME-F8D1	9	44	47.1	67	26	19	WFC3/UVIS	Imaging	F606W	0	1	
16191	NAME-F8D1	9	44	47.1	67	26	19	WFC3/UVIS	Imaging	F606W	0	1	
16191	NAME-F8D1	9	44	47.1	67	26	19	WFC3/UVIS	Imaging	F814W	1	0	
16191	NAME-F8D1	9	44	47.1	67	26	19	WFC3/UVIS	Imaging	F814W	1	0	
16191	NAME-F8D1	9	44	47.1	67	26	19	WFC3/UVIS	Imaging	F606W	9	0	
16191	NAME-F8D1	9	44	47.1	67	26	19	WFC3/UVIS	Imaging	F814W	18	0	
16242	J0950+4309	9	50	14.9544	43	9	6.34	COS/FUV	Spectroscopic	G130M	6	0	
16228	PSF-REF-HD85512	9	51	7.052	-43	30	10.03	STIS/CCD	Imaging	WEDGEA1.0	1	0	
16228	PSF-REF-HD85512	9	51	7.052	-43	30	10.03	STIS/CCD	Imaging	WEDGEA1.0	1	0	
16228	PSF-REF-HD85512	9	51	7.052	-43	30	10.03	STIS/CCD	Imaging	WEDGEA1.0	1	0	
16185	M82-FIELD1	9	56	21.0298	69	36	50.9	ACS/WFC	Imaging	F814W	0	4	
16185	M82-FIELD1	9	56	21.0298	69	36	50.9	WFC3/UVIS	Imaging	F475W	4	0	
16227	DDO68	9	56	46.8	28	50	10.5	COS/FUV	Spectroscopic	G130M	6	0	
16185	M82-FIELD2	9	57	30.9472	69	37	40.97	WFC3/UVIS	Imaging	F814W	0	4	
16185	M82-FIELD2	9	57	30.9472	69	37	40.97	WFC3/UVIS	Imaging	F475W	4	0	
16185	M82-FIELD3	9	58	46.3483	69	38	13.54	ACS/WFC	Imaging	F475W	4	0	
16185	M82-FIELD3	9	58	46.3483	69	38	13.54	WFC3/UVIS	Imaging	F814W	0	4	
16162	LEO-A	9	59	25.077	30	45	9.49	WFC3/IR	Imaging	F153M	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16162	LEO-A	9	59	25.077	30	45	9.49	WFC3/IR	Imaging	F160W	3	0	
16162	SEX-B	10	0	2.972	5	19	30.94	ACS/WFC	Imaging	F814W	1	0	
16162	SEX-B	10	0	2.972	5	19	30.94	WFC3/IR	Imaging	F110W	0	2	
16259	COSMOS-FIELD	10	0	28.6	2	12	21	WFC3/IR	Imaging	F160W	100	0	
16259	COSMOS-FIELD	10	0	28.6	2	12	21	WFC3/IR	Spectroscopic	G141	159	0	
16318	QSO-100246+052642	10	2	46.87	5	26	42.7	COS/FUV	Spectroscopic	G140L	1	0	
16241	ESO374-25	10	3	23.6021	-37	23	44.97	WFC3/UVIS	Imaging	F225W	1	0	
16162	ANTLIA	10	4	0.78	-27	20	4.35	WFC3/IR	Imaging	F153M	1	0	
16162	ANTLIA	10	4	0.78	-27	20	4.35	WFC3/IR	Imaging	F153M	1	0	
16318	SDSSJ1007+4003	10	7	16.85	40	3	56.3	COS/FUV	Spectroscopic	G140L	1	0	
16224	TYC-6617-835-1	10	8	4.4931	-24	3	35.66	STIS/FUV-MAMA	Spectroscopic	G140L	2	0	
16162	SEX-A	10	10	58.354	-4	41	37.81	ACS/WFC	Imaging	F606W	2	0	
16162	SEX-A	10	10	58.354	-4	41	37.81	WFC3/UVIS	Imaging	F475W	2	0	
16281	3C238	10	11	0	6	24	4	WFC3/UVIS	Imaging	F606W	1	0	
16281	3C239	10	11	45	46	28	2	WFC3/IR	Imaging	F140W	1	0	
16223	JO204	10	13	46.83	0	54	51.06	WFC3/UVIS	Imaging	F606W	5	0	
16223	JO204	10	13	46.83	0	54	51.06	WFC3/UVIS	Imaging	F814W			
16223	JO204	10	13	46.83	0	54	51.06	WFC3/UVIS	Imaging	F680N			
16223	JO204	10	13	46.83	0	54	51.06	WFC3/UVIS	Imaging	F275W			
16223	JO204	10	13	46.83	0	54	51.06	WFC3/UVIS	Imaging	F336W			
16173	HE1011-0403	10	14	20.6739	-4	18	40.37	WFC3/UVIS	Imaging	F225W	1	0	
16298	NGC3201	10	17	36.8232	-46	24	44.93	ACS/WFC	Imaging	F814W	1	0	
16173	HE1017-0305	10	19	32.8694	-3	20	14.81	WFC3/UVIS	Imaging	F336W	1	0	
16166	WASP-43	10	19	37.9649	-9	48	23.2	STIS/FUV-MAMA	Spectroscopic	G140L	2	0	
16241	SDSSJ101958.58-023436.2	10	19	58.5926	-2	34	36.26	WFC3/UVIS	Imaging	F225W	1	0	
16241	ARK241	10	21	40.2482	-3	27	13.74	WFC3/UVIS	Imaging	F225W	1	0	
16222	NAME-LEO-P	10	21	45.123	18	5	16.89	WFC3/IR	Imaging	F110W	1	0	
16222	NAME-LEO-P	10	21	45.123	18	5	16.89	WFC3/IR	Imaging	F160W			
16222	NAME-LEO-P	10	21	45.123	18	5	16.89	WFC3/UVIS	Imaging	F336W	1	0	
16222	NAME-LEO-P	10	21	45.123	18	5	16.89	WFC3/UVIS	Imaging	F336W	1	0	
16222	NAME-LEO-P	10	21	45.123	18	5	16.89	WFC3/UVIS	Imaging	F275W	3	0	
16281	3C241	10	21	54	21	59	3	WFC3/UVIS	Imaging	F606W	1	0	
16246	NGC-3227	10	23	30.57	19	51	54.3	WFC3/UVIS	Imaging	F547M	1	0	
16181	L-248-27	10	26	59.3424	-52	28	4.34	COS/NUV	Spectroscopic	G230L	1	0	
16181	L-248-27	10	26	59.3424	-52	28	4.34	WFC3/IR	Spectroscopic	G141	16	0	
16318	SDSSJ1028+1729	10	28	7.74	17	29	56.8	COS/FUV	Spectroscopic	G140L	1	0	
16227	SDSSJ103137.28+043422	10	31	37.28	4	34	22	COS/FUV	Spectroscopic	G130M	6	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16318	QSO-103138+475333	10	31	38.41	47	53	33.6	COS/FUV	Spectroscopic	G140L	1	0	
16241	HE1029-1401	10	31	54.3182	-14	16	51.37	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE1029-1831	10	31	57.3065	-18	46	33.34	WFC3/UVIS	Imaging	F225W	1	0	
16213	J1032+4919	10	32	56.72	49	19	47.24	COS/FUV	Spectroscopic	G140L	2	0	
16213	J1032+4919	10	32	56.72	49	19	47.24	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16288	VV2006-J103440.9+443104	10	34	40.9086	44	31	5.11	COS/FUV	Spectroscopic	G130M	2	0	
16165	SN-2013GE	10	34	48.46	21	39	41.9	WFC3/UVIS	Imaging	F555W	9	0	
16166	BD-03-2978	10	42	14.1035	-3	50	6	STIS/CCD	Spectroscopic	G430L	2	0	
16281	3C245	10	42	44	12	3	3	WFC3/IR	Imaging	F140W	1	0	
16241	SDSSJ104326.47+110524.2	10	43	26.472	11	5	24.27	WFC3/UVIS	Imaging	F225W	1	0	
16165	SN-2012FH	10	43	34.05	24	53	29	WFC3/UVIS	Imaging	F275W	3	0	
16169	SDSSJ1043+0855	10	43	41.53	8	55	58.2	COS/FUV	Spectroscopic	G130M	1	0	
16169	SDSSJ1043+0855	10	43	41.53	8	55	58.2	COS/FUV	Spectroscopic	G160M	2	0	
16285	HD-93250	10	44	45.013	-59	33	54.63	STIS/NUV-MAMA	Spectroscopic	E230H	1	0	
16209	J104457	10	44	57.79	3	53	13.15	ACS/SBC	Imaging	F165LP	2	0	
16209	J104457	10	44	57.79	3	53	13.15	ACS/SBC	Imaging	F150LP	2	0	
16209	J104457	10	44	57.79	3	53	13.15	ACS/WFC	RampFilter	FR462N			
16209	J104457	10	44	57.79	3	53	13.15	WFC3/UVIS	Imaging	F438W			
16209	J104457	10	44	57.79	3	53	13.15	WFC3/UVIS	Imaging	F814W			
16243	WISEJ1047+5457	10	47	56.86	54	57	41.8	WFC3/IR	Imaging	F110W	1	0	
16197	DENIS-J104814.6-395606	10	48	12.9841	-39	56	22.16	STIS/FUV-MAMA	Spectroscopic	G140M	3	0	
16197	DENIS-J104814.6-395606	10	48	12.9841	-39	56	22.16	STIS/FUV-MAMA	Spectroscopic	G140M	3	0	
16296	NAME-LUHMANN-16	10	49	14.143	-53	19	4.59	WFC3/IR	Spectroscopic	G141	15	0	
16318	QSO-104915+421923	10	49	15.04	42	19	23.7	COS/FUV	Spectroscopic	G140L	1	0	
16318	SDSSJ1053+3259	10	53	44.25	32	59	17.8	COS/FUV	Spectroscopic	G140L	1	0	
16224	TYC-4917-1249-1	10	56	30.8348	-4	6	9.61	STIS/FUV-MAMA	Spectroscopic	G140L	2	0	
16241	MRK728	11	1	1.764	11	2	49.43	WFC3/UVIS	Imaging	F225W	1	0	
16228	V-TW-HYA	11	1	51.9067	-34	42	17.03	STIS/CCD	Imaging	BAR5	3	0	
16228	V-TW-HYA	11	1	51.9067	-34	42	17.03	STIS/CCD	Imaging	BAR5	3	0	
16228	V-TW-HYA	11	1	51.9067	-34	42	17.03	STIS/CCD	Imaging	BAR5	3	0	
16281	3C249	11	2	3	-1	16	1	WFC3/UVIS	Imaging	F606W	1	0	
16302	CS-CHA-C	11	2	24.8849	-77	33	35.68	WFC3/UVIS	Imaging	F625W	1	0	
16302	CS-CHA-C	11	2	24.8849	-77	33	35.68	WFC3/UVIS	Imaging	F555W	1	0	
16166	LP-791-18	11	2	45.7162	-16	24	23.2	STIS/CCD	Spectroscopic	G430L	4	0	
16302	CT-CHA-B	11	4	8.44	-76	27	18	WFC3/UVIS	Imaging	F438W	1	0	
16302	CT-CHA-B	11	4	8.44	-76	27	18	WFC3/UVIS	Imaging	F336W	1	0	
16297	GALEX-J110717.7+080438	11	7	17.7728	8	4	38.16	COS/FUV	Spectroscopic	G130M	8	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16297	GALEX-J110717.7+080438	11	7	17.7728	8	4	38.16	COS/FUV	Spectroscopic	G160M			
16249	WD1105-340	11	7	47.89	-34	20	51.4	STIS/CCD	Spectroscopic	G430L	1	0	
16249	WD1105-340	11	7	47.89	-34	20	51.4	WFC3/IR	Spectroscopic	G141	1	0	
16249	WD1105-340	11	7	47.89	-34	20	51.4	WFC3/IR	Spectroscopic	G102	1	0	
16287	IC-672	11	8	3.2078	-12	29	2.84	WFC3/UVIS	Imaging	F275W	1	0	
16281	3C250	11	8	52	25	0	5	WFC3/IR	Imaging	F140W	1	0	
16302	CHA-J1109-7734	11	9	13.6	-77	34	44.6	WFC3/UVIS	Imaging	F336W	1	0	
16302	CHA-J1109-7734	11	9	13.6	-77	34	44.6	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE1107-0813	11	9	48.497	-8	30	15.05	WFC3/UVIS	Imaging	F336W	1	0	
16302	OTS-44	11	10	9.3	-76	32	17.9	WFC3/UVIS	Imaging	F438W	1	0	
16302	OTS-44	11	10	9.3	-76	32	17.9	WFC3/UVIS	Imaging	F336W	1	0	
16241	ESO438-9	11	10	47.9986	-28	30	3.68	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE1108-2813	11	10	48.0019	-28	30	3.75	WFC3/UVIS	Imaging	F225W	1	0	
16281	3C252	11	11	33	35	40	4	WFC3/UVIS	Imaging	F606W	1	0	
16281	3C256	11	20	43	23	27	5	WFC3/IR	Imaging	F140W	1	0	
16268	LHS2397A	11	21	48.6708	-13	13	9.45	WFC3/IR	Spectroscopic	G141	1	0	
16268	LHS2397A	11	21	48.6708	-13	13	9.45	WFC3/IR	Spectroscopic	G141	2	0	
16287	ESO-319-15	11	21	57.9	-37	53	57	WFC3/UVIS	Imaging	F275W	1	0	
16241	ARP151	11	25	36.1498	54	22	57.11	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE1126-0407	11	29	16.7288	-4	24	7.25	WFC3/UVIS	Imaging	F336W	1	0	
16258	PSO172+18	11	29	25.36	18	46	24.3	ACS/WFC	Imaging	F850LP	3	0	
16258	PSO172+18	11	29	25.36	18	46	24.3	ACS/WFC	Imaging	F775W	4	0	
16258	PSO172+18	11	29	25.36	18	46	24.3	WFC3/IR	Imaging	F125W	3	0	
16258	PSO172+18	11	29	25.36	18	46	24.3	WFC3/UVIS	Imaging	F953N	15	0	
16241	IC2921	11	32	49.2722	10	17	47.31	WFC3/UVIS	Imaging	F225W	1	0	
16316	NGC-3738	11	35	48.982	54	31	24.7	WFC3/UVIS	Imaging	F657N	1	0	
16316	NGC-3738	11	35	48.982	54	31	24.7	WFC3/UVIS	Imaging	F218W	2	0	
16316	NGC-3741	11	36	5.754	45	17	2.96	ACS/SBC	Imaging	F150LP	1	0	
16316	NGC-3741	11	36	5.754	45	17	2.96	ACS/SBC	Imaging	F150LP	3	0	
16162	NGC-3741	11	36	9.014	45	16	50.31	WFC3/IR	Imaging	F160W	1	0	
16162	NGC-3741	11	36	9.014	45	16	50.31	WFC3/IR	Imaging	F153M	3	0	
16241	NGC3783	11	39	1.7119	-37	44	19	WFC3/UVIS	Imaging	F225W	1	0	
16241	LEDA36114	11	39	8.9582	59	11	54.79	WFC3/UVIS	Imaging	F225W	1	0	
16241	PG1138+222	11	41	16.1626	21	56	21.73	WFC3/UVIS	Imaging	F225W	1	0	
16224	TYC-6086-1317-1	11	41	41.1229	-15	41	8.59	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16241	KUG1141+371	11	44	29.8699	36	53	8.59	WFC3/UVIS	Imaging	F225W	1	0	
16241	UGC6728	11	45	15.9403	79	40	53.41	WFC3/UVIS	Imaging	F225W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16241	HE1143-1810	11	45	40.465	-18	27	14.9	WFC3/UVIS	Imaging	F225W	1	0	
16281	3C266	11	45	43	49	46	0	WFC3/UVIS	Imaging	F606W	1	0	
16188	HD102212	11	45	51.559	6	31	45.74	STIS/CCD	Spectroscopic	G230LB	2	0	
16241	RBS1035	11	47	55.0745	9	2	28.84	WFC3/UVIS	Imaging	F225W	1	0	
16318	QSO-114858+253149	11	48	58.08	25	31	49.1	COS/FUV	Spectroscopic	G140L	1	0	
16281	3C267	11	49	56	12	47	1	WFC3/IR	Imaging	F140W	1	0	
16162	UGC-6817	11	50	53.069	38	52	37.35	WFC3/IR	Imaging	F127M	1	0	
16162	UGC-6817	11	50	53.069	38	52	37.35	WFC3/IR	Imaging	F110W	2	0	
16239	SN-2018AOZ	11	51	1.8096	-28	44	38.69	WFC3/UVIS	Imaging	F350LP	1	0	
16239	SN-2018AOZ	11	51	1.8096	-28	44	38.69	WFC3/UVIS	Imaging	F814W	1	0	
16241	PG1149-110	11	52	3.5489	-11	22	24.13	WFC3/UVIS	Imaging	F225W	1	0	
16245	SDSS-J115448.85+244333.0	11	54	48.852	24	43	33.13	ACS/SBC	Imaging	F150LP	4	0	
16245	SDSS-J115448.85+244333.0	11	54	48.852	24	43	33.13	ACS/SBC	Imaging	F165LP			
16245	SDSS-J115448.85+244333.0	11	54	48.852	24	43	33.13	ACS/WFC	RampFilter	FR716N			
16245	SDSS-J115448.85+244333.0	11	54	48.852	24	43	33.13	WFC3/IR	Imaging	F140W	2	0	
16245	SDSS-J115448.85+244333.0	11	54	48.852	24	43	33.13	WFC3/UVIS	Imaging	F438W	2	0	
16241	MRK1310	12	1	14.3534	-3	40	41.38	WFC3/UVIS	Imaging	F225W	1	0	
16227	SBS1159+545	12	2	2.49	54	15	51	COS/FUV	Spectroscopic	G130M	6	0	
16318	QSO-120321+324533	12	3	21.55	32	45	33.3	COS/FUV	Spectroscopic	G140L	1	0	
16213	J1205+4551	12	5	3.55	45	51	50.94	COS/FUV	Spectroscopic	G140L	2	0	
16213	J1205+4551	12	5	3.55	45	51	50.94	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16249	WD1202-232	12	5	26.64	-23	33	10.8	STIS/CCD	Spectroscopic	G430L	1	0	
16249	WD1202-232	12	5	26.64	-23	33	10.8	STIS/CCD	Spectroscopic	G750L	1	0	
16249	WD1202-232	12	5	26.64	-23	33	10.8	WFC3/IR	Spectroscopic	G141	1	0	
16241	LEDA2359832	12	5	56.0122	49	59	56.28	WFC3/UVIS	Imaging	F225W	1	0	
16229	WISE1206+8401	12	6	4.38	84	1	10.6	WFC3/IR	Imaging	F105W	1	0	
16162	NGC-4163	12	12	11.944	36	9	47.09	WFC3/IR	Imaging	F160W	1	0	
16162	NGC-4163	12	12	11.944	36	9	47.09	WFC3/IR	Imaging	F153M	1	0	
16208	V-S-MUS	12	12	46.9951	-70	9	6.46	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16208	V-S-MUS	12	12	46.9951	-70	9	6.46	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16208	V-S-MUS	12	12	46.9951	-70	9	6.46	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16208	V-S-MUS	12	12	46.9951	-70	9	6.46	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16316	UGC-7242	12	14	8.89	66	5	39.3	WFC3/UVIS	Imaging	F218W	1	0	
16316	UGC-7242	12	14	8.89	66	5	39.3	WFC3/UVIS	Imaging	F218W			
16225	HD106516	12	15	10.56	-10	18	44.64	STIS/NUV-MAMA	Spectroscopic	E230H	1	0	
16316	MCG+09-20-131	12	15	46.625	52	23	13.91	WFC3/UVIS	Imaging	F218W	2	0	
16316	MCG+09-20-131	12	15	46.625	52	23	13.91	WFC3/UVIS	Imaging	F336W	4	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16241	MRK1469	12	16	7.1004	50	49	30.12	WFC3/UVIS	Imaging	F225W	1	0	
16241	NGC4235	12	17	9.8815	7	11	29.79	WFC3/UVIS	Imaging	F225W	1	0	
16316	NGC-4242	12	17	30.1848	45	37	9.51	ACS/SBC	Imaging	F150LP	1	0	
16316	NGC-4242	12	17	30.1848	45	37	9.51	ACS/SBC	Imaging	F150LP	1	0	
16241	NGC4253	12	18	26.514	29	48	46.58	WFC3/UVIS	Imaging	F225W	1	0	
16198	M-106	12	18	57.62	47	18	13.39	ACS/WFC	Imaging	F555W	14	0	
16316	M-106	12	18	57.62	47	18	13.39	WFC3/UVIS	Imaging	F218W	1	0	
16316	M-106	12	18	57.62	47	18	13.39	WFC3/UVIS	Imaging	F218W	1	0	
16241	MRK205	12	21	44.0921	75	18	38.3	WFC3/UVIS	Imaging	F225W	1	0	
16287	ESO-506-4	12	21	49.047	-24	10	5.66	WFC3/UVIS	Imaging	F275W	1	0	
16239	SN-2014DT	12	21	57.5712	4	28	18.52	WFC3/UVIS	Imaging	F814W	1	0	
16239	SN-2014DT	12	21	57.5712	4	28	18.52	WFC3/UVIS	Imaging	F814W			
16241	MRK50	12	23	24.1378	2	40	44.51	WFC3/UVIS	Imaging	F225W	1	0	
16316	NGC-4395	12	25	48.8639	33	32	48.69	ACS/SBC	Imaging	F150LP	1	0	
16316	NGC-4395	12	25	48.8639	33	32	48.69	WFC3/UVIS	Imaging	F218W	3	0	
16239	SN-2018HNA	12	26	12.0504	58	18	51.08	WFC3/UVIS	Imaging	F555W	1	0	
16239	SN-2018HNA	12	26	12.0504	58	18	51.08	WFC3/UVIS	Imaging	F555W			
16316	MRK-209	12	26	16.02	48	29	36.6	ACS/SBC	Imaging	F150LP	2	0	
16316	MRK-209	12	26	16.02	48	29	36.6	WFC3/UVIS	Imaging	F218W	1	0	
16162	UGC-7577	12	27	40.994	43	29	32.31	WFC3/IR	Imaging	F153M	0	3	
16162	UGC-7577	12	27	40.994	43	29	32.31	WFC3/IR	Imaging	F127M	2	0	
16316	NGC-4449	12	28	11.118	44	5	36.81	WFC3/UVIS	Imaging	F218W	2	0	
16316	NGC-4449	12	28	11.118	44	5	36.81	WFC3/UVIS	Imaging	F657N	3	0	
16241	MRK771	12	32	3.6211	20	9	29.54	WFC3/UVIS	Imaging	F225W	1	0	
16242	J1237+4447	12	37	34.4713	44	47	31.77	COS/FUV	Spectroscopic	G130M	2	0	
16287	UGC-7798	12	38	3.322	-2	15	49.48	WFC3/UVIS	Imaging	F275W	1	0	
16292	NAME-CVN-I-DWA	12	38	40.1	32	45	59	WFC3/IR	Imaging	F110W	1	0	
16292	NAME-CVN-I-DWA	12	38	40.1	32	45	59	WFC3/UVIS	Imaging	F487N	1	0	
16292	NAME-CVN-I-DWA	12	38	40.1	32	45	59	WFC3/UVIS	Imaging	F656N	1	0	
16292	NAME-CVN-I-DWA	12	38	40.1	32	45	59	WFC3/UVIS	Imaging	F373N	1	0	
16292	NAME-CVN-I-DWA	12	38	40.1	32	45	59	WFC3/UVIS	Imaging	F502N	1	0	
16292	NAME-CVN-I-DWA	12	38	40.1	32	45	59	WFC3/UVIS	Imaging	F225W	2	0	
16316	NAME-CVN-I-DWA	12	38	40.1	32	45	59	ACS/SBC	Imaging	F150LP	2	0	
16316	NAME-CVN-I-DWA	12	38	40.1	32	45	59	WFC3/UVIS	Imaging	F275W	1	0	
16162	UGCA-292	12	38	42.946	32	45	40.28	WFC3/IR	Imaging	F110W	0	2	
16162	UGCA-292	12	38	42.946	32	45	40.28	WFC3/IR	Imaging	F139M	1	0	
16298	NGC4590	12	39	27.9792	-26	44	38.62	ACS/WFC	Imaging	F814W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16241	NGC4593	12	39	39.4406	-5	20	38.99	WFC3/UVIS	Imaging	F225W	1	0	
16316	NGC-4605	12	39	59.381	61	36	33.09	ACS/SBC	Imaging	F150LP	1	0	
16316	NGC-4605	12	39	59.381	61	36	33.09	WFC3/UVIS	Imaging	F657N	3	0	
16246	IC-3639	12	40	52.8358	-36	45	21.05	WFC3/UVIS	Imaging	FQ508N	1	0	
16257	MATLAS-1437	12	42	54.8935	2	15	9.02	ACS/WFC	Imaging	F814W			
16245	SDSS-J124300.62+464650.5	12	43	0.636	46	46	50.59	ACS/SBC	Imaging	F165LP	3	0	
16245	SDSS-J124300.62+464650.5	12	43	0.636	46	46	50.59	ACS/SBC	Imaging	F125LP	10	0	
16245	SDSS-J124300.62+464650.5	12	43	0.636	46	46	50.59	ACS/WFC	RampFilter	FR551N			
16245	SDSS-J124300.62+464650.5	12	43	0.636	46	46	50.59	ACS/WFC	RampFilter	FR931N			
16245	SDSS-J124300.62+464650.5	12	43	0.636	46	46	50.59	WFC3/UVIS	Imaging	F621M	3	0	
16276	BOSS1244-P5	12	43	25.769	35	57	52.77	WFC3/IR	Spectroscopic	G141	3	0	
16276	BOSS1244-P3	12	43	29.591	35	55	4.83	WFC3/IR	Spectroscopic	G141	3	0	
16276	BOSS1244-P2	12	43	31.82	35	53	14.32	WFC3/IR	Imaging	F125W	3	0	
16276	BOSS1244-P4	12	43	39.346	35	55	30.21	WFC3/IR	Imaging	F125W	3	0	
16276	BOSS1244-P1	12	43	40.995	35	51	19.53	WFC3/IR	Spectroscopic	G141	3	0	
16257	MATLAS-1459	12	43	54.4778	3	38	3.48	ACS/WFC	Imaging	F606W	1	0	
16287	LEDA-43070	12	46	14.8	-40	48	48	WFC3/UVIS	Imaging	F275W	1	0	
16262	NGC-4709	12	50	3.8808	-41	22	55.09	WFC3/IR	Imaging	F110W	1	0	
16224	BD-11-3376	12	50	13.5224	-11	52	3.04	STIS/FUV-MAMA	Spectroscopic	G140L	2	0	
16173	HE1248-1356	12	51	32.3732	-14	13	16.02	WFC3/UVIS	Imaging	F225W	1	0	
16262	NGC-4729	12	51	46.2792	-41	7	56.21	WFC3/IR	Imaging	F110W	1	0	
16241	NGC4748	12	52	12.4714	-13	24	53.15	WFC3/UVIS	Imaging	F225W	1	0	
16271	J1252+5237	12	52	31.39	52	37	16.42	COS/FUV	Spectroscopic	G140L	5	0	
16262	ESO-323-34	12	53	25.95	-41	12	10.33	WFC3/IR	Imaging	F110W	1	0	
16245	SDSS-J125644.15+450917.1	12	56	44.1528	45	9	17.21	ACS/SBC	Imaging	F140LP	4	0	
16245	SDSS-J125644.15+450917.1	12	56	44.1528	45	9	17.21	ACS/SBC	Imaging	F140LP			
16245	SDSS-J125644.15+450917.1	12	56	44.1528	45	9	17.21	ACS/WFC	RampFilter	FR716N			
16245	SDSS-J125644.15+450917.1	12	56	44.1528	45	9	17.21	WFC3/UVIS	Imaging	F225W	3	0	
16245	SDSS-J125644.15+450917.1	12	56	44.1528	45	9	17.21	WFC3/UVIS	Imaging	F845M	3	0	
16243	WISEJ1257+7153	12	57	19.9429	71	53	48.96	WFC3/IR	Imaging	F110W	3	0	
16292	UGC-8091	12	58	40.1913	14	13	0.73	WFC3/IR	Imaging	F160W	1	0	
16292	UGC-8091	12	58	40.1913	14	13	0.73	WFC3/UVIS	Imaging	F373N	1	0	
16292	UGC-8091	12	58	40.1913	14	13	0.73	WFC3/UVIS	Imaging	F502N	1	0	
16292	UGC-8091	12	58	40.1913	14	13	0.73	WFC3/UVIS	Imaging	F225W	1	0	
16292	UGC-8091	12	58	40.1913	14	13	0.73	WFC3/UVIS	Imaging	F487N	1	0	
16292	UGC-8091	12	58	40.1913	14	13	0.73	WFC3/UVIS	Imaging	F656N	1	0	
16316	UGC-8091	12	58	40.193	14	13	0.74	WFC3/UVIS	Imaging	F218W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16316	UGC-8091	12	58	40.193	14	13	0.74	WFC3/UVIS	Imaging	F275W	1	0	
16162	UGC-8091	12	58	42.116	14	12	46.98	WFC3/IR	Imaging	F139M	1	0	
16162	UGC-8091	12	58	42.116	14	12	46.98	WFC3/IR	Imaging	F110W	2	0	
16298	NGC4833	12	59	33.9216	-70	52	35.4	ACS/WFC	Imaging	F814W	1	0	
16281	3C280.1	13	0	33	40	9	0	WFC3/UVIS	Imaging	F606W	1	0	
16198	NGC-4921	13	1	26.122	27	53	9.63	ACS/WFC	Imaging	F814W	0	14	
16198	NGC-4921	13	1	26.122	27	53	9.63	WFC3/IR	Imaging	F160W	18	0	
16223	JW39	13	4	7.71	19	12	38.49	WFC3/UVIS	Imaging	F336W	5	0	
16223	JW39	13	4	7.71	19	12	38.49	WFC3/UVIS	Imaging	F606W			
16223	JW39	13	4	7.71	19	12	38.49	WFC3/UVIS	Imaging	F814W			
16223	JW39	13	4	7.71	19	12	38.49	WFC3/UVIS	Imaging	F680N			
16223	JW39	13	4	7.71	19	12	38.49	WFC3/UVIS	Imaging	F275W			
16262	NGC-4936	13	4	16.8936	-30	31	34.54	WFC3/IR	Imaging	F110W	1	0	
16268	KELU-1	13	5	39.8143	-25	41	6.14	WFC3/IR	Spectroscopic	G102	1	0	
16241	ESO323-77	13	6	26.123	-40	24	52.6	WFC3/UVIS	Imaging	F225W	1	0	
16241	ESO323-81	13	7	12.0919	-40	24	27.23	WFC3/UVIS	Imaging	F225W	1	0	
16318	QSO-130841+404823	13	8	41.24	40	48	23.8	COS/FUV	Spectroscopic	G140L	1	0	
16241	HE1310-1051	13	13	5.7751	-11	7	42.38	WFC3/UVIS	Imaging	F225W	1	0	
16210	J1314-4912	13	14	16.02	-49	12	18.3	STIS/CCD	Spectroscopic	G750L	1	0	
16305	CD-33-8925	13	16	21.9091	-33	47	48.62	STIS/CCD	Imaging	WEDGEA0.6	1	0	
16305	CD-33-8925	13	16	21.9091	-33	47	48.62	STIS/CCD	Imaging	WEDGEA0.6	1	0	
16305	CD-33-8925	13	16	21.9091	-33	47	48.62	STIS/CCD	Imaging	WEDGEA0.6	1	0	
16305	CD-33-8925	13	16	21.9091	-33	47	48.62	STIS/CCD	Imaging	WEDGEA0.6	1	0	
16305	CD-33-8925	13	16	21.9091	-33	47	48.62	STIS/CCD	Imaging	WEDGEA0.6	1	0	
16305	CD-33-8925	13	16	21.9091	-33	47	48.62	STIS/CCD	Imaging	WEDGEA0.6	1	0	
16305	CD-33-8925	13	16	21.9091	-33	47	48.62	STIS/CCD	Imaging	WEDGEA0.6	1	0	
16305	CD-33-8925	13	16	21.9091	-33	47	48.62	STIS/CCD	Imaging	WEDGEA0.6	1	0	
16241	2MASXJ13165424-7155270	13	16	54.2964	-71	55	27.04	WFC3/UVIS	Imaging	F225W	1	0	
16246	NGC-5135	13	25	44.059	-29	50	1.24	WFC3/UVIS	Imaging	F547M	1	0	
16294	LEDA-46982	13	25	48.6	-11	36	38	COS/FUV	Spectroscopic	G160M			
16294	LEDA-46982	13	25	48.6	-11	36	38	WFC3/UVIS	Imaging	F280N	4	0	
16294	LEDA-46982	13	25	48.6	-11	36	38	WFC3/UVIS	Imaging	F225W	7	0	
16294	LEDA-46982	13	25	48.6	-11	36	38	WFC3/UVIS	Imaging	F336W			
16294	LEDA-46982	13	25	48.6	-11	36	38	WFC3/UVIS	Imaging	F373N			
16294	LEDA-46982	13	25	48.6	-11	36	38	WFC3/UVIS	Imaging	F467M			
16294	LEDA-46982	13	25	48.6	-11	36	38	WFC3/UVIS	Imaging	F487N			
16294	LEDA-46982	13	25	48.6	-11	36	38	WFC3/UVIS	Imaging	F502N			

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16294	LEDA-46982	13	25	48.6	-11	36	38	WFC3/UVIS	Imaging	F621M			
16294	LEDA-46982	13	25	48.6	-11	36	38	WFC3/UVIS	Imaging	F658N			
16262	NGC-5140	13	26	21.7296	-33	52	6.49	WFC3/IR	Imaging	F110W	1	0	
16316	IC-4247	13	26	44.9	-30	21	45	ACS/SBC	Imaging	F150LP	1	0	
16316	IC-4247	13	26	44.9	-30	21	45	ACS/SBC	Imaging	F150LP	1	0	
16247	NGC-5139	13	26	47.27	-47	28	46.2	ACS/WFC	Imaging	F814W	0	1	
16247	NGC-5139	13	26	47.27	-47	28	46.2	ACS/WFC	Imaging	F814W			
16247	NGC-5139	13	26	47.27	-47	28	46.2	WFC3/UVIS	Imaging	F814W	1	0	
16162	UGC-8508	13	30	48.775	54	54	31.5	WFC3/IR	Imaging	F160W	0	2	
16162	UGC-8508	13	30	48.775	54	54	31.5	WFC3/IR	Imaging	F139M	3	0	
16173	HE1330-1013	13	32	39.1123	-10	28	52.58	WFC3/UVIS	Imaging	F225W	1	0	
16316	NGC-5238	13	34	42.5149	51	36	49.17	WFC3/UVIS	Imaging	F218W	1	0	
16316	NGC-5238	13	34	42.5149	51	36	49.17	WFC3/UVIS	Imaging	F218W	6	0	
16241	MCG-6-30-15	13	35	53.7708	-34	17	44.22	WFC3/UVIS	Imaging	F225W	1	0	
16262	IC-4296	13	36	39.0288	-33	57	56.99	WFC3/IR	Imaging	F110W	1	0	
16242	J1338+2620	13	38	3.0888	26	20	17.46	COS/FUV	Spectroscopic	G130M	1	0	
16262	ESO-445-2	13	39	23.485	-30	46	26.73	WFC3/IR	Imaging	F110W	1	0	
16162	UGC-8651	13	39	51.56	40	44	23.6	WFC3/IR	Imaging	F127M	3	0	
16162	UGC-8651	13	39	51.56	40	44	23.6	WFC3/UVIS	Imaging	F475W	2	0	
16240	NGC5253-8	13	39	55.351	-31	38	33.54	COS/FUV	Spectroscopic	G130M	4	0	
16240	NGC5253-9+10	13	39	55.512	-31	38	29.35	COS/FUV	Spectroscopic	G130M	3	0	
16240	NGC5253-1+2+3+4	13	39	55.919	-31	38	27.09	COS/FUV	Spectroscopic	G130M	2	0	
16240	NGC5253-5+11	13	39	55.986	-31	38	24.54	COS/FUV	Spectroscopic	G130M	6	0	
16316	NGC-5253	13	39	55.99	-31	38	24.11	ACS/SBC	Imaging	F150LP	1	0	
16316	NGC-5253	13	39	55.99	-31	38	24.11	ACS/SBC	Imaging	F150LP	1	0	
16246	NGC-5283	13	41	5.7488	67	40	20	WFC3/UVIS	Imaging	F547M	2	0	
16298	NGC5272	13	42	11.6208	28	22	38.21	ACS/WFC	Imaging	F814W	1	0	
16298	NGC5286	13	46	26.8104	-51	22	27.3	ACS/WFC	Imaging	F814W	1	0	
16241	IC4329A	13	49	19.2607	-30	18	34.18	WFC3/UVIS	Imaging	F225W	1	0	
16241	UM614	13	49	52.8446	2	4	45.15	WFC3/UVIS	Imaging	F225W	1	0	
16241	MRK279	13	53	3.4366	69	18	29.45	WFC3/UVIS	Imaging	F225W	1	0	
16162	UGC-8833	13	54	47.719	35	50	14.53	WFC3/IR	Imaging	F127M	1	0	
16162	UGC-8833	13	54	47.719	35	50	14.53	WFC3/UVIS	Imaging	F475W	1	0	
16213	J1355+4651	13	55	25.64	46	51	51.34	COS/FUV	Spectroscopic	G140L	2	0	
16213	J1355+4651	13	55	25.64	46	51	51.34	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16262	NGC-5357	13	55	59.5488	-30	20	29.18	WFC3/IR	Imaging	F110W	1	0	
16288	2MASSI-J1356327+210352	13	56	32.7981	21	3	52.38	COS/FUV	Spectroscopic	G130M	11	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16173	HE1353-1917	13	56	36.7129	-19	31	44.86	WFC3/UVIS	Imaging	F336W	1	0	
16166	HAT-P-12	13	57	33.2749	43	29	35.92	STIS/FUV-MAMA	Spectroscopic	G140M	4	0	
16271	J1358+4611	13	58	6.74	46	11	43.19	COS/FUV	Spectroscopic	G140L	5	0	
16287	CGCG-103-030	13	58	13.1328	17	31	51.89	WFC3/UVIS	Imaging	F275W	1	0	
16243	WISEJ1359-4352	13	59	37.65	-43	52	26.9	WFC3/IR	Imaging	F110W	3	0	
16262	NGC-5397	14	1	10.4592	-33	56	44.99	WFC3/IR	Imaging	F110W	1	0	
16316	M-101	14	3	12.583	54	20	55.5	ACS/SBC	Imaging	F150LP	1	0	
16316	M-101	14	3	12.583	54	20	55.5	WFC3/UVIS	Imaging	F218W	3	0	
16246	NGC-5427	14	3	26.0408	-6	1	50.69	WFC3/UVIS	Imaging	F502N	1	0	
16262	NGC-5419	14	3	38.7312	-33	58	41.74	WFC3/IR	Imaging	F110W	1	0	
16318	SDSSJ1404+0728	14	4	32.99	7	28	46.9	COS/FUV	Spectroscopic	G140L	1	0	
16268	2MASSJ14044948-3159330	14	4	49.892	-31	59	33.3	WFC3/IR	Spectroscopic	G141	1	0	
16316	NGC-5474	14	5	1.608	53	39	43.95	ACS/SBC	Imaging	F150LP	2	0	
16316	NGC-5474	14	5	1.608	53	39	43.95	WFC3/UVIS	Imaging	F657N	1	0	
16229	WISE1405+5534	14	5	14.128	55	34	24.99	WFC3/IR	Imaging	F125W	1	0	
16171	RM720	14	5	18.0211	53	15	30.02	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16281	3C294	14	6	44	34	11	2	WFC3/IR	Imaging	F140W	1	0	
16305	PDS70	14	8	10.1137	-41	23	52.95	STIS/CCD	Imaging	BAR5	1	0	
16305	PDS70	14	8	10.1137	-41	23	52.95	STIS/CCD	Imaging	BAR5	1	0	
16305	PDS70	14	8	10.1137	-41	23	52.95	STIS/CCD	Imaging	BAR5	1	0	
16305	PDS70	14	8	10.1137	-41	23	52.95	STIS/CCD	Imaging	BAR5	1	0	
16305	PDS70	14	8	10.1137	-41	23	52.95	STIS/CCD	Imaging	BAR5	1	0	
16305	PDS70	14	8	10.1137	-41	23	52.95	STIS/CCD	Imaging	BAR5	1	0	
16305	PDS70	14	8	10.1137	-41	23	52.95	STIS/CCD	Imaging	BAR5	1	0	
16305	PDS70	14	8	10.1137	-41	23	52.95	STIS/CCD	Imaging	BAR5	1	0	
16305	PDS70	14	8	10.1137	-41	23	52.95	STIS/CCD	Imaging	BAR5	1	0	
16290	PDS70	14	8	10.15	-41	23	52.6	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16290	PDS70	14	8	10.15	-41	23	52.6	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16171	RM305	14	10	4.2732	52	31	41	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16171	RM229	14	10	18.0444	53	29	37.48	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16171	RM160	14	10	41.2529	53	18	48.99	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16171	RM267	14	11	12.7171	53	45	7.15	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16171	RM622	14	11	15.1874	51	52	8.99	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16171	RM371	14	11	23.4197	52	13	31.68	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16171	RM101	14	12	14.2015	53	25	46.71	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16166	HAT-P-26	14	12	37.5722	4	3	33.9	STIS/FUV-MAMA	Spectroscopic	G140L	6	0	
16171	RM782	14	13	18.961	54	32	2.4	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16318	QSO-141353+151810	14	13	53.25	15	18	10.3	COS/FUV	Spectroscopic	G140L	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16162	UGC-9128	14	15	54.444	23	3	28.34	WFC3/IR	Imaging	F153M	2	0	
16162	UGC-9128	14	15	54.444	23	3	28.34	WFC3/IR	Imaging	F160W	3	0	
16171	RM272	14	16	25.7086	53	54	38.52	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16171	RM840	14	16	45.15	54	25	40.75	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16241	LEDA126226	14	16	50.0059	-11	58	58.03	WFC3/UVIS	Imaging	F225W	1	0	
16171	RM694	14	17	6.6758	51	43	40.06	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16171	RM177	14	17	24.5904	52	30	24.89	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16171	RM790	14	17	29.2714	53	18	26.54	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16241	NGC5548	14	17	59.5454	25	8	12.67	WFC3/UVIS	Imaging	F225W	1	0	
16241	SDSSJ141908.31+075449.6	14	19	8.3114	7	54	49.66	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE1417-0909	14	20	6.2992	-9	23	13.08	WFC3/UVIS	Imaging	F225W	1	0	
16171	RM301	14	20	10.2463	52	40	29.63	STIS/NUV-MAMA	Spectroscopic	G230L	3	0	
16171	RM320	14	20	38.5212	53	24	16.5	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16171	RM781	14	21	3.529	51	58	19.47	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16241	LEDA140305	14	21	29.7533	47	47	24.57	WFC3/UVIS	Imaging	F225W	1	0	
16171	RM772	14	21	35.9018	52	31	38.91	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16316	UGC-9240	14	24	43.0755	44	31	31.75	WFC3/UVIS	Imaging	F657N	1	0	
16316	UGC-9240	14	24	43.0755	44	31	31.75	WFC3/UVIS	Imaging	F657N	1	0	
16162	UGC-9240	14	24	44.86	44	31	11.27	WFC3/IR	Imaging	F110W	1	0	
16162	UGC-9240	14	24	44.86	44	31	11.27	WFC3/IR	Imaging	F139M	2	0	
16241	MRK1383	14	29	6.5772	1	17	6.11	WFC3/UVIS	Imaging	F225W	1	0	
16301	2MASX-J14292507+4518318	14	29	25.08	45	18	31.68	COS/FUV	Spectroscopic	G130M	13	0	
16301	2MASX-J14292507+4518318	14	29	25.08	45	18	31.68	COS/FUV	Spectroscopic	G130M			
16301	2MASX-J14292507+4518318	14	29	25.08	45	18	31.68	COS/FUV	Spectroscopic	G160M			
16301	2MASX-J14292507+4518318	14	29	25.08	45	18	31.68	COS/FUV	Spectroscopic	G160M			
16241	MRK684	14	31	4.7842	28	17	14.19	WFC3/UVIS	Imaging	F225W	1	0	
16250	N5643	14	32	40.778	-44	10	28.6	WFC3/IR	Imaging	F110W	1	0	
16250	N5643	14	32	40.778	-44	10	28.6	WFC3/IR	Imaging	F110W	1	0	
16250	N5643	14	32	40.778	-44	10	28.6	WFC3/IR	Imaging	F110W	1	0	
16250	N5643	14	32	40.778	-44	10	28.6	WFC3/IR	Imaging	F110W			
16241	NGC5683	14	34	52.4573	48	39	42.74	WFC3/UVIS	Imaging	F225W	1	0	
16196	MRK-817	14	36	22.0821	58	47	39.39	COS/FUV	Spectroscopic	G130M	180	0	
16241	MRK817	14	36	22.0841	58	47	39.48	WFC3/UVIS	Imaging	F225W	1	0	
16246	NGC-5695	14	37	22.1345	36	34	4.19	WFC3/UVIS	Imaging	F547M	1	0	
16276	BOSS1441-P5	14	41	26.341	40	3	17.41	WFC3/IR	Spectroscopic	G141	3	0	
16276	BOSS1441-P4	14	41	30.266	40	1	8.08	WFC3/IR	Imaging	F125W	3	0	
16276	BOSS1441-P1	14	41	32.92	40	6	0.13	WFC3/IR	Spectroscopic	G141	3	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16276	BOSS1441-P2	14	41	39.425	40	3	6.99	WFC3/IR	Imaging	F125W	3	0	
16276	BOSS1441-P3	14	41	40.699	40	0	29.47	WFC3/IR	Spectroscopic	G141	3	0	
16243	WISEJ1446-2317	14	46	6.62	-23	17	17.8	WFC3/IR	Imaging	F110W	1	0	
16287	UGC-9530	14	47	42.503	9	39	33.94	WFC3/UVIS	Imaging	F275W	1	0	
16248	SDSSJ1448+1010	14	48	45.9192	10	10	10.55	WFC3/IR	Spectroscopic	G102	2	0	
16271	J1450+3913	14	50	29.89	39	13	21.84	COS/FUV	Spectroscopic	G140L	5	0	
16188	HD131873	14	50	42.3258	74	9	19.81	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16284	NGC5846-UDG1	15	5	20.29	1	48	46.6	WFC3/UVIS	Imaging	F475W	2	0	
16284	NGC5846-UDG1	15	5	20.29	1	48	46.6	WFC3/UVIS	Imaging	F606W			
16250	N5861	15	9	15.51	-11	19	4.19	WFC3/IR	Imaging	F160W	1	0	
16250	N5861	15	9	15.51	-11	19	4.19	WFC3/IR	Imaging	F160W	1	0	
16250	N5861	15	9	15.51	-11	19	4.19	WFC3/IR	Imaging	F160W	1	0	
16250	N5861	15	9	15.51	-11	19	4.19	WFC3/IR	Imaging	F160W			
16298	NGC5897	15	17	24.4992	-21	0	37.01	ACS/WFC	Imaging	F814W	1	0	
16298	NGC5904	15	18	33.2184	2	4	51.71	ACS/WFC	Imaging	F814W	1	0	
16289	M-5	15	18	33.23	2	4	51.5	WFC3/IR	Imaging	F110W	7	0	
16289	M-5	15	18	33.23	2	4	51.5	WFC3/UVIS	Imaging	F336W	0	7	
16318	SDSSJ1519+3609	15	19	10.37	36	9	40.4	COS/FUV	Spectroscopic	G140L	1	0	
16281	3C318	15	20	5	20	16	0	WFC3/UVIS	Imaging	F606W	1	0	
16298	NGC5927	15	28	0.6888	-50	40	22.91	ACS/WFC	Imaging	F814W	1	0	
16241	NGC5940	15	31	18.0701	7	27	27.88	WFC3/UVIS	Imaging	F225W	1	0	
16243	WISEJ1534-1043	15	34	29.75	-10	43	3.3	WFC3/IR	Imaging	F110W	5	0	
16197	2MASS-J15345704-1418486	15	34	55.9525	-14	18	54.37	STIS/FUV-MAMA	Spectroscopic	G140M	4	0	
16197	2MASS-J15345704-1418486	15	34	55.9525	-14	18	54.37	STIS/FUV-MAMA	Spectroscopic	G140M	5	0	
16241	MRK290	15	35	52.4011	57	54	9.52	WFC3/UVIS	Imaging	F225W	1	0	
16229	WISE1541-2250	15	41	51.66	-22	50	24.99	WFC3/IR	Imaging	F160W	1	0	
16276	BOSS1542-P1	15	42	38.721	39	0	49.07	WFC3/IR	Imaging	F125W	3	0	
16276	BOSS1542-P2	15	42	45.449	38	56	42.73	WFC3/IR	Spectroscopic	G141	3	0	
16276	BOSS1542-P3	15	42	47.99	38	54	9.09	WFC3/IR	Imaging	F125W	3	0	
16276	BOSS1542-P4	15	42	53.072	38	52	9.08	WFC3/IR	Spectroscopic	G141	3	0	
16276	BOSS1542-P5	15	42	54.621	38	49	48.47	WFC3/IR	Imaging	F125W	3	0	
16287	IC-4582	15	45	39.412	28	5	19.37	WFC3/UVIS	Imaging	F275W	1	0	
16298	NGC5986	15	46	3	-37	47	11.08	ACS/WFC	Imaging	F814W	1	0	
16249	WD1544-377	15	47	30	-37	55	4.8	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16249	WD1544-377	15	47	30	-37	55	4.8	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16249	WD1544-377	15	47	30	-37	55	4.8	WFC3/IR	Spectroscopic	G102	1	0	
16241	NGC5995	15	48	24.9461	-13	45	27.23	WFC3/UVIS	Imaging	F225W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16281	3C325	15	49	58	62	41	2	WFC3/IR	Imaging	F140W	1	0	
16318	QSO-155804+013409	15	58	4.15	1	34	9	COS/FUV	Spectroscopic	G140L	1	0	
16166	WASP-17	15	59	50.9395	-28	3	42.46	STIS/NUV-MAMA	Spectroscopic	G230L	5	0	
16213	J1608+3528	16	8	10.36	35	28	9.3	COS/FUV	Spectroscopic	G140L	2	0	
16213	J1608+3528	16	8	10.36	35	28	9.3	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16302	USCO-J1608-2315	16	8	28.5	-23	15	10.4	WFC3/UVIS	Imaging	F555W	1	0	
16302	USCO-J1608-2315	16	8	28.5	-23	15	10.4	WFC3/UVIS	Imaging	F438W	1	0	
16241	MRK871	16	8	36.3761	12	19	51.67	WFC3/UVIS	Imaging	F225W	1	0	
16298	LYNGA7	16	11	3.6504	-55	19	3.97	ACS/WFC	Imaging	F814W	1	0	
16210	J1613-2644	16	13	49.52	-26	44	32.6	STIS/CCD	Spectroscopic	G750L	1	0	
16298	NGC6093	16	17	2.4096	-22	58	33.89	ACS/WFC	Imaging	F814W	1	0	
16194	HD-147506	16	20	36.3577	41	2	53.11	ACS/WFC	Imaging	F606W	0	1	
16194	HD-147506	16	20	36.3577	41	2	53.11	WFC3/IR	Spectroscopic	G141	23	0	
16194	HD-147506	16	20	36.3577	41	2	53.11	WFC3/UVIS	Imaging	F814W	1	0	
16204	WD1622+587	16	22	59.7	58	40	28.9	COS/NUV	Spectroscopic	G230L	3	0	
16289	M-4	16	23	35.2	-26	31	33	WFC3/IR	Imaging	F110W	0	2	
16289	M-4	16	23	35.2	-26	31	33	WFC3/UVIS	Imaging	F275W	2	0	
16302	GY-141	16	26	51.3	-24	32	42	WFC3/UVIS	Imaging	F625W	1	0	
16302	GY-141	16	26	51.3	-24	32	42	WFC3/UVIS	Imaging	F555W	1	0	
16298	NGC6144	16	27	13.8648	-26	1	24.6	ACS/WFC	Imaging	F814W	1	0	
16302	SR-12-AB-C	16	27	19.4967	-24	41	40.81	WFC3/UVIS	Imaging	F555W	1	0	
16302	SR-12-AB-C	16	27	19.4967	-24	41	40.81	WFC3/UVIS	Imaging	F438W	1	0	
16302	OPH-90	16	27	36.6	-24	51	36.1	WFC3/UVIS	Imaging	F656N	1	0	
16302	OPH-90	16	27	36.6	-24	51	36.1	WFC3/UVIS	Imaging	F625W	1	0	
16242	J1629+4007	16	29	1.3108	40	7	59.92	COS/FUV	Spectroscopic	G130M	3	0	
16256	-ALF-SCO	16	29	24.4457	-26	25	55.57	STIS/FUV-MAMA	Spectroscopic	E140M	7	0	
16256	-ALF-SCO	16	29	24.4457	-26	25	55.57	STIS/NUV-MAMA	Spectroscopic	E230H	3	0	
16256	-ALF-SCO	16	29	24.4457	-26	25	55.57	STIS/NUV-MAMA	Spectroscopic	E230H	4	0	
16256	-ALF-SCO	16	29	24.4457	-26	25	55.57	STIS/NUV-MAMA	Spectroscopic	E230H	4	0	
16256	-ALF-SCO	16	29	24.4457	-26	25	55.57	STIS/NUV-MAMA	Spectroscopic	E230M	5	0	
16241	MRK885	16	29	48.3833	67	22	42.03	WFC3/UVIS	Imaging	F225W	1	0	
16166	HD-149026	16	30	29.5158	38	20	51.13	STIS/CCD	Spectroscopic	G430L	4	0	
16298	NGC6171	16	32	31.86	-13	3	13.61	ACS/WFC	Imaging	F814W	1	0	
16285	HD-149404	16	36	22.5581	-42	51	31.95	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16229	WISE1639-6847	16	39	40.83	-68	47	38.6	WFC3/IR	Imaging	F160W	1	0	
16298	NGC6205	16	41	41.2344	36	27	35.5	ACS/WFC	Imaging	F814W	1	0	
16298	NGC6218	16	47	14.1768	-1	56	54.71	ACS/WFC	Imaging	F814W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16318	QSO-J164852+095942	16	48	52.75	9	59	42.1	COS/FUV	Spectroscopic	G140L	1	0	
16242	J1653+3945	16	53	52.2198	39	45	36.58	COS/FUV	Spectroscopic	G130M	1	0	
16285	HD-152249	16	54	11.6387	-41	50	57.33	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16285	HD-152723	16	56	54.6696	-40	30	44.44	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16298	NGC6254	16	57	9.0528	-4	6	1.12	ACS/WFC	Imaging	F814W	1	0	
16241	SDSSJ170859.13+215308.1	17	8	59.1202	21	53	8.15	WFC3/UVIS	Imaging	F225W	1	0	
16242	J1709+3421	17	9	58.7568	34	21	29.3	COS/FUV	Spectroscopic	G130M	4	0	
16249	WD1713+695	17	13	6.12	69	31	25.72	STIS/CCD	Spectroscopic	G750L	1	0	
16249	WD1713+695	17	13	6.12	69	31	25.72	STIS/CCD	Spectroscopic	G430L	1	0	
16249	WD1713+695	17	13	6.12	69	31	25.72	WFC3/IR	Spectroscopic	G141	1	0	
16298	NGC6304	17	14	32.256	-29	27	43.31	ACS/WFC	Imaging	F814W	1	0	
16246	NGC-6300	17	16	59.473	-62	49	13.98	WFC3/UVIS	Imaging	FQ508N	1	0	
16298	NGC6341	17	17	7.3824	43	8	9.38	ACS/WFC	Imaging	F814W	1	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F606W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	ACS/WFC	Imaging	F435W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	WFC3/UVIS	Imaging	F275W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	WFC3/UVIS	Imaging	F275W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	WFC3/UVIS	Imaging	F275W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	WFC3/UVIS	Imaging	F275W	0	4	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	WFC3/UVIS	Imaging	F275W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	WFC3/UVIS	Imaging	F275W	4	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	WFC3/UVIS	Imaging	F275W	4	0	
16252	JWST-NEP-TDF	17	22	47.896	65	49	21.54	WFC3/UVIS	Imaging	F275W	4	0	
16298	NGC6352	17	25	29.1072	-48	25	19.81	ACS/WFC	Imaging	F814W	1	0	
16298	NGC6366	17	27	44.2464	-5	4	47.5	ACS/WFC	Imaging	F814W	1	0	
16268	2MASSWJ1728114+394859	17	28	11.551	39	48	58.91	WFC3/IR	Spectroscopic	G102	1	0	
16298	NGC6362	17	31	54.9816	-67	2	53.99	ACS/WFC	Imaging	F814W	1	0	
16281	4C16.49	17	34	42	16	0	3	WFC3/UVIS	Imaging	F606W	1	0	
16268	LSPMJ1735+2634	17	35	13.183	26	34	42.58	WFC3/IR	Spectroscopic	G141	1	0	
16298	NGC6388	17	36	17.2272	-44	44	7.8	ACS/WFC	Imaging	F814W	1	0	
16283	M-14	17	37	36.15	-3	14	45.3	WFC3/UVIS	Imaging	F336W	0	13	
16283	M-14	17	37	36.15	-3	14	45.3	WFC3/UVIS	Imaging	F275W	13	0	
16241	ESO139-12	17	37	39.0703	-59	56	26.58	WFC3/UVIS	Imaging	F225W	1	0	
16229	WISE1738+2732	17	38	35.94	27	32	53.61	WFC3/IR	Imaging	F160W	1	0	
16200	OGLE-2017-BLG-0302	17	41	35.93	-34	33	19.3	WFC3/UVIS	Imaging	F814W	2	0	
16200	OGLE-2017-BLG-0302	17	41	35.93	-34	33	19.3	WFC3/UVIS	Imaging	F814W			
16200	OGLE-2019-BLG-1000	17	47	1.67	-26	30	15.9	WFC3/UVIS	Imaging	F814W	1	0	
16200	OGLE-2019-BLG-1000	17	47	1.67	-26	30	15.9	WFC3/UVIS	Imaging	F814W	2	0	
16241	MRK507	17	48	38.2954	68	42	16.29	WFC3/UVIS	Imaging	F225W	1	0	
16298	NGC6441	17	50	13.0584	-37	3	5.22	ACS/WFC	Imaging	F814W	1	0	
16200	OGLE-2017-BLG-328	17	54	9.56	-28	44	52.6	WFC3/UVIS	Imaging	F555W	1	0	
16200	OGLE-2017-BLG-328	17	54	9.56	-28	44	52.6	WFC3/UVIS	Imaging	F606W			
16287	UGC-11037	17	55	5.427	18	15	26.76	WFC3/UVIS	Imaging	F275W	1	0	
16210	J1755+4229	17	55	43.181	42	29	24.25	STIS/CCD	Spectroscopic	G750L	1	0	
16298	NGC6496	17	59	3.684	-44	15	57.42	ACS/WFC	Imaging	F814W	1	0	
16281	4C+13.66	18	1	38	13	51	2	WFC3/IR	Imaging	F140W	1	0	
16298	NGC6535	18	3	50.508	0	17	51.5	ACS/WFC	Imaging	F814W	1	0	
16281	3C368	18	5	6	11	1	3	WFC3/UVIS	Imaging	F606W	1	0	
16282	NGC-6553	18	9	15.68	-25	54	27.8	WFC3/IR	Imaging	F110W	1	0	
16282	NGC-6553	18	9	15.68	-25	54	27.8	WFC3/IR	Imaging	F160W			
16200	OGLE-2019-BLG-1080	18	10	4.47	-27	52	1.4	WFC3/UVIS	Imaging	F606W	3	0	
16200	OGLE-2019-BLG-1080	18	10	4.47	-27	52	1.4	WFC3/UVIS	Imaging	F606W			
16285	HD-168076	18	18	36.4223	-13	48	2.43	STIS/NUV-MAMA	Spectroscopic	E230H	3	0	
16298	NGC6584	18	18	37.596	-52	12	56.81	ACS/WFC	Imaging	F814W	1	0	
16287	UGC-11214	18	22	53.269	12	25	45.75	WFC3/UVIS	Imaging	F275W	1	0	
16298	NGC6624	18	23	40.5096	-30	21	39.71	ACS/WFC	Imaging	F814W	1	0	
16229	WISE1828+2650	18	28	32.335	26	50	39.55	WFC3/IR	Imaging	F105W	1	0	
16298	NGC6637	18	31	23.1	-32	20	53.09	ACS/WFC	Imaging	F814W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16241	3C382	18	35	3.3898	32	41	46.85	WFC3/UVIS	Imaging	F225W	1	0	
16298	NGC6652	18	35	45.6288	-32	59	26.59	ACS/WFC	Imaging	F814W	1	0	
16224	RAVE-J183617.0-511059	18	36	17.0271	-51	10	58.5	STIS/FUV-MAMA	Spectroscopic	G140L	2	0	
16177	M-22	18	36	23.95	-23	54	17.2	ACS/WFC	Imaging	F475W	3	0	
16177	M-22	18	36	23.95	-23	54	17.2	WFC3/IR	Imaging	F110W	2	0	
16241	3C390.3	18	42	9.0043	79	46	17.14	WFC3/UVIS	Imaging	F225W	1	0	
16298	NGC6681	18	43	12.7584	-32	17	31.6	ACS/WFC	Imaging	F814W	1	0	
16241	FAIRALL51	18	44	53.9923	-62	21	52.89	WFC3/UVIS	Imaging	F225W	1	0	
16241	LEDA89032	18	47	2.7917	-78	31	49.54	WFC3/UVIS	Imaging	F225W	1	0	
16210	J1852+4833	18	52	26.105	48	33	15.02	STIS/CCD	Spectroscopic	G750L	1	0	
16241	FAIRALL189	18	54	40.2662	-78	53	53.94	WFC3/UVIS	Imaging	F225W	1	0	
16298	NGC6715	18	55	3.324	-30	28	47.5	ACS/WFC	Imaging	F814W	1	0	
16298	NGC6717	18	55	6.0432	-22	42	5.29	ACS/WFC	Imaging	F814W	1	0	
16210	J1857+7048	18	57	28.66	70	48	11.4	STIS/CCD	Spectroscopic	G750L	1	0	
16298	NGC6723	18	59	33.1488	-36	37	56.1	ACS/WFC	Imaging	F814W	1	0	
16241	Z229-15	19	5	25.9399	42	27	39.72	WFC3/UVIS	Imaging	F225W	1	0	
16298	NGC6779	19	16	35.5656	30	11	0.49	ACS/WFC	Imaging	F814W	1	0	
16197	VB-10	19	16	56.9898	5	8	40.43	STIS/FUV-MAMA	Spectroscopic	G140M	2	0	
16197	VB-10	19	16	56.9898	5	8	40.43	STIS/FUV-MAMA	Spectroscopic	G140M	2	0	
16249	WD1919+145	19	21	40.32	14	40	40.8	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16249	WD1919+145	19	21	40.32	14	40	40.8	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16249	WD1919+145	19	21	40.32	14	40	40.8	WFC3/IR	Spectroscopic	G102	1	0	
16241	2E1923.7+5037	19	25	2.1833	50	43	13.78	WFC3/UVIS	Imaging	F225W	1	0	
16316	NAME-SGR-DIG	19	29	59	-17	40	41	ACS/SBC	Imaging	F150LP	1	0	
16316	NAME-SGR-DIG	19	29	59	-17	40	41	WFC3/UVIS	Imaging	F438W	1	0	
16162	SAG-DIG	19	29	59.095	-17	40	53.26	WFC3/IR	Imaging	F139M	0	2	
16162	SAG-DIG	19	29	59.095	-17	40	53.26	WFC3/IR	Imaging	F139M	1	0	
16241	LEDA90334	19	37	33.0274	-6	13	4.81	WFC3/UVIS	Imaging	F225W	1	0	
16307	HD-185603B	19	38	38.739	31	13	9.12	WFC3/IR	Spectroscopic	G141	5	0	
16307	HD-185603B	19	38	38.739	31	13	9.12	WFC3/IR	Spectroscopic	G141	5	0	
16298	NGC6809	19	39	59.7072	-30	57	53.1	ACS/WFC	Imaging	F814W	1	0	
16241	NGC6814	19	42	40.5852	-10	19	25.09	WFC3/UVIS	Imaging	F225W	1	0	
16208	V-SU-CYG	19	44	48.7343	29	15	52.85	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16208	V-SU-CYG	19	44	48.7343	29	15	52.85	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16208	V-SU-CYG	19	44	48.7343	29	15	52.85	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16208	V-SU-CYG	19	44	48.7343	29	15	52.85	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16224	TYC-8394-1331-1	19	47	21.6755	-46	52	31.86	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16298	NGC6838	19	53	46.4952	18	46	45.08	ACS/WFC	Imaging	F814W	1	0	
16180	HD-189733B	20	0	43.7093	22	42	35.19	WFC3/IR	Spectroscopic	G141	30	0	
16285	HD-190603	20	4	36.1698	32	13	6.78	STIS/NUV-MAMA	Spectroscopic	E230H	1	0	
16188	HD191026	20	6	21.4801	35	58	14.07	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16249	WD2007-303	20	10	56.64	-30	13	4.8	STIS/CCD	Spectroscopic	G430L	1	0	
16249	WD2007-303	20	10	56.64	-30	13	4.8	STIS/CCD	Spectroscopic	G750L	1	0	
16249	WD2007-303	20	10	56.64	-30	13	4.8	WFC3/IR	Spectroscopic	G141	1	0	
16263	HD-191849	20	13	54.537	-45	9	52.95	STIS/CCD	Spectroscopic	G750L	1	0	
16263	HD-191849	20	13	54.537	-45	9	52.95	STIS/CCD	Spectroscopic	G430L	1	0	
16285	HD-192639	20	14	30.4223	37	21	13.8	STIS/NUV-MAMA	Spectroscopic	E230H	2	0	
16287	ESO-462-9	20	21	51.5562	-31	17	23.01	WFC3/UVIS	Imaging	F275W	1	0	
16270	HD-195689	20	31	26.3759	39	56	20.1	STIS/NUV-MAMA	Spectroscopic	E230M	5	0	
16270	HD-195689	20	31	26.3759	39	56	20.1	STIS/NUV-MAMA	Spectroscopic	E230M	5	0	
16241	2MASXJ20350566+2603301	20	35	5.6494	26	3	29.98	WFC3/UVIS	Imaging	F225W	1	0	
16249	WD2039-202	20	42	34.75	-20	4	35.95	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16249	WD2039-202	20	42	34.75	-20	4	35.95	STIS/NUV-MAMA	Spectroscopic	G230L	1	0	
16249	WD2039-202	20	42	34.75	-20	4	35.95	WFC3/IR	Spectroscopic	G141	1	0	
16285	HD-197770	20	43	13.6789	57	6	50.3	STIS/NUV-MAMA	Spectroscopic	E230H	1	0	
16241	MRK509	20	44	9.7526	-10	43	24.74	WFC3/UVIS	Imaging	F225W	1	0	
16164	V-AU-MIC	20	45	9.8729	-31	20	32.82	COS/FUV	Spectroscopic	G130M	15	0	
16263	V-AU-MIC	20	45	9.8729	-31	20	32.82	STIS/CCD	Spectroscopic	G750L	3	0	
16263	V-AU-MIC	20	45	9.8729	-31	20	32.82	STIS/CCD	Spectroscopic	G430L	3	0	
16162	DDO-210	20	46	51.8	-12	50	49.36	WFC3/IR	Imaging	F127M	1	0	
16162	DDO-210	20	46	51.8	-12	50	49.36	WFC3/IR	Imaging	F127M	2	0	
16210	J2048+6258	20	48	48	62	58	58.3	STIS/CCD	Spectroscopic	G750L	1	0	
16223	JO175	20	51	17.6	-52	49	21.82	WFC3/UVIS	Imaging	F275W	5	0	
16223	JO175	20	51	17.6	-52	49	21.82	WFC3/UVIS	Imaging	F336W			
16223	JO175	20	51	17.6	-52	49	21.82	WFC3/UVIS	Imaging	F606W			
16223	JO175	20	51	17.6	-52	49	21.82	WFC3/UVIS	Imaging	F814W			
16223	JO175	20	51	17.6	-52	49	21.82	WFC3/UVIS	Imaging	F680N			
16298	NGC6981	20	53	27.7008	-12	32	14.28	ACS/WFC	Imaging	F814W	1	0	
16229	WISE2056+1459	20	56	29.862	15	0	1.66	WFC3/IR	Imaging	F125W	1	0	
16204	GAI AJ2100+2122	21	0	34.7	21	22	57.5	COS/NUV	Spectroscopic	G230L	2	0	
16314	WDJ2100+2122	21	0	34.73	21	22	57.48	COS/FUV	Spectroscopic	G130M	1	0	
16285	HD-200775	21	1	36.9416	68	9	47.75	STIS/FUV-MAMA	Spectroscopic	E140H	2	0	
16242	J2106+0909	21	6	51.1139	9	9	35.99	COS/FUV	Spectroscopic	G130M	3	0	
16241	H2106-099	21	9	9.9746	-9	40	14.78	WFC3/UVIS	Imaging	F225W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16270	HD-201585	21	10	12.3663	10	44	20.03	STIS/NUV-MAMA	Spectroscopic	E230M	5	0	
16270	HD-201585	21	10	12.3663	10	44	20.03	STIS/NUV-MAMA	Spectroscopic	E230M	5	0	
16223	JO206	21	13	47.41	2	28	34.38	WFC3/UVIS	Imaging	F680N	5	0	
16223	JO206	21	13	47.41	2	28	34.38	WFC3/UVIS	Imaging	F275W			
16223	JO206	21	13	47.41	2	28	34.38	WFC3/UVIS	Imaging	F336W			
16223	JO206	21	13	47.41	2	28	34.38	WFC3/UVIS	Imaging	F606W			
16223	JO206	21	13	47.41	2	28	34.38	WFC3/UVIS	Imaging	F814W			
16241	S52116+81	21	14	1.1465	82	4	48.33	WFC3/UVIS	Imaging	F225W	1	0	
16269	NGC-7038	21	15	7.529	-47	13	13.91	WFC3/IR	Imaging	F160W	6	0	
16269	NGC-7038	21	15	7.529	-47	13	13.91	WFC3/UVIS	Imaging	F814W	2	0	
16269	NGC-7038	21	15	7.529	-47	13	13.91	WFC3/UVIS	Imaging	F555W	3	0	
16269	NGC-7038	21	15	7.529	-47	13	13.91	WFC3/UVIS	Imaging	F350LP	11	0	
16231	SDSS-J211824.06+001729.4	21	18	24.0587	0	17	29.45	ACS/SBC	Imaging	F150LP	20	0	
16231	SDSS-J211824.06+001729.4	21	18	24.0587	0	17	29.45	ACS/SBC	Imaging	F165LP			
16224	CPD-82-849	21	18	47.1805	-81	45	17.51	STIS/FUV-MAMA	Spectroscopic	G140L	3	0	
16249	WD2117+539	21	18	56.2637	54	12	41.24	STIS/CCD	Spectroscopic	G430L	1	0	
16249	WD2117+539	21	18	56.2637	54	12	41.24	STIS/CCD	Spectroscopic	G750L	1	0	
16249	WD2117+539	21	18	56.2637	54	12	41.24	STIS/FUV-MAMA	Spectroscopic	G140L	1	0	
16208	V-V1334-CYG	21	19	22.1822	38	14	14.87	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16208	V-V1334-CYG	21	19	22.1822	38	14	14.87	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16208	V-V1334-CYG	21	19	22.1822	38	14	14.87	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16208	V-V1334-CYG	21	19	22.1822	38	14	14.87	STIS/FUV-MAMA	Spectroscopic	E140H	1	0	
16241	2MASXJ21192912+3332566	21	19	29.1278	33	32	57.01	WFC3/UVIS	Imaging	F225W	1	0	
16210	J2122-0026	21	22	43.01	0	26	53.6	STIS/CCD	Spectroscopic	G750L	1	0	
16285	HD-203938	21	23	50.1711	47	9	52.3	STIS/FUV-MAMA	Spectroscopic	E140H	3	0	
16249	WD2126+734	21	26	57.6	73	38	42	STIS/CCD	Spectroscopic	G430L	1	0	
16249	WD2126+734	21	26	57.6	73	38	42	STIS/CCD	Spectroscopic	G750L	1	0	
16249	WD2126+734	21	26	57.6	73	38	42	WFC3/IR	Spectroscopic	G141	1	0	
16242	J2130-0025	21	30	22.704	0	25	52.1	COS/FUV	Spectroscopic	G130M	8	0	
16173	HE2128-0221	21	30	49.9359	-2	8	14.54	WFC3/UVIS	Imaging	F336W	1	0	
16298	NGC7089	21	33	27.0192	0	49	23.7	ACS/WFC	Imaging	F814W	1	0	
16285	HD-206267	21	38	57.6126	57	29	20.47	STIS/NUV-MAMA	Spectroscopic	E230H	1	0	
16285	HD-239729	21	39	27.4009	57	29	0.74	STIS/NUV-MAMA	Spectroscopic	E230H	4	0	
16298	NGC7099	21	40	22.1112	-23	10	47.5	ACS/WFC	Imaging	F814W	1	0	
16268	2MASSWJ2140293+162518	21	40	29.2371	16	25	16.83	WFC3/IR	Spectroscopic	G102	1	0	
16281	3C437	21	47	25	15	20	3	WFC3/IR	Imaging	F140W	1	0	
16269	NGC-7130	21	48	19.49	-34	57	4.73	WFC3/IR	Imaging	F160W	6	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16269	NGC-7130	21	48	19.49	-34	57	4.73	WFC3/UVIS	Imaging	F814W	2	0	
16269	NGC-7130	21	48	19.49	-34	57	4.73	WFC3/UVIS	Imaging	F555W	3	0	
16269	NGC-7130	21	48	19.49	-34	57	4.73	WFC3/UVIS	Imaging	F350LP	11	0	
16249	WD2149+021	21	52	25.2	2	23	16.8	STIS/CCD	Spectroscopic	G750L	1	0	
16249	WD2149+021	21	52	25.2	2	23	16.8	STIS/CCD	Spectroscopic	G430L	1	0	
16249	WD2149+021	21	52	25.2	2	23	16.8	WFC3/IR	Spectroscopic	G141	1	0	
16165	SN-2016COI	21	59	4.14	18	11	10.5	WFC3/UVIS	Imaging	F336W	1	0	
16318	SDSSJ2200+0008	22	0	40.91	0	8	32.2	COS/FUV	Spectroscopic	G140L	1	0	
16318	MG1J220825+1808	22	8	24.19	18	8	26.8	COS/FUV	Spectroscopic	G140L	1	0	
16229	WISE2209+2711	22	9	5.734	27	11	44	WFC3/IR	Imaging	F160W	1	0	
16241	NGC7213	22	9	16.212	-47	10	0.11	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE2211-3903	22	14	42.0139	-38	48	22.88	WFC3/UVIS	Imaging	F225W	1	0	
16229	WISE2220-3628	22	20	55.684	-36	28	18.92	WFC3/IR	Imaging	F160W	1	0	
16287	ESO-467-51	22	23	16.8	-28	58	48	WFC3/UVIS	Imaging	F275W	1	0	
16241	3C445	22	23	49.5415	-2	6	12.85	WFC3/UVIS	Imaging	F225W	1	0	
16173	HE2222-0026	22	24	35.293	0	11	3.92	WFC3/UVIS	Imaging	F336W	1	0	
16243	WISEJ2230+2549	22	30	22.61	25	49	7.44	WFC3/IR	Imaging	F110W	1	0	
16243	WISEJ2230+2549	22	30	22.61	25	49	7.44	WFC3/IR	Imaging	F110W	1	0	
16172	PHL293B-LBV	22	30	36.75	0	6	39	WFC3/IR	Imaging	F125W			
16172	PHL293B-LBV	22	30	36.75	0	6	39	WFC3/IR	Imaging	F160W			
16172	PHL293B-LBV	22	30	36.75	0	6	39	WFC3/UVIS	Imaging	F336W	1	0	
16172	PHL293B-LBV	22	30	36.75	0	6	39	WFC3/UVIS	Imaging	F814W	2	0	
16172	PHL293B-LBV	22	30	36.75	0	6	39	WFC3/UVIS	Imaging	F438W			
16172	PHL293B-LBV	22	30	36.75	0	6	39	WFC3/UVIS	Imaging	F606W			
16172	PHL293B-LBV	22	30	36.75	0	6	39	WFC3/UVIS	Imaging	F225W			
16273	ANDROMEDA-XXVIII	22	32	41.9974	31	13	8.14	ACS/WFC	Imaging	F606W	6	0	
16273	ANDROMEDA-XXVIII	22	32	41.9974	31	13	8.14	WFC3/UVIS	Imaging	F814W	0	7	
16173	HE2233+0124	22	35	41.8941	1	39	33.57	WFC3/UVIS	Imaging	F225W	1	0	
16241	MRK915	22	36	46.493	-12	32	42.8	WFC3/UVIS	Imaging	F225W	1	0	
16241	UGC12138	22	40	17.0719	8	3	13.57	WFC3/UVIS	Imaging	F225W	1	0	
16226	TUCANA-DWARF-GALAXY	22	41	49.6008	-64	25	9.98	ACS/WFC	Imaging	F814W	11	0	
16226	TUCANA-DWARF-GALAXY	22	41	49.6008	-64	25	9.98	WFC3/UVIS	Imaging	F395N	12	0	
16243	WISEJ2243-1458	22	43	19.6674	-14	59	0.76	WFC3/IR	Imaging	F110W	1	0	
16243	WISEJ2243-1458	22	43	19.6674	-14	59	0.76	WFC3/IR	Imaging	F110W	4	0	
16281	3C454	22	51	34	18	48	4	WFC3/UVIS	Imaging	F606W	1	0	
16268	DENISJ225210.7-173013	22	52	11.1919	-17	30	11.41	WFC3/IR	Spectroscopic	G141	1	0	
16241	MR2251-178	22	54	5.8853	-17	34	55.33	WFC3/UVIS	Imaging	F225W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16285	HD-216898	22	55	42.4565	62	18	22.77	STIS/FUV-MAMA	Spectroscopic	E140H	2	0	
16239	SN-2017BZB	22	57	17.2992	-41	0	57.6	WFC3/UVIS	Imaging	F350LP	1	0	
16239	SN-2017BZB	22	57	17.2992	-41	0	57.6	WFC3/UVIS	Imaging	F555W	1	0	
16166	BD+37-4734B	22	57	46.8872	38	40	29.71	STIS/NUV-MAMA	Spectroscopic	G230L	7	0	
16248	SDSSJ2258+2313	22	58	5.675	23	13	16.12	WFC3/IR	Imaging	F105W	2	0	
16173	HE2302-0857	23	4	43.4776	-8	41	8.63	WFC3/UVIS	Imaging	F336W	1	0	
16166	WASP-52	23	13	58.7504	8	45	39.89	STIS/NUV-MAMA	Spectroscopic	G230L	8	0	
16269	NGC-7549	23	15	17.285	19	2	29.92	WFC3/IR	Imaging	F160W	6	0	
16269	NGC-7549	23	15	17.285	19	2	29.92	WFC3/UVIS	Imaging	F814W	2	0	
16269	NGC-7549	23	15	17.285	19	2	29.92	WFC3/UVIS	Imaging	F555W	3	0	
16269	NGC-7549	23	15	17.285	19	2	29.92	WFC3/UVIS	Imaging	F350LP	11	0	
16241	NGC7603	23	18	56.6558	0	14	37.95	WFC3/UVIS	Imaging	F225W	1	0	
16286	J2322+0509	23	22	30.2	5	9	42.06	STIS/FUV-MAMA	Spectroscopic	G140L	4	0	
16273	ANDROMEDA-VII	23	26	30.8178	50	41	33.25	ACS/WFC	Imaging	F814W	8	0	
16273	ANDROMEDA-VII	23	26	30.8178	50	41	33.25	WFC3/UVIS	Imaging	F606W	0	6	
16246	NGC-7682	23	29	3.896	3	32	0	WFC3/UVIS	Imaging	F547M	1	0	
16241	MCG-01-59-027	23	30	32.3206	-2	27	45.16	WFC3/UVIS	Imaging	F225W	1	0	
16223	JW100	23	36	25.06	21	9	2.53	WFC3/UVIS	Imaging	F275W	5	0	
16223	JW100	23	36	25.06	21	9	2.53	WFC3/UVIS	Imaging	F336W			
16223	JW100	23	36	25.06	21	9	2.53	WFC3/UVIS	Imaging	F606W			
16223	JW100	23	36	25.06	21	9	2.53	WFC3/UVIS	Imaging	F814W			
16223	JW100	23	36	25.06	21	9	2.53	WFC3/UVIS	Imaging	F680N			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	F336W	5	0	
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	F502N			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	F373N			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	F280N			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	F656N			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	F673N			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	FQ437N			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	F275W			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	FQ232N			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	FQ243N			
16312	V-R-AQR	23	43	49.4616	-15	17	4.2	WFC3/UVIS	Imaging	F555W			
16229	WISE2354-0240	23	54	2.79	2	40	14.1	WFC3/IR	Imaging	F160W	1	0	
16318	SDSSJ2354+3400	23	54	4.44	34	0	48.6	COS/FUV	Spectroscopic	G140L	1	0	
16166	TOI-193	23	54	40.5199	-37	37	41.57	STIS/NUV-MAMA	Spectroscopic	G230L	2	0	
16281	3C469.1	23	55	23	79	55	2	WFC3/IR	Imaging	F140W	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16243	WISEJ2355+3804	23	55	48	38	4	39.1	WFC3/IR	Imaging	F110W	1	0	
16243	WISEJ2355+3804	23	55	48	38	4	39.1	WFC3/IR	Imaging	F110W	1	0	
16243	WISEJ2356-4814	23	56	44.79	-48	14	56.3	WFC3/IR	Imaging	F110W	1	0	
16243	WISEJ2356-4814	23	56	44.79	-48	14	56.3	WFC3/IR	Imaging	F110W	1	0	
16301	MCG--03-01-002	23	56	47.7288	-16	30	34.99	COS/FUV	Spectroscopic	G160M	13	0	
16301	MCG--03-01-002	23	56	47.7288	-16	30	34.99	COS/FUV	Spectroscopic	G160M			
16301	MCG--03-01-002	23	56	47.7288	-16	30	34.99	COS/FUV	Spectroscopic	G130M			
16301	MCG--03-01-002	23	56	47.7288	-16	30	34.99	COS/FUV	Spectroscopic	G130M			
16316	NGC-7793	23	57	49.7534	-32	35	27.71	ACS/SBC	Imaging	F150LP	1	0	
16316	NGC-7793	23	57	49.7534	-32	35	27.71	WFC3/UVIS	Imaging	F218W	2	0	
16281	3C470	23	58	35	44	4	4	WFC3/UVIS	Imaging	F606W	1	0	
16167								WFC3/UVIS	Imaging	F606W	2	0	
16167								WFC3/UVIS	Imaging	F814W			
16178								STIS/CCD	Spectroscopic	G430L	5	0	Yes (Disruptive)
16178								STIS/CCD	Spectroscopic	G750L	6	0	Yes (Disruptive)
16178								STIS/NUV-MAMA	Spectroscopic	G230L	6	0	Yes (Disruptive)
16179								WFC3/UVIS	Imaging	F555W	1	0	
16179								WFC3/UVIS	Imaging	F814W	1	0	
16179								WFC3/UVIS	Imaging	F555W	1	0	
16179								WFC3/UVIS	Imaging	F814W	1	0	
16179								WFC3/UVIS	Imaging	F555W	1	0	
16179								WFC3/UVIS	Imaging	F814W	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	
16183								WFC3/UVIS	Imaging	F350LP	1	0	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16183							WFC3/UVIS	Imaging	F350LP	1	0		
16183							WFC3/UVIS	Imaging	F350LP	1	0		
16183							WFC3/UVIS	Imaging	F350LP	1	0		
16183							WFC3/UVIS	Imaging	F350LP	1	0		
16183							WFC3/UVIS	Imaging	F350LP	1	0		
16183							WFC3/UVIS	Imaging	F350LP	1	0		
16189							STIS/FUV-MAMA	Spectroscopic	G140L	3	0	Yes (n-Disruptive)	
16189							STIS/FUV-MAMA	Spectroscopic	G140L	3	0		
16189							STIS/FUV-MAMA	Spectroscopic	G140L	3	0		
16189							STIS/NUV-MAMA	Spectroscopic	G230L	2	0	Yes (n-Disruptive)	
16189							STIS/NUV-MAMA	Spectroscopic	G230L	2	0		
16189							STIS/NUV-MAMA	Spectroscopic	G230L	2	0		
16190							STIS/CCD	Spectroscopic	G430L	2	0		
16190							STIS/CCD	Spectroscopic	G430L	2	0		
16190							STIS/CCD	Spectroscopic	G430L	2	0		
16190							STIS/CCD	Spectroscopic	G430L	2	0		
16190							STIS/CCD	Spectroscopic	G430L	2	0		
16190							STIS/CCD	Spectroscopic	G430L	2	0		
16190							STIS/CCD	Spectroscopic	G430L	3	0		
16190							STIS/CCD	Spectroscopic	G430L	3	0		
16190							STIS/CCD	Spectroscopic	G430L	3	0		
16190							STIS/CCD	Spectroscopic	G430L	3	0		
16190							STIS/CCD	Spectroscopic	G430L	3	0		
16190							STIS/NUV-MAMA	Spectroscopic	G230L	2	0	Yes (Disruptive)	
16190							STIS/NUV-MAMA	Spectroscopic	G230L	2	0		
16190							STIS/NUV-MAMA	Spectroscopic	G230L	2	0	Yes (Disruptive)	
16190							STIS/NUV-MAMA	Spectroscopic	G230L	2	0		
16190							STIS/NUV-MAMA	Spectroscopic	G230L	2	0		
16190							STIS/NUV-MAMA	Spectroscopic	G230L	3	0		
16190							STIS/NUV-MAMA	Spectroscopic	G230L	3	0		
16190							STIS/NUV-MAMA	Spectroscopic	G230L	3	0		
16190							STIS/NUV-MAMA	Spectroscopic	G230L	3	0		
16190							STIS/NUV-MAMA	Spectroscopic	G230L	4	0	Yes (Disruptive)	
16190							STIS/NUV-MAMA	Spectroscopic	G230L	4	0	Yes (Disruptive)	
16192							WFC3/UVIS	Imaging	F606W	1	0		

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16192							WFC3/UVIS	Imaging	F606W	1	0		
16192							WFC3/UVIS	Imaging	F606W	1	0		
16192							WFC3/UVIS	Imaging	F606W	1	0		
16192							WFC3/UVIS	Imaging	F606W	1	0		
16192							WFC3/UVIS	Imaging	F606W	1	0		
16192							WFC3/UVIS	Imaging	F606W	1	0		
16192							WFC3/UVIS	Imaging	F606W	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25QTZ	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16195							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16199							STIS/FUV-MAMA	Spectroscopic	G140L	2	0		
16199							STIS/FUV-MAMA	Spectroscopic	G140L	2	0		
16211							COS/FUV	Spectroscopic	G130M	6	0		
16211							COS/FUV	Spectroscopic	G130M	6	0		
16212							COS/FUV	Spectroscopic	G140L	4	0	Yes (Disruptive)	
16212							STIS/NUV-MAMA	Spectroscopic	G230L	2	0	Yes (Disruptive)	
16214							ACS/WFC	Imaging	F775W	2	0		
16221							STIS/CCD	Spectroscopic	G430L	3	0		
16221							STIS/CCD	Spectroscopic	G430L	3	0		
16221							STIS/CCD	Spectroscopic	G430L	5	0		
16221							STIS/CCD	Spectroscopic	G430L	5	0		
16221							STIS/NUV-MAMA	Spectroscopic	G230L	3	0	Yes (Disruptive)	
16221							STIS/NUV-MAMA	Spectroscopic	G230L	3	0		
16221							STIS/NUV-MAMA	Spectroscopic	G230L	3	0	Yes (Disruptive)	

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16221							STIS/NUV-MAMA	Spectroscopic	G230L	3	0		
16238							STIS/CCD	Spectroscopic	G430L	1	0	Yes (n-Disruptive)	
16238							STIS/CCD	Spectroscopic	G750L	1	0	Yes (n-Disruptive)	
16238							STIS/CCD	Spectroscopic	G430L	2	0	Yes (n-Disruptive)	
16238							STIS/CCD	Spectroscopic	G750L	2	0	Yes (n-Disruptive)	
16238							STIS/CCD	Spectroscopic	G430L	2	0	Yes (n-Disruptive)	
16238							STIS/NUV-MAMA	Spectroscopic	G230L	1	0	Yes (n-Disruptive)	
16238							STIS/NUV-MAMA	Spectroscopic	G230L	1	0	Yes (n-Disruptive)	
16238							STIS/NUV-MAMA	Spectroscopic	G230L	2	0	Yes (n-Disruptive)	
16264							ACS/WFC	Imaging	F435W	6	0	Yes (Disruptive)	
16264							ACS/WFC	Imaging	F606W	6	0	Yes (n-Disruptive)	
16264							ACS/WFC	Imaging	F475W	10	0	Yes (n-Disruptive)	
16275							WFC3/IR	Imaging	F160W	2	0	Yes (Disruptive)	
16275							WFC3/IR	Imaging	F105W	4	0	Yes (n-Disruptive)	
16275							WFC3/IR	Imaging	F125W				
16275							WFC3/IR	Imaging	F160W				
16275							WFC3/IR	Imaging	F110W				
16275							WFC3/IR	Imaging	F160W				
16275							WFC3/IR	Spectroscopic	G102				
16275							WFC3/IR	Spectroscopic	G141				
16275							WFC3/UVIS	Imaging	F475W	2	0	Yes (Disruptive)	
16275							WFC3/UVIS	Imaging	F606W	3	0	Yes (Disruptive)	
16275							WFC3/UVIS	Imaging	F438W	3	0	Yes (n-Disruptive)	
16275							WFC3/UVIS	Imaging	F814W	4	0	Yes (n-Disruptive)	
16275							WFC3/UVIS	Imaging	F555W				
16275							WFC3/UVIS	Imaging	F775W				
16275							WFC3/UVIS	Imaging	F625W				
16275							WFC3/UVIS	Imaging	F336W				
16275							WFC3/UVIS	Imaging	F606W				
16275							WFC3/UVIS	Imaging	F475W				
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16280							WFC3/UVIS	Imaging	F775W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16280							WFC3/UVIS	Imaging	F775W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16280							WFC3/UVIS	Imaging	F775W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16280							WFC3/UVIS	Imaging	F775W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16280							WFC3/UVIS	Imaging	F775W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16280							WFC3/UVIS	Imaging	F775W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16280							WFC3/UVIS	Imaging	F775W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16280							WFC3/UVIS	Imaging	F775W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16280							WFC3/UVIS	Imaging	F775W	1	0		
16280							WFC3/UVIS	Imaging	F625W	1	0		
16280							WFC3/UVIS	Imaging	F475W	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		

Cycle 28 Exposure Catalog (based on Phase I Submission information)

Phase II	Target	RA			DEC			Configuration	Mode	Filter	Prime	Parallel	ToO
		Hours	Minutes	Seconds	Hours	Minutes	Seconds						
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16295							STIS/FUV-MAMA	Imaging	F25SRF2	1	0		
16303							WFC3/IR	Imaging	F160W	2	0	Yes (Disruptive)	
16303							WFC3/IR	Imaging	F110W	4	0	Yes (Disruptive)	
16303							WFC3/IR	Imaging	F160W	4	0	Yes (Disruptive)	
16306							WFC3/IR	Imaging	F139M				
16306							WFC3/IR	Imaging	F153M				
16306							WFC3/UVIS	Imaging	F606W	20	0		
16308							WFC3/UVIS	Imaging	F350LP	2	0	Yes (n-Disruptive)	
16309							WFC3/UVIS	Imaging	F350LP	5	0		
16310							WFC3/UVIS	Imaging	F350LP	8	0		
16311							WFC3/UVIS	Imaging	F350LP	4	0	Yes (Disruptive)	
16313							STIS/FUV-MAMA	Imaging	F25SRF2	0	0	Yes (n-Disruptive)	
16313							STIS/FUV-MAMA	Imaging	25MAMA	9	0	Yes (n-Disruptive)	
16315							WFC3/UVIS	Imaging	F350LP	5	0		
16315							WFC3/UVIS	Imaging	F689M				
16203	SN2020XXX	0	0	0	0	0	0	STIS/CCD	Spectroscopic	G430L	4	0	Yes (Disruptive)
16203	SN2020XXX	0	0	0	0	0	0	STIS/CCD	Spectroscopic	G230LB	9	0	Yes (Disruptive)