10092 - The COSMOS 2-Degree ACS Survey

Cycle: 13, Proposal Category: GO

(Availability Mode: SUPPORTED)

INVESTIGATORS

Name	*Institution*	*E-Mail*
Dr. Nicholas Scoville (PI)	**California Institute of Technology**	**nzs@astro.caltech.edu**
Dr. Michael Fall (CoI)	Space Telescope Science Institute	fall@stsci.edu
Dr. Alberto Franceschini (CoI) (ESA Member)	Universita di Padova	afrances@mostro.pd.astro.it
Dr. Mauro Giavalisco (CoI)	Space Telescope Science Institute	mauro@stsci.edu
Dr. Richard E. Griffiths (CoI)	Carnegie Mellon University	griffith@astro.phys.cmu.edu
Dr. Guenther Hasinger (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	ghasinger@aip.de
Dr. Chris Impey (CoI)	University of Arizona	cimpey@as.arizona.edu
Dr. Jean-Paul Kneib (CoI)	California Institute of Technology	kneib@astro.caltech.edu
Dr. Oliver LeFevre (CoI) (ESA Member)	CNRS, Laboratoire d'Astrophysique de Marseille	olivier.lefevre@oamp.fr
Dr. Charles Liu (CoI)	American Museum of Natural History	cliu@amnh.org
Dr. Yannick Mellier (CoI) (ESA Member)	CNRS, Institute d'Astrophysique de Paris	mellier@iap.fr
Dr. Eduardo Martin (CoI)	University of Hawaii	ege@ifa.hawaii.edu
Dr. Bahram Mobasher (CoI) (ESA Member)	Space Telescope Science Institute	mobasher@stsci.edu
Dr. Kavan Ratnatunga (CoI)	Carnegie Mellon University	kavan@lanka.phys.cmu.edu
Dr. Alexandre Refregier (CoI) (ESA Member)	University of Cambridge	ar@ast.cam.ac.uk
Dr. Alvio Renzini (CoI) (ESA Member)	European Southern Observatory - Germany	arenzini@eso.org
Dr. Jason Rhodes (CoI)	California Institute of Technology	rhodes@astro.caltech.edu
Dr. Adam Riess (CoI)	Space Telescope Science Institute	ariess@stsci.edu
Dr. David B. Sanders (CoI)	University of Hawaii	sanders@ifa.hawaii.edu
Dr. David Schiminovich (CoI)	California Institute of Technology	ds@srl.caltech.edu
Dr. Kartik Sheth (CoI)	California Institute of Technology	kartik@astro.caltech.edu

Name	*Institution*	*E-Mail*
Dr. Eva Schinnerer (CoI)	Associated Universities, Inc.	eschinne@nrao.edu
Dr. Patrick L. Shopbell (CoI)	California Institute of Technology	pls@astro.caltech.edu
Dr. Neil deGrasse Tyson (CoI)	American Museum of Natural History	tyson@magnus.amnh.org
Dr. Claudia Megan Urry (CoI)	Yale University	meg.urry@yale.edu
Dr. Ludovic Van Waerbeke (CoI) (ESA Member)	CNRS, Institute d'Astrophysique de Paris	waerbeke@iap.fr
Dr. Paolo Vettolani (CoI) (ESA Member)	CNR, Istituto di Radioastronomia	vettolani@ira.cnr.it
Dr. Simon D. M. White (CoI) (ESA Member)	Max-Planck-Institut fur Astrophysik	swhite@mpa-garching.mpg.de
Dr. Roberto G. Abraham (CoI)	University of Toronto	abraham@astro.utoronto.ca
Dr. Herve Aussel (CoI)	University of Hawaii	aussel@ifa.hawaii.edu
Dr. Joshua E. Barnes (CoI)	University of Hawaii	barnes@ifa.hawaii.edu
Dr. Andrew Benson (CoI)	California Institute of Technology	abenson@astro.caltech.edu
Dr. Andrew Blain (CoI)	California Institute of Technology	awb@astro.caltech.edu
Dr. Daniela Calzetti (CoI)	Space Telescope Science Institute	calzetti@stsci.edu
Dr. Chris Carilli (CoI)	Associated Universities, Inc.	ccarilli@nrao.edu
Dr. John E. Carlstrom (CoI)	University of Chicago	jc@hyde.uchicago.edu
Dr. Emanuele Daddi (CoI) (ESA Member)	European Southern Observatory - Germany	edaddi@eso.org
Dr. Richard S. Ellis (CoI)	California Institute of Technology	rse@astro.caltech.edu
Dr. Anton Koekemoer (CoI)	Space Telescope Science Institute	koekemoe@stsci.edu
Dr. Yoshiaki Taniguchi (CoI)	Tohoku University, Astronomical Institute	tani@astr.tohoku.ac.jp

VISITS

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
01	(1) COSMOS09-19 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:06:35.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
02	ANY (2) COSMOS09-20	ACS/WFC WFPC2	1	06-Sep-2005 21:06:42.0	yes
03	ANY (3) COSMOS09-24	ACS/WFC WFPC2	1	06-Sep-2005 21:06:48.0	yes
04	ANY (4) COSMOS10-16	ACS/WFC WFPC2	1	06-Sep-2005 21:06:53.0	yes
05	ANY (5) COSMOS10-17	ACS/WFC WFPC2	1	06-Sep-2005 21:06:57.0	yes
06	ANY (6) COSMOS10-18	ACS/WFC WFPC2	1	06-Sep-2005 21:07:02.0	yes
07	ANY (7) COSMOS10-19	ACS/WFC WFPC2	1	06-Sep-2005 21:07:07.0	yes
08	(8) COSMOS10-20 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:07:11.0	yes
09	ANY (9) COSMOS11-16	ACS/WFC WFPC2	1	06-Sep-2005 21:07:16.0	yes
0A	ANY (10) COSMOS11-17	ACS/WFC WFPC2	1	06-Sep-2005 21:07:21.0	yes
0B	(11) COSMOS11-18 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:07:26.0	yes
0C	ANY (12) COSMOS11-19	ACS/WFC WFPC2	1	06-Sep-2005 21:07:33.0	yes
0D	ANY (13) COSMOS11-20	ACS/WFC WFPC2	1	06-Sep-2005 21:07:38.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
0E	(14) COSMOS12-16 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:07:42.0	yes
0F	ANY (15) COSMOS12-17	ACS/WFC WFPC2	1	06-Sep-2005 21:07:47.0	yes
0G	ANY (16) COSMOS12-18	ACS/WFC WFPC2	1	06-Sep-2005 21:07:52.0	yes
0H	ANY (17) COSMOS12-19	ACS/WFC WFPC2	1	06-Sep-2005 21:07:56.0	yes
0I	ANY (18) COSMOS12-20	ACS/WFC WFPC2	1	06-Sep-2005 21:08:01.0	yes
0J	ANY (19) COSMOS13-16	ACS/WFC WFPC2	1	06-Sep-2005 21:08:05.0	yes
0K	ANY (20) COSMOS13-21	ACS/WFC WFPC2	1	06-Sep-2005 21:08:10.0	yes
0L	ANY (21) COSMOS16-04	ACS/WFC WFPC2	1	06-Sep-2005 21:08:15.0	yes
0M	(22) COSMOS16-09 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:08:19.0	yes
0N	ANY (23) COSMOS16-14	ACS/WFC WFPC2	1	06-Sep-2005 21:08:24.0	yes
0O	(24) COSMOS16-19 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:08:28.0	yes
0P	ANY (25) COSMOS16-24	ACS/WFC WFPC2	1	06-Sep-2005 21:08:33.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
0Q	ANY (26) COSMOS20-01	ACS/WFC WFPC2	1	06-Sep-2005 21:08:38.0	yes
0R	(27) COSMOS20-06 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:08:43.0	yes
0S	ANY (28) COSMOS20-11	ACS/WFC WFPC2	1	06-Sep-2005 21:08:47.0	yes
0T	ANY (29) COSMOS20-16	ACS/WFC WFPC2	1	06-Sep-2005 21:08:52.0	yes
0U	ANY (30) COSMOS20-21	ACS/WFC WFPC2	1	06-Sep-2005 21:08:57.0	yes
0V	ANY (31) COSMOS23-04	ACS/WFC WFPC2	1	06-Sep-2005 21:09:02.0	yes
0W	ANY (32) COSMOS23-09	ACS/WFC WFPC2	1	06-Sep-2005 21:09:07.0	yes
0X	ANY (33) COSMOS23-14	ACS/WFC WFPC2	1	06-Sep-2005 21:09:11.0	yes
0Y	ANY (34) COSMOS23-19	ACS/WFC WFPC2	1	06-Sep-2005 21:09:16.0	yes
0Z	ANY (35) COSMOS23-24	ACS/WFC WFPC2	1	06-Sep-2005 21:09:24.0	yes
10	(36) COSMOS27-01 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:09:28.0	yes
11	ANY (37) COSMOS27-06	ACS/WFC WFPC2	1	06-Sep-2005 21:09:33.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
12	ANY (38) COSMOS27-11	ACS/WFC WFPC2	1	06-Sep-2005 21:09:38.0	yes
13	ANY (39) COSMOS27-16	ACS/WFC WFPC2	1	06-Sep-2005 21:09:43.0	yes
14	ANY (40) COSMOS27-21	ACS/WFC WFPC2	1	06-Sep-2005 21:09:47.0	yes
15	(41) COSMOS30-04 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:09:52.0	yes
16	ANY (42) COSMOS30-09	ACS/WFC WFPC2	1	06-Sep-2005 21:09:57.0	yes
17	ANY (43) COSMOS30-14	ACS/WFC WFPC2	1	06-Sep-2005 21:10:02.0	yes
18	ANY (44) COSMOS30-19	ACS/WFC WFPC2	1	06-Sep-2005 21:10:06.0	yes
19	ANY (45) COSMOS30-24	ACS/WFC WFPC2	1	06-Sep-2005 21:10:11.0	yes
1A	ANY (46) COSMOS34-01	ACS/WFC WFPC2	1	06-Sep-2005 21:10:16.0	yes
1B	(47) COSMOS34-06 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:10:21.0	yes
1C	ANY (48) COSMOS34-11	ACS/WFC WFPC2	1	06-Sep-2005 21:10:26.0	yes
1D	(49) COSMOS34-16 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:10:31.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
1E	ANY (50) COSMOS34-21	ACS/WFC WFPC2	1	06-Sep-2005 21:10:36.0	yes
1F	(51) COSMOS37-04 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:10:41.0	yes
1G	ANY (52) COSMOS37-05	ACS/WFC WFPC2	1	06-Sep-2005 21:10:46.0	yes
1H	ANY (53) COSMOS37-09	ACS/WFC WFPC2	1	06-Sep-2005 21:10:51.0	yes
1I	ANY (54) COSMOS37-10	ACS/WFC WFPC2	1	06-Sep-2005 21:10:56.0	yes
1J	ANY (55) COSMOS38-01	ACS/WFC WFPC2	1	06-Sep-2005 21:11:01.0	yes
1K	ANY (56) COSMOS38-02	ACS/WFC WFPC2	1	06-Sep-2005 21:11:06.0	yes
1L	(57) COSMOS38-03 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:11:11.0	yes
1M	ANY (58) COSMOS38-04	ACS/WFC WFPC2	1	06-Sep-2005 21:11:18.0	yes
1N	ANY (59) COSMOS38-05	ACS/WFC WFPC2	1	06-Sep-2005 21:11:24.0	yes
1O	(60) COSMOS38-06 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:11:29.0	yes
1P	ANY (61) COSMOS38-07	ACS/WFC WFPC2	1	06-Sep-2005 21:11:34.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
1Q	ANY (62) COSMOS38-08	ACS/WFC WFPC2	1	06-Sep-2005 21:11:39.0	yes
1R	ANY (63) COSMOS38-09	ACS/WFC WFPC2	1	06-Sep-2005 21:11:44.0	yes
1S	ANY (64) COSMOS38-10	ACS/WFC WFPC2	1	06-Sep-2005 21:11:49.0	yes
1T	(65) COSMOS39-06 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:11:54.0	yes
1U	ANY (66) COSMOS39-07	ACS/WFC WFPC2	1	06-Sep-2005 21:11:59.0	yes
1V	ANY (67) COSMOS39-08	ACS/WFC WFPC2	1	06-Sep-2005 21:12:04.0	yes
1W	ANY (68) COSMOS39-09	ACS/WFC WFPC2	1	06-Sep-2005 21:12:09.0	yes
1X	ANY (69) COSMOS39-10	ACS/WFC WFPC2	1	06-Sep-2005 21:12:14.0	yes
1Y	(70) COSMOS40-01 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:12:19.0	yes
1Z	ANY (71) COSMOS40-02	ACS/WFC WFPC2	1	06-Sep-2005 21:12:24.0	yes
20	ANY (72) COSMOS40-03	ACS/WFC WFPC2	1	06-Sep-2005 21:12:29.0	yes
21	(73) COSMOS40-04 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:12:34.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
22	ANY (74) COSMOS40-05	ACS/WFC WFPC2	1	06-Sep-2005 21:12:39.0	yes
23	ANY (75) COSMOS40-06	ACS/WFC WFPC2	1	06-Sep-2005 21:12:44.0	yes
24	ANY (76) COSMOS40-07	ACS/WFC WFPC2	1	06-Sep-2005 21:12:50.0	yes
25	ANY (77) COSMOS40-08	ACS/WFC WFPC2	1	06-Sep-2005 21:12:55.0	yes
26	ANY (78) COSMOS40-09	ACS/WFC WFPC2	1	06-Sep-2005 21:13:00.0	yes
27	(79) COSMOS40-10 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:13:05.0	yes
28	(80) COSMOS41-01 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:13:10.0	yes
29	(81) COSMOS41-06 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:13:16.0	yes
2F	ANY (87) COSMOS05-21	ACS/WFC WFPC2	1	06-Sep-2005 21:13:24.0	yes
2G	ANY (88) COSMOS05-22	ACS/WFC WFPC2	1	06-Sep-2005 21:13:29.0	yes
2H	ANY (89) COSMOS05-23	ACS/WFC WFPC2	1	06-Sep-2005 21:13:34.0	yes
2I	ANY (90) COSMOS05-24	ACS/WFC WFPC2	1	06-Sep-2005 21:13:39.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
2J	ANY (91) COSMOS05-25	ACS/WFC WFPC2	1	06-Sep-2005 21:13:44.0	yes
2K	ANY (92) COSMOS06-16	ACS/WFC WFPC2	1	06-Sep-2005 21:13:50.0	yes
2L	ANY (93) COSMOS06-17	ACS/WFC WFPC2	1	06-Sep-2005 21:13:55.0	yes
2N	ANY (95) COSMOS06-21	ACS/WFC WFPC2	1	06-Sep-2005 21:14:01.0	yes
2O	(96) COSMOS06-22 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:14:06.0	yes
2Q	(98) COSMOS08-14 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:14:11.0	yes
2R	ANY (99) COSMOS08-15	ACS/WFC WFPC2	1	06-Sep-2005 21:14:19.0	yes
2S	ANY (100) COSMOS08-19	ACS/WFC WFPC2	1	06-Sep-2005 21:14:24.0	yes
2T	ANY (101) COSMOS08-20	ACS/WFC WFPC2	1	06-Sep-2005 21:14:30.0	yes
2U	ANY (102) COSMOS08-24	ACS/WFC WFPC2	1	06-Sep-2005 21:14:35.0	yes
2V	ANY (103) COSMOS08-25	ACS/WFC WFPC2	1	06-Sep-2005 21:14:40.0	yes
2Z	(107) COSMOS09-10 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:14:46.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
30	ANY (108) COSMOS09-11	ACS/WFC WFPC2	1	06-Sep-2005 21:14:51.0	yes
31	ANY (109) COSMOS09-12	ACS/WFC WFPC2	1	06-Sep-2005 21:14:57.0	yes
32	ANY (110) COSMOS09-13	ACS/WFC WFPC2	1	06-Sep-2005 21:15:02.0	yes
33	ANY (111) COSMOS09-14	ACS/WFC WFPC2	1	06-Sep-2005 21:15:10.0	yes
34	(112) COSMOS09-15 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:15:15.0	yes
35	ANY (113) COSMOS09-16	ACS/WFC WFPC2	1	06-Sep-2005 21:15:21.0	yes
36	ANY (114) COSMOS09-17	ACS/WFC WFPC2	1	06-Sep-2005 21:15:27.0	yes
37	(115) COSMOS09-18 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:15:32.0	yes
38	ANY (116) COSMOS09-21	ACS/WFC WFPC2	1	06-Sep-2005 21:15:37.0	yes
39	(117) COSMOS09-22 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:15:43.0	yes
3A	ANY (118) COSMOS09-23	ACS/WFC WFPC2	1	06-Sep-2005 21:15:51.0	yes
3E	ANY (122) COSMOS10-05	ACS/WFC WFPC2	1	06-Sep-2005 21:15:59.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
3F	ANY (123) COSMOS10-06	ACS/WFC WFPC2	1	06-Sep-2005 21:16:05.0	yes
3G	ANY (124) COSMOS10-07	ACS/WFC WFPC2	1	06-Sep-2005 21:16:10.0	yes
3H	ANY (125) COSMOS10-08	ACS/WFC WFPC2	1	06-Sep-2005 21:16:15.0	yes
3I	ANY (126) COSMOS10-09	ACS/WFC WFPC2	1	06-Sep-2005 21:16:21.0	yes
3J	(127) COSMOS10-10 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:16:27.0	yes
3K	ANY (128) COSMOS10-11	ACS/WFC WFPC2	1	06-Sep-2005 21:16:32.0	yes
3L	(129) COSMOS10-12 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:16:38.0	yes
3M	(130) COSMOS10-13 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:16:43.0	yes
3N	ANY (131) COSMOS10-14	ACS/WFC WFPC2	1	06-Sep-2005 21:16:51.0	yes
3O	ANY (132) COSMOS10-15	ACS/WFC WFPC2	1	06-Sep-2005 21:16:57.0	yes
3P	ANY (133) COSMOS11-01	ACS/WFC WFPC2	1	06-Sep-2005 21:17:02.0	yes
3Q	(134) COSMOS11-02 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:17:07.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
3R	ANY (135) COSMOS11-03	ACS/WFC WFPC2	1	06-Sep-2005 21:17:13.0	yes
3S	(136) COSMOS11-04 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:17:19.0	yes
3T	(137) COSMOS11-05 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:17:24.0	yes
3U	ANY (138) COSMOS11-06	ACS/WFC WFPC2	1	06-Sep-2005 21:17:30.0	yes
3V	ANY (139) COSMOS11-07	ACS/WFC WFPC2	1	06-Sep-2005 21:17:35.0	yes
3W	ANY (140) COSMOS11-08	ACS/WFC WFPC2	1	06-Sep-2005 21:17:43.0	yes
3X	ANY (141) COSMOS11-09	ACS/WFC WFPC2	1	06-Sep-2005 21:17:49.0	yes
3Y	(142) COSMOS11-10 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:17:55.0	yes
3Z	ANY (143) COSMOS11-11	ACS/WFC WFPC2	1	06-Sep-2005 21:18:00.0	yes
40	ANY (144) COSMOS11-12	ACS/WFC WFPC2	1	06-Sep-2005 21:18:06.0	yes
41	ANY (145) COSMOS11-13	ACS/WFC WFPC2	1	06-Sep-2005 21:18:12.0	yes
42	ANY (146) COSMOS11-14	ACS/WFC WFPC2	1	06-Sep-2005 21:18:17.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
43	ANY (147) COSMOS11-15	ACS/WFC WFPC2	1	06-Sep-2005 21:18:23.0	yes
44	ANY (148) COSMOS12-01	ACS/WFC WFPC2	1	06-Sep-2005 21:18:31.0	yes
45	ANY (149) COSMOS12-02	ACS/WFC WFPC2	1	06-Sep-2005 21:18:37.0	yes
46	(150) COSMOS12-03 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:18:43.0	yes
47	(151) COSMOS12-04 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:18:48.0	yes
48	ANY (152) COSMOS12-05	ACS/WFC WFPC2	1	06-Sep-2005 21:18:54.0	yes
49	ANY (153) COSMOS12-06	ACS/WFC WFPC2	1	06-Sep-2005 21:18:59.0	yes
4A	ANY (154) COSMOS12-07	ACS/WFC WFPC2	1	06-Sep-2005 21:19:05.0	yes
4B	ANY (155) COSMOS12-08	ACS/WFC WFPC2	1	06-Sep-2005 21:19:11.0	yes
4C	ANY (156) COSMOS12-09	ACS/WFC WFPC2	1	06-Sep-2005 21:19:17.0	yes
4D	ANY (157) COSMOS12-10	ACS/WFC WFPC2	1	06-Sep-2005 21:19:25.0	yes
4E	ANY (158) COSMOS12-11	ACS/WFC WFPC2	1	06-Sep-2005 21:19:31.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
4F	ANY (159) COSMOS12-12	ACS/WFC WFPC2	1	06-Sep-2005 21:19:37.0	yes
4G	(160) COSMOS12-13 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:19:43.0	yes
4H	ANY (161) COSMOS12-14	ACS/WFC WFPC2	1	06-Sep-2005 21:19:48.0	yes
4I	ANY (162) COSMOS12-15	ACS/WFC WFPC2	1	06-Sep-2005 21:19:54.0	yes
4J	(163) COSMOS13-01 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:20:00.0	yes
4K	ANY (164) COSMOS13-02	ACS/WFC WFPC2	1	06-Sep-2005 21:20:06.0	yes
4M	ANY (166) COSMOS13-06	ACS/WFC WFPC2	1	06-Sep-2005 21:20:12.0	yes
4N	ANY (167) COSMOS13-07	ACS/WFC WFPC2	1	06-Sep-2005 21:20:20.0	yes
4Q	(170) COSMOS13-11 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:20:26.0	yes
4R	ANY (171) COSMOS13-12	ACS/WFC WFPC2	1	06-Sep-2005 21:20:32.0	yes
4U	ANY (174) COSMOS13-17	ACS/WFC WFPC2	1	06-Sep-2005 21:20:38.0	yes
4X	ANY (177) COSMOS13-22	ACS/WFC WFPC2	1	06-Sep-2005 21:20:43.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
4Y	ANY (178) COSMOS13-23	ACS/WFC WFPC2	1	06-Sep-2005 21:20:50.0	yes
51	(181) COSMOS15-05 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:20:55.0	yes
53	ANY (183) COSMOS15-10	ACS/WFC WFPC2	1	06-Sep-2005 21:21:01.0	yes
54	ANY (184) COSMOS15-15	ACS/WFC WFPC2	1	06-Sep-2005 21:21:07.0	yes
55	ANY (185) COSMOS15-20	ACS/WFC WFPC2	1	06-Sep-2005 21:21:15.0	yes
56	(186) COSMOS15-25 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:21:21.0	yes
57	ANY (187) COSMOS16-01	ACS/WFC WFPC2	1	06-Sep-2005 21:21:27.0	yes
58	ANY (188) COSMOS16-02	ACS/WFC WFPC2	1	06-Sep-2005 21:21:33.0	yes
59	ANY (189) COSMOS16-03	ACS/WFC WFPC2	1	06-Sep-2005 21:21:39.0	yes
5A	(190) COSMOS16-06 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:21:45.0	yes
5B	ANY (191) COSMOS16-07	ACS/WFC WFPC2	1	06-Sep-2005 21:21:51.0	yes
5C	ANY (192) COSMOS16-08	ACS/WFC WFPC2	1	06-Sep-2005 21:21:57.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
5D	ANY (193) COSMOS16-11	ACS/WFC WFPC2	1	06-Sep-2005 21:22:03.0	yes
5E	ANY (194) COSMOS16-12	ACS/WFC WFPC2	1	06-Sep-2005 21:22:12.0	yes
5F	ANY (195) COSMOS16-13	ACS/WFC WFPC2	1	06-Sep-2005 21:22:17.0	yes
5G	ANY (196) COSMOS16-16	ACS/WFC WFPC2	1	06-Sep-2005 21:22:24.0	yes
5H	ANY (197) COSMOS16-17	ACS/WFC WFPC2	1	06-Sep-2005 21:22:30.0	yes
5I	(198) COSMOS16-18 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:22:36.0	yes
5J	ANY (199) COSMOS16-21	ACS/WFC WFPC2	1	06-Sep-2005 21:22:42.0	yes
5K	(200) COSMOS16-22 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:22:48.0	yes
5L	(201) COSMOS16-23 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:22:54.0	yes
5M	ANY (202) COSMOS20-02	ACS/WFC WFPC2	1	06-Sep-2005 21:23:03.0	yes
5N	(203) COSMOS20-03 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:23:09.0	yes
5P	(205) COSMOS20-07 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:23:15.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
5Q	ANY (206) COSMOS20-08	ACS/WFC WFPC2	1	06-Sep-2005 21:23:21.0	yes
5T	(209) COSMOS20-12 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:23:27.0	yes
5U	ANY (210) COSMOS20-13	ACS/WFC WFPC2	1	06-Sep-2005 21:23:33.0	yes
5X	ANY (213) COSMOS20-17	ACS/WFC WFPC2	1	06-Sep-2005 21:23:39.0	yes
5Y	ANY (214) COSMOS20-18	ACS/WFC WFPC2	1	06-Sep-2005 21:23:45.0	yes
61	ANY (217) COSMOS20-22	ACS/WFC WFPC2	1	06-Sep-2005 21:23:51.0	yes
62	ANY (218) COSMOS20-23	ACS/WFC WFPC2	1	06-Sep-2005 21:24:00.0	yes
63	ANY (219) COSMOS20-24	ACS/WFC WFPC2	1	06-Sep-2005 21:24:06.0	yes
68	(224) COSMOS23-01 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:24:12.0	yes
69	ANY (225) COSMOS23-02	ACS/WFC WFPC2	1	06-Sep-2005 21:24:18.0	yes
6A	ANY (226) COSMOS23-03	ACS/WFC WFPC2	1	06-Sep-2005 21:24:24.0	yes
6B	ANY (227) COSMOS23-06	ACS/WFC WFPC2	1	06-Sep-2005 21:24:31.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
6C	ANY (228) COSMOS23-07	ACS/WFC WFPC2	1	06-Sep-2005 21:24:37.0	yes
6D	ANY (229) COSMOS23-08	ACS/WFC WFPC2	1	06-Sep-2005 21:24:43.0	yes
6E	ANY (230) COSMOS23-11	ACS/WFC WFPC2	1	06-Sep-2005 21:24:52.0	yes
6F	ANY (231) COSMOS23-12	ACS/WFC WFPC2	1	06-Sep-2005 21:24:58.0	yes
6G	ANY (232) COSMOS23-13	ACS/WFC WFPC2	1	06-Sep-2005 21:25:04.0	yes
6H	ANY (233) COSMOS23-16	ACS/WFC WFPC2	1	06-Sep-2005 21:25:10.0	yes
6I	(234) COSMOS23-17 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:25:17.0	yes
6J	(235) COSMOS23-18 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:25:23.0	yes
6K	ANY (236) COSMOS23-21	ACS/WFC WFPC2	1	06-Sep-2005 21:25:29.0	yes
6L	ANY (237) COSMOS23-22	ACS/WFC WFPC2	1	06-Sep-2005 21:25:36.0	yes
6M	(238) COSMOS23-23 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:25:42.0	yes
6N	ANY (239) COSMOS27-02	ACS/WFC WFPC2	1	06-Sep-2005 21:25:51.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
6O	(240) COSMOS27-03 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:25:57.0	yes
6P	ANY (241) COSMOS27-04	ACS/WFC WFPC2	1	06-Sep-2005 21:26:03.0	yes
6R	ANY (243) COSMOS27-07	ACS/WFC WFPC2	1	06-Sep-2005 21:26:10.0	yes
6S	ANY (244) COSMOS27-08	ACS/WFC WFPC2	1	06-Sep-2005 21:26:16.0	yes
6T	ANY (245) COSMOS27-09	ACS/WFC WFPC2	1	06-Sep-2005 21:26:22.0	yes
6V	ANY (247) COSMOS27-12	ACS/WFC WFPC2	1	06-Sep-2005 21:26:29.0	yes
6W	ANY (248) COSMOS27-13	ACS/WFC WFPC2	1	06-Sep-2005 21:26:35.0	yes
6X	ANY (249) COSMOS27-14	ACS/WFC WFPC2	1	06-Sep-2005 21:26:41.0	yes
6Z	ANY (251) COSMOS27-17	ACS/WFC WFPC2	1	06-Sep-2005 21:26:50.0	yes
70	ANY (252) COSMOS27-18	ACS/WFC WFPC2	1	06-Sep-2005 21:26:56.0	yes
71	(253) COSMOS27-19 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:27:13.0	yes
73	ANY (255) COSMOS27-22	ACS/WFC WFPC2	1	06-Sep-2005 21:27:20.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
74	ANY (256) COSMOS27-23	ACS/WFC WFPC2	1	06-Sep-2005 21:27:26.0	yes
75	ANY (257) COSMOS27-24	ACS/WFC WFPC2	1	06-Sep-2005 21:27:33.0	yes
7A	ANY (262) COSMOS30-01	ACS/WFC WFPC2	1	06-Sep-2005 21:27:39.0	yes
7B	ANY (263) COSMOS30-02	ACS/WFC WFPC2	1	06-Sep-2005 21:27:46.0	yes
7C	ANY (264) COSMOS30-03	ACS/WFC WFPC2	1	06-Sep-2005 21:27:53.0	yes
7E	(266) COSMOS30-07 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:28:02.0	yes
7F	(267) COSMOS30-08 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:28:08.0	yes
7H	ANY (269) COSMOS30-12	ACS/WFC WFPC2	1	06-Sep-2005 21:28:15.0	yes
7I	ANY (270) COSMOS30-13	ACS/WFC WFPC2	1	06-Sep-2005 21:28:22.0	yes
7K	ANY (272) COSMOS30-17	ACS/WFC WFPC2	1	06-Sep-2005 21:28:29.0	yes
7L	ANY (273) COSMOS30-18	ACS/WFC WFPC2	1	06-Sep-2005 21:28:35.0	yes
7M	ANY (274) COSMOS30-22	ACS/WFC WFPC2	1	06-Sep-2005 21:28:42.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
7N	ANY (275) COSMOS30-23	ACS/WFC WFPC2	1	06-Sep-2005 21:28:48.0	yes
7O	ANY (276) COSMOS34-02	ACS/WFC WFPC2	1	06-Sep-2005 21:28:58.0	yes
7P	ANY (277) COSMOS34-03	ACS/WFC WFPC2	1	06-Sep-2005 21:29:04.0	yes
7Q	(278) COSMOS34-04 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:29:11.0	yes
7R	ANY (279) COSMOS34-05	ACS/WFC WFPC2	1	06-Sep-2005 21:29:18.0	yes
7S	ANY (280) COSMOS34-07	ACS/WFC WFPC2	1	06-Sep-2005 21:29:24.0	yes
7T	ANY (281) COSMOS34-08	ACS/WFC WFPC2	1	06-Sep-2005 21:29:31.0	yes
7U	(282) COSMOS34-09 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:29:38.0	yes
7V	ANY (283) COSMOS34-10	ACS/WFC WFPC2	1	06-Sep-2005 21:29:44.0	yes
7W	ANY (284) COSMOS34-12	ACS/WFC WFPC2	1	06-Sep-2005 21:29:51.0	yes
7X	ANY (285) COSMOS34-13	ACS/WFC WFPC2	1	06-Sep-2005 21:30:00.0	yes
7Y	(286) COSMOS34-14 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:30:07.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
7Z	ANY (287) COSMOS34-15	ACS/WFC WFPC2	1	06-Sep-2005 21:30:13.0	yes
80	(288) COSMOS34-17 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:30:21.0	yes
81	ANY (289) COSMOS34-18	ACS/WFC WFPC2	1	06-Sep-2005 21:30:27.0	yes
82	ANY (290) COSMOS34-19	ACS/WFC WFPC2	1	06-Sep-2005 21:30:34.0	yes
83	(291) COSMOS34-20 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:30:41.0	yes
84	(292) COSMOS34-22 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:30:48.0	yes
85	ANY (293) COSMOS34-23	ACS/WFC WFPC2	1	06-Sep-2005 21:30:55.0	yes
86	ANY (294) COSMOS34-24	ACS/WFC WFPC2	1	06-Sep-2005 21:31:04.0	yes
87	ANY (295) COSMOS34-25	ACS/WFC WFPC2	1	06-Sep-2005 21:31:11.0	yes
8F	ANY (303) COSMOS37-02	ACS/WFC WFPC2	1	06-Sep-2005 21:31:18.0	yes
8G	(304) COSMOS37-03 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:31:25.0	yes
8I	ANY (306) COSMOS37-08	ACS/WFC WFPC2	1	06-Sep-2005 21:31:32.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
8K	ANY (308) COSMOS37-13	ACS/WFC WFPC2	1	06-Sep-2005 21:31:39.0	yes
8L	ANY (309) COSMOS37-14	ACS/WFC WFPC2	1	06-Sep-2005 21:31:46.0	yes
8M	ANY (310) COSMOS37-15	ACS/WFC WFPC2	1	06-Sep-2005 21:31:53.0	yes
8O	ANY (312) COSMOS37-18	ACS/WFC WFPC2	1	06-Sep-2005 21:32:00.0	yes
8P	(313) COSMOS37-19 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:32:09.0	yes
8Q	ANY (314) COSMOS37-20	ACS/WFC WFPC2	1	06-Sep-2005 21:32:16.0	yes
8R	(315) COSMOS37-23 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:32:23.0	yes
8S	(316) COSMOS37-24 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:32:30.0	yes
8T	ANY (317) COSMOS37-25	ACS/WFC WFPC2	1	06-Sep-2005 21:32:37.0	yes
8U	ANY (318) COSMOS38-11	ACS/WFC WFPC2	1	06-Sep-2005 21:32:44.0	yes
8V	ANY (319) COSMOS38-12	ACS/WFC WFPC2	1	06-Sep-2005 21:32:51.0	yes
8W	ANY (320) COSMOS38-13	ACS/WFC WFPC2	1	06-Sep-2005 21:32:58.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
8X	ANY (321) COSMOS38-14	ACS/WFC WFPC2	1	06-Sep-2005 21:33:05.0	yes
8Y	(322) COSMOS38-15 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:33:14.0	yes
8Z	ANY (323) COSMOS38-16	ACS/WFC WFPC2	1	06-Sep-2005 21:33:21.0	yes
90	ANY (324) COSMOS38-17	ACS/WFC WFPC2	1	06-Sep-2005 21:33:28.0	yes
91	(325) COSMOS38-18 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:33:35.0	yes
92	(326) COSMOS38-19 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:33:42.0	yes
93	ANY (327) COSMOS38-20	ACS/WFC WFPC2	1	06-Sep-2005 21:33:49.0	yes
94	(328) COSMOS38-21 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:33:56.0	yes
95	ANY (329) COSMOS38-22	ACS/WFC WFPC2	1	06-Sep-2005 21:34:03.0	yes
96	ANY (330) COSMOS38-23	ACS/WFC WFPC2	1	06-Sep-2005 21:34:12.0	yes
97	ANY (331) COSMOS38-24	ACS/WFC WFPC2	1	06-Sep-2005 21:34:20.0	yes
98	(332) COSMOS38-25 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:34:27.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
99	(333) COSMOS39-11 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:34:34.0	yes
9A	ANY (334) COSMOS39-12	ACS/WFC WFPC2	1	06-Sep-2005 21:34:41.0	yes
9B	(335) COSMOS39-13 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:34:48.0	yes
9C	ANY (336) COSMOS39-14	ACS/WFC WFPC2	1	06-Sep-2005 21:34:55.0	yes
9D	(337) COSMOS39-15 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:35:02.0	yes
9E	ANY (338) COSMOS39-16	ACS/WFC WFPC2	1	06-Sep-2005 21:35:09.0	yes
9F	ANY (339) COSMOS39-17	ACS/WFC WFPC2	1	06-Sep-2005 21:35:19.0	yes
9G	(340) COSMOS39-18 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:35:26.0	yes
9H	ANY (341) COSMOS39-19	ACS/WFC WFPC2	1	06-Sep-2005 21:35:33.0	yes
9I	(342) COSMOS39-20 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:35:40.0	yes
9J	(343) COSMOS39-21 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:35:47.0	yes
9K	(344) COSMOS39-22 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:35:55.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
9L	(345) COSMOS39-23 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:36:02.0	yes
9M	ANY (346) COSMOS39-24	ACS/WFC WFPC2	1	06-Sep-2005 21:36:09.0	yes
9N	ANY (347) COSMOS39-25	ACS/WFC WFPC2	1	06-Sep-2005 21:36:16.0	yes
9O	(348) COSMOS40-11 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:36:26.0	yes
9P	ANY (349) COSMOS40-12	ACS/WFC WFPC2	1	06-Sep-2005 21:36:33.0	yes
9Q	ANY (350) COSMOS40-13	ACS/WFC WFPC2	1	06-Sep-2005 21:36:40.0	yes
9R	(351) COSMOS40-14 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:36:47.0	yes
9S	ANY (352) COSMOS40-15	ACS/WFC WFPC2	1	06-Sep-2005 21:36:55.0	yes
9T	ANY (353) COSMOS40-16	ACS/WFC WFPC2	1	06-Sep-2005 21:37:02.0	yes
9U	(354) COSMOS40-17 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:37:09.0	yes
9V	(355) COSMOS40-18 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:37:16.0	yes
9W	(356) COSMOS40-19 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:37:23.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
9X	ANY (357) COSMOS40-20	ACS/WFC WFPC2	1	06-Sep-2005 21:37:33.0	yes
A1	(361) COSMOS41-02 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:37:40.0	yes
A2	(362) COSMOS41-03 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:37:48.0	yes
A3	ANY (363) COSMOS41-04	ACS/WFC WFPC2	1	06-Sep-2005 21:37:55.0	yes
A4	ANY (364) COSMOS41-05	ACS/WFC WFPC2	1	06-Sep-2005 21:38:02.0	yes
A5	ANY (365) COSMOS41-07	ACS/WFC WFPC2	1	06-Sep-2005 21:38:10.0	yes
A6	ANY (366) COSMOS41-08	ACS/WFC WFPC2	1	06-Sep-2005 21:38:17.0	yes
A7	ANY (367) COSMOS41-09	ACS/WFC WFPC2	1	06-Sep-2005 21:38:24.0	yes
A8	(368) COSMOS41-10 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:38:34.0	yes
A9	(369) COSMOS41-11 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:38:41.0	yes
AA	(370) COSMOS41-12 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:38:48.0	yes
AB	(371) COSMOS41-13 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:38:56.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
AC	ANY (372) COSMOS41-14	ACS/WFC WFPC2	1	06-Sep-2005 21:39:03.0	yes
AD	ANY (373) COSMOS41-15	ACS/WFC WFPC2	1	06-Sep-2005 21:39:10.0	yes
AE	ANY (374) COSMOS41-16	ACS/WFC WFPC2	1	06-Sep-2005 21:39:18.0	yes
AI	(378) COSMOS42-01 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:39:25.0	yes
AK	ANY (380) COSMOS42-06	ACS/WFC WFPC2	1	06-Sep-2005 21:39:32.0	yes
AM	ANY (382) COSMOS42-11	ACS/WFC WFPC2	1	06-Sep-2005 21:39:43.0	yes
AO	(384) COSMOS44-03 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:39:50.0	yes
AP	ANY (385) COSMOS44-04	ACS/WFC WFPC2	1	06-Sep-2005 21:39:58.0	yes
AQ	ANY (386) COSMOS44-05	ACS/WFC WFPC2	1	06-Sep-2005 21:40:05.0	yes
AR	ANY (387) COSMOS44-08	ACS/WFC WFPC2	1	06-Sep-2005 21:40:12.0	yes
AS	ANY (388) COSMOS44-09	ACS/WFC WFPC2	1	06-Sep-2005 21:40:20.0	yes
AT	ANY (389) COSMOS44-10	ACS/WFC WFPC2	1	06-Sep-2005 21:40:27.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
AU	ANY (390) COSMOS45-01	ACS/WFC WFPC2	1	06-Sep-2005 21:40:35.0	yes
AV	ANY (391) COSMOS45-02	ACS/WFC WFPC2	1	06-Sep-2005 21:40:42.0	yes
AW	ANY (392) COSMOS45-03	ACS/WFC WFPC2	1	06-Sep-2005 21:40:53.0	yes
AX	ANY (393) COSMOS45-04	ACS/WFC WFPC2	1	06-Sep-2005 21:41:00.0	yes
AY	ANY (394) COSMOS45-05	ACS/WFC WFPC2	1	06-Sep-2005 21:41:07.0	yes
AZ	ANY (395) COSMOS09-15A	ACS/WFC WFPC2	1	06-Sep-2005 21:41:15.0	yes
B0	(396) COSMOS18-11A ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:41:23.0	yes
B1	ANY (397) COSMOS18-11B	ACS/WFC WFPC2	1	06-Sep-2005 21:41:30.0	yes
B2	ANY (398) COSMOS33-08A	ACS/WFC WFPC2	1	06-Sep-2005 21:41:37.0	yes
B3	(399) COSMOS33-08B ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:41:45.0	yes
B4	ANY (400) COSMOS31-19	ACS/WFC WFPC2	1	06-Sep-2005 21:41:53.0	yes
CE	(266) COSMOS30-07 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:42:03.0	yes

Visit	*Targets*	*Configurations*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
CF	(267) COSMOS30-08 ANY	ACS/WFC WFPC2	1	06-Sep-2005 21:42:10.0	yes

338 Total Orbits Used

ABSTRACT

We will undertake a 2 square degree imaging survey (Cosmic Evolution Survey -- COSMOS) with ACS in the I (F814W) band of the VIMOS equatorial field. This wide field survey is essential to understand the interplay between Large Scale Structure (LSS) evolution and the formation of galaxies, dark matter and AGNs and is the one region of parameter space completely unexplored at present by HST. The equatorial field was selected for its accessibility to all ground-based telescopes and low IR background and because it will eventually contain ~100,000 galaxy spectra from the VLT-VIMOS instrument. The imaging will detect over 2 million objects with I> 27 mag (AB, 10 sigma), over 35,000 Lyman Break Galaxies (LBGs) and extremely red galaxies out to z ~ 5. COSMOS is the only HST project specifically designed to probe the formation and evolution of structures ranging from galaxies up to Coma-size clusters in the epoch of peak galaxy, AGN, star and cluster formation (z ~0.5 to 3). The size of the largest structures necessitate the 2 degree field. Our team is committed to the assembly of

several public ancillary datasets including the optical spectra, deep XMM and VLA imaging, ground-based optical/IR imaging, UV imaging from GALEX and IR data from SIRTF. Combining the full-spectrum multiwavelength imaging and spectroscopic coverage with ACS sub-kpc resolution, COSMOS will be Hubble's ultimate legacy for understanding the evolution of both the visible and dark universe.

OBSERVING DESCRIPTION

The required field size is set by the expected scales in cosmic LSS and the redshift range of galactic and cluster evolution. These considerations necessitate imaging of 2 square degrees. The VIMOS-XMM Deep Field has excellent accessibility for all the ground-based facilities and the most extensive ancillary data, including: VIMOS-VLT spectroscopic survey, XMM imaging, GALEX Ultra-deep imaging, and deep/wide field optical/IR imaging. No other extragalactic field is slated for even 10% of the spectroscopic coverage, and spectroscopic redshifts are an essential component to studying LSS-galaxy evolution.

HST-ACS observations will be done with 590 orbits (270 in Cycle 12 and 320 in Cycle 13) in F814W at 590 pointings on a square mosaic grid encompassing 1.33 (RA) by 1.33 (DEC) deg. The overlap between ACS-WFC fields will be 5% in x and 5% in y. The field positions have been generated assuming ORIENT = 280 deg -- in order to maximize HST scheduling possibilities. The overlap (5%) between adjacent fields is designed to maintain a no-hole coverage even when each field

is rotated by complementary and supplemtary ORIENT angles (10 degrees and
100 degrees) -- in order to maximize scheduling opportunities and Guide
Stars availability.
Each field will be observed in a 4 position/readout dither designed to
give good cosmic ray rejection, to cover the 50 pixel gap in y
between acs WFC1 and WFC2, to avoid persistence of bad columns,
and provide some subpixel sampling. The pattern in x,y pixel
offsets from the WFC reference position is :
(+1.25, -60+1.5), (+6.25, 0.0+3.0), (-1.25, 60+4.5), (3.75, 120 + 6.0), achieved
by imposing CENTER=YES on the primary PATTERN. The 4 exposures
should maximally pack each orbit and their lengths should be equal
(~500 sec).
With one orbit exposure per field, F814W yields SNR=10 for a point source with V=27 mag.
Coordinated parallel observations with WFPC2/F300W and NICMOS/NIC3/F160W
are also included in each visit.

Visit

Proposal 10092, Visit 01 Wed Sep 07 01:42:14 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 01) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 01) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(1)	COSMOS09-19	RA: 10 02 41.8200 (150.6742500d) Dec: +02 35 38.70 (2.59408d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-19	(1) COSMOS09-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 02 Wed Sep 07 01:42:14 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 02) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 02) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(2)	COSMOS09-20	RA: 10 02 39.6100 (150.6650417d) Dec: +02 32 30.12 (2.54170d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-20	(2) COSMOS09-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 03 Wed Sep 07 01:42:15 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 03) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 03) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(3)	COSMOS09-24	RA: 10 02 29.2400 (150.6218333d) Dec: +02 36 12.02 (2.60334d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-24	(3) COSMOS09-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 04 Wed Sep 07 01:42:15 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 04) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 04) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(4)	COSMOS10-16	RA: 10 02 37.3800 (150.6557500d) Dec: +02 29 21.53 (2.48931d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-16	(4) COSMOS10-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 05 Wed Sep 07 01:42:15 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 05) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 05) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(5)	COSMOS10-17	RA: 10 02 35.1600 (150.6465000d) Dec: +02 26 12.95 (2.43693d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-17	(5) COSMOS10-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 06 Wed Sep 07 01:42:16 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 06) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 06) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(6)	COSMOS10-18	RA: 10 02 32.9400 (150.6372500d) Dec: +02 23 4.36 (2.38454d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-18	(6) COSMOS10-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 07 Wed Sep 07 01:42:16 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 07) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 07) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(7)	COSMOS10-19	RA: 10 02 30.7200 (150.6280000d) Dec: +02 19 55.78 (2.33216d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-19	(7) COSMOS10-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 08 Wed Sep 07 01:42:16 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 08) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 08) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(8)	COSMOS10-20	RA: 10 02 28.5000 (150.6187500d) Dec: +02 16 47.20 (2.27978d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-20	(8) COSMOS10-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 09 Wed Sep 07 01:42:17 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 09) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 09) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(9)	COSMOS11-16	RA: 10 02 26.2800 (150.6095000d) Dec: +02 13 38.61 (2.22739d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-16	(9) COSMOS11-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0A Wed Sep 07 01:42:17 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(10)	COSMOS11-17	RA: 10 02 24.0500 (150.6002083d) Dec: +02 10 30.03 (2.17501d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-17	(10) COSMOS11-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0B Wed Sep 07 01:42:17 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(11)	COSMOS11-18	RA: 10 02 21.8300 (150.5909583d) Dec: +02 07 21.45 (2.12262d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-18	(11) COSMOS11-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0C Wed Sep 07 01:42:18 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(12)	COSMOS11-19	RA: 10 02 19.6100 (150.5817083d) Dec: +02 04 12.87 (2.07024d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-19	(12) COSMOS11-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0D Wed Sep 07 01:42:18 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(13)	COSMOS11-20	RA: 10 02 17.3900 (150.5724583d) Dec: +02 01 4.29 (2.01786d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-20	(13) COSMOS11-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0E Wed Sep 07 01:42:18 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(14)	COSMOS12-16	RA: 10 02 15.1600 (150.5631667d) Dec: +01 57 55.71 (1.96547d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-16	(14) COSMOS12-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0F Wed Sep 07 01:42:19 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(15)	COSMOS12-17	RA: 10 02 12.9400 (150.5539167d) Dec: +01 54 47.14 (1.91309d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-17	(15) COSMOS12-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0G Wed Sep 07 01:42:19 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(16)	COSMOS12-18	RA: 10 02 10.7200 (150.5446667d) Dec: +01 51 38.56 (1.86071d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-18	(16) COSMOS12-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0H Wed Sep 07 01:42:19 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(17)	COSMOS12-19	RA: 10 02 8.4900 (150.5353750d) Dec: +01 48 29.98 (1.80833d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-19	(17) COSMOS12-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0I Wed Sep 07 01:42:20 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(18)	COSMOS12-20	RA: 10 02 6.2700 (150.5261250d) Dec: +01 45 21.41 (1.75595d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-20	(18) COSMOS12-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0J Wed Sep 07 01:42:20 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(19)	COSMOS13-16	RA: 10 02 4.0500 (150.5168750d) Dec: +01 42 12.83 (1.70356d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-16	(19) COSMOS13-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0K Wed Sep 07 01:42:20 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(20)	COSMOS13-21	RA: 10 01 51.4700 (150.4644583d) Dec: +01 42 46.13 (1.71281d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-21	(20) COSMOS13-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0L Wed Sep 07 01:42:21 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(21)	COSMOS16-04	RA: 10 02 16.6600 (150.5694167d) Dec: +02 36 45.34 (2.61259d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-04	(21) COSMOS16-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0M Wed Sep 07 01:42:21 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(22)	COSMOS16-09	RA: 10 02 4.0700 (150.5169583d) Dec: +02 37 18.65 (2.62185d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-09	(22) COSMOS16-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0N Wed Sep 07 01:42:25 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(23)	COSMOS16-14	RA: 10 01 51.4900 (150.4645417d) Dec: +02 37 51.95 (2.63110d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-14	(23) COSMOS16-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0O Wed Sep 07 01:42:25 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(24)	COSMOS16-19	RA: 10 01 38.9000 (150.4120833d) Dec: +02 38 25.24 (2.64034d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-19	(24) COSMOS16-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0P Wed Sep 07 01:42:26 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(25)	COSMOS16-24	RA: 10 01 26.3100 (150.3596250d) Dec: +02 38 58.53 (2.64959d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-24	(25) COSMOS16-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0Q Wed Sep 07 01:42:26 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(26)	COSMOS20-01	RA: 10 01 38.8900 (150.4120417d) Dec: +01 43 19.43 (1.72206d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-01	(26) COSMOS20-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0R Wed Sep 07 01:42:26 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(27)	COSMOS20-06	RA: 10 01 26.3100 (150.3596250d) Dec: +01 43 52.72 (1.73131d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-06	(27) COSMOS20-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0S Wed Sep 07 01:42:27 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(28)	COSMOS20-11	RA: 10 01 13.7400 (150.3072500d) Dec: +01 44 26.00 (1.74056d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-11	(28) COSMOS20-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0T Wed Sep 07 01:42:27 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(29)	COSMOS20-16	RA: 10 01 1.1600 (150.2548333d) Dec: +01 44 59.27 (1.74980d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-16	(29) COSMOS20-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0U Wed Sep 07 01:42:27 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(30)	COSMOS20-21	RA: 10 00 48.5800 (150.2024167d) Dec: +01 45 32.54 (1.75904d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-21	(30) COSMOS20-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0V Wed Sep 07 01:42:28 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(31)	COSMOS23-04	RA: 10 01 13.7300 (150.3072083d) Dec: +02 39 31.81 (2.65884d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-04	(31) COSMOS23-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0W Wed Sep 07 01:42:28 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(32)	COSMOS23-09	RA: 10 01 1.1400 (150.2547500d) Dec: +02 40 5.09 (2.66808d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-09	(32) COSMOS23-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0X Wed Sep 07 01:42:28 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(33)	COSMOS23-14	RA: 10 00 48.5600 (150.2023333d) Dec: +02 40 38.36 (2.67732d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-14	(33) COSMOS23-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0Y Wed Sep 07 01:42:28 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(34)	COSMOS23-19	RA: 10 00 35.9700 (150.1498750d) Dec: +02 41 11.62 (2.68656d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-19	(34) COSMOS23-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 0Z Wed Sep 07 01:42:29 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 0Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 0Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(35)	COSMOS23-24	RA: 10 00 23.3800 (150.0974167d) Dec: +02 41 44.87 (2.69580d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-24	(35) COSMOS23-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 10 Wed Sep 07 01:42:29 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 10) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 10) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(36)	COSMOS27-01	RA: 10 00 36.0000 (150.1500000d) Dec: +01 46 5.80 (1.76828d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-01	(36) COSMOS27-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 11 Wed Sep 07 01:42:29 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 11) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 11) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(37)	COSMOS27-06	RA: 10 00 23.4200 (150.0975833d) Dec: +01 46 39.06 (1.77752d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-06	(37) COSMOS27-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 12 Wed Sep 07 01:42:30 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 12) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 12) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(38)	COSMOS27-11	RA: 10 00 10.8400 (150.0451667d) Dec: +01 47 12.31 (1.78675d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-11	(38) COSMOS27-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 13 Wed Sep 07 01:42:30 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 13) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 13) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(39)	COSMOS27-16	RA: 09 59 58.2600 (149.9927500d) Dec: +01 47 45.55 (1.79599d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-16	(39) COSMOS27-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 14 Wed Sep 07 01:42:30 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 14) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 14) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(40)	COSMOS27-21	RA: 09 59 45.6800 (149.9403333d) Dec: +01 48 18.78 (1.80522d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-21	(40) COSMOS27-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 15 Wed Sep 07 01:42:31 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 15) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 15) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(41)	COSMOS30-04	RA: 10 00 10.8000 (150.0450000d) Dec: +02 42 18.12 (2.70503d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-04	(41) COSMOS30-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 16 Wed Sep 07 01:42:31 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 16) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 16) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(42)	COSMOS30-09	RA: 09 59 58.2100 (149.9925417d) Dec: +02 42 51.36 (2.71427d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-09	(42) COSMOS30-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 17 Wed Sep 07 01:42:31 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 17) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 17) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(43)	COSMOS30-14	RA: 09 59 45.6200 (149.9400833d) Dec: +02 43 24.60 (2.72350d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-14	(43) COSMOS30-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 18 Wed Sep 07 01:42:32 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 18) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 18) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(44)	COSMOS30-19	RA: 09 59 33.0300 (149.8876250d) Dec: +02 43 57.83 (2.73273d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-19	(44) COSMOS30-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 19 Wed Sep 07 01:42:32 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 19) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 19) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(45)	COSMOS30-24	RA: 09 59 20.4500 (149.8352083d) Dec: +02 44 31.05 (2.74196d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-24	(45) COSMOS30-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1A Wed Sep 07 01:42:32 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(46)	COSMOS34-01	RA: 09 59 33.1000 (149.8879167d) Dec: +01 48 52.01 (1.81445d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-01	(46) COSMOS34-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1B Wed Sep 07 01:42:32 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(47)	COSMOS34-06	RA: 09 59 20.5200 (149.8355000d) Dec: +01 49 25.23 (1.82368d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-06	(47) COSMOS34-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1C Wed Sep 07 01:42:33 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(48)	COSMOS34-11	RA: 09 59 7.9400 (149.7830833d) Dec: +01 49 58.45 (1.83290d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-11	(48) COSMOS34-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1D Wed Sep 07 01:42:33 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(49)	COSMOS34-16	RA: 09 58 55.3700 (149.7307083d) Dec: +01 50 31.66 (1.84213d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-16	(49) COSMOS34-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1E Wed Sep 07 01:42:33 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(50)	COSMOS34-21	RA: 09 58 42.7900 (149.6782917d) Dec: +01 51 4.86 (1.85135d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-21	(50) COSMOS34-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1F Wed Sep 07 01:42:34 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(51)	COSMOS37-04	RA: 09 59 7.8600 (149.7827500d) Dec: +02 45 4.26 (2.75118d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-04	(51) COSMOS37-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1G Wed Sep 07 01:42:34 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(52)	COSMOS37-05	RA: 09 59 5.6500 (149.7735417d) Dec: +02 41 55.65 (2.69879d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-05	(52) COSMOS37-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1H Wed Sep 07 01:42:34 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(53)	COSMOS37-09	RA: 09 58 55.2700 (149.7302917d) Dec: +02 45 37.47 (2.76041d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-09	(53) COSMOS37-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1I Wed Sep 07 01:42:35 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(54)	COSMOS37-10	RA: 09 58 53.0600 (149.7210833d) Dec: +02 42 28.86 (2.70802d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-10	(54) COSMOS37-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1J Wed Sep 07 01:42:35 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(55)	COSMOS38-01	RA: 09 59 3.4300 (149.7642917d) Dec: +02 38 47.04 (2.64640d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-01	(55) COSMOS38-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1K Wed Sep 07 01:42:35 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(56)	COSMOS38-02	RA: 09 59 1.2200 (149.7550833d) Dec: +02 35 38.44 (2.59401d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-02	(56) COSMOS38-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1L Wed Sep 07 01:42:36 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(57)	COSMOS38-03	RA: 09 58 59.0100 (149.7458750d) Dec: +02 32 29.83 (2.54162d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-03	(57) COSMOS38-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1M Wed Sep 07 01:42:36 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(58)	COSMOS38-04	RA: 09 58 56.8000 (149.7366667d) Dec: +02 29 21.22 (2.48923d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-04	(58) COSMOS38-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1N Wed Sep 07 01:42:36 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(59)	COSMOS38-05	RA: 09 58 54.5800 (149.7274167d) Dec: +02 26 12.62 (2.43684d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-05	(59) COSMOS38-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1O Wed Sep 07 01:42:37 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(60)	COSMOS38-06	RA: 09 58 50.8500 (149.7118750d) Dec: +02 39 20.25 (2.65562d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-06	(60) COSMOS38-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1P Wed Sep 07 01:42:37 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(61)	COSMOS38-07	RA: 09 58 48.6400 (149.7026667d) Dec: +02 36 11.64 (2.60323d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-07	(61) COSMOS38-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1Q Wed Sep 07 01:42:37 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(62)	COSMOS38-08	RA: 09 58 46.4200 (149.6934167d) Dec: +02 33 3.03 (2.55084d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-08	(62) COSMOS38-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1R Wed Sep 07 01:42:37 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(63)	COSMOS38-09	RA: 09 58 44.2100 (149.6842083d) Dec: +02 29 54.43 (2.49845d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-09	(63) COSMOS38-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1S Wed Sep 07 01:42:38 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(64)	COSMOS38-10	RA: 09 58 42.0000 (149.6750000d) Dec: +02 26 45.82 (2.44606d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-10	(64) COSMOS38-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1T Wed Sep 07 01:42:38 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(65)	COSMOS39-06	RA: 09 58 39.7800 (149.6657500d) Dec: +02 23 37.22 (2.39367d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-06	(65) COSMOS39-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1U Wed Sep 07 01:42:38 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(66)	COSMOS39-07	RA: 09 58 37.5700 (149.6565417d) Dec: +02 20 28.61 (2.34128d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-07	(66) COSMOS39-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1V Wed Sep 07 01:42:39 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(67)	COSMOS39-08	RA: 09 58 35.3500 (149.6472917d) Dec: +02 17 20.01 (2.28889d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-08	(67) COSMOS39-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1W Wed Sep 07 01:42:39 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(68)	COSMOS39-09	RA: 09 58 33.1400 (149.6380833d) Dec: +02 14 11.41 (2.23650d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-09	(68) COSMOS39-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1X Wed Sep 07 01:42:39 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(69)	COSMOS39-10	RA: 09 58 30.9200 (149.6288333d) Dec: +02 11 2.81 (2.18411d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-10	(69) COSMOS39-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1Y Wed Sep 07 01:42:40 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(70)	COSMOS40-01	RA: 09 58 41.2900 (149.6720417d) Dec: +02 07 21.02 (2.12251d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-01	(70) COSMOS40-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 1Z Wed Sep 07 01:42:40 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 1Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 1Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(71)	COSMOS40-02	RA: 09 58 39.0700 (149.6627917d) Dec: +02 04 12.42 (2.07012d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-02	(71) COSMOS40-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 20 Wed Sep 07 01:42:40 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 20) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 20) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(72)	COSMOS40-03	RA: 09 58 36.8600 (149.6535833d) Dec: +02 01 3.83 (2.01773d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-03	(72) COSMOS40-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 21 Wed Sep 07 01:42:40 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 21) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 21) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(73)	COSMOS40-04	RA: 09 58 34.6400 (149.6443333d) Dec: +01 57 55.23 (1.96534d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-04	(73) COSMOS40-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 22 Wed Sep 07 01:42:41 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 22) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 22) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(74)	COSMOS40-05	RA: 09 58 32.4200 (149.6350833d) Dec: +01 54 46.64 (1.91296d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-05	(74) COSMOS40-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 23 Wed Sep 07 01:42:41 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 23) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 23) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(75)	COSMOS40-06	RA: 09 58 28.7100 (149.6196250d) Dec: +02 07 54.21 (2.13172d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-06	(75) COSMOS40-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 24 Wed Sep 07 01:42:41 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 24) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 24) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(76)	COSMOS40-07	RA: 09 58 26.4900 (149.6103750d) Dec: +02 04 45.62 (2.07934d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-07	(76) COSMOS40-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 25 Wed Sep 07 01:42:42 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 25) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 25) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(77)	COSMOS40-08	RA: 09 58 24.2800 (149.6011667d) Dec: +02 01 37.02 (2.02695d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-08	(77) COSMOS40-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 26 Wed Sep 07 01:42:42 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 26) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 26) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(78)	COSMOS40-09	RA: 09 58 22.0600 (149.5919167d) Dec: +01 58 28.42 (1.97456d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-09	(78) COSMOS40-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 27 Wed Sep 07 01:42:42 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 27) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 27) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(79)	COSMOS40-10	RA: 09 58 19.8400 (149.5826667d) Dec: +01 55 19.83 (1.92217d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-10	(79) COSMOS40-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 28 Wed Sep 07 01:42:43 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 28) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 28) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(80)	COSMOS41-01	RA: 09 58 30.2100 (149.6258750d) Dec: +01 51 38.05 (1.86057d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-01	(80) COSMOS41-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 29 Wed Sep 07 01:42:43 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 29) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 29) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(81)	COSMOS41-06	RA: 09 58 17.6300 (149.5734583d) Dec: +01 52 11.24 (1.86979d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-06	(81) COSMOS41-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2F Wed Sep 07 01:42:43 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(87)	COSMOS05-21	RA: 10 03 5.4800 (150.7728333d) Dec: +01 55 42.43 (1.92845d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos05-21	(87) COSMOS05-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos05-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2G Wed Sep 07 01:42:43 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(88)	COSMOS05-22	RA: 10 03 3.2600 (150.7635833d) Dec: +01 52 33.85 (1.87607d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos05-22	(88) COSMOS05-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos05-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2H Wed Sep 07 01:42:44 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(89)	COSMOS05-23	RA: 10 03 1.0300 (150.7542917d) Dec: +01 49 25.28 (1.82369d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos05-23	(89) COSMOS05-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos05-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2I Wed Sep 07 01:42:44 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(90)	COSMOS05-24	RA: 10 02 58.8100 (150.7450417d) Dec: +01 46 16.71 (1.77131d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos05-24	(90) COSMOS05-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos05-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2J Wed Sep 07 01:42:44 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(91)	COSMOS05-25	RA: 10 02 56.5800 (150.7357500d) Dec: +01 43 8.14 (1.71893d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos05-25	(91) COSMOS05-25	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos05-25-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2K Wed Sep 07 01:42:45 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(92)	COSMOS06-16	RA: 10 03 6.9300 (150.7788750d) Dec: +01 39 26.23 (1.65729d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos06-16	(92) COSMOS06-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos06-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2L Wed Sep 07 01:42:45 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2L) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit 2L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(93)	COSMOS06-17	RA: 10 03 4.7100 (150.7696250d) Dec: +01 36 17.66 (1.60491d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos06-17	(93) COSMOS06-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos06-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Unused Visibility = 115
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2N Wed Sep 07 01:42:45 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 2N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(95)	COSMOS06-21	RA: 10 02 54.3600 (150.7265000d) Dec: +01 39 59.56 (1.66654d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos06-21	(95) COSMOS06-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos06-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2O Wed Sep 07 01:42:46 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(96)	COSMOS06-22	RA: 10 02 52.1300 (150.7172083d) Dec: +01 36 51.00 (1.61417d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos06-22	(96) COSMOS06-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos06-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2Q Wed Sep 07 01:42:46 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(98)	COSMOS08-14	RA: 10 03 5.5100 (150.7729583d) Dec: +02 50 48.31 (2.84675d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos08-14	(98) COSMOS08-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos08-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2R Wed Sep 07 01:42:46 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(99)	COSMOS08-15	RA: 10 03 3.2900 (150.7637083d) Dec: +02 47 39.72 (2.79437d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos08-15	(99) COSMOS08-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos08-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2S Wed Sep 07 01:42:47 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(100)	COSMOS08-19	RA: 10 02 52.9300 (150.7205417d) Dec: +02 51 21.65 (2.85601d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos08-19	(100) COSMOS08-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos08-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2T Wed Sep 07 01:42:47 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 2T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(101)	COSMOS08-20	RA: 10 02 50.7100 (150.7112917d) Dec: +02 48 13.06 (2.80363d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos08-20	(101) COSMOS08-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos08-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2U Wed Sep 07 01:42:47 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(102)	COSMOS08-24	RA: 10 02 40.3400 (150.6680833d) Dec: +02 51 54.97 (2.86527d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos08-24	(102) COSMOS08-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos08-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2V Wed Sep 07 01:42:47 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 2V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(103)	COSMOS08-25	RA: 10 02 38.1200 (150.6588333d) Dec: +02 48 46.38 (2.81288d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos08-25	(103) COSMOS08-25	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos08-25-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 2Z Wed Sep 07 01:42:48 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 2Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 2Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(107)	COSMOS09-10	RA: 10 03 4.7700 (150.7698750d) Dec: +02 31 23.46 (2.52318d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-10	(107) COSMOS09-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 30 Wed Sep 07 01:42:48 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 30) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 30) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(108)	COSMOS09-11	RA: 10 03 1.0700 (150.7544583d) Dec: +02 44 31.14 (2.74198d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-11	(108) COSMOS09-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 31 Wed Sep 07 01:42:48 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 31) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 31) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit 31) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(109)	COSMOS09-12	RA: 10 02 58.8500 (150.7452083d) Dec: +02 41 22.55 (2.68960d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-12	(109) COSMOS09-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Unused Visibility = 115
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 32 Wed Sep 07 01:42:49 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 32) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 32) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(110)	COSMOS09-13	RA: 10 02 56.6300 (150.7359583d) Dec: +02 38 13.96 (2.63721d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-13	(110) COSMOS09-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 33 Wed Sep 07 01:42:49 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 33) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 33) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(111)	COSMOS09-14	RA: 10 02 54.4100 (150.7267083d) Dec: +02 35 5.38 (2.58483d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-14	(111) COSMOS09-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 34 Wed Sep 07 01:42:49 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 34) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 34) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(112)	COSMOS09-15	RA: 10 02 52.1900 (150.7174583d) Dec: +02 31 56.79 (2.53244d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-15	(112) COSMOS09-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 35 Wed Sep 07 01:42:50 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 35) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 35) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(113)	COSMOS09-16	RA: 10 02 48.4900 (150.7020417d) Dec: +02 45 4.47 (2.75124d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-16	(113) COSMOS09-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 36 Wed Sep 07 01:42:50 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 36) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 36) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(114)	COSMOS09-17	RA: 10 02 46.2700 (150.6927917d) Dec: +02 41 55.88 (2.69886d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-17	(114) COSMOS09-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 37 Wed Sep 07 01:42:50 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 37) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 37) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(115)	COSMOS09-18	RA: 10 02 44.0500 (150.6835417d) Dec: +02 38 47.29 (2.64647d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-18	(115) COSMOS09-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 38 Wed Sep 07 01:42:51 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 38) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 38) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(116)	COSMOS09-21	RA: 10 02 35.9000 (150.6495833d) Dec: +02 45 37.79 (2.76050d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-21	(116) COSMOS09-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 39 Wed Sep 07 01:42:51 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 39) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 39) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(117)	COSMOS09-22	RA: 10 02 33.6800 (150.6403333d) Dec: +02 42 29.20 (2.70811d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-22	(117) COSMOS09-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3A Wed Sep 07 01:42:51 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(118)	COSMOS09-23	RA: 10 02 31.4600 (150.6310833d) Dec: +02 39 20.61 (2.65572d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-23	(118) COSMOS09-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3E Wed Sep 07 01:42:51 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(122)	COSMOS10-05	RA: 10 03 6.2400 (150.7760000d) Dec: +02 15 7.22 (2.25201d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-05	(122) COSMOS10-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3F Wed Sep 07 01:42:52 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(123)	COSMOS10-06	RA: 10 03 2.5500 (150.7606250d) Dec: +02 28 14.88 (2.47080d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-06	(123) COSMOS10-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3G Wed Sep 07 01:42:52 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(124)	COSMOS10-07	RA: 10 03 0.3300 (150.7513750d) Dec: +02 25 6.29 (2.41841d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-07	(124) COSMOS10-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3H Wed Sep 07 01:42:52 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(125)	COSMOS10-08	RA: 10 02 58.1100 (150.7421250d) Dec: +02 21 57.71 (2.36603d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-08	(125) COSMOS10-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3I Wed Sep 07 01:42:53 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(126)	COSMOS10-09	RA: 10 02 55.8800 (150.7328333d) Dec: +02 18 49.13 (2.31365d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-09	(126) COSMOS10-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3J Wed Sep 07 01:42:53 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(127)	COSMOS10-10	RA: 10 02 53.6600 (150.7235833d) Dec: +02 15 40.55 (2.26126d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-10	(127) COSMOS10-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3K Wed Sep 07 01:42:53 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(128)	COSMOS10-11	RA: 10 02 49.9700 (150.7082083d) Dec: +02 28 48.21 (2.48006d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-11	(128) COSMOS10-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3L Wed Sep 07 01:42:54 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(129)	COSMOS10-12	RA: 10 02 47.7500 (150.6989583d) Dec: +02 25 39.62 (2.42767d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-12	(129) COSMOS10-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3M Wed Sep 07 01:42:54 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(130)	COSMOS10-13	RA: 10 02 45.5200 (150.6896667d) Dec: +02 22 31.04 (2.37529d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-13	(130) COSMOS10-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3N Wed Sep 07 01:42:54 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(131)	COSMOS10-14	RA: 10 02 43.3000 (150.6804167d) Dec: +02 19 22.46 (2.32291d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-14	(131) COSMOS10-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3O Wed Sep 07 01:42:54 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(132)	COSMOS10-15	RA: 10 02 41.0800 (150.6711667d) Dec: +02 16 13.88 (2.27052d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos10-15	(132) COSMOS10-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos10-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3P Wed Sep 07 01:42:55 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(133)	COSMOS11-01	RA: 10 03 4.0200 (150.7667500d) Dec: +02 11 58.64 (2.19962d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-01	(133) COSMOS11-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3Q Wed Sep 07 01:42:55 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(134)	COSMOS11-02	RA: 10 03 1.8000 (150.7575000d) Dec: +02 08 50.06 (2.14724d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-02	(134) COSMOS11-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3R Wed Sep 07 01:42:55 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(135)	COSMOS11-03	RA: 10 02 59.5700 (150.7482083d) Dec: +02 05 41.49 (2.09486d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-03	(135) COSMOS11-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3S Wed Sep 07 01:42:56 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(136)	COSMOS11-04	RA: 10 02 57.3500 (150.7389583d) Dec: +02 02 32.91 (2.04248d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-04	(136) COSMOS11-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3T Wed Sep 07 01:42:56 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 3T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(137)	COSMOS11-05	RA: 10 02 55.1300 (150.7297083d) Dec: +01 59 24.33 (1.99009d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-05	(137) COSMOS11-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3U Wed Sep 07 01:42:56 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(138)	COSMOS11-06	RA: 10 02 51.4400 (150.7143333d) Dec: +02 12 31.97 (2.20888d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-06	(138) COSMOS11-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3V Wed Sep 07 01:42:57 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(139)	COSMOS11-07	RA: 10 02 49.2200 (150.7050833d) Dec: +02 09 23.39 (2.15650d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-07	(139) COSMOS11-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3W Wed Sep 07 01:42:57 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(140)	COSMOS11-08	RA: 10 02 46.9900 (150.6957917d) Dec: +02 06 14.81 (2.10411d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-08	(140) COSMOS11-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3X Wed Sep 07 01:42:57 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(141)	COSMOS11-09	RA: 10 02 44.7700 (150.6865417d) Dec: +02 03 6.24 (2.05173d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-09	(141) COSMOS11-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3Y Wed Sep 07 01:42:58 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(142)	COSMOS11-10	RA: 10 02 42.5500 (150.6772917d) Dec: +01 59 57.66 (1.99935d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-10	(142) COSMOS11-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 3Z Wed Sep 07 01:42:58 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 3Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 3Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(143)	COSMOS11-11	RA: 10 02 38.8600 (150.6619167d) Dec: +02 13 5.30 (2.21814d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-11	(143) COSMOS11-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 40 Wed Sep 07 01:42:58 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 40) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 40) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(144)	COSMOS11-12	RA: 10 02 36.6300 (150.6526250d) Dec: +02 09 56.72 (2.16576d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-12	(144) COSMOS11-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 41 Wed Sep 07 01:42:59 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 41) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 41) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(145)	COSMOS11-13	RA: 10 02 34.4100 (150.6433750d) Dec: +02 06 48.14 (2.11337d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-13	(145) COSMOS11-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 42 Wed Sep 07 01:42:59 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 42) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 42) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(146)	COSMOS11-14	RA: 10 02 32.1900 (150.6341250d) Dec: +02 03 39.56 (2.06099d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-14	(146) COSMOS11-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 43 Wed Sep 07 01:42:59 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 43) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 43) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(147)	COSMOS11-15	RA: 10 02 29.9700 (150.6248750d) Dec: +02 00 30.98 (2.00861d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos11-15	(147) COSMOS11-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos11-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 44 Wed Sep 07 01:42:59 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 44) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 44) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(148)	COSMOS12-01	RA: 10 02 52.9000 (150.7204167d) Dec: +01 56 15.76 (1.93771d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-01	(148) COSMOS12-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 45 Wed Sep 07 01:43:00 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 45) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 45) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(149)	COSMOS12-02	RA: 10 02 50.6800 (150.7111667d) Dec: +01 53 7.18 (1.88533d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-02	(149) COSMOS12-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 46 Wed Sep 07 01:43:00 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 46) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 46) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(150)	COSMOS12-03	RA: 10 02 48.4500 (150.7018750d) Dec: +01 49 58.61 (1.83295d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-03	(150) COSMOS12-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 47 Wed Sep 07 01:43:00 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 47) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 47) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(151)	COSMOS12-04	RA: 10 02 46.2300 (150.6926250d) Dec: +01 46 50.04 (1.78057d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-04	(151) COSMOS12-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 48 Wed Sep 07 01:43:01 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 48) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 48) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(152)	COSMOS12-05	RA: 10 02 44.0000 (150.6833333d) Dec: +01 43 41.46 (1.72818d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-05	(152) COSMOS12-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 49 Wed Sep 07 01:43:01 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 49) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 49) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(153)	COSMOS12-06	RA: 10 02 40.3200 (150.6680000d) Dec: +01 56 49.08 (1.94697d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-06	(153) COSMOS12-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4A Wed Sep 07 01:43:01 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4A) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit 4A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(154)	COSMOS12-07	RA: 10 02 38.1000 (150.6587500d) Dec: +01 53 40.51 (1.89459d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-07	(154) COSMOS12-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Unused Visibility = 115
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4B Wed Sep 07 01:43:01 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(155)	COSMOS12-08	RA: 10 02 35.8700 (150.6494583d) Dec: +01 50 31.93 (1.84220d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-08	(155) COSMOS12-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4C Wed Sep 07 01:43:02 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(156)	COSMOS12-09	RA: 10 02 33.6500 (150.6402083d) Dec: +01 47 23.36 (1.78982d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-09	(156) COSMOS12-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4D Wed Sep 07 01:43:06 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(157)	COSMOS12-10	RA: 10 02 31.4300 (150.6309583d) Dec: +01 44 14.79 (1.73744d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-10	(157) COSMOS12-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4E Wed Sep 07 01:43:06 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(158)	COSMOS12-11	RA: 10 02 27.7400 (150.6155833d) Dec: +01 57 22.40 (1.95622d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-11	(158) COSMOS12-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4F Wed Sep 07 01:43:07 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(159)	COSMOS12-12	RA: 10 02 25.5200 (150.6063333d) Dec: +01 54 13.82 (1.90384d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-12	(159) COSMOS12-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4G Wed Sep 07 01:43:07 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(160)	COSMOS12-13	RA: 10 02 23.3000 (150.5970833d) Dec: +01 51 5.25 (1.85146d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-13	(160) COSMOS12-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4H Wed Sep 07 01:43:07 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(161)	COSMOS12-14	RA: 10 02 21.0700 (150.5877917d) Dec: +01 47 56.67 (1.79908d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-14	(161) COSMOS12-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4I Wed Sep 07 01:43:08 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(162)	COSMOS12-15	RA: 10 02 18.8500 (150.5785417d) Dec: +01 44 48.10 (1.74669d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos12-15	(162) COSMOS12-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos12-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4J Wed Sep 07 01:43:08 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(163)	COSMOS13-01	RA: 10 02 41.7800 (150.6740833d) Dec: +01 40 32.89 (1.67580d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-01	(163) COSMOS13-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4K Wed Sep 07 01:43:08 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 4K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(164)	COSMOS13-02	RA: 10 02 39.5500 (150.6647917d) Dec: +01 37 24.32 (1.62342d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-02	(164) COSMOS13-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4M Wed Sep 07 01:43:08 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(166)	COSMOS13-06	RA: 10 02 29.2000 (150.6216667d) Dec: +01 41 6.21 (1.68506d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-06	(166) COSMOS13-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4N Wed Sep 07 01:43:09 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 4N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(167)	COSMOS13-07	RA: 10 02 26.9800 (150.6124167d) Dec: +01 37 57.64 (1.63268d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-07	(167) COSMOS13-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4Q Wed Sep 07 01:43:09 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4Q) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit 4Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(170)	COSMOS13-11	RA: 10 02 16.6200 (150.5692500d) Dec: +01 41 39.53 (1.69431d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-11	(170) COSMOS13-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Unused Visibility = 115
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4R Wed Sep 07 01:43:09 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 4R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(171)	COSMOS13-12	RA: 10 02 14.4000 (150.5600000d) Dec: +01 38 30.95 (1.64193d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-12	(171) COSMOS13-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4U Wed Sep 07 01:43:10 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 4U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(174)	COSMOS13-17	RA: 10 02 1.8200 (150.5075833d) Dec: +01 39 4.26 (1.65118d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-17	(174) COSMOS13-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4X Wed Sep 07 01:43:10 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 4X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(177)	COSMOS13-22	RA: 10 01 49.2500 (150.4552083d) Dec: +01 39 37.56 (1.66043d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-22	(177) COSMOS13-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 4Y Wed Sep 07 01:43:10 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 4Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 4Y) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit 4Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(178)	COSMOS13-23	RA: 10 01 47.0200 (150.4459167d) Dec: +01 36 28.99 (1.60805d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos13-23	(178) COSMOS13-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos13-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Unused Visibility = 115
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 51 Wed Sep 07 01:43:11 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 51) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 51) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(181)	COSMOS15-05	RA: 10 02 25.5300 (150.6063750d) Dec: +02 49 19.70 (2.82214d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos15-05	(181) COSMOS15-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos15-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 53 Wed Sep 07 01:43:11 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 53) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 53) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(183)	COSMOS15-10	RA: 10 02 12.9500 (150.5539583d) Dec: +02 49 53.02 (2.83139d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos15-10	(183) COSMOS15-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos15-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 54 Wed Sep 07 01:43:11 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 54) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 54) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(184)	COSMOS15-15	RA: 10 02 0.3600 (150.5015000d) Dec: +02 50 26.32 (2.84064d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos15-15	(184) COSMOS15-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos15-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 55 Wed Sep 07 01:43:11 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 55) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 55) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(185)	COSMOS15-20	RA: 10 01 47.7700 (150.4490417d) Dec: +02 50 59.62 (2.84989d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos15-20	(185) COSMOS15-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos15-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 56 Wed Sep 07 01:43:12 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 56) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 56) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(186)	COSMOS15-25	RA: 10 01 35.1800 (150.3965833d) Dec: +02 51 32.92 (2.85914d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos15-25	(186) COSMOS15-25	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos15-25-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 57 Wed Sep 07 01:43:12 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 57) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 57) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(187)	COSMOS16-01	RA: 10 02 23.3100 (150.5971250d) Dec: +02 46 11.11 (2.76975d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-01	(187) COSMOS16-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 58 Wed Sep 07 01:43:12 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 58) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 58) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(188)	COSMOS16-02	RA: 10 02 21.0900 (150.5878750d) Dec: +02 43 2.52 (2.71737d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-02	(188) COSMOS16-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 59 Wed Sep 07 01:43:13 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 59) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 59) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(189)	COSMOS16-03	RA: 10 02 18.8700 (150.5786250d) Dec: +02 39 53.93 (2.66498d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-03	(189) COSMOS16-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5A Wed Sep 07 01:43:13 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(190)	COSMOS16-06	RA: 10 02 10.7300 (150.5447083d) Dec: +02 46 44.42 (2.77901d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-06	(190) COSMOS16-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5B Wed Sep 07 01:43:14 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(191)	COSMOS16-07	RA: 10 02 8.5100 (150.5354583d) Dec: +02 43 35.83 (2.72662d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-07	(191) COSMOS16-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5C Wed Sep 07 01:43:15 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(192)	COSMOS16-08	RA: 10 02 6.2900 (150.5262083d) Dec: +02 40 27.24 (2.67423d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-08	(192) COSMOS16-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5D Wed Sep 07 01:43:15 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(193)	COSMOS16-11	RA: 10 01 58.1400 (150.4922500d) Dec: +02 47 17.73 (2.78826d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-11	(193) COSMOS16-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5E Wed Sep 07 01:43:15 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(194)	COSMOS16-12	RA: 10 01 55.9200 (150.4830000d) Dec: +02 44 9.13 (2.73587d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-12	(194) COSMOS16-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5F Wed Sep 07 01:43:16 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(195)	COSMOS16-13	RA: 10 01 53.7000 (150.4737500d) Dec: +02 41 0.54 (2.68348d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-13	(195) COSMOS16-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5G Wed Sep 07 01:43:16 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(196)	COSMOS16-16	RA: 10 01 45.5500 (150.4397917d) Dec: +02 47 51.03 (2.79751d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-16	(196) COSMOS16-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5H Wed Sep 07 01:43:16 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(197)	COSMOS16-17	RA: 10 01 43.3400 (150.4305833d) Dec: +02 44 42.43 (2.74512d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-17	(197) COSMOS16-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5I Wed Sep 07 01:43:16 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(198)	COSMOS16-18	RA: 10 01 41.1200 (150.4213333d) Dec: +02 41 33.84 (2.69273d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-18	(198) COSMOS16-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5J Wed Sep 07 01:43:17 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(199)	COSMOS16-21	RA: 10 01 32.9700 (150.3873750d) Dec: +02 48 24.32 (2.80676d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-21	(199) COSMOS16-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5K Wed Sep 07 01:43:17 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(200)	COSMOS16-22	RA: 10 01 30.7500 (150.3781250d) Dec: +02 45 15.72 (2.75437d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-22	(200) COSMOS16-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5L Wed Sep 07 01:43:17 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(201)	COSMOS16-23	RA: 10 01 28.5300 (150.3688750d) Dec: +02 42 7.13 (2.70198d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos16-23	(201) COSMOS16-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos16-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5M Wed Sep 07 01:43:18 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(202)	COSMOS20-02	RA: 10 01 36.6700 (150.4027917d) Dec: +01 40 10.85 (1.66968d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-02	(202) COSMOS20-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5N Wed Sep 07 01:43:18 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 5N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5N) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(203)	COSMOS20-03	RA: 10 01 34.4400 (150.3935000d) Dec: +01 37 2.28 (1.61730d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-03	(203) COSMOS20-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***

Orbit Structure



Visit

Proposal 10092, Visit 5P Wed Sep 07 01:43:18 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(205)	COSMOS20-07	RA: 10 01 24.0900 (150.3503750d) Dec: +01 40 44.14 (1.67893d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-07	(205) COSMOS20-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5Q Wed Sep 07 01:43:18 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 5Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(206)	COSMOS20-08	RA: 10 01 21.8700 (150.3411250d) Dec: +01 37 35.56 (1.62654d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-08	(206) COSMOS20-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5T Wed Sep 07 01:43:19 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(209)	COSMOS20-12	RA: 10 01 11.5100 (150.2979583d) Dec: +01 41 17.42 (1.68817d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-12	(209) COSMOS20-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5U Wed Sep 07 01:43:19 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 5U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(210)	COSMOS20-13	RA: 10 01 9.2900 (150.2887083d) Dec: +01 38 8.84 (1.63579d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-13	(210) COSMOS20-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5X Wed Sep 07 01:43:20 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 5X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(213)	COSMOS20-17	RA: 10 00 58.9300 (150.2455417d) Dec: +01 41 50.69 (1.69741d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-17	(213) COSMOS20-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 5Y Wed Sep 07 01:43:20 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 5Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 5Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(214)	COSMOS20-18	RA: 10 00 56.7100 (150.2362917d) Dec: +01 38 42.12 (1.64503d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-18	(214) COSMOS20-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 61 Wed Sep 07 01:43:20 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 61) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 61) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(217)	COSMOS20-22	RA: 10 00 46.3600 (150.1931667d) Dec: +01 42 23.96 (1.70666d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-22	(217) COSMOS20-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 62 Wed Sep 07 01:43:20 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 62) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 62) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(218)	COSMOS20-23	RA: 10 00 44.1300 (150.1838750d) Dec: +01 39 15.38 (1.65427d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-23	(218) COSMOS20-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 63 Wed Sep 07 01:43:21 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 63) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 63) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(219)	COSMOS20-24	RA: 10 00 41.9100 (150.1746250d) Dec: +01 36 6.81 (1.60189d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos20-24	(219) COSMOS20-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos20-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 68 Wed Sep 07 01:43:21 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 68) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 68) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(224)	COSMOS23-01	RA: 10 01 20.3800 (150.3349167d) Dec: +02 48 57.60 (2.81600d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-01	(224) COSMOS23-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 69 Wed Sep 07 01:43:21 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 69) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 69) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(225)	COSMOS23-02	RA: 10 01 18.1600 (150.3256667d) Dec: +02 45 49.01 (2.76361d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-02	(225) COSMOS23-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6A Wed Sep 07 01:43:22 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(226)	COSMOS23-03	RA: 10 01 15.9500 (150.3164583d) Dec: +02 42 40.41 (2.71122d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-03	(226) COSMOS23-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6B Wed Sep 07 01:43:22 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 6B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(227)	COSMOS23-06	RA: 10 01 7.7900 (150.2824583d) Dec: +02 49 30.88 (2.82524d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-06	(227) COSMOS23-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6C Wed Sep 07 01:43:22 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(228)	COSMOS23-07	RA: 10 01 5.5700 (150.2732083d) Dec: +02 46 22.28 (2.77286d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-07	(228) COSMOS23-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6D Wed Sep 07 01:43:22 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(229)	COSMOS23-08	RA: 10 01 3.3600 (150.2640000d) Dec: +02 43 13.69 (2.72047d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-08	(229) COSMOS23-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6E Wed Sep 07 01:43:23 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 6E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(230)	COSMOS23-11	RA: 10 00 55.2000 (150.2300000d) Dec: +02 50 4.16 (2.83449d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-11	(230) COSMOS23-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6F Wed Sep 07 01:43:23 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(231)	COSMOS23-12	RA: 10 00 52.9900 (150.2207917d) Dec: +02 46 55.56 (2.78210d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-12	(231) COSMOS23-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6G Wed Sep 07 01:43:23 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(232)	COSMOS23-13	RA: 10 00 50.7700 (150.2115417d) Dec: +02 43 46.96 (2.72971d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-13	(232) COSMOS23-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6H Wed Sep 07 01:43:24 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 6H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(233)	COSMOS23-16	RA: 10 00 42.6200 (150.1775833d) Dec: +02 50 37.42 (2.84373d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-16	(233) COSMOS23-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6I Wed Sep 07 01:43:24 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(234)	COSMOS23-17	RA: 10 00 40.4000 (150.1683333d) Dec: +02 47 28.82 (2.79134d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-17	(234) COSMOS23-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6J Wed Sep 07 01:43:24 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(235)	COSMOS23-18	RA: 10 00 38.1800 (150.1590833d) Dec: +02 44 20.22 (2.73895d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-18	(235) COSMOS23-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6K Wed Sep 07 01:43:24 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 6K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(236)	COSMOS23-21	RA: 10 00 30.0300 (150.1251250d) Dec: +02 51 10.68 (2.85297d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-21	(236) COSMOS23-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6L Wed Sep 07 01:43:25 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(237)	COSMOS23-22	RA: 10 00 27.8100 (150.1158750d) Dec: +02 48 2.08 (2.80058d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-22	(237) COSMOS23-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6M Wed Sep 07 01:43:25 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(238)	COSMOS23-23	RA: 10 00 25.6000 (150.1066667d) Dec: +02 44 53.48 (2.74819d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos23-23	(238) COSMOS23-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos23-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6N Wed Sep 07 01:43:25 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(239)	COSMOS27-02	RA: 10 00 33.7800 (150.1407500d) Dec: +01 42 57.22 (1.71589d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-02	(239) COSMOS27-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6O Wed Sep 07 01:43:26 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(240)	COSMOS27-03	RA: 10 00 31.5600 (150.1315000d) Dec: +01 39 48.64 (1.66351d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-03	(240) COSMOS27-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6P Wed Sep 07 01:43:26 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 6P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(241)	COSMOS27-04	RA: 10 00 29.3300 (150.1222083d) Dec: +01 36 40.07 (1.61113d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-04	(241) COSMOS27-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6R Wed Sep 07 01:43:26 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(243)	COSMOS27-07	RA: 10 00 21.2000 (150.0883333d) Dec: +01 43 30.48 (1.72513d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-07	(243) COSMOS27-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6S Wed Sep 07 01:43:27 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(244)	COSMOS27-08	RA: 10 00 18.9800 (150.0790833d) Dec: +01 40 21.90 (1.67275d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-08	(244) COSMOS27-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6T Wed Sep 07 01:43:27 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 6T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(245)	COSMOS27-09	RA: 10 00 16.7500 (150.0697917d) Dec: +01 37 13.32 (1.62037d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-09	(245) COSMOS27-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6V Wed Sep 07 01:43:27 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(247)	COSMOS27-12	RA: 10 00 8.6200 (150.0359167d) Dec: +01 44 3.72 (1.73437d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-12	(247) COSMOS27-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6W Wed Sep 07 01:43:27 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(248)	COSMOS27-13	RA: 10 00 6.4000 (150.0266667d) Dec: +01 40 55.14 (1.68198d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-13	(248) COSMOS27-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6X Wed Sep 07 01:43:28 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 6X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(249)	COSMOS27-14	RA: 10 00 4.1800 (150.0174167d) Dec: +01 37 46.56 (1.62960d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-14	(249) COSMOS27-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 6Z Wed Sep 07 01:43:28 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 6Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 6Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(251)	COSMOS27-17	RA: 09 59 56.0400 (149.9835000d) Dec: +01 44 36.97 (1.74360d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-17	(251) COSMOS27-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 70 Wed Sep 07 01:43:28 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 70) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 70) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(252)	COSMOS27-18	RA: 09 59 53.8200 (149.9742500d) Dec: +01 41 28.38 (1.69122d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-18	(252) COSMOS27-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 71 Wed Sep 07 01:43:29 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 71) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit 71) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 71) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(253)	COSMOS27-19	RA: 09 59 51.6000 (149.9650000d) Dec: +01 38 19.80 (1.63883d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-19	(253) COSMOS27-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Unused Visibility = 115
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 73 Wed Sep 07 01:43:29 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 73) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 73) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(255)	COSMOS27-22	RA: 09 59 43.4600 (149.9310833d) Dec: +01 45 10.20 (1.75283d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-22	(255) COSMOS27-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 74 Wed Sep 07 01:43:29 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 74) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 74) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(256)	COSMOS27-23	RA: 09 59 41.2400 (149.9218333d) Dec: +01 42 1.62 (1.70045d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-23	(256) COSMOS27-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 75 Wed Sep 07 01:43:30 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 75) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 75) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(257)	COSMOS27-24	RA: 09 59 39.0200 (149.9125833d) Dec: +01 38 53.03 (1.64806d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos27-24	(257) COSMOS27-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos27-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7A Wed Sep 07 01:43:30 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 7A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(262)	COSMOS30-01	RA: 10 00 17.4400 (150.0726667d) Dec: +02 51 43.94 (2.86221d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-01	(262) COSMOS30-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7B Wed Sep 07 01:43:30 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(263)	COSMOS30-02	RA: 10 00 15.2200 (150.0634167d) Dec: +02 48 35.33 (2.80981d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-02	(263) COSMOS30-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7C Wed Sep 07 01:43:30 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(264)	COSMOS30-03	RA: 10 00 13.0100 (150.0542083d) Dec: +02 45 26.73 (2.75742d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-03	(264) COSMOS30-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7E Wed Sep 07 01:43:31 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 7E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(266)	COSMOS30-07	RA: 10 00 2.6400 (150.0110000d) Dec: +02 49 8.58 (2.81905d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-07	(266) COSMOS30-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7F Wed Sep 07 01:43:31 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(267)	COSMOS30-08	RA: 10 00 0.4200 (150.0017500d) Dec: +02 45 59.97 (2.76666d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-08	(267) COSMOS30-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7H Wed Sep 07 01:43:32 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 7H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(269)	COSMOS30-12	RA: 09 59 50.0500 (149.9585417d) Dec: +02 49 41.81 (2.82828d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-12	(269) COSMOS30-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7I Wed Sep 07 01:43:32 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(270)	COSMOS30-13	RA: 09 59 47.8300 (149.9492917d) Dec: +02 46 33.21 (2.77589d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-13	(270) COSMOS30-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7K Wed Sep 07 01:43:32 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 7K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(272)	COSMOS30-17	RA: 09 59 37.4600 (149.9060833d) Dec: +02 50 15.05 (2.83751d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-17	(272) COSMOS30-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7L Wed Sep 07 01:43:32 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(273)	COSMOS30-18	RA: 09 59 35.2500 (149.8968750d) Dec: +02 47 6.44 (2.78512d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-18	(273) COSMOS30-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7M Wed Sep 07 01:43:33 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 7M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(274)	COSMOS30-22	RA: 09 59 24.8700 (149.8536250d) Dec: +02 50 48.27 (2.84674d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-22	(274) COSMOS30-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7N Wed Sep 07 01:43:33 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(275)	COSMOS30-23	RA: 09 59 22.6600 (149.8444167d) Dec: +02 47 39.66 (2.79435d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-23	(275) COSMOS30-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7O Wed Sep 07 01:43:33 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(276)	COSMOS34-02	RA: 09 59 30.8800 (149.8786667d) Dec: +01 45 43.43 (1.76206d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-02	(276) COSMOS34-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7P Wed Sep 07 01:43:34 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(277)	COSMOS34-03	RA: 09 59 28.6600 (149.8694167d) Dec: +01 42 34.84 (1.70968d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-03	(277) COSMOS34-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7Q Wed Sep 07 01:43:34 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(278)	COSMOS34-04	RA: 09 59 26.4400 (149.8601667d) Dec: +01 39 26.26 (1.65729d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-04	(278) COSMOS34-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7R Wed Sep 07 01:43:34 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 7R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(279)	COSMOS34-05	RA: 09 59 24.2200 (149.8509167d) Dec: +01 36 17.68 (1.60491d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-05	(279) COSMOS34-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7S Wed Sep 07 01:43:34 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(280)	COSMOS34-07	RA: 09 59 18.3000 (149.8262500d) Dec: +01 46 16.65 (1.77129d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-07	(280) COSMOS34-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7T Wed Sep 07 01:43:35 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(281)	COSMOS34-08	RA: 09 59 16.0800 (149.8170000d) Dec: +01 43 8.06 (1.71891d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-08	(281) COSMOS34-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7U Wed Sep 07 01:43:35 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(282)	COSMOS34-09	RA: 09 59 13.8600 (149.8077500d) Dec: +01 39 59.48 (1.66652d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-09	(282) COSMOS34-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7V Wed Sep 07 01:43:35 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 7V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7V) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(283)	COSMOS34-10	RA: 09 59 11.6400 (149.7985000d) Dec: +01 36 50.90 (1.61414d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-10	(283) COSMOS34-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Unused Visibility = 115
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7W Wed Sep 07 01:43:36 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(284)	COSMOS34-12	RA: 09 59 5.7300 (149.7738750d) Dec: +01 46 49.86 (1.78052d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-12	(284) COSMOS34-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7X Wed Sep 07 01:43:36 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(285)	COSMOS34-13	RA: 09 59 3.5100 (149.7646250d) Dec: +01 43 41.28 (1.72813d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-13	(285) COSMOS34-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7Y Wed Sep 07 01:43:36 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 7Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(286)	COSMOS34-14	RA: 09 59 1.2900 (149.7553750d) Dec: +01 40 32.69 (1.67575d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-14	(286) COSMOS34-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 7Z Wed Sep 07 01:43:37 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 7Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 7Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(287)	COSMOS34-15	RA: 09 58 59.0700 (149.7461250d) Dec: +01 37 24.11 (1.62336d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-15	(287) COSMOS34-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 80 Wed Sep 07 01:43:37 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 80) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 80) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(288)	COSMOS34-17	RA: 09 58 53.1500 (149.7214583d) Dec: +01 47 23.07 (1.78974d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-17	(288) COSMOS34-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 81 Wed Sep 07 01:43:37 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 81) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 81) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(289)	COSMOS34-18	RA: 09 58 50.9300 (149.7122083d) Dec: +01 44 14.48 (1.73736d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-18	(289) COSMOS34-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 82 Wed Sep 07 01:43:37 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 82) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 82) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(290)	COSMOS34-19	RA: 09 58 48.7100 (149.7029583d) Dec: +01 41 5.90 (1.68497d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-19	(290) COSMOS34-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 83 Wed Sep 07 01:43:38 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 83) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 83) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(291)	COSMOS34-20	RA: 09 58 46.4900 (149.6937083d) Dec: +01 37 57.31 (1.63259d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-20	(291) COSMOS34-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 84 Wed Sep 07 01:43:38 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 84) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 84) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(292)	COSMOS34-22	RA: 09 58 40.5700 (149.6690417d) Dec: +01 47 56.27 (1.79896d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-22	(292) COSMOS34-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 85 Wed Sep 07 01:43:38 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 85) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 85) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(293)	COSMOS34-23	RA: 09 58 38.3500 (149.6597917d) Dec: +01 44 47.68 (1.74658d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-23	(293) COSMOS34-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 86 Wed Sep 07 01:43:39 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 86) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 86) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(294)	COSMOS34-24	RA: 09 58 36.1300 (149.6505417d) Dec: +01 41 39.09 (1.69419d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-24	(294) COSMOS34-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 87 Wed Sep 07 01:43:39 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 87) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 87) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 87) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(295)	COSMOS34-25	RA: 09 58 33.9100 (149.6412917d) Dec: +01 38 30.51 (1.64181d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos34-25	(295) COSMOS34-25	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos34-25-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Unused Visibility = 115
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8F Wed Sep 07 01:43:39 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 8F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(303)	COSMOS37-02	RA: 09 59 12.2800 (149.8011667d) Dec: +02 51 21.49 (2.85597d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-02	(303) COSMOS37-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8G Wed Sep 07 01:43:40 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(304)	COSMOS37-03	RA: 09 59 10.0700 (149.7919583d) Dec: +02 48 12.87 (2.80358d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-03	(304) COSMOS37-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8I Wed Sep 07 01:43:40 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 8I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(306)	COSMOS37-08	RA: 09 58 57.4800 (149.7395000d) Dec: +02 48 46.08 (2.81280d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-08	(306) COSMOS37-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8K Wed Sep 07 01:43:40 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 8K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(308)	COSMOS37-13	RA: 09 58 44.8900 (149.6870417d) Dec: +02 49 19.29 (2.82202d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-13	(308) COSMOS37-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8L Wed Sep 07 01:43:40 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(309)	COSMOS37-14	RA: 09 58 42.6800 (149.6778333d) Dec: +02 46 10.67 (2.76963d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-14	(309) COSMOS37-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8M Wed Sep 07 01:43:41 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(310)	COSMOS37-15	RA: 09 58 40.4700 (149.6686250d) Dec: +02 43 2.06 (2.71724d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-15	(310) COSMOS37-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8O Wed Sep 07 01:43:41 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 8O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(312)	COSMOS37-18	RA: 09 58 32.3100 (149.6346250d) Dec: +02 49 52.48 (2.83124d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-18	(312) COSMOS37-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8P Wed Sep 07 01:43:41 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(313)	COSMOS37-19	RA: 09 58 30.0900 (149.6253750d) Dec: +02 46 43.87 (2.77885d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-19	(313) COSMOS37-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8Q Wed Sep 07 01:43:42 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(314)	COSMOS37-20	RA: 09 58 27.8800 (149.6161667d) Dec: +02 43 35.25 (2.72646d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-20	(314) COSMOS37-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8R Wed Sep 07 01:43:42 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 8R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(315)	COSMOS37-23	RA: 09 58 19.7200 (149.5821667d) Dec: +02 50 25.67 (2.84046d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-23	(315) COSMOS37-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8S Wed Sep 07 01:43:42 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(316)	COSMOS37-24	RA: 09 58 17.5100 (149.5729583d) Dec: +02 47 17.06 (2.78807d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-24	(316) COSMOS37-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8T Wed Sep 07 01:43:42 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(317)	COSMOS37-25	RA: 09 58 15.3000 (149.5637500d) Dec: +02 44 8.44 (2.73568d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos37-25	(317) COSMOS37-25	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos37-25-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8U Wed Sep 07 01:43:43 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(318)	COSMOS38-11	RA: 09 58 38.2600 (149.6594167d) Dec: +02 39 53.45 (2.66485d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-11	(318) COSMOS38-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8V Wed Sep 07 01:43:43 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(319)	COSMOS38-12	RA: 09 58 36.0500 (149.6502083d) Dec: +02 36 44.84 (2.61246d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-12	(319) COSMOS38-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8W Wed Sep 07 01:43:43 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(320)	COSMOS38-13	RA: 09 58 33.8400 (149.6410000d) Dec: +02 33 36.23 (2.56006d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-13	(320) COSMOS38-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8X Wed Sep 07 01:43:44 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(321)	COSMOS38-14	RA: 09 58 31.6200 (149.6317500d) Dec: +02 30 27.62 (2.50767d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-14	(321) COSMOS38-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8Y Wed Sep 07 01:43:44 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8Y) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(322)	COSMOS38-15	RA: 09 58 29.4100 (149.6225417d) Dec: +02 27 19.01 (2.45528d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-15	(322) COSMOS38-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 8Z Wed Sep 07 01:43:44 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 8Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 8Z) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(323)	COSMOS38-16	RA: 09 58 25.6700 (149.6069583d) Dec: +02 40 26.64 (2.67407d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-16	(323) COSMOS38-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 90 Wed Sep 07 01:43:44 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 90) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 90) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(324)	COSMOS38-17	RA: 09 58 23.4600 (149.5977500d) Dec: +02 37 18.03 (2.62168d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-17	(324) COSMOS38-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 91 Wed Sep 07 01:43:45 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 91) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 91) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(325)	COSMOS38-18	RA: 09 58 21.2500 (149.5885417d) Dec: +02 34 9.42 (2.56928d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-18	(325) COSMOS38-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 92 Wed Sep 07 01:43:45 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 92) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 92) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(326)	COSMOS38-19	RA: 09 58 19.0400 (149.5793333d) Dec: +02 31 0.81 (2.51689d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-19	(326) COSMOS38-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 93 Wed Sep 07 01:43:45 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 93) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 93) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(327)	COSMOS38-20	RA: 09 58 16.8300 (149.5701250d) Dec: +02 27 52.20 (2.46450d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-20	(327) COSMOS38-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 94 Wed Sep 07 01:43:46 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 94) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 94) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(328)	COSMOS38-21	RA: 09 58 13.0900 (149.5545417d) Dec: +02 40 59.82 (2.68328d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-21	(328) COSMOS38-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 95 Wed Sep 07 01:43:46 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 95) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 95) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(329)	COSMOS38-22	RA: 09 58 10.8800 (149.5453333d) Dec: +02 37 51.21 (2.63089d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-22	(329) COSMOS38-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 96 Wed Sep 07 01:43:46 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 96) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 96) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(330)	COSMOS38-23	RA: 09 58 8.6700 (149.5361250d) Dec: +02 34 42.60 (2.57850d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-23	(330) COSMOS38-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 97 Wed Sep 07 01:43:46 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 97) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 97) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(331)	COSMOS38-24	RA: 09 58 6.4500 (149.5268750d) Dec: +02 31 33.99 (2.52611d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-24	(331) COSMOS38-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 98 Wed Sep 07 01:43:47 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 98) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 98) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(332)	COSMOS38-25	RA: 09 58 4.2400 (149.5176667d) Dec: +02 28 25.38 (2.47372d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos38-25	(332) COSMOS38-25	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos38-25-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 99 Wed Sep 07 01:43:47 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 99) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 99) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(333)	COSMOS39-11	RA: 09 58 27.2000 (149.6133333d) Dec: +02 24 10.41 (2.40289d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-11	(333) COSMOS39-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9A Wed Sep 07 01:43:47 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9A) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(334)	COSMOS39-12	RA: 09 58 24.9900 (149.6041250d) Dec: +02 21 1.80 (2.35050d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-12	(334) COSMOS39-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9B Wed Sep 07 01:43:48 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9B) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(335)	COSMOS39-13	RA: 09 58 22.7700 (149.5948750d) Dec: +02 17 53.20 (2.29811d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-13	(335) COSMOS39-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9C Wed Sep 07 01:43:48 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9C) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(336)	COSMOS39-14	RA: 09 58 20.5600 (149.5856667d) Dec: +02 14 44.60 (2.24572d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-14	(336) COSMOS39-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9D Wed Sep 07 01:43:48 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9D) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(337)	COSMOS39-15	RA: 09 58 18.3400 (149.5764167d) Dec: +02 11 36.00 (2.19333d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-15	(337) COSMOS39-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9E Wed Sep 07 01:43:49 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9E) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(338)	COSMOS39-16	RA: 09 58 14.6100 (149.5608750d) Dec: +02 24 43.59 (2.41211d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-16	(338) COSMOS39-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9F Wed Sep 07 01:43:49 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9F) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(339)	COSMOS39-17	RA: 09 58 12.4000 (149.5516667d) Dec: +02 21 34.99 (2.35972d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-17	(339) COSMOS39-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9G Wed Sep 07 01:43:49 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9G) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(340)	COSMOS39-18	RA: 09 58 10.1900 (149.5424583d) Dec: +02 18 26.38 (2.30733d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-18	(340) COSMOS39-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9H Wed Sep 07 01:43:50 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9H) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(341)	COSMOS39-19	RA: 09 58 7.9700 (149.5332083d) Dec: +02 15 17.78 (2.25494d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-19	(341) COSMOS39-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9I Wed Sep 07 01:43:50 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9I) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(342)	COSMOS39-20	RA: 09 58 5.7600 (149.5240000d) Dec: +02 12 9.18 (2.20255d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-20	(342) COSMOS39-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9J Wed Sep 07 01:43:50 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9J) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9J) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(343)	COSMOS39-21	RA: 09 58 2.0300 (149.5084583d) Dec: +02 25 16.77 (2.42132d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-21	(343) COSMOS39-21	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-21-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Unused Visibility = 115
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9K Wed Sep 07 01:43:51 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9K) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(344)	COSMOS39-22	RA: 09 57 59.8200 (149.4992500d) Dec: +02 22 8.16 (2.36893d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-22	(344) COSMOS39-22	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-22-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9L Wed Sep 07 01:43:51 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9L) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(345)	COSMOS39-23	RA: 09 57 57.6000 (149.4900000d) Dec: +02 18 59.56 (2.31654d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-23	(345) COSMOS39-23	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-23-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9M Wed Sep 07 01:43:51 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9M) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit 9M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9M) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(346)	COSMOS39-24	RA: 09 57 55.3900 (149.4807917d) Dec: +02 15 50.95 (2.26415d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-24	(346) COSMOS39-24	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-24-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Unused Visibility = 115
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
secs
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9N Wed Sep 07 01:43:51 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9N) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(347)	COSMOS39-25	RA: 09 57 53.1800 (149.4715833d) Dec: +02 12 42.35 (2.21176d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos39-25	(347) COSMOS39-25	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos39-25-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9O Wed Sep 07 01:43:52 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9O) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(348)	COSMOS40-11	RA: 09 58 16.1300 (149.5672083d) Dec: +02 08 27.40 (2.14094d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-11	(348) COSMOS40-11	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9P Wed Sep 07 01:43:52 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9P) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(349)	COSMOS40-12	RA: 09 58 13.9100 (149.5579583d) Dec: +02 05 18.80 (2.08856d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-12	(349) COSMOS40-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9Q Wed Sep 07 01:43:52 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9Q) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(350)	COSMOS40-13	RA: 09 58 11.7000 (149.5487500d) Dec: +02 02 10.20 (2.03617d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-13	(350) COSMOS40-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9R Wed Sep 07 01:43:53 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9R) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(351)	COSMOS40-14	RA: 09 58 9.4800 (149.5395000d) Dec: +01 59 1.61 (1.98378d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-14	(351) COSMOS40-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9S Wed Sep 07 01:43:53 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit 9S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9S) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(352)	COSMOS40-15	RA: 09 58 7.2600 (149.5302500d) Dec: +01 55 53.01 (1.93139d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-15	(352) COSMOS40-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9T Wed Sep 07 01:43:53 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9T) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(353)	COSMOS40-16	RA: 09 58 3.5500 (149.5147917d) Dec: +02 09 0.58 (2.15016d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-16	(353) COSMOS40-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9U Wed Sep 07 01:43:54 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9U) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(354)	COSMOS40-17	RA: 09 58 1.3300 (149.5055417d) Dec: +02 05 51.98 (2.09777d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-17	(354) COSMOS40-17	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-17-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9V Wed Sep 07 01:43:54 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9V) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(355)	COSMOS40-18	RA: 09 57 59.1100 (149.4962917d) Dec: +02 02 43.38 (2.04538d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-18	(355) COSMOS40-18	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-18-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9W Wed Sep 07 01:43:54 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9W) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(356)	COSMOS40-19	RA: 09 57 56.9000 (149.4870833d) Dec: +01 59 34.78 (1.99299d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-19	(356) COSMOS40-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit 9X Wed Sep 07 01:43:54 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit 9X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit 9X) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(357)	COSMOS40-20	RA: 09 57 54.6800 (149.4778333d) Dec: +01 56 26.19 (1.94061d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos40-20	(357) COSMOS40-20	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos40-20-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit A1 Wed Sep 07 01:43:55 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit A1) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit A1) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(361)	COSMOS41-02	RA: 09 58 27.9900 (149.6166250d) Dec: +01 48 29.46 (1.80818d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-02	(361) COSMOS41-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit A2 Wed Sep 07 01:43:55 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit A2) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit A2) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(362)	COSMOS41-03	RA: 09 58 25.7700 (149.6073750d) Dec: +01 45 20.87 (1.75580d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-03	(362) COSMOS41-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit A3 Wed Sep 07 01:44:01 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit A3) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit A3) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(363)	COSMOS41-04	RA: 09 58 23.5500 (149.5981250d) Dec: +01 42 12.29 (1.70341d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-04	(363) COSMOS41-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit A4 Wed Sep 07 01:44:01 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit A4) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit A4) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(364)	COSMOS41-05	RA: 09 58 21.3300 (149.5888750d) Dec: +01 39 3.70 (1.65103d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-05	(364) COSMOS41-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit A5 Wed Sep 07 01:44:02 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit A5) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit A5) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(365)	COSMOS41-07	RA: 09 58 15.4100 (149.5642083d) Dec: +01 49 2.65 (1.81740d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-07	(365) COSMOS41-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit A6 Wed Sep 07 01:44:02 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit A6) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit A6) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(366)	COSMOS41-08	RA: 09 58 13.1900 (149.5549583d) Dec: +01 45 54.06 (1.76502d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-08	(366) COSMOS41-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit A7 Wed Sep 07 01:44:02 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit A7) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit A7) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(367)	COSMOS41-09	RA: 09 58 10.9700 (149.5457083d) Dec: +01 42 45.47 (1.71263d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-09	(367) COSMOS41-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit A8 Wed Sep 07 01:44:03 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit A8) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit A8) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(368)	COSMOS41-10	RA: 09 58 8.7500 (149.5364583d) Dec: +01 39 36.88 (1.66024d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-10	(368) COSMOS41-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit A9 Wed Sep 07 01:44:03 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit A9) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit A9) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(369)	COSMOS41-11	RA: 09 58 5.0400 (149.5210000d) Dec: +01 52 44.42 (1.87901d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-11 1	(369) COSMOS41-11 1	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F300W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AA Wed Sep 07 01:44:03 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AA) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AA) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(370)	COSMOS41-12	RA: 09 58 2.8300 (149.5117917d) Dec: +01 49 35.83 (1.82662d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-12	(370) COSMOS41-12	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-12-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AB Wed Sep 07 01:44:04 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AB) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AB) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(371)	COSMOS41-13	RA: 09 58 0.6100 (149.5025417d) Dec: +01 46 27.24 (1.77423d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-13	(371) COSMOS41-13	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-13-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AC Wed Sep 07 01:44:04 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AC) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AC) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(372)	COSMOS41-14	RA: 09 57 58.3900 (149.4932917d) Dec: +01 43 18.65 (1.72185d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-14	(372) COSMOS41-14	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-14-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AD Wed Sep 07 01:44:04 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AD) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit AD) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AD) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(373)	COSMOS41-15	RA: 09 57 56.1700 (149.4840417d) Dec: +01 40 10.06 (1.66946d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-15	(373) COSMOS41-15	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-15-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Unused Visibility = 115
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AE Wed Sep 07 01:44:04 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AE) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit AE) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AE) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(374)	COSMOS41-16	RA: 09 57 52.4600 (149.4685833d) Dec: +01 53 17.59 (1.88822d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos41-16	(374) COSMOS41-16	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos41-16-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Unused Visibility = 115
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AI Wed Sep 07 01:44:05 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AI) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AI) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(378)	COSMOS42-01	RA: 09 58 19.1100 (149.5796250d) Dec: +01 35 55.12 (1.59864d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos42-01	(378) COSMOS42-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos42-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AK Wed Sep 07 01:44:05 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AK) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AK) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(380)	COSMOS42-06	RA: 09 58 6.5300 (149.5272083d) Dec: +01 36 28.30 (1.60786d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos42-06	(380) COSMOS42-06	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos42-06-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AM Wed Sep 07 01:44:05 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AM) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AM) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(382)	COSMOS42-11	RA: 09 57 53.9500 (149.4747917d) Dec: +01 37 1.47 (1.61708d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos42-11 1	(382) COSMOS42-11 1	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos42-11-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AO Wed Sep 07 01:44:06 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AO) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AO) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(384)	COSMOS44-03	RA: 09 58 7.1300 (149.5297083d) Dec: +02 50 58.86 (2.84968d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos44-03	(384) COSMOS44-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos44-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AP Wed Sep 07 01:44:06 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit AP) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AP) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(385)	COSMOS44-04	RA: 09 58 4.9200 (149.5205000d) Dec: +02 47 50.24 (2.79729d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos44-04	(385) COSMOS44-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos44-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AQ Wed Sep 07 01:44:06 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit AQ) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AQ) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(386)	COSMOS44-05	RA: 09 58 2.7100 (149.5112917d) Dec: +02 44 41.62 (2.74489d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos44-05	(386) COSMOS44-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos44-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AR Wed Sep 07 01:44:06 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AR) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AR) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(387)	COSMOS44-08	RA: 09 57 54.5400 (149.4772500d) Dec: +02 51 32.03 (2.85890d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos44-08	(387) COSMOS44-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos44-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AS Wed Sep 07 01:44:07 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AS) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AS) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(388)	COSMOS44-09	RA: 09 57 52.3300 (149.4680417d) Dec: +02 48 23.41 (2.80650d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos44-09	(388) COSMOS44-09	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos44-09-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AT Wed Sep 07 01:44:07 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AT) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AT) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(389)	COSMOS44-10	RA: 09 57 50.1200 (149.4588333d) Dec: +02 45 14.79 (2.75411d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos44-10	(389) COSMOS44-10	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos44-10-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AU Wed Sep 07 01:44:07 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AU) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AU) Warning: GS ACQ SCENARIO REQUESTED INCONSISTENT WITH VISIT GYRO MODE

(Visit AU) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(390)	COSMOS45-01	RA: 09 58 0.5000 (149.5020833d) Dec: +02 41 33.00 (2.69250d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos45-01	(390) COSMOS45-01	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO	GS ACQ SCENARIO SINGLE	Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos45-01-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
GS Acq
Unused Visibility = 115
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AV Wed Sep 07 01:44:08 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AV) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AV) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(391)	COSMOS45-02	RA: 09 57 58.2900 (149.4928750d) Dec: +02 38 24.39 (2.64011d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos45-02	(391) COSMOS45-02	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos45-02-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AW Wed Sep 07 01:44:08 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AW) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AW) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(392)	COSMOS45-03	RA: 09 57 56.0800 (149.4836667d) Dec: +02 35 15.77 (2.58771d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos45-03	(392) COSMOS45-03	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos45-03-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AX Wed Sep 07 01:44:08 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AX) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AX) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(393)	COSMOS45-04	RA: 09 57 53.8700 (149.4744583d) Dec: +02 32 7.16 (2.53532d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos45-04	(393) COSMOS45-04	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos45-04-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AY Wed Sep 07 01:44:08 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AY) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AY) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(394)	COSMOS45-05	RA: 09 57 51.6600 (149.4652500d) Dec: +02 28 58.55 (2.48293d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos45-05	(394) COSMOS45-05	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos45-05-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit AZ Wed Sep 07 01:44:09 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit AZ) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit AZ) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(395)	COSMOS09-15A	RA: 10 02 50.1900 (150.7091250d) Dec: +02 31 56.79 (2.53244d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos09-15a	(395) COSMOS09-15A	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos09-15a-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit B0 Wed Sep 07 01:44:09 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit B0) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit B0) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(396)	COSMOS18-11A	RA: 10 01 35.8400 (150.3993333d) Dec: +02 14 17.53 (2.23820d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos18-11a	(396) COSMOS18-11A	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos18-11a-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit B1 Wed Sep 07 01:44:09 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit B1) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit B1) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(397)	COSMOS18-11B	RA: 10 01 38.0600 (150.4085833d) Dec: +02 17 26.12 (2.29059d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos18-11b	(397) COSMOS18-11B	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos18-11b-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit B2 Wed Sep 07 01:44:10 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit B2) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit B2) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(398)	COSMOS33-08A	RA: 09 59 26.0700 (149.8586250d) Dec: +01 57 16.70 (1.95464d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos33-08a	(398) COSMOS33-08A	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos33-08a-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit B3 Wed Sep 07 01:44:10 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit B3) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit B3) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(399)	COSMOS33-08B	RA: 09 59 28.2900 (149.8678750d) Dec: +02 00 25.29 (2.00702d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos33-08b	(399) COSMOS33-08B	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	507.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos33-08b-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1) Prime + Parallel Group 1-2	400.0 Secs *[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit B4 Wed Sep 07 01:44:10 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Comments: Repeat of visit 5T from program 9822. Visit 3Q of program 10092 was withdrawn to make time for this repeat visit.

Diagnostics

(Visit B4) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit B4) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(400)	COSMOS31-19	RA: 09 59 21.9700 (149.8415417d) Dec: +02 28 14.80 (2.47078d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos31-19	(400) COSMOS31-19	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos31-19-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit CE Wed Sep 07 01:44:10 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 280.0D TO 280.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D; ON HOLD

On Hold Comments: Will be released later

Diagnostics

(Visit CE) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit CE) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(266)	COSMOS30-07	RA: 10 00 2.6400 (150.0110000d) Dec: +02 49 8.58 (2.81905d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-07	(266) COSMOS30-07	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-07-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead

Visit

Proposal 10092, Visit CF Wed Sep 07 01:44:11 GMT 2005

Diagnostic Status: Warning

Scientific Instruments: ACS/WFC, WFPC2

Special Requirements: PCS MODE FINE; ORIENT 278.0D TO 290.0 D; ORIENT 100.0D TO 100.0 D; ORIENT 10.0D TO 10.0 D

Diagnostics

(Visit CF) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

(Visit CF) Warning: PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME

Patterns

#	Primary Pattern		Secondary Pattern		Exposures
(1)	Pattern Type=LINE	Coordinate Frame=POS-TARG	Pattern Type=LINE	Coordinate Frame=POS-TARG	(1-2)
	Purpose=DITHER	Pattern Orientation=91.2	Purpose=DITHER	Pattern Orientation=85.4	
	Number Of Points=2	Angle Between Sides=	Number Of Points=2	Angle Between Sides=	
	Point Spacing=6.105	Center Pattern=true	Point Spacing=3.086	Center Pattern=false	
	Line Spacing=		Line Spacing=		

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(267)	COSMOS30-08	RA: 10 00 0.4200 (150.0017500d) Dec: +02 45 59.97 (2.76666d) Equinox: J2000 Plate Id: (?)		V=27.0+/-0.5	Coordinate Source: GUIDE_STAR_CATALOG

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	Cosmos30-08	(267) COSMOS30-08	ACS/WFC, ACCUM, WFCENTER	F814W	CR-SPLIT=NO		Pattern 1-2 (1)	507.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***
2	Cosmos30-08-WFPC2	ANY	WFPC2, IMAGE, WFALL	F450W	CR-SPLIT=NO		Pattern 1-2 (1)	400.0 Secs	
							Prime + Parallel Group 1-2	*[==>(Pattern 1,1)]* *[==>(Pattern 1,2)]* *[==>(Pattern 2,1)]* *[==>(Pattern 2,2)]*	***[1]***


Orbit Structure
Orbit 1
Server Version: 20050717
Pointing Maneuver
Pointing Maneuver
Pointing Maneuver
Unused Visibility = 37
GS Acq
Exp. 1
Exp. 1
Exp. 1
Exp. 1
Occultation
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
sec
Exp. 2
Exp. 2
Exp. 2
Exp. 2
Overhead
Overhead
Overhead
Overhead