



10567 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Cycle: 14, Proposal Category: SNAP

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Helmut Jerjen (PI)	Australian National University	jerjen@mso.anu.edu.au
Dr. R. Brent Tully (CoI) (AdminUSPI)	University of Hawaii	tully@ifa.hawaii.edu
Dr. Neil Trentham (CoI) (ESA Member)	University of Cambridge	trentham@ast.cam.ac.uk

VISITS

<i>Visit</i>	<i>Targets</i>	<i>Configurations</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) D001	ACS/WFC	1	12-May-2005 19:08:08.0	yes
02	(2) D002	ACS/WFC	1	12-May-2005 19:46:44.0	yes
03	(3) D005	ACS/WFC	?	?	yes
04	(4) D006	ACS/WFC	?	?	yes
05	(5) D012	ACS/WFC	?	?	yes
06	(6) D013	ACS/WFC	?	?	yes
07	(7) D018	ACS/WFC	?	?	yes
08	(8) D025	ACS/WFC	1	12-May-2005 20:33:01.0	yes
09	(9) D027	ACS/WFC	1	12-May-2005 20:33:07.0	yes

Proposal 10567 - Overview

Visit	Targets	Configurations	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
10	(10) D029	ACS/WFC	?	?	yes
11	(11) D030	ACS/WFC	?	?	yes
12	(12) D039	ACS/WFC	?	?	yes
13	(13) D041	ACS/WFC	?	?	yes
14	(14) D042	ACS/WFC	?	?	yes
15	(15) D062	ACS/WFC	1	12-May-2005 20:34:11.0	yes
16	(16) D066	ACS/WFC	?	?	yes
17	(17) D067	ACS/WFC	?	?	yes
18	(18) D069	ACS/WFC	?	?	yes
19	(19) D072	ACS/WFC	?	?	yes
20	(20) D077	ACS/WFC	?	?	yes
21	(21) D078	ACS/WFC	1	12-May-2005 20:34:47.0	yes
22	(22) D081	ACS/WFC	?	?	yes
23	(23) D091	ACS/WFC	?	?	yes
24	(24) D095	ACS/WFC	?	?	yes
25	(25) D103	ACS/WFC	?	?	yes
26	(26) D104	ACS/WFC	1	20-Jun-2005 11:47:29.0	yes
27	(27) D107	ACS/WFC	1	12-May-2005 20:35:24.0	yes
28	(28) D123	ACS/WFC	1	20-Jun-2005 11:47:37.0	yes
29	(29) D126	ACS/WFC	1	20-Jun-2005 11:47:39.0	yes
30	(30) D136	ACS/WFC	1	20-Jun-2005 11:47:42.0	yes
31	(31) D142	ACS/WFC	1	20-Jun-2005 11:47:45.0	yes

Proposal 10567 - Overview

Visit	Targets	Configurations	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
32	(32) D161	ACS/WFC	1	20-Jun-2005 11:47:47.0	yes
33	(33) D163	ACS/WFC	1	20-Jun-2005 11:47:50.0	yes
34	(34) D170	ACS/WFC	1	20-Jun-2005 11:47:52.0	yes
35	(35) D171	ACS/WFC	1	20-Jun-2005 11:47:55.0	yes
36	(36) D174	ACS/WFC	1	20-Jun-2005 11:47:57.0	yes
37	(37) D175	ACS/WFC	1	20-Jun-2005 11:48:00.0	yes
38	(38) D178	ACS/WFC	1	20-Jun-2005 11:48:02.0	yes
39	(39) D182	ACS/WFC	1	20-Jun-2005 11:48:05.0	yes
40	(40) D188	ACS/WFC	1	20-Jun-2005 11:48:07.0	yes
41	(41) D191	ACS/WFC	1	20-Jun-2005 11:48:10.0	yes
42	(42) D192	ACS/WFC	1	20-Jun-2005 11:48:13.0	yes
43	(43) D195	ACS/WFC	1	20-Jun-2005 11:48:15.0	yes
44	(44) D196	ACS/WFC	1	20-Jun-2005 11:48:18.0	yes
45	(45) D203	ACS/WFC	1	20-Jun-2005 11:48:21.0	yes
46	(46) D207	ACS/WFC	1	20-Jun-2005 11:48:23.0	yes
47	(47) D208	ACS/WFC	1	20-Jun-2005 11:48:26.0	yes
48	(48) D209	ACS/WFC	1	20-Jun-2005 11:48:28.0	yes
49	(49) D213	ACS/WFC	1	20-Jun-2005 11:48:31.0	yes
50	(50) D216	ACS/WFC	1	20-Jun-2005 11:48:34.0	yes
51	(51) D217	ACS/WFC	1	20-Jun-2005 11:48:37.0	yes
52	(52) D221	ACS/WFC	1	20-Jun-2005 11:48:40.0	yes
53	(53) D225	ACS/WFC	1	20-Jun-2005 11:48:42.0	yes

Proposal 10567 - Overview

Visit	Targets	Configurations	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
54	(54) D229	ACS/WFC	1	20-Jun-2005 11:48:45.0	yes
55	(55) D243	ACS/WFC	1	20-Jun-2005 11:48:48.0	yes
56	(56) D257	ACS/WFC	1	20-Jun-2005 11:48:50.0	yes
57	(57) D268	ACS/WFC	1	20-Jun-2005 11:48:53.0	yes
58	(58) D272	ACS/WFC	1	20-Jun-2005 11:48:56.0	yes
59	(59) D273	ACS/WFC	1	20-Jun-2005 11:48:59.0	yes
60	(60) D277	ACS/WFC	1	20-Jun-2005 11:49:01.0	yes
61	(61) D296	ACS/WFC	1	20-Jun-2005 11:49:04.0	yes
62	(62) D298	ACS/WFC	1	20-Jun-2005 11:49:07.0	yes
63	(63) D299	ACS/WFC	1	20-Jun-2005 11:49:11.0	yes
64	(64) D300	ACS/WFC	1	20-Jun-2005 11:49:13.0	yes
65	(65) D308	ACS/WFC	1	20-Jun-2005 11:49:16.0	yes
66	(66) D318	ACS/WFC	1	20-Jun-2005 11:49:19.0	yes
67	(67) D320	ACS/WFC	1	20-Jun-2005 11:49:22.0	yes
68	(68) D328	ACS/WFC	1	20-Jun-2005 11:49:24.0	yes
69	(69) D339	ACS/WFC	1	20-Jun-2005 11:49:27.0	yes
70	(70) D346	ACS/WFC	1	20-Jun-2005 11:49:30.0	yes
71	(71) D357	ACS/WFC	1	20-Jun-2005 11:49:35.0	yes
72	(72) D366	ACS/WFC	1	20-Jun-2005 11:49:37.0	yes
73	(73) D370	ACS/WFC	1	20-Jun-2005 11:49:40.0	yes
74	(74) B248	ACS/WFC	1	20-Jun-2005 11:49:43.0	yes
75	(75) B134	ACS/WFC	1	20-Jun-2005 11:49:47.0	yes

Proposal 10567 - Overview

<i>Visit</i>	<i>Targets</i>	<i>Configurations</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
76	(76) B059	ACS/WFC	1	20-Jun-2005 11:49:50.0	yes
77	(77) B237	ACS/WFC	1	20-Jun-2005 11:49:53.0	yes
78	(78) B131	ACS/WFC	1	20-Jun-2005 11:49:55.0	yes
79	(79) B289	ACS/WFC	1	20-Jun-2005 11:49:58.0	yes
80	(80) B064	ACS/WFC	1	20-Jun-2005 11:50:01.0	yes

ABSTRACT

The history of the formation of galaxies must leave an imprint in the properties of the mass function of collapsed objects and in it's observational manifestation the luminosity function. At present the faint end of the luminosity function of galaxies is poorly known. Accurate knowledge of the luminosity function over the full range of galaxy clustering scales would provide serious constraints on both initial cosmological conditions and modulating astrophysical processes. Wide field imaging surveys with large groundbased telescopes now provide the capability to identify dwarf galaxy candidates to very faint levels. However distances to these candidates are needed to overcome the omnipresent problem of group membership uncertainties and to establish the intrinsic properties of the faint end of the luminosity function. Single orbit observations with HST ACS can provide adequate distances via the surface brightness fluctuation method for targets in this program, resulting in the best definition ever of the luminosity function to $M_R=-11$ in a specific environment.

OBSERVING DESCRIPTION

Proposal 10567 - Overview

Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances (SNAP Proposal 10567)

This program is a straightforward snapshot imaging survey of 80 selected early-type (dwarf) galaxies in the NGC1407 group at ~ 25 Mpc in two filters. Some of the target galaxies are barely visible on DSS images due to low surface brightness. However, accurate coordinates for each galaxy have been carefully established using deep CFHT images and the VVT tool.

Pointing: Each target galaxy will be centered on the ACS WFC chip #1 (Aperture WFC1), no particular orientation of the camera is required.

Imaging strategy for all except four targets:

F850LP, 1380sec, exposure split into two subexposures of equal length (690sec) using 2x2 "hot pixel" dither pattern #10

F475W, 780sec, exposure split into two subexposures of equal length (390sec) using 2x2 "hot pixel" dither pattern #10

Imaging strategy for D018, D213, D248, and D134:

Proposal 10567 - Overview

F850LP, 60sec, short exposure, CR-SPLIT=NO

F850LP, 1200sec, exposure split into two subexposures
of equal length (600sec) using 2x2 "hot pixel" dither
pattern #10

F475W, 740sec, exposure split into two subexposures
of equal length (370sec) using 2x2 "hot pixel" dither
pattern #10

Maximal usage of the time available in an orbit shall be made.
If possible all exposures for a single target shall be taken during
the same orbit.

Proposal 10567 - Visit 01 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 01 Mon Jun 20 15:50:03 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(1)	D001	RA: 03 34 34.9000 (53.6454167d) Dec: -20 07 16.00 (-20.12111d) Equinox: J2000 Plate Id: (?)				V=18.74+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(1) D001	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(1) D001	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	

Proposal 10567 - Visit 02 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 02 Mon Jun 20 15:50:03 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(2)	D002	RA: 03 35 25.9800 (53.8582500d) Dec: -19 41 26.50 (-19.69069d) Equinox: J2000 Plate Id: (?)				V=19.1+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(2) D002	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(2) D002	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	


Proposal 10567 - Visit 03 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 03 Mon Jun 20 15:50:03 GMT 2005									
	Priority: L Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 03) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 03) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 03) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 03) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 03) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(3)	D005	RA: 03 37 29.4000 (54.3725000d) Dec: -19 54 49.10 (-19.91364d) Equinox: J2000 Plate Id: (?)				V=18.71+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(3) D005	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
Exposures	2		(3) D005	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	
										[1]




Proposal 10567 - Visit 04 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 04										Mon Jun 20 15:50:04 GMT 2005		
	Priority: L												
	Diagnostic Status: Error												
	Scientific Instruments: ACS/WFC												
Special Requirements: (none)													
Diagnostics	(Visit 04) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
	(Visit 04) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
	(Visit 04) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE		Coordinate Frame=POS-TARG								(1), (2)	
Purpose=DITHER		Pattern Orientation=47.2											
Number Of Points=2		Angle Between Sides=											
Point Spacing=0.145		Center Pattern=false											
Line Spacing=													
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(4)	D006		RA: 03 38 46.2400 (54.6926667d) Dec: -19 53 14.80 (-19.88744d) Equinox: J2000 Plate Id: (?)				V=20.34+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(4) D006	ACS/WFC, ACCUM, WFC1		F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs			
										[==>690.0 Secs (Pattern 1)]		[1]	
										[==>690.0 Secs (Pattern 2)]			
	2		(4) D006	ACS/WFC, ACCUM, WFC1		F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs			
									[==>390.0 Secs (Pattern 1)]		[1]		
									[==>390.0 Secs (Pattern 2)]				




Proposal 10567 - Visit 05 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 05 Mon Jun 20 15:50:06 GMT 2005									
	Priority: L Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 05) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 05) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 05) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(5)	D012	RA: 03 42 34.1600 (55.6423333d) Dec: -19 44 57.80 (-19.74939d) Equinox: J2000 Plate Id: (?)				V=18.63+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(5) D012	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	[1]
									[==>690.0 Secs (Pattern 2)]	
	2		(5) D012	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	[1]
									[==>390.0 Secs (Pattern 2)]	



Proposal 10567 - Visit 06 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 06										Mon Jun 20 15:50:07 GMT 2005		
	Priority: H												
	Diagnostic Status: Error												
	Scientific Instruments: ACS/WFC												
Special Requirements: (none)													
Diagnostics	(Visit 06) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
	(Visit 06) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(6)	D013		RA: 03 42 30.5000 (55.6270833d) Dec: -19 52 17.70 (-19.87158d) Equinox: J2000 Plate Id: (?)				V=21.53+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(6) D013	ACS/WFC, ACCUM, WFC1		F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs			
										[==>690.0 Secs (Pattern 1)]		[1]	
										[==>690.0 Secs (Pattern 2)]			
	2		(6) D013	ACS/WFC, ACCUM, WFC1		F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs			
									[==>390.0 Secs (Pattern 1)]		[1]		
									[==>390.0 Secs (Pattern 2)]				






Proposal 10567 - Visit 07 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 07										Mon Jun 20 15:50:09 GMT 2005		
	Priority: H												
	Diagnostic Status: Error												
	Scientific Instruments: ACS/WFC												
	Special Requirements: (none)												
Diagnostics	(Visit 07) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
	(Visit 07) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
	(Visit 07) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
	(Visit 07) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
	(Visit 07) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false					(2), (3)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(7)	D018		RA: 03 43 42.6500 (55.9277083d) Dec: -19 49 47.80 (-19.82994d) Equinox: J2000 Plate Id: (?)				V=14.5+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(7) D018	ACS/WFC, ACCUM, WFC1		F850LP	CR-SPLIT=NO			60.0 Secs			
										[==>]		[1]	
	2		(7) D018	ACS/WFC, ACCUM, WFC1		F850LP	CR-SPLIT=NO		Pattern 2-2 (1)	1200.0 Secs			
										[==>600.0 Secs (Pattern 1)]			
										[==>600.0 Secs (Pattern 2)]		[1]	
	3		(7) D018	ACS/WFC, ACCUM, WFC1		F475W	CR-SPLIT=NO		Pattern 3-3 (1)	740.0 Secs			
									[==>370.0 Secs (Pattern 1)]				
									[==>370.0 Secs (Pattern 2)]		[1]		





Proposal 10567 - Visit 08 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 08 Mon Jun 20 15:50:11 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(8)	D025	RA: 03 33 11.5171 (53.2979879d) Dec: -19 19 2.03 (-19.31723d) Equinox: J2000 Plate Id: (?)				V=17.1+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(8) D025	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(8) D025	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	


Proposal 10567 - Visit 09 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 09 Mon Jun 20 15:50:11 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(9)	D027	RA: 03 34 5.0300 (53.5209583d) Dec: -19 27 42.70 (-19.46186d) Equinox: J2000 Plate Id: (?)				V=18.03+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(9) D027	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(9) D027	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	

Proposal 10567 - Visit 10 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 10 Mon Jun 20 15:50:11 GMT 2005									
	Priority: L Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 10) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 10) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 10) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(10)	D029	RA: 03 34 39.4100 (53.6642083d) Dec: -19 15 58.20 (-19.26617d) Equinox: J2000 Plate Id: (?)				V=16.78+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(10) D029	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
Exposures	2		(10) D029	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	
										[1]






Proposal 10567 - Visit 11 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 11 Mon Jun 20 15:50:13 GMT 2005									
	Priority: L Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 11) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 11) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 11) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(11)	D030	RA: 03 35 15.9100 (53.8162917d) Dec: -19 18 25.50 (-19.30708d) Equinox: J2000 Plate Id: (?)				V=19.69+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(11) D030	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	[1]
									[==>690.0 Secs (Pattern 2)]	
	2		(11) D030	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	[1]
									[==>390.0 Secs (Pattern 2)]	






Proposal 10567 - Visit 12 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 12 Mon Jun 20 15:50:15 GMT 2005									
	Priority: H Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 12) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 12) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 12) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(12)	D039	RA: 03 39 32.3900 (54.8849583d) Dec: -19 25 16.40 (-19.42122d) Equinox: J2000 Plate Id: (?)				V=18.8+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(12) D039	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
Exposures	2		(12) D039	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	
										[1]



Proposal 10567 - Visit 13 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 13 Mon Jun 20 15:50:16 GMT 2005									
	Priority: L Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 13) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 13) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 13) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 13) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(13)	D041	RA: 03 39 33.8700 (54.8911250d) Dec: -19 15 58.30 (-19.26619d) Equinox: J2000 Plate Id: (?)				V=16.67+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(13) D041	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
	2		(13) D041	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	[1]





Proposal 10567 - Visit 14 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 14										Mon Jun 20 15:50:18 GMT 2005	
	Priority: L											
	Diagnostic Status: Error											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Visit 14) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS											
	(Visit 14) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS											
	(Visit 14) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(14)	D042		RA: 03 40 52.2700 (55.2177917d) Dec: -19 14 14.00 (-19.23722d) Equinox: J2000 Plate Id: (?)				V=21.35+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(14) D042	ACS/WFC, ACCUM, WFC1		F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs		
										[==>690.0 Secs (Pattern 1)]		[1]
										[==>690.0 Secs (Pattern 2)]		
	2		(14) D042	ACS/WFC, ACCUM, WFC1		F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs		
										[==>390.0 Secs (Pattern 1)]		[1]
										[==>390.0 Secs (Pattern 2)]		




Proposal 10567 - Visit 15 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 15 Mon Jun 20 15:50:19 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(15)	D062	RA: 03 35 10.7100 (53.7946250d) Dec: -18 55 51.40 (-18.93094d) Equinox: J2000 Plate Id: (?)				V=16.19+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(15) D062	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(15) D062	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	


Proposal 10567 - Visit 16 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 16 Mon Jun 20 15:50:19 GMT 2005									
	Priority: L Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 16) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 16) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 16) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(16)	D066	RA: 03 37 28.6600 (54.3694167d) Dec: -19 11 14.90 (-19.18747d) Equinox: J2000 Plate Id: (?)				V=18.77+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(16) D066	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
	2		(16) D066	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	[1]



Proposal 10567 - Visit 17 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 17 Mon Jun 20 15:50:20 GMT 2005									
	Priority: H Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 17) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 17) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 17) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 17) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(17)	D067	RA: 03 37 38.9500 (54.4122917d) Dec: -19 09 49.90 (-19.16386d) Equinox: J2000 Plate Id: (?)				V=19.11+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(17) D067	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	[1]
									[==>690.0 Secs (Pattern 2)]	
	2		(17) D067	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	[1]
									[==>390.0 Secs (Pattern 2)]	






Proposal 10567 - Visit 18 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 18 Mon Jun 20 15:50:23 GMT 2005									
	Priority: L Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 18) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 18) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 18) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 18) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(18)	D069	RA: 03 37 3.6800 (54.2653333d) Dec: -18 58 17.70 (-18.97158d) Equinox: J2000 Plate Id: (?)				V=18.43+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(18) D069	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
	2		(18) D069	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	[1]






Proposal 10567 - Visit 19 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 19 Mon Jun 20 15:50:25 GMT 2005									
	Priority: L Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 19) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 19) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 19) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(19)	D072	RA: 03 37 52.2300 (54.4676250d) Dec: -18 55 26.90 (-18.92414d) Equinox: J2000 Plate Id: (?)				V=18.05+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(19) D072	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
	2		(19) D072	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	[1]






Proposal 10567 - Visit 20 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 20 Mon Jun 20 15:50:27 GMT 2005									
	Priority: H Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 20) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 20) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 20) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 20) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(20)	D077	RA: 03 38 42.0500 (54.6752083d) Dec: -18 53 58.60 (-18.89961d) Equinox: J2000 Plate Id: (?)				V=15.52+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(20) D077	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
	2		(20) D077	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	[1]






Proposal 10567 - Visit 21 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 21 Mon Jun 20 15:50:29 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(21)	D078	RA: 03 39 25.9100 (54.8579583d) Dec: -18 52 4.80 (-18.86800d) Equinox: J2000 Plate Id: (?)				V=19.77+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(21) D078	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(21) D078	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	


Proposal 10567 - Visit 22 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 22 Mon Jun 20 15:50:29 GMT 2005									
	Priority: H Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 22) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 22) Error: ORBIT PLANNER SERVER INTERNAL ERROR (Visit 22) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 22) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(22)	D081	RA: 03 39 7.0400 (54.7793333d) Dec: -18 59 15.50 (-18.98764d) Equinox: J2000 Plate Id: (?)				V=19.04+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(22) D081	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
	2		(22) D081	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	[1]




Proposal 10567 - Visit 23 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 23 Mon Jun 20 15:50:30 GMT 2005									
	Priority: L Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 23) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 23) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 23) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 23) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(23)	D091	RA: 03 40 49.7300 (55.2072083d) Dec: -18 50 49.90 (-18.84719d) Equinox: J2000 Plate Id: (?)				V=16.7+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(23) D091	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
	2		(23) D091	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	[1]




Proposal 10567 - Visit 24 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 24 Mon Jun 20 15:50:32 GMT 2005									
	Priority: H Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 24) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 24) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 24) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 24) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(24)	D095	RA: 03 41 5.9900 (55.2749583d) Dec: -19 05 36.70 (-19.09353d) Equinox: J2000 Plate Id: (?)				V=22.33+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(24) D095	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
	2		(24) D095	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	[1]



Proposal 10567 - Visit 25 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances


Visit	Proposal 10567, Visit 25 Mon Jun 20 15:50:33 GMT 2005									
	Priority: H Diagnostic Status: Error Scientific Instruments: ACS/WFC Special Requirements: (none)									
Diagnostics	(Visit 25) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 25) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 25) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS (Visit 25) Error: INTERNAL INCONSISTENCY IN MERGING PROCESS									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER- LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(25)	D103	RA: 03 42 13.1600 (55.5548333d) Dec: -18 56 51.20 (-18.94756d) Equinox: J2000 Plate Id: (?)				V=17.96+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(25) D103	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[==>690.0 Secs (Pattern 1)]	
									[==>690.0 Secs (Pattern 2)]	[1]
	2		(25) D103	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[==>390.0 Secs (Pattern 1)]	
									[==>390.0 Secs (Pattern 2)]	[1]





Proposal 10567 - Visit 26 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 26 Mon Jun 20 15:50:35 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(26)	D104	RA: 03 42 24.0300 (55.6001250d) Dec: -18 54 19.00 (-18.90528d) Equinox: J2000 Plate Id: (?)				V=21.9+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(26) D104	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(26) D104	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 27 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 27 Mon Jun 20 15:50:35 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(27)	D107	RA: 03 43 39.1200 (55.9130000d) Dec: -18 57 5.00 (-18.95139d) Equinox: J2000 Plate Id: (?)				V=21.22+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(27) D107	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(27) D107	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	


Proposal 10567 - Visit 28 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 28 Mon Jun 20 15:50:36 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(28)	D123	RA: 03 47 31.7500 (56.8822917d) Dec: -18 50 33.70 (-18.84269d) Equinox: J2000 Plate Id: (?)				V=20.3+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(28) D123	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(28) D123	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 29 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 29 Mon Jun 20 15:50:36 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(29)	D126	RA: 03 33 19.9200 (53.3330000d) Dec: -18 41 8.70 (-18.68575d) Equinox: J2000 Plate Id: (?)				V=19.84+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(29) D126	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(29) D126	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 30 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 30 Mon Jun 20 15:50:37 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(30)	D136	RA: 03 35 9.9000 (53.7912500d) Dec: -18 38 33.20 (-18.64256d) Equinox: J2000 Plate Id: (?)				V=19.23+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(30) D136	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(30) D136	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 31 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 31 Mon Jun 20 15:50:38 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(31)	D142	RA: 03 35 25.2400 (53.8551667d) Dec: -18 41 54.60 (-18.69850d) Equinox: J2000 Plate Id: (?)				V=19.23+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(31) D142	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(31) D142	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 32 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 32 Mon Jun 20 15:50:38 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(32)	D161	RA: 03 39 4.5100 (54.7687917d) Dec: -18 31 55.80 (-18.53217d) Equinox: J2000 Plate Id: (?)				V=17.41+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(32) D161	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(32) D161	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 33 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 33 Mon Jun 20 15:50:39 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(33)	D163	RA: 03 39 22.2600 (54.8427500d) Dec: -18 31 59.40 (-18.53317d) Equinox: J2000 Plate Id: (?)				V=20.18+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(33) D163	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(33) D163	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 34 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 34 Mon Jun 20 15:50:40 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(34)	D170	RA: 03 39 23.0900 (54.8462083d) Dec: -18 45 30.00 (-18.75833d) Equinox: J2000 Plate Id: (?)				V=15.33+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(34) D170	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(34) D170	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 35 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 35 Mon Jun 20 15:50:41 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(35)	D171	RA: 03 39 14.4700 (54.8102917d) Dec: -18 44 10.20 (-18.73617d) Equinox: J2000 Plate Id: (?)				V=15.81+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(35) D171	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(35) D171	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 36 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 36 Mon Jun 20 15:50:42 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(36)	D174	RA: 03 40 0.0400 (55.0001667d) Dec: -18 23 42.70 (-18.39519d) Equinox: J2000 Plate Id: (?)				V=20.75+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(36) D174	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(36) D174	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 37 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 37 Mon Jun 20 15:50:42 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(37)	D175	RA: 03 39 51.3200 (54.9638333d) Dec: -18 27 58.90 (-18.46636d) Equinox: J2000 Plate Id: (?)				V=18.75+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(37) D175	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(37) D175	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 38 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 38 Mon Jun 20 15:50:43 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(38)	D178	RA: 03 39 51.0100 (54.9625417d) Dec: -18 32 23.10 (-18.53975d) Equinox: J2000 Plate Id: (?)				V=19.07+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(38) D178	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(38) D178	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 39 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 39 Mon Jun 20 15:50:44 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(39)	D182	RA: 03 40 41.7700 (55.1740417d) Dec: -18 26 11.00 (-18.43639d) Equinox: J2000 Plate Id: (?)				V=20.55+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(39) D182	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(39) D182	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 40 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 40 Mon Jun 20 15:50:45 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(40)	D188	RA: 03 39 42.0000 (54.9250000d) Dec: -18 40 3.40 (-18.66761d) Equinox: J2000 Plate Id: (?)				V=17.3+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(40) D188	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(40) D188	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 41 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 41 Mon Jun 20 15:50:45 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(41)	D191	RA: 03 39 53.3300 (54.9722083d) Dec: -18 37 16.50 (-18.62125d) Equinox: J2000 Plate Id: (?)				V=18.6+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(41) D191	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(41) D191	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 42 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 42 Mon Jun 20 15:50:46 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(42)	D192	RA: 03 39 50.3500 (54.9597917d) Dec: -18 35 58.50 (-18.59958d) Equinox: J2000 Plate Id: (?)				V=22.06+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(42) D192	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(42) D192	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 43 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 43 Mon Jun 20 15:50:47 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(43)	D195	RA: 03 40 28.2000 (55.1175000d) Dec: -18 39 21.50 (-18.65597d) Equinox: J2000 Plate Id: (?)				V=17.72+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(43) D195	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(43) D195	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 44 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 44 Mon Jun 20 15:50:48 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(44)	D196	RA: 03 40 25.4900 (55.1062083d) Dec: -18 37 57.00 (-18.63250d) Equinox: J2000 Plate Id: (?)				V=21.06+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(44) D196	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(44) D196	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 45 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 45 Mon Jun 20 15:50:48 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern			Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false				(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(45)	D203	RA: 03 40 33.7600 (55.1406667d) Dec: -18 39 3.30 (-18.65092d) Equinox: J2000 Plate Id: (?)				V=16.18+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(45) D203	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(45) D203	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 46 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 46 Mon Jun 20 15:50:49 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(46)	D207	RA: 03 41 14.1600 (55.3090000d) Dec: -18 38 28.00 (-18.64111d) Equinox: J2000 Plate Id: (?)				V=19.92+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(46) D207	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(46) D207	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 47 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 47 Mon Jun 20 15:50:50 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(47)	D208	RA: 03 41 23.1100 (55.3462917d) Dec: -18 44 20.90 (-18.73914d) Equinox: J2000 Plate Id: (?)				V=20.91+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(47) D208	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(47) D208	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 48 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 48 Mon Jun 20 15:50:51 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(48)	D209	RA: 03 41 23.7200 (55.3488333d) Dec: -18 38 8.30 (-18.63564d) Equinox: J2000 Plate Id: (?)				V=16.05+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(48) D209	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(48) D209	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 49 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 49										Mon Jun 20 15:50:51 GMT 2005	
	Priority: H											
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false						(2), (3)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(49)	D213	RA: 03 41 59.8800 (55.4995000d) Dec: -18 42 46.90 (-18.71303d) Equinox: J2000 Plate Id: (?)				V=14.76+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(49) D213	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO			60.0 Secs			
									[==>]		[1]	
	2		(49) D213	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 2-2 (1)	1200.0 Secs			
									[==>600.0 Secs (Pattern 1)]		[1]	
									[==>600.0 Secs (Pattern 2)]			
	3		(49) D213	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 3-3 (1)	740.0 Secs			
								[==>370.0 Secs (Pattern 1)]		[1]		
								[==>370.0 Secs (Pattern 2)]				




Proposal 10567 - Visit 50 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 50 Mon Jun 20 15:50:52 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(50)	D216	RA: 03 41 53.5900 (55.4732917d) Dec: -18 26 31.90 (-18.44219d) Equinox: J2000 Plate Id: (?)				V=20.82+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(50) D216	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	
									[=>690.0 Secs (Pattern 2)]	[1]
	2		(50) D216	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	
									[=>390.0 Secs (Pattern 2)]	[1]




Proposal 10567 - Visit 51 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 51 Mon Jun 20 15:50:53 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(51)	D217	RA: 03 42 2.2500 (55.5093750d) Dec: -18 26 36.70 (-18.44353d) Equinox: J2000 Plate Id: (?)				V=19.43+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(51) D217	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(51) D217	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 52 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 52 Mon Jun 20 15:50:54 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(52)	D221	RA: 03 42 31.6100 (55.6317083d) Dec: -18 32 28.60 (-18.54128d) Equinox: J2000 Plate Id: (?)				V=19.66+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(52) D221	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(52) D221	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 53 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 53 Mon Jun 20 15:50:55 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(53)	D225	RA: 03 43 54.3500 (55.9764583d) Dec: -18 30 7.10 (-18.50197d) Equinox: J2000 Plate Id: (?)				V=18.21+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(53) D225	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(53) D225	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 54 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 54 Mon Jun 20 15:50:55 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(54)	D229	RA: 03 45 4.4000 (56.2683333d) Dec: -18 36 17.50 (-18.60486d) Equinox: J2000 Plate Id: (?)				V=19.5+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(54) D229	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(54) D229	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 55 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 55 Mon Jun 20 15:50:56 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(55)	D243	RA: 03 35 3.4300 (53.7642917d) Dec: -18 17 52.00 (-18.29778d) Equinox: J2000 Plate Id: (?)				V=17.56+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(55) D243	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(55) D243	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 56 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 56 Mon Jun 20 15:50:58 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(56)	D257	RA: 03 38 10.5500 (54.5439583d) Dec: -18 18 57.70 (-18.31603d) Equinox: J2000 Plate Id: (?)				V=20.03+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(56) D257	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(56) D257	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 57 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 57 Mon Jun 20 15:50:59 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(57)	D268	RA: 03 38 12.6500 (54.5527083d) Dec: -18 13 42.50 (-18.22847d) Equinox: J2000 Plate Id: (?)				V=21.67+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(57) D268	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(57) D268	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 58 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 58 Mon Jun 20 15:50:59 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(58)	D272	RA: 03 39 6.1100 (54.7754583d) Dec: -18 19 44.70 (-18.32908d) Equinox: J2000 Plate Id: (?)				V=21.08+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(58) D272	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(58) D272	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 59 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 59 Mon Jun 20 15:51:00 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(59)	D273	RA: 03 39 20.9000 (54.8370833d) Dec: -18 15 28.70 (-18.25797d) Equinox: J2000 Plate Id: (?)				V=20.92+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(59) D273	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	
									[=>690.0 Secs (Pattern 2)]	[1]
	2		(59) D273	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	
									[=>390.0 Secs (Pattern 2)]	[1]




Proposal 10567 - Visit 60 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 60 Mon Jun 20 15:51:01 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(60)	D277	RA: 03 40 7.3800 (55.0307500d) Dec: -17 58 48.60 (-17.98017d) Equinox: J2000 Plate Id: (?)				V=18.79+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(60) D277	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(60) D277	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 61 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 61 Mon Jun 20 15:51:02 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(61)	D296	RA: 03 40 28.0500 (55.1168750d) Dec: -18 19 30.80 (-18.32522d) Equinox: J2000 Plate Id: (?)				V=19.19+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(61) D296	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(61) D296	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 62 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 62 Mon Jun 20 15:51:02 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(62)	D298	RA: 03 40 37.8500 (55.1577083d) Dec: -18 16 12.80 (-18.27022d) Equinox: J2000 Plate Id: (?)				V=21.34+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(62) D298	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	
									[=>690.0 Secs (Pattern 2)]	[1]
	2		(62) D298	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	
									[=>390.0 Secs (Pattern 2)]	[1]




Proposal 10567 - Visit 63 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 63 Mon Jun 20 15:51:03 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(63)	D299	RA: 03 40 31.5300 (55.1313750d) Dec: -18 15 4.80 (-18.25133d) Equinox: J2000 Plate Id: (?)				V=20.3+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(63) D299	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(63) D299	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 64 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 64 Mon Jun 20 15:51:04 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern			Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false				(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(64)	D300	RA: 03 41 18.5900 (55.3274583d) Dec: -18 02 7.40 (-18.03539d) Equinox: J2000 Plate Id: (?)				V=15.76+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(64) D300	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(64) D300	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 65 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 65 Mon Jun 20 15:51:05 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(65)	D308	RA: 03 42 2.1600 (55.5090000d) Dec: -18 18 19.70 (-18.30547d) Equinox: J2000 Plate Id: (?)				V=21.61+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(65) D308	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	
									[=>690.0 Secs (Pattern 2)]	[1]
	2		(65) D308	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	
									[=>390.0 Secs (Pattern 2)]	[1]




Proposal 10567 - Visit 66 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 66 Mon Jun 20 15:51:05 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(66)	D318	RA: 03 45 23.3100 (56.3471250d) Dec: -18 07 23.80 (-18.12328d) Equinox: J2000 Plate Id: (?)				V=19.82+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(66) D318	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(66) D318	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 67 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 67 Mon Jun 20 15:51:06 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(67)	D320	RA: 03 45 40.0900 (56.4170417d) Dec: -18 12 54.80 (-18.21522d) Equinox: J2000 Plate Id: (?)				V=18.72+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(67) D320	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(67) D320	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 68 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 68 Mon Jun 20 15:51:07 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(68)	D328	RA: 03 36 5.8900 (54.0245417d) Dec: -17 52 35.70 (-17.87658d) Equinox: J2000 Plate Id: (?)				V=17.33+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(68) D328	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(68) D328	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 69 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 69 Mon Jun 20 15:51:08 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(69)	D339	RA: 03 40 54.7900 (55.2282917d) Dec: -17 31 29.70 (-17.52492d) Equinox: J2000 Plate Id: (?)				V=17.64+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(69) D339	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(69) D339	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 70 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 70 Mon Jun 20 15:51:08 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(70)	D346	RA: 03 41 10.0700 (55.2919583d) Dec: -17 38 13.10 (-17.63697d) Equinox: J2000 Plate Id: (?)				V=16.6+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(70) D346	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(70) D346	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 71 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 71 Mon Jun 20 15:51:09 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(71)	D357	RA: 03 42 47.5000 (55.6979167d) Dec: -17 34 3.70 (-17.56769d) Equinox: J2000 Plate Id: (?)				V=15.3+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(71) D357	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(71) D357	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 72 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 72 Mon Jun 20 15:51:10 GMT 2005									
	Priority: L Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(72)	D366	RA: 03 43 25.2200 (55.8550833d) Dec: -17 51 15.50 (-17.85431d) Equinox: J2000 Plate Id: (?)				V=18.86+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(72) D366	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(72) D366	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 73 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 73 Mon Jun 20 15:51:11 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(73)	D370	RA: 03 44 26.2000 (56.1091667d) Dec: -17 54 38.30 (-17.91064d) Equinox: J2000 Plate Id: (?)				V=21.25+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(73) D370	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(73) D370	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 74 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 74 Mon Jun 20 15:51:12 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(2), (3)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(74)	B248	RA: 03 36 13.8000 (54.0575000d) Dec: -18 04 4.60 (-18.06794d) Equinox: J2000 Plate Id: (?)				V=14.5+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(74) B248	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO			60.0 Secs	
									[==>]	
									[1]	
	2		(74) B248	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 2-2 (1)	1200.0 Secs	
									[==>600.0 Secs (Pattern 1)]	
									[==>600.0 Secs (Pattern 2)]	
									[1]	
	3		(74) B248	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 3-3 (1)	740.0 Secs	
									[==>370.0 Secs (Pattern 1)]	
									[==>370.0 Secs (Pattern 2)]	
									[1]	




Proposal 10567 - Visit 75 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 75										Mon Jun 20 15:51:12 GMT 2005
	Priority: H										
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: ACS/WFC										
	Special Requirements: (none)										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false						(2), (3)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(75)	B134	RA: 03 35 6.4000 (53.7766667d) Dec: -18 43 10.20 (-18.71950d) Equinox: J2000 Plate Id: (?)				V=15.5+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(75) B134	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO			60.0 Secs		
									[==>]		[1]
	2		(75) B134	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 2-2 (1)	1200.0 Secs		
									[==>600.0 Secs (Pattern 1)]		[1]
									[==>600.0 Secs (Pattern 2)]		
	3		(75) B134	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 3-3 (1)	740.0 Secs		
								[==>370.0 Secs (Pattern 1)]		[1]	
								[==>370.0 Secs (Pattern 2)]			




Proposal 10567 - Visit 76 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 76 Mon Jun 20 15:51:13 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(76)	B059	RA: 03 34 11.6000 (53.5483333d) Dec: -19 11 40.00 (-19.19444d) Equinox: J2000 Plate Id: (?)				V=16.5+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(76) B059	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(76) B059	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 77 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 77 Mon Jun 20 15:51:14 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(77)	B237	RA: 03 34 10.4000 (53.5433333d) Dec: -18 09 30.00 (-18.15833d) Equinox: J2000 Plate Id: (?)				V=17.5+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(77) B237	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(77) B237	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	




Proposal 10567 - Visit 78 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 78 Mon Jun 20 15:51:15 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(78)	B131	RA: 03 33 55.1000 (53.4795833d) Dec: -18 44 55.60 (-18.74878d) Equinox: J2000 Plate Id: (?)				V=18.5+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(78) B131	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	
									[=>690.0 Secs (Pattern 2)]	[1]
	2		(78) B131	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	
									[=>390.0 Secs (Pattern 2)]	[1]



Proposal 10567 - Visit 79 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 79 Mon Jun 20 15:51:15 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(79)	B289	RA: 03 40 36.1500 (55.1506250d) Dec: -18 08 59.00 (-18.14972d) Equinox: J2000 Plate Id: (?)				V=19.5+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(79) B289	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(79) B289	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	



Proposal 10567 - Visit 80 - Securing the Faint-End Galaxy Luminosity Function with Surface Brightness Fluctuation Distances

Visit	Proposal 10567, Visit 80 Mon Jun 20 15:51:16 GMT 2005									
	Priority: H Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.2 Angle Between Sides= Center Pattern=false			(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(80)	B064	RA: 03 36 15.1000 (54.0629167d) Dec: -18 51 6.00 (-18.85167d) Equinox: J2000 Plate Id: (?)				V=20.5+/-0.1		Coordinate Source: IMAGE_TIED_TO_GSC_FRAME	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(80) B064	ACS/WFC, ACCUM, WFC1	F850LP	CR-SPLIT=NO		Pattern 1-1 (1)	1380.0 Secs	
									[=>690.0 Secs (Pattern 1)]	[1]
									[=>690.0 Secs (Pattern 2)]	
	2		(80) B064	ACS/WFC, ACCUM, WFC1	F475W	CR-SPLIT=NO		Pattern 2-2 (1)	780.0 Secs	
									[=>390.0 Secs (Pattern 1)]	[1]
									[=>390.0 Secs (Pattern 2)]	

