



10886 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Cycle: 15, Proposal Category: GO

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Adam S. Bolton (PI)	Smithsonian Institution Astrophysical Observatory	abolton@cfa.harvard.edu
Dr. Tommaso L. Treu (CoI)	University of California - Santa Barbara	tt@physics.ucsb.edu
Prof. Scott Burles (CoI)	Massachusetts Institute of Technology	burles@mit.edu
Dr. Leon Koopmans (CoI) (ESA Member)	Kapteyn Astronomical Institute	koopmans@astro.rug.nl
Dr. Leonidas Moustakas (CoI)	Jet Propulsion Laboratory	leonidas@jpl.nasa.gov

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) SDSSJ0008-0004	ACS/WFC	1	21-May-2007 20:12:16.0	yes
02	(2) SDSSJ0029-0055	ACS/WFC	1	21-May-2007 20:12:25.0	yes
03	(3) SDSSJ0157-0056	ACS/WFC	1	21-May-2007 20:12:31.0	yes
04	(4) SDSSJ0252+0039	ACS/WFC	1	21-May-2007 20:12:37.0	yes
05	(5) SDSSJ0330-0020	ACS/WFC	1	21-May-2007 20:12:42.0	yes
06	(6) SDSSJ0728+3835	ACS/WFC	1	21-May-2007 20:12:47.0	yes
07	(7) SDSSJ0808+4706	ACS/WFC	1	21-May-2007 20:12:51.0	yes
08	(8) SDSSJ0822+2652	ACS/WFC	1	21-May-2007 20:12:56.0	yes

Proposal 10886 (STScI Edit Number: 4, Created: Monday, May 21, 2007 2:17:38 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
09	(9) SDSSJ0841+3824	ACS/WFC	1	21-May-2007 20:13:01.0	yes
10	(10) SDSSJ0903+4116	ACS/WFC	1	21-May-2007 20:13:05.0	yes
11	(11) SDSSJ0903+3139	ACS/WFC	1	21-May-2007 20:13:10.0	yes
12	(12) SDSSJ0910+0520	ACS/WFC	1	21-May-2007 20:13:15.0	yes
13	(13) SDSSJ0936+0913	ACS/WFC	1	21-May-2007 20:13:19.0	yes
14	(14) SDSSJ0946+1006	ACS/WFC	1	21-May-2007 20:13:24.0	yes
15	(15) SDSSJ0959+4416	ACS/WFC	1	21-May-2007 20:13:29.0	yes
16	(16) SDSSJ1016+3859	ACS/WFC	1	21-May-2007 20:13:33.0	yes
17	(17) SDSSJ1020+1122	ACS/WFC	1	21-May-2007 20:13:38.0	yes
18	(18) SDSSJ1023+4230	ACS/WFC	1	21-May-2007 20:13:43.0	yes
19	(19) SDSSJ1029+0420	ACS/WFC	1	21-May-2007 20:13:47.0	yes
20	(20) SDSSJ1032+5322	ACS/WFC	1	21-May-2007 20:13:52.0	yes
21	(21) SDSSJ1038-0024	ACS/WFC	1	21-May-2007 20:13:57.0	yes
22	(22) SDSSJ1046+4151	ACS/WFC	1	21-May-2007 20:14:01.0	yes
23	(23) SDSSJ1103+5322	ACS/WFC	1	21-May-2007 20:14:06.0	yes
24	(24) SDSSJ1142+1001	ACS/WFC	1	21-May-2007 20:14:11.0	yes
25	(25) SDSSJ1153+4612	ACS/WFC	1	21-May-2007 20:14:15.0	yes
26	(26) SDSSJ1159+5447	ACS/WFC	1	21-May-2007 20:14:20.0	yes
27	(27) SDSSJ1211+4550	ACS/WFC	1	21-May-2007 20:14:25.0	yes
28	(28) SDSSJ1213+6708	ACS/WFC	1	21-May-2007 20:14:29.0	yes
29	(29) SDSSJ1218+0830	ACS/WFC	1	21-May-2007 20:14:34.0	yes
30	(30) SDSSJ1306+0600	ACS/WFC	1	21-May-2007 20:14:39.0	yes

Proposal 10886 (STScI Edit Number: 4, Created: Monday, May 21, 2007 2:17:38 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
31	(31) SDSSJ1313+4615	ACS/WFC	1	21-May-2007 20:14:44.0	yes
32	(32) SDSSJ1318-0313	ACS/WFC	1	21-May-2007 20:14:49.0	yes
33	(33) SDSSJ1319+1504	ACS/WFC	1	21-May-2007 20:14:54.0	yes
34	(34) SDSSJ1325+4145	ACS/WFC	1	21-May-2007 20:14:59.0	yes
35	(35) SDSSJ1416+5136	ACS/WFC	1	21-May-2007 20:15:04.0	yes
36	(36) SDSSJ1430+4105	ACS/WFC	1	21-May-2007 20:15:08.0	yes
37	(37) SDSSJ1432+6317	ACS/WFC	1	21-May-2007 20:15:13.0	yes
38	(38) SDSSJ1436+3640	ACS/WFC	1	21-May-2007 20:15:18.0	yes
39	(39) SDSSJ1525+3327	ACS/WFC	1	21-May-2007 20:15:22.0	yes
40	(40) SDSSJ1527+0314	ACS/WFC	1	21-May-2007 20:15:27.0	yes
41	(41) SDSSJ1537+4125	ACS/WFC	1	21-May-2007 20:15:32.0	yes
42	(42) SDSSJ1541+4130	ACS/WFC	1	21-May-2007 20:15:37.0	yes
43	(43) SDSSJ1604+3355	ACS/WFC	1	21-May-2007 20:15:42.0	yes
44	(44) SDSSJ1644+2625	ACS/WFC	1	21-May-2007 20:15:47.0	yes
45	(45) SDSSJ1706+3304	ACS/WFC	1	21-May-2007 20:15:52.0	yes
46	(46) SDSSJ1709+2324	ACS/WFC	1	21-May-2007 20:15:56.0	yes
47	(47) SDSSJ1719+2939	ACS/WFC	1	21-May-2007 20:16:01.0	yes
48	(48) SDSSJ2225+1259	ACS/WFC	1	21-May-2007 20:16:06.0	yes
49	(49) SDSSJ2341+0000	ACS/WFC	1	21-May-2007 20:16:11.0	yes
50	(50) SDSSJ2343-0030	ACS/WFC	1	21-May-2007 20:16:16.0	yes
A1	(51) SDSSJ0008-0004-COPY	ACS/WFC	1	21-May-2007 20:16:21.0	yes
A6	(54) SDSSJ1016+3859-COPY	ACS/WFC	1	21-May-2007 20:16:26.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
B0	(52) SDSSJ1032+5322-COPY	ACS/WFC	1	21-May-2007 20:16:31.0	yes
E0	(53) SDSSJ2343-0030-COPY	ACS/WFC	1	21-May-2007 20:16:36.0	yes
51	(21) SDSSJ1038-0024	WFPC2	1	21-May-2007 20:16:40.0	yes
52	(30) SDSSJ1306+0600	WFPC2	1	21-May-2007 20:16:44.0	yes
53	(31) SDSSJ1313+4615	WFPC2	1	21-May-2007 20:16:48.0	yes
54	(32) SDSSJ1318-0313	WFPC2	1	21-May-2007 20:16:54.0	yes
55	(33) SDSSJ1319+1504	WFPC2	1	21-May-2007 20:16:58.0	yes
56	(34) SDSSJ1325+4145	WFPC2	1	21-May-2007 20:17:02.0	yes
57	(38) SDSSJ1436+3640	WFPC2	1	21-May-2007 20:17:07.0	yes
58	(40) SDSSJ1527+0314	WFPC2	1	21-May-2007 20:17:11.0	yes
59	(44) SDSSJ1644+2625	WFPC2	1	21-May-2007 20:17:15.0	yes
60	(46) SDSSJ1709+2324	WFPC2	1	21-May-2007 20:17:19.0	yes
61	(47) SDSSJ1719+2939	WFPC2	1	21-May-2007 20:17:24.0	yes
62	(53) SDSSJ2343-0030-COPY	WFPC2	1	21-May-2007 20:17:28.0	yes
63	(51) SDSSJ0008-0004-COPY	WFPC2	1	21-May-2007 20:17:32.0	yes
F8	(55) SDSSJ1527+0314-COPY	WFPC2	1	21-May-2007 20:17:37.0	yes

68 Total Orbits Used

ABSTRACT

As a continuation of the highly successful Sloan Lens ACS (SLACS) Survey for new strong gravitational lenses, we propose one orbit of ACS-WFC F814W imaging for each of 50 high-probability strong galaxy-galaxy lens candidates. These observations will confirm new lens systems and permit immediate and accurate photometry, shape measurement, and mass modeling of the lens galaxies. The lenses delivered by the SLACS Survey all

show extended source structure, furnishing more constraints on the projected lens potential than lensed-quasar image positions. In addition, SLACS lenses have lens galaxies that are much brighter than their lensed sources, facilitating detailed photometric and dynamical observation of the former. When confirmed lenses from this proposal are combined with lenses discovered by SLACS in Cycles 13 and 14, we expect the final SLACS lens sample to number 80--100: an approximate doubling of the number of known galaxy-scale strong gravitational lenses and an order-of-magnitude increase in the number of optical Einstein rings. By virtue of its homogeneous selection and sheer size, the SLACS sample will allow an unprecedented exploration of the mass structure of the early-type galaxy population as a function of all other observable quantities. This new sample will be a valuable resource to the astronomical community by enabling qualitatively new strong lensing science, and as such we will waive all but a short (3-month) proprietary period on the observations.

OBSERVING DESCRIPTION

50 visits.

1 target per visit.


One orbit of ACS-WFC F814W ACCUM per target.

4 sub-exposures each target in ACS-WFC-DITHER-BOX pattern to pack orbit.

Proposal 10886 - Visit 01 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:39 GMT 2007


Visit	Proposal 10886, Visit 01, failed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true					(1)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(1)	SDSSJ0008-0004 Alt Name1: 0669-52559-156	RA: 00 08 2.9600 (2.0123333d) Dec: -00 04 8.20 (-.06894d) Equinox: J2000	Redshift: 0.44	V=20.1+/-0.3	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(1) SDSSJ0008-0004	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 02 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:40 GMT 2007


Visit	Proposal 10886, Visit 02, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(2)	SDSSJ0029-0055	RA: 00 29 7.7700 (7.2823750d)		Redshift: 0.227		V=18.2+/-0.3		Reference Frame: ICRS	
		Alt Name1: 0391-51782-088	Dec: -00 55 50.50 (-.93069d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(2) SDSSJ0029-0055	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 03 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:41 GMT 2007


Visit	Proposal 10886, Visit 03, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: ORIENT 40.0D TO 90.0 D; ORIENT 130.0D TO 180.0 D; ORIENT 220.0D TO 270.0 D; ORIENT 310.0D TO 360.0 D									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true					(1)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes	Miscellaneous		
	(3)	SDSSJ0157-0056 Alt Name1: 0700-52199-020	RA: 01 57 58.9400 (29.4955833d) Dec: -00 56 26.10 (-.94058d) Equinox: J2000	Redshift: 0.5132		V=20.2+/-0.3		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(3) SDSSJ0157-0056	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO			Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 04 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:41 GMT 2007


Visit	Proposal 10886, Visit 04, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: ORIENT 350.0D TO 40.0 D; ORIENT 80.0D TO 130.0 D; ORIENT 170.0D TO 220.0 D; ORIENT 260.0D TO 310.0 D									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(4)	SDSSJ0252+0039	RA: 02 52 45.2100 (43.1883750d) Alt Name1: 0807-52295-614	Dec: +00 39 58.40 (.66622d) Equinox: J2000	Redshift: 0.2803	V=19.3+/-0.3	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(4) SDSSJ0252+0039 9	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 05 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:41 GMT 2007


Visit	Proposal 10886, Visit 05, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(5)	SDSSJ0330-0020	RA: 03 30 12.1400 (52.5505833d)		Redshift: 0.3507		V=19.4+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(5) SDSSJ0330-0020	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO			Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 06 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:42 GMT 2007


Visit	Proposal 10886, Visit 06, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(6)	SDSSJ0728+3835 Alt Name1: 1733-53047-154	RA: 07 28 4.9500 (112.0206250d) Dec: +38 35 25.70 (38.59047d) Equinox: J2000		Redshift: 0.2058		V=18.1+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(6) SDSSJ0728+3835 5	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>529.0 Secs (Pattern 1)] [==>529.0 Secs (Pattern 2)] [==>529.0 Secs (Pattern 3)] [==>529.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 07 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:42 GMT 2007


Visit	Proposal 10886, Visit 07, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: ORIENT 15.0D TO 65.0 D; ORIENT 105.0D TO 155.0 D; ORIENT 195.0D TO 245.0 D; ORIENT 285.0D TO 335.0 D									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(7)	SDSSJ0808+4706 Alt Name1: 0438-51884-555	RA: 08 08 58.7800 (122.2449167d) Dec: +47 06 38.90 (47.11081d) Equinox: J2000		Redshift: 0.2195		V=17.8+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(7) SDSSJ0808+4706 6	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>535.0 Secs (Pattern 1)] [==>535.0 Secs (Pattern 2)] [==>535.0 Secs (Pattern 3)] [==>535.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 08 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:43 GMT 2007


Visit	Proposal 10886, Visit 08, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(8)	SDSSJ0822+2652 Alt Name1: 1267-52932-253	RA: 08 22 42.3200 (125.6763333d) Dec: +26 52 43.50 (26.87875d) Equinox: J2000		Redshift: 0.2414		V=18.1+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(8) SDSSJ0822+2652 2	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>527.0 Secs (Pattern 1)] [==>527.0 Secs (Pattern 2)] [==>527.0 Secs (Pattern 3)] [==>527.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 09 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:44 GMT 2007


Visit	Proposal 10886, Visit 09, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(9)	SDSSJ0841+3824 Alt Name1: 0828-52317-012	RA: 08 41 28.8100 (130.3700417d) Dec: +38 24 13.70 (38.40381d) Equinox: J2000		Redshift: 0.1159		V=16.4+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(9) SDSSJ0841+3824 4	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>529.0 Secs (Pattern 1)] [==>529.0 Secs (Pattern 2)] [==>529.0 Secs (Pattern 3)] [==>529.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 10 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:44 GMT 2007


Visit	Proposal 10886, Visit 10, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187		Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true						(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(10)	SDSSJ0903+4116	RA: 09 03 15.1900 (135.8132917d) Dec: +41 16 9.10 (41.26919d) Equinox: J2000		Redshift: 0.4304		V=19.2+/-0.3		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(10) SDSSJ0903+4116	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs		
									[=>532.0 Secs (Pattern 1)]		
									[=>532.0 Secs (Pattern 2)]		
									[=>532.0 Secs (Pattern 3)]		
									[=>532.0 Secs (Pattern 4)]		[1]



Proposal 10886 - Visit 11 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:45 GMT 2007


Visit	Proposal 10886, Visit 11, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(11)	SDSSJ0903+3139	RA: 09 03 19.5200 (135.8313333d)		Redshift: 0.2711		V=17.9+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(11) SDSSJ0903+3139	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>527.0 Secs (Pattern 1)] [==>527.0 Secs (Pattern 2)] [==>527.0 Secs (Pattern 3)] [==>527.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 12 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:45 GMT 2007


Visit	Proposal 10886, Visit 12, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187		Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true					(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(12)	SDSSJ0910+0520	RA: 09 10 53.1100 (137.7212917d)		Redshift: 0.2706		V=18.3+/-0.3		Reference Frame: ICRS	
		Alt Name1: 1193-52652-232	Dec: +05 20 23.20 (5.33978d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(12) SDSSJ0910+0520	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 13 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:45 GMT 2007


Visit	Proposal 10886, Visit 13, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(13)	SDSSJ0936+0913 Alt Name1: 1303-53050-078	RA: 09 36 0.7700 (144.0032083d) Dec: +09 13 35.80 (9.22661d) Equinox: J2000		Redshift: 0.1897		V=17.6+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(13) SDSSJ0936+0913	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 14 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:46 GMT 2007


Visit	Proposal 10886, Visit 14, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(14)	SDSSJ0946+1006	RA: 09 46 56.6800 (146.7361667d)		Redshift: 0.2219		V=18.2+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(14) SDSSJ0946+1006	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>524.0 Secs (Pattern 1)] [==>524.0 Secs (Pattern 2)] [==>524.0 Secs (Pattern 3)] [==>524.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 15 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:46 GMT 2007


Visit	Proposal 10886, Visit 15, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(15)	SDSSJ0959+4416	RA: 09 59 0.9600 (149.7540000d)		Redshift: 0.2369		V=18.0+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(15) SDSSJ0959+4416	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>532.0 Secs (Pattern 1)] [==>532.0 Secs (Pattern 2)] [==>532.0 Secs (Pattern 3)] [==>532.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 16 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:47 GMT 2007


Visit	Proposal 10886, Visit 16, failed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(16)	SDSSJ1016+3859	RA: 10 16 22.8600 (154.0952500d)		Redshift: 0.1679		V=17.8+/-0.3		Reference Frame: ICRS	
		Alt Name1: 1427-52996-461	Dec: +38 59 3.30 (38.98425d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(16) SDSSJ1016+3859	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs	
									[==>529.0 Secs (Pattern 1)]	[1]
									[==>529.0 Secs (Pattern 2)]	
									[==>529.0 Secs (Pattern 3)]	
									[==>529.0 Secs (Pattern 4)]	



Proposal 10886 - Visit 17 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:47 GMT 2007


Visit	Proposal 10886, Visit 17, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: ORIENT 15.0D TO 65.0 D; ORIENT 105.0D TO 155.0 D; ORIENT 195.0D TO 245.0 D; ORIENT 285.0D TO 335.0 D									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(17)	SDSSJ1020+1122 Alt Name1: 1598-53033-353	RA: 10 20 26.5400 (155.1105833d) Dec: +11 22 41.10 (11.37808d) Equinox: J2000		Redshift: 0.2822		V=18.6+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(17) SDSSJ1020+1122	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO			Pattern 1-1 (1)	500.0 Secs [==>524.0 Secs (Pattern 1)] [==>524.0 Secs (Pattern 2)] [==>524.0 Secs (Pattern 3)] [==>524.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 18 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:48 GMT 2007


Visit	Proposal 10886, Visit 18, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(18)	SDSSJ1023+4230 Alt Name1: 1359-53002-418	RA: 10 23 32.2600 (155.8844167d) Dec: +42 30 1.80 (42.50050d) Equinox: J2000		Redshift: 0.1912		V=17.9+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(18) SDSSJ1023+4230	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>532.0 Secs (Pattern 1)] [==>532.0 Secs (Pattern 2)] [==>532.0 Secs (Pattern 3)] [==>532.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 19 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:48 GMT 2007


Visit	Proposal 10886, Visit 19, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(19)	SDSSJ1029+0420 Alt Name1: 0576-52325-433	RA: 10 29 22.9400 (157.3455833d) Dec: +04 20 1.80 (4.33383d) Equinox: J2000	Redshift: 0.1045		V=17.2+/-0.3		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(19) SDSSJ1029+0420	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO			Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 20 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:48 GMT 2007


Visit	Proposal 10886, Visit 20, failed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(20)	SDSSJ1032+5322	RA: 10 32 35.8400 (158.1493333d)		Redshift: 0.1334		V=18.0+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(20) SDSSJ1032+5322	SDSSJ1032+5322	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>539.0 Secs (Pattern 1)] [==>539.0 Secs (Pattern 2)] [==>539.0 Secs (Pattern 3)] [==>539.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 21 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:49 GMT 2007


Visit	Proposal 10886, Visit 21, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true						(1)
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(21)	SDSSJ1038-0024	RA: 10 38 58.4500 (159.7435417d) Dec: -00 24 38.60 (-.41072d) Equinox: J2000	Redshift: 0.2189	V=18.0+/-0.3	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(21) SDSSJ1038-0024	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 22 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:49 GMT 2007


Visit	Proposal 10886, Visit 22, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187		Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true						(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(22)	SDSSJ1046+4151	RA: 10 46 6.9300 (161.5288750d) Dec: +41 51 16.10 (41.85447d) Equinox: J2000		Redshift: 0.1025		V=17.7+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(22) SDSSJ1046+4151	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>532.0 Secs (Pattern 1)] [==>532.0 Secs (Pattern 2)] [==>532.0 Secs (Pattern 3)] [==>532.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 23 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:49 GMT 2007


Visit	Proposal 10886, Visit 23, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(23)	SDSSJ1103+5322	RA: 11 03 8.2100 (165.7842083d)		Redshift: 0.1582		V=17.6+/-0.3		Reference Frame: ICRS	
		Alt Name1: 1011-52652-156	Dec: +53 22 28.20 (53.37450d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(23) SDSSJ1103+5322	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs	
									[=>539.0 Secs (Pattern 1)]	[1]
									[=>539.0 Secs (Pattern 2)]	
									[=>539.0 Secs (Pattern 3)]	
									[=>539.0 Secs (Pattern 4)]	



Proposal 10886 - Visit 24 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:50 GMT 2007


Visit	Proposal 10886, Visit 24, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(24)	SDSSJ1142+1001	RA: 11 42 57.3500 (175.7389583d)		Redshift: 0.2218		V=18.2+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(24) SDSSJ1142+1001	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>524.0 Secs (Pattern 1)] [==>524.0 Secs (Pattern 2)] [==>524.0 Secs (Pattern 3)] [==>524.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 25 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:50 GMT 2007


Visit	Proposal 10886, Visit 25, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(25)	SDSSJ1153+4612	RA: 11 53 10.7900 (178.2949583d)		Redshift: 0.1797		V=18.3+/-0.3		Reference Frame: ICRS		
		Alt Name1: 1446-53080-211	Dec: +46 12 5.30 (46.20147d)		Equinox: J2000						
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(25) SDSSJ1153+4612	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs		
									[=>535.0 Secs (Pattern 1)]		[1]
									[=>535.0 Secs (Pattern 2)]		
									[=>535.0 Secs (Pattern 3)]		
									[=>535.0 Secs (Pattern 4)]		



Proposal 10886 - Visit 26 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:51 GMT 2007


Visit	Proposal 10886, Visit 26, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(26)	SDSSJ1159+5447	RA: 11 59 5.4600 (179.7727500d)		Redshift: 0.0818		V=16.9+/-0.3		Reference Frame: ICRS	
		Alt Name1: 1018-52672-279	Dec: +54 47 38.30 (54.79397d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(26) SDSSJ1159+5447	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs	
									[=>539.0 Secs (Pattern 1)]	[1]
									[=>539.0 Secs (Pattern 2)]	
									[=>539.0 Secs (Pattern 3)]	
									[=>539.0 Secs (Pattern 4)]	



Proposal 10886 - Visit 27 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:51 GMT 2007


Visit	Proposal 10886, Visit 27, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)										
	Patterns	#	Primary Pattern			Secondary Pattern				Exposures	
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes	Miscellaneous			
	(27)	SDSSJ1211+4550 Alt Name1: 1370-53090-427	RA: 12 11 58.7500 (182.9947917d) Dec: +45 50 36.60 (45.84350d) Equinox: J2000		Redshift: 0.111		V=16.7+/-0.3	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(27) SDSSJ1211+4550	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs		
									[=>535.0 Secs (Pattern 1)]		
									[=>535.0 Secs (Pattern 2)]		
									[=>535.0 Secs (Pattern 3)]		
									[=>535.0 Secs (Pattern 4)]		[1]



Proposal 10886 - Visit 28 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:51 GMT 2007


Visit	Proposal 10886, Visit 28, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: ORIENT 15.0D TO 65.0 D; ORIENT 105.0D TO 155.0 D; ORIENT 195.0D TO 245.0 D; ORIENT 285.0D TO 335.0 D									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(28)	SDSSJ1213+6708	RA: 12 13 40.5800 (183.4190833d)		Redshift: 0.1229		V=16.7+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(28) SDSSJ1213+6708	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>560.0 Secs (Pattern 1)] [==>560.0 Secs (Pattern 2)] [==>560.0 Secs (Pattern 3)] [==>560.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 29 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:52 GMT 2007


Visit	Proposal 10886, Visit 29, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(29)	SDSSJ1218+0830	RA: 12 18 26.7000 (184.6112500d)		Redshift: 0.135		V=16.9+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(29) SDSSJ1218+0830	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO			Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 30 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:52 GMT 2007


Visit	Proposal 10886, Visit 30, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(30)	SDSSJ1306+0600	RA: 13 06 13.6500 (196.5568750d)		Redshift: 0.173		V=17.9+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(30) SDSSJ1306+0600	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 31 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:53 GMT 2007


Visit	Proposal 10886, Visit 31, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(31)	SDSSJ1313+4615	RA: 13 13 2.9200 (198.2621667d)	Redshift: 0.1848	V=17.6+/-0.3	Reference Frame: ICRS				
		Alt Name1: 1459-53117-009	Dec: +46 15 13.60 (46.25378d)	Equinox: J2000						
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(31) SDSSJ1313+4615	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>535.0 Secs (Pattern 1)] [==>535.0 Secs (Pattern 2)] [==>535.0 Secs (Pattern 3)] [==>535.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 32 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:53 GMT 2007


Visit	Proposal 10886, Visit 32, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(32)	SDSSJ1318-0313	RA: 13 18 39.3300 (199.6638750d)		Redshift: 0.2397		V=18.0+/-0.3		Reference Frame: ICRS		
		Alt Name1: 0341-51690-258	Dec: -03 13 34.20 (-3.22617d)		Equinox: J2000						
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(32) SDSSJ1318-0313	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs		
			3						[=>522.0 Secs (Pattern 1)]		[1]
									[=>522.0 Secs (Pattern 2)]		
									[=>522.0 Secs (Pattern 3)]		
									[=>522.0 Secs (Pattern 4)]		



Proposal 10886 - Visit 33 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:54 GMT 2007


Visit	Proposal 10886, Visit 33, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(33)	SDSSJ1319+1504	RA: 13 19 32.5000 (199.8854167d)	Redshift: 0.1537	V=18.2+/-0.3	Reference Frame: ICRS				
		Alt Name1: 1773-53112-502	Dec: +15 04 26.00 (15.07389d)							
			Equinox: J2000							
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(33) SDSSJ1319+1504	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>525.0 Secs (Pattern 1)] [==>525.0 Secs (Pattern 2)] [==>525.0 Secs (Pattern 3)] [==>525.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 34 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:54 GMT 2007


Visit	Proposal 10886, Visit 34, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(34)	SDSSJ1325+4145	RA: 13 25 55.3100 (201.4804583d)		Redshift: 0.3063		V=17.9+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(34) SDSSJ1325+4145	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>532.0 Secs (Pattern 1)] [==>532.0 Secs (Pattern 2)] [==>532.0 Secs (Pattern 3)] [==>532.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 35 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:54 GMT 2007


Visit	Proposal 10886, Visit 35, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187		Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true						(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(35)	SDSSJ1416+5136	RA: 14 16 22.3400 (214.0930833d) Dec: +51 36 30.40 (51.60844d) Equinox: J2000		Redshift: 0.2987		V=18.6+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(35) SDSSJ1416+5136	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>539.0 Secs (Pattern 1)] [==>539.0 Secs (Pattern 2)] [==>539.0 Secs (Pattern 3)] [==>539.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 36 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:55 GMT 2007


Visit	Proposal 10886, Visit 36, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(36)	SDSSJ1430+4105	RA: 14 30 4.1000 (217.5170833d)		Redshift: 0.285		V=17.9+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(36) SDSSJ1430+4105	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>532.0 Secs (Pattern 1)] [==>532.0 Secs (Pattern 2)] [==>532.0 Secs (Pattern 3)] [==>532.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 37 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:55 GMT 2007


Visit	Proposal 10886, Visit 37, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(37)	SDSSJ1432+6317	RA: 14 32 13.3400 (218.0555833d)		Redshift: 0.123		V=16.3+/-0.3		Reference Frame: ICRS	
		Alt Name1: 0499-51988-005	Dec: +63 17 3.80 (63.28439d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(37) SDSSJ1432+6317	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs	
									[=>550.0 Secs (Pattern 1)]	[1]
									[=>550.0 Secs (Pattern 2)]	
									[=>550.0 Secs (Pattern 3)]	
									[=>550.0 Secs (Pattern 4)]	



Proposal 10886 - Visit 38 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:55 GMT 2007


Visit	Proposal 10886, Visit 38, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(38)	SDSSJ1436+3640 Alt Name1: 1382-53115-227	RA: 14 36 5.6300 (219.0234583d) Dec: +36 40 47.10 (36.67975d) Equinox: J2000		Redshift: 0.1846		V=18.0+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(38) SDSSJ1436+3640	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>529.0 Secs (Pattern 1)] [==>529.0 Secs (Pattern 2)] [==>529.0 Secs (Pattern 3)] [==>529.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 39 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:56 GMT 2007


Visit	Proposal 10886, Visit 39, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(39)	SDSSJ1525+3327	RA: 15 25 6.7000 (231.2779167d)		Redshift: 0.3583		V=18.5+/-0.3		Reference Frame: ICRS	
		Alt Name1: 1387-53118-532	Dec: +33 27 47.40 (33.46317d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(39) SDSSJ1525+3327	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs	
									[=>527.0 Secs (Pattern 1)]	[1]
									[=>527.0 Secs (Pattern 2)]	
									[=>527.0 Secs (Pattern 3)]	
									[=>527.0 Secs (Pattern 4)]	



Proposal 10886 - Visit 40 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:56 GMT 2007


Visit	Proposal 10886, Visit 40, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(40)	SDSSJ1527+0314	RA: 15 27 47.6900 (231.9487083d)		Redshift: 0.2223		V=17.9+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(40) SDSSJ1527+0314	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO			Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 41 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:57 GMT 2007


Visit	Proposal 10886, Visit 41, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(41)	SDSSJ1537+4125	RA: 15 37 11.2600 (234.2969167d)		Redshift: 0.1423		V=17.9+/-0.3		Reference Frame: ICRS	
		Alt Name1: 1679-53149-628	Dec: +41 25 54.60 (41.43183d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(41) SDSSJ1537+4125	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>532.0 Secs (Pattern 1)] [==>532.0 Secs (Pattern 2)] [==>532.0 Secs (Pattern 3)] [==>532.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 42 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:57 GMT 2007


Visit	Proposal 10886, Visit 42, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(42)	SDSSJ1541+4130	RA: 15 41 0.7700 (235.2532083d)		Redshift: 0.1423		V=18.0+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(42) SDSSJ1541+4130	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>532.0 Secs (Pattern 1)] [==>532.0 Secs (Pattern 2)] [==>532.0 Secs (Pattern 3)] [==>532.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 43 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:17:57 GMT 2007


Visit	Proposal 10886, Visit 43, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(43)	SDSSJ1604+3355	RA: 16 04 53.4900 (241.2228750d)		Redshift: 0.0786		V=16.4+/-0.3		Reference Frame: ICRS	
		Alt Name1: 1418-53142-599	Dec: +33 55 46.20 (33.92950d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(43) SDSSJ1604+3355	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs	
									[=>527.0 Secs (Pattern 1)]	[1]
									[=>527.0 Secs (Pattern 2)]	
									[=>527.0 Secs (Pattern 3)]	
									[=>527.0 Secs (Pattern 4)]	



Proposal 10886 - Visit 44 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:00 GMT 2007


Visit	Proposal 10886, Visit 44, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true						(1)
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(44)	SDSSJ1644+2625	RA: 16 44 43.0900 (251.1795417d)	Redshift: 0.1368	V=17.4+/-0.3	Reference Frame: ICRS				
		Alt Name1: 1423-53167-610	Dec: +26 25 25.40 (26.42372d)	Equinox: J2000						
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(44) SDSSJ1644+2625	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>527.0 Secs (Pattern 1)] [==>527.0 Secs (Pattern 2)] [==>527.0 Secs (Pattern 3)] [==>527.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 45 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:00 GMT 2007


Visit	Proposal 10886, Visit 45, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(45)	SDSSJ1706+3304	RA: 17 06 3.6900 (256.5153750d)		Redshift: 0.1682		V=18.0+/-0.3		Reference Frame: ICRS	
		Alt Name1: 0974-52427-127	Dec: +33 04 0.90 (33.06692d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(45) SDSSJ1706+3304	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs	
									[=>527.0 Secs (Pattern 1)]	[1]
									[=>527.0 Secs (Pattern 2)]	
									[=>527.0 Secs (Pattern 3)]	
									[=>527.0 Secs (Pattern 4)]	



Proposal 10886 - Visit 46 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:00 GMT 2007


Visit	Proposal 10886, Visit 46, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(46)	SDSSJ1709+2324 Alt Name1: 1689-53177-407	RA: 17 09 38.9600 (257.4123333d) Dec: +23 24 8.40 (23.40233d) Equinox: J2000		Redshift: 0.3468		V=18.7+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(46) SDSSJ1709+2324	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>526.0 Secs (Pattern 1)] [==>526.0 Secs (Pattern 2)] [==>526.0 Secs (Pattern 3)] [==>526.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 47 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:01 GMT 2007


Visit	Proposal 10886, Visit 47, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: ORIENT 45.0D TO 95.0 D; ORIENT 135.0D TO 185.0 D; ORIENT 225.0D TO 275.0 D; ORIENT 315.0D TO 5.0 D									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(47)	SDSSJ1719+2939	RA: 17 19 34.1600 (259.8923333d)	Redshift: 0.1808	V=18.0+/-0.3	Reference Frame: ICRS				
		Alt Name1: 0980-52431-410	Dec: +29 39 26.40 (29.65733d)							
			Equinox: J2000							
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(47) SDSSJ1719+2939	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>527.0 Secs (Pattern 1)] [==>527.0 Secs (Pattern 2)] [==>527.0 Secs (Pattern 3)] [==>527.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 48 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:01 GMT 2007


Visit	Proposal 10886, Visit 48, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(48)	SDSSJ2225+1259	RA: 22 25 37.3400 (336.4055833d)		Redshift: 0.3103		V=19.4+/-0.3		Reference Frame: ICRS	
		Alt Name1: 0737-52518-119	Dec: +12 59 57.60 (12.99933d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(48) SDSSJ2225+1259	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs	
									[=>524.0 Secs (Pattern 1)]	[1]
									[=>524.0 Secs (Pattern 2)]	
									[=>524.0 Secs (Pattern 3)]	
									[=>524.0 Secs (Pattern 4)]	



Proposal 10886 - Visit 49 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:01 GMT 2007


Visit	Proposal 10886, Visit 49, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(49)	SDSSJ2341+0000	RA: 23 41 11.5700 (355.2982083d)		Redshift: 0.186		V=17.5+/-0.3		Reference Frame: ICRS	
		Alt Name1: 0682-52525-594	Dec: +00 00 18.70 (.00519d)		Equinox: J2000					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(49) SDSSJ2341+0000	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 50 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:02 GMT 2007


Visit	Proposal 10886, Visit 50, failed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(50)	SDSSJ2343-0030	RA: 23 43 58.8700 (355.9952917d)		Redshift: 0.1807		V=17.8+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(50) SDSSJ2343-0030	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit A1 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:02 GMT 2007


Visit	Proposal 10886, Visit A1, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(51)	SDSSJ0008-0004-COPY Alt Name1: 0669-52559-156	RA: 00 08 2.9600 (2.0123333d) Dec: -00 04 8.20 (-.06894d) Equinox: J2000		Redshift: 0.44		V=20.1+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(51) SDSSJ0008-0004-COPY	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs [==>522.0 Secs (Pattern 1)] [==>522.0 Secs (Pattern 2)] [==>522.0 Secs (Pattern 3)] [==>522.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit A6 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:02 GMT 2007


Visit	Proposal 10886, Visit A6, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true							(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(54)	SDSSJ1016+3859-COPY	RA: 10 16 22.8600 (154.0952500d)	Dec: +38 59 3.30 (38.98425d)	Redshift: 0.1679		V=17.8+/-0.3		Reference Frame: ICRS		
		Alt Name1: 1427-52996-461	Equinox: J2000								
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(54) SDSSJ1016+3859-COPY	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	500.0 Secs		
									[=>529.0 Secs (Pattern 1)]		[1]
									[=>529.0 Secs (Pattern 2)]		
									[=>529.0 Secs (Pattern 3)]		
									[=>529.0 Secs (Pattern 4)]		



Proposal 10886 - Visit B0 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:03 GMT 2007


Visit	Proposal 10886, Visit B0, completed Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187				Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true				(1)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(52)	SDSSJ1032+5322-COPY	RA: 10 32 35.8400 (158.1493333d)		Redshift: 0.1334		V=18.0+/-0.3		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(52) SDSSJ1032+5322-COPY	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO			Pattern 1-1 (1)	500.0 Secs [==>539.0 Secs (Pattern 1)] [==>539.0 Secs (Pattern 2)] [==>539.0 Secs (Pattern 3)] [==>539.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit E0 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:03 GMT 2007


Visit	Proposal 10886, Visit E0, withdrawn Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-WFC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.265 Line Spacing=0.187	Coordinate Frame=POS-TARG Pattern Orientation=20.67 Angle Between Sides=69.05 Center Pattern=true					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(53)	SDSSJ2343-0030-COPY	RA: 23 43 58.8700 (355.9952917d) Alt Name1: 0385-51877-076 Equinox: J2000	Dec: -00 30 22.40 (-.50622d)	Redshift: 0.1807	V=17.8+/-0.3	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(53) SDSSJ2343-0030-COPY	ACS/WFC, ACCUM, WFC1	F814W	CR-SPLIT=NO		Pattern 1-1 (1)	484.0 Secs [==>484.0 Secs (Pattern 1)] [==>484.0 Secs (Pattern 2)] [==>484.0 Secs (Pattern 3)] [==>484.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 51 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:04 GMT 2007


Visit	Proposal 10886, Visit 51, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 21</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(21)	SDSSJ1038-0024 Alt Name1: 0274-51913-234	RA: 10 38 58.4500 (159.7435417d) Dec: -00 24 38.60 (-.41072d) Equinox: J2000	Redshift: 0.2189		V=18.0+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(21) SDSSJ1038-0024 4	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 52 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:04 GMT 2007


Visit	Proposal 10886, Visit 52, completed Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 30</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(30)	SDSSJ1306+0600 Alt Name1: 0849-52439-615	RA: 13 06 13.6500 (196.5568750d) Dec: +06 00 22.10 (6.00614d) Equinox: J2000	Redshift: 0.173		V=17.9+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(30) SDSSJ1306+0600	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 53 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:04 GMT 2007


Visit	Proposal 10886, Visit 53, completed Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 31</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(31)	SDSSJ1313+4615 Alt Name1: 1459-53117-009	RA: 13 13 2.9200 (198.2621667d) Dec: +46 15 13.60 (46.25378d) Equinox: J2000	Redshift: 0.1848		V=17.6+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(31) SDSSJ1313+4615	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 54 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:05 GMT 2007


Visit	Proposal 10886, Visit 54, completed Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 32</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(32)	SDSSJ1318-0313 Alt Name1: 0341-51690-258	RA: 13 18 39.3300 (199.6638750d) Dec: -03 13 34.20 (-3.22617d) Equinox: J2000	Redshift: 0.2397		V=18.0+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(32) SDSSJ1318-0313 3	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 55 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:05 GMT 2007


Visit	Proposal 10886, Visit 55, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 33</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(33)	SDSSJ1319+1504 Alt Name1: 1773-53112-502	RA: 13 19 32.5000 (199.8854167d) Dec: +15 04 26.00 (15.07389d) Equinox: J2000	Redshift: 0.1537		V=18.2+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(33) SDSSJ1319+1504	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 56 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:06 GMT 2007


Visit	Proposal 10886, Visit 56, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 34</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(34)	SDSSJ1325+4145 Alt Name1: 1462-53112-553	RA: 13 25 55.3100 (201.4804583d) Dec: +41 45 2.20 (41.75061d) Equinox: J2000	Redshift: 0.3063		V=17.9+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(34) SDSSJ1325+4145	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 57 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:06 GMT 2007


Visit	Proposal 10886, Visit 57, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 38</i>									
	Patterns	#	Primary Pattern				Secondary Pattern			
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(38)	SDSSJ1436+3640 Alt Name1: 1382-53115-227	RA: 14 36 5.6300 (219.0234583d) Dec: +36 40 47.10 (36.67975d) Equinox: J2000	Redshift: 0.1846	V=18.0+/-0.3	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(38) SDSSJ1436+3640	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit 58 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:06 GMT 2007


Visit	Proposal 10886, Visit 58, failed Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 40</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(40)	SDSSJ1527+0314 Alt Name1: 0592-52025-047	RA: 15 27 47.6900 (231.9487083d) Dec: +03 14 32.10 (3.24225d) Equinox: J2000	Redshift: 0.2223		V=17.9+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(40) SDSSJ1527+0314	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]		



Proposal 10886 - Visit 59 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:07 GMT 2007


Visit	Proposal 10886, Visit 59, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 44</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(44)	SDSSJ1644+2625 Alt Name1: 1423-53167-610	RA: 16 44 43.0900 (251.1795417d) Dec: +26 25 25.40 (26.42372d) Equinox: J2000	Redshift: 0.1368		V=17.4+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(44) SDSSJ1644+2625	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 60 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:07 GMT 2007


Visit	Proposal 10886, Visit 60, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 46</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(46)	SDSSJ1709+2324 Alt Name1: 1689-53177-407	RA: 17 09 38.9600 (257.4123333d) Dec: +23 24 8.40 (23.40233d) Equinox: J2000	Redshift: 0.3468		V=18.7+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(46) SDSSJ1709+2324	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 61 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:08 GMT 2007


Visit	Proposal 10886, Visit 61, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: ORIENT 0.0D TO 50.0 D; ORIENT 90.0D TO 140.0 D; ORIENT 180.0D TO 230.0 D; ORIENT 270.0D TO 320.0 D Comments: WFPC2 version of ACS Visit 47										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false					(1)			
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes	Miscellaneous			
	(47)	SDSSJ1719+2939 Alt Name1: 0980-52431-410	RA: 17 19 34.1600 (259.8923333d) Dec: +29 39 26.40 (29.65733d) Equinox: J2000	Redshift: 0.1808		V=18.0+/-0.3	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(47) SDSSJ1719+2939	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 62 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:08 GMT 2007


Visit	Proposal 10886, Visit 62, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit E0 (Target 53)</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(53)	SDSSJ2343-0030-COPY Alt Name1: 0385-51877-076	RA: 23 43 58.8700 (355.9952917d) Dec: -00 30 22.40 (-.50622d) Equinox: J2000	Redshift: 0.1807		V=17.8+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(53) SDSSJ2343-0030-COPY	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]	



Proposal 10886 - Visit 63 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:08 GMT 2007

Visit	Proposal 10886, Visit 63, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit A1 (Target 51)</i>									
	Patterns	#	Primary Pattern				Secondary Pattern			
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(51)	SDSSJ0008-0004-COPY Alt Name1: 0669-52559-156	RA: 00 08 2.9600 (2.0123333d) Dec: -00 04 8.20 (-.06894d) Equinox: J2000	Redshift: 0.44	V=20.1+/-0.3	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(51) SDSSJ0008-0004-COPY	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]



Proposal 10886 - Visit F8 - The Sloan Lens ACS Survey: Towards 100 New Strong Lenses

Mon May 21 19:18:09 GMT 2007

Visit	Proposal 10886, Visit F8 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none) <i>Comments: WFPC2 version of ACS Visit 40</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.559 Line Spacing=0.559	Coordinate Frame=POS-TARG Pattern Orientation=26.57 Angle Between Sides=143.13 Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(55)	SDSSJ1527+0314-COPY Alt Name1: 0592-52025-047	RA: 15 27 47.6900 (231.9487083d) Dec: +03 14 32.10 (3.24225d) Equinox: J2000	Redshift: 0.2223		V=17.9+/-0.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(55) SDSSJ1527+0314-COPY	WFPC2, IMAGE, WF3	F606W	CR-SPLIT=NO		Pattern 1-1 (2)	500.0 Secs [=>400.0 Secs (Pattern 1)] [=>400.0 Secs (Pattern 2)] [=>400.0 Secs (Pattern 3)] [=>400.0 Secs (Pattern 4)]	[1]		

