



# 11120 - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Cycle: 16, Proposal Category: GO

(Large Program)

(Availability Mode: AVAILABLE)

## INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
<b>Dr. Daniel Wang (PI)</b>	<b>University of Massachusetts</b>	<b>wqd@astro.umass.edu</b>
Dr. Susan Stolovy (CoI)	California Institute of Technology	stolovy@ipac.caltech.edu
Dr. Cornelia Lang (CoI)	University of Iowa	cornelia-lang@uiowa.edu
Dr. Angela S. Cotera (CoI) (Contact)	SETI Institute	acotera@seti.org
Dr. Michael P. Muno (CoI)	California Institute of Technology	mmuno@srl.caltech.edu
Dr. Mark Morris (CoI)	University of California - Los Angeles	morris@astro.ucla.edu
Dr. Daniela Calzetti (CoI)	University of Massachusetts	calzetti@astro.umass.edu
Dr. Solange Ramirez (CoI)	California Institute of Technology	solange@ipac.caltech.edu
Dr. Glenn Schneider (CoI)	University of Arizona	gschneider@as.arizona.edu

## VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
1A	(1) GC-SURVEY-1 (2) GC-SURVEY-2 (3) GC-SURVEY-3 (4) GC-SURVEY-4 DARK	NIC3	1	25-Apr-2008 21:07:56.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
1B	(5) GC-SURVEY-5 (6) GC-SURVEY-6 (7) GC-SURVEY-7 (8) GC-SURVEY-8 DARK	NIC3	1	25-Apr-2008 21:08:21.0	yes
1C	(9) GC-SURVEY-9 (10) GC-SURVEY-10 (11) GC-SURVEY-11 (12) GC-SURVEY-12 DARK	NIC3	1	25-Apr-2008 21:08:38.0	yes
1D	(13) GC-SURVEY-13 (14) GC-SURVEY-14 (15) GC-SURVEY-15 (16) GC-SURVEY-16 DARK	NIC3	1	25-Apr-2008 21:08:59.0	yes
1E	(17) GC-SURVEY-17 (18) GC-SURVEY-18 (19) GC-SURVEY-19 (20) GC-SURVEY-20 DARK	NIC3	1	25-Apr-2008 21:09:20.0	yes
1F	(21) GC-SURVEY-21 (22) GC-SURVEY-22 (23) GC-SURVEY-23 (24) GC-SURVEY-24 DARK	NIC3	1	25-Apr-2008 21:09:40.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
1G	(25) GC-SURVEY-25 (26) GC-SURVEY-26 (27) GC-SURVEY-27 (28) GC-SURVEY-28 DARK	NIC3	1	25-Apr-2008 21:09:59.0	yes
1H	(29) GC-SURVEY-29 (30) GC-SURVEY-30 (31) GC-SURVEY-31 (32) GC-SURVEY-32 DARK	NIC3	1	25-Apr-2008 21:10:15.0	yes
1I	(33) GC-SURVEY-33 (34) GC-SURVEY-34 (35) GC-SURVEY-35 (36) GC-SURVEY-36 DARK	NIC3	1	25-Apr-2008 21:10:34.0	yes
1J	(37) GC-SURVEY-37 (38) GC-SURVEY-38 (39) GC-SURVEY-39 (40) GC-SURVEY-40 DARK	NIC3	1	25-Apr-2008 21:10:53.0	yes
1K	(41) GC-SURVEY-41 (42) GC-SURVEY-42 (43) GC-SURVEY-43 (44) GC-SURVEY-44 DARK	NIC3	1	25-Apr-2008 21:11:12.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
1L	(45) GC-SURVEY-45 (46) GC-SURVEY-46 (47) GC-SURVEY-47 (48) GC-SURVEY-48 DARK	NIC3	1	25-Apr-2008 21:11:32.0	yes
1M	(49) GC-SURVEY-49 (50) GC-SURVEY-50 (51) GC-SURVEY-51 (52) GC-SURVEY-52 DARK	NIC3	1	25-Apr-2008 21:11:47.0	yes
1N	(53) GC-SURVEY-53 (54) GC-SURVEY-54 (55) GC-SURVEY-55 (56) GC-SURVEY-56 DARK	NIC3	1	25-Apr-2008 21:12:06.0	yes
1O	(57) GC-SURVEY-57 (58) GC-SURVEY-58 (59) GC-SURVEY-59 (60) GC-SURVEY-60 DARK	NIC3	1	25-Apr-2008 21:12:25.0	yes
1P	(61) GC-SURVEY-61 (62) GC-SURVEY-62 (63) GC-SURVEY-63 (64) GC-SURVEY-64 DARK	NIC3	1	25-Apr-2008 21:12:44.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
1Q	(65) GC-SURVEY-65 (66) GC-SURVEY-66 (67) GC-SURVEY-67 (68) GC-SURVEY-68 DARK	NIC3	1	25-Apr-2008 21:13:03.0	yes
1R	(69) GC-SURVEY-69 (70) GC-SURVEY-70 (71) GC-SURVEY-71 (72) GC-SURVEY-72 DARK	NIC3	1	25-Apr-2008 21:13:19.0	yes
1S	(73) GC-SURVEY-73 (74) GC-SURVEY-74 (75) GC-SURVEY-75 (76) GC-SURVEY-76 DARK	NIC3	1	25-Apr-2008 21:13:36.0	yes
1T	(77) GC-SURVEY-77 (78) GC-SURVEY-78 (79) GC-SURVEY-79 (80) GC-SURVEY-80 DARK	NIC3	1	25-Apr-2008 21:13:55.0	yes
1U	(81) GC-SURVEY-81 (82) GC-SURVEY-82 (83) GC-SURVEY-83 (84) GC-SURVEY-84 DARK	NIC3	1	25-Apr-2008 21:14:14.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
1V	(85) GC-SURVEY-85 (86) GC-SURVEY-86 (87) GC-SURVEY-87 (88) GC-SURVEY-88 DARK	NIC3	1	25-Apr-2008 21:14:33.0	yes
1W	(89) GC-SURVEY-89 (90) GC-SURVEY-90 (91) GC-SURVEY-91 (92) GC-SURVEY-92 DARK	NIC3	1	25-Apr-2008 21:14:52.0	yes
1X	(93) GC-SURVEY-93 (94) GC-SURVEY-94 (95) GC-SURVEY-95 (96) GC-SURVEY-96 DARK	NIC3	1	25-Apr-2008 21:15:07.0	yes
1Y	(97) GC-SURVEY-97 (98) GC-SURVEY-98 (99) GC-SURVEY-99 (100) GC-SURVEY-100 DARK	NIC3	1	25-Apr-2008 21:15:26.0	yes
1Z	(101) GC-SURVEY-101 (102) GC-SURVEY-102 (103) GC-SURVEY-103 (104) GC-SURVEY-104 DARK	NIC3	1	25-Apr-2008 21:15:45.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
2A	(105) GC-SURVEY-105 (106) GC-SURVEY-106 (107) GC-SURVEY-107 (108) GC-SURVEY-108 DARK	NIC3	1	25-Apr-2008 21:16:04.0	yes
2B	(109) GC-SURVEY-109 (110) GC-SURVEY-110 (111) GC-SURVEY-111 (112) GC-SURVEY-112 DARK	NIC3	1	25-Apr-2008 21:16:24.0	yes
2C	(113) GC-SURVEY-113 (114) GC-SURVEY-114 (115) GC-SURVEY-115 (116) GC-SURVEY-116 DARK	NIC3	1	25-Apr-2008 21:16:39.0	yes
2D	(117) GC-SURVEY-117 (118) GC-SURVEY-118 (119) GC-SURVEY-119 (120) GC-SURVEY-120 DARK	NIC3	1	25-Apr-2008 21:16:58.0	yes
2E	(121) GC-SURVEY-121 (122) GC-SURVEY-122 (123) GC-SURVEY-123 (124) GC-SURVEY-124 DARK	NIC3	1	25-Apr-2008 21:17:17.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
2F	(125) GC-SURVEY-125 (126) GC-SURVEY-126 (127) GC-SURVEY-127 (128) GC-SURVEY-128 DARK	NIC3	1	25-Apr-2008 21:17:36.0	yes
2G	(129) GC-SURVEY-129 (130) GC-SURVEY-130 (131) GC-SURVEY-131 (132) GC-SURVEY-132 DARK	NIC3	1	25-Apr-2008 21:17:55.0	yes
2H	(133) GC-SURVEY-133 (134) GC-SURVEY-134 (135) GC-SURVEY-135 (136) GC-SURVEY-136 DARK	NIC3	1	25-Apr-2008 21:18:10.0	yes
2I	(137) GC-SURVEY-137 (138) GC-SURVEY-138 (139) GC-SURVEY-139 (140) GC-SURVEY-140 DARK	NIC3	1	25-Apr-2008 21:18:27.0	yes
2J	(141) GC-SURVEY-141 (142) GC-SURVEY-142 (143) GC-SURVEY-143 (144) GC-SURVEY-144 DARK	NIC3	1	25-Apr-2008 21:18:46.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
2K	(145) GC-SURVEY-145 (146) GC-SURVEY-146 (147) GC-SURVEY-147 (148) GC-SURVEY-148 DARK	NIC3	1	25-Apr-2008 21:19:06.0	yes
2L	(149) GC-SURVEY-149 (150) GC-SURVEY-150 (151) GC-SURVEY-151 (152) GC-SURVEY-152 DARK	NIC3	1	25-Apr-2008 21:19:25.0	yes
6O	(149) GC-SURVEY-149 (150) GC-SURVEY-150 (151) GC-SURVEY-151 (152) GC-SURVEY-152 DARK	NIC3	1	25-Apr-2008 21:19:44.0	yes
2M	(153) GC-SURVEY-153 (154) GC-SURVEY-154 (155) GC-SURVEY-155 (156) GC-SURVEY-156 DARK	NIC3	1	25-Apr-2008 21:19:59.0	yes
2N	(157) GC-SURVEY-157 (158) GC-SURVEY-158 (159) GC-SURVEY-159 (160) GC-SURVEY-160 DARK	NIC3	1	25-Apr-2008 21:20:18.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
2O	(161) GC-SURVEY-161 (162) GC-SURVEY-162 (163) GC-SURVEY-163 (164) GC-SURVEY-164 DARK	NIC3	1	25-Apr-2008 21:20:38.0	yes
2P	(165) GC-SURVEY-165 (166) GC-SURVEY-166 (167) GC-SURVEY-167 (168) GC-SURVEY-168 DARK	NIC3	1	25-Apr-2008 21:20:57.0	yes
2Q	(169) GC-SURVEY-169 (170) GC-SURVEY-170 (171) GC-SURVEY-171 (172) GC-SURVEY-172 DARK	NIC3	1	25-Apr-2008 21:21:12.0	yes
2R	(173) GC-SURVEY-173 (174) GC-SURVEY-174 (175) GC-SURVEY-175 (176) GC-SURVEY-176 DARK	NIC3	1	25-Apr-2008 21:21:29.0	yes
2S	(177) GC-SURVEY-177 (178) GC-SURVEY-178 (179) GC-SURVEY-179 (180) GC-SURVEY-180 DARK	NIC3	1	25-Apr-2008 21:21:48.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
2T	(181) GC-SURVEY-181 (182) GC-SURVEY-182 (183) GC-SURVEY-183 (184) GC-SURVEY-184 DARK	NIC3	1	25-Apr-2008 21:22:07.0	yes
2U	(185) GC-SURVEY-185 (186) GC-SURVEY-186 (187) GC-SURVEY-187 (188) GC-SURVEY-188 DARK	NIC3	1	25-Apr-2008 21:22:27.0	yes
2V	(189) GC-SURVEY-189 (190) GC-SURVEY-190 (191) GC-SURVEY-191 (192) GC-SURVEY-192 DARK	NIC3	1	25-Apr-2008 21:22:42.0	yes
2W	(193) GC-SURVEY-193 (194) GC-SURVEY-194 (195) GC-SURVEY-195 (196) GC-SURVEY-196 DARK	NIC3	1	25-Apr-2008 21:22:59.0	yes
2X	(197) GC-SURVEY-197 (198) GC-SURVEY-198 (199) GC-SURVEY-199 (200) GC-SURVEY-200 DARK	NIC3	1	25-Apr-2008 21:23:18.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
2Y	(201) GC-SURVEY-201 (202) GC-SURVEY-202 (203) GC-SURVEY-203 (204) GC-SURVEY-204 DARK	NIC3	1	25-Apr-2008 21:23:37.0	yes
2Z	(205) GC-SURVEY-205 (206) GC-SURVEY-206 (207) GC-SURVEY-207 (208) GC-SURVEY-208 DARK	NIC3	1	25-Apr-2008 21:23:57.0	yes
3A	(209) GC-SURVEY-209 (210) GC-SURVEY-210 (211) GC-SURVEY-211 (212) GC-SURVEY-212 DARK	NIC3	1	25-Apr-2008 21:24:16.0	yes
3B	(213) GC-SURVEY-213 (214) GC-SURVEY-214 (215) GC-SURVEY-215 (216) GC-SURVEY-216 DARK	NIC3	1	25-Apr-2008 21:24:31.0	yes
3C	(217) GC-SURVEY-217 (218) GC-SURVEY-218 (219) GC-SURVEY-219 (220) GC-SURVEY-220 DARK	NIC3	1	25-Apr-2008 21:24:51.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
3D	(221) GC-SURVEY-221 (222) GC-SURVEY-222 (223) GC-SURVEY-223 (224) GC-SURVEY-224 DARK	NIC3	1	25-Apr-2008 21:25:10.0	yes
3E	(225) GC-SURVEY-225 (226) GC-SURVEY-226 (227) GC-SURVEY-227 (228) GC-SURVEY-228 DARK	NIC3	1	25-Apr-2008 21:25:29.0	yes
3F	(229) GC-SURVEY-229 (230) GC-SURVEY-230 (231) GC-SURVEY-231 (232) GC-SURVEY-232 DARK	NIC3	1	25-Apr-2008 21:25:44.0	yes
3G	(233) GC-SURVEY-233 (234) GC-SURVEY-234 (235) GC-SURVEY-235 (236) GC-SURVEY-236 DARK	NIC3	1	25-Apr-2008 21:26:04.0	yes
3H	(237) GC-SURVEY-237 (238) GC-SURVEY-238 (239) GC-SURVEY-239 (240) GC-SURVEY-240 DARK	NIC3	1	25-Apr-2008 21:26:23.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
3I	(241) GC-SURVEY-241 (242) GC-SURVEY-242 (243) GC-SURVEY-243 (244) GC-SURVEY-244 DARK	NIC3	1	25-Apr-2008 21:26:42.0	yes
3J	(245) GC-SURVEY-245 (246) GC-SURVEY-246 (247) GC-SURVEY-247 (248) GC-SURVEY-248 DARK	NIC3	1	25-Apr-2008 21:27:02.0	yes
3K	(249) GC-SURVEY-249 (250) GC-SURVEY-250 (251) GC-SURVEY-251 (252) GC-SURVEY-252 DARK	NIC3	1	25-Apr-2008 21:27:17.0	yes
3L	(253) GC-SURVEY-253 (254) GC-SURVEY-254 (255) GC-SURVEY-255 (256) GC-SURVEY-256 DARK	NIC3	1	25-Apr-2008 21:27:34.0	yes
3M	(257) GC-SURVEY-257 (258) GC-SURVEY-258 (259) GC-SURVEY-259 (260) GC-SURVEY-260 DARK	NIC3	1	25-Apr-2008 21:27:53.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
3N	(261) GC-SURVEY-261 (262) GC-SURVEY-262 (263) GC-SURVEY-263 (264) GC-SURVEY-264 DARK	NIC3	1	25-Apr-2008 21:28:12.0	yes
3O	(265) GC-SURVEY-265 (266) GC-SURVEY-266 (267) GC-SURVEY-267 (268) GC-SURVEY-268 DARK	NIC3	1	25-Apr-2008 21:28:32.0	yes
3P	(269) GC-SURVEY-269 (270) GC-SURVEY-270 (271) GC-SURVEY-271 (272) GC-SURVEY-272 DARK	NIC3	1	25-Apr-2008 21:28:52.0	yes
3Q	(273) GC-SURVEY-273 (274) GC-SURVEY-274 (275) GC-SURVEY-275 (276) GC-SURVEY-276 DARK	NIC3	1	25-Apr-2008 21:29:07.0	yes
3R	(277) GC-SURVEY-277 (278) GC-SURVEY-278 (279) GC-SURVEY-279 (280) GC-SURVEY-280 DARK	NIC3	1	25-Apr-2008 21:29:26.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
3S	(281) GC-SURVEY-281 (282) GC-SURVEY-282 (283) GC-SURVEY-283 (284) GC-SURVEY-284 DARK	NIC3	1	25-Apr-2008 21:29:45.0	yes
3T	(285) GC-SURVEY-285 (286) GC-SURVEY-286 (287) GC-SURVEY-287 (288) GC-SURVEY-288 DARK	NIC3	1	25-Apr-2008 21:30:05.0	yes
3U	(289) GC-SURVEY-289 (290) GC-SURVEY-290 (291) GC-SURVEY-291 (292) GC-SURVEY-292 DARK	NIC3	1	25-Apr-2008 21:30:24.0	yes
3V	(293) GC-SURVEY-293 (294) GC-SURVEY-294 (295) GC-SURVEY-295 (296) GC-SURVEY-296 DARK	NIC3	1	25-Apr-2008 21:30:39.0	yes
3W	(297) GC-SURVEY-297 (298) GC-SURVEY-298 (299) GC-SURVEY-299 (300) GC-SURVEY-300 DARK	NIC3	1	25-Apr-2008 21:30:58.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
3X	(301) GC-SURVEY-301 (302) GC-SURVEY-302 (303) GC-SURVEY-303 (304) GC-SURVEY-304 DARK	NIC3	1	25-Apr-2008 21:31:18.0	yes
3Y	(305) GC-SURVEY-305 (306) GC-SURVEY-306 (307) GC-SURVEY-307 (308) GC-SURVEY-308 DARK	NIC3	1	25-Apr-2008 21:31:37.0	yes
3Z	(309) GC-SURVEY-309 (310) GC-SURVEY-310 (311) GC-SURVEY-311 (312) GC-SURVEY-312 DARK	NIC3	1	25-Apr-2008 21:31:57.0	yes
4A	(313) GC-SURVEY-313 (314) GC-SURVEY-314 (315) GC-SURVEY-315 (316) GC-SURVEY-316 DARK	NIC3	1	25-Apr-2008 21:32:12.0	yes
4B	(317) GC-SURVEY-317 (318) GC-SURVEY-318 (319) GC-SURVEY-319 (320) GC-SURVEY-320 DARK	NIC3	1	25-Apr-2008 21:32:29.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4C	(321) GC-SURVEY-321 (322) GC-SURVEY-322 (323) GC-SURVEY-323 (324) GC-SURVEY-324 DARK	NIC3	1	25-Apr-2008 21:32:48.0	yes
4D	(325) GC-SURVEY-325 (326) GC-SURVEY-326 (327) GC-SURVEY-327 (328) GC-SURVEY-328 DARK	NIC3	1	25-Apr-2008 21:33:08.0	yes
4E	(329) GC-SURVEY-329 (330) GC-SURVEY-330 (331) GC-SURVEY-331 (332) GC-SURVEY-332 DARK	NIC3	1	25-Apr-2008 21:33:27.0	yes
4F	(333) GC-SURVEY-333 (334) GC-SURVEY-334 (335) GC-SURVEY-335 (336) GC-SURVEY-336 DARK	NIC3	1	25-Apr-2008 21:33:43.0	yes
4G	(337) GC-SURVEY-337 (338) GC-SURVEY-338 (339) GC-SURVEY-339 (340) GC-SURVEY-340 DARK	NIC3	1	25-Apr-2008 21:34:00.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4H	(341) GC-SURVEY-341 (342) GC-SURVEY-342 (343) GC-SURVEY-343 (344) GC-SURVEY-344 DARK	NIC3	1	25-Apr-2008 21:34:19.0	yes
4I	(345) GC-SURVEY-345 (346) GC-SURVEY-346 (347) GC-SURVEY-347 (348) GC-SURVEY-348 DARK	NIC3	1	25-Apr-2008 21:34:39.0	yes
4J	(349) GC-SURVEY-349 (350) GC-SURVEY-350 (351) GC-SURVEY-351 (352) GC-SURVEY-352 DARK	NIC3	1	25-Apr-2008 21:34:59.0	yes
4K	(353) GC-SURVEY-353 (354) GC-SURVEY-354 (355) GC-SURVEY-355 (356) GC-SURVEY-356 DARK	NIC3	1	25-Apr-2008 21:35:18.0	yes
4L	(357) GC-SURVEY-357 (358) GC-SURVEY-358 (359) GC-SURVEY-359 (360) GC-SURVEY-360 DARK	NIC3	1	25-Apr-2008 21:35:33.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4M	(361) GC-SURVEY-361 (362) GC-SURVEY-362 (363) GC-SURVEY-363 (364) GC-SURVEY-364 DARK	NIC3	1	25-Apr-2008 21:35:54.0	yes
4N	(365) GC-SURVEY-365 (366) GC-SURVEY-366 (367) GC-SURVEY-367 (368) GC-SURVEY-368 DARK	NIC3	1	25-Apr-2008 21:36:13.0	yes
4O	(369) GC-SURVEY-369 (370) GC-SURVEY-370 (371) GC-SURVEY-371 (372) GC-SURVEY-372 DARK	NIC3	1	25-Apr-2008 21:36:28.0	yes
4P	(373) GC-SURVEY-373 (374) GC-SURVEY-374 (375) GC-SURVEY-375 (376) GC-SURVEY-376 DARK	NIC3	1	25-Apr-2008 21:36:48.0	yes
4Q	(377) GC-SURVEY-377 (378) GC-SURVEY-378 (379) GC-SURVEY-379 (380) GC-SURVEY-380 DARK	NIC3	1	25-Apr-2008 21:37:07.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4R	(381) GC-SURVEY-381 (382) GC-SURVEY-382 (383) GC-SURVEY-383 (384) GC-SURVEY-384 DARK	NIC3	1	25-Apr-2008 21:37:22.0	yes
4S	(385) GC-SURVEY-385 (386) GC-SURVEY-386 (387) GC-SURVEY-387 (388) GC-SURVEY-388 DARK	NIC3	1	25-Apr-2008 21:37:42.0	yes
4T	(389) GC-SURVEY-389 (390) GC-SURVEY-390 (391) GC-SURVEY-391 (392) GC-SURVEY-392 DARK	NIC3	1	25-Apr-2008 21:38:02.0	yes
4U	(393) GC-SURVEY-393 (394) GC-SURVEY-394 (395) GC-SURVEY-395 (396) GC-SURVEY-396 DARK	NIC3	1	25-Apr-2008 21:38:22.0	yes
4V	(397) GC-SURVEY-397 (398) GC-SURVEY-398 (399) GC-SURVEY-399 (400) GC-SURVEY-400 DARK	NIC3	1	25-Apr-2008 21:38:36.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4W	(401) GC-SURVEY-401 (402) GC-SURVEY-402 (403) GC-SURVEY-403 (404) GC-SURVEY-404 DARK	NIC3	1	25-Apr-2008 21:38:57.0	yes
4X	(405) GC-SURVEY-405 (406) GC-SURVEY-406 (407) GC-SURVEY-407 (408) GC-SURVEY-408 DARK	NIC3	1	25-Apr-2008 21:39:17.0	yes
4Y	(409) GC-SURVEY-409 (410) GC-SURVEY-410 (411) GC-SURVEY-411 (412) GC-SURVEY-412 DARK	NIC3	1	25-Apr-2008 21:39:36.0	yes
4Z	(413) GC-SURVEY-413 (414) GC-SURVEY-414 (415) GC-SURVEY-415 (416) GC-SURVEY-416 DARK	NIC3	1	25-Apr-2008 21:39:51.0	yes
5A	(417) GC-SURVEY-417 (418) GC-SURVEY-418 (419) GC-SURVEY-419 (420) GC-SURVEY-420 DARK	NIC3	1	25-Apr-2008 21:40:11.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
5B	(421) GC-SURVEY-421 (422) GC-SURVEY-422 (423) GC-SURVEY-423 (424) GC-SURVEY-424 DARK	NIC3	1	25-Apr-2008 21:40:31.0	yes
5C	(425) GC-SURVEY-425 (426) GC-SURVEY-426 (427) GC-SURVEY-427 (428) GC-SURVEY-428 DARK	NIC3	1	25-Apr-2008 21:40:50.0	yes
5D	(429) GC-SURVEY-429 (430) GC-SURVEY-430 (431) GC-SURVEY-431 (432) GC-SURVEY-432 DARK	NIC3	1	25-Apr-2008 21:41:05.0	yes
5E	(433) GC-SURVEY-433 (434) GC-SURVEY-434 (435) GC-SURVEY-435 (436) GC-SURVEY-436 DARK	NIC3	1	25-Apr-2008 21:41:25.0	yes
5F	(437) GC-SURVEY-437 (438) GC-SURVEY-438 (439) GC-SURVEY-439 (440) GC-SURVEY-440 DARK	NIC3	1	25-Apr-2008 21:41:45.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
5G	(441) GC-SURVEY-441 (442) GC-SURVEY-442 (443) GC-SURVEY-443 (444) GC-SURVEY-444 DARK	NIC3	1	25-Apr-2008 21:42:00.0	yes
5H	(445) GC-SURVEY-445 (446) GC-SURVEY-446 (447) GC-SURVEY-447 (448) GC-SURVEY-448 DARK	NIC3	1	25-Apr-2008 21:42:20.0	yes
5I	(449) GC-SURVEY-449 (450) GC-SURVEY-450 (451) GC-SURVEY-451 (452) GC-SURVEY-452 DARK	NIC3	1	25-Apr-2008 21:42:40.0	yes
5J	(453) GC-SURVEY-453 (454) GC-SURVEY-454 (455) GC-SURVEY-455 (456) GC-SURVEY-456 DARK	NIC3	1	25-Apr-2008 21:43:00.0	yes
5K	(457) GC-SURVEY-457 (458) GC-SURVEY-458 (459) GC-SURVEY-459 (460) GC-SURVEY-460 DARK	NIC3	1	25-Apr-2008 21:43:15.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
5L	(461) GC-SURVEY-461 (462) GC-SURVEY-462 (463) GC-SURVEY-463 (464) GC-SURVEY-464 DARK	NIC3	1	25-Apr-2008 21:43:35.0	yes
5M	(465) GC-SURVEY-465 (466) GC-SURVEY-466 (467) GC-SURVEY-467 (468) GC-SURVEY-468 DARK	NIC3	1	25-Apr-2008 21:43:55.0	yes
5N	(469) GC-SURVEY-469 (470) GC-SURVEY-470 (471) GC-SURVEY-471 (472) GC-SURVEY-472 DARK	NIC3	1	25-Apr-2008 21:44:10.0	yes
5O	(473) GC-SURVEY-473 (474) GC-SURVEY-474 (475) GC-SURVEY-475 (476) GC-SURVEY-476 DARK	NIC3	1	25-Apr-2008 21:44:30.0	yes
5P	(477) GC-SURVEY-477 (478) GC-SURVEY-478 (479) GC-SURVEY-479 (480) GC-SURVEY-480 DARK	NIC3	1	25-Apr-2008 21:44:50.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
5Q	(481) GC-SURVEY-481 (482) GC-SURVEY-482 (483) GC-SURVEY-483 (484) GC-SURVEY-484 DARK	NIC3	1	25-Apr-2008 21:45:10.0	yes
5R	(485) GC-SURVEY-485 (486) GC-SURVEY-486 (487) GC-SURVEY-487 (488) GC-SURVEY-488 DARK	NIC3	1	25-Apr-2008 21:45:25.0	yes
5S	(489) GC-SURVEY-489 (490) GC-SURVEY-490 (491) GC-SURVEY-491 (492) GC-SURVEY-492 DARK	NIC3	1	25-Apr-2008 21:45:45.0	yes
5T	(493) GC-SURVEY-493 (494) GC-SURVEY-494 (495) GC-SURVEY-495 (496) GC-SURVEY-496 DARK	NIC3	1	25-Apr-2008 21:46:04.0	yes
5U	(497) GC-SURVEY-497 (498) GC-SURVEY-498 (499) GC-SURVEY-499 (500) GC-SURVEY-500 DARK	NIC3	1	25-Apr-2008 21:46:19.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
5V	(501) GC-SURVEY-501 (502) GC-SURVEY-502 (503) GC-SURVEY-503 (504) GC-SURVEY-504 DARK	NIC3	1	25-Apr-2008 21:46:39.0	yes
5W	(505) GC-SURVEY-505 (506) GC-SURVEY-506 (507) GC-SURVEY-507 (508) GC-SURVEY-508 DARK	NIC3	1	25-Apr-2008 21:46:59.0	yes
5X	(509) GC-SURVEY-509 (510) GC-SURVEY-510 (511) GC-SURVEY-511 (512) GC-SURVEY-512 DARK	NIC3	1	25-Apr-2008 21:47:14.0	yes
5Y	(513) GC-SURVEY-513 (514) GC-SURVEY-514 (515) GC-SURVEY-515 (516) GC-SURVEY-516 DARK	NIC3	1	25-Apr-2008 21:47:34.0	yes
5Z	(517) GC-SURVEY-517 (518) GC-SURVEY-518 (519) GC-SURVEY-519 (520) GC-SURVEY-520 DARK	NIC3	1	25-Apr-2008 21:47:54.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
6A	(521) GC-SURVEY-521 (522) GC-SURVEY-522 (523) GC-SURVEY-523 (524) GC-SURVEY-524 DARK	NIC3	1	25-Apr-2008 21:48:09.0	yes
6B	(525) GC-SURVEY-525 (526) GC-SURVEY-526 (527) GC-SURVEY-527 (528) GC-SURVEY-528 DARK	NIC3	1	25-Apr-2008 21:48:30.0	yes
6C	(529) GC-SURVEY-529 (530) GC-SURVEY-530 (531) GC-SURVEY-531 (532) GC-SURVEY-532 DARK	NIC3	1	25-Apr-2008 21:48:50.0	yes
6D	(533) GC-SURVEY-533 (534) GC-SURVEY-534 (535) GC-SURVEY-535 (536) GC-SURVEY-536 DARK	NIC3	1	25-Apr-2008 21:49:10.0	yes
6E	(537) GC-SURVEY-537 (538) GC-SURVEY-538 (539) GC-SURVEY-539 (540) GC-SURVEY-540 DARK	NIC3	1	25-Apr-2008 21:49:25.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
6F	(541) GC-SURVEY-541 (542) GC-SURVEY-542 (543) GC-SURVEY-543 (544) GC-SURVEY-544 DARK	NIC3	1	25-Apr-2008 21:49:45.0	yes
6G	(545) GC-SURVEY-545 (546) GC-SURVEY-546 (547) GC-SURVEY-547 (548) GC-SURVEY-548 DARK	NIC3	1	25-Apr-2008 21:50:06.0	yes
6H	(549) GC-SURVEY-549 (550) GC-SURVEY-550 (551) GC-SURVEY-551 (552) GC-SURVEY-552 DARK	NIC3	1	25-Apr-2008 21:50:26.0	yes
6I	(553) GC-SURVEY-553 (554) GC-SURVEY-554 (555) GC-SURVEY-555 (556) GC-SURVEY-556 DARK	NIC3	1	25-Apr-2008 21:50:41.0	yes
6J	(557) GC-SURVEY-557 (558) GC-SURVEY-558 (559) GC-SURVEY-559 (560) GC-SURVEY-560 DARK	NIC3	1	25-Apr-2008 21:51:01.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
6K	(561) GC-SURVEY-561 (562) GC-SURVEY-562 (563) GC-SURVEY-563 (564) GC-SURVEY-564 DARK	NIC3	1	25-Apr-2008 21:51:21.0	yes
6L	(565) GC-SURVEY-565 (566) GC-SURVEY-566 (567) GC-SURVEY-567 (568) GC-SURVEY-568 DARK	NIC3	1	25-Apr-2008 21:51:36.0	yes
6M	(569) GC-SURVEY-569 (570) GC-SURVEY-570 (571) GC-SURVEY-571 (572) GC-SURVEY-572 DARK	NIC3	1	25-Apr-2008 21:51:57.0	yes
6N	(573) GC-SURVEY-573 (574) GC-SURVEY-574 (575) GC-SURVEY-575 (576) GC-SURVEY-576 DARK	NIC3	1	25-Apr-2008 21:52:17.0	yes

145 Total Orbits Used

### **ABSTRACT**

The Galactic center (GC) is a unique site for a detailed study of a multitude of complex astrophysical phenomena, which may be common to nuclear regions of many galaxies. Observable at resolutions unapproachable in other galaxies, the GC provides an unparalleled opportunity to improve our understanding of the interrelationships of massive stars, young stellar clusters, warm and hot ionized gases, molecular clouds, large scale magnetic

fields, and black holes. We propose the first large-scale hydrogen Paschen alpha line survey of the GC using NICMOS on the Hubble Space Telescope. This survey will lead to a high resolution and high sensitivity map of the Paschen alpha line emission in addition to a map of foreground extinction, made by comparing Paschen alpha to radio emission. This survey of the inner 75 pc of the Galaxy will provide an unprecedented and complete search for sites of massive star formation. In particular, we will be able to (1) uncover the distribution of young massive stars in this region, (2) locate the surfaces of adjacent molecular clouds, (3) determine important physical parameters of the ionized gas, (4) identify compact and ultra-compact HII regions throughout the GC. When combined with existing Chandra and Spitzer surveys as well as a wealth of other multi-wavelength observations, the results will allow us to address such questions as where and how massive stars form, how stellar clusters are disrupted, how massive stars shape and heat the surrounding medium, and how various phases of this medium are interspersed.

### **OBSERVING DESCRIPTION**

We will obtain the first large-scale survey of the Galactic Center (GC) in the Paschen-Alpha hydrogen emission line utilizing NIC3 with the F187N and F190N filters. This survey will cover approximately the central 32 X 13 arcminutes of our Galaxy (corresponding to 75 X 30 pc at the distance of the GC). The map will be the result of 576 pointed observations taken in 144 visits, with one orbit per visit. The precise field of view has been slightly altered from the Phase I proposal to maximize the science return. We have moved ~10 orbits from the region near  $l=359.75$   $b=0.075$ , which lies off the central galactic plane, and used them to extend our coverage along the galactic by a few arcminutes. The exact map is available at <http://www.astro.umass.edu/~wqd/projects/hst/web/phaseii.APT.html>.

The primary goal in devising our mapping strategy is to efficiently map as large an area as possible within each orbit. All of the orbits are identical, each consisting of a 2X2 NIC3 map. This pattern enables us to have a single guide

star acquisition per orbit. At each of the four field positions we will make 4 dithers, observing in both the F187N and the F190N filters at each position. In Phase I we had proposed to obtain 6 dithers, but the overheads as calculated by APT Orbit Planner in Phase II made it necessary for us to only obtain 4 dithers per position. We will use large (6 arcsec) dither offsets to obtain a 29.5 pixel overlap which will enable both subpixel sampling of the PSF in orthogonal array coordinates and sufficient array coverage for construction of the large mosaic.

We have assumed that the bottom 15 pixels of the NIC3 array will be unusable due to vignetting and distortions as described in the NICMOS documentation and we have adjusted our map accordingly.

In order to avoid gaps in the final mosaic we must constrain the orientation of the observations. We have found that during the large visibility windows for this program (February-May 2008) there are large periods during which the telescope orientation will be  $\sim 270$  deg. Therefore we have constrained all the orbits to have an orientation of 270 degrees to insure that we have consistent coverage throughout the map. Each frame will have an integration time of 48 sec, giving a total integration time per pixel on the sky of 192 sec in each filter.


Proposal 11120 - Visit 1A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:28 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1A, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(1)	GC-SURVEY-1	RA: 17 46 28.3728 (266.6182200d) Dec: -28 45 41.22 (-28.76145d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(2)	GC-SURVEY-2	RA: 17 46 25.7904 (266.6074600d) Dec: -28 46 15.17 (-28.77088d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(3)	GC-SURVEY-3	RA: 17 46 28.5336 (266.6188900d) Dec: -28 46 51.24 (-28.78090d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(4)	GC-SURVEY-4	RA: 17 46 31.1160 (266.6296500d) Dec: -28 46 17.29 (-28.77147d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1	(1) GC-SURVEY-1	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2	(1) GC-SURVEY-1	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3	(2) GC-SURVEY-2	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 1A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(2) GC-SURVEY-2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(3) GC-SURVEY-3	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(3) GC-SURVEY-3	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(4) GC-SURVEY-4	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(4) GC-SURVEY-4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:30 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1B, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(5)	GC-SURVEY-5	RA: 17 46 22.8768 (266.5953200d) Dec: -28 44 29.22 (-28.74145d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(6)	GC-SURVEY-6	RA: 17 46 20.2968 (266.5845700d) Dec: -28 45 3.17 (-28.75088d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(7)	GC-SURVEY-7	RA: 17 46 23.0376 (266.5959900d) Dec: -28 45 39.24 (-28.76090d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(8)	GC-SURVEY-8	RA: 17 46 25.6200 (266.6067500d) Dec: -28 45 5.29 (-28.75147d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1	(5) GC-SURVEY-5	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2	(5) GC-SURVEY-5	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3	(6) GC-SURVEY-6	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 1B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(6) GC-SURVEY-6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(7) GC-SURVEY-7	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(7) GC-SURVEY-7	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(8) GC-SURVEY-8	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(8) GC-SURVEY-8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:31 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1C, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(9)	GC-SURVEY-9	RA: 17 46 17.7240 (266.5738500d) Dec: -28 45 37.22 (-28.76034d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(10)	GC-SURVEY-10	RA: 17 46 15.1416 (266.5630900d) Dec: -28 46 11.17 (-28.76977d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(11)	GC-SURVEY-11	RA: 17 46 17.8848 (266.5745200d) Dec: -28 46 47.24 (-28.77979d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(12)	GC-SURVEY-12	RA: 17 46 20.4672 (266.5852800d) Dec: -28 46 13.30 (-28.77036d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(9) GC-SURVEY-9	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(9) GC-SURVEY-9	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(10) GC-SURVEY-10	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(10) GC-SURVEY-1 0	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(11) GC-SURVEY-1 1	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(11) GC-SURVEY-1 1	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(12) GC-SURVEY-1 2	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(12) GC-SURVEY-1 2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:31 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1D, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(13)	GC-SURVEY-13	RA: 17 46 23.2176 (266.5967400d) Dec: -28 46 49.22 (-28.78034d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(14)	GC-SURVEY-14	RA: 17 46 20.6376 (266.5859900d) Dec: -28 47 23.17 (-28.78977d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(15)	GC-SURVEY-15	RA: 17 46 23.3808 (266.5974200d) Dec: -28 47 59.24 (-28.79979d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(16)	GC-SURVEY-16	RA: 17 46 25.9608 (266.6081700d) Dec: -28 47 25.30 (-28.79036d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(13) GC-SURVEY-1 3	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(13) GC-SURVEY-1 3	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(14) GC-SURVEY-1 4	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(14) GC-SURVEY-1 4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(15) GC-SURVEY-1 5	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(15) GC-SURVEY-1 5	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(16) GC-SURVEY-1 6	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(16) GC-SURVEY-1 6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:32 GMT 2008

Visit	<b>Proposal 11120, Visit 1E, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(17)	GC-SURVEY-17	RA: 17 46 28.7160 (266.6196500d) Dec: -28 48 1.22 (-28.80034d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(18)	GC-SURVEY-18	RA: 17 46 26.1336 (266.6088900d) Dec: -28 48 35.17 (-28.80977d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(19)	GC-SURVEY-19	RA: 17 46 28.8768 (266.6203200d) Dec: -28 49 11.21 (-28.81978d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(20)	GC-SURVEY-20	RA: 17 46 31.4592 (266.6310800d) Dec: -28 48 37.30 (-28.81036d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(17) GC-SURVEY-1 7	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(17) GC-SURVEY-1 7	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(18) GC-SURVEY-1 8	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(18) GC-SURVEY-1 8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(19) GC-SURVEY-1 9	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(19) GC-SURVEY-1 9	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(20) GC-SURVEY-2 0	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(20) GC-SURVEY-2 0	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:33 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1F, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			<b>Exposures</b>
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true			(1-2), (3-4), (5-6), (7-8)	
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(21)	GC-SURVEY-21	RA: 17 46 23.5608 (266.5981700d) Dec: -28 49 9.23 (-28.81923d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(22)	GC-SURVEY-22	RA: 17 46 20.9784 (266.5874100d) Dec: -28 49 43.18 (-28.82866d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(23)	GC-SURVEY-23	RA: 17 46 23.7216 (266.5988400d) Dec: -28 50 19.25 (-28.83868d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(24)	GC-SURVEY-24	RA: 17 46 26.3040 (266.6096000d) Dec: -28 49 45.30 (-28.82925d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(21) GC-SURVEY-2 1	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(21) GC-SURVEY-2 1	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(22) GC-SURVEY-2 2	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(22) GC-SURVEY-2 2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(23) GC-SURVEY-2 3	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(23) GC-SURVEY-2 3	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(24) GC-SURVEY-2 4	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(24) GC-SURVEY-2 4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:34 GMT 2008

Visit	<b>Proposal 11120, Visit 1G, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(25)	GC-SURVEY-25	RA: 17 46 18.0624 (266.5752600d) Dec: -28 47 57.23 (-28.79923d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(26)	GC-SURVEY-26	RA: 17 46 15.4800 (266.5645000d) Dec: -28 48 31.18 (-28.80866d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(27)	GC-SURVEY-27	RA: 17 46 18.2256 (266.5759400d) Dec: -28 49 7.25 (-28.81868d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(28)	GC-SURVEY-28	RA: 17 46 20.8080 (266.5867000d) Dec: -28 48 33.30 (-28.80925d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(25) GC-SURVEY-2 5	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(25) GC-SURVEY-2 5	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(26) GC-SURVEY-2 6	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(26) GC-SURVEY-2 6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(27) GC-SURVEY-2 7	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(27) GC-SURVEY-2 7	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(28) GC-SURVEY-2 8	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(28) GC-SURVEY-2 8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:35 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1H, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(29)	GC-SURVEY-29	RA: 17 46 12.5688 (266.5523700d) Dec: -28 46 45.23 (-28.77923d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(30)	GC-SURVEY-30	RA: 17 46 9.9864 (266.5416100d) Dec: -28 47 19.14 (-28.78865d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(31)	GC-SURVEY-31	RA: 17 46 12.7296 (266.5530400d) Dec: -28 47 55.21 (-28.79867d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(32)	GC-SURVEY-32	RA: 17 46 15.3120 (266.5638000d) Dec: -28 47 21.26 (-28.78924d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(29) GC-SURVEY-29	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(29) GC-SURVEY-29	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(30) GC-SURVEY-30	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(30) GC-SURVEY-3 0	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(31) GC-SURVEY-3 1	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(31) GC-SURVEY-3 1	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(32) GC-SURVEY-3 2	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(32) GC-SURVEY-3 2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:35 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1I, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(33)	GC-SURVEY-33	RA: 17 46 7.0752 (266.5294800d) Dec: -28 45 33.19 (-28.75922d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(34)	GC-SURVEY-34	RA: 17 46 4.4928 (266.5187200d) Dec: -28 46 7.14 (-28.76865d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(35)	GC-SURVEY-35	RA: 17 46 7.2360 (266.5301500d) Dec: -28 46 43.18 (-28.77866d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(36)	GC-SURVEY-36	RA: 17 46 9.8184 (266.5409100d) Dec: -28 46 9.26 (-28.76924d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(33) GC-SURVEY-3 3	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(33) GC-SURVEY-3 3	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(34) GC-SURVEY-3 4	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(34) GC-SURVEY-3 4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(35) GC-SURVEY-3 5	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(35) GC-SURVEY-3 5	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(36) GC-SURVEY-3 6	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(36) GC-SURVEY-3 6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:36 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1J, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(37)	GC-SURVEY-37	RA: 17 46 1.5840 (266.5066000d) Dec: -28 44 21.16 (-28.73921d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(38)	GC-SURVEY-38	RA: 17 45 59.0040 (266.4958500d) Dec: -28 44 55.10 (-28.74864d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(39)	GC-SURVEY-39	RA: 17 46 1.7448 (266.5072700d) Dec: -28 45 31.14 (-28.75865d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(40)	GC-SURVEY-40	RA: 17 46 4.3248 (266.5180200d) Dec: -28 44 57.19 (-28.74922d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(37) GC-SURVEY-37	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(37) GC-SURVEY-37	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(38) GC-SURVEY-38	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(38) GC-SURVEY-3 8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(39) GC-SURVEY-3 9	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(39) GC-SURVEY-3 9	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(40) GC-SURVEY-4 0	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(40) GC-SURVEY-4 0	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:37 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1K, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(41)	GC-SURVEY-41	RA: 17 45 56.0952 (266.4837300d) Dec: -28 43 9.08 (-28.71919d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(42)	GC-SURVEY-42	RA: 17 45 53.5152 (266.4729800d) Dec: -28 43 43.03 (-28.72862d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(43)	GC-SURVEY-43	RA: 17 45 56.2560 (266.4844000d) Dec: -28 44 19.10 (-28.73864d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(44)	GC-SURVEY-44	RA: 17 45 58.8360 (266.4951500d) Dec: -28 43 45.16 (-28.72921d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(41) GC-SURVEY-41	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(41) GC-SURVEY-41	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(42) GC-SURVEY-42	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(42) GC-SURVEY-4 2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(43) GC-SURVEY-4 3	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(43) GC-SURVEY-4 3	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(44) GC-SURVEY-4 4	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(44) GC-SURVEY-4 4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:37 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1L, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(45)	GC-SURVEY-45	RA: 17 45 50.6088 (266.4608700d) Dec: -28 41 57.01 (-28.69917d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(46)	GC-SURVEY-46	RA: 17 45 48.0288 (266.4501200d) Dec: -28 42 30.96 (-28.70860d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(47)	GC-SURVEY-47	RA: 17 45 50.7696 (266.4615400d) Dec: -28 43 7.03 (-28.71862d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(48)	GC-SURVEY-48	RA: 17 45 53.3496 (266.4722900d) Dec: -28 42 33.08 (-28.70919d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(45) GC-SURVEY-45	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(45) GC-SURVEY-45	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(46) GC-SURVEY-46	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(46) GC-SURVEY-4 6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(47) GC-SURVEY-4 7	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(47) GC-SURVEY-4 7	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(48) GC-SURVEY-4 8	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(48) GC-SURVEY-4 8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:38 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1M, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>	<b>Secondary Pattern</b>	<b>Exposures</b>					
	(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true		(1-2), (3-4), (5-6), (7-8)					
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>				
	(49)	GC-SURVEY-49	RA: 17 45 45.4512 (266.4393800d) Dec: -28 43 4.94 (-28.71804d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(50)	GC-SURVEY-50	RA: 17 45 42.8712 (266.4286300d) Dec: -28 43 38.89 (-28.72747d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(51)	GC-SURVEY-51	RA: 17 45 45.6120 (266.4400500d) Dec: -28 44 14.96 (-28.73749d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(52)	GC-SURVEY-52	RA: 17 45 48.1920 (266.4508000d) Dec: -28 43 41.02 (-28.72806d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(49) GC-SURVEY-49	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(49) GC-SURVEY-49	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(50) GC-SURVEY-50	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(50) GC-SURVEY-5 0	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(51) GC-SURVEY-5 1	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(51) GC-SURVEY-5 1	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(52) GC-SURVEY-5 2	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(52) GC-SURVEY-5 2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:39 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1N, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			<b>Exposures</b>
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true			(1-2), (3-4), (5-6), (7-8)	
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(53)	GC-SURVEY-53	RA: 17 45 50.9376 (266.4622400d) Dec: -28 44 17.02 (-28.73806d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(54)	GC-SURVEY-54	RA: 17 45 48.3576 (266.4514900d) Dec: -28 44 50.96 (-28.74749d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(55)	GC-SURVEY-55	RA: 17 45 51.0984 (266.4629100d) Dec: -28 45 27.04 (-28.75751d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(56)	GC-SURVEY-56	RA: 17 45 53.6808 (266.4736700d) Dec: -28 44 53.09 (-28.74808d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(53) GC-SURVEY-53	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(53) GC-SURVEY-53	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(54) GC-SURVEY-54	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(54) GC-SURVEY-5 4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(55) GC-SURVEY-5 5	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(55) GC-SURVEY-5 5	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(56) GC-SURVEY-5 6	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(56) GC-SURVEY-5 6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 10 - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:39 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 10, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(57)	GC-SURVEY-57	RA: 17 45 56.4264 (266.4851100d) Dec: -28 45 29.09 (-28.75808d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(58)	GC-SURVEY-58	RA: 17 45 53.8440 (266.4743500d) Dec: -28 46 3.04 (-28.76751d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(59)	GC-SURVEY-59	RA: 17 45 56.5872 (266.4857800d) Dec: -28 46 39.11 (-28.77753d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(60)	GC-SURVEY-60	RA: 17 45 59.1696 (266.4965400d) Dec: -28 46 5.16 (-28.76810d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(57) GC-SURVEY-57	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(57) GC-SURVEY-57	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(58) GC-SURVEY-58	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(58) GC-SURVEY-5 8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(59) GC-SURVEY-5 9	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(59) GC-SURVEY-5 9	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(60) GC-SURVEY-6 0	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(60) GC-SURVEY-6 0	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:40 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1P, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(61)	GC-SURVEY-61	RA: 17 46 1.9176 (266.5079900d) Dec: -28 46 41.16 (-28.77810d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(62)	GC-SURVEY-62	RA: 17 45 59.3352 (266.4972300d) Dec: -28 47 15.07 (-28.78752d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(63)	GC-SURVEY-63	RA: 17 46 2.0784 (266.5086600d) Dec: -28 47 51.14 (-28.79754d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(64)	GC-SURVEY-64	RA: 17 46 4.6608 (266.5194200d) Dec: -28 47 17.20 (-28.78811d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(61) GC-SURVEY-61	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(61) GC-SURVEY-61	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(62) GC-SURVEY-62	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(62) GC-SURVEY-6 2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(63) GC-SURVEY-6 3	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(63) GC-SURVEY-6 3	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(64) GC-SURVEY-6 4	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(64) GC-SURVEY-6 4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:40 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1Q, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(65)	GC-SURVEY-65	RA: 17 46 7.4112 (266.5308800d) Dec: -28 47 53.20 (-28.79811d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(66)	GC-SURVEY-66	RA: 17 46 4.8288 (266.5201200d) Dec: -28 48 27.14 (-28.80754d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(67)	GC-SURVEY-67	RA: 17 46 7.5720 (266.5315500d) Dec: -28 49 3.18 (-28.81755d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(68)	GC-SURVEY-68	RA: 17 46 10.1544 (266.5423100d) Dec: -28 48 29.27 (-28.80813d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(65) GC-SURVEY-65	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(65) GC-SURVEY-65	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(66) GC-SURVEY-66	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(66) GC-SURVEY-6 6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(67) GC-SURVEY-6 7	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(67) GC-SURVEY-6 7	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(68) GC-SURVEY-6 8	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(68) GC-SURVEY-6 8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:41 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1R, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(69)	GC-SURVEY-69	RA: 17 46 12.9072 (266.5537800d) Dec: -28 49 5.23 (-28.81812d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(70)	GC-SURVEY-70	RA: 17 46 10.3224 (266.5430100d) Dec: -28 49 39.14 (-28.82754d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(71)	GC-SURVEY-71	RA: 17 46 13.0680 (266.5544500d) Dec: -28 50 15.22 (-28.83756d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(72)	GC-SURVEY-72	RA: 17 46 15.6504 (266.5652100d) Dec: -28 49 41.27 (-28.82813d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(69) GC-SURVEY-69	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(69) GC-SURVEY-69	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(70) GC-SURVEY-70	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(70) GC-SURVEY-7 0	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(71) GC-SURVEY-7 1	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(71) GC-SURVEY-7 1	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(72) GC-SURVEY-7 2	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(72) GC-SURVEY-7 2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:42 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1S, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(73)	GC-SURVEY-73	RA: 17 46 18.4032 (266.5766800d) Dec: -28 50 17.23 (-28.83812d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(74)	GC-SURVEY-74	RA: 17 46 15.8208 (266.5659200d) Dec: -28 50 51.18 (-28.84755d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(75)	GC-SURVEY-75	RA: 17 46 18.5640 (266.5773500d) Dec: -28 51 27.25 (-28.85757d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(76)	GC-SURVEY-76	RA: 17 46 21.1488 (266.5881200d) Dec: -28 50 53.30 (-28.84814d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(73) GC-SURVEY-73	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(73) GC-SURVEY-73	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(74) GC-SURVEY-74	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(74) GC-SURVEY-7 4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(75) GC-SURVEY-7 5	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(75) GC-SURVEY-7 5	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(76) GC-SURVEY-7 6	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(76) GC-SURVEY-7 6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:42 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1T, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(77)	GC-SURVEY-77	RA: 17 46 18.7440 (266.5781000d) Dec: -28 52 37.24 (-28.87701d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(78)	GC-SURVEY-78	RA: 17 46 16.1592 (266.5673300d) Dec: -28 53 11.18 (-28.88644d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(79)	GC-SURVEY-79	RA: 17 46 18.9048 (266.5787700d) Dec: -28 53 47.22 (-28.89645d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(80)	GC-SURVEY-80	RA: 17 46 21.4896 (266.5895400d) Dec: -28 53 13.31 (-28.88703d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(77) GC-SURVEY-7 7	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(77) GC-SURVEY-7 7	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(78) GC-SURVEY-7 8	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(78) GC-SURVEY-7 8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(79) GC-SURVEY-7 9	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(79) GC-SURVEY-7 9	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(80) GC-SURVEY-8 0	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(80) GC-SURVEY-8 0	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	SAMP-SEQ=STEP1 6; NSAMP=9		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:43 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1U, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(81)	GC-SURVEY-81	RA: 17 46 13.2456 (266.5551900d) Dec: -28 51 25.24 (-28.85701d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(82)	GC-SURVEY-82	RA: 17 46 10.6608 (266.5444200d) Dec: -28 51 59.15 (-28.86643d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(83)	GC-SURVEY-83	RA: 17 46 13.4064 (266.5558600d) Dec: -28 52 35.22 (-28.87645d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(84)	GC-SURVEY-84	RA: 17 46 15.9888 (266.5666200d) Dec: -28 52 1.27 (-28.86702d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(81) GC-SURVEY-81	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(81) GC-SURVEY-81	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(82) GC-SURVEY-82	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(82) GC-SURVEY-8 2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(83) GC-SURVEY-8 3	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(83) GC-SURVEY-8 3	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(84) GC-SURVEY-8 4	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(84) GC-SURVEY-8 4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:44 GMT 2008

Visit	<b>Proposal 11120, Visit 1V, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(85)	GC-SURVEY-85	RA: 17 46 7.7472 (266.5322800d) Dec: -28 50 13.20 (-28.83700d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(86)	GC-SURVEY-86	RA: 17 46 5.1648 (266.5215200d) Dec: -28 50 47.15 (-28.84643d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(87)	GC-SURVEY-87	RA: 17 46 7.9080 (266.5329500d) Dec: -28 51 23.18 (-28.85644d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(88)	GC-SURVEY-88	RA: 17 46 10.4928 (266.5437200d) Dec: -28 50 49.24 (-28.84701d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(85) GC-SURVEY-85	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(85) GC-SURVEY-85	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(86) GC-SURVEY-86	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(86) GC-SURVEY-8 6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(87) GC-SURVEY-8 7	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(87) GC-SURVEY-8 7	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(88) GC-SURVEY-8 8	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(88) GC-SURVEY-8 8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:44 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1W, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			<b>Exposures</b>
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true			(1-2), (3-4), (5-6), (7-8)	
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(89)	GC-SURVEY-89	RA: 17 46 2.2512 (266.5093800d) Dec: -28 49 1.16 (-28.81699d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(90)	GC-SURVEY-90	RA: 17 45 59.6688 (266.4986200d) Dec: -28 49 35.08 (-28.82641d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(91)	GC-SURVEY-91	RA: 17 46 2.4120 (266.5100500d) Dec: -28 50 11.15 (-28.83643d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(92)	GC-SURVEY-92	RA: 17 46 4.9968 (266.5208200d) Dec: -28 49 37.20 (-28.82700d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(89) GC-SURVEY-89	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(89) GC-SURVEY-89	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(90) GC-SURVEY-90	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(90) GC-SURVEY-9 0	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(91) GC-SURVEY-9 1	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(91) GC-SURVEY-9 1	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(92) GC-SURVEY-9 2	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(92) GC-SURVEY-9 2	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:45 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1X, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(93)	GC-SURVEY-93	RA: 17 45 56.7576 (266.4864900d) Dec: -28 47 49.09 (-28.79697d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(94)	GC-SURVEY-94	RA: 17 45 54.1752 (266.4757300d) Dec: -28 48 23.04 (-28.80640d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(95)	GC-SURVEY-95	RA: 17 45 56.9208 (266.4871700d) Dec: -28 48 59.11 (-28.81642d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(96)	GC-SURVEY-96	RA: 17 45 59.5032 (266.4979300d) Dec: -28 48 25.16 (-28.80699d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(93) GC-SURVEY-9 3	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(93) GC-SURVEY-9 3	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(94) GC-SURVEY-9 4	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(94) GC-SURVEY-9 4	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(95) GC-SURVEY-9 5	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(95) GC-SURVEY-9 5	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(96) GC-SURVEY-9 6	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(96) GC-SURVEY-9 6	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:46 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1Y, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(97)	GC-SURVEY-97	RA: 17 45 51.2664 (266.4636100d) Dec: -28 46 37.02 (-28.77695d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(98)	GC-SURVEY-98	RA: 17 45 48.6864 (266.4528600d) Dec: -28 47 10.97 (-28.78638d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(99)	GC-SURVEY-99	RA: 17 45 51.4296 (266.4642900d) Dec: -28 47 47.04 (-28.79640d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(100)	GC-SURVEY-100	RA: 17 45 54.0096 (266.4750400d) Dec: -28 47 13.09 (-28.78697d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(97) GC-SURVEY-9 7	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(97) GC-SURVEY-9 7	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(98) GC-SURVEY-9 8	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(98) GC-SURVEY-9 8	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(99) GC-SURVEY-9 9	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(99) GC-SURVEY-9 9	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(100) GC-SURVEY- 100	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(100) GC-SURVEY- 100	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 1Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:46 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 1Z, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(101)	GC-SURVEY-101	RA: 17 45 45.7776 (266.4407400d) Dec: -28 45 24.95 (-28.75693d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(102)	GC-SURVEY-102	RA: 17 45 43.1976 (266.4299900d) Dec: -28 45 58.90 (-28.76636d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(103)	GC-SURVEY-103	RA: 17 45 45.9408 (266.4414200d) Dec: -28 46 34.97 (-28.77638d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(104)	GC-SURVEY-104	RA: 17 45 48.5208 (266.4521700d) Dec: -28 46 1.02 (-28.76695d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(101) GC-SURVEY-101	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(101) GC-SURVEY-101	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(102) GC-SURVEY-102	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 1Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(102) GC-SURVEY-102	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(103) GC-SURVEY-103	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(103) GC-SURVEY-103	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(104) GC-SURVEY-104	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(104) GC-SURVEY-104	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:47 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2A, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(105)	GC-SURVEY-105	RA: 17 45 40.2912 (266.4178800d) Dec: -28 44 12.84 (-28.73690d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(106)	GC-SURVEY-106	RA: 17 45 37.7112 (266.4071300d) Dec: -28 44 46.79 (-28.74633d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(107)	GC-SURVEY-107	RA: 17 45 40.4520 (266.4185500d) Dec: -28 45 22.86 (-28.75635d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(108)	GC-SURVEY-108	RA: 17 45 43.0344 (266.4293100d) Dec: -28 44 48.91 (-28.74692d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(105) GC-SURVEY-105	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(105) GC-SURVEY-105	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(106) GC-SURVEY-106	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(106) GC-SURVEY-106	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(107) GC-SURVEY-107	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(107) GC-SURVEY-107	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(108) GC-SURVEY-108	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(108) GC-SURVEY-108	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:48 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2B, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(109)	GC-SURVEY-109	RA: 17 45 35.1312 (266.3963800d) Dec: -28 45 20.74 (-28.75576d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(110)	GC-SURVEY-110	RA: 17 45 32.5488 (266.3856200d) Dec: -28 45 54.68 (-28.76519d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(111)	GC-SURVEY-111	RA: 17 45 35.2920 (266.3970500d) Dec: -28 46 30.76 (-28.77521d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(112)	GC-SURVEY-112	RA: 17 45 37.8720 (266.4078000d) Dec: -28 45 56.81 (-28.76578d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1	(109) GC-SURVEY-109	(109) GC-SURVEY-109	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9	GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2	(109) GC-SURVEY-109	(109) GC-SURVEY-109	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3	(110) GC-SURVEY-110	(110) GC-SURVEY-110	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(110) GC-SURVEY-110	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(111) GC-SURVEY-111	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(111) GC-SURVEY-111	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(112) GC-SURVEY-112	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(112) GC-SURVEY-112	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:48 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2C, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(113)	GC-SURVEY-113	RA: 17 45 40.6176 (266.4192400d) Dec: -28 46 32.84 (-28.77579d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(114)	GC-SURVEY-114	RA: 17 45 38.0352 (266.4084800d) Dec: -28 47 6.79 (-28.78522d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(115)	GC-SURVEY-115	RA: 17 45 40.7784 (266.4199100d) Dec: -28 47 42.86 (-28.79524d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(116)	GC-SURVEY-116	RA: 17 45 43.3608 (266.4306700d) Dec: -28 47 8.92 (-28.78581d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(113) GC-SURVEY-113	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(113) GC-SURVEY-113	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(114) GC-SURVEY-114	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(114) GC-SURVEY-114	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(115) GC-SURVEY-115	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(115) GC-SURVEY-115	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(116) GC-SURVEY-116	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(116) GC-SURVEY-116	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:49 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2D, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(117)	GC-SURVEY-117	RA: 17 45 46.1064 (266.4421100d) Dec: -28 47 44.95 (-28.79582d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(118)	GC-SURVEY-118	RA: 17 45 43.5240 (266.4313500d) Dec: -28 48 18.90 (-28.80525d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(119)	GC-SURVEY-119	RA: 17 45 46.2672 (266.4427800d) Dec: -28 48 54.97 (-28.81527d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(120)	GC-SURVEY-120	RA: 17 45 48.8496 (266.4535400d) Dec: -28 48 21.02 (-28.80584d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(117) GC-SURVEY-117	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(117) GC-SURVEY-117	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(118) GC-SURVEY-118	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(118) GC-SURVEY-118	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(119) GC-SURVEY-119	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(119) GC-SURVEY-119	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(120) GC-SURVEY-120	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(120) GC-SURVEY-120	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:49 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2E, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(121)	GC-SURVEY-121	RA: 17 45 51.5976 (266.4649900d) Dec: -28 48 57.02 (-28.81584d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(122)	GC-SURVEY-122	RA: 17 45 49.0152 (266.4542300d) Dec: -28 49 30.97 (-28.82527d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(123)	GC-SURVEY-123	RA: 17 45 51.7584 (266.4656600d) Dec: -28 50 7.04 (-28.83529d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(124)	GC-SURVEY-124	RA: 17 45 54.3408 (266.4764200d) Dec: -28 49 33.10 (-28.82586d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(121) GC-SURVEY-121	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(121) GC-SURVEY-121	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(122) GC-SURVEY-122	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(122) GC-SURVEY-122	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(123) GC-SURVEY-123	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(123) GC-SURVEY-123	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(124) GC-SURVEY-124	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(124) GC-SURVEY-124	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:50 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2F, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(125)	GC-SURVEY-125	RA: 17 45 57.0912 (266.4878800d) Dec: -28 50 9.10 (-28.83586d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(126)	GC-SURVEY-126	RA: 17 45 54.5064 (266.4771100d) Dec: -28 50 43.04 (-28.84529d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(127)	GC-SURVEY-127	RA: 17 45 57.2520 (266.4885500d) Dec: -28 51 19.12 (-28.85531d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(128)	GC-SURVEY-128	RA: 17 45 59.8344 (266.4993100d) Dec: -28 50 45.17 (-28.84588d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(125) GC-SURVEY-125	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(125) GC-SURVEY-125	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(126) GC-SURVEY-126	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(126) GC-SURVEY-126	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(127) GC-SURVEY-127	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(127) GC-SURVEY-127	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(128) GC-SURVEY-128	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(128) GC-SURVEY-128	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:51 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2G, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(129)	GC-SURVEY-129	RA: 17 46 2.5872 (266.5107800d) Dec: -28 51 21.17 (-28.85588d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(130)	GC-SURVEY-130	RA: 17 46 0.0024 (266.5000100d) Dec: -28 51 55.08 (-28.86530d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(131)	GC-SURVEY-131	RA: 17 46 2.7480 (266.5114500d) Dec: -28 52 31.15 (-28.87532d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(132)	GC-SURVEY-132	RA: 17 46 5.3304 (266.5222100d) Dec: -28 51 57.20 (-28.86589d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(129) GC-SURVEY-129	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(129) GC-SURVEY-129	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(130) GC-SURVEY-130	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(130) GC-SURVEY-130	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(131) GC-SURVEY-131	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(131) GC-SURVEY-131	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(132) GC-SURVEY-132	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(132) GC-SURVEY-132	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:51 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2H, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(133)	GC-SURVEY-133	RA: 17 46 8.0832 (266.5336800d) Dec: -28 52 33.20 (-28.87589d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(134)	GC-SURVEY-134	RA: 17 46 5.4984 (266.5229100d) Dec: -28 53 7.12 (-28.88531d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(135)	GC-SURVEY-135	RA: 17 46 8.2440 (266.5343500d) Dec: -28 53 43.19 (-28.89533d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(136)	GC-SURVEY-136	RA: 17 46 10.8288 (266.5451200d) Dec: -28 53 9.24 (-28.88590d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(133) GC-SURVEY-133	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(133) GC-SURVEY-133	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(134) GC-SURVEY-134	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(134) GC-SURVEY-134	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(135) GC-SURVEY-135	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(135) GC-SURVEY-135	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(136) GC-SURVEY-136	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(136) GC-SURVEY-136	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:52 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2I, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(137)	GC-SURVEY-137	RA: 17 46 13.5840 (266.5566000d) Dec: -28 53 45.20 (-28.89589d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(138)	GC-SURVEY-138	RA: 17 46 10.9992 (266.5458300d) Dec: -28 54 19.15 (-28.90532d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(139)	GC-SURVEY-139	RA: 17 46 13.7448 (266.5572700d) Dec: -28 54 55.22 (-28.91534d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(140)	GC-SURVEY-140	RA: 17 46 16.3296 (266.5680400d) Dec: -28 54 21.28 (-28.90591d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(137) GC-SURVEY-137	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(137) GC-SURVEY-137	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(138) GC-SURVEY-138	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(138) GC-SURVEY-138	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(139) GC-SURVEY-139	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(139) GC-SURVEY-139	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(140) GC-SURVEY-140	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(140) GC-SURVEY-140	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:52 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2J, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(141)	GC-SURVEY-141	RA: 17 46 8.4192 (266.5350800d) Dec: -28 54 53.21 (-28.91478d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(142)	GC-SURVEY-142	RA: 17 46 5.8344 (266.5243100d) Dec: -28 55 27.12 (-28.92420d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(143)	GC-SURVEY-143	RA: 17 46 8.5824 (266.5357600d) Dec: -28 56 3.19 (-28.93422d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(144)	GC-SURVEY-144	RA: 17 46 11.1672 (266.5465300d) Dec: -28 55 29.24 (-28.92479d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(141) GC-SURVEY-141	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(141) GC-SURVEY-141	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(142) GC-SURVEY-142	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(142) GC-SURVEY-142	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(143) GC-SURVEY-143	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(143) GC-SURVEY-143	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(144) GC-SURVEY-144	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(144) GC-SURVEY-144	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:53 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2K, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(145)	GC-SURVEY-145	RA: 17 46 2.9208 (266.5121700d) Dec: -28 53 41.17 (-28.89477d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(146)	GC-SURVEY-146	RA: 17 46 0.3360 (266.5014000d) Dec: -28 54 15.08 (-28.90419d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(147)	GC-SURVEY-147	RA: 17 46 3.0816 (266.5128400d) Dec: -28 54 51.16 (-28.91421d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(148)	GC-SURVEY-148	RA: 17 46 5.6664 (266.5236100d) Dec: -28 54 17.21 (-28.90478d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(145) GC-SURVEY-145	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(145) GC-SURVEY-145	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(146) GC-SURVEY-146	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(146) GC-SURVEY-146	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(147) GC-SURVEY-147	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(147) GC-SURVEY-147	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(148) GC-SURVEY-148	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(148) GC-SURVEY-148	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:54 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2L, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(149)	GC-SURVEY-149	RA: 17 45 57.4224 (266.4892600d) Dec: -28 52 29.10 (-28.87475d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(150)	GC-SURVEY-150	RA: 17 45 54.8400 (266.4785000d) Dec: -28 53 3.05 (-28.88418d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(151)	GC-SURVEY-151	RA: 17 45 57.5856 (266.4899400d) Dec: -28 53 39.12 (-28.89420d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(152)	GC-SURVEY-152	RA: 17 46 0.1680 (266.5007000d) Dec: -28 53 5.17 (-28.88477d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1	(149) GC-SURVEY-149	(149) GC-SURVEY-149	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2	(149) GC-SURVEY-149	(149) GC-SURVEY-149	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3	(150) GC-SURVEY-150	(150) GC-SURVEY-150	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(150) GC-SURVEY-150	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(151) GC-SURVEY-151	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(151) GC-SURVEY-151	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(152) GC-SURVEY-152	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(152) GC-SURVEY-152	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:54 GMT 2008

Visit	<b>Proposal 11120, Visit 6O</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(149)	GC-SURVEY-149	RA: 17 45 57.4224 (266.4892600d) Dec: -28 52 29.10 (-28.87475d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(150)	GC-SURVEY-150	RA: 17 45 54.8400 (266.4785000d) Dec: -28 53 3.05 (-28.88418d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(151)	GC-SURVEY-151	RA: 17 45 57.5856 (266.4899400d) Dec: -28 53 39.12 (-28.89420d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(152)	GC-SURVEY-152	RA: 17 46 0.1680 (266.5007000d) Dec: -28 53 5.17 (-28.88477d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(149) GC-SURVEY-149	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(149) GC-SURVEY-149	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(150) GC-SURVEY-150	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(150) GC-SURVEY-150	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(151) GC-SURVEY-151	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(151) GC-SURVEY-151	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(152) GC-SURVEY-152	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(152) GC-SURVEY-152	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:55 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2M, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			<b>Exposures</b>
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true			(1-2), (3-4), (5-6), (7-8)	
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(153)	GC-SURVEY-153	RA: 17 45 51.9288 (266.4663700d) Dec: -28 51 17.03 (-28.85473d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(154)	GC-SURVEY-154	RA: 17 45 49.3440 (266.4556000d) Dec: -28 51 50.98 (-28.86416d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(155)	GC-SURVEY-155	RA: 17 45 52.0896 (266.4670400d) Dec: -28 52 27.05 (-28.87418d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(156)	GC-SURVEY-156	RA: 17 45 54.6720 (266.4778000d) Dec: -28 51 53.10 (-28.86475d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(153) GC-SURVEY-153	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(153) GC-SURVEY-153	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(154) GC-SURVEY-154	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(154) GC-SURVEY-154	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(155) GC-SURVEY-155	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(155) GC-SURVEY-155	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(156) GC-SURVEY-156	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(156) GC-SURVEY-156	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:55 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2N, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(157)	GC-SURVEY-157	RA: 17 45 46.4352 (266.4434800d) Dec: -28 50 4.96 (-28.83471d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(158)	GC-SURVEY-158	RA: 17 45 43.8504 (266.4327100d) Dec: -28 50 38.90 (-28.84414d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(159)	GC-SURVEY-159	RA: 17 45 46.5960 (266.4441500d) Dec: -28 51 14.98 (-28.85416d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(160)	GC-SURVEY-160	RA: 17 45 49.1784 (266.4549100d) Dec: -28 50 41.03 (-28.84473d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(157) GC-SURVEY-157	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(157) GC-SURVEY-157	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(158) GC-SURVEY-158	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(158) GC-SURVEY-158	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(159) GC-SURVEY-159	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(159) GC-SURVEY-159	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(160) GC-SURVEY-160	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(160) GC-SURVEY-160	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:56 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2O, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(161)	GC-SURVEY-161	RA: 17 45 40.9440 (266.4206000d) Dec: -28 48 52.85 (-28.81468d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(162)	GC-SURVEY-162	RA: 17 45 38.3616 (266.4098400d) Dec: -28 49 26.80 (-28.82411d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(163)	GC-SURVEY-163	RA: 17 45 41.1048 (266.4212700d) Dec: -28 50 2.87 (-28.83413d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(164)	GC-SURVEY-164	RA: 17 45 43.6872 (266.4320300d) Dec: -28 49 28.92 (-28.82470d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(161) GC-SURVEY-161	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(161) GC-SURVEY-161	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(162) GC-SURVEY-162	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(162) GC-SURVEY-162	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(163) GC-SURVEY-163	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(163) GC-SURVEY-163	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(164) GC-SURVEY-164	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(164) GC-SURVEY-164	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:57 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2P, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(165)	GC-SURVEY-165	RA: 17 45 35.4552 (266.3977300d) Dec: -28 47 40.74 (-28.79465d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(166)	GC-SURVEY-166	RA: 17 45 32.8728 (266.3869700d) Dec: -28 48 14.69 (-28.80408d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(167)	GC-SURVEY-167	RA: 17 45 35.6160 (266.3984000d) Dec: -28 48 50.76 (-28.81410d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(168)	GC-SURVEY-168	RA: 17 45 38.1984 (266.4091600d) Dec: -28 48 16.81 (-28.80467d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(165) GC-SURVEY-165	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(165) GC-SURVEY-165	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(166) GC-SURVEY-166	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(166) GC-SURVEY-166	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(167) GC-SURVEY-167	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(167) GC-SURVEY-167	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(168) GC-SURVEY-168	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(168) GC-SURVEY-168	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:57 GMT 2008

Visit	<b>Proposal 11120, Visit 2Q, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(169)	GC-SURVEY-169	RA: 17 45 29.9688 (266.3748700d) Dec: -28 46 28.63 (-28.77462d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(170)	GC-SURVEY-170	RA: 17 45 27.3864 (266.3641100d) Dec: -28 47 2.58 (-28.78405d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(171)	GC-SURVEY-171	RA: 17 45 30.1296 (266.3755400d) Dec: -28 47 38.65 (-28.79407d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(172)	GC-SURVEY-172	RA: 17 45 32.7096 (266.3862900d) Dec: -28 47 4.70 (-28.78464d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(169) GC-SURVEY-169	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(169) GC-SURVEY-169	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(170) GC-SURVEY-170	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(170) GC-SURVEY-170	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(171) GC-SURVEY-171	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(171) GC-SURVEY-171	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(172) GC-SURVEY-172	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(172) GC-SURVEY-172	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:58 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2R, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(173)	GC-SURVEY-173	RA: 17 45 30.2904 (266.3762100d) Dec: -28 48 48.64 (-28.81351d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(174)	GC-SURVEY-174	RA: 17 45 27.7080 (266.3654500d) Dec: -28 49 22.58 (-28.82294d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(175)	GC-SURVEY-175	RA: 17 45 30.4512 (266.3768800d) Dec: -28 49 58.66 (-28.83296d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(176)	GC-SURVEY-176	RA: 17 45 33.0336 (266.3876400d) Dec: -28 49 24.71 (-28.82353d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(173) GC-SURVEY-173	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(173) GC-SURVEY-173	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(174) GC-SURVEY-174	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(174) GC-SURVEY-174	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(175) GC-SURVEY-175	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(175) GC-SURVEY-175	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(176) GC-SURVEY-176	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(176) GC-SURVEY-176	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:59 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2S, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(177)	GC-SURVEY-177	RA: 17 45 35.7792 (266.3990800d) Dec: -28 50 0.78 (-28.83355d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(178)	GC-SURVEY-178	RA: 17 45 33.1944 (266.3883100d) Dec: -28 50 34.69 (-28.84297d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(179)	GC-SURVEY-179	RA: 17 45 35.9400 (266.3997500d) Dec: -28 51 10.76 (-28.85299d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(180)	GC-SURVEY-180	RA: 17 45 38.5224 (266.4105100d) Dec: -28 50 36.82 (-28.84356d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(177) GC-SURVEY-177	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(177) GC-SURVEY-177	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(178) GC-SURVEY-178	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(178) GC-SURVEY-178	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(179) GC-SURVEY-179	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(179) GC-SURVEY-179	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(180) GC-SURVEY-180	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(180) GC-SURVEY-180	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:52:59 GMT 2008

Visit	<b>Proposal 11120, Visit 2T, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(181)	GC-SURVEY-181	RA: 17 45 41.2704 (266.4219600d) Dec: -28 51 12.85 (-28.85357d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(182)	GC-SURVEY-182	RA: 17 45 38.6856 (266.4111900d) Dec: -28 51 46.80 (-28.86300d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(183)	GC-SURVEY-183	RA: 17 45 41.4312 (266.4226300d) Dec: -28 52 22.87 (-28.87302d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(184)	GC-SURVEY-184	RA: 17 45 44.0160 (266.4334000d) Dec: -28 51 48.92 (-28.86359d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(181) GC-SURVEY-181	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(181) GC-SURVEY-181	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(182) GC-SURVEY-182	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(182) GC-SURVEY-182	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(183) GC-SURVEY-183	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(183) GC-SURVEY-183	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(184) GC-SURVEY-184	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(184) GC-SURVEY-184	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:00 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2U, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(185)	GC-SURVEY-185	RA: 17 45 46.7640 (266.4448500d) Dec: -28 52 24.96 (-28.87360d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(186)	GC-SURVEY-186	RA: 17 45 44.1792 (266.4340800d) Dec: -28 52 58.91 (-28.88303d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(187)	GC-SURVEY-187	RA: 17 45 46.9248 (266.4455200d) Dec: -28 53 34.98 (-28.89305d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(188)	GC-SURVEY-188	RA: 17 45 49.5096 (266.4562900d) Dec: -28 53 1.03 (-28.88362d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(185) GC-SURVEY-185	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(185) GC-SURVEY-185	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(186) GC-SURVEY-186	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(186) GC-SURVEY-186	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(187) GC-SURVEY-187	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(187) GC-SURVEY-187	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(188) GC-SURVEY-188	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(188) GC-SURVEY-188	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:00 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2V, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(189)	GC-SURVEY-189	RA: 17 45 52.2576 (266.4677400d) Dec: -28 53 37.03 (-28.89362d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(190)	GC-SURVEY-190	RA: 17 45 49.6728 (266.4569700d) Dec: -28 54 10.98 (-28.90305d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(191)	GC-SURVEY-191	RA: 17 45 52.4208 (266.4684200d) Dec: -28 54 47.05 (-28.91307d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(192)	GC-SURVEY-192	RA: 17 45 55.0056 (266.4791900d) Dec: -28 54 13.10 (-28.90364d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(189) GC-SURVEY-189	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(189) GC-SURVEY-189	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(190) GC-SURVEY-190	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(190) GC-SURVEY-190	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(191) GC-SURVEY-191	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(191) GC-SURVEY-191	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(192) GC-SURVEY-192	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(192) GC-SURVEY-192	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:01 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2W, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(193)	GC-SURVEY-193	RA: 17 45 57.7560 (266.4906500d) Dec: -28 54 49.10 (-28.91364d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(194)	GC-SURVEY-194	RA: 17 45 55.1712 (266.4798800d) Dec: -28 55 23.05 (-28.92307d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(195)	GC-SURVEY-195	RA: 17 45 57.9168 (266.4913200d) Dec: -28 55 59.12 (-28.93309d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(196)	GC-SURVEY-196	RA: 17 46 0.5040 (266.5021000d) Dec: -28 55 25.18 (-28.92366d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(193) GC-SURVEY-193	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(193) GC-SURVEY-193	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(194) GC-SURVEY-194	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(194) GC-SURVEY-194	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(195) GC-SURVEY-195	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(195) GC-SURVEY-195	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(196) GC-SURVEY-196	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(196) GC-SURVEY-196	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:02 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 2X, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(197)	GC-SURVEY-197	RA: 17 46 3.2568 (266.5135700d) Dec: -28 56 1.18 (-28.93366d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(198)	GC-SURVEY-198	RA: 17 46 0.6696 (266.5027900d) Dec: -28 56 35.09 (-28.94308d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(199)	GC-SURVEY-199	RA: 17 46 3.4176 (266.5142400d) Dec: -28 57 11.16 (-28.95310d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(200)	GC-SURVEY-200	RA: 17 46 6.0024 (266.5250100d) Dec: -28 56 37.21 (-28.94367d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(197) GC-SURVEY-197	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(197) GC-SURVEY-197	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(198) GC-SURVEY-198	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(198) GC-SURVEY-198	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(199) GC-SURVEY-199	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(199) GC-SURVEY-199	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(200) GC-SURVEY-200	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(200) GC-SURVEY-200	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:02 GMT 2008

Visit	<b>Proposal 11120, Visit 2Y, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(201)	GC-SURVEY-201	RA: 17 46 8.7576 (266.5364900d) Dec: -28 57 13.21 (-28.95367d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(202)	GC-SURVEY-202	RA: 17 46 6.1704 (266.5257100d) Dec: -28 57 47.12 (-28.96309d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(203)	GC-SURVEY-203	RA: 17 46 8.9184 (266.5371600d) Dec: -28 58 23.20 (-28.97311d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(204)	GC-SURVEY-204	RA: 17 46 11.5056 (266.5479400d) Dec: -28 57 49.25 (-28.96368d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(201) GC-SURVEY-201	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(201) GC-SURVEY-201	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(202) GC-SURVEY-202	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(202) GC-SURVEY-202	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(203) GC-SURVEY-203	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(203) GC-SURVEY-203	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(204) GC-SURVEY-204	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(204) GC-SURVEY-204	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 2Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:03 GMT 2008

Visit	<b>Proposal 11120, Visit 2Z, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(205)	GC-SURVEY-205	RA: 17 46 3.5904 (266.5149600d) Dec: -28 58 21.14 (-28.97254d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(206)	GC-SURVEY-206	RA: 17 46 1.0032 (266.5041800d) Dec: -28 58 55.09 (-28.98197d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(207)	GC-SURVEY-207	RA: 17 46 3.7536 (266.5156400d) Dec: -28 59 31.16 (-28.99199d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(208)	GC-SURVEY-208	RA: 17 46 6.3384 (266.5264100d) Dec: -28 58 57.22 (-28.98256d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(205) GC-SURVEY-205	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(205) GC-SURVEY-205	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(206) GC-SURVEY-206	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 2Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(206) GC-SURVEY-206	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(207) GC-SURVEY-207	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(207) GC-SURVEY-207	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(208) GC-SURVEY-208	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(208) GC-SURVEY-208	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:03 GMT 2008

Visit	<b>Proposal 11120, Visit 3A, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(209)	GC-SURVEY-209	RA: 17 45 58.0896 (266.4920400d) Dec: -28 57 9.11 (-28.95253d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(210)	GC-SURVEY-210	RA: 17 45 55.5024 (266.4812600d) Dec: -28 57 43.06 (-28.96196d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(211)	GC-SURVEY-211	RA: 17 45 58.2504 (266.4927100d) Dec: -28 58 19.13 (-28.97198d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(212)	GC-SURVEY-212	RA: 17 46 0.8376 (266.5034900d) Dec: -28 57 45.18 (-28.96255d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(209) GC-SURVEY-209	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(209) GC-SURVEY-209	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(210) GC-SURVEY-210	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(210) GC-SURVEY-210	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(211) GC-SURVEY-211	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(211) GC-SURVEY-211	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(212) GC-SURVEY-212	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(212) GC-SURVEY-212	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:04 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3B, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>	<b>Secondary Pattern</b>	<b>Exposures</b>					
	(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true		(1-2), (3-4), (5-6), (7-8)					
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>				
	(213)	GC-SURVEY-213	RA: 17 45 52.5888 (266.4691200d) Dec: -28 55 57.04 (-28.93251d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(214)	GC-SURVEY-214	RA: 17 45 50.0040 (266.4583500d) Dec: -28 56 30.98 (-28.94194d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(215)	GC-SURVEY-215	RA: 17 45 52.7520 (266.4698000d) Dec: -28 57 7.06 (-28.95196d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(216)	GC-SURVEY-216	RA: 17 45 55.3368 (266.4805700d) Dec: -28 56 33.11 (-28.94253d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(213) GC-SURVEY-213	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(213) GC-SURVEY-213	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(214) GC-SURVEY-214	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(214) GC-SURVEY-214	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(215) GC-SURVEY-215	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(215) GC-SURVEY-215	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(216) GC-SURVEY-216	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(216) GC-SURVEY-216	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:05 GMT 2008

Visit	<b>Proposal 11120, Visit 3C, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(217)	GC-SURVEY-217	RA: 17 45 47.0928 (266.4462200d) Dec: -28 54 44.96 (-28.91249d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(218)	GC-SURVEY-218	RA: 17 45 44.5056 (266.4354400d) Dec: -28 55 18.91 (-28.92192d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(219)	GC-SURVEY-219	RA: 17 45 47.2536 (266.4468900d) Dec: -28 55 54.98 (-28.93194d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(220)	GC-SURVEY-220	RA: 17 45 49.8384 (266.4576600d) Dec: -28 55 21.04 (-28.92251d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(217) GC-SURVEY-217	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(217) GC-SURVEY-217	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(218) GC-SURVEY-218	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(218) GC-SURVEY-218	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(219) GC-SURVEY-219	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(219) GC-SURVEY-219	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(220) GC-SURVEY-220	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(220) GC-SURVEY-220	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:05 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3D, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(221)	GC-SURVEY-221	RA: 17 45 41.5968 (266.4233200d) Dec: -28 53 32.89 (-28.89247d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(222)	GC-SURVEY-222	RA: 17 45 39.0120 (266.4125500d) Dec: -28 54 6.80 (-28.90189d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(223)	GC-SURVEY-223	RA: 17 45 41.7576 (266.4239900d) Dec: -28 54 42.88 (-28.91191d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(224)	GC-SURVEY-224	RA: 17 45 44.3424 (266.4347600d) Dec: -28 54 8.93 (-28.90248d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(221) GC-SURVEY-221	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(221) GC-SURVEY-221	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(222) GC-SURVEY-222	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(222) GC-SURVEY-222	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(223) GC-SURVEY-223	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(223) GC-SURVEY-223	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(224) GC-SURVEY-224	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(224) GC-SURVEY-224	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:06 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3E, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(225)	GC-SURVEY-225	RA: 17 45 36.1032 (266.4004300d) Dec: -28 52 20.78 (-28.87244d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(226)	GC-SURVEY-226	RA: 17 45 33.5184 (266.3896600d) Dec: -28 52 54.70 (-28.88186d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(227)	GC-SURVEY-227	RA: 17 45 36.2640 (266.4011000d) Dec: -28 53 30.77 (-28.89188d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(228)	GC-SURVEY-228	RA: 17 45 38.8488 (266.4118700d) Dec: -28 52 56.82 (-28.88245d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(225) GC-SURVEY-225	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(225) GC-SURVEY-225	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(226) GC-SURVEY-226	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(226) GC-SURVEY-226	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(227) GC-SURVEY-227	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(227) GC-SURVEY-227	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(228) GC-SURVEY-228	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(228) GC-SURVEY-228	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:07 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3F, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(229)	GC-SURVEY-229	RA: 17 45 30.6120 (266.3775500d) Dec: -28 51 8.64 (-28.85240d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(230)	GC-SURVEY-230	RA: 17 45 28.0296 (266.3667900d) Dec: -28 51 42.59 (-28.86183d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(231)	GC-SURVEY-231	RA: 17 45 30.7728 (266.3782200d) Dec: -28 52 18.66 (-28.87185d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(232)	GC-SURVEY-232	RA: 17 45 33.3576 (266.3889900d) Dec: -28 51 44.71 (-28.86242d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(229) GC-SURVEY-229	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(229) GC-SURVEY-229	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(230) GC-SURVEY-230	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(230) GC-SURVEY-230	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(231) GC-SURVEY-231	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(231) GC-SURVEY-231	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(232) GC-SURVEY-232	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(232) GC-SURVEY-232	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:07 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3G, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(233)	GC-SURVEY-233	RA: 17 45 25.1232 (266.3546800d) Dec: -28 49 56.53 (-28.83237d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(234)	GC-SURVEY-234	RA: 17 45 22.5408 (266.3439200d) Dec: -28 50 30.44 (-28.84179d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(235)	GC-SURVEY-235	RA: 17 45 25.2840 (266.3553500d) Dec: -28 51 6.52 (-28.85181d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(236)	GC-SURVEY-236	RA: 17 45 27.8688 (266.3661200d) Dec: -28 50 32.57 (-28.84238d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(233) GC-SURVEY-233	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(233) GC-SURVEY-233	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(234) GC-SURVEY-234	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(234) GC-SURVEY-234	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(235) GC-SURVEY-235	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(235) GC-SURVEY-235	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(236) GC-SURVEY-236	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(236) GC-SURVEY-236	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:08 GMT 2008

Visit	<b>Proposal 11120, Visit 3H, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(237)	GC-SURVEY-237	RA: 17 45 19.9536 (266.3331400d) Dec: -28 51 4.39 (-28.85122d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(238)	GC-SURVEY-238	RA: 17 45 17.3712 (266.3223800d) Dec: -28 51 38.30 (-28.86064d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(239)	GC-SURVEY-239	RA: 17 45 20.1168 (266.3338200d) Dec: -28 52 14.38 (-28.87066d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(240)	GC-SURVEY-240	RA: 17 45 22.6992 (266.3445800d) Dec: -28 51 40.43 (-28.86123d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(237) GC-SURVEY-237	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(237) GC-SURVEY-237	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(238) GC-SURVEY-238	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(238) GC-SURVEY-238	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(239) GC-SURVEY-239	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(239) GC-SURVEY-239	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(240) GC-SURVEY-240	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(240) GC-SURVEY-240	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:08 GMT 2008

Visit	<b>Proposal 11120, Visit 3I, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(241)	GC-SURVEY-241	RA: 17 45 25.4448 (266.3560200d) Dec: -28 52 16.54 (-28.87126d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(242)	GC-SURVEY-242	RA: 17 45 22.8600 (266.3452500d) Dec: -28 52 50.45 (-28.88068d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(243)	GC-SURVEY-243	RA: 17 45 25.6056 (266.3566900d) Dec: -28 53 26.52 (-28.89070d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(244)	GC-SURVEY-244	RA: 17 45 28.1904 (266.3674600d) Dec: -28 52 52.57 (-28.88127d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(241) GC-SURVEY-241	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(241) GC-SURVEY-241	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(242) GC-SURVEY-242	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(242) GC-SURVEY-242	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(243) GC-SURVEY-243	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(243) GC-SURVEY-243	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(244) GC-SURVEY-244	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(244) GC-SURVEY-244	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:09 GMT 2008

Visit	<b>Proposal 11120, Visit 3J, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(245)	GC-SURVEY-245	RA: 17 45 30.9360 (266.3789000d) Dec: -28 53 28.64 (-28.89129d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(246)	GC-SURVEY-246	RA: 17 45 28.3512 (266.3681300d) Dec: -28 54 2.59 (-28.90072d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(247)	GC-SURVEY-247	RA: 17 45 31.0968 (266.3795700d) Dec: -28 54 38.66 (-28.91074d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(248)	GC-SURVEY-248	RA: 17 45 33.6816 (266.3903400d) Dec: -28 54 4.72 (-28.90131d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(245) GC-SURVEY-245	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(245) GC-SURVEY-245	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(246) GC-SURVEY-246	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 3J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(246) GC-SURVEY-246	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(247) GC-SURVEY-247	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(247) GC-SURVEY-247	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(248) GC-SURVEY-248	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(248) GC-SURVEY-248	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:10 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3K, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(249)	GC-SURVEY-249	RA: 17 45 36.4272 (266.4017800d) Dec: -28 54 40.79 (-28.91133d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(250)	GC-SURVEY-250	RA: 17 45 33.8424 (266.3910100d) Dec: -28 55 14.70 (-28.92075d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(251)	GC-SURVEY-251	RA: 17 45 36.5904 (266.4024600d) Dec: -28 55 50.77 (-28.93077d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(252)	GC-SURVEY-252	RA: 17 45 39.1752 (266.4132300d) Dec: -28 55 16.82 (-28.92134d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(249) GC-SURVEY-249	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(249) GC-SURVEY-249	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(250) GC-SURVEY-250	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(250) GC-SURVEY-250	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(251) GC-SURVEY-251	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(251) GC-SURVEY-251	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(252) GC-SURVEY-252	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(252) GC-SURVEY-252	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:10 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3L, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(253)	GC-SURVEY-253	RA: 17 45 41.9232 (266.4246800d) Dec: -28 55 52.90 (-28.93136d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(254)	GC-SURVEY-254	RA: 17 45 39.3384 (266.4139100d) Dec: -28 56 26.81 (-28.94078d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(255)	GC-SURVEY-255	RA: 17 45 42.0840 (266.4253500d) Dec: -28 57 2.88 (-28.95080d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(256)	GC-SURVEY-256	RA: 17 45 44.6712 (266.4361300d) Dec: -28 56 28.93 (-28.94137d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(253) GC-SURVEY-253	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(253) GC-SURVEY-253	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(254) GC-SURVEY-254	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(254) GC-SURVEY-254	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(255) GC-SURVEY-255	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(255) GC-SURVEY-255	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(256) GC-SURVEY-256	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(256) GC-SURVEY-256	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:11 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3M, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(257)	GC-SURVEY-257	RA: 17 45 47.4216 (266.4475900d) Dec: -28 57 4.97 (-28.95138d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(258)	GC-SURVEY-258	RA: 17 45 44.8344 (266.4368100d) Dec: -28 57 38.92 (-28.96081d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(259)	GC-SURVEY-259	RA: 17 45 47.5824 (266.4482600d) Dec: -28 58 14.99 (-28.97083d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(260)	GC-SURVEY-260	RA: 17 45 50.1696 (266.4590400d) Dec: -28 57 41.04 (-28.96140d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(257) GC-SURVEY-257	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(257) GC-SURVEY-257	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(258) GC-SURVEY-258	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(258) GC-SURVEY-258	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(259) GC-SURVEY-259	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(259) GC-SURVEY-259	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(260) GC-SURVEY-260	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(260) GC-SURVEY-260	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:12 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3N, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(261)	GC-SURVEY-261	RA: 17 45 52.9200 (266.4705000d) Dec: -28 58 17.04 (-28.97140d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(262)	GC-SURVEY-262	RA: 17 45 50.3328 (266.4597200d) Dec: -28 58 50.99 (-28.98083d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(263)	GC-SURVEY-263	RA: 17 45 53.0832 (266.4711800d) Dec: -28 59 27.06 (-28.99085d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(264)	GC-SURVEY-264	RA: 17 45 55.6680 (266.4819500d) Dec: -28 58 53.11 (-28.98142d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(261) GC-SURVEY-261	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(261) GC-SURVEY-261	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(262) GC-SURVEY-262	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(262) GC-SURVEY-262	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(263) GC-SURVEY-263	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(263) GC-SURVEY-263	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(264) GC-SURVEY-264	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(264) GC-SURVEY-264	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:12 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3O, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(265)	GC-SURVEY-265	RA: 17 45 58.4232 (266.4934300d) Dec: -28 59 29.11 (-28.99142d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(266)	GC-SURVEY-266	RA: 17 45 55.8360 (266.4826500d) Dec: -29 00 3.06 (-29.00085d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(267)	GC-SURVEY-267	RA: 17 45 58.5840 (266.4941000d) Dec: -29 00 39.13 (-29.01087d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(268)	GC-SURVEY-268	RA: 17 46 1.1712 (266.5048800d) Dec: -29 00 5.18 (-29.00144d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(265) GC-SURVEY-265	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(265) GC-SURVEY-265	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(266) GC-SURVEY-266	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(266) GC-SURVEY-266	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(267) GC-SURVEY-267	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(267) GC-SURVEY-267	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(268) GC-SURVEY-268	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(268) GC-SURVEY-268	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:13 GMT 2008

Visit	<b>Proposal 11120, Visit 3P, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(269)	GC-SURVEY-269	RA: 17 45 53.2512 (266.4718800d) Dec: -29 00 37.04 (-29.01029d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(270)	GC-SURVEY-270	RA: 17 45 50.6640 (266.4611000d) Dec: -29 01 10.99 (-29.01972d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(271)	GC-SURVEY-271	RA: 17 45 53.4144 (266.4725600d) Dec: -29 01 47.06 (-29.02974d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(272)	GC-SURVEY-272	RA: 17 45 56.0016 (266.4833400d) Dec: -29 01 13.12 (-29.02031d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(269) GC-SURVEY-269	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9	GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(269) GC-SURVEY-269	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(270) GC-SURVEY-270	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(270) GC-SURVEY-270	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(271) GC-SURVEY-271	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(271) GC-SURVEY-271	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(272) GC-SURVEY-272	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(272) GC-SURVEY-272	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:14 GMT 2008

Visit	<b>Proposal 11120, Visit 3Q, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(273)	GC-SURVEY-273	RA: 17 45 47.7504 (266.4489600d) Dec: -28 59 24.97 (-28.99027d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(274)	GC-SURVEY-274	RA: 17 45 45.1632 (266.4381800d) Dec: -28 59 58.92 (-28.99970d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(275)	GC-SURVEY-275	RA: 17 45 47.9112 (266.4496300d) Dec: -29 00 34.99 (-29.00972d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(276)	GC-SURVEY-276	RA: 17 45 50.4984 (266.4604100d) Dec: -29 00 1.04 (-29.00029d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(273) GC-SURVEY-273	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(273) GC-SURVEY-273	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(274) GC-SURVEY-274	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(274) GC-SURVEY-274	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(275) GC-SURVEY-275	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(275) GC-SURVEY-275	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(276) GC-SURVEY-276	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(276) GC-SURVEY-276	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:14 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3R, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(277)	GC-SURVEY-277	RA: 17 45 42.2496 (266.4260400d) Dec: -28 58 12.90 (-28.97025d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(278)	GC-SURVEY-278	RA: 17 45 39.6648 (266.4152700d) Dec: -28 58 46.81 (-28.97967d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(279)	GC-SURVEY-279	RA: 17 45 42.4128 (266.4267200d) Dec: -28 59 22.88 (-28.98969d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(280)	GC-SURVEY-280	RA: 17 45 45.0000 (266.4375000d) Dec: -28 58 48.94 (-28.98026d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(277) GC-SURVEY-277	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(277) GC-SURVEY-277	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(278) GC-SURVEY-278	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(278) GC-SURVEY-278	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(279) GC-SURVEY-279	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(279) GC-SURVEY-279	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(280) GC-SURVEY-280	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(280) GC-SURVEY-280	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:18 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3S, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(281)	GC-SURVEY-281	RA: 17 45 36.7536 (266.4031400d) Dec: -28 57 0.79 (-28.95022d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(282)	GC-SURVEY-282	RA: 17 45 34.1664 (266.3923600d) Dec: -28 57 34.70 (-28.95964d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(283)	GC-SURVEY-283	RA: 17 45 36.9144 (266.4038100d) Dec: -28 58 10.78 (-28.96966d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(284)	GC-SURVEY-284	RA: 17 45 39.5016 (266.4145900d) Dec: -28 57 36.83 (-28.96023d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(281) GC-SURVEY-281	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(281) GC-SURVEY-281	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(282) GC-SURVEY-282	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(282) GC-SURVEY-282	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(283) GC-SURVEY-283	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(283) GC-SURVEY-283	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(284) GC-SURVEY-284	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(284) GC-SURVEY-284	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:19 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3T, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(285)	GC-SURVEY-285	RA: 17 45 31.2576 (266.3802400d) Dec: -28 55 48.65 (-28.93018d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(286)	GC-SURVEY-286	RA: 17 45 28.6728 (266.3694700d) Dec: -28 56 22.60 (-28.93961d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(287)	GC-SURVEY-287	RA: 17 45 31.4184 (266.3809100d) Dec: -28 56 58.67 (-28.94963d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(288)	GC-SURVEY-288	RA: 17 45 34.0056 (266.3916900d) Dec: -28 56 24.72 (-28.94020d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(285) GC-SURVEY-285	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(285) GC-SURVEY-285	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(286) GC-SURVEY-286	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(286) GC-SURVEY-286	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(287) GC-SURVEY-287	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(287) GC-SURVEY-287	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(288) GC-SURVEY-288	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(288) GC-SURVEY-288	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:19 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3U, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(289)	GC-SURVEY-289	RA: 17 45 25.7640 (266.3573500d) Dec: -28 54 36.54 (-28.91015d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(290)	GC-SURVEY-290	RA: 17 45 23.1792 (266.3465800d) Dec: -28 55 10.45 (-28.91957d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(291)	GC-SURVEY-291	RA: 17 45 25.9272 (266.3580300d) Dec: -28 55 46.52 (-28.92959d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(292)	GC-SURVEY-292	RA: 17 45 28.5120 (266.3688000d) Dec: -28 55 12.58 (-28.92016d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(289) GC-SURVEY-289	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(289) GC-SURVEY-289	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(290) GC-SURVEY-290	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(290) GC-SURVEY-290	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(291) GC-SURVEY-291	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(291) GC-SURVEY-291	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(292) GC-SURVEY-292	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(292) GC-SURVEY-292	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:20 GMT 2008

Visit	<b>Proposal 11120, Visit 3V, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(293)	GC-SURVEY-293	RA: 17 45 20.2728 (266.3344700d) Dec: -28 53 24.40 (-28.89011d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(294)	GC-SURVEY-294	RA: 17 45 17.6880 (266.3237000d) Dec: -28 53 58.31 (-28.89953d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(295)	GC-SURVEY-295	RA: 17 45 20.4360 (266.3351500d) Dec: -28 54 34.38 (-28.90955d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(296)	GC-SURVEY-296	RA: 17 45 23.0184 (266.3459100d) Dec: -28 54 0.43 (-28.90012d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(293) GC-SURVEY-293	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(293) GC-SURVEY-293	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(294) GC-SURVEY-294	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 3V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(294) GC-SURVEY-294	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(295) GC-SURVEY-295	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(295) GC-SURVEY-295	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(296) GC-SURVEY-296	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(296) GC-SURVEY-296	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:21 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3W, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			<b>Exposures</b>
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true			(1-2), (3-4), (5-6), (7-8)	
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(297)	GC-SURVEY-297	RA: 17 45 15.1008 (266.3129200d) Dec: -28 54 32.22 (-28.90895d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(298)	GC-SURVEY-298	RA: 17 45 12.5160 (266.3021500d) Dec: -28 55 6.17 (-28.91838d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(299)	GC-SURVEY-299	RA: 17 45 15.2616 (266.3135900d) Dec: -28 55 42.24 (-28.92840d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(300)	GC-SURVEY-300	RA: 17 45 17.8488 (266.3243700d) Dec: -28 55 8.29 (-28.91897d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(297) GC-SURVEY-297	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(297) GC-SURVEY-297	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(298) GC-SURVEY-298	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(298) GC-SURVEY-298	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(299) GC-SURVEY-299	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(299) GC-SURVEY-299	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(300) GC-SURVEY-300	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(300) GC-SURVEY-300	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]



Proposal 11120 - Visit 3X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:21 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3X, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(301)	GC-SURVEY-301	RA: 17 45 20.5920 (266.3358000d) Dec: -28 55 44.40 (-28.92900d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(302)	GC-SURVEY-302	RA: 17 45 18.0072 (266.3250300d) Dec: -28 56 18.35 (-28.93843d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(303)	GC-SURVEY-303	RA: 17 45 20.7528 (266.3364700d) Dec: -28 56 54.38 (-28.94844d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(304)	GC-SURVEY-304	RA: 17 45 23.3400 (266.3472500d) Dec: -28 56 20.44 (-28.93901d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(301) GC-SURVEY-301	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(301) GC-SURVEY-301	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(302) GC-SURVEY-302	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(302) GC-SURVEY-302	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(303) GC-SURVEY-303	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(303) GC-SURVEY-303	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(304) GC-SURVEY-304	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(304) GC-SURVEY-304	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:22 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3Y, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(305)	GC-SURVEY-305	RA: 17 45 26.0856 (266.3586900d) Dec: -28 56 56.54 (-28.94904d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(306)	GC-SURVEY-306	RA: 17 45 23.4984 (266.3479100d) Dec: -28 57 30.49 (-28.95847d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(307)	GC-SURVEY-307	RA: 17 45 26.2464 (266.3593600d) Dec: -28 58 6.53 (-28.96848d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(308)	GC-SURVEY-308	RA: 17 45 28.8336 (266.3701400d) Dec: -28 57 32.62 (-28.95906d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(305) GC-SURVEY-305	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(305) GC-SURVEY-305	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(306) GC-SURVEY-306	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(306) GC-SURVEY-306	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(307) GC-SURVEY-307	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(307) GC-SURVEY-307	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(308) GC-SURVEY-308	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(308) GC-SURVEY-308	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 3Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:22 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 3Z, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(309)	GC-SURVEY-309	RA: 17 45 31.5816 (266.3815900d) Dec: -28 58 8.69 (-28.96908d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(310)	GC-SURVEY-310	RA: 17 45 28.9944 (266.3708100d) Dec: -28 58 42.60 (-28.97850d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(311)	GC-SURVEY-311	RA: 17 45 31.7424 (266.3822600d) Dec: -28 59 18.67 (-28.98852d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(312)	GC-SURVEY-312	RA: 17 45 34.3296 (266.3930400d) Dec: -28 58 44.72 (-28.97909d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(309) GC-SURVEY-309	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(309) GC-SURVEY-309	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(310) GC-SURVEY-310	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 3Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(310) GC-SURVEY-310	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(311) GC-SURVEY-311	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(311) GC-SURVEY-311	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(312) GC-SURVEY-312	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(312) GC-SURVEY-312	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:23 GMT 2008

Visit	<b>Proposal 11120, Visit 4A, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(313)	GC-SURVEY-313	RA: 17 45 37.0776 (266.4044900d) Dec: -28 59 20.80 (-28.98911d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(314)	GC-SURVEY-314	RA: 17 45 34.4904 (266.3937100d) Dec: -28 59 54.74 (-28.99854d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(315)	GC-SURVEY-315	RA: 17 45 37.2408 (266.4051700d) Dec: -29 00 30.78 (-29.00855d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(316)	GC-SURVEY-316	RA: 17 45 39.8280 (266.4159500d) Dec: -28 59 56.83 (-28.99912d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(313) GC-SURVEY-313	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(313) GC-SURVEY-313	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(314) GC-SURVEY-314	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(314) GC-SURVEY-314	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(315) GC-SURVEY-315	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(315) GC-SURVEY-315	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(316) GC-SURVEY-316	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(316) GC-SURVEY-316	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:24 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4B, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(317)	GC-SURVEY-317	RA: 17 45 42.5784 (266.4274100d) Dec: -29 00 32.90 (-29.00914d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(318)	GC-SURVEY-318	RA: 17 45 39.9912 (266.4166300d) Dec: -29 01 6.82 (-29.01856d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(319)	GC-SURVEY-319	RA: 17 45 42.7392 (266.4280800d) Dec: -29 01 42.89 (-29.02858d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(320)	GC-SURVEY-320	RA: 17 45 45.3264 (266.4388600d) Dec: -29 01 8.94 (-29.01915d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(317) GC-SURVEY-317	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(317) GC-SURVEY-317	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(318) GC-SURVEY-318	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(318) GC-SURVEY-318	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(319) GC-SURVEY-319	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(319) GC-SURVEY-319	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(320) GC-SURVEY-320	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(320) GC-SURVEY-320	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:24 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4C, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(321)	GC-SURVEY-321	RA: 17 45 48.0792 (266.4503300d) Dec: -29 01 44.98 (-29.02916d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(322)	GC-SURVEY-322	RA: 17 45 45.4920 (266.4395500d) Dec: -29 02 18.92 (-29.03859d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(323)	GC-SURVEY-323	RA: 17 45 48.2424 (266.4510100d) Dec: -29 02 55.00 (-29.04861d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(324)	GC-SURVEY-324	RA: 17 45 50.8296 (266.4617900d) Dec: -29 02 21.05 (-29.03918d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(321) GC-SURVEY-321	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(321) GC-SURVEY-321	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(322) GC-SURVEY-322	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(322) GC-SURVEY-322	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(323) GC-SURVEY-323	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(323) GC-SURVEY-323	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(324) GC-SURVEY-324	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(324) GC-SURVEY-324	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:25 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4D, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(325)	GC-SURVEY-325	RA: 17 45 42.9048 (266.4287700d) Dec: -29 02 52.91 (-29.04803d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(326)	GC-SURVEY-326	RA: 17 45 40.3176 (266.4179900d) Dec: -29 03 26.82 (-29.05745d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(327)	GC-SURVEY-327	RA: 17 45 43.0680 (266.4294500d) Dec: -29 04 2.89 (-29.06747d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(328)	GC-SURVEY-328	RA: 17 45 45.6552 (266.4402300d) Dec: -29 03 28.94 (-29.05804d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(325) GC-SURVEY-325	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9	GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(325) GC-SURVEY-325	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(326) GC-SURVEY-326	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(326) GC-SURVEY-326	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(327) GC-SURVEY-327	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(327) GC-SURVEY-327	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(328) GC-SURVEY-328	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(328) GC-SURVEY-328	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:25 GMT 2008

Visit	<b>Proposal 11120, Visit 4E, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(329)	GC-SURVEY-329	RA: 17 45 37.4040 (266.4058500d) Dec: -29 01 40.80 (-29.02800d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(330)	GC-SURVEY-330	RA: 17 45 34.8168 (266.3950700d) Dec: -29 02 14.75 (-29.03743d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(331)	GC-SURVEY-331	RA: 17 45 37.5648 (266.4065200d) Dec: -29 02 50.78 (-29.04744d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(332)	GC-SURVEY-332	RA: 17 45 40.1544 (266.4173100d) Dec: -29 02 16.87 (-29.03802d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(329) GC-SURVEY-329	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(329) GC-SURVEY-329	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(330) GC-SURVEY-330	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 4E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(330) GC-SURVEY-330	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(331) GC-SURVEY-331	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(331) GC-SURVEY-331	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(332) GC-SURVEY-332	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(332) GC-SURVEY-332	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:26 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4F, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			<b>Exposures</b>
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true			(1-2), (3-4), (5-6), (7-8)	
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(333)	GC-SURVEY-333	RA: 17 45 31.9032 (266.3829300d) Dec: -29 00 28.69 (-29.00797d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(334)	GC-SURVEY-334	RA: 17 45 29.3160 (266.3721500d) Dec: -29 01 2.60 (-29.01739d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(335)	GC-SURVEY-335	RA: 17 45 32.0664 (266.3836100d) Dec: -29 01 38.68 (-29.02741d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(336)	GC-SURVEY-336	RA: 17 45 34.6536 (266.3943900d) Dec: -29 01 4.73 (-29.01798d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(333) GC-SURVEY-333	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(333) GC-SURVEY-333	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(334) GC-SURVEY-334	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(334) GC-SURVEY-334	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(335) GC-SURVEY-335	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(335) GC-SURVEY-335	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(336) GC-SURVEY-336	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(336) GC-SURVEY-336	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:27 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4G, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(337)	GC-SURVEY-337	RA: 17 45 26.4072 (266.3600300d) Dec: -28 59 16.55 (-28.98793d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(338)	GC-SURVEY-338	RA: 17 45 23.8200 (266.3492500d) Dec: -28 59 50.50 (-28.99736d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(339)	GC-SURVEY-339	RA: 17 45 26.5680 (266.3607000d) Dec: -29 00 26.53 (-29.00737d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(340)	GC-SURVEY-340	RA: 17 45 29.1552 (266.3714800d) Dec: -28 59 52.62 (-28.99795d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(337) GC-SURVEY-337	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(337) GC-SURVEY-337	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(338) GC-SURVEY-338	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(338) GC-SURVEY-338	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(339) GC-SURVEY-339	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(339) GC-SURVEY-339	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(340) GC-SURVEY-340	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(340) GC-SURVEY-340	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:27 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4H, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(341)	GC-SURVEY-341	RA: 17 45 20.9112 (266.3371300d) Dec: -28 58 4.40 (-28.96789d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(342)	GC-SURVEY-342	RA: 17 45 18.3240 (266.3263500d) Dec: -28 58 38.35 (-28.97732d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(343)	GC-SURVEY-343	RA: 17 45 21.0720 (266.3378000d) Dec: -28 59 14.39 (-28.98733d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(344)	GC-SURVEY-344	RA: 17 45 23.6592 (266.3485800d) Dec: -28 58 40.48 (-28.97791d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(341) GC-SURVEY-341	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(341) GC-SURVEY-341	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(342) GC-SURVEY-342	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(342) GC-SURVEY-342	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(343) GC-SURVEY-343	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(343) GC-SURVEY-343	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(344) GC-SURVEY-344	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(344) GC-SURVEY-344	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:28 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4I, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE- DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(345)	GC-SURVEY-345	RA: 17 45 15.4176 (266.3142400d) Dec: -28 56 52.26 (-28.94785d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(346)	GC-SURVEY-346	RA: 17 45 12.8328 (266.3034700d) Dec: -28 57 26.17 (-28.95727d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(347)	GC-SURVEY-347	RA: 17 45 15.5808 (266.3149200d) Dec: -28 58 2.24 (-28.96729d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(348)	GC-SURVEY-348	RA: 17 45 18.1656 (266.3256900d) Dec: -28 57 28.30 (-28.95786d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(345) GC-SURVEY-345	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(345) GC-SURVEY-345	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(346) GC-SURVEY-346	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(346) GC-SURVEY-346	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(347) GC-SURVEY-347	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(347) GC-SURVEY-347	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(348) GC-SURVEY-348	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(348) GC-SURVEY-348	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:28 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4J, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(349)	GC-SURVEY-349	RA: 17 45 10.2432 (266.2926800d) Dec: -28 58 0.08 (-28.96669d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(350)	GC-SURVEY-350	RA: 17 45 7.6560 (266.2819000d) Dec: -28 58 34.03 (-28.97612d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(351)	GC-SURVEY-351	RA: 17 45 10.4040 (266.2933500d) Dec: -28 59 10.07 (-28.98613d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(352)	GC-SURVEY-352	RA: 17 45 12.9912 (266.3041300d) Dec: -28 58 36.16 (-28.97671d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(349) GC-SURVEY-349	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(349) GC-SURVEY-349	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(350) GC-SURVEY-350	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(350) GC-SURVEY-350	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(351) GC-SURVEY-351	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(351) GC-SURVEY-351	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(352) GC-SURVEY-352	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(352) GC-SURVEY-352	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:29 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4K, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(353)	GC-SURVEY-353	RA: 17 45 15.7344 (266.3155600d) Dec: -28 59 12.26 (-28.98674d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(354)	GC-SURVEY-354	RA: 17 45 13.1472 (266.3047800d) Dec: -28 59 46.18 (-28.99616d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(355)	GC-SURVEY-355	RA: 17 45 15.8976 (266.3162400d) Dec: -29 00 22.25 (-29.00618d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(356)	GC-SURVEY-356	RA: 17 45 18.4848 (266.3270200d) Dec: -28 59 48.30 (-28.99675d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(353) GC-SURVEY-353	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(353) GC-SURVEY-353	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(354) GC-SURVEY-354	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(354) GC-SURVEY-354	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(355) GC-SURVEY-355	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(355) GC-SURVEY-355	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(356) GC-SURVEY-356	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(356) GC-SURVEY-356	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:30 GMT 2008

Visit	<b>Proposal 11120, Visit 4L, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true							(1-2), (3-4), (5-6), (7-8)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(357)	GC-SURVEY-357	RA: 17 45 21.2304 (266.3384600d) Dec: -29 00 24.41 (-29.00678d) Equinox: J2000				V=30+/-10		Reference Frame: ICRS		
	(358)	GC-SURVEY-358	RA: 17 45 18.6432 (266.3276800d) Dec: -29 00 58.36 (-29.01621d) Equinox: J2000				V=30+/-10		Reference Frame: ICRS		
	(359)	GC-SURVEY-359	RA: 17 45 21.3936 (266.3391400d) Dec: -29 01 34.43 (-29.02623d) Equinox: J2000				V=30+/-10		Reference Frame: ICRS		
	(360)	GC-SURVEY-360	RA: 17 45 23.9808 (266.3499200d) Dec: -29 01 0.48 (-29.01680d) Equinox: J2000				V=30+/-10		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(357) GC-SURVEY-357	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(357) GC-SURVEY-357	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(358) GC-SURVEY-358	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 4L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(358) GC-SURVEY-358	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(359) GC-SURVEY-359	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(359) GC-SURVEY-359	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(360) GC-SURVEY-360	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(360) GC-SURVEY-360	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:30 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4M, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>	<b>Secondary Pattern</b>	<b>Exposures</b>					
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true		(1-2), (3-4), (5-6), (7-8)					
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>				
	(361)	GC-SURVEY-361	RA: 17 45 26.7288 (266.3613700d) Dec: -29 01 36.55 (-29.02682d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(362)	GC-SURVEY-362	RA: 17 45 24.1392 (266.3505800d) Dec: -29 02 10.50 (-29.03625d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(363)	GC-SURVEY-363	RA: 17 45 26.8896 (266.3620400d) Dec: -29 02 46.57 (-29.04627d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(364)	GC-SURVEY-364	RA: 17 45 29.4792 (266.3728300d) Dec: -29 02 12.62 (-29.03684d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(361) GC-SURVEY-361	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(361) GC-SURVEY-361	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(362) GC-SURVEY-362	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(362) GC-SURVEY-362	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(363) GC-SURVEY-363	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(363) GC-SURVEY-363	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(364) GC-SURVEY-364	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(364) GC-SURVEY-364	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:31 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4N, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(365)	GC-SURVEY-365	RA: 17 45 32.2272 (266.3842800d) Dec: -29 02 48.70 (-29.04686d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(366)	GC-SURVEY-366	RA: 17 45 29.6400 (266.3735000d) Dec: -29 03 22.61 (-29.05628d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(367)	GC-SURVEY-367	RA: 17 45 32.3904 (266.3849600d) Dec: -29 03 58.68 (-29.06630d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(368)	GC-SURVEY-368	RA: 17 45 34.9776 (266.3957400d) Dec: -29 03 24.73 (-29.05687d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(365) GC-SURVEY-365	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(365) GC-SURVEY-365	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(366) GC-SURVEY-366	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(366) GC-SURVEY-366	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(367) GC-SURVEY-367	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(367) GC-SURVEY-367	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(368) GC-SURVEY-368	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(368) GC-SURVEY-368	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:31 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4O, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(369)	GC-SURVEY-369	RA: 17 45 37.7304 (266.4072100d) Dec: -29 04 0.80 (-29.06689d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(370)	GC-SURVEY-370	RA: 17 45 35.1408 (266.3964200d) Dec: -29 04 34.75 (-29.07632d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(371)	GC-SURVEY-371	RA: 17 45 37.8912 (266.4078800d) Dec: -29 05 10.79 (-29.08633d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(372)	GC-SURVEY-372	RA: 17 45 40.4808 (266.4186700d) Dec: -29 04 36.88 (-29.07691d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1	(369) GC-SURVEY-369	(369) GC-SURVEY-369	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9	GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2	(369) GC-SURVEY-369	(369) GC-SURVEY-369	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3	(370) GC-SURVEY-370	(370) GC-SURVEY-370	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(370) GC-SURVEY-370	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(371) GC-SURVEY-371	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(371) GC-SURVEY-371	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(372) GC-SURVEY-372	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(372) GC-SURVEY-372	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:32 GMT 2008

Visit	<b>Proposal 11120, Visit 4P, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(373)	GC-SURVEY-373	RA: 17 45 38.0568 (266.4085700d) Dec: -29 06 20.81 (-29.10578d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(374)	GC-SURVEY-374	RA: 17 45 35.4648 (266.3977700d) Dec: -29 06 54.76 (-29.11521d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(375)	GC-SURVEY-375	RA: 17 45 38.2176 (266.4092400d) Dec: -29 07 30.83 (-29.12523d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(376)	GC-SURVEY-376	RA: 17 45 40.8072 (266.4200300d) Dec: -29 06 56.88 (-29.11580d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(373) GC-SURVEY-373	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(373) GC-SURVEY-373	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(374) GC-SURVEY-374	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(374) GC-SURVEY-374	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(375) GC-SURVEY-375	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(375) GC-SURVEY-375	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(376) GC-SURVEY-376	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(376) GC-SURVEY-376	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:33 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4Q, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(377)	GC-SURVEY-377	RA: 17 45 32.5512 (266.3856300d) Dec: -29 05 8.70 (-29.08575d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(378)	GC-SURVEY-378	RA: 17 45 29.9616 (266.3748400d) Dec: -29 05 42.65 (-29.09518d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(379)	GC-SURVEY-379	RA: 17 45 32.7144 (266.3863100d) Dec: -29 06 18.68 (-29.10519d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(380)	GC-SURVEY-380	RA: 17 45 35.3040 (266.3971000d) Dec: -29 05 44.74 (-29.09576d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(377) GC-SURVEY-377	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(377) GC-SURVEY-377	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(378) GC-SURVEY-378	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(378) GC-SURVEY-378	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(379) GC-SURVEY-379	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(379) GC-SURVEY-379	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(380) GC-SURVEY-380	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(380) GC-SURVEY-380	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:33 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4R, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(381)	GC-SURVEY-381	RA: 17 45 27.0504 (266.3627100d) Dec: -29 03 56.56 (-29.06571d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(382)	GC-SURVEY-382	RA: 17 45 24.4608 (266.3519200d) Dec: -29 04 30.50 (-29.07514d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(383)	GC-SURVEY-383	RA: 17 45 27.2112 (266.3633800d) Dec: -29 05 6.58 (-29.08516d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(384)	GC-SURVEY-384	RA: 17 45 29.8008 (266.3741700d) Dec: -29 04 32.63 (-29.07573d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(381) GC-SURVEY-381	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(381) GC-SURVEY-381	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(382) GC-SURVEY-382	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(382) GC-SURVEY-382	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(383) GC-SURVEY-383	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(383) GC-SURVEY-383	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(384) GC-SURVEY-384	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(384) GC-SURVEY-384	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:34 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4S, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(385)	GC-SURVEY-385	RA: 17 45 21.5496 (266.3397900d) Dec: -29 02 44.41 (-29.04567d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(386)	GC-SURVEY-386	RA: 17 45 18.9624 (266.3290100d) Dec: -29 03 18.36 (-29.05510d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(387)	GC-SURVEY-387	RA: 17 45 21.7128 (266.3404700d) Dec: -29 03 54.43 (-29.06512d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(388)	GC-SURVEY-388	RA: 17 45 24.3000 (266.3512500d) Dec: -29 03 20.48 (-29.05569d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(385) GC-SURVEY-385	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(385) GC-SURVEY-385	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(386) GC-SURVEY-386	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(386) GC-SURVEY-386	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(387) GC-SURVEY-387	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(387) GC-SURVEY-387	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(388) GC-SURVEY-388	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(388) GC-SURVEY-388	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:34 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4T, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(389)	GC-SURVEY-389	RA: 17 45 16.0536 (266.3168900d) Dec: -29 01 32.27 (-29.02563d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(390)	GC-SURVEY-390	RA: 17 45 13.4640 (266.3061000d) Dec: -29 02 6.22 (-29.03506d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(391)	GC-SURVEY-391	RA: 17 45 16.2144 (266.3175600d) Dec: -29 02 42.25 (-29.04507d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(392)	GC-SURVEY-392	RA: 17 45 18.8016 (266.3283400d) Dec: -29 02 8.34 (-29.03565d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(389) GC-SURVEY-389	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(389) GC-SURVEY-389	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(390) GC-SURVEY-390	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(390) GC-SURVEY-390	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(391) GC-SURVEY-391	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(391) GC-SURVEY-391	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(392) GC-SURVEY-392	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(392) GC-SURVEY-392	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]



Proposal 11120 - Visit 4U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:35 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4U, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(393)	GC-SURVEY-393	RA: 17 45 10.5576 (266.2939900d) Dec: -29 00 20.09 (-29.00558d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(394)	GC-SURVEY-394	RA: 17 45 7.9704 (266.2832100d) Dec: -29 00 54.04 (-29.01501d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(395)	GC-SURVEY-395	RA: 17 45 10.7184 (266.2946600d) Dec: -29 01 30.11 (-29.02503d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(396)	GC-SURVEY-396	RA: 17 45 13.3056 (266.3054400d) Dec: -29 00 56.16 (-29.01560d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(393) GC-SURVEY-393	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(393) GC-SURVEY-393	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(394) GC-SURVEY-394	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(394) GC-SURVEY-394	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(395) GC-SURVEY-395	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(395) GC-SURVEY-395	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(396) GC-SURVEY-396	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(396) GC-SURVEY-396	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:36 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4V, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(397)	GC-SURVEY-397	RA: 17 45 5.0640 (266.2711000d) Dec: -28 59 7.91 (-28.98553d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(398)	GC-SURVEY-398	RA: 17 45 2.4768 (266.2603200d) Dec: -28 59 41.86 (-28.99496d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(399)	GC-SURVEY-399	RA: 17 45 5.2248 (266.2717700d) Dec: -29 00 17.89 (-29.00497d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(400)	GC-SURVEY-400	RA: 17 45 7.8120 (266.2825500d) Dec: -28 59 43.98 (-28.99555d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(397) GC-SURVEY-397	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(397) GC-SURVEY-397	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(398) GC-SURVEY-398	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(398) GC-SURVEY-398	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(399) GC-SURVEY-399	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(399) GC-SURVEY-399	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(400) GC-SURVEY-400	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(400) GC-SURVEY-400	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:36 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4W, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(401)	GC-SURVEY-401	RA: 17 45 5.3784 (266.2724100d) Dec: -29 01 27.91 (-29.02442d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(402)	GC-SURVEY-402	RA: 17 45 2.7888 (266.2616200d) Dec: -29 02 1.86 (-29.03385d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(403)	GC-SURVEY-403	RA: 17 45 5.5392 (266.2730800d) Dec: -29 02 37.93 (-29.04387d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(404)	GC-SURVEY-404	RA: 17 45 8.1264 (266.2838600d) Dec: -29 02 3.98 (-29.03444d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(401) GC-SURVEY-401	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(401) GC-SURVEY-401	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(402) GC-SURVEY-402	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(402) GC-SURVEY-402	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(403) GC-SURVEY-403	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(403) GC-SURVEY-403	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(404) GC-SURVEY-404	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(404) GC-SURVEY-404	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:37 GMT 2008

Visit	<b>Proposal 11120, Visit 4X, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(405)	GC-SURVEY-405	RA: 17 45 10.8720 (266.2953000d) Dec: -29 02 40.09 (-29.04447d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(406)	GC-SURVEY-406	RA: 17 45 8.2848 (266.2845200d) Dec: -29 03 14.04 (-29.05390d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(407)	GC-SURVEY-407	RA: 17 45 11.0352 (266.2959800d) Dec: -29 03 50.11 (-29.06392d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(408)	GC-SURVEY-408	RA: 17 45 13.6224 (266.3067600d) Dec: -29 03 16.16 (-29.05449d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(405) GC-SURVEY-405	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(405) GC-SURVEY-405	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(406) GC-SURVEY-406	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(406) GC-SURVEY-406	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(407) GC-SURVEY-407	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(407) GC-SURVEY-407	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(408) GC-SURVEY-408	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(408) GC-SURVEY-408	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:38 GMT 2008

Visit	<b>Proposal 11120, Visit 4Y, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(409)	GC-SURVEY-409	RA: 17 45 16.3704 (266.3182100d) Dec: -29 03 52.27 (-29.06452d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(410)	GC-SURVEY-410	RA: 17 45 13.7808 (266.3074200d) Dec: -29 04 26.22 (-29.07395d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(411)	GC-SURVEY-411	RA: 17 45 16.5312 (266.3188800d) Dec: -29 05 2.29 (-29.08397d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(412)	GC-SURVEY-412	RA: 17 45 19.1208 (266.3296700d) Dec: -29 04 28.34 (-29.07454d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(409) GC-SURVEY-409	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(409) GC-SURVEY-409	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(410) GC-SURVEY-410	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 4Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(410) GC-SURVEY-410	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(411) GC-SURVEY-411	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(411) GC-SURVEY-411	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(412) GC-SURVEY-412	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(412) GC-SURVEY-412	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 4Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:38 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 4Z, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(413)	GC-SURVEY-413	RA: 17 45 21.8712 (266.3411300d) Dec: -29 05 4.42 (-29.08456d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(414)	GC-SURVEY-414	RA: 17 45 19.2816 (266.3303400d) Dec: -29 05 38.36 (-29.09399d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(415)	GC-SURVEY-415	RA: 17 45 22.0320 (266.3418000d) Dec: -29 06 14.44 (-29.10401d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(416)	GC-SURVEY-416	RA: 17 45 24.6216 (266.3525900d) Dec: -29 05 40.49 (-29.09458d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(413) GC-SURVEY-413	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(413) GC-SURVEY-413	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(414) GC-SURVEY-414	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 4Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(414) GC-SURVEY-414	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(415) GC-SURVEY-415	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(415) GC-SURVEY-415	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(416) GC-SURVEY-416	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(416) GC-SURVEY-416	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:39 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5A, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(417)	GC-SURVEY-417	RA: 17 45 27.3720 (266.3640500d) Dec: -29 06 16.56 (-29.10460d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(418)	GC-SURVEY-418	RA: 17 45 24.7824 (266.3532600d) Dec: -29 06 50.51 (-29.11403d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(419)	GC-SURVEY-419	RA: 17 45 27.5328 (266.3647200d) Dec: -29 07 26.58 (-29.12405d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(420)	GC-SURVEY-420	RA: 17 45 30.1248 (266.3755200d) Dec: -29 06 52.63 (-29.11462d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(417) GC-SURVEY-417	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(417) GC-SURVEY-417	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(418) GC-SURVEY-418	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(418) GC-SURVEY-418	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(419) GC-SURVEY-419	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(419) GC-SURVEY-419	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(420) GC-SURVEY-420	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(420) GC-SURVEY-420	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:39 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5B, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(421)	GC-SURVEY-421	RA: 17 45 32.8752 (266.3869800d) Dec: -29 07 28.70 (-29.12464d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(422)	GC-SURVEY-422	RA: 17 45 30.2856 (266.3761900d) Dec: -29 08 2.65 (-29.13407d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(423)	GC-SURVEY-423	RA: 17 45 33.0384 (266.3876600d) Dec: -29 08 38.69 (-29.14408d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(424)	GC-SURVEY-424	RA: 17 45 35.6280 (266.3984500d) Dec: -29 08 4.78 (-29.13466d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(421) GC-SURVEY-421	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(421) GC-SURVEY-421	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(422) GC-SURVEY-422	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(422) GC-SURVEY-422	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(423) GC-SURVEY-423	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(423) GC-SURVEY-423	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(424) GC-SURVEY-424	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(424) GC-SURVEY-424	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:40 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5C, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(425)	GC-SURVEY-425	RA: 17 45 27.6936 (266.3653900d) Dec: -29 08 36.56 (-29.14349d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(426)	GC-SURVEY-426	RA: 17 45 25.1040 (266.3546000d) Dec: -29 09 10.51 (-29.15292d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(427)	GC-SURVEY-427	RA: 17 45 27.8568 (266.3660700d) Dec: -29 09 46.58 (-29.16294d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(428)	GC-SURVEY-428	RA: 17 45 30.4464 (266.3768600d) Dec: -29 09 12.64 (-29.15351d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(425) GC-SURVEY-425	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(425) GC-SURVEY-425	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(426) GC-SURVEY-426	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(426) GC-SURVEY-426	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(427) GC-SURVEY-427	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(427) GC-SURVEY-427	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(428) GC-SURVEY-428	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(428) GC-SURVEY-428	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:41 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5D, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(429)	GC-SURVEY-429	RA: 17 45 22.1904 (266.3424600d) Dec: -29 07 24.42 (-29.12345d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(430)	GC-SURVEY-430	RA: 17 45 19.6008 (266.3316700d) Dec: -29 07 58.37 (-29.13288d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(431)	GC-SURVEY-431	RA: 17 45 22.3512 (266.3431300d) Dec: -29 08 34.44 (-29.14290d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(432)	GC-SURVEY-432	RA: 17 45 24.9432 (266.3539300d) Dec: -29 08 0.49 (-29.13347d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(429) GC-SURVEY-429	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(429) GC-SURVEY-429	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(430) GC-SURVEY-430	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(430) GC-SURVEY-430	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(431) GC-SURVEY-431	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(431) GC-SURVEY-431	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(432) GC-SURVEY-432	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(432) GC-SURVEY-432	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:41 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5E, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>	<b>Secondary Pattern</b>	<b>Exposures</b>					
	(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true		(1-2), (3-4), (5-6), (7-8)					
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>				
	(433)	GC-SURVEY-433	RA: 17 45 16.6896 (266.3195400d) Dec: -29 06 12.28 (-29.10341d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(434)	GC-SURVEY-434	RA: 17 45 14.0976 (266.3087400d) Dec: -29 06 46.22 (-29.11284d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(435)	GC-SURVEY-435	RA: 17 45 16.8504 (266.3202100d) Dec: -29 07 22.30 (-29.12286d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(436)	GC-SURVEY-436	RA: 17 45 19.4400 (266.3310000d) Dec: -29 06 48.35 (-29.11343d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(433) GC-SURVEY-433	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(433) GC-SURVEY-433	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(434) GC-SURVEY-434	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(434) GC-SURVEY-434	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(435) GC-SURVEY-435	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(435) GC-SURVEY-435	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(436) GC-SURVEY-436	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(436) GC-SURVEY-436	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:42 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5F, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE- DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(437)	GC-SURVEY-437	RA: 17 45 11.1888 (266.2966200d) Dec: -29 05 0.10 (-29.08336d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(438)	GC-SURVEY-438	RA: 17 45 8.5992 (266.2858300d) Dec: -29 05 34.04 (-29.09279d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(439)	GC-SURVEY-439	RA: 17 45 11.3496 (266.2972900d) Dec: -29 06 10.12 (-29.10281d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(440)	GC-SURVEY-440	RA: 17 45 13.9392 (266.3080800d) Dec: -29 05 36.17 (-29.09338d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(437) GC-SURVEY-437	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(437) GC-SURVEY-437	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(438) GC-SURVEY-438	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(438) GC-SURVEY-438	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(439) GC-SURVEY-439	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(439) GC-SURVEY-439	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(440) GC-SURVEY-440	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(440) GC-SURVEY-440	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:42 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5G, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(441)	GC-SURVEY-441	RA: 17 45 5.6904 (266.2737100d) Dec: -29 03 47.92 (-29.06331d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(442)	GC-SURVEY-442	RA: 17 45 3.1032 (266.2629300d) Dec: -29 04 21.86 (-29.07274d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(443)	GC-SURVEY-443	RA: 17 45 5.8536 (266.2743900d) Dec: -29 04 57.94 (-29.08276d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(444)	GC-SURVEY-444	RA: 17 45 8.4432 (266.2851800d) Dec: -29 04 23.99 (-29.07333d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(441) GC-SURVEY-441	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(441) GC-SURVEY-441	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(442) GC-SURVEY-442	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(442) GC-SURVEY-442	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(443) GC-SURVEY-443	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(443) GC-SURVEY-443	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(444) GC-SURVEY-444	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(444) GC-SURVEY-444	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:43 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5H, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(445)	GC-SURVEY-445	RA: 17 45 0.1968 (266.2508200d) Dec: -29 02 35.74 (-29.04326d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(446)	GC-SURVEY-446	RA: 17 44 57.6072 (266.2400300d) Dec: -29 03 9.68 (-29.05269d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(447)	GC-SURVEY-447	RA: 17 45 0.3576 (266.2514900d) Dec: -29 03 45.72 (-29.06270d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(448)	GC-SURVEY-448	RA: 17 45 2.9472 (266.2622800d) Dec: -29 03 11.77 (-29.05327d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(445) GC-SURVEY-445	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(445) GC-SURVEY-445	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(446) GC-SURVEY-446	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(446) GC-SURVEY-446	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(447) GC-SURVEY-447	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(447) GC-SURVEY-447	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(448) GC-SURVEY-448	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(448) GC-SURVEY-448	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:44 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5I, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(449)	GC-SURVEY-449	RA: 17 45 0.5088 (266.2521200d) Dec: -29 04 55.74 (-29.08215d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(450)	GC-SURVEY-450	RA: 17 44 57.9192 (266.2413300d) Dec: -29 05 29.69 (-29.09158d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(451)	GC-SURVEY-451	RA: 17 45 0.6696 (266.2527900d) Dec: -29 06 5.76 (-29.10160d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(452)	GC-SURVEY-452	RA: 17 45 3.2592 (266.2635800d) Dec: -29 05 31.81 (-29.09217d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(449) GC-SURVEY-449	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(449) GC-SURVEY-449	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(450) GC-SURVEY-450	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(450) GC-SURVEY-450	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(451) GC-SURVEY-451	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(451) GC-SURVEY-451	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(452) GC-SURVEY-452	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(452) GC-SURVEY-452	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:44 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5J, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>	<b>Secondary Pattern</b>	<b>Exposures</b>					
	(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true		(1-2), (3-4), (5-6), (7-8)					
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>				
	(453)	GC-SURVEY-453	RA: 17 45 6.0048 (266.2750200d) Dec: -29 06 7.92 (-29.10220d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(454)	GC-SURVEY-454	RA: 17 45 3.4152 (266.2642300d) Dec: -29 06 41.87 (-29.11163d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(455)	GC-SURVEY-455	RA: 17 45 6.1680 (266.2757000d) Dec: -29 07 17.94 (-29.12165d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(456)	GC-SURVEY-456	RA: 17 45 8.7576 (266.2864900d) Dec: -29 06 43.99 (-29.11222d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(453) GC-SURVEY-453	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(453) GC-SURVEY-453	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(454) GC-SURVEY-454	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(454) GC-SURVEY-454	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(455) GC-SURVEY-455	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(455) GC-SURVEY-455	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(456) GC-SURVEY-456	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(456) GC-SURVEY-456	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:45 GMT 2008

Visit	<b>Proposal 11120, Visit 5K, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(457)	GC-SURVEY-457	RA: 17 45 11.5056 (266.2979400d) Dec: -29 07 20.14 (-29.12226d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(458)	GC-SURVEY-458	RA: 17 45 8.9136 (266.2871400d) Dec: -29 07 54.05 (-29.13168d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(459)	GC-SURVEY-459	RA: 17 45 11.6664 (266.2986100d) Dec: -29 08 30.12 (-29.14170d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(460)	GC-SURVEY-460	RA: 17 45 14.2584 (266.3094100d) Dec: -29 07 56.17 (-29.13227d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(457) GC-SURVEY-457	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(457) GC-SURVEY-457	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(458) GC-SURVEY-458	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(458) GC-SURVEY-458	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(459) GC-SURVEY-459	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(459) GC-SURVEY-459	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(460) GC-SURVEY-460	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(460) GC-SURVEY-460	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:46 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5L, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(461)	GC-SURVEY-461	RA: 17 45 17.0064 (266.3208600d) Dec: -29 08 32.28 (-29.14230d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(462)	GC-SURVEY-462	RA: 17 45 14.4168 (266.3100700d) Dec: -29 09 6.23 (-29.15173d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(463)	GC-SURVEY-463	RA: 17 45 17.1696 (266.3215400d) Dec: -29 09 42.30 (-29.16175d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(464)	GC-SURVEY-464	RA: 17 45 19.7592 (266.3323300d) Dec: -29 09 8.35 (-29.15232d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(461) GC-SURVEY-461	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(461) GC-SURVEY-461	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(462) GC-SURVEY-462	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(462) GC-SURVEY-462	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(463) GC-SURVEY-463	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(463) GC-SURVEY-463	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(464) GC-SURVEY-464	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(464) GC-SURVEY-464	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:46 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5M, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(465)	GC-SURVEY-465	RA: 17 45 22.5096 (266.3437900d) Dec: -29 09 44.46 (-29.16235d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(466)	GC-SURVEY-466	RA: 17 45 19.9200 (266.3330000d) Dec: -29 10 18.37 (-29.17177d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(467)	GC-SURVEY-467	RA: 17 45 22.6728 (266.3444700d) Dec: -29 10 54.44 (-29.18179d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(468)	GC-SURVEY-468	RA: 17 45 25.2648 (266.3552700d) Dec: -29 10 20.50 (-29.17236d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(465) GC-SURVEY-465	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(465) GC-SURVEY-465	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(466) GC-SURVEY-466	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(466) GC-SURVEY-466	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(467) GC-SURVEY-467	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(467) GC-SURVEY-467	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(468) GC-SURVEY-468	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(468) GC-SURVEY-468	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:47 GMT 2008

Visit	<b>Proposal 11120, Visit 5N, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(469)	GC-SURVEY-469	RA: 17 45 22.8312 (266.3451300d) Dec: -29 12 4.46 (-29.20124d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(470)	GC-SURVEY-470	RA: 17 45 20.2392 (266.3343300d) Dec: -29 12 38.38 (-29.21066d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(471)	GC-SURVEY-471	RA: 17 45 22.9920 (266.3458000d) Dec: -29 13 14.45 (-29.22068d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(472)	GC-SURVEY-472	RA: 17 45 25.5864 (266.3566100d) Dec: -29 12 40.50 (-29.21125d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(469) GC-SURVEY-469	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(469) GC-SURVEY-469	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(470) GC-SURVEY-470	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 5N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(470) GC-SURVEY-470	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(471) GC-SURVEY-471	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(471) GC-SURVEY-471	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(472) GC-SURVEY-472	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(472) GC-SURVEY-472	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 50 - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:48 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 50, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>	<b>Secondary Pattern</b>	<b>Exposures</b>					
	(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true		(1-2), (3-4), (5-6), (7-8)					
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>				
	(473)	GC-SURVEY-473	RA: 17 45 17.3256 (266.3221900d) Dec: -29 10 52.28 (-29.18119d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(474)	GC-SURVEY-474	RA: 17 45 14.7336 (266.3113900d) Dec: -29 11 26.23 (-29.19062d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(475)	GC-SURVEY-475	RA: 17 45 17.4864 (266.3228600d) Dec: -29 12 2.30 (-29.20064d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(476)	GC-SURVEY-476	RA: 17 45 20.0784 (266.3336600d) Dec: -29 11 28.36 (-29.19121d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(473) GC-SURVEY-473	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(473) GC-SURVEY-473	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(474) GC-SURVEY-474	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5O - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(474) GC-SURVEY-474	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(475) GC-SURVEY-475	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(475) GC-SURVEY-475	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(476) GC-SURVEY-476	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(476) GC-SURVEY-476	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:48 GMT 2008

Visit	<b>Proposal 11120, Visit 5P, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(477)	GC-SURVEY-477	RA: 17 45 11.8200 (266.2992500d) Dec: -29 09 40.14 (-29.16115d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(478)	GC-SURVEY-478	RA: 17 45 9.2304 (266.2884600d) Dec: -29 10 14.05 (-29.17057d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(479)	GC-SURVEY-479	RA: 17 45 11.9832 (266.2999300d) Dec: -29 10 50.12 (-29.18059d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(480)	GC-SURVEY-480	RA: 17 45 14.5752 (266.3107300d) Dec: -29 10 16.18 (-29.17116d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(477) GC-SURVEY-477	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(477) GC-SURVEY-477	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(478) GC-SURVEY-478	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 5P - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(478) GC-SURVEY-478	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(479) GC-SURVEY-479	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(479) GC-SURVEY-479	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(480) GC-SURVEY-480	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(480) GC-SURVEY-480	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:49 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5Q, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(481)	GC-SURVEY-481	RA: 17 45 6.3192 (266.2763300d) Dec: -29 08 27.96 (-29.14110d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(482)	GC-SURVEY-482	RA: 17 45 3.7296 (266.2655400d) Dec: -29 09 1.87 (-29.15052d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(483)	GC-SURVEY-483	RA: 17 45 6.4824 (266.2770100d) Dec: -29 09 37.94 (-29.16054d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(484)	GC-SURVEY-484	RA: 17 45 9.0720 (266.2878000d) Dec: -29 09 4.00 (-29.15111d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1	(481) GC-SURVEY-481	(481) GC-SURVEY-481	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2	(481) GC-SURVEY-481	(481) GC-SURVEY-481	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3	(482) GC-SURVEY-482	(482) GC-SURVEY-482	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5Q - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(482) GC-SURVEY-482	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(483) GC-SURVEY-483	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(483) GC-SURVEY-483	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(484) GC-SURVEY-484	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(484) GC-SURVEY-484	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:49 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5R, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>	<b>Secondary Pattern</b>	<b>Exposures</b>					
	(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true		(1-2), (3-4), (5-6), (7-8)					
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>				
	(485)	GC-SURVEY-485	RA: 17 45 0.8208 (266.2534200d) Dec: -29 07 15.74 (-29.12104d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(486)	GC-SURVEY-486	RA: 17 44 58.2288 (266.2426200d) Dec: -29 07 49.69 (-29.13047d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(487)	GC-SURVEY-487	RA: 17 45 0.9816 (266.2540900d) Dec: -29 08 25.76 (-29.14049d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(488)	GC-SURVEY-488	RA: 17 45 3.5712 (266.2648800d) Dec: -29 07 51.82 (-29.13106d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(485) GC-SURVEY-485	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(485) GC-SURVEY-485	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(486) GC-SURVEY-486	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5R - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(486) GC-SURVEY-486	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(487) GC-SURVEY-487	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(487) GC-SURVEY-487	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(488) GC-SURVEY-488	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(488) GC-SURVEY-488	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:50 GMT 2008

Visit	<b>Proposal 11120, Visit 5S, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(489)	GC-SURVEY-489	RA: 17 44 55.3224 (266.2305100d) Dec: -29 06 3.53 (-29.10098d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(490)	GC-SURVEY-490	RA: 17 44 52.7328 (266.2197200d) Dec: -29 06 37.48 (-29.11041d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(491)	GC-SURVEY-491	RA: 17 44 55.4832 (266.2311800d) Dec: -29 07 13.55 (-29.12043d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(492)	GC-SURVEY-492	RA: 17 44 58.0752 (266.2419800d) Dec: -29 06 39.60 (-29.11100d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(489) GC-SURVEY-489	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(489) GC-SURVEY-489	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(490) GC-SURVEY-490	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5S - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(490) GC-SURVEY-490	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(491) GC-SURVEY-491	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(491) GC-SURVEY-491	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(492) GC-SURVEY-492	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(492) GC-SURVEY-492	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]



Proposal 11120 - Visit 5T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:51 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5T, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(493)	GC-SURVEY-493	RA: 17 44 50.1360 (266.2089000d) Dec: -29 07 11.32 (-29.11981d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(494)	GC-SURVEY-494	RA: 17 44 47.5440 (266.1981000d) Dec: -29 07 45.26 (-29.12924d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(495)	GC-SURVEY-495	RA: 17 44 50.2968 (266.2095700d) Dec: -29 08 21.34 (-29.13926d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(496)	GC-SURVEY-496	RA: 17 44 52.8864 (266.2203600d) Dec: -29 07 47.39 (-29.12983d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(493) GC-SURVEY-493	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(493) GC-SURVEY-493	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(494) GC-SURVEY-494	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5T - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(494) GC-SURVEY-494	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(495) GC-SURVEY-495	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(495) GC-SURVEY-495	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(496) GC-SURVEY-496	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(496) GC-SURVEY-496	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:51 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5U, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(497)	GC-SURVEY-497	RA: 17 44 55.6320 (266.2318000d) Dec: -29 08 23.57 (-29.13988d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(498)	GC-SURVEY-498	RA: 17 44 53.0424 (266.2210100d) Dec: -29 08 57.48 (-29.14930d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(499)	GC-SURVEY-499	RA: 17 44 55.7952 (266.2324800d) Dec: -29 09 33.55 (-29.15932d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(500)	GC-SURVEY-500	RA: 17 44 58.3848 (266.2432700d) Dec: -29 08 59.60 (-29.14989d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(497) GC-SURVEY-497	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(497) GC-SURVEY-497	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(498) GC-SURVEY-498	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5U - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(498) GC-SURVEY-498	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(499) GC-SURVEY-499	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(499) GC-SURVEY-499	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(500) GC-SURVEY-500	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(500) GC-SURVEY-500	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:52 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 5V, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(501)	GC-SURVEY-501	RA: 17 45 1.1328 (266.2547200d) Dec: -29 09 35.75 (-29.15993d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(502)	GC-SURVEY-502	RA: 17 44 58.5408 (266.2439200d) Dec: -29 10 9.70 (-29.16936d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(503)	GC-SURVEY-503	RA: 17 45 1.2936 (266.2553900d) Dec: -29 10 45.77 (-29.17938d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(504)	GC-SURVEY-504	RA: 17 45 3.8856 (266.2661900d) Dec: -29 10 11.82 (-29.16995d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(501) GC-SURVEY-501	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(501) GC-SURVEY-501	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(502) GC-SURVEY-502	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5V - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(502) GC-SURVEY-502	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(503) GC-SURVEY-503	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(503) GC-SURVEY-503	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(504) GC-SURVEY-504	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(504) GC-SURVEY-504	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]



Proposal 11120 - Visit 5W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:53 GMT 2008

Visit	<b>Proposal 11120, Visit 5W, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern	Secondary Pattern	Exposures					
	(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true		(1-2), (3-4), (5-6), (7-8)					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(505)	GC-SURVEY-505	RA: 17 45 6.6336 (266.2776400d) Dec: -29 10 47.96 (-29.17999d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(506)	GC-SURVEY-506	RA: 17 45 4.0416 (266.2668400d) Dec: -29 11 21.91 (-29.18942d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(507)	GC-SURVEY-507	RA: 17 45 6.7968 (266.2783200d) Dec: -29 11 57.95 (-29.19943d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(508)	GC-SURVEY-508	RA: 17 45 9.3888 (266.2891200d) Dec: -29 11 24.04 (-29.19001d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(505) GC-SURVEY-505	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(505) GC-SURVEY-505	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(506) GC-SURVEY-506	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5W - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(506) GC-SURVEY-506	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(507) GC-SURVEY-507	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(507) GC-SURVEY-507	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(508) GC-SURVEY-508	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(508) GC-SURVEY-508	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 5X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:53 GMT 2008

Visit	<b>Proposal 11120, Visit 5X, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(509)	GC-SURVEY-509	RA: 17 45 12.1368 (266.3005700d) Dec: -29 12 0.14 (-29.20004d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(510)	GC-SURVEY-510	RA: 17 45 9.5448 (266.2897700d) Dec: -29 12 34.09 (-29.20947d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(511)	GC-SURVEY-511	RA: 17 45 12.3000 (266.3012500d) Dec: -29 13 10.13 (-29.21948d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(512)	GC-SURVEY-512	RA: 17 45 14.8920 (266.3120500d) Dec: -29 12 36.22 (-29.21006d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(509) GC-SURVEY-509	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(509) GC-SURVEY-509	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(510) GC-SURVEY-510	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 5X - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(510) GC-SURVEY-510	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(511) GC-SURVEY-511	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(511) GC-SURVEY-511	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(512) GC-SURVEY-512	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(512) GC-SURVEY-512	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]



Proposal 11120 - Visit 5Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:54 GMT 2008

Visit	<b>Proposal 11120, Visit 5Y, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(513)	GC-SURVEY-513	RA: 17 45 17.6448 (266.3235200d) Dec: -29 13 12.32 (-29.22009d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(514)	GC-SURVEY-514	RA: 17 45 15.0504 (266.3127100d) Dec: -29 13 46.24 (-29.22951d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(515)	GC-SURVEY-515	RA: 17 45 17.8056 (266.3241900d) Dec: -29 14 22.31 (-29.23953d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(516)	GC-SURVEY-516	RA: 17 45 20.3976 (266.3349900d) Dec: -29 13 48.36 (-29.23010d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(513) GC-SURVEY-513	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(513) GC-SURVEY-513	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(514) GC-SURVEY-514	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5Y - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(514) GC-SURVEY-514	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(515) GC-SURVEY-515	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(515) GC-SURVEY-515	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(516) GC-SURVEY-516	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(516) GC-SURVEY-516	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]



Proposal 11120 - Visit 5Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:54 GMT 2008

Visit	<b>Proposal 11120, Visit 5Z, completed</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(517)	GC-SURVEY-517	RA: 17 45 12.4536 (266.3018900d) Dec: -29 14 20.15 (-29.23893d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(518)	GC-SURVEY-518	RA: 17 45 9.8616 (266.2910900d) Dec: -29 14 54.10 (-29.24836d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(519)	GC-SURVEY-519	RA: 17 45 12.6168 (266.3025700d) Dec: -29 15 30.17 (-29.25838d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(520)	GC-SURVEY-520	RA: 17 45 15.2088 (266.3133700d) Dec: -29 14 56.22 (-29.24895d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(517) GC-SURVEY-517	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9	GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(517) GC-SURVEY-517	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(518) GC-SURVEY-518	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 5Z - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(518) GC-SURVEY-518	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(519) GC-SURVEY-519	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(519) GC-SURVEY-519	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(520) GC-SURVEY-520	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(520) GC-SURVEY-520	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:55 GMT 2008

Visit	<b>Proposal 11120, Visit 6A, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(521)	GC-SURVEY-521	RA: 17 45 6.9480 (266.2789500d) Dec: -29 13 7.97 (-29.21888d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(522)	GC-SURVEY-522	RA: 17 45 4.3560 (266.2681500d) Dec: -29 13 41.92 (-29.22831d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(523)	GC-SURVEY-523	RA: 17 45 7.1112 (266.2796300d) Dec: -29 14 17.99 (-29.23833d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(524)	GC-SURVEY-524	RA: 17 45 9.7032 (266.2904300d) Dec: -29 13 44.04 (-29.22890d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(521) GC-SURVEY-521	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(521) GC-SURVEY-521	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(522) GC-SURVEY-522	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6A - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(522) GC-SURVEY-522	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(523) GC-SURVEY-523	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(523) GC-SURVEY-523	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(524) GC-SURVEY-524	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(524) GC-SURVEY-524	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:55 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 6B, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(525)	GC-SURVEY-525	RA: 17 45 1.4448 (266.2560200d) Dec: -29 11 55.79 (-29.19883d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(526)	GC-SURVEY-526	RA: 17 44 58.8528 (266.2452200d) Dec: -29 12 29.70 (-29.20825d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(527)	GC-SURVEY-527	RA: 17 45 1.6056 (266.2566900d) Dec: -29 13 5.77 (-29.21827d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(528)	GC-SURVEY-528	RA: 17 45 4.2000 (266.2675000d) Dec: -29 12 31.82 (-29.20884d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(525) GC-SURVEY-525	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(525) GC-SURVEY-525	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(526) GC-SURVEY-526	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6B - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(526) GC-SURVEY-526	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(527) GC-SURVEY-527	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(527) GC-SURVEY-527	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(528) GC-SURVEY-528	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(528) GC-SURVEY-528	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:56 GMT 2008

Visit	<b>Proposal 11120, Visit 6C, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(529)	GC-SURVEY-529	RA: 17 44 55.9416 (266.2330900d) Dec: -29 10 43.57 (-29.17877d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(530)	GC-SURVEY-530	RA: 17 44 53.3520 (266.2223000d) Dec: -29 11 17.52 (-29.18820d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(531)	GC-SURVEY-531	RA: 17 44 56.1048 (266.2337700d) Dec: -29 11 53.56 (-29.19821d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(532)	GC-SURVEY-532	RA: 17 44 58.6968 (266.2445700d) Dec: -29 11 19.64 (-29.18879d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(529) GC-SURVEY-529	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(529) GC-SURVEY-529	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(530) GC-SURVEY-530	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 6C - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(530) GC-SURVEY-530	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(531) GC-SURVEY-531	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(531) GC-SURVEY-531	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(532) GC-SURVEY-532	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(532) GC-SURVEY-532	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:57 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 6D, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(533)	GC-SURVEY-533	RA: 17 44 50.4432 (266.2101800d) Dec: -29 09 31.36 (-29.15871d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(534)	GC-SURVEY-534	RA: 17 44 47.8512 (266.1993800d) Dec: -29 10 5.27 (-29.16813d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(535)	GC-SURVEY-535	RA: 17 44 50.6040 (266.2108500d) Dec: -29 10 41.34 (-29.17815d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(536)	GC-SURVEY-536	RA: 17 44 53.1960 (266.2216500d) Dec: -29 10 7.39 (-29.16872d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(533) GC-SURVEY-533	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(533) GC-SURVEY-533	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(534) GC-SURVEY-534	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6D - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(534) GC-SURVEY-534	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(535) GC-SURVEY-535	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(535) GC-SURVEY-535	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(536) GC-SURVEY-536	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(536) GC-SURVEY-536	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:57 GMT 2008

Visit	<b>Proposal 11120, Visit 6E, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(537)	GC-SURVEY-537	RA: 17 44 44.9448 (266.1872700d) Dec: -29 08 19.10 (-29.13864d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(538)	GC-SURVEY-538	RA: 17 44 42.3552 (266.1764800d) Dec: -29 08 53.05 (-29.14807d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(539)	GC-SURVEY-539	RA: 17 44 45.1080 (266.1879500d) Dec: -29 09 29.12 (-29.15809d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(540)	GC-SURVEY-540	RA: 17 44 47.6976 (266.1987400d) Dec: -29 08 55.18 (-29.14866d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(537) GC-SURVEY-537	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(537) GC-SURVEY-537	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(538) GC-SURVEY-538	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6E - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(538) GC-SURVEY-538	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(539) GC-SURVEY-539	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(539) GC-SURVEY-539	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(540) GC-SURVEY-540	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(540) GC-SURVEY-540	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]



Proposal 11120 - Visit 6F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:58 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 6F, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(541)	GC-SURVEY-541	RA: 17 44 39.7536 (266.1656400d) Dec: -29 09 26.86 (-29.15746d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(542)	GC-SURVEY-542	RA: 17 44 37.1640 (266.1548500d) Dec: -29 10 0.80 (-29.16689d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(543)	GC-SURVEY-543	RA: 17 44 39.9168 (266.1663200d) Dec: -29 10 36.88 (-29.17691d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(544)	GC-SURVEY-544	RA: 17 44 42.5088 (266.1771200d) Dec: -29 10 2.93 (-29.16748d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(541) GC-SURVEY-541	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(541) GC-SURVEY-541	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(542) GC-SURVEY-542	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6F - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(542) GC-SURVEY-542	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(543) GC-SURVEY-543	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(543) GC-SURVEY-543	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(544) GC-SURVEY-544	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(544) GC-SURVEY-544	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]



Proposal 11120 - Visit 6G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:58 GMT 2008

Visit	<b>Proposal 11120, Visit 6G, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(545)	GC-SURVEY-545	RA: 17 44 45.2520 (266.1885500d) Dec: -29 10 39.11 (-29.17753d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(546)	GC-SURVEY-546	RA: 17 44 42.6600 (266.1777500d) Dec: -29 11 13.06 (-29.18696d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(547)	GC-SURVEY-547	RA: 17 44 45.4128 (266.1892200d) Dec: -29 11 49.13 (-29.19698d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(548)	GC-SURVEY-548	RA: 17 44 48.0048 (266.2000200d) Dec: -29 11 15.18 (-29.18755d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(545) GC-SURVEY-545	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(545) GC-SURVEY-545	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(546) GC-SURVEY-546	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6G - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(546) GC-SURVEY-546	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(547) GC-SURVEY-547	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(547) GC-SURVEY-547	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(548) GC-SURVEY-548	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(548) GC-SURVEY-548	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:53:59 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 6H, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(549)	GC-SURVEY-549	RA: 17 44 50.7504 (266.2114600d) Dec: -29 11 51.36 (-29.19760d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(550)	GC-SURVEY-550	RA: 17 44 48.1584 (266.2006600d) Dec: -29 12 25.31 (-29.20703d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(551)	GC-SURVEY-551	RA: 17 44 50.9136 (266.2121400d) Dec: -29 13 1.34 (-29.21704d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(552)	GC-SURVEY-552	RA: 17 44 53.5056 (266.2229400d) Dec: -29 12 27.43 (-29.20762d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(549) GC-SURVEY-549	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(549) GC-SURVEY-549	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(550) GC-SURVEY-550	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6H - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(550) GC-SURVEY-550	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(551) GC-SURVEY-551	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(551) GC-SURVEY-551	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(552) GC-SURVEY-552	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(552) GC-SURVEY-552	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:54:03 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 6I, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE- DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(553)	GC-SURVEY-553	RA: 17 44 56.2536 (266.2343900d) Dec: -29 13 3.58 (-29.21766d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(554)	GC-SURVEY-554	RA: 17 44 53.6616 (266.2235900d) Dec: -29 13 37.52 (-29.22709d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(555)	GC-SURVEY-555	RA: 17 44 56.4144 (266.2350600d) Dec: -29 14 13.60 (-29.23711d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(556)	GC-SURVEY-556	RA: 17 44 59.0088 (266.2458700d) Dec: -29 13 39.65 (-29.22768d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(553) GC-SURVEY-553	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(553) GC-SURVEY-553	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(554) GC-SURVEY-554	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6I - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(554) GC-SURVEY-554	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(555) GC-SURVEY-555	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(555) GC-SURVEY-555	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(556) GC-SURVEY-556	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(556) GC-SURVEY-556	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:54:04 GMT 2008

Visit	<b>Proposal 11120, Visit 6J, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>										
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures		
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(557)	GC-SURVEY-557	RA: 17 45 1.7568 (266.2573200d) Dec: -29 14 15.79 (-29.23772d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(558)	GC-SURVEY-558	RA: 17 44 59.1648 (266.2465200d) Dec: -29 14 49.74 (-29.24715d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(559)	GC-SURVEY-559	RA: 17 45 1.9200 (266.2580000d) Dec: -29 15 25.78 (-29.25716d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
	(560)	GC-SURVEY-560	RA: 17 45 4.5120 (266.2688000d) Dec: -29 14 51.86 (-29.24774d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit	
	1		(557) GC-SURVEY-557	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	2		(557) GC-SURVEY-557	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	
	3		(558) GC-SURVEY-558	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	

Proposal 11120 - Visit 6J - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(558) GC-SURVEY-558	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(559) GC-SURVEY-559	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(559) GC-SURVEY-559	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(560) GC-SURVEY-560	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(560) GC-SURVEY-560	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:54:04 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 6K, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D <i>Comments: guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(561)	GC-SURVEY-561	RA: 17 45 7.2624 (266.2802600d) Dec: -29 15 27.97 (-29.25777d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(562)	GC-SURVEY-562	RA: 17 45 4.6704 (266.2694600d) Dec: -29 16 1.92 (-29.26720d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(563)	GC-SURVEY-563	RA: 17 45 7.4256 (266.2809400d) Dec: -29 16 37.99 (-29.27722d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(564)	GC-SURVEY-564	RA: 17 45 10.0200 (266.2917500d) Dec: -29 16 4.04 (-29.26779d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(561) GC-SURVEY-561	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(561) GC-SURVEY-561	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(562) GC-SURVEY-562	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6K - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(562) GC-SURVEY-562	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(563) GC-SURVEY-563	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(563) GC-SURVEY-563	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(564) GC-SURVEY-564	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(564) GC-SURVEY-564	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:54:05 GMT 2008

Visit	<b>Proposal 11120, Visit 6L, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(565)	GC-SURVEY-565	RA: 17 45 2.0712 (266.2586300d) Dec: -29 16 35.80 (-29.27661d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(566)	GC-SURVEY-566	RA: 17 44 59.4768 (266.2478200d) Dec: -29 17 9.74 (-29.28604d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(567)	GC-SURVEY-567	RA: 17 45 2.2320 (266.2593000d) Dec: -29 17 45.82 (-29.29606d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(568)	GC-SURVEY-568	RA: 17 45 4.8264 (266.2701100d) Dec: -29 17 11.87 (-29.28663d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(565) GC-SURVEY-565	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(565) GC-SURVEY-565	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(566) GC-SURVEY-566	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6L - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(566) GC-SURVEY-566	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(567) GC-SURVEY-567	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(567) GC-SURVEY-567	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(568) GC-SURVEY-568	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(568) GC-SURVEY-568	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP16; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP16		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]




Proposal 11120 - Visit 6M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:54:06 GMT 2008

<b>Visit</b>	<b>Proposal 11120, Visit 6M, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	<b>Patterns</b>	<b>#</b>	<b>Primary Pattern</b>				<b>Secondary Pattern</b>			
(1)		Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09				Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true				(1-2), (3-4), (5-6), (7-8)
<b>Fixed Targets</b>	<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>		<b>Targ. Coord. Corrections</b>		<b>Fluxes</b>	<b>Miscellaneous</b>		
	(569)	GC-SURVEY-569	RA: 17 44 56.5632 (266.2356800d) Dec: -29 15 23.58 (-29.25655d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(570)	GC-SURVEY-570	RA: 17 44 53.9712 (266.2248800d) Dec: -29 15 57.53 (-29.26598d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(571)	GC-SURVEY-571	RA: 17 44 56.7264 (266.2363600d) Dec: -29 16 33.60 (-29.27600d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
	(572)	GC-SURVEY-572	RA: 17 44 59.3208 (266.2471700d) Dec: -29 15 59.65 (-29.26657d) Equinox: J2000				V=30+/-10	Reference Frame: ICRS		
<b>Exposures</b>	<b>#</b>	<b>Label</b>	<b>Target</b>	<b>Config,Mode,Aperture</b>	<b>Spectral Els.</b>	<b>Opt. Params.</b>	<b>Special Reqs.</b>	<b>Groups</b>	<b>Exp. Time/[Actual Dur.]</b>	<b>Orbit</b>
	1		(569) GC-SURVEY-569	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(569) GC-SURVEY-569	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(570) GC-SURVEY-570	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6M - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(570) GC-SURVEY-570	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(571) GC-SURVEY-571	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(571) GC-SURVEY-571	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(572) GC-SURVEY-572	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(572) GC-SURVEY-572	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]



Proposal 11120 - Visit 6N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

Sat Apr 26 01:54:06 GMT 2008

Visit	<b>Proposal 11120, Visit 6N, scheduling</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: NIC3 Special Requirements: ORIENT 270.0D TO 270.0 D Comments: <i>guiding with a single guide star is sufficient</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=NIC-SQUARE-WAVE-DITH Purpose=DITHER Number Of Points=4 Point Spacing=6.09 Line Spacing=6.09	Coordinate Frame=POS-TARG Pattern Orientation=67.5 Angle Between Sides=270.0 Center Pattern=true					(1-2), (3-4), (5-6), (7-8)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(573)	GC-SURVEY-573	RA: 17 44 51.0600 (266.2127500d) Dec: -29 14 11.36 (-29.23649d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(574)	GC-SURVEY-574	RA: 17 44 48.4680 (266.2019500d) Dec: -29 14 45.31 (-29.24592d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(575)	GC-SURVEY-575	RA: 17 44 51.2232 (266.2134300d) Dec: -29 15 21.38 (-29.25594d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
	(576)	GC-SURVEY-576	RA: 17 44 53.8152 (266.2242300d) Dec: -29 14 47.44 (-29.24651d) Equinox: J2000		V=30+/-10	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(573) GC-SURVEY-573	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	2		(573) GC-SURVEY-573	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 1-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	3		(574) GC-SURVEY-574	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]

Proposal 11120 - Visit 6N - A Paschen-Alpha Study of Massive Stars and the ISM in the Galactic Center

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures (continued)	4	(574) GC-SURVEY-574	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 3-4 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	5	(575) GC-SURVEY-575	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	6	(575) GC-SURVEY-575	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 5-6 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	7	(576) GC-SURVEY-576	NIC3, MULTIACCUM, NIC3-FIX	F190N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	8	(576) GC-SURVEY-576	NIC3, MULTIACCUM, NIC3-FIX	F187N	SAMP-SEQ=STEP1 6; NSAMP=9		Sequence 1-8 Non-Int Pattern 7-8 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
	9	Dark	DARK	NIC3, MULTIACCUM, NIC3-FIX	BLANK	NSAMP=9; SAMP-SEQ=STEP1 6		[==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)] [==>(Copy 5)] [==>(Copy 6)] [==>(Copy 7)] [==>(Copy 8)] [==>(Copy 9)] [==>(Copy 10)] [==>(Copy 11)] [==>(Copy 12)] [==>(Copy 13)] [==>(Copy 14)] [==>(Copy 15)] [==>(Copy 16)]	[1]

