



11175 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arrived on the Red Sequence

Cycle: 16, Proposal Category: GO

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Sandra M. Faber (PI)	University of California - Santa Cruz	faber@ucolick.org
Ms. Genevieve J. Graves (CoI)	University of California - Santa Cruz	graves@ucolick.org

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) LINER-DISK1	WFPC2	1	18-Jan-2008 02:02:48.0	yes
02	(2) LINER-DISK2	WFPC2	1	18-Jan-2008 02:02:52.0	yes
03	(3) LINER-DISK3	WFPC2	1	18-Jan-2008 02:02:55.0	yes
04	(4) LINER-DISK4	WFPC2	1	18-Jan-2008 02:02:58.0	yes
05	(5) LINER-DISK5	WFPC2	1	18-Jan-2008 02:03:00.0	yes
06	(6) LINER-DISK6	WFPC2	1	18-Jan-2008 02:03:03.0	yes
07	(7) LINER-DISK7	WFPC2	1	18-Jan-2008 02:03:06.0	yes
08	(8) LINER-DISK8	WFPC2	1	18-Jan-2008 02:03:08.0	yes
09	(9) LINER-SPH1	WFPC2	1	18-Jan-2008 02:03:11.0	yes
10	(10) LINER-SPH2	WFPC2	1	18-Jan-2008 02:03:13.0	yes

Proposal 11175 (STScI Edit Number: 0, Created: Friday, January 18, 2008 2:04:37 AM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
11	(11) LINER-SPH3	WFPC2	1	18-Jan-2008 02:03:16.0	yes
12	(12) LINER-SPH4	WFPC2	1	18-Jan-2008 02:03:18.0	yes
13	(13) LINER-SPH5	WFPC2	1	18-Jan-2008 02:03:21.0	yes
14	(14) LINER-SPH6	WFPC2	1	18-Jan-2008 02:03:23.0	yes
15	(15) LINER-SPH7	WFPC2	1	18-Jan-2008 02:03:26.0	yes
16	(16) LINER-SPH8	WFPC2	1	18-Jan-2008 02:03:28.0	yes
17	(17) QUIES-DISK1	WFPC2	1	18-Jan-2008 02:03:30.0	yes
18	(18) QUIES-DISK2	WFPC2	1	18-Jan-2008 02:03:33.0	yes
19	(19) QUIES-DISK3	WFPC2	1	18-Jan-2008 02:03:35.0	yes
20	(20) QUIES-DISK4	WFPC2	1	18-Jan-2008 02:03:37.0	yes
21	(21) QUIES-DISK5	WFPC2	1	18-Jan-2008 02:03:40.0	yes
22	(22) QUIES-DISK6	WFPC2	1	18-Jan-2008 02:03:42.0	yes
23	(23) QUIES-DISK7	WFPC2	1	18-Jan-2008 02:03:45.0	yes
24	(24) QUIES-DISK8	WFPC2	1	18-Jan-2008 02:03:47.0	yes
25	(1) LINER-DISK1	ACS/SBC	1	18-Jan-2008 02:03:49.0	yes
26	(2) LINER-DISK2	ACS/SBC	1	18-Jan-2008 02:03:51.0	yes
27	(3) LINER-DISK3	ACS/SBC	1	18-Jan-2008 02:03:53.0	yes
28	(4) LINER-DISK4	ACS/SBC	1	18-Jan-2008 02:03:55.0	yes
29	(5) LINER-DISK5	ACS/SBC	1	18-Jan-2008 02:03:57.0	yes
30	(6) LINER-DISK6	ACS/SBC	1	18-Jan-2008 02:03:59.0	yes
31	(7) LINER-DISK7	ACS/SBC	1	18-Jan-2008 02:04:01.0	yes
32	(8) LINER-DISK8	ACS/SBC	1	18-Jan-2008 02:04:03.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
33	(9) LINER-SPH1	ACS/SBC	1	18-Jan-2008 02:04:05.0	yes
34	(10) LINER-SPH2	ACS/SBC	1	18-Jan-2008 02:04:07.0	yes
35	(11) LINER-SPH3	ACS/SBC	1	18-Jan-2008 02:04:09.0	yes
36	(12) LINER-SPH4	ACS/SBC	1	18-Jan-2008 02:04:11.0	yes
37	(13) LINER-SPH5	ACS/SBC	1	18-Jan-2008 02:04:13.0	yes
38	(14) LINER-SPH6	ACS/SBC	1	18-Jan-2008 02:04:15.0	yes
39	(15) LINER-SPH7	ACS/SBC	1	18-Jan-2008 02:04:17.0	yes
40	(16) LINER-SPH8	ACS/SBC	1	18-Jan-2008 02:04:19.0	yes
41	(17) QUIES-DISK1	ACS/SBC	1	18-Jan-2008 02:04:21.0	yes
42	(18) QUIES-DISK2	ACS/SBC	1	18-Jan-2008 02:04:23.0	yes
43	(19) QUIES-DISK3	ACS/SBC	1	18-Jan-2008 02:04:25.0	yes
44	(20) QUIES-DISK4	ACS/SBC	1	18-Jan-2008 02:04:27.0	yes
45	(21) QUIES-DISK5	ACS/SBC	1	18-Jan-2008 02:04:29.0	yes
46	(22) QUIES-DISK6	ACS/SBC	1	18-Jan-2008 02:04:31.0	yes
47	(23) QUIES-DISK7	ACS/SBC	1	18-Jan-2008 02:04:33.0	yes
48	(24) QUIES-DISK8	ACS/SBC	1	18-Jan-2008 02:04:34.0	yes

48 Total Orbits Used

ABSTRACT

We have identified a sample of low-redshift ($z = 0.04 - 0.10$) galaxies that are candidates for recent arrival on the red sequence. They have red optical colors indicative of old stellar populations, but blue UV-optical colors that could indicate the presence of a small quantity of continuing or very recent star formation. However, their spectra lack the emission lines that characterize star-forming galaxies. We propose to use ACS/SBC to

obtain high-resolution imaging of the UV flux in these galaxies, in order to determine the spatial distribution of the last episode of star formation. WFPC2 imaging will provide B, V, and I photometry to measure the main stellar light distribution of the galaxy for comparison with the UV imaging, as well as to measure color gradients and the distribution of interstellar dust. This detailed morphological information will allow us to investigate the hypothesis that these galaxies have recently stopped forming stars and to compare the observed distribution of the last star formation with predictions for several different mechanisms that may quench star formation in galaxies.


OBSERVING DESCRIPTION

The galaxies in this sample have been selected as candidates for recent arrivals on the red sequence, based on their optical (g-r) and UV-optical colors and on their emission line properties. We have defined three subsamples of recently quenched galaxies, each potentially relevant to a different quenching mechanism. Eight targets have been selected in each of three subsamples in order to have a statistically relevant number of galaxies in each group, for a total of 24 galaxies. For each galaxy, this project will obtain 1 orbit of exposure with the ACS/SBC in the FUV (filter F115LP) and 1 orbit of optical imaging with WFPC2. The signal to noise (S/N) expected from one orbit of ACS/SBC imaging depends strongly on the actual distribution of the FUV light within the galaxy. The expected S/N ranges from a few for smoothly distributed light to several hundred for a single point source. This should allow us to distinguish between a UV-excess in the galaxy's old stars, a more concentrated or clumpy distribution of recent star formation, or central AGN activity as the source of the observed FUV flux. The corresponding WFPC2 imaging in the wide B (F450W) and I (F814W) bands is critical in order to compare the FUV flux distribution to the general stellar light of the galaxy. It will also allow us to measure color gradients in the target galaxies and to map their dust content.

ADDITIONAL COMMENTS

Four out of 24 targets have been changed from the original Phase I proposal in order to avoid targets (in one case out of four) or nearby objects (in the other three cases) which were near or exceeded the bright object per-pixel count rate limit for the ACS/SBC instrument. This determination was based on predicted count rates calculated using the STScI IRAF package "synphot" and the worst-case assumption of an O star spectrum coming from a point source. The predicted count rate is based on a Bruzual synthetic O5V star spectrum normalized to the observed GALEX FUV magnitude. In all cases, the new targets have spectral, morphological, and color properties similar to the original targets they replaced and do not in any way change the science addressed by this observing proposal or the orbit usage.


Visit	Proposal 11175, Visit 01 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(1)	LINER-DISK1	RA: 10 40 58.2384 (160.2426600d) Dec: +65 24 58.04 (65.41612d) Equinox: J2000					V=15.7+/-0.1 FUV=19.7	Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(1) LINER-DISK1	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		
2	(1) LINER-DISK1	WFPC2, IMAGE, WF3	F814W					Pattern 2-2 (2)	300.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		



Proposal 11175 - Visit 02 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:39 GMT 2008


Visit	Proposal 11175, Visit 02 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(2)	LINER-DISK2	RA: 00 32 14.0632 (8.0585967d) Dec: +14 56 1.11 (14.93364d) Equinox: J2000			V=16.1+/-0.1 FUV=20.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(2) LINER-DISK2	WFPC2, IMAGE, WF3	F450W			Pattern 1-1 (2)	500.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		
2		(2) LINER-DISK2	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	260.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		



Proposal 11175 - Visit 03 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:39 GMT 2008


Visit	Proposal 11175, Visit 03 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(3)	LINER-DISK3	RA: 07 45 48.4488 (116.4518700d) Dec: +41 25 16.51 (41.42125d) Equinox: J2000			V=15.7+/-0.1 FUV=20.5		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(3) LINER-DISK3	WFPC2, IMAGE, WF3	F450W			Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	
	2		(3) LINER-DISK3	WFPC2, IMAGE, WF3	F814W			Pattern 2-2 (2)	260.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 11175 - Visit 04 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:40 GMT 2008


Visit	Proposal 11175, Visit 04 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						(1), (2)
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(4)	LINER-DISK4	RA: 09 44 28.2384 (146.1176600d) Dec: +61 49 19.08 (61.82197d) Equinox: J2000		V=16.5+/-0.1 FUV=20.7	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(4) LINER-DISK4	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]
2	(4) LINER-DISK4	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	300.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 11175 - Visit 05 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:40 GMT 2008


Visit	Proposal 11175, Visit 05 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(5)	LINER-DISK5	RA: 08 32 53.6520 (128.2235500d) Dec: +47 40 7.80 (47.66883d) Equinox: J2000		V=16+/-0.1 FUV=21.3	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(5) LINER-DISK5	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]
2	(5) LINER-DISK5	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	300.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 11175 - Visit 06 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:41 GMT 2008


Visit	Proposal 11175, Visit 06 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(6)	LINER-DISK6	RA: 22 47 54.2520 (341.9760500d) Dec: -08 56 42.98 (-8.94527d) Equinox: J2000		V=16.3+/-0.1 FUV=21.2	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(6) LINER-DISK6	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]
2	(6) LINER-DISK6	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	260.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 11175 - Visit 07 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:41 GMT 2008


Visit	Proposal 11175, Visit 07 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
(2)		Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						(1), (2)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections	Fluxes		Miscellaneous			
	(7)	LINER-DISK7	RA: 08 14 49.6776 (123.7069900d) Dec: +36 25 6.47 (36.41846d) Equinox: J2000			V=16.5+/-0.1 FUV=21.4		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(7) LINER-DISK7	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		
2	(7) LINER-DISK7	WFPC2, IMAGE, WF3	F814W					Pattern 2-2 (2)	260.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		



Proposal 11175 - Visit 08 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:41 GMT 2008


Visit	Proposal 11175, Visit 08 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(8)	LINER-DISK8	RA: 00 38 33.5183 (9.6396596d) Dec: -09 24 19.87 (-9.40552d) Equinox: J2000		V=16.8+/-0.1 FUV=20.8	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(8) LINER-DISK8	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]
	2	(8) LINER-DISK8	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	260.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]



Proposal 11175 - Visit 09 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:41 GMT 2008


Visit	Proposal 11175, Visit 09 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(9)	LINER-SPH1	RA: 03 21 9.3797 (50.2890821d) Dec: -00 12 51.90 (-.21442d) Equinox: J2000			V=16.3+/-0.1 FUV=20.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(9) LINER-SPH1	WFPC2, IMAGE, WF3	F450W			Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	
2		(9) LINER-SPH1	WFPC2, IMAGE, WF3	F814W			Pattern 2-2 (2)	260.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]		



Proposal 11175 - Visit 10 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:42 GMT 2008


Visit	Proposal 11175, Visit 10 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false				(1), (2)			
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(10)	LINER-SPH2	RA: 09 00 45.3648 (135.1890200d) Dec: +52 46 29.01 (52.77472d) Equinox: J2000		V=16.5+/-0.1 FUV=21.0	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(10) LINER-SPH2	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs	[=>(Pattern 1)] [=>(Pattern 2)]	[1]
2	(10) LINER-SPH2	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	300.0 Secs	[=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 11175 - Visit 11 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:42 GMT 2008


Visit	Proposal 11175, Visit 11 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false					(1), (2)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(11)	LINER-SPH3	RA: 21 59 36.4320 (329.9018000d) Dec: -07 47 14.59 (-7.78739d) Equinox: J2000		V=16.4+/-0.1 FUV=21.1	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(11) LINER-SPH3	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]
2	(11) LINER-SPH3	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	260.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 11175 - Visit 12 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:42 GMT 2008


Visit	Proposal 11175, Visit 12 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						(1), (2)
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(12)	LINER-SPH4	RA: 09 03 51.5616 (135.9648400d) Dec: +56 05 44.31 (56.09564d) Equinox: J2000		V=16.9+/-0.1 FUV=21.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(12) LINER-SPH4	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]
2	(12) LINER-SPH4	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	300.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 11175 - Visit 13 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:43 GMT 2008


Visit	Proposal 11175, Visit 13 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(13)	LINER-SPH5	RA: 23 56 49.3056 (359.2054400d) Dec: +00 43 37.00 (.72694d) Equinox: J2000			V=16.7+/-0.1 FUV=21.3		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(13) LINER-SPH5	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	
2	(13) LINER-SPH5	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	260.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]		



Proposal 11175 - Visit 14 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:43 GMT 2008


Visit	Proposal 11175, Visit 14 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(2)		Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false					(1), (2)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(14)	LINER-SPH6	RA: 00 47 3.9026 (11.7662608d) Dec: -01 05 7.46 (-1.08541d) Equinox: J2000			V=16.2+/-0.1 FUV=20.5		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(14) LINER-SPH6	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs	
									[=>(Pattern 1)]	[1]
									[=>(Pattern 2)]	
2	(14) LINER-SPH6	WFPC2, IMAGE, WF3	F814W					Pattern 2-2 (2)	260.0 Secs	
									[=>(Pattern 1)]	[1]
									[=>(Pattern 2)]	



Proposal 11175 - Visit 15 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:44 GMT 2008

Visit	Proposal 11175, Visit 15 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(15)	LINER-SPH7	RA: 08 40 45.4368 (130.1893200d) Dec: +47 21 25.26 (47.35702d) Equinox: J2000		V=17.4+/-0.1 FUV=22.2	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(15) LINER-SPH7	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]
2	(15) LINER-SPH7	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	300.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 11175 - Visit 16 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...


Fri Jan 18 07:04:44 GMT 2008

Visit	Proposal 11175, Visit 16 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(16)	LINER-SPH8	RA: 09 04 1.4304 (136.0059600d) Dec: +52 38 32.56 (52.64238d) Equinox: J2000		V=16.3+/-0.1 FUV=21.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(16) LINER-SPH8	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]
2	(16) LINER-SPH8	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	300.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	

Proposal 11175 - Visit 17 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:44 GMT 2008


Visit	Proposal 11175, Visit 17 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
(2)		Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						(1), (2)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections	Fluxes		Miscellaneous			
	(17)	QUIES-DISK1	RA: 01 15 1.7570 (18.7573208d) Dec: +15 24 48.54 (15.41348d) Equinox: J2000			V=15.5+/-0.1 FUV=20.4		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(17) QUIES-DISK1	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		
2	(17) QUIES-DISK1	WFPC2, IMAGE, WF3	F814W					Pattern 2-2 (2)	260.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		



Proposal 11175 - Visit 18 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:44 GMT 2008


Visit	Proposal 11175, Visit 18 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(2)		Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false					(1), (2)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(18)	QUIES-DISK2	RA: 01 48 29.2157 (27.1217321d) Dec: +13 09 7.59 (13.15211d) Equinox: J2000			V=16.2+/-0.1 FUV=20.1		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(18) QUIES-DISK2	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs	
									[=>(Pattern 1)]	[1]
									[=>(Pattern 2)]	
2	(18) QUIES-DISK2	WFPC2, IMAGE, WF3	F814W					Pattern 2-2 (2)	260.0 Secs	
									[=>(Pattern 1)]	[1]
									[=>(Pattern 2)]	



Proposal 11175 - Visit 19 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:45 GMT 2008


Visit	Proposal 11175, Visit 19 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(19)	QUIES-DISK3	RA: 08 20 24.9624 (125.1040100d) Dec: +42 36 14.68 (42.60408d) Equinox: J2000		V=16.2+/-0.1 FUV=19.9	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(19) QUIES-DISK3	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]
2	(19) QUIES-DISK3	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	260.0 Secs [=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 11175 - Visit 20 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:45 GMT 2008


Visit	Proposal 11175, Visit 20 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(20)	QUIES-DISK4	RA: 08 53 44.4672 (133.4352800d) Dec: +28 41 53.67 (28.69824d) Equinox: J2000					V=16.2+/-0.1 FUV=20.8	Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(20) QUIES-DISK4	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		
2	(20) QUIES-DISK4	WFPC2, IMAGE, WF3	F814W					Pattern 2-2 (2)	260.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		



Proposal 11175 - Visit 21 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:45 GMT 2008


Visit	Proposal 11175, Visit 21 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(2)		Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(21)	QUIES-DISK5	RA: 21 58 49.1736 (329.7048900d) Dec: -07 40 32.18 (-7.67561d) Equinox: J2000					V=16.3+/-0.1 FUV=20.6	Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(21) QUIES-DISK5	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		
2	(21) QUIES-DISK5	WFPC2, IMAGE, WF3	F814W					Pattern 2-2 (2)	260.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		



Proposal 11175 - Visit 22 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:45 GMT 2008


Visit	Proposal 11175, Visit 22 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(22)	QUIES-DISK6	RA: 10 19 42.2256 (154.9259400d) Dec: +51 47 52.61 (51.79795d) Equinox: J2000		V=16.6+/-0.1 FUV=21.0	Reference Frame: ICRS					
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(22) QUIES-DISK6	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		
2	(22) QUIES-DISK6	WFPC2, IMAGE, WF3	F814W					Pattern 2-2 (2)	300.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		



Proposal 11175 - Visit 23 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:46 GMT 2008


Visit	Proposal 11175, Visit 23 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
		(2)	Pattern Type=WFPC2-LINE	Coordinate Frame=POS-TARG							(1), (2)
		Purpose=DITHER	Pattern Orientation=45.0								
		Number Of Points=2	Angle Between Sides=								
		Point Spacing=0.3535	Center Pattern=false								
		Line Spacing=									
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections	Fluxes		Miscellaneous			
	(23)	QUIES-DISK7	RA: 23 59 31.5432 (359.8814300d)	Dec: -10 15 0.56 (-10.25016d)		V=17.1+/-0.1	FUV=21.5	Reference Frame: ICRS			
			Equinox: J2000								
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(23) QUIES-DISK7	WFPC2, IMAGE, WF3	F450W			Pattern 1-1 (2)	500.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		
2		(23) QUIES-DISK7	WFPC2, IMAGE, WF3	F814W				Pattern 2-2 (2)	260.0 Secs		
									[=>(Pattern 1)]		[1]
									[=>(Pattern 2)]		



Proposal 11175 - Visit 24 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:46 GMT 2008


Visit	Proposal 11175, Visit 24 Diagnostic Status: No Diagnostics Scientific Instruments: WFPC2 Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(2)		Pattern Type=WFPC2-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.3535 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=45.0 Angle Between Sides= Center Pattern=false							(1), (2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(24)	QUIES-DISK8	RA: 13 26 41.1840 (201.6716000d) Dec: +47 12 43.28 (47.21202d) Equinox: J2000					V=16.2+/-0.1 FUV=20.9	Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(24) QUIES-DISK8	WFPC2, IMAGE, WF3	F450W				Pattern 1-1 (2)	500.0 Secs	
									[=>(Pattern 1)]	[1]
									[=>(Pattern 2)]	
2	(24) QUIES-DISK8	WFPC2, IMAGE, WF3	F814W					Pattern 2-2 (2)	300.0 Secs	
									[=>(Pattern 1)]	[1]
									[=>(Pattern 2)]	



Proposal 11175 - Visit 25 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:46 GMT 2008


Visit	Proposal 11175, Visit 25 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(1)	LINER-DISK1	RA: 10 40 58.2384 (160.2426600d) Dec: +65 24 58.04 (65.41612d) Equinox: J2000		V=15.7+/-0.1 FUV=19.7	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(1) LINER-DISK1	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	666.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 26 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:46 GMT 2008


Visit	Proposal 11175, Visit 26 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(2)	LINER-DISK2	RA: 00 32 14.0632 (8.0585967d) Dec: +14 56 1.11 (14.93364d) Equinox: J2000		V=16.1+/-0.1 FUV=20.3	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(2) LINER-DISK2	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	630.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 27 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:47 GMT 2008


Visit	Proposal 11175, Visit 27 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(3)	LINER-DISK3	RA: 07 45 48.4488 (116.4518700d) Dec: +41 25 16.51 (41.42125d) Equinox: J2000			V=15.7+/-0.1 FUV=20.5	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(3) LINER-DISK3	ACS/SBC, ACCUM, SBC	F115LP				Pattern 1-1 (1)	638.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 28 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:47 GMT 2008


Visit	Proposal 11175, Visit 28 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(4)	LINER-DISK4	RA: 09 44 28.2384 (146.1176600d) Dec: +61 49 19.08 (61.82197d) Equinox: J2000			V=16.5+/-0.1 FUV=20.7		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(4) LINER-DISK4	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	656.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 29 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:47 GMT 2008


Visit	Proposal 11175, Visit 29 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(5)	LINER-DISK5	RA: 08 32 53.6520 (128.2235500d) Dec: +47 40 7.80 (47.66883d) Equinox: J2000			V=16+/-0.1 FUV=21.3	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(5) LINER-DISK5	ACS/SBC, ACCUM, SBC	F115LP				Pattern 1-1 (1)	641.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 30 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:47 GMT 2008


Visit	Proposal 11175, Visit 30 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(1)		Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116		Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false						(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(6)	LINER-DISK6	RA: 22 47 54.2520 (341.9760500d) Dec: -08 56 42.98 (-8.94527d) Equinox: J2000				V=16.3+/-0.1 FUV=21.2		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(6) LINER-DISK6	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	629.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]		[1]



Proposal 11175 - Visit 31 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:47 GMT 2008


Visit	Proposal 11175, Visit 31 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none) <i>Comments: Bright Object Tool produces health and safety warning for an object within the detector field of view. However, the GALEX photometry catalog for this field contains no FUV detections within 50" of the target, other than the target itself. The target itself is below the bright object limit of 50 counts/sec/pixel, based on the worst-case assumption: predicted count rates for an O5V star spectrum at the observed FUV magnitude, assuming all the counts fall in one pixel. The predicted count rates were calculated using the STScI IRAF package "synphot" with a Bruzual synthetic O5V star spectrum normalized to the observed GALEX FUV magnitude.</i>									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(7)	LINER-DISK7	RA: 08 14 49.6776 (123.7069900d) Dec: +36 25 6.47 (36.41846d) Equinox: J2000			V=16.5+/-0.1 FUV=21.4	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(7) LINER-DISK7	ACS/SBC, ACCUM, SBC	F115LP				Pattern 1-1 (1)	635.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 32 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:48 GMT 2008


Visit	Proposal 11175, Visit 32 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(8)	LINER-DISK8	RA: 00 38 33.5183 (9.6396596d) Dec: -09 24 19.87 (-9.40552d) Equinox: J2000			V=16.8+/-0.1 FUV=20.8		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(8) LINER-DISK8	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	629.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 33 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:48 GMT 2008


Visit	Proposal 11175, Visit 33 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(9)	LINER-SPH1	RA: 03 21 9.3797 (50.2890821d) Dec: -00 12 51.90 (-.21442d) Equinox: J2000		V=16.3+/-0.1 FUV=20.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(9) LINER-SPH1	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	629.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 34 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:48 GMT 2008


Visit	Proposal 11175, Visit 34 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false						(1)
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(10)	LINER-SPH2	RA: 09 00 45.3648 (135.1890200d) Dec: +52 46 29.01 (52.77472d) Equinox: J2000		V=16.5+/-0.1 FUV=21.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(10) LINER-SPH2	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	646.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 35 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:48 GMT 2008


Visit	Proposal 11175, Visit 35 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes	Miscellaneous			
	(11)	LINER-SPH3	RA: 21 59 36.4320 (329.9018000d) Dec: -07 47 14.59 (-7.78739d) Equinox: J2000			V=16.4+/-0.1 FUV=21.1	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(11) LINER-SPH3	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	629.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 36 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:48 GMT 2008


Visit	Proposal 11175, Visit 36 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(12)	LINER-SPH4	RA: 09 03 51.5616 (135.9648400d) Dec: +56 05 44.31 (56.09564d) Equinox: J2000		V=16.9+/-0.1 FUV=21.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(12) LINER-SPH4	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	651.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 37 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:49 GMT 2008


Visit	Proposal 11175, Visit 37 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none) <i>Comments: Bright Object Tool produces health and safety warning for an object within the detector field of view. However, the GALEX photometry catalog for this field contains no FUV detections within 50" of the target, other than the target itself. The target itself is below the bright object limit of 50 counts/sec/pixel, based on the worst-case assumption: predicted count rates for an O5V star spectrum at the observed FUV magnitude, assuming all the counts fall in one pixel. The predicted count rates were calculated using the STScI IRAF package "synphot" with a Bruzual synthetic O5V star spectrum normalized to the observed GALEX FUV magnitude.</i>									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
(1)		Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(13)	LINER-SPH5	RA: 23 56 49.3056 (359.2054400d) Dec: +00 43 37.00 (.72694d) Equinox: J2000		V=16.7+/-0.1 FUV=21.3	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(13) LINER-SPH5		ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	629.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 38 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:49 GMT 2008


Visit	Proposal 11175, Visit 38 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes	Miscellaneous			
	(14)	LINER-SPH6	RA: 00 47 3.9026 (11.7662608d) Dec: -01 05 7.46 (-1.08541d) Equinox: J2000			V=16.2+/-0.1 FUV=20.5	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(14) LINER-SPH6	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	629.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 39 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:49 GMT 2008


Visit	Proposal 11175, Visit 39 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none) <i>Comments: Bright Object Tool produces health and safety warning for the target. However, the target is below the bright object limit of 50 counts/sec/pixel, based on the worst-case assumption: predicted count rates for an O5V star spectrum at the observed FUV magnitude, assuming all the counts fall in one pixel. The predicted count rates were calculated using the STScI IRAF package "synphot" with a Bruzual synthetic O5V star spectrum normalized to the observed GALEX FUV magnitude. There is one other FUV detection in the GALEX photometry catalog for this field within 50" of the target. Its FUV magnitude is 0.8 mag fainter than that of the target galaxy.</i>									
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures
(1)		Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false						(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(15)	LINER-SPH7	RA: 08 40 45.4368 (130.1893200d) Dec: +47 21 25.26 (47.35702d) Equinox: J2000					V=17.4+/-0.1 FUV=22.2	Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(15) LINER-SPH7	ACS/SBC, ACCUM, SBC	F115LP				Pattern 1-1 (1)	641.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 40 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:49 GMT 2008


Visit	Proposal 11175, Visit 40 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none) <i>Comments: Bright Object Tool produces health and safety warning for the target. However, the target is below the bright object limit of 50 counts/sec/pixel, based on the worst-case assumption: predicted count rates for an O5V star spectrum at the observed FUV magnitude, assuming all the counts fall in one pixel. The predicted count rates were calculated using the STScI IRAF package "synphot" with a Bruzual synthetic O5V star spectrum normalized to the observed GALEX FUV magnitude.</i>										
	Patterns	#	Primary Pattern				Secondary Pattern				Exposures
(1)		Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)			
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections			Fluxes	Miscellaneous			
	(16)	LINER-SPH8	RA: 09 04 1.4304 (136.0059600d) Dec: +52 38 32.56 (52.64238d) Equinox: J2000				V=16.3+/-0.1 FUV=21.0	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1	(16) LINER-SPH8	ACS/SBC, ACCUM, SBC	F115LP				Pattern 1-1 (1)	646.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]	



Proposal 11175 - Visit 41 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:49 GMT 2008


Visit	Proposal 11175, Visit 41 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false						(1)
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(17)	QUIES-DISK1	RA: 01 15 1.7570 (18.7573208d) Dec: +15 24 48.54 (15.41348d) Equinox: J2000		V=15.5+/-0.1 FUV=20.4	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(17) QUIES-DISK1	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	632.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 42 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:50 GMT 2008


Visit	Proposal 11175, Visit 42 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes	Miscellaneous			
	(18)	QUIES-DISK2	RA: 01 48 29.2157 (27.1217321d) Dec: +13 09 7.59 (13.15211d) Equinox: J2000			V=16.2+/-0.1 FUV=20.1	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(18) QUIES-DISK2	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	630.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 43 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:50 GMT 2008


Visit	Proposal 11175, Visit 43 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(19)	QUIES-DISK3	RA: 08 20 24.9624 (125.1040100d) Dec: +42 36 14.68 (42.60408d) Equinox: J2000			V=16.2+/-0.1 FUV=19.9	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(19) QUIES-DISK3	ACS/SBC, ACCUM, SBC	F115LP				Pattern 1-1 (1)	638.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 44 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:50 GMT 2008


Visit	Proposal 11175, Visit 44 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(20)	QUIES-DISK4	RA: 08 53 44.4672 (133.4352800d) Dec: +28 41 53.67 (28.69824d) Equinox: J2000		V=16.2+/-0.1 FUV=20.8	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(20) QUIES-DISK4	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	633.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 45 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:50 GMT 2008


Visit	Proposal 11175, Visit 45 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern				Secondary Pattern			
(1)		Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)		
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(21)	QUIES-DISK5	RA: 21 58 49.1736 (329.7048900d) Dec: -07 40 32.18 (-7.67561d) Equinox: J2000			V=16.3+/-0.1 FUV=20.6	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	(21) QUIES-DISK5	ACS/SBC, ACCUM, SBC	F115LP				Pattern 1-1 (1)	629.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 46 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:50 GMT 2008


Visit	Proposal 11175, Visit 46 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(22)	QUIES-DISK6	RA: 10 19 42.2256 (154.9259400d) Dec: +51 47 52.61 (51.79795d) Equinox: J2000			V=16.6+/-0.1 FUV=21.0		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(22) QUIES-DISK6	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	646.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 47 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:51 GMT 2008

Visit	Proposal 11175, Visit 47 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(23)	QUIES-DISK7	RA: 23 59 31.5432 (359.8814300d) Dec: -10 15 0.56 (-10.25016d) Equinox: J2000		V=17.1+/-0.1 FUV=21.5	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(23) QUIES-DISK7	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	630.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]



Proposal 11175 - Visit 48 - UV Imaging to Determine the Location of Residual Star Formation in Galaxies Recently Arri...

Fri Jan 18 07:04:51 GMT 2008

Visit	Proposal 11175, Visit 48 Diagnostic Status: No Diagnostics Scientific Instruments: ACS/SBC Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=ACS-SBC-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.179 Line Spacing=0.116	Coordinate Frame=POS-TARG Pattern Orientation=20.02 Angle Between Sides=63.65 Center Pattern=false					(1)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes	Miscellaneous			
	(24)	QUIES-DISK8	RA: 13 26 41.1840 (201.6716000d) Dec: +47 12 43.28 (47.21202d) Equinox: J2000			V=16.2+/-0.1 FUV=20.9	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(24) QUIES-DISK8	ACS/SBC, ACCUM, SBC	F115LP			Pattern 1-1 (1)	641.0 Secs [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]	[1]

