



11548 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Formation

Cycle: 16, Proposal Category: GO

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. S. Thomas Megeath (PI)	University of Toledo	megeath@physics.utoledo.edu
Mr. Charles A. Poteet (CoI)	University of Toledo	
Dr. Nuria Calvet (CoI)	University of Michigan	ncalvet@umich.edu
Dr. Dan Watson (CoI)	University of Rochester	dmw@pas.rochester.edu
Dr. Lori E. Allen (CoI)	Smithsonian Institution Astrophysical Observatory	leallen@cfa.harvard.edu
Dr. James Muzerolle (CoI)	University of Arizona	jamesm@as.arizona.edu
Dr. Erick Young (CoI)	University of Arizona	eyoung@as.arizona.edu
Dr. Elise Furlan (CoI)	University of California - Los Angeles	
Dr. Judith L. Pipher (CoI)	University of Rochester	jlipher@astro.pas.rochester.edu
Dr. Christopher Davis (CoI)	Joint Astronomy Centre (JAC)	
Dr. Lee W. Hartmann (CoI)	University of Michigan	lhartm@umich.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) HOPS-1	NIC2	1	18-Dec-2009 21:02:37.0	yes
02	(2) HOPS-2	NIC2	1	18-Dec-2009 21:02:43.0	yes
07	(7) HOPS-7	NIC2	1	18-Dec-2009 21:02:48.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
08	(8) HOPS-10	NIC2	1	18-Dec-2009 21:02:55.0	yes
09	(9) HOPS-11	NIC2	1	18-Dec-2009 21:03:02.0	yes
10	(10) HOPS-12	NIC2	1	18-Dec-2009 21:03:06.0	yes
11	(11) HOPS-13	NIC2	1	18-Dec-2009 21:03:10.0	yes
12	(12) HOPS-15	NIC2	1	18-Dec-2009 21:03:14.0	yes
13	(13) HOPS-16	NIC2	1	18-Dec-2009 21:03:19.0	yes
16	(16) HOPS-20	NIC2	1	18-Dec-2009 21:03:22.0	yes
23	(23) HOPS-30	NIC2	1	18-Dec-2009 21:03:29.0	yes
24	(24) HOPS-32	NIC2	1	18-Dec-2009 21:03:33.0	yes
25	(25) HOPS-36	NIC2	1	18-Dec-2009 21:03:37.0	yes
28	(28) HOPS-41	NIC2	1	18-Dec-2009 21:03:41.0	yes
29	(29) HOPS-42	NIC2	1	18-Dec-2009 21:03:45.0	yes
30	(30) HOPS-43	NIC2	1	18-Dec-2009 21:03:49.0	yes
31	(31) HOPS-44	NIC2	1	18-Dec-2009 21:03:56.0	yes
32	(32) HOPS-45	NIC2	1	18-Dec-2009 21:04:00.0	yes
33	(33) HOPS-46	NIC2	1	18-Dec-2009 21:04:03.0	yes
34	(34) HOPS-47	NIC2	1	18-Dec-2009 21:04:07.0	yes
39	(39) HOPS-53	NIC2	1	18-Dec-2009 21:04:11.0	yes
41	(41) HOPS-56	NIC2	1	18-Dec-2009 21:04:15.0	yes
42	(42) HOPS-57	NIC2	1	18-Dec-2009 21:04:18.0	yes
46	(46) HOPS-62	NIC2	1	18-Dec-2009 21:04:25.0	yes
49	(49) HOPS-65	NIC2	1	18-Dec-2009 21:04:29.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
55	(55) HOPS-71	NIC2	1	18-Dec-2009 21:04:33.0	yes
56	(56) HOPS-72	NIC2	1	18-Dec-2009 21:04:36.0	yes
60	(60) HOPS-76	NIC2	1	18-Dec-2009 21:04:40.0	yes
74	(74) HOPS-93	NIC2	1	18-Dec-2009 21:04:44.0	yes
75	(75) HOPS-94	NIC2	1	18-Dec-2009 21:04:50.0	yes
76	(76) HOPS-95	NIC2	1	18-Dec-2009 21:04:54.0	yes
80	(80) HOPS-99	NIC2	1	18-Dec-2009 21:04:58.0	yes
92	(92) HOPS-124	NIC2	1	18-Dec-2009 21:05:02.0	yes
93	(93) HOPS-125	NIC2	1	18-Dec-2009 21:05:07.0	yes
0B	(101) HOPS-134	NIC2	1	18-Dec-2009 21:05:12.0	yes
0C	(102) HOPS-135	NIC2	1	18-Dec-2009 21:05:15.0	yes
0D	(103) HOPS-136	NIC2	1	18-Dec-2009 21:05:22.0	yes
0E	(104) HOPS-139	NIC2	1	18-Dec-2009 21:05:26.0	yes
0G	(106) HOPS-141	NIC2	1	18-Dec-2009 21:05:29.0	yes
0H	(107) HOPS-143	NIC2	1	18-Dec-2009 21:05:33.0	yes
0I	(108) HOPS-144	NIC2	1	18-Dec-2009 21:05:36.0	yes
0J	(109) HOPS-145	NIC2	1	18-Dec-2009 21:05:40.0	yes
0K	(110) HOPS-148	NIC2	1	18-Dec-2009 21:05:47.0	yes
0L	(111) HOPS-149	NIC2	1	18-Dec-2009 21:05:50.0	yes
0P	(115) HOPS-154	NIC2	1	18-Dec-2009 21:05:54.0	yes
0Q	(116) HOPS-156	NIC2	1	18-Dec-2009 21:05:57.0	yes
0R	(117) HOPS-157	NIC2	1	18-Dec-2009 21:06:01.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
0S	(118) HOPS-158	NIC2	1	18-Dec-2009 21:06:05.0	yes
0T	(119) HOPS-159	NIC2	1	18-Dec-2009 21:06:08.0	yes
0U	(120) HOPS-160	NIC2	1	18-Dec-2009 21:06:15.0	yes
0W	(122) HOPS-165	NIC2	1	18-Dec-2009 21:06:19.0	yes
0X	(123) HOPS-166	NIC2	1	18-Dec-2009 21:06:22.0	yes
0Y	(124) HOPS-167	NIC2	1	18-Dec-2009 21:06:26.0	yes
0Z	(125) HOPS-168	NIC2	1	18-Dec-2009 21:06:29.0	yes
1A	(126) HOPS-169+362	NIC2	1	18-Dec-2009 21:06:33.0	yes
1B	(127) HOPS-170	NIC2	1	18-Dec-2009 21:06:40.0	yes
1D	(129) HOPS-172	NIC2	1	18-Dec-2009 21:06:44.0	yes
1F	(131) HOPS-175+176	NIC2	1	18-Dec-2009 21:06:47.0	yes
1G	(132) HOPS-177	NIC2	1	18-Dec-2009 21:06:51.0	yes
1N	(139) HOPS-186	NIC2	1	18-Dec-2009 21:06:54.0	yes
1Q	(142) HOPS-189	NIC2	1	18-Dec-2009 21:06:58.0	yes
1S	(144) HOPS-191	NIC2	1	18-Dec-2009 21:07:01.0	yes
1T	(145) HOPS-192	NIC2	1	18-Dec-2009 21:07:08.0	yes
1U	(146) HOPS-193	NIC2	1	18-Dec-2009 21:07:11.0	yes
1V	(147) HOPS-194	NIC2	1	18-Dec-2009 21:07:15.0	yes
1W	(148) HOPS-197	NIC2	1	18-Dec-2009 21:07:19.0	yes
1X	(149) HOPS-198	NIC2	1	18-Dec-2009 21:07:22.0	yes
1Y	(150) HOPS-199	NIC2	1	18-Dec-2009 21:07:26.0	yes
1Z	(151) HOPS-200	NIC2	1	18-Dec-2009 21:07:29.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
2A	(152) HOPS-203	NIC2	1	18-Dec-2009 21:07:36.0	yes
2B	(153) HOPS-204	NIC2	1	18-Dec-2009 21:07:40.0	yes
2J	(161) HOPS-215	NIC2	1	18-Dec-2009 21:07:43.0	yes
2Q	(168) HOPS-224	NIC2	1	18-Dec-2009 21:07:47.0	yes
2R	(169) HOPS-225	NIC2	1	18-Dec-2009 21:07:51.0	yes
2S	(170) HOPS-226	NIC2	1	18-Dec-2009 21:07:54.0	yes
2T	(171) HOPS-227	NIC2	1	18-Dec-2009 21:08:01.0	yes
2U	(172) HOPS-228	NIC2	1	18-Dec-2009 21:08:04.0	yes
3B	(179) HOPS-237	NIC2	1	18-Dec-2009 21:08:08.0	yes
3N	(191) HOPS-250	NIC2	1	18-Dec-2009 21:08:11.0	yes
4A	(204) HOPS-267	NIC2	1	18-Dec-2009 21:08:15.0	yes
4B	(205) HOPS-268	NIC2	1	18-Dec-2009 21:08:19.0	yes
4D	(207) HOPS-271	NIC2	1	18-Dec-2009 21:08:22.0	yes
4I	(212) HOPS-276	NIC2	1	18-Dec-2009 21:08:28.0	yes
4K	(214) HOPS-279	NIC2	1	18-Dec-2009 21:08:32.0	yes
4Q	(220) HOPS-286	NIC2	1	18-Dec-2009 21:08:36.0	yes
5A	(230) HOPS-299	NIC2	1	18-Dec-2009 21:08:39.0	yes
5C	(232) HOPS-301	NIC2	1	18-Dec-2009 21:08:43.0	yes
5J	(239) HOPS-311	NIC2	1	18-Dec-2009 21:08:46.0	yes
5K	(240) HOPS-312	NIC2	1	18-Dec-2009 21:08:53.0	yes
5L	(241) HOPS-316	NIC2	1	18-Dec-2009 21:08:56.0	yes
6L	(267) HOPS-340	NIC2	1	18-Dec-2009 21:09:00.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
6N	(269) HSTOPS-6	NIC2	1	18-Dec-2009 21:09:03.0	yes
6U	(271) HOPS-4	WFC3/IR	1	18-Dec-2009 21:09:06.0	yes
6V	(272) HOPS-5	WFC3/IR	1	18-Dec-2009 21:09:09.0	yes
6W	(273) HOPS-21	WFC3/IR	1	18-Dec-2009 21:09:12.0	yes
6X	(398) ORI-B6	WFC3/IR	1	18-Dec-2009 21:09:14.0	yes
6Y	(275) HOPS-24	WFC3/IR	1	18-Dec-2009 21:09:17.0	yes
6Z	(276) HOPS-38	WFC3/IR	1	18-Dec-2009 21:09:19.0	yes
7A	(277) HOPS-40	WFC3/IR	1	18-Dec-2009 21:09:22.0	yes
7B	(278) HOPS-48	WFC3/IR	1	18-Dec-2009 21:09:24.0	yes
B8	(278) HOPS-48	WFC3/IR	1	18-Dec-2009 21:09:27.0	yes
7C	(279) HOPS-50	WFC3/IR	1	18-Dec-2009 21:09:29.0	yes
7D	(280) HOPS-321	WFC3/IR	1	18-Dec-2009 21:09:32.0	yes
7E	(281) HOPS-60	WFC3/IR	1	18-Dec-2009 21:09:34.0	yes
7F	(282) HOPS-73	WFC3/IR	1	18-Dec-2009 21:09:37.0	yes
7G	(283) HOPS-77	WFC3/IR	1	18-Dec-2009 21:09:39.0	yes
7H	(284) HOPS-81	WFC3/IR	1	18-Dec-2009 21:09:42.0	yes
7I	(285) HOPS-82	WFC3/IR	1	18-Dec-2009 21:09:44.0	yes
7J	(286) HOPS-96	WFC3/IR	1	18-Dec-2009 21:09:47.0	yes
7K	(287) HOPS-97	WFC3/IR	1	18-Dec-2009 21:09:49.0	yes
7L	(288) HOPS-98	WFC3/IR	1	18-Dec-2009 21:09:52.0	yes
7M	(289) HOPS-101	WFC3/IR	1	18-Dec-2009 21:09:54.0	yes
7N	(290) HOPS-105	WFC3/IR	1	18-Dec-2009 21:09:57.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
7O	(291) HOPS-107	WFC3/IR	1	18-Dec-2009 21:09:59.0	yes
7P	(292) HOPS-114	WFC3/IR	1	18-Dec-2009 21:10:02.0	yes
7Q	(293) HOPS-118	WFC3/IR	1	18-Dec-2009 21:10:07.0	yes
7R	(294) HOPS-119	WFC3/IR	1	18-Dec-2009 21:10:10.0	yes
7S	(295) HOPS-120	WFC3/IR	1	18-Dec-2009 21:10:12.0	yes
7T	(296) HOPS-123	WFC3/IR	1	18-Dec-2009 21:10:15.0	yes
7U	(297) HOPS-127	WFC3/IR	1	18-Dec-2009 21:10:17.0	yes
7V	(298) HOPS-128	WFC3/IR	1	18-Dec-2009 21:10:20.0	yes
7W	(299) HOPS-129	WFC3/IR	1	18-Dec-2009 21:10:22.0	yes
7X	(300) HOPS-130	WFC3/IR	1	18-Dec-2009 21:10:25.0	yes
7Y	(301) HOPS-140	WFC3/IR	1	18-Dec-2009 21:10:27.0	yes
7Z	(302) HOPS-150	WFC3/IR	1	18-Dec-2009 21:10:33.0	yes
8A	(115) HOPS-154	WFC3/IR	1	18-Dec-2009 21:10:35.0	yes
8B	(304) HOPS-163	WFC3/IR	1	18-Dec-2009 21:10:38.0	yes
8C	(305) HOPS-171	WFC3/IR	1	18-Dec-2009 21:10:40.0	yes
8D	(306) HOPS-178	WFC3/IR	1	18-Dec-2009 21:10:43.0	yes
8E	(307) HOPS-179	WFC3/IR	1	18-Dec-2009 21:10:45.0	yes
8F	(308) HOPS-185	WFC3/IR	1	18-Dec-2009 21:10:48.0	yes
8G	(139) HOPS-186	WFC3/IR	1	18-Dec-2009 21:10:50.0	yes
8H	(310) HOPS-187	WFC3/IR	1	18-Dec-2009 21:10:53.0	yes
8I	(145) HOPS-192	WFC3/IR	1	18-Dec-2009 21:10:55.0	yes
8J	(312) HOPS-205	WFC3/IR	1	18-Dec-2009 21:10:58.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
8K	(313) HOPS-206	WFC3/IR	1	18-Dec-2009 21:11:00.0	yes
8L	(314) HOPS-207	WFC3/IR	1	18-Dec-2009 21:11:03.0	yes
8M	(315) HOPS-209	WFC3/IR	1	18-Dec-2009 21:11:05.0	yes
8N	(316) HOPS-210	WFC3/IR	1	18-Dec-2009 21:11:08.0	yes
8O	(317) HOPS-213	WFC3/IR	1	18-Dec-2009 21:11:10.0	yes
8P	(318) HOPS-214	WFC3/IR	1	18-Dec-2009 21:11:13.0	yes
8Q	(319) HOPS-216	WFC3/IR	1	18-Dec-2009 21:11:15.0	yes
8R	(320) HOPS-229	WFC3/IR	1	18-Dec-2009 21:11:18.0	yes
8S	(321) HOPS-232	WFC3/IR	1	18-Dec-2009 21:11:20.0	yes
8T	(322) HOPS-234	WFC3/IR	1	18-Dec-2009 21:11:23.0	yes
8U	(323) HOPS-235	WFC3/IR	1	18-Dec-2009 21:11:25.0	yes
8V	(324) HOPS-242	WFC3/IR	1	18-Dec-2009 21:11:28.0	yes
8W	(325) HOPS-246	WFC3/IR	1	18-Dec-2009 21:11:30.0	yes
8X	(326) HOPS-247	WFC3/IR	1	18-Dec-2009 21:11:33.0	yes
8Y	(327) HOPS-251	WFC3/IR	1	18-Dec-2009 21:11:35.0	yes
8Z	(328) HOPS-253	WFC3/IR	1	18-Dec-2009 21:11:38.0	yes
9A	(329) HOPS-270	WFC3/IR	1	18-Dec-2009 21:11:40.0	yes
9B	(330) HOPS-274	WFC3/IR	1	18-Dec-2009 21:11:42.0	yes
9C	(331) HOPS-275	WFC3/IR	1	18-Dec-2009 21:11:45.0	yes
9D	(332) HOPS-278	WFC3/IR	1	18-Dec-2009 21:11:47.0	yes
9E	(333) HOPS-280	WFC3/IR	1	18-Dec-2009 21:11:50.0	yes
9F	(334) HOPS-281	WFC3/IR	1	18-Dec-2009 21:11:52.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
9G	(335) HOPS-282	WFC3/IR	1	18-Dec-2009 21:11:55.0	yes
9H	(336) HOPS-283	WFC3/IR	1	18-Dec-2009 21:11:57.0	yes
9I	(337) HOPS-284	WFC3/IR	1	18-Dec-2009 21:12:00.0	yes
9J	(338) HOPS-287	WFC3/IR	1	18-Dec-2009 21:12:02.0	yes
9K	(339) HOPS-293	WFC3/IR	1	18-Dec-2009 21:12:05.0	yes
9L	(340) HOPS-294	WFC3/IR	1	18-Dec-2009 21:12:07.0	yes
9M	(341) HOPS-295	WFC3/IR	1	18-Dec-2009 21:12:10.0	yes
9N	(342) HOPS-297	WFC3/IR	1	18-Dec-2009 21:12:12.0	yes
9O	(343) HOPS-298	WFC3/IR	1	18-Dec-2009 21:12:15.0	yes
9P	(344) HOPS-300	WFC3/IR	1	18-Dec-2009 21:12:17.0	yes
9Q	(232) HOPS-301	WFC3/IR	1	18-Dec-2009 21:12:20.0	yes
9R	(346) HOPS-256	WFC3/IR	1	18-Dec-2009 21:12:22.0	yes
9S	(347) HOPS-310	WFC3/IR	1	18-Dec-2009 21:12:25.0	yes
9T	(240) HOPS-312	WFC3/IR	1	18-Dec-2009 21:12:27.0	yes
9U	(349) HOPS-317	WFC3/IR	1	18-Dec-2009 21:12:30.0	yes
9V	(350) HOPS-325	WFC3/IR	1	18-Dec-2009 21:12:32.0	yes
9W	(351) HOPS-326	WFC3/IR	1	18-Dec-2009 21:12:35.0	yes
9X	(352) HOPS-329	WFC3/IR	1	18-Dec-2009 21:12:37.0	yes
9Y	(353) HOPS-330	WFC3/IR	1	18-Dec-2009 21:12:40.0	yes
9Z	(354) HOPS-331	WFC3/IR	1	18-Dec-2009 21:12:42.0	yes
A0	(355) HOPS-335	WFC3/IR	1	18-Dec-2009 21:12:45.0	yes
A1	(356) HOPS-339	WFC3/IR	1	18-Dec-2009 21:12:47.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
A2	(357) HOPS-344	WFC3/IR	1	18-Dec-2009 21:12:50.0	yes
A3	(358) HOPS-345	WFC3/IR	1	18-Dec-2009 21:12:52.0	yes
A4	(359) HOPS-346	WFC3/IR	1	18-Dec-2009 21:12:55.0	yes
A5	(360) HOPS-347	WFC3/IR	1	18-Dec-2009 21:12:57.0	yes
B6	(360) HOPS-347	WFC3/IR	1	18-Dec-2009 21:13:00.0	yes
A6	(361) HOPS-354	WFC3/IR	1	18-Dec-2009 21:13:02.0	yes
A7	(362) HOPS-355	WFC3/IR	1	18-Dec-2009 21:13:05.0	yes
A8	(363) HOPS-359	WFC3/IR	1	18-Dec-2009 21:13:07.0	yes
B7	(363) HOPS-359	WFC3/IR	1	18-Dec-2009 21:13:10.0	yes
A9	(364) HOPS-322	WFC3/IR	1	18-Dec-2009 21:13:12.0	yes
AA	(365) HSTOPS-1	WFC3/IR	1	18-Dec-2009 21:13:15.0	yes
AB	(366) HSTOPS-3	WFC3/IR	1	18-Dec-2009 21:13:17.0	yes
AC	(367) HOPS-342M	WFC3/IR	1	18-Dec-2009 21:13:20.0	yes
AD	(368) HOPS-337M	WFC3/IR	1	18-Dec-2009 21:13:22.0	yes
AE	(369) HOPS-89M	WFC3/IR	1	18-Dec-2009 21:13:25.0	yes
AF	(370) HOPS-86M	WFC3/IR	1	18-Dec-2009 21:13:27.0	yes
AG	(371) HOPS-84M	WFC3/IR	1	18-Dec-2009 21:13:29.0	yes
AH	(372) HOPS-74M	WFC3/IR	1	18-Dec-2009 21:13:32.0	yes
AI	(373) HOPS-67M	WFC3/IR	1	18-Dec-2009 21:13:35.0	yes
AJ	(374) HOPS-63M	WFC3/IR	1	18-Dec-2009 21:13:37.0	yes
AK	(375) HOPS-58M	WFC3/IR	1	18-Dec-2009 21:13:40.0	yes
AL	(376) HOPS-28M	WFC3/IR	1	18-Dec-2009 21:13:42.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
AM	(377) HOPS-181M	WFC3/IR	1	18-Dec-2009 21:13:45.0	yes
AN	(378) HOPS-173M	WFC3/IR	1	18-Dec-2009 21:13:47.0	yes
AO	(379) HOPS-17M	WFC3/IR	1	18-Dec-2009 21:13:50.0	yes
AP	(380) HOPS-188M	WFC3/IR	1	18-Dec-2009 21:13:52.0	yes
AQ	(381) HOPS-152M	WFC3/IR	1	18-Dec-2009 21:13:55.0	yes
AR	(382) HOPS-131M	WFC3/IR	1	18-Dec-2009 21:13:57.0	yes
AS	(383) HOPS-115M	WFC3/IR	1	18-Dec-2009 21:14:00.0	yes
AT	(384) HOPS-288M	WFC3/IR	1	18-Dec-2009 21:14:02.0	yes
AU	(385) HOPS-262M	WFC3/IR	1	18-Dec-2009 21:14:05.0	yes
AV	(386) HOPS-254M	WFC3/IR	1	18-Dec-2009 21:14:07.0	yes
AW	(387) HOPS-257M	WFC3/IR	1	18-Dec-2009 21:14:10.0	yes
AX	(388) HOPS-272M	WFC3/IR	1	18-Dec-2009 21:14:12.0	yes
AY	(389) HOPS-245M	WFC3/IR	1	18-Dec-2009 21:14:15.0	yes
AZ	(390) HOPS-239M	WFC3/IR	1	18-Dec-2009 21:14:17.0	yes
B0	(391) HOPS-236M	WFC3/IR	1	18-Dec-2009 21:14:20.0	yes
B1	(392) HOPS-243M	WFC3/IR	1	18-Dec-2009 21:14:22.0	yes
B2	(393) HOPS-252M	WFC3/IR	1	18-Dec-2009 21:14:25.0	yes
B3	(394) HOPS-259M	WFC3/IR	1	18-Dec-2009 21:14:27.0	yes
B4	(395) HOPS-221M	WFC3/IR	1	18-Dec-2009 21:14:30.0	yes
B5	(396) HOPS-219M	WFC3/IR	1	18-Dec-2009 21:14:32.0	yes

221 Total Orbits Used

ABSTRACT

We propose NICMOS observations of a sample of 252 protostars identified in the Orion A cloud with the Spitzer Space Telescope. These observations will image the scattered light escaping the protostellar envelopes, providing information on the shapes of outflow cavities, the inclinations of the protostars, and the overall morphologies of the envelopes. In addition, we ask for Spitzer time to obtain 55-95 micron spectra of 75 of the protostars. Combining these new data with existing 3.6 to 70 micron photometry and forthcoming 5-40 micron spectra measured with the Spitzer Space Telescope, we will determine the physical properties of the protostars such as envelope density, luminosity, infall rate, and outflow cavity opening angle. By examining how these properties vary with stellar density (i.e. clusters vs groups vs isolation) and the properties of the surrounding molecular cloud; we can directly measure how the surrounding environment influences protostellar evolution, and consequently, the formation of stars and planetary systems. Ultimately, this data will guide the development of a theory of protostellar evolution.


OBSERVING DESCRIPTION

NICMOS: In each visit, we will image protostars in the F160W and F205W bands with a total of 1215.6 and 767.6 seconds of integration time, respectively. For each source and filter combination, we will observe in the MULTIACCUM mode with four spiral dithers at a separation of one arcsecond.

WFC3: In each visit, we will image protostars in the F160W band with a total of 2497 seconds of integration time using WFC3. For each source, we will observe in the MULTIACCUM mode with five line dithers at a separation of 2.106 arcseconds.


Proposal 11548 - Visit 01 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 01, completed										Sat Dec 19 02:14:39 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(1)	HOPS-1	RA: 05 54 12.3360 (88.5514000d)				V=(?)		Reference Frame: ICRS			
			Dec: +01 42 35.50 (1.70986d)				K=16.0					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(1) HOPS-1	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(1) HOPS-1	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 02 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 02, completed										Sat Dec 19 02:14:41 GMT 2009												
	Diagnostic Status: No Diagnostics																						
	Scientific Instruments: NIC2																						
	Special Requirements: (none)																						
Patterns	#	Primary Pattern										Secondary Pattern										Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH					Coordinate Frame=POS-TARG															(1), (2)	
		Purpose=DITHER					Pattern Orientation=0.0																
		Number Of Points=4					Angle Between Sides=																
		Point Spacing=1					Center Pattern=false																
		Line Spacing=																					
Fixed Targets	#	Name		Target Coordinates				Targ. Coord. Corrections				Fluxes				Miscellaneous							
	(2)	HOPS-2		RA: 05 54 9.1296 (88.5380400d)								V=(?)				Reference Frame: ICRS							
				Dec: +01 42 51.98 (1.71444d)								K=12.23											
				Equinox: J2000																			
Exposures	#	Label	Target	Config,Mode,Aperture				Spectral Els.		Opt. Params.		Special Reqs.		Groups		Exp. Time/[Actual Dur.]				Orbit			
	1		(2) HOPS-2	NIC2, MULTIACCUM, NIC2				F160W		SAMP-SEQ=STEP1 6; NSAMP=25				Pattern 1, Exps 1-1 (1)		[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]				[1]			
	2		(2) HOPS-2	NIC2, MULTIACCUM, NIC2				F205W		SAMP-SEQ=STEP1 6; NSAMP=18				Pattern 1, Exps 2-2 (1)		[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]				[1]			




Proposal 11548 - Visit 07 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 07, completed										Sat Dec 19 02:14:42 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false										(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous			
	(7)	HOPS-7	RA: 05 54 20.0448 (88.5835200d) Dec: +01 50 42.76 (1.84521d) Equinox: J2000					V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit		
	1		(7) HOPS-7	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]		
	2		(7) HOPS-7	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]		




Proposal 11548 - Visit 08 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 08, completed										Sat Dec 19 02:14:42 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(8)	HOPS-10	RA: 05 35 9.0048 (83.7875200d)				V=(?)		Reference Frame: ICRS			
			Dec: -05 58 27.55 (-5.97432d)				K=16.0					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(8) HOPS-10	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(8) HOPS-10	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 09 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 09, completed										Sat Dec 19 02:14:42 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(9)	HOPS-11	RA: 05 35 13.4088 (83.8058700d) Dec: -05 57 58.10 (-5.96614d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(9) HOPS-11	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(9) HOPS-11	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 10 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 10, completed										Sat Dec 19 02:14:43 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(10)	HOPS-12	RA: 05 35 8.6016 (83.7858400d) Dec: -05 55 54.26 (-5.93174d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(10) HOPS-12	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(10) HOPS-12	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 11 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 11, completed										Sat Dec 19 02:14:43 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(11)	HOPS-13		RA: 05 35 24.5592 (83.8523300d) Dec: -05 55 33.42 (-5.92595d) Equinox: J2000				V=(?) K=11.48		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(11) HOPS-13	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(11) HOPS-13	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 12 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 12, completed										Sat Dec 19 02:14:44 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(12)	HOPS-15	RA: 05 36 19.0176 (84.0792400d)				V=(?)		Reference Frame: ICRS			
			Dec: -05 55 25.46 (-5.92374d)				K=14.26					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(12) HOPS-15	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(12) HOPS-15	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 13 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 13, completed										Sat Dec 19 02:14:44 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(13)	HOPS-16		RA: 05 35 0.8136 (83.7533900d) Dec: -05 55 25.68 (-5.92380d) Equinox: J2000				V=(?) K=12.8		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(13) HOPS-16	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(13) HOPS-16	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 16 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 16, completed										Sat Dec 19 02:14:44 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(16)	HOPS-20	RA: 05 33 30.7128 (83.3779700d) Dec: -05 50 41.03 (-5.84473d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(16) HOPS-20	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
2		(16) HOPS-20	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]		




Proposal 11548 - Visit 23 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 23, completed										Sat Dec 19 02:14:44 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(23)	HOPS-30	RA: 05 34 44.0616 (83.6835900d)				V=(?)		Reference Frame: ICRS			
			Dec: -05 41 25.87 (-5.69052d)				K=16.0					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(23) HOPS-30	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(23) HOPS-30	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 24 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 24, completed					Sat Dec 19 02:14:44 GMT 2009					
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: NIC2										
	Special Requirements: (none)										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(24)	HOPS-32	RA: 05 34 35.4504 (83.6477100d) Dec: -05 39 59.11 (-5.66642d) Equinox: J2000				V=(?) K=15.31		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(24) HOPS-32	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(24) HOPS-32	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 25 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 25, completed										Sat Dec 19 02:14:45 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(25)	HOPS-36	RA: 05 34 26.4312 (83.6101300d)				V=(?)		Reference Frame: ICRS			
			Dec: -05 37 40.51 (-5.62792d)				K=12.3					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(25) HOPS-36	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(25) HOPS-36	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 28 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 28, completed										Sat Dec 19 02:14:45 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(28)	HOPS-41	RA: 05 34 29.4408 (83.6226700d)				V=(?)		Reference Frame: ICRS			
			Dec: -05 35 42.68 (-5.59519d)				K=16.0					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(28) HOPS-41	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(28) HOPS-41	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 29 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 29, completed										Sat Dec 19 02:14:45 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(29)	HOPS-42	RA: 05 35 5.0400 (83.7710000d)				V=(?)		Reference Frame: ICRS			
			Dec: -05 35 40.70 (-5.59464d)				K=13.84					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(29) HOPS-42	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6;		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
						NSAMP=25						
	2		(29) HOPS-42	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6;		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
						NSAMP=18						




Proposal 11548 - Visit 30 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 30, completed										Sat Dec 19 02:14:45 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(30)	HOPS-43		RA: 05 35 4.5048 (83.7687700d) Dec: -05 35 14.35 (-5.58732d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(30) HOPS-43	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(30) HOPS-43	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 31 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 31, completed										Sat Dec 19 02:14:46 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false					(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(31)	HOPS-44		RA: 05 35 10.5744 (83.7940600d) Dec: -05 35 6.32 (-5.58509d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(31) HOPS-44	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(31) HOPS-44	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 32 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 32, completed										Sat Dec 19 02:14:46 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(32)	HOPS-45	RA: 05 35 6.4512 (83.7768800d)				V=(?)		Reference Frame: ICRS			
			Dec: -05 33 35.10 (-5.55975d)				K=8.72					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(32) HOPS-45	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6;		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
						NSAMP=25						
	2		(32) HOPS-45	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6;		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
						NSAMP=18						




Proposal 11548 - Visit 33 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 33, completed										Sat Dec 19 02:14:46 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(33)	HOPS-46		RA: 05 34 42.1968 (83.6758200d) Dec: -05 33 3.28 (-5.55091d) Equinox: J2000				V=(?) K=12.18		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(33) HOPS-46	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(33) HOPS-46	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 34 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 34, completed										Sat Dec 19 02:14:46 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(34)	HOPS-47		RA: 05 33 45.8688 (83.4411200d)				V=(?)		Reference Frame: ICRS		
				Dec: -05 32 58.09 (-5.54947d)				K=14.14				
				Equinox: J2000								
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(34) HOPS-47	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(34) HOPS-47	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 39 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 39, completed										Sat Dec 19 02:14:46 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(39)	HOPS-53	RA: 05 33 57.3744 (83.4890600d) Dec: -05 23 30.41 (-5.39178d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(39) HOPS-53	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(39) HOPS-53	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 41 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 41, completed					Sat Dec 19 02:14:47 GMT 2009					
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: NIC2										
	Special Requirements: (none)										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(41)	HOPS-56	RA: 05 35 19.4664 (83.8311100d) Dec: -05 15 32.72 (-5.25909d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(41) HOPS-56	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(41) HOPS-56	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 42 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 42, completed										Sat Dec 19 02:14:47 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(42)	HOPS-57	RA: 05 35 19.8360 (83.8326500d)				V=(?)		Reference Frame: ICRS			
Dec: -05 15 8.53 (-5.25237d)		K=10.21										
Equinox: J2000												
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(42) HOPS-57	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(42) HOPS-57	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 46 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 46, completed										Sat Dec 19 02:14:47 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false										(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(46)	HOPS-62		RA: 05 35 24.5784 (83.8524100d) Dec: -05 11 29.65 (-5.19157d) Equinox: J2000				V=(?) K=10.39		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(46) HOPS-62	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(46) HOPS-62	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 49 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 49, completed										Sat Dec 19 02:14:47 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(49)	HOPS-65		RA: 05 35 21.5544 (83.8398100d)				V=(?)		Reference Frame: ICRS		
				Dec: -05 09 38.70 (-5.16075d)				K=12.44				
				Equinox: J2000								
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(49) HOPS-65	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(49) HOPS-65	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 55 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 55, completed										Sat Dec 19 02:14:47 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(55)	HOPS-71		RA: 05 35 25.6080 (83.8567000d) Dec: -05 07 57.32 (-5.13259d) Equinox: J2000				V=(?) K=10.27		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(55) HOPS-71	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(55) HOPS-71	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 56 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 56, completed										Sat Dec 19 02:14:48 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(56)	HOPS-72	RA: 05 35 25.7136 (83.8571400d)				V=(?)		Reference Frame: ICRS			
Dec: -05 07 46.42 (-5.12956d)		K=11.23										
Equinox: J2000												
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(56) HOPS-72	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(56) HOPS-72	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 60 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 60, completed										Sat Dec 19 02:14:48 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(60)	HOPS-76	RA: 05 35 25.7520 (83.8573000d)				V=(?)		Reference Frame: ICRS			
			Dec: -05 05 57.95 (-5.09943d)				K=12.65					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(60) HOPS-76	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(60) HOPS-76	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 74 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 74, completed										Sat Dec 19 02:14:48 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(74)	HOPS-93		RA: 05 35 15.0288 (83.8126200d) Dec: -05 00 8.21 (-5.00228d) Equinox: J2000				V=(?) K=14.66		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(74) HOPS-93	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(74) HOPS-93	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 75 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 75, completed										Sat Dec 19 02:14:48 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(75)	HOPS-94	RA: 05 35 16.1520 (83.8173000d)				V=(?)		Reference Frame: ICRS			
			Dec: -05 00 2.27 (-5.00063d)				K=11.98					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(75) HOPS-94	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(75) HOPS-94	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 76 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 76, completed										Sat Dec 19 02:14:49 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(76)	HOPS-95	RA: 05 35 34.1976 (83.8924900d) Dec: -04 59 52.22 (-4.99784d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(76) HOPS-95	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(76) HOPS-95	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 80 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 80, completed										Sat Dec 19 02:14:49 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(80)	HOPS-99		RA: 05 34 29.5008 (83.6229200d) Dec: -04 55 30.61 (-4.92517d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(80) HOPS-99	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]		[1]	
	2		(80) HOPS-99	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]		[1]	




Proposal 11548 - Visit 92 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 92, completed										Sat Dec 19 02:14:49 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(92)	HOPS-124	RA: 05 39 19.9848 (84.8332700d)				V=(?)		Reference Frame: ICRS			
			Dec: -07 26 11.18 (-7.43644d)				K=16.0					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(92) HOPS-124	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(92) HOPS-124	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 93 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 93, completed										Sat Dec 19 02:14:49 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(93)	HOPS-125		RA: 05 39 19.6128 (84.8317200d)				V=(?)		Reference Frame: ICRS		
				Dec: -07 26 18.82 (-7.43856d)				K=11.27				
				Equinox: J2000								
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(93) HOPS-125	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(93) HOPS-125	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 0B - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0B, completed										Sat Dec 19 02:14:49 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(101)	HOPS-134	RA: 05 38 42.7800 (84.6782500d)				V=(?)		Reference Frame: ICRS			
			Dec: -07 12 43.85 (-7.21218d)				K=8.12					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(101) HOPS-134	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(101) HOPS-134	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 0C - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0C, completed										Sat Dec 19 02:14:50 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(102)	HOPS-135	RA: 05 38 45.3144 (84.6888100d)				V=(?)		Reference Frame: ICRS			
			Dec: -07 10 55.92 (-7.18220d)				K=13.4					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(102) HOPS-135	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(102) HOPS-135	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 0D - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0D, completed					Sat Dec 19 02:14:50 GMT 2009					
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: NIC2										
	Special Requirements: (none)										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(103)	HOPS-136	RA: 05 38 46.5360 (84.6939000d) Dec: -07 05 37.46 (-7.09374d) Equinox: J2000				V=(?) K=12.5		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(103) HOPS-136	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(103) HOPS-136	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 0E - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0E, completed										Sat Dec 19 02:14:50 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(104)	HOPS-139		RA: 05 38 49.6152 (84.7067300d) Dec: -07 01 17.80 (-7.02161d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(104) HOPS-139	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(104) HOPS-139	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 0G - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0G, completed										Sat Dec 19 02:14:50 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous		
	(106)	HOPS-141		RA: 05 38 48.0144 (84.7000600d) Dec: -07 00 49.46 (-7.01374d) Equinox: J2000					V=(?) K=12.12		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(106) HOPS-141	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(106) HOPS-141	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 0H - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0H, completed										Sat Dec 19 02:14:50 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(107)	HOPS-143		RA: 05 38 46.1856 (84.6924400d) Dec: -07 00 48.56 (-7.01349d) Equinox: J2000				V=(?) K=14.92		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(107) HOPS-143	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(107) HOPS-143	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 0I - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0I, completed										Sat Dec 19 02:14:51 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(108)	HOPS-144	RA: 05 38 45.0120 (84.6875500d)				V=(?)		Reference Frame: ICRS			
			Dec: -07 01 1.74 (-7.01715d)				K=16.0					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(108) HOPS-144	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(108) HOPS-144	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 0J - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0J, completed										Sat Dec 19 02:14:51 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Coordinate Frame=POS-TARG Purpose=DITHER Pattern Orientation=0.0 Number Of Points=4 Angle Between Sides= Point Spacing=1 Center Pattern=false Line Spacing=									(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(109)	HOPS-145	RA: 05 38 43.8384 (84.6826600d) Dec: -07 01 13.22 (-7.02034d) Equinox: J2000				V=(?) K=12.42		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(109) HOPS-145	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(109) HOPS-145	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 0K - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0K, completed										Sat Dec 19 02:14:51 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH			Coordinate Frame=POS-TARG							(1), (2)	
	Purpose=DITHER			Pattern Orientation=0.0									
	Number Of Points=4			Angle Between Sides=									
	Point Spacing=1			Center Pattern=false									
Line Spacing=													
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(110)	HOPS-148		RA: 05 38 39.5136 (84.6646400d) Dec: -06 59 30.34 (-6.99176d) Equinox: J2000				V=(?) K=12.91		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(110) HOPS-148	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(110) HOPS-148	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 0L - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0L, completed					Sat Dec 19 02:14:51 GMT 2009					
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: NIC2										
	Special Requirements: (none)										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(111)	HOPS-149	RA: 05 38 40.4784 (84.6686600d) Dec: -06 58 21.68 (-6.97269d) Equinox: J2000				V=(?) K=8.79		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(111) HOPS-149	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]		[1]
	2		(111) HOPS-149	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)]		[1]




Proposal 11548 - Visit 0P - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0P, failed										Sat Dec 19 02:14:51 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(115)	HOPS-154	RA: 05 38 20.0928 (84.5837200d) Dec: -06 59 4.85 (-6.98468d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(115) HOPS-154	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(115) HOPS-154	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 0Q - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0Q, completed										Sat Dec 19 02:14:52 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(116)	HOPS-156		RA: 05 38 3.4032 (84.5141800d) Dec: -06 58 15.82 (-6.97106d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(116) HOPS-156	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(116) HOPS-156	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 0R - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0R, completed										Sat Dec 19 02:14:52 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(117)	HOPS-157		RA: 05 37 56.5656 (84.4856900d) Dec: -06 56 39.19 (-6.94422d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(117) HOPS-157	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(117) HOPS-157	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 0S - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0S, completed										Sat Dec 19 02:14:52 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(118)	HOPS-158		RA: 05 37 24.4584 (84.3519100d) Dec: -06 58 32.77 (-6.97577d) Equinox: J2000				V=(?) K=9.85		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(118) HOPS-158	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(118) HOPS-158	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 0T - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0T, completed										Sat Dec 19 02:14:52 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(119)	HOPS-159		RA: 05 37 53.7360 (84.4739000d) Dec: -06 47 16.94 (-6.78804d) Equinox: J2000				V=(?) K=11.96		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(119) HOPS-159	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(119) HOPS-159	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Visit	Proposal 11548, Visit 0U, completed										Sat Dec 19 02:14:52 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH			Coordinate Frame=POS-TARG						(1), (2)	
	Purpose=DITHER			Pattern Orientation=0.0								
	Number Of Points=4			Angle Between Sides=								
	Point Spacing=1			Center Pattern=false								
Line Spacing=												
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(120)	HOPS-160		RA: 05 37 51.0408 (84.4626700d) Dec: -06 47 20.40 (-6.78900d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(120) HOPS-160	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(120) HOPS-160	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 0W - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0W, completed										Sat Dec 19 02:14:53 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false					(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(122)	HOPS-165		RA: 05 36 23.5416 (84.0980900d) Dec: -06 46 14.56 (-6.77071d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(122) HOPS-165	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(122) HOPS-165	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 0X - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0X, completed										Sat Dec 19 02:14:53 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(123)	HOPS-166		RA: 05 36 25.1256 (84.1046900d) Dec: -06 44 41.82 (-6.74495d) Equinox: J2000				V=(?) K=8.21		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(123) HOPS-166	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(123) HOPS-166	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 0Y - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0Y, completed										Sat Dec 19 02:14:53 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(124)	HOPS-167		RA: 05 36 19.7928 (84.0824700d) Dec: -06 46 0.88 (-6.76691d) Equinox: J2000				V=(?) K=12.73		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(124) HOPS-167	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(124) HOPS-167	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 0Z - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 0Z, completed										Sat Dec 19 02:14:53 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(125)	HOPS-168		RA: 05 36 18.9336 (84.0788900d) Dec: -06 45 22.72 (-6.75631d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(125) HOPS-168	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(125) HOPS-168	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 1A - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1A, completed										Sat Dec 19 02:14:54 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(126)	HOPS-169+362	RA: 05 36 36.0960 (84.1504000d) Dec: -06 38 53.88 (-6.64830d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(126) HOPS-169+36 2	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(126) HOPS-169+36 2	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 1B - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1B, completed										Sat Dec 19 02:14:54 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(127)	HOPS-170	RA: 05 36 41.3304 (84.1722100d)				V=(?)		Reference Frame: ICRS			
			Dec: -06 34 0.08 (-6.56669d)				K=9.52					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(127) HOPS-170	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6;		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
							NSAMP=25					
	2		(127) HOPS-170	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6;		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
							NSAMP=18					




Proposal 11548 - Visit 1D - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1D, completed										Sat Dec 19 02:14:54 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(129)	HOPS-172		RA: 05 36 19.4424 (84.0810100d) Dec: -06 29 6.79 (-6.48522d) Equinox: J2000				V=(?) K=14.28		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(129) HOPS-172	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(129) HOPS-172	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 1F - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1F, completed										Sat Dec 19 02:14:54 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(131)	HOPS-175+176		RA: 05 36 23.8248 (84.0992700d) Dec: -06 24 53.21 (-6.41478d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(131) HOPS-175+17 6	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(131) HOPS-175+17 6	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 1G - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1G, completed										Sat Dec 19 02:14:54 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous		
	(132)	HOPS-177		RA: 05 35 50.0160 (83.9584000d) Dec: -06 34 53.40 (-6.58150d) Equinox: J2000					V=(?) K=15.06		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(132) HOPS-177	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(132) HOPS-177	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Visit	Proposal 11548, Visit 1N, failed										Sat Dec 19 02:14:54 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(139)	HOPS-186	RA: 05 35 47.2776 (83.9469900d) Dec: -06 26 14.75 (-6.43743d) Equinox: J2000				V=(?) K=15.14		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(139) HOPS-186	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(139) HOPS-186	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 1Q - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1Q, completed										Sat Dec 19 02:14:55 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous		
	(142)	HOPS-189		RA: 05 35 30.8928 (83.8787200d) Dec: -06 26 32.10 (-6.44225d) Equinox: J2000					V=(?) K=12.69		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(142) HOPS-189	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(142) HOPS-189	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 1S - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1S, completed										Sat Dec 19 02:14:55 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous		
	(144)	HOPS-191		RA: 05 36 17.2608 (84.0719200d) Dec: -06 11 11.00 (-6.18639d) Equinox: J2000					V=(?) K=13.51		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(144) HOPS-191	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(144) HOPS-191	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 1T - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1T, failed										Sat Dec 19 02:14:55 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(145)	HOPS-192		RA: 05 36 32.4480 (84.1352000d) Dec: -06 01 16.21 (-6.02117d) Equinox: J2000				V=(?) K=12.27		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(145) HOPS-192	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(145) HOPS-192	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 1U - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1U, completed										Sat Dec 19 02:14:55 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous		
	(146)	HOPS-193		RA: 05 36 30.2712 (84.1261300d) Dec: -06 01 17.40 (-6.02150d) Equinox: J2000					V=(?) K=14.95		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(146) HOPS-193	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(146) HOPS-193	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 1V - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1V, completed										Sat Dec 19 02:14:55 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(147)	HOPS-194		RA: 05 35 52.0008 (83.9666700d) Dec: -06 10 1.85 (-6.16718d) Equinox: J2000				V=(?) K=8.01		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(147) HOPS-194	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(147) HOPS-194	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 1W - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1W, completed										Sat Dec 19 02:14:56 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(148)	HOPS-197	RA: 05 34 15.8832 (83.5661800d) Dec: -06 34 32.70 (-6.57575d) Equinox: J2000				V=(?) K=12.97		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(148) HOPS-197	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(148) HOPS-197	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 1X - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1X, completed										Sat Dec 19 02:14:56 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(149)	HOPS-198		RA: 05 35 22.1760 (83.8424000d) Dec: -06 13 6.24 (-6.21840d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(149) HOPS-198	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(149) HOPS-198	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 1Y - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1Y, completed										Sat Dec 19 02:14:56 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(150)	HOPS-199	RA: 05 34 39.8640 (83.6661000d) Dec: -06 25 14.16 (-6.42060d) Equinox: J2000				V=(?) K=13.08		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(150) HOPS-199	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(150) HOPS-199	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 1Z - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 1Z, completed										Sat Dec 19 02:14:56 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(151)	HOPS-200	RA: 05 35 33.2112 (83.8883800d)				V=(?)		Reference Frame: ICRS			
Dec: -06 06 9.65 (-6.10268d)		K=14.9										
Equinox: J2000												
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(151) HOPS-200	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(151) HOPS-200	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 2A - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 2A, completed										Sat Dec 19 02:14:56 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(152)	HOPS-203	RA: 05 36 22.8384 (84.0951600d)				V=(?)		Reference Frame: ICRS			
			Dec: -06 46 6.20 (-6.76839d)				K=16.0					
			Equinox: J2000									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(152) HOPS-203	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(152) HOPS-203	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 2B - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 2B, completed										Sat Dec 19 02:14:57 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(153)	HOPS-204		RA: 05 43 10.1664 (85.7923600d) Dec: -08 46 7.75 (-8.76882d) Equinox: J2000				V=(?) K=14.62		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(153) HOPS-204	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(153) HOPS-204	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 2J - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 2J, completed										Sat Dec 19 02:14:57 GMT 2009
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: NIC2										
	Special Requirements: (none)										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(161)	HOPS-215	RA: 05 43 9.5832 (85.7899300d) Dec: -08 29 27.13 (-8.49087d) Equinox: J2000				V=(?) K=13.25		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(161) HOPS-215	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(161) HOPS-215	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 2Q - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 2Q, completed										Sat Dec 19 02:14:57 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(168)	HOPS-224		RA: 05 41 32.0256 (85.3834400d) Dec: -08 40 9.73 (-8.66937d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(168) HOPS-224	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(168) HOPS-224	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 2R - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 2R, completed										Sat Dec 19 02:14:57 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(169)	HOPS-225		RA: 05 41 30.3456 (85.3764400d) Dec: -08 40 17.58 (-8.67155d) Equinox: J2000				V=(?) K=11.85		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(169) HOPS-225	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(169) HOPS-225	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 2S - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 2S, completed										Sat Dec 19 02:14:57 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(170)	HOPS-226		RA: 05 41 30.0600 (85.3752500d) Dec: -08 40 9.41 (-8.66928d) Equinox: J2000				V=(?) K=12.27		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(170) HOPS-226	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(170) HOPS-226	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 2T - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 2T, completed										Sat Dec 19 02:14:58 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(171)	HOPS-227	RA: 05 41 32.3304 (85.3847100d) Dec: -08 37 55.52 (-8.63209d) Equinox: J2000				V=(?) K=13.04		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(171) HOPS-227	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(171) HOPS-227	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 2U - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 2U, completed										Sat Dec 19 02:14:58 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(172)	HOPS-228		RA: 05 41 34.1712 (85.3923800d) Dec: -08 35 27.71 (-8.59103d) Equinox: J2000				V=(?) K=10.57		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(172) HOPS-228	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(172) HOPS-228	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 3B - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 3B, completed										Sat Dec 19 02:14:58 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(179)	HOPS-237		RA: 05 41 28.9728 (85.3707200d) Dec: -08 03 25.85 (-8.05718d) Equinox: J2000				V=(?) K=13.79		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(179) HOPS-237	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(179) HOPS-237	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 3N - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 3N, completed										Sat Dec 19 02:14:58 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous		
	(191)	HOPS-250		RA: 05 40 48.8424 (85.2035100d) Dec: -08 06 57.24 (-8.11590d) Equinox: J2000					V=(?) K=14.85		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(191) HOPS-250	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(191) HOPS-250	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 4A - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 4A, completed										Sat Dec 19 02:14:58 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(204)	HOPS-267	RA: 05 41 19.6608 (85.3319200d) Dec: -07 50 41.03 (-7.84473d) Equinox: J2000				V=(?) K=13.58		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(204) HOPS-267	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O SINGLE	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(204) HOPS-267	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 4B - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 4B, completed										Sat Dec 19 02:14:58 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(205)	HOPS-268	RA: 05 40 38.3280 (85.1597000d) Dec: -08 00 36.00 (-8.01000d) Equinox: J2000				V=(?) K=14.5		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(205) HOPS-268	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(205) HOPS-268	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 4D - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 4D, completed										Sat Dec 19 02:14:59 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(207)	HOPS-271		RA: 05 40 43.9632 (85.1831800d) Dec: -07 49 30.43 (-7.82512d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(207) HOPS-271	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(207) HOPS-271	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 4I - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 4I, completed										Sat Dec 19 02:14:59 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(212)	HOPS-276	RA: 05 40 42.9120 (85.1788000d) Dec: -07 45 1.91 (-7.75053d) Equinox: J2000				V=(?) K=14.36		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(212) HOPS-276	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(212) HOPS-276	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 4K - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 4K, completed										Sat Dec 19 02:14:59 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(214)	HOPS-279		RA: 05 40 17.7912 (85.0741300d) Dec: -07 48 25.99 (-7.80722d) Equinox: J2000				V=(?) K=10.49		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(214) HOPS-279	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(214) HOPS-279	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 4Q - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 4Q, completed										Sat Dec 19 02:14:59 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(220)	HOPS-286		RA: 05 39 58.6992 (84.9945800d) Dec: -07 31 12.11 (-7.52003d) Equinox: J2000				V=(?) K=14.14		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(220) HOPS-286	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25	GS ACQ SCENARI O BASE1T3	Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(220) HOPS-286	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 5A - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 5A, completed										Sat Dec 19 02:14:59 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
		Purpose=DITHER		Pattern Orientation=0.0								
		Number Of Points=4		Angle Between Sides=								
		Point Spacing=1		Center Pattern=false								
		Line Spacing=										
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(230)	HOPS-299		RA: 05 41 44.5848 (85.4357700d)				V=(?)		Reference Frame: ICRS		
				Dec: -02 16 6.28 (-2.26841d)				K=10.38				
				Equinox: J2000								
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(230) HOPS-299	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6;		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
							NSAMP=25					
	2		(230) HOPS-299	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6;		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
							NSAMP=18					




Proposal 11548 - Visit 5C - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 5C, failed										Sat Dec 19 02:15:00 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous		
	(232)	HOPS-301		RA: 05 41 44.7744 (85.4365600d) Dec: -02 15 55.30 (-2.26536d) Equinox: J2000					V=(?) K=9.99		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(232) HOPS-301	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(232) HOPS-301	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 5J - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 5J, completed										Sat Dec 19 02:15:00 GMT 2009
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: NIC2										
	Special Requirements: (none)										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(239)	HOPS-311	RA: 05 43 3.0408 (85.7626700d) Dec: -01 16 28.92 (-1.27470d) Equinox: J2000				V=(?) K=10.3		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(239) HOPS-311	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(239) HOPS-311	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 5K - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 5K, failed										Sat Dec 19 02:15:00 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false						(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(240)	HOPS-312		RA: 05 43 5.7048 (85.7737700d) Dec: -01 15 54.29 (-1.26508d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(240) HOPS-312	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]
	2		(240) HOPS-312	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]




Proposal 11548 - Visit 5L - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 5L, completed										Sat Dec 19 02:15:00 GMT 2009	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: NIC2											
	Special Requirements: (none)											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=NIC-SPIRAL-DITH		Coordinate Frame=POS-TARG						(1), (2)		
Purpose=DITHER		Pattern Orientation=0.0										
Number Of Points=4		Angle Between Sides=										
Point Spacing=1		Center Pattern=false										
Line Spacing=												
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(241)	HOPS-316	RA: 05 46 7.2912 (86.5303800d) Dec: -00 13 23.02 (-.22306d) Equinox: J2000				V=(?) K=12.96		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(241) HOPS-316	NIC2, MULTIACCUM, NIC2	F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(241) HOPS-316	NIC2, MULTIACCUM, NIC2	F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]			[1]




Proposal 11548 - Visit 6L - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 6L, completed										Sat Dec 19 02:15:01 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous		
	(267)	HOPS-340		RA: 05 47 1.1542 (86.7548092d) Dec: +00 26 21.97 (.43944d) Equinox: J2000					V=(?) K=16.0		Reference Frame: ICRS		
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(267) HOPS-340	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(267) HOPS-340	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 6N - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 6N, completed										Sat Dec 19 02:15:01 GMT 2009		
	Diagnostic Status: No Diagnostics												
	Scientific Instruments: NIC2												
	Special Requirements: (none)												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=NIC-SPIRAL-DITH Purpose=DITHER Number Of Points=4 Point Spacing=1 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=0.0 Angle Between Sides= Center Pattern=false							(1), (2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(269)	HSTOPS-6		RA: 05 54 18.4104 (88.5767100d) Dec: +01 49 3.43 (1.81762d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(269) HSTOPS-6	NIC2, MULTIACCUM, NIC2		F160W	SAMP-SEQ=STEP1 6; NSAMP=25		Pattern 1, Exps 1-1 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	
	2		(269) HSTOPS-6	NIC2, MULTIACCUM, NIC2		F205W	SAMP-SEQ=STEP1 6; NSAMP=18		Pattern 1, Exps 2-2 (1)	[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]		[1]	




Proposal 11548 - Visit 6U - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 6U, completed Sat Dec 19 02:15:01 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 6U) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(271)	HOPS-4	RA: 05 54 53.7641 (88.7240171d) Dec: +01 47 9.96 (1.78610d) Equinox: J2000				V=(?) K=13.82		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(271) HOPS-4	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 6V - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 6V, scheduling Sat Dec 19 02:15:01 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 6V) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(272)	HOPS-5	RA: 05 54 32.1619 (88.6340079d) Dec: +01 48 7.16 (1.80199d) Equinox: J2000				V=(?) K=14.76		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(272) HOPS-5	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 6W - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 6W, completed Sat Dec 19 02:15:01 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 6W) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(273)	HOPS-21	RA: 05 36 10.1016 (84.0420900d) Dec: -05 50 8.34 (-5.83565d) Equinox: J2000				V=(?) K=13.6		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(273) HOPS-21	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 6X - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 6X, implementation Sat Dec 19 02:15:02 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 6X) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(398)	ORI-B6	RA: 05 47 37.1340 (86.9047250d) Dec: +00 20 11.02 (.33639d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(398) ORI-B6	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 6Y - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 6Y, completed Sat Dec 19 02:15:02 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 6Y) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(275)	HOPS-24	RA: 05 34 46.9368 (83.6955700d) Dec: -05 44 50.96 (-5.74749d) Equinox: J2000				V=(?) K=14.79		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(275) HOPS-24	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 6Z - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 6Z, completed Sat Dec 19 02:15:02 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 6Z) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(276)	HOPS-38	RA: 05 35 4.7184 (83.7696600d) Dec: -05 37 12.29 (-5.62008d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(276) HOPS-38	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7A - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7A, completed Sat Dec 19 02:15:02 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7A) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(277)	HOPS-40	RA: 05 35 8.5152 (83.7854800d) Dec: -05 35 59.39 (-5.59983d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(277) HOPS-40	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7B - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7B, failed Sat Dec 19 02:15:02 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7B) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(278)	HOPS-48	RA: 05 35 6.5616 (83.7773400d) Dec: -05 32 51.61 (-5.54767d) Equinox: J2000				V=(?) K=11.52		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(278) HOPS-48	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit B8 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit B8, completed Sat Dec 19 02:15:03 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD Comments: <i>copy of visit 7B lost to safing</i>									
Diagnostics	(Visit B8) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(278)	HOPS-48	RA: 05 35 6.5616 (83.7773400d) Dec: -05 32 51.61 (-5.54767d) Equinox: J2000				V=(?) K=11.52		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(278) HOPS-48	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7C - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7C, completed Sat Dec 19 02:15:03 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7C) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(279)	HOPS-50	RA: 05 34 40.9080 (83.6704500d) Dec: -05 31 44.40 (-5.52900d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(279) HOPS-50	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7D - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7D, completed Sat Dec 19 02:15:03 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7D) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(280)	HOPS-321	RA: 05 46 33.1656 (86.6381900d) Dec: +00 00 2.23 (.00062d) Equinox: J2000				V=(?) K=13.38		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(280) HOPS-321	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7E - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7E, scheduling Sat Dec 19 02:15:03 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7E) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(281)	HOPS-60	RA: 05 35 23.3280 (83.8472000d) Dec: -05 12 3.06 (-5.20085d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(281) HOPS-60	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO ONEB1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7F - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7F, scheduling Sat Dec 19 02:15:04 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7F) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(282)	HOPS-73	RA: 05 35 27.7032 (83.8654300d) Dec: -05 07 3.50 (-5.11764d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(282) HOPS-73	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O BASE1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7G - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7G, scheduling Sat Dec 19 02:15:04 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7G) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(283)	HOPS-77	RA: 05 35 31.5336 (83.8813900d) Dec: -05 05 47.26 (-5.09646d) Equinox: J2000				V=(?) K=8.26		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(283) HOPS-77	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7H - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7H, scheduling Sat Dec 19 02:15:04 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7H) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(284)	HOPS-81	RA: 05 35 27.9528 (83.8664700d) Dec: -05 04 58.15 (-5.08282d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(284) HOPS-81	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7I - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7I, scheduling Sat Dec 19 02:15:05 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7I) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(285)	HOPS-82	RA: 05 35 19.7256 (83.8321900d) Dec: -05 04 54.59 (-5.08183d) Equinox: J2000				V=(?) K=14.03		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(285) HOPS-82	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7J - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7J, completed Sat Dec 19 02:15:05 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7J) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(286)	HOPS-96	RA: 05 35 29.7192 (83.8738300d) Dec: -04 58 48.79 (-4.98022d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(286) HOPS-96	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7K - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7K, completed Sat Dec 19 02:15:05 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7K) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(287)	HOPS-97	RA: 05 35 28.8864 (83.8703600d) Dec: -04 57 38.92 (-4.96081d) Equinox: J2000				V=(?) K=13.16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(287) HOPS-97	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	
									[1]	




Proposal 11548 - Visit 7L - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7L, scheduling Sat Dec 19 02:15:05 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7L) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(288)	HOPS-98	RA: 05 35 19.3224 (83.8305100d) Dec: -04 55 44.94 (-4.92915d) Equinox: J2000				V=(?) K=10.08		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(288) HOPS-98	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	
									[1]	




Proposal 11548 - Visit 7M - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7M, completed Sat Dec 19 02:15:06 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7M) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(289)	HOPS-101	RA: 05 35 8.2248 (83.7842700d) Dec: -04 54 9.72 (-4.90270d) Equinox: J2000				V=(?) K=10.15		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(289) HOPS-101	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7N - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7N, scheduling Sat Dec 19 02:15:06 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7N) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(290)	HOPS-105	RA: 05 35 32.2848 (83.8845200d) Dec: -04 46 48.47 (-4.78013d) Equinox: J2000				V=(?) K=13.57		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(290) HOPS-105	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7O - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7O, scheduling Sat Dec 19 02:15:06 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7O) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(291)	HOPS-107	RA: 05 35 23.3400 (83.8472500d) Dec: -04 40 10.45 (-4.66957d) Equinox: J2000				V=(?) K=9.53		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(291) HOPS-107	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7P - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7P, completed Sat Dec 19 02:15:07 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7P) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(292)	HOPS-114	RA: 05 40 1.3728 (85.0057200d) Dec: -07 25 38.64 (-7.42740d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(292) HOPS-114	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO BASE1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7Q - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7Q, completed Sat Dec 19 02:15:07 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7Q) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(293)	HOPS-118	RA: 05 39 54.5832 (84.9774300d) Dec: -07 24 14.83 (-7.40412d) Equinox: J2000				V=(?) K=12.4		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(293) HOPS-118	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO BASE1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7R - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7R, completed Sat Dec 19 02:15:07 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7R) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(294)	HOPS-119	RA: 05 39 50.6496 (84.9610400d) Dec: -07 23 30.44 (-7.39179d) Equinox: J2000				V=(?) K=10.62		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(294) HOPS-119	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7S - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7S, scheduling Sat Dec 19 02:15:07 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7S) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(295)	HOPS-120	RA: 05 39 34.3152 (84.8929800d) Dec: -07 26 11.44 (-7.43651d) Equinox: J2000				V=(?) K=12.8		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(295) HOPS-120	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO BASE1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7T - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7T, completed Sat Dec 19 02:15:08 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7T) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(296)	HOPS-123	RA: 05 39 33.3000 (84.8887500d) Dec: -07 22 57.36 (-7.38260d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(296) HOPS-123	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7U - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7U, scheduling Sat Dec 19 02:15:08 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7U) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(297)	HOPS-127	RA: 05 39 0.9408 (84.7539200d) Dec: -07 20 22.60 (-7.33961d) Equinox: J2000				V=(?) K=14.91		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(297) HOPS-127	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7V - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7V, scheduling										Sat Dec 19 02:15:08 GMT 2009			
	Diagnostic Status: Warning													
	Scientific Instruments: WFC3/IR													
	Special Requirements: GYRO MODE 3GOBAD													
Diagnostics	(Visit 7V) Warning (Form): Gyro Mode overrides default value of 2G.													
Patterns	#	Primary Pattern					Secondary Pattern					Exposures		
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false					(1)		
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous			
	(298)	HOPS-128		RA: 05 38 52.0080 (84.7167000d) Dec: -07 21 6.05 (-7.35168d) Equinox: J2000					V=(?) K=11.81		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]			Orbit	
	1		(298) HOPS-128	WFC3/IR, MULTIACCUM, IR		F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO SINGLE	Pattern 2, Exps 1-1 (2)				[1]	
										[==>(Pattern 1)]				
										[==>(Pattern 2)]				
										[==>(Pattern 3)]				
									[==>(Pattern 4)]					
									[==>(Pattern 5)]					




Proposal 11548 - Visit 7W - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7W, scheduling Sat Dec 19 02:15:08 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7W) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(299)	HOPS-129	RA: 05 39 11.8464 (84.7993600d) Dec: -07 10 35.00 (-7.17639d) Equinox: J2000				V=(?) K=14.35		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(299) HOPS-129	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7X - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7X, scheduling Sat Dec 19 02:15:08 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7X) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(300)	HOPS-130	RA: 05 39 2.9592 (84.7623300d) Dec: -07 12 52.27 (-7.21452d) Equinox: J2000				V=(?) K=13.97		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(300) HOPS-130	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7Y - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7Y, scheduling Sat Dec 19 02:15:08 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7Y) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(301)	HOPS-140	RA: 05 38 46.2816 (84.6928400d) Dec: -07 01 53.47 (-7.03152d) Equinox: J2000				V=(?) K=13.88		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(301) HOPS-140	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 7Z - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 7Z, completed Sat Dec 19 02:15:09 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 7Z) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(302)	HOPS-150	RA: 05 38 7.5264 (84.5313600d) Dec: -07 08 29.22 (-7.14145d) Equinox: J2000				V=(?) K=11.79		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(302) HOPS-150	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8A - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8A, completed Sat Dec 19 02:15:09 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8A) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(115)	HOPS-154	RA: 05 38 20.0928 (84.5837200d) Dec: -06 59 4.85 (-6.98468d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(115) HOPS-154	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O ONEB1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8B - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8B, completed Sat Dec 19 02:15:09 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8B) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(304)	HOPS-163	RA: 05 37 17.2800 (84.3220000d) Dec: -06 36 18.18 (-6.60505d) Equinox: J2000				V=(?) K=14.65		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(304) HOPS-163	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8C - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8C, completed Sat Dec 19 02:15:09 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8C) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(305)	HOPS-171	RA: 05 36 17.1984 (84.0716600d) Dec: -06 38 1.61 (-6.63378d) Equinox: J2000				V=(?) K=14.47		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(305) HOPS-171	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8D - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8D, completed Sat Dec 19 02:15:09 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8D) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(306)	HOPS-178	RA: 05 36 24.6072 (84.1025300d) Dec: -06 22 41.30 (-6.37814d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(306) HOPS-178	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8E - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8E, completed Sat Dec 19 02:15:09 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8E) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(307)	HOPS-179	RA: 05 36 21.8400 (84.0910000d) Dec: -06 23 29.83 (-6.39162d) Equinox: J2000				V=(?) K=10.45		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(307) HOPS-179	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8F - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8F, scheduling Sat Dec 19 02:15:09 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8F) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(308)	HOPS-185	RA: 05 36 36.9816 (84.1540900d) Dec: -06 14 57.98 (-6.24944d) Equinox: J2000				V=(?) K=12.99		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(308) HOPS-185	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8G - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8G, scheduling Sat Dec 19 02:15:10 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8G) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(139)	HOPS-186	RA: 05 35 47.2776 (83.9469900d) Dec: -06 26 14.75 (-6.43743d) Equinox: J2000				V=(?) K=15.14		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(139) HOPS-186	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8H - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8H, completed Sat Dec 19 02:15:10 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8H) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(310)	HOPS-187	RA: 05 35 50.9376 (83.9622400d) Dec: -06 22 43.50 (-6.37875d) Equinox: J2000				V=(?) K=11.73		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(310) HOPS-187	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8I - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8I, scheduling Sat Dec 19 02:15:10 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8I) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(145)	HOPS-192	RA: 05 36 32.4480 (84.1352000d) Dec: -06 01 16.21 (-6.02117d) Equinox: J2000				V=(?) K=12.27		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(145) HOPS-192	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8J - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8J, scheduling Sat Dec 19 02:15:10 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8J) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(312)	HOPS-205	RA: 05 43 2.8920 (85.7620500d) Dec: -08 47 49.67 (-8.79713d) Equinox: J2000				V=(?) K=14.58		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(312) HOPS-205	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8K - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8K, scheduling Sat Dec 19 02:15:10 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8K) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(313)	HOPS-206	RA: 05 43 7.2576 (85.7802400d) Dec: -08 44 31.27 (-8.74202d) Equinox: J2000				V=(?) K=14.92		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(313) HOPS-206	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8L - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8L, completed Sat Dec 19 02:15:10 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8L) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(314)	HOPS-207	RA: 05 42 38.5704 (85.6607100d) Dec: -08 50 18.67 (-8.83852d) Equinox: J2000				V=(?) K=12.2		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(314) HOPS-207	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8M - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8M, scheduling Sat Dec 19 02:15:10 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8M) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(315)	HOPS-209	RA: 05 42 52.8888 (85.7203700d) Dec: -08 41 41.17 (-8.69477d) Equinox: J2000				V=(?) K=12.14		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(315) HOPS-209	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8N - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8N, scheduling Sat Dec 19 02:15:11 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8N) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(316)	HOPS-210	RA: 05 42 58.2696 (85.7427900d) Dec: -08 38 5.39 (-8.63483d) Equinox: J2000				V=(?) K=13.45		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(316) HOPS-210	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8O - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8O, completed Sat Dec 19 02:15:11 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8O) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(317)	HOPS-213	RA: 05 42 48.0912 (85.7003800d) Dec: -08 40 8.29 (-8.66897d) Equinox: J2000				V=(?) K=10.42		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(317) HOPS-213	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8P - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8P, scheduling Sat Dec 19 02:15:11 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8P) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(318)	HOPS-214	RA: 05 42 47.2248 (85.6967700d) Dec: -08 36 36.58 (-8.61016d) Equinox: J2000				V=(?) K=14.17		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(318) HOPS-214	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O ONEB1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8Q - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8Q, scheduling Sat Dec 19 02:15:11 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8Q) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(319)	HOPS-216	RA: 05 42 55.5360 (85.7314000d) Dec: -08 32 48.26 (-8.54674d) Equinox: J2000				V=(?) K=14.26		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(319) HOPS-216	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8R - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8R, scheduling Sat Dec 19 02:15:14 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8R) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(320)	HOPS-229	RA: 05 42 47.3664 (85.6973600d) Dec: -08 10 8.76 (-8.16910d) Equinox: J2000				V=(?) K=12.73		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(320) HOPS-229	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8S - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8S, scheduling Sat Dec 19 02:15:14 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8S) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(321)	HOPS-232	RA: 05 41 35.4456 (85.3976900d) Dec: -08 08 22.49 (-8.13958d) Equinox: J2000				V=(?) K=14.02		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(321) HOPS-232	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8T - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8T, scheduling Sat Dec 19 02:15:14 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8T) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(322)	HOPS-234	RA: 05 41 49.9488 (85.4581200d) Dec: -08 01 26.51 (-8.02403d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(322) HOPS-234	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8U - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8U, completed Sat Dec 19 02:15:14 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8U) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(323)	HOPS-235	RA: 05 41 25.3440 (85.3556000d) Dec: -08 05 54.82 (-8.09856d) Equinox: J2000				V=(?) K=9.29		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(323) HOPS-235	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8V - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8V, completed Sat Dec 19 02:15:15 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8V) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(324)	HOPS-242	RA: 05 40 48.5160 (85.2021500d) Dec: -08 11 8.95 (-8.18582d) Equinox: J2000				V=(?) K=10.84		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(324) HOPS-242	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8W - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8W, scheduling Sat Dec 19 02:15:15 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8W) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(325)	HOPS-246	RA: 05 40 47.1168 (85.1963200d) Dec: -08 09 47.81 (-8.16328d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(325) HOPS-246	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8X - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8X, completed Sat Dec 19 02:15:15 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8X) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(326)	HOPS-247	RA: 05 41 26.2200 (85.3592500d) Dec: -07 56 51.61 (-7.94767d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(326) HOPS-247	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8Y - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8Y, completed Sat Dec 19 02:15:15 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8Y) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(327)	HOPS-251	RA: 05 40 54.0120 (85.2250500d) Dec: -08 05 13.02 (-8.08695d) Equinox: J2000				V=(?) K=12.65		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(327) HOPS-251	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 8Z - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 8Z, scheduling Sat Dec 19 02:15:15 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 8Z) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(328)	HOPS-253	RA: 05 41 28.7688 (85.3698700d) Dec: -07 53 51.00 (-7.89750d) Equinox: J2000				V=(?) K=12.09		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(328) HOPS-253	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9A - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9A, completed Sat Dec 19 02:15:15 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9A) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(329)	HOPS-270	RA: 05 40 40.5336 (85.1688900d) Dec: -07 54 39.82 (-7.91106d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(329) HOPS-270	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9B - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9B, completed Sat Dec 19 02:15:15 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9B) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(330)	HOPS-274	RA: 05 40 20.7144 (85.0863100d) Dec: -07 54 59.72 (-7.91659d) Equinox: J2000				V=(?) K=10.42		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(330) HOPS-274	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9C - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9C, completed Sat Dec 19 02:15:16 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9C) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(331)	HOPS-275	RA: 05 40 36.3456 (85.1514400d) Dec: -07 49 7.00 (-7.81861d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(331) HOPS-275	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9D - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9D, completed Sat Dec 19 02:15:16 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9D) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(332)	HOPS-278	RA: 05 40 20.3496 (85.0847900d) Dec: -07 51 14.94 (-7.85415d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(332) HOPS-278	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9E - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9E, completed Sat Dec 19 02:15:16 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9E) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(333)	HOPS-280	RA: 05 40 14.9328 (85.0622200d) Dec: -07 48 48.71 (-7.81353d) Equinox: J2000				V=(?) K=13.47		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(333) HOPS-280	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9F - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9F, completed Sat Dec 19 02:15:16 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9F) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(334)	HOPS-281	RA: 05 40 24.6192 (85.1025800d) Dec: -07 43 8.26 (-7.71896d) Equinox: J2000				V=(?) K=12.71		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(334) HOPS-281	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9G - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9G, scheduling Sat Dec 19 02:15:16 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9G) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(335)	HOPS-282	RA: 05 40 26.0880 (85.1087000d) Dec: -07 37 32.02 (-7.62556d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(335) HOPS-282	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9H - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9H, scheduling Sat Dec 19 02:15:16 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9H) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(336)	HOPS-283	RA: 05 40 44.6688 (85.1861200d) Dec: -07 29 54.46 (-7.49846d) Equinox: J2000				V=(?) K=10.54		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(336) HOPS-283	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9I - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9I, completed Sat Dec 19 02:15:16 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9I) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(337)	HOPS-284	RA: 05 38 51.4824 (84.7145100d) Dec: -08 01 27.44 (-8.02429d) Equinox: J2000				V=(?) K=10.51		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(337) HOPS-284	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9J - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9J, completed Sat Dec 19 02:15:17 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9J) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(338)	HOPS-287	RA: 05 40 8.7816 (85.0365900d) Dec: -07 27 27.68 (-7.45769d) Equinox: J2000				V=(?) K=13.96		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(338) HOPS-287	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9K - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9K, scheduling Sat Dec 19 02:15:17 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9K) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(339)	HOPS-293	RA: 05 40 58.8912 (85.2453800d) Dec: -07 48 2.05 (-7.80057d) Equinox: J2000				V=(?) K=12.02		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(339) HOPS-293	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9L - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9L, completed Sat Dec 19 02:15:17 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9L) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(340)	HOPS-294	RA: 05 40 51.7152 (85.2154800d) Dec: -02 26 48.62 (-2.44684d) Equinox: J2000				V=(?) K=9.71		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(340) HOPS-294	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9M - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9M, completed Sat Dec 19 02:15:17 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9M) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(341)	HOPS-295	RA: 05 41 28.9440 (85.3706000d) Dec: -02 23 19.36 (-2.38871d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(341) HOPS-295	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9N - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9N, scheduling Sat Dec 19 02:15:18 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9N) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(342)	HOPS-297	RA: 05 41 23.2728 (85.3469700d) Dec: -02 17 35.77 (-2.29327d) Equinox: J2000				V=(?) K=14.25		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(342) HOPS-297	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 90 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 90, scheduling Sat Dec 19 02:15:18 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 90) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(343)	HOPS-298	RA: 05 41 37.1736 (85.4048900d) Dec: -02 17 17.02 (-2.28806d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(343) HOPS-298	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9P - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9P, scheduling Sat Dec 19 02:15:18 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9P) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(344)	HOPS-300	RA: 05 41 24.2112 (85.3508800d) Dec: -02 16 6.42 (-2.26845d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	
	1		(344) HOPS-300	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	
									[1]	




Proposal 11548 - Visit 9Q - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9Q, scheduling Sat Dec 19 02:15:18 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9Q) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(232)	HOPS-301	RA: 05 41 44.7744 (85.4365600d) Dec: -02 15 55.30 (-2.26536d) Equinox: J2000				V=(?) K=9.99		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(232) HOPS-301	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9R - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9R, scheduling Sat Dec 19 02:15:18 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9R) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(346)	HOPS-256	RA: 05 40 47.0695 (85.1961229d) Dec: -08 06 48.87 (-8.11358d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(346) HOPS-256	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9S - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9S, completed Sat Dec 19 02:15:18 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9S) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(347)	HOPS-310	RA: 05 42 27.6768 (85.6153200d) Dec: -01 20 1.00 (-1.33361d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(347) HOPS-310	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9T - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9T, scheduling Sat Dec 19 02:15:18 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9T) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(240)	HOPS-312	RA: 05 43 5.7048 (85.7737700d) Dec: -01 15 54.29 (-1.26508d) Equinox: J2000				V=(?) K=16.0		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(240) HOPS-312	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9U - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9U, completed Sat Dec 19 02:15:19 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9U) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(349)	HOPS-317	RA: 05 46 8.5920 (86.5358000d) Dec: -00 10 38.53 (-.17737d) Equinox: J2000				V=(?) K=15.12		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(349) HOPS-317	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9V - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9V, scheduling Sat Dec 19 02:15:19 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9V) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(350)	HOPS-325	RA: 05 46 38.5097 (86.6604571d) Dec: +00 00 56.49 (.01569d) Equinox: J2000				V=(?) K=14.1		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(350) HOPS-325	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9W - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9W, completed Sat Dec 19 02:15:19 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9W) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(351)	HOPS-326	RA: 05 46 39.5832 (86.6649300d) Dec: +00 04 16.61 (.07128d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(351) HOPS-326	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9X - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9X, scheduling Sat Dec 19 02:15:19 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9X) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(352)	HOPS-329	RA: 05 47 1.6056 (86.7566900d) Dec: +00 17 58.88 (.29969d) Equinox: J2000				V=(?) K=15.06		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(352) HOPS-329	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9Y - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9Y, completed Sat Dec 19 02:15:19 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9Y) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(353)	HOPS-330	RA: 05 46 51.3696 (86.7140400d) Dec: +00 19 47.39 (.32983d) Equinox: J2000				V=(?) K=14.1		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(353) HOPS-330	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit 9Z - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit 9Z, completed Sat Dec 19 02:15:19 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit 9Z) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(354)	HOPS-331	RA: 05 46 28.3200 (86.6180000d) Dec: +00 19 49.40 (.33039d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(354) HOPS-331	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A0 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A0, completed Sat Dec 19 02:15:19 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A0) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(355)	HOPS-335	RA: 05 47 5.4938 (86.7728908d) Dec: +00 22 8.24 (.36896d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(355) HOPS-335	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A1 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A1, scheduling Sat Dec 19 02:15:20 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A1) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(356)	HOPS-339	RA: 05 45 53.5944 (86.4733100d) Dec: +00 25 27.30 (.42425d) Equinox: J2000				V=(?) K=13.61		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(356) HOPS-339	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A2 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A2, completed Sat Dec 19 02:15:20 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A2) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(357)	HOPS-344	RA: 05 47 24.7248 (86.8530200d) Dec: +00 37 35.18 (.62644d) Equinox: J2000				V=(?) K=14.26		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(357) HOPS-344	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A3 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A3, scheduling Sat Dec 19 02:15:20 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A3) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(358)	HOPS-345	RA: 05 47 38.9760 (86.9124000d) Dec: +00 38 36.35 (.64343d) Equinox: J2000				V=(?) K=13.52		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(358) HOPS-345	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A4 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A4, completed Sat Dec 19 02:15:20 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A4) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(359)	HOPS-346	RA: 05 47 42.9864 (86.9291100d) Dec: +00 40 57.50 (.68264d) Equinox: J2000				V=(?) K=12.11		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(359) HOPS-346	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A5 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A5, failed Sat Dec 19 02:15:20 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A5) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(360)	HOPS-347	RA: 05 47 15.8928 (86.8162200d) Dec: +00 21 23.80 (.35661d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(360) HOPS-347	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit B6 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit B6, completed Sat Dec 19 02:15:20 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD Comments: <i>copy of A5 lost in safing</i>									
Diagnostics	(Visit B6) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(360)	HOPS-347	RA: 05 47 15.8928 (86.8162200d) Dec: +00 21 23.80 (.35661d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(360) HOPS-347	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A6 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A6, completed Sat Dec 19 02:15:21 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A6) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(361)	HOPS-354	RA: 05 54 24.2616 (88.6010900d) Dec: +01 44 19.28 (1.73869d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(361) HOPS-354	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A7 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A7, completed Sat Dec 19 02:15:21 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A7) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(362)	HOPS-355	RA: 05 37 17.0856 (84.3211900d) Dec: -06 49 49.33 (-6.83037d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(362) HOPS-355	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A8 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A8, failed Sat Dec 19 02:15:21 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A8) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(363)	HOPS-359	RA: 05 47 24.8064 (86.8533600d) Dec: +00 20 59.68 (.34991d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(363) HOPS-359	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit B7 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit B7, scheduling Sat Dec 19 02:15:21 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD Comments: <i>copy of A8 lost in safing</i>									
Diagnostics	(Visit B7) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(363)	HOPS-359	RA: 05 47 24.8064 (86.8533600d) Dec: +00 20 59.68 (.34991d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(363) HOPS-359	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit A9 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit A9, completed Sat Dec 19 02:15:21 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit A9) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(364)	HOPS-322	RA: 05 46 46.4928 (86.6937200d) Dec: +00 00 16.13 (.00448d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(364) HOPS-322	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AA - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AA, scheduling Sat Dec 19 02:15:21 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AA) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(365)	HSTOPS-1	RA: 05 54 36.2592 (88.6510800d) Dec: +01 53 54.01 (1.89834d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(365) HSTOPS-1	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O BASE1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AB - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AB, completed Sat Dec 19 02:15:21 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AB) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(366)	HSTOPS-3	RA: 05 54 56.9664 (88.7373600d) Dec: +01 42 56.20 (1.71561d) Equinox: J2000				V=(?) K=12.14		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(366) HSTOPS-3	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AC - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AC, scheduling Sat Dec 19 02:15:22 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AC) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(367)	HOPS-342M	RA: 05 47 57.9550 (86.9914792d) Dec: +00 35 32.93 (.59248d) Equinox: J2000				V=(?) K=14.43		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(367) HOPS-342M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AD - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AD, completed Sat Dec 19 02:15:22 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AD) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(368)	HOPS-337M	RA: 05 46 56.2759 (86.7344829d) Dec: +00 23 45.55 (.39599d) Equinox: J2000				V=(?) K=14.03		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(368) HOPS-337M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O SINGLE	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AE - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AE, completed Sat Dec 19 02:15:22 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AE) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(369)	HOPS-89M	RA: 05 35 19.0402 (83.8293342d) Dec: -05 00 45.40 (-5.01261d) Equinox: J2000				V=(?) K=14.47		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(369) HOPS-89M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AF - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AF, scheduling Sat Dec 19 02:15:22 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AF) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(370)	HOPS-86M	RA: 05 35 23.1982 (83.8466592d) Dec: -05 01 23.26 (-5.02313d) Equinox: J2000				V=(?) K=15.5		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(370) HOPS-86M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AG - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AG, scheduling Sat Dec 19 02:15:22 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AG) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(371)	HOPS-84M	RA: 05 35 27.4188 (83.8642450d) Dec: -05 03 48.31 (-5.06342d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(371) HOPS-84M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AH - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AH, scheduling Sat Dec 19 02:15:22 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AH) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(372)	HOPS-74M	RA: 05 35 25.7222 (83.8571758d) Dec: -05 06 3.22 (-5.10089d) Equinox: J2000				V=(?) K=10.79		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(372) HOPS-74M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AI - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AI, scheduling Sat Dec 19 02:15:22 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AI) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(373)	HOPS-67M	RA: 05 35 23.9532 (83.8498050d) Dec: -05 08 25.61 (-5.14045d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(373) HOPS-67M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AJ - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AJ, scheduling Sat Dec 19 02:15:23 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AJ) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(374)	HOPS-63M	RA: 05 35 26.2010 (83.8591708d) Dec: -05 09 45.90 (-5.16275d) Equinox: J2000				V=(?) K=11.77		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(374) HOPS-63M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AK - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AK, scheduling Sat Dec 19 02:15:23 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AK) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(375)	HOPS-58M	RA: 05 35 19.4321 (83.8309671d) Dec: -05 13 25.80 (-5.22383d) Equinox: J2000				V=(?) K=9.29		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(375) HOPS-58M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O ONEB1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AL - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AL, completed Sat Dec 19 02:15:23 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AL) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(376)	HOPS-28M	RA: 05 34 48.1961 (83.7008171d) Dec: -05 41 46.64 (-5.69629d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(376) HOPS-28M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AM - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AM, completed Sat Dec 19 02:15:23 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AM) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(377)	HOPS-181M	RA: 05 36 18.4932 (84.0770550d) Dec: -06 22 14.26 (-6.37063d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(377) HOPS-181M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AN - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AN, scheduling Sat Dec 19 02:15:23 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AN) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(378)	HOPS-173M	RA: 05 36 25.9188 (84.1079950d) Dec: -06 24 58.24 (-6.41618d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(378) HOPS-173M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AO - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AO, completed Sat Dec 19 02:15:23 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AO) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(379)	HOPS-17M	RA: 05 35 6.3190 (83.7763292d) Dec: -05 51 57.65 (-5.86601d) Equinox: J2000				V=(?) K=13.05		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(379) HOPS-17M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AP - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AP, completed Sat Dec 19 02:15:24 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AP) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(380)	HOPS-188M	RA: 05 35 29.0448 (83.8710200d) Dec: -06 26 57.11 (-6.44920d) Equinox: J2000				V=(?) K=12.38		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(380) HOPS-188M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AQ - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AQ, scheduling Sat Dec 19 02:15:24 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AQ) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(381)	HOPS-152M	RA: 05 37 57.8119 (84.4908829d) Dec: -07 07 9.19 (-7.11922d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(381) HOPS-152M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AR - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AR, scheduling Sat Dec 19 02:15:24 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AR) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(382)	HOPS-131M	RA: 05 39 6.2818 (84.7761742d) Dec: -07 10 52.97 (-7.18138d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(382) HOPS-131M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AS - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AS, completed Sat Dec 19 02:15:24 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AS) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER-LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false							(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(383)	HOPS-115M	RA: 05 39 57.2700 (84.9886250d) Dec: -07 25 30.09 (-7.42503d) Equinox: J2000				V=(?) K=12.79		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(383) HOPS-115M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP50; NSAMP=15	GS ACQ SCENARIO BASE1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AT - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AT, scheduling Sat Dec 19 02:15:24 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AT) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(384)	HOPS-288M	RA: 05 39 56.6950 (84.9862292d) Dec: -07 29 59.36 (-7.49982d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(384) HOPS-288M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O BASE1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AU - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AU, completed Sat Dec 19 02:15:24 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AU) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(385)	HOPS-262M	RA: 05 41 22.0999 (85.3420829d) Dec: -07 53 26.12 (-7.89059d) Equinox: J2000				V=(?) K=13.44		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(385) HOPS-262M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AV - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AV, scheduling Sat Dec 19 02:15:24 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AV) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(386)	HOPS-254M	RA: 05 41 24.5170 (85.3521542d) Dec: -07 54 37.26 (-7.91035d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(386) HOPS-254M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AW - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AW, completed Sat Dec 19 02:15:25 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AW) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(387)	HOPS-257M	RA: 05 41 19.3522 (85.3306342d) Dec: -07 55 35.24 (-7.92646d) Equinox: J2000				V=(?) K=14.29		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(387) HOPS-257M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AX - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AX, completed Sat Dec 19 02:15:25 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AX) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(388)	HOPS-272M	RA: 05 40 20.7290 (85.0863708d) Dec: -07 56 28.96 (-7.94138d) Equinox: J2000				V=(?) K=9.4		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(388) HOPS-272M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AY - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AY, scheduling Sat Dec 19 02:15:25 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AY) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(389)	HOPS-245M	RA: 05 41 22.3680 (85.3432000d) Dec: -07 58 27.75 (-7.97438d) Equinox: J2000				V=(?) K=14.04		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(389) HOPS-245M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit AZ - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit AZ, scheduling Sat Dec 19 02:15:25 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit AZ) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(390)	HOPS-239M	RA: 05 41 26.3690 (85.3598708d) Dec: -08 01 1.56 (-8.01710d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(390) HOPS-239M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit B0 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit B0, completed Sat Dec 19 02:15:25 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit B0) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(391)	HOPS-236M	RA: 05 41 28.5641 (85.3690171d) Dec: -08 03 23.68 (-8.05658d) Equinox: J2000				V=(?) K=10.56		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(391) HOPS-236M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit B1 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit B1, completed Sat Dec 19 02:15:25 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit B1) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(392)	HOPS-243M	RA: 05 41 1.8230 (85.2575958d) Dec: -08 06 20.95 (-8.10582d) Equinox: J2000				V=(?) K=16		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(392) HOPS-243M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15	GS ACQ SCENARI O BASE1B3	Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit B2 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit B2, completed Sat Dec 19 02:15:25 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit B2) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(393)	HOPS-252M	RA: 05 40 50.2162 (85.2092342d) Dec: -08 05 59.11 (-8.09975d) Equinox: J2000				V=(?) K=11.15		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(393) HOPS-252M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]




Proposal 11548 - Visit B3 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit B3, completed Sat Dec 19 02:15:26 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit B3) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(394)	HOPS-259M	RA: 05 40 20.0971 (85.0837379d) Dec: -08 14 4.35 (-8.23454d) Equinox: J2000				V=(?) K=13.35		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(394) HOPS-259M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]



Proposal 11548 - Visit B4 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit B4, scheduling Sat Dec 19 02:15:26 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit B4) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(395)	HOPS-221M	RA: 05 42 47.7979 (85.6991579d) Dec: -08 16 48.16 (-8.28004d) Equinox: J2000				V=(?) K=11.06		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(395) HOPS-221M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]



Proposal 11548 - Visit B5 - NICMOS Imaging of Protostars in the Orion A Cloud: The Role of Environment in Star Format...

Visit	Proposal 11548, Visit B5, scheduling Sat Dec 19 02:15:26 GMT 2009									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: GYRO MODE 3GOBAD									
Diagnostics	(Visit B5) Warning (Form): Gyro Mode overrides default value of 2G.									
Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
	(2)	Pattern Type=WFC3-IR-DITHER- LINE Purpose=DITHER Number Of Points=5 Point Spacing=2.106 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=45 Angle Between Sides= Center Pattern=false			(1)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous	
	(396)	HOPS-219M	RA: 05 41 28.1479 (85.3672829d) Dec: -08 42 41.75 (-8.71160d) Equinox: J2000				V=(?) K=14.24		Reference Frame: ICRS	
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(396) HOPS-219M	WFC3/IR, MULTIACCUM, IR	F160W	SAMP-SEQ=STEP5 0; NSAMP=15		Pattern 2, Exps 1-1 (2)	[=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)] [=>(Pattern 4)] [=>(Pattern 5)]	[1]

