



11604 - The Nuclear Structure of OH Megamaser Galaxies

Cycle: 17, Proposal Category: SNAP

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Prof. David J. Axon (PI)	Rochester Institute of Technology	djasps@rit.edu
Dr. Christopher P. O'Dea (CoI)	Rochester Institute of Technology	cposps@cis.rit.edu
Dr. Stefi A. Baum (CoI)	Rochester Institute of Technology	Baum@cis.rit.edu
Dr. Jack Gallimore (CoI)	Bucknell University	jgallimo@bucknell.edu
Dr. Andrew Robinson (CoI)	Rochester Institute of Technology	axrsps@ritvax.isc.rit.edu
Prof. Clive N. Tadhunter (CoI) (ESA Member)	University of Sheffield	c.tadhunter@sheffield.ac.uk
Dr. Moshe Elitzur (CoI)	University of Kentucky	moshe@pa.uky.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) IR0057+4021	ACS/WFC	1	07-Jul-2010 21:02:08.0	yes
02	(2) IR00335-2732	ACS/WFC	1	07-Jul-2010 21:02:15.0	yes
03	(3) IR00509+1225	ACS/WFC	1	07-Jul-2010 21:02:20.0	yes
04	(4) IR01364-1042	ACS/WFC	1	07-Jul-2010 21:02:25.0	yes
05	(5) IR01418+1651	ACS/WFC	1	07-Jul-2010 21:02:30.0	yes
06	(6) IR02483+4302	ACS/WFC	1	07-Jul-2010 21:02:33.0	yes
07	(7) IR03056+2034	ACS/WFC	1	07-Jul-2010 21:02:38.0	yes
08	(8) IR03566+1647	ACS/WFC	1	07-Jul-2010 21:02:41.0	yes
09	(9) IR04121+0223SW	ACS/WFC	1	07-Jul-2010 21:02:46.0	yes

Proposal 11604 (STScI Edit Number: 2, Created: Wednesday, July 7, 2010 8:07:00 PM EST) - Overview

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
10	(10) IR04332+0209	ACS/WFC	1	07-Jul-2010 21:02:49.0	yes
11	(11) IRF05100-2425	ACS/WFC	1	07-Jul-2010 21:02:53.0	yes
12	(12) IR05414+5840	ACS/WFC	1	07-Jul-2010 21:02:57.0	yes
13	(13) IR06206-3646	ACS/WFC	1	07-Jul-2010 21:03:02.0	yes
14	(14) IR06487+2208	ACS/WFC	1	07-Jul-2010 21:03:07.0	yes
15	(15) IR07163+0817	ACS/WFC	1	07-Jul-2010 21:03:11.0	yes
16	(16) IR07572+0533	ACS/WFC	1	07-Jul-2010 21:03:15.0	yes
17	(17) IR08071+0509	ACS/WFC	1	07-Jul-2010 21:03:19.0	yes
18	(18) IR08201+2801	ACS/WFC	1	07-Jul-2010 21:03:22.0	yes
19	(19) IR08279+0956	ACS/WFC	1	07-Jul-2010 21:03:26.0	yes
20	(20) IR08449+2332	ACS/WFC	1	07-Jul-2010 21:03:29.0	yes
21	(21) IR09039+0503	ACS/WFC	1	07-Jul-2010 21:03:32.0	yes
22	(22) IR09320+6134	ACS/WFC	1	07-Jul-2010 21:03:36.0	yes
23	(23) IR09531+1430	ACS/WFC	1	07-Jul-2010 21:03:39.0	yes
24	(24) IR09539+0857	ACS/WFC	1	07-Jul-2010 21:03:43.0	yes
25	(25) IR10036+2740	ACS/WFC	1	07-Jul-2010 21:03:47.0	yes
26	(26) IR10339+1548	ACS/WFC	1	07-Jul-2010 21:03:50.0	yes
27	(27) IR10039-3338	ACS/WFC	1	07-Jul-2010 21:03:54.0	yes
28	(28) IR10378+1109	ACS/WFC	1	07-Jul-2010 21:03:57.0	yes
29	(29) IR10173+0828	ACS/WFC	1	07-Jul-2010 21:04:01.0	yes
30	(30) IR11010+4107	ACS/WFC	1	07-Jul-2010 21:04:05.0	yes
31	(31) IR11069+2711	ACS/WFC	1	07-Jul-2010 21:04:08.0	yes
32	(32) IR11257+5850	ACS/WFC	1	07-Jul-2010 21:04:12.0	yes
33	(33) IR11506-3851	ACS/WFC	1	07-Jul-2010 21:04:15.0	yes
34	(34) IR12005+0009	ACS/WFC	1	07-Jul-2010 21:04:18.0	yes

Proposal 11604 (STScI Edit Number: 2, Created: Wednesday, July 7, 2010 8:07:00 PM EST) - Overview

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
35	(35) IR12018+1941	ACS/WFC	1	07-Jul-2010 21:04:22.0	yes
36	(36) IR12032+1707	ACS/WFC	1	07-Jul-2010 21:04:25.0	yes
37	(37) IR12112+0305	ACS/WFC	1	07-Jul-2010 21:04:28.0	yes
38	(38) IR12243-0036	ACS/WFC	1	07-Jul-2010 21:04:31.0	yes
39	(39) IR13097-1531	ACS/WFC	1	07-Jul-2010 21:04:35.0	yes
40	(40) IR13126+2452	ACS/WFC	1	07-Jul-2010 21:04:38.0	yes
41	(41) IR13218+0552	ACS/WFC	1	07-Jul-2010 21:04:42.0	yes
42	(42) IR13254+4754	ACS/WFC	1	07-Jul-2010 21:04:45.0	yes
43	(43) IR14043+0624	ACS/WFC	1	07-Jul-2010 21:04:49.0	yes
44	(44) IR14070+0525	ACS/WFC	1	07-Jul-2010 21:04:52.0	yes
45	(45) IR14553+1245	ACS/WFC	1	07-Jul-2010 21:04:56.0	yes
46	(46) IR115107+0724	ACS/WFC	1	07-Jul-2010 21:04:59.0	yes
47	(47) IR15179+3956	ACS/WFC	1	07-Jul-2010 21:05:03.0	yes
48	(48) IRF15224+1033	ACS/WFC	1	07-Jul-2010 21:05:12.0	yes
49	(49) IR15250+3609	ACS/WFC	1	07-Jul-2010 21:05:16.0	yes
50	(50) IR15587+1609	ACS/WFC	1	07-Jul-2010 21:05:20.0	yes
51	(51) IR16100+2528	ACS/WFC	1	07-Jul-2010 21:05:23.0	yes
52	(52) IR16255+2801	ACS/WFC	1	07-Jul-2010 21:05:27.0	yes
53	(53) IR16300+1558	ACS/WFC	1	07-Jul-2010 21:05:30.0	yes
54	(54) IRF16399-0937	ACS/WFC	1	07-Jul-2010 21:05:33.0	yes
55	(55) IRF17161+2006	ACS/WFC	1	07-Jul-2010 21:05:37.0	yes
56	(56) IR17208-0014	ACS/WFC	1	07-Jul-2010 21:05:40.0	yes
57	(57) IR17526+3253	ACS/WFC	1	07-Jul-2010 21:05:43.0	yes
58	(58) IRF17539+2935	ACS/WFC	1	07-Jul-2010 21:05:46.0	yes
59	(59) IR18368+3549	ACS/WFC	1	07-Jul-2010 21:05:49.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
60	(60) IR18544-3718	ACS/WFC	1	07-Jul-2010 21:05:52.0	yes
61	(61) IR18588+3517	ACS/WFC	1	07-Jul-2010 21:05:55.0	yes
62	(62) IR20100-4156	ACS/WFC	1	07-Jul-2010 21:05:58.0	yes
63	(63) IRF20550+1655	ACS/WFC	1	07-Jul-2010 21:06:01.0	yes
64	(64) IR20248+1734	ACS/WFC	1	07-Jul-2010 21:06:04.0	yes
65	(65) IR20286+1846	ACS/WFC	1	07-Jul-2010 21:06:09.0	yes
66	(66) IR20450+2140	ACS/WFC	1	07-Jul-2010 21:06:12.0	yes
67	(67) IR21272+2514	ACS/WFC	1	07-Jul-2010 21:06:15.0	yes
68	(68) IR21077+3358	ACS/WFC	1	07-Jul-2010 21:06:18.0	yes
69	(69) IR22055+3024	ACS/WFC	1	07-Jul-2010 21:06:21.0	yes
70	(70) IR22088-1832	ACS/WFC	1	07-Jul-2010 21:06:25.0	yes
71	(71) IR22116+0437	ACS/WFC	1	07-Jul-2010 21:06:28.0	yes
72	(72) IR22491-1808	ACS/WFC	1	07-Jul-2010 21:06:31.0	yes
73	(73) IRF23019+3405S	ACS/WFC	1	07-Jul-2010 21:06:34.0	yes
74	(74) IRF23028+0725	ACS/WFC	1	07-Jul-2010 21:06:37.0	yes
75	(75) IR23129+2548	ACS/WFC	1	07-Jul-2010 21:06:40.0	yes
76	(76) IR23135+2516	ACS/WFC	1	07-Jul-2010 21:06:43.0	yes
77	(77) IRF23199+0123	ACS/WFC	1	07-Jul-2010 21:06:46.0	yes
78	(78) IRF23234+0946	ACS/WFC	1	07-Jul-2010 21:06:49.0	yes
79	(79) IR12107+3157	ACS/WFC	1	07-Jul-2010 21:06:52.0	yes
80	(80) IR19154+2704	ACS/WFC	1	07-Jul-2010 21:06:55.0	yes

80 Total Orbits Used

ABSTRACT

We propose a snapshot survey of a complete sample of 80 OH megamaser galaxies. Each galaxy will be imaged with the ACS/WFC through F814W and a linear ramp filter (FR656N or FR716N or FR782N or FR8534N) allowing us to study both the spheroid and the gas morphology in

H α + [N II]. We will use the 9% ramps FR647M (5370-7570 $\text{\AA}$) centred at 7000 $\text{\AA}$ and FR914M (7570-10,719 $\text{\AA}$) 8000 $\text{\AA}$ for continuum subtraction for the high and low z objects respectively. OH megamaser galaxies (OHMG) form an important class of ultraluminous IR-galaxies (ULIRGs) whose maser lines emit QSO-like luminosities. ULIRGs in general are associated with recent mergers but it is often unclear whether their power output is dominated by starbursts or a hidden QSO because of the high absorbing columns which hide their nuclei even at X-ray wavelengths. In contrast, OHMG exhibit strong evidence for the presence of an energetically important and recently triggered active nucleus. In particular it is clear that much of the gas must have already collapsed to form a nuclear disk which may be the progenitor of a circum-nuclear torus, a key element of the unified scheme of AGN. A great advantage of studying OHMG systems over the general ULIRG population, is that the circum-nuclear disks are effectively “fixed” at a inner, edge on, orientation, eliminating varying inclination as a nuisance parameter. We will use the HST observations in conjunction with existing maser and spectroscopic data to construct a detailed picture of the circum-nuclear regions of a hitherto relatively neglected class of galaxy that may hold the key to understanding the relationship between galaxy mergers, nuclear star-formation, and the growth of massive black holes and the triggering of nuclear activity.

OBSERVING DESCRIPTION


Each galaxy will be imaged with the ACS/WFC through F814W. The F814W filter is a good choice because it has high throughput and because its band-pass is devoid of strong emission lines in typical galaxy spectra giving us a clean map of the underlying stellar host at a red-wavelength. In objects with $z > 0.1$, H will fall into the passband.

However, the combination of the M and N ramp filters will allow us to correct for line contamination.

We will also study the ionized gas distribution in the central few kpc by obtaining high resolution (0.1”) images with ACS/WFC in the H + [NII] 6548, 83 emission lines images using the ramp filters FR656N, FR716N, FR782N, FR853N. We will use the 9% ramps FR647M (5370-7570 $\text{\AA}$) centred at 7000 $\text{\AA}$ and FR914M (7570-10,719 $\text{\AA}$) 8000 $\text{\AA}$ for continuum subtraction for the high and low z objects respectively.


Proposal 11604 (STScI Edit Number: 2, Created: Wednesday, July 7, 2010 8:07:00 PM EST) - Overview

Visit	Proposal 11604, Visit 01, completed										Thu Jul 08 01:07:01 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(1)	IR0057+4021		RA: 00 08 20.4700 (2.0852917d) Dec: +40 37 56.70 (40.63242d) Equinox: J2000				V=16.78		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(1) IR0057+4021	ACS/WFC, ACCUM, WFC1-MRAMPQ		FR914M 8000 A				200 Secs		
										[==>]	[1]	
	2		(1) IR0057+4021	ACS/WFC, ACCUM, WFC1-IRAMPQ		FR716N 6856.10358 A			Pattern 1, Exps 2-2 (1)	300 Secs		
										[==>(Pattern 1)]		
										[==>(Pattern 2)]	[1]	
	3		(1) IR0057+4021	ACS/WFC, ACCUM, WFC-FIX		F814W				260 Secs		
									[==>]	[1]		
4		(1) IR0057+4021	ACS/WFC, ACCUM, WFC-FIX		F814W		POS TARG 0.099,0.107		340 Secs			
									[==>]	[1]		




Proposal 11604 - Visit 01 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 02, scheduling										Thu Jul 08 01:07:02 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(2)	IR00335-2732		RA: 00 36 0.5200 (9.0021667d) Dec: -27 15 34.50 (-27.25958d) Equinox: J2000				V=17.55		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(2) IR00335-2732	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(2) IR00335-2732	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7017.717455 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(2) IR00335-2732	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(2) IR00335-2732	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 02 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 03, scheduling										Thu Jul 08 01:07:03 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(3)	IR00509+1225		RA: 00 53 34.9000 (13.3954167d) Dec: +12 41 36.00 (12.69333d) Equinox: J2000				V=14.36		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(3) IR00509+1225	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(3) IR00509+1225	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 6964.274946 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(3) IR00509+1225	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(3) IR00509+1225	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 03 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 04, scheduling										Thu Jul 08 01:07:03 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(4)	IR01364-1042		RA: 01 38 52.9000 (24.7204167d) Dec: -10 27 11.20 (-10.45311d) Equinox: J2000				V=16.7		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(4) IR01364-1042	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(4) IR01364-1042	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 6879.645061 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(4) IR01364-1042	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(4) IR01364-1042	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 04 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 05, scheduling											Thu Jul 08 01:07:04 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Pattern Orientation=47.23 Purpose=DITHER Angle Between Sides= Number Of Points=2 Center Pattern=false Point Spacing=0.145 Line Spacing=										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(5)	IR01418+1651	RA: 01 44 30.5600 (26.1273333d) Dec: +17 06 9.80 (17.10272d) Equinox: J2000				V=15.8		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(5) IR01418+1651	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(5) IR01418+1651	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6743.062468 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(5) IR01418+1651	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(5) IR01418+1651	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 05 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 06, scheduling										Thu Jul 08 01:07:04 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(6)	IR02483+4302		RA: 02 51 34.5400 (42.8939167d) Dec: +43 15 15.80 (43.25439d) Equinox: J2000				V=16.11		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(6) IR02483+4302	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(6) IR02483+4302	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 6900.60072 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(6) IR02483+4302	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(6) IR02483+4302	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 06 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 07, completed										Thu Jul 08 01:07:05 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false							(2)
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(7)	IR03056+2034		RA: 03 08 30.7000 (47.1279167d) Dec: +20 46 20.00 (20.77222d) Equinox: J2000				V=14.73		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(7) IR03056+2034	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(7) IR03056+2034	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6742.622747 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(7) IR03056+2034	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(7) IR03056+2034	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 07 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 08, scheduling										Thu Jul 08 01:07:05 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(8)	IR03566+1647	RA: 03 59 29.1000 (59.8712500d) Dec: +16 56 26.00 (16.94056d) Equinox: J2000				V=18		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(8) IR03566+1647	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs [==>]		[1]	
	2		(8) IR03566+1647	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7439.304886 A			Pattern 1, Exps 2-2 (1)	300 Secs [==>(Pattern 1)] [==>(Pattern 2)]		[1]	
	3		(8) IR03566+1647	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs [==>]		[1]	
	4		(8) IR03566+1647	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs [==>]		[1]	




Proposal 11604 - Visit 08 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 09, scheduling										Thu Jul 08 01:07:05 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false					(2)
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(9)	IR04121+0223SW		RA: 04 14 47.1000 (63.6962500d) Dec: +02 30 36.00 (2.51000d) Equinox: J2000				V=18		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(9) IR04121+0223S W	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(9) IR04121+0223S W	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7366.468712 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(9) IR04121+0223S W	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(9) IR04121+0223S W	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 09 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 10, scheduling										Thu Jul 08 01:07:05 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(10)	IR04332+0209		RA: 04 35 48.4000 (68.9516667d) Dec: +02 15 29.00 (2.25806d) Equinox: J2000				V=15.1		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(10) IR04332+0209	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(10) IR04332+0209	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6641.585362 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(10) IR04332+0209	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(10) IR04332+0209	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 10 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 11, completed										Thu Jul 08 01:07:06 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(11)	IRF05100-2425		RA: 05 12 9.0000 (78.0375000d) Dec: -24 21 53.00 (-24.36472d) Equinox: J2000				V=15.1		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(11) IRF05100-2425	ACS/WFC, ACCUM, WFC1-MRAMPQ		FR914M 8000 A				200 Secs		
										[==>]		[1]
	2		(11) IRF05100-2425	ACS/WFC, ACCUM, WFC1-MRAMPQ		FR656N 6782.945819 A			Pattern 1, Exps 2-2 (1)	300 Secs		
										[==>(Pattern 1)]		[1]
										[==>(Pattern 2)]		
	3		(11) IRF05100-2425	ACS/WFC, ACCUM, WFC-FIX		F814W				260 Secs		
									[==>]		[1]	
4		(11) IRF05100-2425	ACS/WFC, ACCUM, WFC-FIX		F814W		POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 11 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 12, completed										Thu Jul 08 01:07:06 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(12)	IR05414+5840	RA: 05 45 47.7700 (86.4490417d) Dec: +58 42 3.00 (58.70083d) Equinox: J2000				V=16		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(12) IR05414+5840	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(12) IR05414+5840	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6660.52618 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(12) IR05414+5840	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(12) IR05414+5840	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 12 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 13, scheduling										Thu Jul 08 01:07:06 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(13)	IR06206-3646		RA: 06 22 22.5000 (95.5937500d) Dec: -36 47 45.00 (-36.79583d) Equinox: J2000				V=17		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(13) IR06206-3646	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(13) IR06206-3646	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7272.073083 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(13) IR06206-3646	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(13) IR06206-3646	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 13 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 14, completed										Thu Jul 08 01:07:07 GMT 2010
	Diagnostic Status: Warning										
	Scientific Instruments: ACS/WFC										
	Special Requirements: (none)										
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Pattern Orientation=47.23 Purpose=DITHER Angle Between Sides= Number Of Points=2 Center Pattern=false Point Spacing=0.145 Line Spacing=								(2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(14)	IR06487+2208	RA: 06 51 45.8000 (102.9408333d) Dec: +22 04 27.00 (22.07417d) Equinox: J2000				V=17		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(14) IR06487+2208	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs		
									[==>]		[1]
	2		(14) IR06487+2208	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7503.733857 A			Pattern 1, Exps 2-2 (1)	300 Secs		
									[==>(Pattern 1)]		
									[==>(Pattern 2)]		[1]
	3		(14) IR06487+2208	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs		
								[==>]		[1]	
4		(14) IR06487+2208	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs		
									[==>]		[1]




Proposal 11604 - Visit 14 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 15, scheduling										Thu Jul 08 01:07:07 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(15)	IR07163+0817		RA: 07 19 5.5000 (109.7729167d) Dec: +08 12 7.00 (8.20194d) Equinox: J2000				V=17		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(15) IR07163+0817	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(15) IR07163+0817	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7291.315799 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(15) IR07163+0817	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(15) IR07163+0817	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 15 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 16, scheduling										Thu Jul 08 01:07:07 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(16)	IR07572+0533		RA: 07 59 57.2000 (119.9883333d) Dec: +05 25 0.10 (5.41669d) Equinox: J2000				V=17		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(16) IR07572+0533	ACS/WFC, ACCUM, WFC1-MRAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(16) IR07572+0533	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7808.644274 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(16) IR07572+0533	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(16) IR07572+0533	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 16 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 17, scheduling											Thu Jul 08 01:07:07 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)			
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(17)	IR08071+0509	RA: 08 09 47.3000 (122.4470833d) Dec: +05 01 10.00 (5.01944d) Equinox: J2000				V=17		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(17) IR08071+0509	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(17) IR08071+0509	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 6905.608289 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(17) IR08071+0509	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(17) IR08071+0509	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 17 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 18, scheduling										Thu Jul 08 01:07:08 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(18)	IR08201+2801		RA: 08 23 12.6000 (125.8025000d) Dec: +27 51 40.00 (27.86111d) Equinox: J2000				V=18		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(18) IR08201+2801	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(18) IR08201+2801	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7664.46829 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(18) IR08201+2801	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
	4		(18) IR08201+2801	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 18 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 19, scheduling											Thu Jul 08 01:07:09 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)			
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(19)	IR08279+0956	RA: 08 30 40.9000 (127.6704167d) Dec: +09 46 28.00 (9.77444d) Equinox: J2000				V=18		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(19) IR08279+0956	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]	[1]		
	2		(19) IR08279+0956	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7932.264942 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]	[1]		
	3		(19) IR08279+0956	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]	[1]			
4		(19) IR08279+0956	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]	[1]			




Proposal 11604 - Visit 19 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 20, completed											Thu Jul 08 01:07:09 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Pattern Orientation=47.23 Purpose=DITHER Angle Between Sides= Number Of Points=2 Center Pattern=false Point Spacing=0.145 Line Spacing=										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(20)	IR08449+2332	RA: 08 47 50.2000 (131.9591667d) Dec: +23 21 10.00 (23.35278d) Equinox: J2000				V=18		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(20) IR08449+2332	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(20) IR08449+2332	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7557.018854 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(20) IR08449+2332	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(20) IR08449+2332	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 20 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 21, scheduling										Thu Jul 08 01:07:09 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(21)	IR09039+0503		RA: 09 06 34.1000 (136.6420833d) Dec: +04 51 23.00 (4.85639d) Equinox: J2000				V=18		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(21) IR09039+0503	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(21) IR09039+0503	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7384.29382 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(21) IR09039+0503	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(21) IR09039+0503	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 21 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 22, scheduling										Thu Jul 08 01:07:09 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(22)	IR09320+6134		RA: 09 35 51.8300 (143.9659583d) Dec: +61 21 11.60 (61.35322d) Equinox: J2000				V=15.1		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(22) IR09320+6134	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(22) IR09320+6134	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6821.365621 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(22) IR09320+6134	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(22) IR09320+6134	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 22 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 23, scheduling										Thu Jul 08 01:07:09 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(23)	IR09531+1430		RA: 09 55 50.1000 (148.9587500d) Dec: +14 16 9.00 (14.26917d) Equinox: J2000				V=15.1		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(23) IR09531+1430	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(23) IR09531+1430	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7975.849825 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(23) IR09531+1430	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(23) IR09531+1430	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 23 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 24, scheduling										Thu Jul 08 01:07:10 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false				(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(24)	IR09539+0857		RA: 09 56 34.3000 (149.1429167d) Dec: +08 43 5.00 (8.71806d) Equinox: J2000				V=20.9		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(24) IR09539+0857	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(24) IR09539+0857	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7408.964137 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(24) IR09539+0857	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(24) IR09539+0857	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 24 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 25, scheduling											Thu Jul 08 01:07:10 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)			
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(25)	IR10036+2740	RA: 10 06 26.3000 (151.6095833d) Dec: +27 25 46.00 (27.42944d) Equinox: J2000				V=18		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(25) IR10036+2740	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]	[1]		
	2		(25) IR10036+2740	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7645.895 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]	[1]		
	3		(25) IR10036+2740	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]	[1]			
4		(25) IR10036+2740	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]	[1]			




Proposal 11604 - Visit 25 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 26, scheduling										Thu Jul 08 01:07:10 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)			
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(26)	IR10339+1548	RA: 10 36 37.9000 (159.1579167d) Dec: +15 32 42.00 (15.54500d) Equinox: J2000				V=18		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(26) IR10339+1548	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(26) IR10339+1548	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7857.459868 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(26) IR10339+1548	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(26) IR10339+1548	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 26 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 27, completed										Thu Jul 08 01:07:10 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(27)	IR10039-3338		RA: 10 06 4.6000 (151.5191667d) Dec: -33 53 2.00 (-33.88389d) Equinox: J2000				V=15.21		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(27) IR10039-3338	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(27) IR10039-3338	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6786.7983 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(27) IR10039-3338	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(27) IR10039-3338	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 27 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 28, scheduling										Thu Jul 08 01:07:11 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(28)	IR10378+1109		RA: 10 40 29.2000 (160.1216667d) Dec: +10 53 17.00 (10.88806d) Equinox: J2000				V=17.7		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(28) IR10378+1109	ACS/WFC, ACCUM, WFC1-IRAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(28) IR10378+1109	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR647M 7457.366262 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(28) IR10378+1109	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(28) IR10378+1109	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 28 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 29, scheduling										Thu Jul 08 01:07:11 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(29)	IR10173+0828		RA: 10 20 0.2000 (155.0008333d) Dec: +08 13 34.00 (8.22611d) Equinox: J2000				V=16.8		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(29) IR10173+0828	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(29) IR10173+0828	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 6885.157981 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(29) IR10173+0828	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(29) IR10173+0828	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 29 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 30, scheduling										Thu Jul 08 01:07:11 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(30)	IR11010+4107		RA: 11 03 53.9500 (165.9747917d) Dec: +40 50 59.90 (40.84997d) Equinox: J2000				V=15		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(30) IR11010+4107	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(30) IR11010+4107	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6789.581012 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(30) IR11010+4107	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(30) IR11010+4107	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 30 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 31, implementation										Thu Jul 08 01:07:12 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnosics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(31)	IR11069+2711	RA: 11 09 38.9000 (167.4120833d) Dec: +26 54 56.00 (26.91556d) Equinox: J2000				V=17		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(31) IR11069+2711	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A		GS ACQ SCENARI O SINGLE		200 Secs			
									[==>]		[1]	
	2		(31) IR11069+2711	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7024.477345 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(31) IR11069+2711	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(31) IR11069+2711	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 31 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 32, scheduling										Thu Jul 08 01:07:12 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(32)	IR11257+5850		RA: 11 28 33.0700 (172.1377917d) Dec: +58 33 44.00 (58.56222d) Equinox: J2000				V=11.8		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(32) IR11257+5850	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(32) IR11257+5850	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6631.327393 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(32) IR11257+5850	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(32) IR11257+5850	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 32 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 33, completed										Thu Jul 08 01:07:12 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(33)	IR11506-3851		RA: 11 53 11.8000 (178.2991667d) Dec: -39 07 48.00 (-39.13000d) Equinox: J2000				V=13.28		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(33) IR11506-3851	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(33) IR11506-3851	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6633.755703 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(33) IR11506-3851	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(33) IR11506-3851	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 33 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 34, scheduling										Thu Jul 08 01:07:12 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false				(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(34)	IR12005+0009		RA: 12 03 4.4000 (180.7683333d) Dec: -00 07 27.00 (-.12417d) Equinox: J2000				V=17.3		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(34) IR12005+0009	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(34) IR12005+0009	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7365.241431 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(34) IR12005+0009	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(34) IR12005+0009	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 34 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 35, scheduling										Thu Jul 08 01:07:12 GMT 2010
	Diagnostic Status: Warning										
	Scientific Instruments: ACS/WFC										
	Special Requirements: (none)										
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false				(2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(35)	IR12018+1941	RA: 12 04 24.5000 (181.1020833d) Dec: +19 25 10.00 (19.41944d) Equinox: J2000				V=19.16		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(35) IR12018+1941	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs		
									[==>]		[1]
	2		(35) IR12018+1941	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7669.823698 A			Pattern 1, Exps 2-2 (1)	300 Secs		
									[==>(Pattern 1)]		
									[==>(Pattern 2)]		[1]
	3		(35) IR12018+1941	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs		
									[==>]		[1]
4		(35) IR12018+1941	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs		
									[==>]		[1]




Proposal 11604 - Visit 35 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 36, scheduling										Thu Jul 08 01:07:13 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(36)	IR12032+1707	RA: 12 05 47.6000 (181.4483333d) Dec: +16 51 8.00 (16.85222d) Equinox: J2000				V=20		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(36) IR12032+1707	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(36) IR12032+1707	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7992.336081 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(36) IR12032+1707	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(36) IR12032+1707	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 36 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 37, scheduling										Thu Jul 08 01:07:13 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Pattern Orientation=47.23 Purpose=DITHER Angle Between Sides= Number Of Points=2 Center Pattern=false Point Spacing=0.145 Line Spacing=									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(37)	IR12112+0305		RA: 12 13 46.0000 (183.4416667d) Dec: +02 48 39.00 (2.81083d) Equinox: J2000				V=16.9		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(37) IR12112+0305	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(37) IR12112+0305	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7044.179471 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(37) IR12112+0305	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(37) IR12112+0305	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 37 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 38, scheduling										Thu Jul 08 01:07:13 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false				(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(38)	IR12243-0036		RA: 12 26 54.6200 (186.7275833d) Dec: -00 52 39.20 (-.87756d) Equinox: J2000				V=13.7		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(38) IR12243-0036	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(38) IR12243-0036	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6610.699884 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(38) IR12243-0036	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(38) IR12243-0036	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 38 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 39, scheduling										Thu Jul 08 01:07:13 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(39)	IR13097-1531		RA: 13 12 26.1000 (198.1087500d) Dec: -15 47 52.00 (-15.79778d) Equinox: J2000				V=14.01		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(39) IR13097-1531	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(39) IR13097-1531	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6628.131212 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(39) IR13097-1531	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(39) IR13097-1531	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 39 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 40, scheduling											Thu Jul 08 01:07:13 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Pattern Orientation=47.23 Purpose=DITHER Angle Between Sides= Number Of Points=2 Center Pattern=false Point Spacing=0.145 Line Spacing=										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(40)	IR13126+2452	RA: 13 15 3.5000 (198.7645833d) Dec: +24 37 8.00 (24.61889d) Equinox: J2000				V=15.4		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(40) IR13126+2452	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(40) IR13126+2452	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6636.269332 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(40) IR13126+2452	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(40) IR13126+2452	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 40 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 41, completed										Thu Jul 08 01:07:14 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(41)	IR13218+0552	RA: 13 24 19.8000 (201.0825000d) Dec: +05 37 3.00 (5.61750d) Equinox: J2000				V=18.4		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(41) IR13218+0552	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(41) IR13218+0552	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7909.084426 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(41) IR13218+0552	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
	4		(41) IR13218+0552	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 41 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 42, scheduling										Thu Jul 08 01:07:14 GMT 2010
	Diagnostic Status: Warning										
	Scientific Instruments: ACS/WFC										
	Special Requirements: (none)										
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.										
Patterns	#	Primary Pattern					Secondary Pattern				Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Pattern Orientation=47.23 Purpose=DITHER Angle Between Sides= Number Of Points=2 Center Pattern=false Point Spacing=0.145 Line Spacing=									(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(42)	IR13254+4754	RA: 13 27 29.7000 (201.8737500d) Dec: +47 39 22.00 (47.65611d) Equinox: J2000				V=16		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(42) IR13254+4754	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs		
									[==>]		[1]
	2		(42) IR13254+4754	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 6959.392074 A			Pattern 1, Exps 2-2 (1)	300 Secs		
									[==>(Pattern 1)]		
									[==>(Pattern 2)]		[1]
	3		(42) IR13254+4754	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs		
								[==>]		[1]	
4		(42) IR13254+4754	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs			
								[==>]		[1]	




Proposal 11604 - Visit 42 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 43, scheduling										Thu Jul 08 01:07:14 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(43)	IR14043+0624		RA: 14 06 49.8400 (211.7076667d) Dec: +06 10 36.10 (6.17669d) Equinox: J2000				V=17.3		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(43) IR14043+0624	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(43) IR14043+0624	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7305.846281 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(43) IR14043+0624	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(43) IR14043+0624	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 43 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 44, scheduling										Thu Jul 08 01:07:14 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(44)	IR14070+0525		RA: 14 09 31.2000 (212.3800000d) Dec: +05 11 31.00 (5.19194d) Equinox: J2000				V=17		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(44) IR14070+0525	ACS/WFC, ACCUM, WFC1-IRAMPQ		F550M				200 Secs		
										[==>]		[1]
	2		(44) IR14070+0525	ACS/WFC, ACCUM, WFC1-IRAMPQ		FR853N 8298.12594 A			Pattern 1, Exps 2-2 (1)	300 Secs		
										[==>(Pattern 1)]		[1]
										[==>(Pattern 2)]		
	3		(44) IR14070+0525	ACS/WFC, ACCUM, WFC-FIX		F814W				260 Secs		
										[==>]		[1]
4		(44) IR14070+0525	ACS/WFC, ACCUM, WFC-FIX		F814W		POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 44 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 45, scheduling										Thu Jul 08 01:07:15 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(45)	IR14553+1245	RA: 14 57 43.3000 (224.4304167d) Dec: +12 33 16.00 (12.55444d) Equinox: J2000				V=17		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(45) IR14553+1245	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(45) IR14553+1245	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7382.7187 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(45) IR14553+1245	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(45) IR14553+1245	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 45 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 46, scheduling										Thu Jul 08 01:07:15 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(46)	IR115107+0724		RA: 15 13 13.1000 (228.3045833d) Dec: +07 13 31.00 (7.22528d) Equinox: J2000				V=15.5		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(46) IR115107+0724	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(46) IR115107+0724	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6648.312437 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(46) IR115107+0724	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(46) IR115107+0724	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 46 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 47, scheduling											Thu Jul 08 01:07:15 GMT 2010	
	Diagnostic Status: Warning												
	Scientific Instruments: ACS/WFC												
	Special Requirements: (none)												
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)				
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous				
	(47)	IR15179+3956	RA: 15 19 47.1000 (229.9462500d) Dec: +39 45 38.00 (39.76056d) Equinox: J2000				V= 17.9		Reference Frame: NED				
	Comments: This object was generated by the targetselector and retrieved from the NED database.												
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit		
	1		(47) IR15179+3956	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs				
									[==>]		[1]		
	2		(47) IR15179+3956	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 6875.20191 A			Pattern 1, Exps 2-2 (1)	300 Secs				
									[==>(Pattern 1)]				
									[==>(Pattern 2)]		[1]		
	3		(47) IR15179+3956	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs				
									[==>]		[1]		
4		(47) IR15179+3956	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs					
								[==>]		[1]			




Proposal 11604 - Visit 47 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 48, scheduling											Thu Jul 08 01:07:15 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)			
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(48)	IRF15224+1033	RA: 15 24 51.5000 (231.2145833d) Dec: +10 22 45.00 (10.37917d) Equinox: J2000				V= 17.9		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(48) IRF15224+1033	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(48) IRF15224+1033	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7442.763587 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(48) IRF15224+1033	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(48) IRF15224+1033	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 48 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 49, scheduling										Thu Jul 08 01:07:16 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(49)	IR15250+3609		RA: 15 26 59.5000 (231.7479167d) Dec: +35 58 37.00 (35.97694d) Equinox: J2000				V=16.2		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(49) IR15250+3609	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(49) IR15250+3609	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 6924.982265 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(49) IR15250+3609	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(49) IR15250+3609	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 49 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 50, completed										Thu Jul 08 01:07:16 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(50)	IR15587+1609		RA: 16 01 2.8000 (240.2616667d) Dec: +16 01 3.00 (16.01750d) Equinox: J2000				V=16.2		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(50) IR15587+1609	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(50) IR15587+1609	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR647M 7463.318903 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(50) IR15587+1609	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(50) IR15587+1609	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 50 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 51, scheduling										Thu Jul 08 01:07:16 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(51)	IR16100+2528		RA: 16 12 5.4000 (243.0225000d) Dec: +25 20 23.00 (25.33972d) Equinox: J2000				V=19.5		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(51) IR16100+2528	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(51) IR16100+2528	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7431.842755 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(51) IR16100+2528	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(51) IR16100+2528	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 51 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 52, scheduling										Thu Jul 08 01:07:16 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(52)	IR16255+2801		RA: 16 27 38.1000 (246.9087500d) Dec: +27 54 52.00 (27.91444d) Equinox: J2000				V=17		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(52) IR16255+2801	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(52) IR16255+2801	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7439.895556 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(52) IR16255+2801	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(52) IR16255+2801	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 52 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 53, scheduling											Thu Jul 08 01:07:16 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Pattern Orientation=47.23 Purpose=DITHER Angle Between Sides= Number Of Points=2 Center Pattern=false Point Spacing=0.145 Line Spacing=										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(53)	IR16300+1558	RA: 16 32 21.4000 (248.0891667d) Dec: +15 51 46.00 (15.86278d) Equinox: J2000				V=(?) 21.5R		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(53) IR16300+1558	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(53) IR16300+1558	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 8149.428049 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(53) IR16300+1558	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(53) IR16300+1558	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 53 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 54, completed										Thu Jul 08 01:07:17 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false							(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(54)	IRF16399-0937	RA: 16 42 40.2100 (250.6675417d) Dec: -09 43 14.40 (-9.72067d) Equinox: J2000				V=16.77		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(54) IRF16399-0937	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(54) IRF16399-0937	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6740.279756 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(54) IRF16399-0937	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(54) IRF16399-0937	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 54 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 55, scheduling											Thu Jul 08 01:07:17 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(55)	IRF17161+2006	RA: 17 18 15.5300 (259.5647083d) Dec: +20 02 57.80 (20.04939d) Equinox: J2000				V=(?) 13.7K		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(55) IRF17161+2006	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(55) IRF17161+2006	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7283.6174 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(55) IRF17161+2006	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(55) IRF17161+2006	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 55 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 56, scheduling										Thu Jul 08 01:07:17 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false				(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(56)	IR17208-0014		RA: 17 23 21.9000 (260.8412500d) Dec: -00 17 1.00 (-.28361d) Equinox: J2000				V=15.1		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(56) IR17208-0014	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(56) IR17208-0014	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR647M 6843.96203 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(56) IR17208-0014	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(56) IR17208-0014	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 56 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 57, scheduling										Thu Jul 08 01:07:17 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(57)	IR17526+3253		RA: 17 54 29.6100 (268.6233750d) Dec: +32 53 11.60 (32.88656d) Equinox: J2000				V=13.94		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(57) IR17526+3253	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(57) IR17526+3253	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6733.710193 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(57) IR17526+3253	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(57) IR17526+3253	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 57 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 58, scheduling										Thu Jul 08 01:07:17 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(58)	IRF17539+2935	RA: 17 55 56.2000 (268.9841667d) Dec: +29 35 27.00 (29.59083d) Equinox: J2000				V=(?) 13.7K		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(58) IRF17539+2935	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(58) IRF17539+2935	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7272.512804 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(58) IRF17539+2935	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(58) IRF17539+2935	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 58 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 59, scheduling											Thu Jul 08 01:07:18 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Pattern Orientation=47.23 Purpose=DITHER Angle Between Sides= Number Of Points=2 Center Pattern=false Point Spacing=0.145 Line Spacing=										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(59)	IR18368+3549	RA: 18 38 35.4000 (279.6475000d) Dec: +35 52 20.00 (35.87222d) Equinox: J2000				V=16.3		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(59) IR18368+3549	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(59) IR18368+3549	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7325.42371 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(59) IR18368+3549	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(59) IR18368+3549	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 59 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 60, scheduling										Thu Jul 08 01:07:18 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false					(2)
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(60)	IR18544-3718		RA: 18 57 52.8000 (284.4700000d) Dec: -37 14 39.00 (-37.24417d) Equinox: J2000				V=16.3		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(60) IR18544-3718	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(60) IR18544-3718	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7044.881712 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(60) IR18544-3718	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(60) IR18544-3718	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 60 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 61, scheduling										Thu Jul 08 01:07:18 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false					(2)
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(61)	IR18588+3517		RA: 19 00 41.2000 (285.1716667d) Dec: +35 21 27.00 (35.35750d) Equinox: J2000				V=(?) 14.4K		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(61) IR18588+3517	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(61) IR18588+3517	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7263.449301 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(61) IR18588+3517	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(61) IR18588+3517	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 61 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 62, scheduling										Thu Jul 08 01:07:18 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false					(2)
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(62)	IR20100-4156		RA: 20 13 29.5000 (303.3729167d) Dec: -41 47 34.00 (-41.79278d) Equinox: J2000				V=16.5		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(62) IR20100-4156	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(62) IR20100-4156	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7413.453229 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(62) IR20100-4156	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(62) IR20100-4156	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 62 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 63, scheduling										Thu Jul 08 01:07:18 GMT 2010		
	Diagnostic Status: Warning												
	Scientific Instruments: ACS/WFC												
	Special Requirements: (none)												
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.												
Patterns	#	Primary Pattern					Secondary Pattern				Exposures		
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false				(2)		
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(63)	IRF20550+1655		RA: 20 57 23.9000 (314.3495833d) Dec: +17 07 39.00 (17.12750d) Equinox: J2000				V=15.2		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.												
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.		Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(63) IRF20550+1655	ACS/WFC, ACCUM, WFC1-MRAMPQ		FR914M 8000 A					200 Secs		
											[==>]		[1]
	2		(63) IRF20550+1655	ACS/WFC, ACCUM, WFC1-MRAMPQ		FR656N 6799.911174 A				Pattern 1, Exps 2-2 (1)	300 Secs		
											[==>(Pattern 1)]		
											[==>(Pattern 2)]		[1]
	3		(63) IRF20550+1655	ACS/WFC, ACCUM, WFC-FIX		F814W					260 Secs		
											[==>]		[1]
4		(63) IRF20550+1655	ACS/WFC, ACCUM, WFC-FIX		F814W			POS TARG 0.099,0.107		340 Secs			
										[==>]		[1]	




Proposal 11604 - Visit 63 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 64, scheduling										Thu Jul 08 01:07:19 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false					(2)
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(64)	IR20248+1734		RA: 20 27 8.9000 (306.7870833d) Dec: +17 44 20.00 (17.73889d) Equinox: J2000				V=15.2		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(64) IR20248+1734	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(64) IR20248+1734	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7362.334022 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(64) IR20248+1734	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(64) IR20248+1734	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107	340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 64 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 65, scheduling											Thu Jul 08 01:07:19 GMT 2010	
	Diagnostic Status: Warning												
	Scientific Instruments: ACS/WFC												
	Special Requirements: (none)												
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.												
Patterns	#	Primary Pattern					Secondary Pattern					Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)				
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous				
	(65)	IR20286+1846	RA: 20 30 54.2000 (307.7258333d) Dec: +18 56 39.00 (18.94417d) Equinox: J2000				V=15.2		Reference Frame: NED				
	Comments: This object was generated by the targetselector and retrieved from the NED database.												
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit		
	1		(65) IR20286+1846	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs				
									[==>]		[1]		
	2		(65) IR20286+1846	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7453.99288 A			Pattern 1, Exps 2-2 (1)	300 Secs				
									[==>(Pattern 1)]				
									[==>(Pattern 2)]		[1]		
	3		(65) IR20286+1846	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs				
								[==>]		[1]			
4		(65) IR20286+1846	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs				
									[==>]		[1]		




Proposal 11604 - Visit 65 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 66, scheduling										Thu Jul 08 01:07:19 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false							
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections			Fluxes		Miscellaneous		
	(66)	IR20450+2140	RA: 20 47 14.3000 (311.8095833d) Dec: +21 51 12.00 (21.85333d) Equinox: J2000					V=(?) 13.8K		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(66) IR20450+2140	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(66) IR20450+2140	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7405.590755 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(66) IR20450+2140	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(66) IR20450+2140	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 66 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 67, scheduling											Thu Jul 08 01:07:19 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)			
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(67)	IR21272+2514	RA: 21 29 29.4000 (322.3725000d) Dec: +25 27 49.00 (25.46361d) Equinox: J2000				V=(?) 13.8K		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(67) IR21272+2514	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(67) IR21272+2514	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7552.680711 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(67) IR21272+2514	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(67) IR21272+2514	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 67 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 68, scheduling											Thu Jul 08 01:07:19 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Pattern Orientation=47.23 Purpose=DITHER Angle Between Sides= Number Of Points=2 Center Pattern=false Point Spacing=0.145 Line Spacing=										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(68)	IR21077+3358	RA: 21 09 49.0000 (317.4541667d) Dec: +34 10 20.00 (34.17222d) Equinox: J2000				V=(?) 15.6K		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(68) IR21077+3358	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(68) IR21077+3358	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7722.675537 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(68) IR21077+3358	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(68) IR21077+3358	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 68 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 69, scheduling										Thu Jul 08 01:07:19 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(69)	IR22055+3024	RA: 22 07 49.6700 (331.9569583d) Dec: +30 39 39.70 (30.66103d) Equinox: J2000				V=(?) 14.2K		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(69) IR22055+3024	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8500 A				200 Secs			
									[==>]		[1]	
	2		(69) IR22055+3024	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7395.785633 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(69) IR22055+3024	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(69) IR22055+3024	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 69 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 70, scheduling										Thu Jul 08 01:07:20 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(70)	IR22088-1832		RA: 22 11 33.8000 (332.8908333d) Dec: -18 17 6.00 (-18.28500d) Equinox: J2000				V=18.38		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(70) IR22088-1832	ACS/WFC, ACCUM, WFC2-ORAMPQ		F550M				200 Secs		
										[==>]		[1]
	2		(70) IR22088-1832	ACS/WFC, ACCUM, WFC2-ORAMPQ		FR782N 7680.048852 A			Pattern 1, Exps 2-2 (1)	300 Secs		
										[==>(Pattern 1)]		[1]
										[==>(Pattern 2)]		
	3		(70) IR22088-1832	ACS/WFC, ACCUM, WFC-FIX		F814W				260 Secs		
										[==>]		[1]
4		(70) IR22088-1832	ACS/WFC, ACCUM, WFC-FIX		F814W		POS TARG 0.099,0.107		340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 70 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 71, scheduling											Thu Jul 08 01:07:20 GMT 2010
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false						(2)			
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections			Fluxes	Miscellaneous				
	(71)	IR22116+0437	RA: 22 14 9.9000 (333.5412500d) Dec: +04 52 23.00 (4.87306d) Equinox: J2000				V=18.38	Reference Frame: NED				
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(71) IR22116+0437	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(71) IR22116+0437	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7834.870022 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]		[1]	
									[==>(Pattern 2)]			
	3		(71) IR22116+0437	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
								[==>]		[1]		
4		(71) IR22116+0437	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 71 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 72, scheduling										Thu Jul 08 01:07:20 GMT 2010
	Diagnostic Status: Warning										
	Scientific Instruments: ACS/WFC										
	Special Requirements: (none)										
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false								(2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(72)	IR22491-1808	RA: 22 51 49.2600 (342.9552500d) Dec: -17 52 23.50 (-17.87319d) Equinox: J2000				V=16.15		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(72) IR22491-1808	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs		
									[==>]		[1]
	2		(72) IR22491-1808	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7073.33888 A			Pattern 1, Exps 2-2 (1)	300 Secs		
									[==>(Pattern 1)]		[1]
									[==>(Pattern 2)]		
	3		(72) IR22491-1808	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs		
								[==>]		[1]	
4		(72) IR22491-1808	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs		
									[==>]		[1]




Proposal 11604 - Visit 72 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 73, scheduling										Thu Jul 08 01:07:20 GMT 2010		
	Diagnostic Status: Warning												
	Scientific Instruments: ACS/WFC												
	Special Requirements: (none)												
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.												
Patterns	#	Primary Pattern					Secondary Pattern				Exposures		
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)		
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(73)	IRF23019+3405S		RA: 23 04 21.2000 (346.0883333d) Dec: +34 21 48.00 (34.36333d) Equinox: J2000				V=(?) 13.7K		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.												
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.		Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(73) IRF23019+3405S	ACS/WFC, ACCUM, WFC1-MRAMPQ		FR914M 8000 A					200 Secs		
											[==>]		[1]
	2		(73) IRF23019+3405S	ACS/WFC, ACCUM, WFC1-IRAMPQ		FR716N 7272.053394 A				Pattern 1, Exps 2-2 (1)	300 Secs		
											[==>(Pattern 1)]		
											[==>(Pattern 2)]		[1]
	3		(73) IRF23019+3405S	ACS/WFC, ACCUM, WFC-FIX		F814W					260 Secs		
											[==>]		[1]
4		(73) IRF23019+3405S	ACS/WFC, ACCUM, WFC-FIX		F814W			POS TARG 0.099,0.107		340 Secs			
										[==>]		[1]	




Proposal 11604 - Visit 73 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 74, scheduling										Thu Jul 08 01:07:21 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(74)	IRF23028+0725	RA: 23 05 20.4000 (346.3350000d) Dec: +07 41 43.00 (7.69528d) Equinox: J2000				V=(?) 13.7K		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(74) IRF23028+0725	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(74) IRF23028+0725	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7543.400629 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(74) IRF23028+0725	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(74) IRF23028+0725	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107			340 Secs			
									[==>]		[1]	




Proposal 11604 - Visit 74 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 75, scheduling										Thu Jul 08 01:07:21 GMT 2010
	Diagnostic Status: Warning										
	Scientific Instruments: ACS/WFC										
	Special Requirements: (none)										
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false								(2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(75)	IR23129+2548	RA: 23 15 21.4000 (348.8391667d) Dec: +26 04 32.00 (26.07556d) Equinox: J2000				V=(?) 14.6K		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(75) IR23129+2548	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs		
									[==>]		[1]
	2		(75) IR23129+2548	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7737.206019 A			Pattern 1, Exps 2-2 (1)	300 Secs		
									[==>(Pattern 1)]		[1]
									[==>(Pattern 2)]		
	3		(75) IR23129+2548	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs		
									[==>]		[1]
4		(75) IR23129+2548	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs			
								[==>]		[1]	




Proposal 11604 - Visit 75 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 76, scheduling										Thu Jul 08 01:07:21 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern					Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false										(2)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(76)	IR23135+2516	RA: 23 16 0.6400 (349.0026667d) Dec: +25 33 23.70 (25.55658d) Equinox: J2000				V=14.94		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(76) IR23135+2516	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(76) IR23135+2516	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR656N 6742.970586 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(76) IR23135+2516	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(76) IR23135+2516	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 76 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 77, scheduling										Thu Jul 08 01:07:21 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false									(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(77)	IRF23199+0123		RA: 23 22 31.6000 (350.6316667d) Dec: +01 39 28.00 (1.65778d) Equinox: J2000				V=18.16		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(77) IRF23199+0123	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs			
									[==>]		[1]	
	2		(77) IRF23199+0123	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7453.53347 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(77) IRF23199+0123	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(77) IRF23199+0123	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		




Proposal 11604 - Visit 77 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 78, scheduling										Thu Jul 08 01:07:21 GMT 2010
	Diagnostic Status: Warning										
	Scientific Instruments: ACS/WFC										
	Special Requirements: (none)										
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Coordinate Frame=POS-TARG Purpose=DITHER Pattern Orientation=47.23 Number Of Points=2 Angle Between Sides= Point Spacing=0.145 Center Pattern=false Line Spacing=								(2)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(78)	IRF23234+0946	RA: 23 25 56.3000 (351.4845833d) Dec: +10 02 50.00 (10.04722d) Equinox: J2000				V=(?) 13.8K		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(78) IRF23234+0946	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs		
									[==>]		[1]
	2		(78) IRF23234+0946	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7402.683346 A			Pattern 1, Exps 2-2 (1)	300 Secs		
									[==>(Pattern 1)]		
									[==>(Pattern 2)]		[1]
	3		(78) IRF23234+0946	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs		
								[==>]		[1]	
4		(78) IRF23234+0946	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs		
									[==>]		[1]



Proposal 11604 - Visit 78 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 79, scheduling										Thu Jul 08 01:07:22 GMT 2010	
	Diagnostic Status: Warning											
	Scientific Instruments: ACS/WFC											
	Special Requirements: (none)											
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.											
Patterns	#	Primary Pattern					Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=					Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false				(2)	
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(79)	IR12107+3157		RA: 12 13 19.9000 (183.3329167d) Dec: +31 40 53.00 (31.68139d) Equinox: J2000				V=(?) 13.8K		Reference Frame: NED		
	Comments: This object was generated by the targetselector and retrieved from the NED database.											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit	
	1		(79) IR12107+3157	ACS/WFC, ACCUM, WFC2-ORAMPQ	F550M				200 Secs			
									[==>]		[1]	
	2		(79) IR12107+3157	ACS/WFC, ACCUM, WFC2-ORAMPQ	FR782N 7918.2595 A			Pattern 1, Exps 2-2 (1)	300 Secs			
									[==>(Pattern 1)]			
									[==>(Pattern 2)]		[1]	
	3		(79) IR12107+3157	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs			
									[==>]		[1]	
4		(79) IR12107+3157	ACS/WFC, ACCUM, WFC-FIX	F814W		POS TARG 0.099,0.107		340 Secs				
								[==>]		[1]		



Proposal 11604 - Visit 79 - The Nuclear Structure of OH Megamaser Galaxies

Visit	Proposal 11604, Visit 80, completed										Thu Jul 08 01:07:22 GMT 2010
	Diagnostic Status: Warning										
	Scientific Instruments: ACS/WFC										
	Special Requirements: (none)										
Diagnostics	(Exposure 2 (Pattern 1, Exps 2-2)) Warning (Form): POS TARG & PATTERN should be used carefully with ACS/WFPC2 ramp or WFC3 quad filters as central wavelengths & transmission efficiencies vary within the apertures.										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=47.23 Angle Between Sides= Center Pattern=false					(2)			
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(80)	IR19154+2704	RA: 19 17 31.3000 (289.3804167d) Dec: +27 10 5.00 (27.16806d) Equinox: J2000			V=(?) 13.8K		Reference Frame: NED			
	Comments: This object was generated by the targetselector and retrieved from the NED database.										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]		Orbit
	1		(80) IR19154+2704	ACS/WFC, ACCUM, WFC1-MRAMPQ	FR914M 8000 A				200 Secs		
									[==>]		[1]
	2		(80) IR19154+2704	ACS/WFC, ACCUM, WFC1-IRAMPQ	FR716N 7215.198125 A			Pattern 1, Exps 2-2 (1)	300 Secs		
									[==>(Pattern 1)]		
									[==>(Pattern 2)]		[1]
	3		(80) IR19154+2704	ACS/WFC, ACCUM, WFC-FIX	F814W				260 Secs		
								[==>]		[1]	
4		(80) IR19154+2704	ACS/WFC, ACCUM, WFC-FIX	F814W			POS TARG 0.099,0.107		340 Secs		
									[==>]		[1]

