



12177 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Cycle: 18, Proposal Category: GO

(Availability Mode: AVAILABLE)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Prof. Pieter van Dokkum (PI) (Contact)	Yale University	pieter.vandokkum@yale.edu
Prof. Charles C. Steidel (CoI)	California Institute of Technology	ccs@astro.caltech.edu
Dr. Hans-Walter Rix (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	rix@mpia.de
Prof. Mariska Kriek (CoI)	University of California - Berkeley	mkriek@berkeley.edu
Dr. Guinevere Kauffmann (CoI) (ESA Member)	Max-Planck-Institut fur Astrophysik	gamk@mpa-garching.mpg.de
Dr. Gabriel Brammer (CoI) (ESA Member)	European Southern Observatory - Chile	gbrammer@eso.org
Prof. Dawn K. Erb (CoI)	University of Wisconsin - Milwaukee	erbd@uwm.edu
Prof. Marijn Franx (CoI) (ESA Member)	Universiteit Leiden	franx@strw.leidenuniv.nl
Dr. N. M. Forster Schreiber (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	forster@mpe.mpg.de
Prof. Xiaohui Fan (CoI)	University of Arizona	fan@as.arizona.edu
Dr. Ryan Quadri (CoI)	Carnegie Institution of Washington	quadri@obs.carnegiescience.edu
Dr. Ivo Labbe (CoI) (ESA Member)	Leiden Observatory	ivo@strw.leidenuniv.nl
Dr. Patrick J. McCarthy (CoI)	Carnegie Institution of Washington	pmccarthy@gmto.org
Dr. Danilo Marchesini (CoI)	Tufts University	danilo.marchesini@tufts.edu
Dr. Anna Pasquali (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	pasquali@mpia-hd.mpg.de
Prof. Garth D. Illingworth (CoI)	University of California - Santa Cruz	gdi@ucolick.org
Ms. Katherine E. Whitaker (CoI)	Yale University	kate.whitaker@yale.edu
Prof. Joseph Hennawi (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	joe@mpia.de
Dr. David Wake (CoI)	Yale University	david.wake@yale.edu
Mr. Shannon Patel (CoI)	University of California - Santa Cruz	patel@ucolick.org

VISITS

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
01	(1) GOODS-SOUTH-1 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:06:09.0	yes
02	(2) GOODS-SOUTH-2 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:06:42.0	yes
03	(3) GOODS-SOUTH-3 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:07:01.0	yes
04	(4) GOODS-SOUTH-4 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:07:19.0	yes
05	(5) GOODS-SOUTH-5 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:07:37.0	yes
06	(6) GOODS-SOUTH-6 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:07:57.0	yes
07	(7) GOODS-SOUTH-7 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:08:14.0	yes
08	(8) GOODS-SOUTH-8 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:08:31.0	yes
09	(9) GOODS-SOUTH-9 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:08:48.0	yes
10	(10) GOODS-SOUTH-10 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:09:04.0	yes
11	(11) GOODS-SOUTH-11 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:09:21.0	yes
12	(12) GOODS-SOUTH-12 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:09:41.0	yes
13	(13) GOODS-SOUTH-13 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:09:57.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
14	(14) GOODS-SOUTH-14 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:10:14.0	yes
15	(15) GOODS-SOUTH-15 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:10:30.0	yes
16	(16) GOODS-SOUTH-16 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:10:46.0	yes
17	(17) GOODS-SOUTH-17 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:11:03.0	yes
18	(18) GOODS-SOUTH-18 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:11:19.0	yes
19	(19) GOODS-SOUTH-19 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:11:38.0	yes
20	(20) GOODS-SOUTH-20 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:11:54.0	yes
21	(21) GOODS-SOUTH-21 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:12:10.0	yes
22	(22) GOODS-SOUTH-22 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:12:26.0	yes
23	(23) GOODS-SOUTH-23 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:12:42.0	yes
24	(24) GOODS-SOUTH-24 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:12:59.0	yes
25	(25) GOODS-SOUTH-25 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:13:15.0	yes
26	(26) GOODS-SOUTH-26 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:13:34.0	yes
27	(27) GOODS-SOUTH-27 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:13:50.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
28	(28) GOODS-SOUTH-28 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:14:06.0	yes
29	(29) GOODS-SOUTH-29 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:14:23.0	yes
30	(30) GOODS-SOUTH-30 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:14:39.0	yes
31	(31) GOODS-SOUTH-31 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:14:55.0	yes
32	(32) GOODS-SOUTH-32 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:15:11.0	yes
33	(33) GOODS-SOUTH-33 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:15:30.0	yes
34	(34) GOODS-SOUTH-34 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:15:46.0	yes
35	(35) GOODS-SOUTH-35 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:16:02.0	yes
36	(36) GOODS-SOUTH-36 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:16:18.0	yes
37	(37) GOODS-SOUTH-37 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:16:35.0	yes
38	(38) GOODS-SOUTH-38 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:16:51.0	yes
39	(39) AEGIS-1 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:17:07.0	yes
69	(39) AEGIS-1 ANY	ACS/WFC WFC3/IR	1	19-Jun-2012 21:17:21.0	yes
40	(40) AEGIS-2 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:17:34.0	yes

Proposal 12177 (STScI Edit Number: 24, Created: Tuesday, June 19, 2012 8:26:04 PM EST) - Overview

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
41	(41) AEGIS-3 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:17:50.0	yes
42	(42) AEGIS-4 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:18:07.0	yes
43	(43) AEGIS-5 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:18:23.0	yes
44	(44) AEGIS-6 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:18:39.0	yes
45	(45) AEGIS-7 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:18:55.0	yes
46	(46) AEGIS-8 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:19:15.0	yes
47	(47) AEGIS-9 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:19:31.0	yes
48	(48) AEGIS-10 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:19:47.0	yes
49	(49) AEGIS-11 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:20:03.0	yes
50	(50) AEGIS-12 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:20:19.0	yes
51	(51) AEGIS-13 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:20:36.0	yes
52	(52) AEGIS-14 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:20:52.0	yes
53	(53) AEGIS-15 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:21:08.0	yes
54	(54) AEGIS-16 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:21:29.0	yes

Proposal 12177 (STScI Edit Number: 24, Created: Tuesday, June 19, 2012 8:26:04 PM EST) - Overview

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
55	(55) AEGIS-17 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:21:46.0	yes
56	(56) AEGIS-18 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:22:02.0	yes
57	(57) AEGIS-19 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:22:17.0	yes
58	(58) AEGIS-20 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:22:33.0	yes
59	(59) AEGIS-21 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:22:49.0	yes
60	(60) AEGIS-22 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:23:09.0	yes
70	(60) AEGIS-22 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:23:25.0	yes
61	(61) AEGIS-23 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:23:41.0	yes
62	(62) AEGIS-24 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:23:56.0	yes
63	(63) AEGIS-25 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:24:13.0	yes
64	(64) AEGIS-26 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:24:29.0	yes
65	(65) AEGIS-27 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:24:49.0	yes
66	(66) AEGIS-28 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:25:05.0	yes
67	(67) AEGIS-29 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:25:22.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
68	(68) AEGIS-30 ANY	ACS/WFC WFC3/IR	2	19-Jun-2012 21:25:38.0	yes

139 Total Orbits Used

ABSTRACT

The Hubble Space Telescope has given us a dazzling imaging legacy, which has enabled us to establish a broad picture across cosmic epochs of how galaxies came to be. Here we propose to extend this legacy with 3D-HST, a peerless near-IR spectroscopic program for studying the physical processes that shape galaxies in the distant Universe. Ground-based optical spectroscopy has provided redshifts of large numbers of UV-bright Lyman break galaxies, but they make up only a fraction of the general galaxy population at $z > 1$. 3D-HST will provide rest-frame optical spectra for a complete sample of ~ 9000 galaxies at $1 < z < 3.5$, when $\sim 60\%$ of all star formation took place, the number density of quasars peaked, the first galaxies stopped forming stars, and the structural regularity that we see in galaxies today must have emerged. The proposed rest-frame optical spectra not only provide redshifts but also spatially-resolved maps of well-calibrated diagnostics of star formation, stellar age, metallicity, stellar mass-to-light ratio and AGN activity, diagnostics that are completely inaccessible otherwise. Combined with already planned WFC3 imaging, the spectra track the emergence and growth of disks and bulges, identify the processes responsible for shutting off star formation in galaxies, and determine the roles of mergers and the larger environment in the shaping of today's galaxies. The survey also has immense legacy value as it provides spectra for all objects in the target fields: 3D-HST should reveal faint quasars at $z \sim 7-8$ and identify the first spectroscopically-confirmed galaxies at $z \sim 9$. We waive all proprietary rights and also commit to making the extracted spectra, redshifts, and other derived quantities publicly available. The survey area will cover most of the Faber et al. MCT imaging area, leveraging this 912-orbit WFC3 imaging investment and greatly enhancing the scientific returns from that program. The combination of the two surveys will provide the definitive imaging and spectroscopic dataset for studies of the distant Universe until JWST.

OBSERVING DESCRIPTION

3D-HST is a Cycle 18 Treasury program which aims to provide two-dimensional grism spectra and accompanying direct images for 4 well-studied extra-galactic fields: GOODS-South (76 orbits), AEGIS (60 orbits), UDS (56 orbits), and COSMOS (56 orbits). The primary instrument is WFC3, with the G141 grism (+ direct images for wavelength calibration). Parallel optical spectra will be obtained with ACS, with the G800L grism. For convenience the phase-II is split in two: program 12177 (136 orbits) describes the observations in the GOODS-South field and the AEGIS field, and program 12328 (112 orbits) comprises the UDS and COSMOS observations.

ORIENT and mosaic strategy:

To enable scheduling of this program no ORIENT constraints are specified at the time of submission of the phase-II. This also means that the mosaics as included in the phase-II are preliminary: the final layout will depend on the ORIENT constraints that will follow from the long range plan. After the long range plan is made the mosaics will be tweaked in order to 1) ensure maximal overlap with existing and planned WFC3 imaging, particularly from the MCT CANDELS program; to 2) create as uniform coverage as possible, and to 3) have as many ACS parallels overlap with WFC3 grism observations as possible.

Orbit / visit strategy:

Each visit consists of 2 orbits on 1 target field. In these 2 orbits 4 dithered exposures in WFC3/G141 and ACS/G800L will be obtained, along with 4 direct images taken at the same positions. We follow the simple pattern

direct, grism, offset, direct, grism, offset, ...

There is a short period when no parallel data can be taken, due to data dumps. (Due to the structure of the ACS parallels this cannot be avoided by changing the pattern to direct -> grism -> grism -> direct, as was done in program 11600).

Dithering strategy:

We use POS-TARG offsets to enable rejection of hot/bad pixels and to improve sampling of the PSF. The pattern is:

POS-TARG: (0,0) (1.355,0.424) (0.881,1.212) (-0.474,0.788)

pixels: (0,0) (10.0,3.5) (6.5,10.0) (-3.5,6.5)

This is a larger version of the standard WFC3-IR-DITHER-BOX-MIN pattern, which has only 1-2 pixel offsets between pointings. As some bad

pixels come in clumps we prefer a slightly larger pattern. No attempt is made to dither over the "dead spot", as large dithers introduce large differential distortion.

Priorities:

It would be very good if the GOODS-South and UDF observations could be scheduled early, as deep WFC3 imaging data already exist in (part of) these fields. Furthermore, the UDF repeat observations are very helpful in developing our extraction software.

Proposal 12177 - Visit 01 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 01, completed					Wed Jun 20 01:26:06 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 357D TO 357 D					
	Comments: HUDF05-1					
Diagnostics	(Visit 01) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 01) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 01) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 01) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 01) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(1)	GOODS-SOUTH-1	RA: 03 33 1.7940 (53.2574750d) Dec: -27 41 20.48 (-27.68902d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 01 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(1) GOODS-SOUTH -1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 01	[==>]	[1]
	2		(1) GOODS-SOUTH -1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 01	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 01	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 01	505.0 Secs [==>]	[1]
	5		(1) GOODS-SOUTH -1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 01	[==>]	[1]
	6		(1) GOODS-SOUTH -1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 01	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 01	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 01	989.0 Secs [==>]	[1]
	9		(1) GOODS-SOUTH -1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 01	[==>]	[2]
	10		(1) GOODS-SOUTH -1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 01	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 01	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 01	640.0 Secs [==>]	[2]
	13		(1) GOODS-SOUTH -1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 01	[==>]	[2]
	14		(1) GOODS-SOUTH -1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 01	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 01	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 01	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 02 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 02, completed Wed Jun 20 01:26:13 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 02) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 02) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 02) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 02) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 02) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(2)	GOODS-SOUTH-2	RA: 03 32 15.7613 (53.0656721d) Dec: -27 48 26.84 (-27.80746d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 02 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(2) GOODS-SOUTH -2	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 02	[==>]	[1]
	2		(2) GOODS-SOUTH -2	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 02	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 02	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 02	505.0 Secs [==>]	[1]
	5		(2) GOODS-SOUTH -2	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 02	[==>]	[1]
	6		(2) GOODS-SOUTH -2	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 02	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 02	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 02	989.0 Secs [==>]	[1]
	9		(2) GOODS-SOUTH -2	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 02	[==>]	[2]
	10		(2) GOODS-SOUTH -2	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 02	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 02	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 02	640.0 Secs [==>]	[2]
	13		(2) GOODS-SOUTH -2	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 02	[==>]	[2]
	14		(2) GOODS-SOUTH -2	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 02	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 02	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 02	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 03 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 03, completed Wed Jun 20 01:26:19 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 03) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 03) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 03) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 03) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 03) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(3)	GOODS-SOUTH-3	RA: 03 32 36.5976 (53.1524900d) Dec: -27 41 12.90 (-27.68692d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 03 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(3) GOODS-SOUTH -3	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 03	[==>]	[1]
	2		(3) GOODS-SOUTH -3	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 03	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 03	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 03	505.0 Secs [==>]	[1]
	5		(3) GOODS-SOUTH -3	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 03	[==>]	[1]
	6		(3) GOODS-SOUTH -3	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 03	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 03	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 03	989.0 Secs [==>]	[1]
	9		(3) GOODS-SOUTH -3	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 03	[==>]	[2]
	10		(3) GOODS-SOUTH -3	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 03	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 03	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 03	640.0 Secs [==>]	[2]
	13		(3) GOODS-SOUTH -3	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 03	[==>]	[2]
	14		(3) GOODS-SOUTH -3	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 03	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 03	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 03	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 04 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 04, completed Wed Jun 20 01:26:26 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 114D TO 114 D				
Diagnostics	(Visit 04) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 04) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 04) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 04) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 04) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(4)	GOODS-SOUTH-4	RA: 03 32 37.6037 (53.1566821d) Dec: -27 50 30.48 (-27.84180d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 04 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(4) GOODS-SOUTH -4	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 04	[==>]	[1]
	2		(4) GOODS-SOUTH -4	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 04	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 04	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 04	505.0 Secs [==>]	[1]
	5		(4) GOODS-SOUTH -4	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 04	[==>]	[1]
	6		(4) GOODS-SOUTH -4	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 04	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 04	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 04	989.0 Secs [==>]	[1]
	9		(4) GOODS-SOUTH -4	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 04	[==>]	[2]
	10		(4) GOODS-SOUTH -4	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 04	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 04	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 04	640.0 Secs [==>]	[2]
	13		(4) GOODS-SOUTH -4	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 04	[==>]	[2]
	14		(4) GOODS-SOUTH -4	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 04	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 04	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 04	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 05 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 05, completed Wed Jun 20 01:26:32 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 114D TO 114 D				
Diagnostics	(Visit 05) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 05) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 05) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 05) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 05) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(5)	GOODS-SOUTH-5	RA: 03 32 20.9369 (53.0872371d) Dec: -27 54 17.51 (-27.90486d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 05 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(5) GOODS-SOUTH -5	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Group 1-4 in Visit 05	[==>]	[1]
	2		(5) GOODS-SOUTH -5	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 05	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 05	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 05	505.0 Secs [==>]	[1]
	5		(5) GOODS-SOUTH -5	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 05	[==>]	[1]
	6		(5) GOODS-SOUTH -5	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 05	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 05	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 05	989.0 Secs [==>]	[1]
	9		(5) GOODS-SOUTH -5	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 05	[==>]	[2]
	10		(5) GOODS-SOUTH -5	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 05	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 05	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 05	640.0 Secs [==>]	[2]
	13		(5) GOODS-SOUTH -5	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 05	[==>]	[2]
	14		(5) GOODS-SOUTH -5	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 05	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 05	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 05	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 06 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 06, completed Wed Jun 20 01:26:38 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 114D TO 114 D				
Diagnostics	(Visit 06) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 06) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 06) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 06) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 06) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(6)	GOODS-SOUTH-6	RA: 03 32 50.5970 (53.2108208d) Dec: -27 51 34.95 (-27.85971d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 06 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(6) GOODS-SOUTH -6	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Group 1-4 in Visit 06	[==>]	[1]
	2		(6) GOODS-SOUTH -6	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 06	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 06	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 06	505.0 Secs [==>]	[1]
	5		(6) GOODS-SOUTH -6	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 06	[==>]	[1]
	6		(6) GOODS-SOUTH -6	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 06	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 06	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 06	989.0 Secs [==>]	[1]
	9		(6) GOODS-SOUTH -6	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 06	[==>]	[2]
	10		(6) GOODS-SOUTH -6	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 06	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 06	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 06	640.0 Secs [==>]	[2]
	13		(6) GOODS-SOUTH -6	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 06	[==>]	[2]
	14		(6) GOODS-SOUTH -6	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 06	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 06	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 06	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 07 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 07, completed Wed Jun 20 01:26:44 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 07) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 07) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 07) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 07) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 07) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(7)	GOODS-SOUTH-7	RA: 03 32 35.9657 (53.1498571d) Dec: -27 48 45.66 (-27.81268d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 07 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(7) GOODS-SOUTH -7	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 07	[==>]	[1]
	2		(7) GOODS-SOUTH -7	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 07	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 07	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 07	505.0 Secs [==>]	[1]
	5		(7) GOODS-SOUTH -7	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 07	[==>]	[1]
	6		(7) GOODS-SOUTH -7	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 07	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 07	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 07	989.0 Secs [==>]	[1]
	9		(7) GOODS-SOUTH -7	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 07	[==>]	[2]
	10		(7) GOODS-SOUTH -7	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 07	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 07	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 07	640.0 Secs [==>]	[2]
	13		(7) GOODS-SOUTH -7	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 07	[==>]	[2]
	14		(7) GOODS-SOUTH -7	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 07	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 07	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 07	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 08 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 08, completed Wed Jun 20 01:26:51 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 08) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 08) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 08) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 08) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 08) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(8)	GOODS-SOUTH-8	RA: 03 32 46.1730 (53.1923875d) Dec: -27 48 5.16 (-27.80143d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 08 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(8) GOODS-SOUTH -8	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 08	[==>]	[1]
	2		(8) GOODS-SOUTH -8	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 08	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 08	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 08	505.0 Secs [==>]	[1]
	5		(8) GOODS-SOUTH -8	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 08	[==>]	[1]
	6		(8) GOODS-SOUTH -8	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 08	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 08	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 08	989.0 Secs [==>]	[1]
	9		(8) GOODS-SOUTH -8	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 08	[==>]	[2]
	10		(8) GOODS-SOUTH -8	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 08	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 08	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 08	640.0 Secs [==>]	[2]
	13		(8) GOODS-SOUTH -8	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 08	[==>]	[2]
	14		(8) GOODS-SOUTH -8	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 08	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 08	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 08	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 09 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 09, completed Wed Jun 20 01:26:57 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 50D TO 50 D				
Diagnostics	(Visit 09) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 09) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 09) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 09) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 09) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(9)	GOODS-SOUTH-9	RA: 03 32 15.8448 (53.0660200d) Dec: -27 46 21.20 (-27.77256d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 09 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(9) GOODS-SOUTH -9	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 09	[==>]	[1]
	2		(9) GOODS-SOUTH -9	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 09	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 09	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 09	505.0 Secs [==>]	[1]
	5		(9) GOODS-SOUTH -9	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 09	[==>]	[1]
	6		(9) GOODS-SOUTH -9	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 09	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 09	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 09	989.0 Secs [==>]	[1]
	9		(9) GOODS-SOUTH -9	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 09	[==>]	[2]
	10		(9) GOODS-SOUTH -9	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 09	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 09	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 09	640.0 Secs [==>]	[2]
	13		(9) GOODS-SOUTH -9	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 09	[==>]	[2]
	14		(9) GOODS-SOUTH -9	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 09	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 09	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 09	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 10 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 10, completed					Wed Jun 20 01:27:03 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 114D TO 114 D					
Diagnostics	(Visit 10) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 10) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 10) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 10) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 10) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(10)	GOODS-SOUTH-10	RA: 03 32 27.9880 (53.1166167d) Dec: -27 51 20.31 (-27.85564d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 10 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(10) GOODS-SOUT H-10	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 10	[==>]	[1]
	2		(10) GOODS-SOUT H-10	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 10	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 10	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 10	505.0 Secs [==>]	[1]
	5		(10) GOODS-SOUT H-10	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 10	[==>]	[1]
	6		(10) GOODS-SOUT H-10	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 10	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 10	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 10	989.0 Secs [==>]	[1]
	9		(10) GOODS-SOUT H-10	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 10	[==>]	[2]
	10		(10) GOODS-SOUT H-10	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 10	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 10	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 10	640.0 Secs [==>]	[2]
	13		(10) GOODS-SOUT H-10	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 10	[==>]	[2]
	14		(10) GOODS-SOUT H-10	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 10	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 10	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 10	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 11 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 11, completed					Wed Jun 20 01:27:09 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 50D TO 50 D					
Diagnostics	(Visit 11) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 11) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 11) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 11) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 11) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(11)	GOODS-SOUTH-11	RA: 03 32 35.7571 (53.1489879d) Dec: -27 42 39.38 (-27.71094d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 11 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(11) GOODS-SOUT H-11	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 11	[==>]	[1]
	2		(11) GOODS-SOUT H-11	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 11	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 11	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 11	505.0 Secs [==>]	[1]
	5		(11) GOODS-SOUT H-11	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 11	[==>]	[1]
	6		(11) GOODS-SOUT H-11	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 11	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 11	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 11	989.0 Secs [==>]	[1]
	9		(11) GOODS-SOUT H-11	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 11	[==>]	[2]
	10		(11) GOODS-SOUT H-11	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 11	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 11	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 11	640.0 Secs [==>]	[2]
	13		(11) GOODS-SOUT H-11	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 11	[==>]	[2]
	14		(11) GOODS-SOUT H-11	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 11	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 11	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 11	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 12 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 12, completed Wed Jun 20 01:27:15 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 50D TO 50 D				
Diagnostics	(Visit 12) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 12) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 12) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 12) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 12) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(12)	GOODS-SOUTH-12	RA: 03 32 16.7093 (53.0696221d) Dec: -27 44 6.89 (-27.73525d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 12 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(12) GOODS-SOUT H-12	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 12	[==>]	[1]
	2		(12) GOODS-SOUT H-12	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 12	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 12	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 12	505.0 Secs [==>]	[1]
	5		(12) GOODS-SOUT H-12	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 12	[==>]	[1]
	6		(12) GOODS-SOUT H-12	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 12	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 12	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 12	989.0 Secs [==>]	[1]
	9		(12) GOODS-SOUT H-12	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 12	[==>]	[2]
	10		(12) GOODS-SOUT H-12	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 12	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 12	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 12	640.0 Secs [==>]	[2]
	13		(12) GOODS-SOUT H-12	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 12	[==>]	[2]
	14		(12) GOODS-SOUT H-12	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 12	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 12	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 12	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 13 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 13, completed					Wed Jun 20 01:27:21 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 114D TO 114 D					
Diagnostics	(Visit 13) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 13) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 13) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 13) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 13) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(13)	GOODS-SOUTH-13	RA: 03 32 31.4209 (53.1309204d) Dec: -27 53 12.99 (-27.88694d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 13 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(13) GOODS-SOUT H-13	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 13	[==>]	[1]
	2		(13) GOODS-SOUT H-13	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 13	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 13	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 13	505.0 Secs [==>]	[1]
	5		(13) GOODS-SOUT H-13	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 13	[==>]	[1]
	6		(13) GOODS-SOUT H-13	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 13	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 13	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 13	989.0 Secs [==>]	[1]
	9		(13) GOODS-SOUT H-13	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 13	[==>]	[2]
	10		(13) GOODS-SOUT H-13	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 13	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 13	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 13	640.0 Secs [==>]	[2]
	13		(13) GOODS-SOUT H-13	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 13	[==>]	[2]
	14		(13) GOODS-SOUT H-13	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 13	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 13	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 13	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 14 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 14, completed Wed Jun 20 01:27:27 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 114D TO 114 D				
Diagnostics	(Visit 14) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 14) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 14) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 14) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 14) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(14)	GOODS-SOUTH-14	RA: 03 32 44.4849 (53.1853538d) Dec: -27 54 17.51 (-27.90486d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 14 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(14) GOODS-SOUT H-14	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 14	[==>]	[1]
	2		(14) GOODS-SOUT H-14	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 14	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 14	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 14	505.0 Secs [==>]	[1]
	5		(14) GOODS-SOUT H-14	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 14	[==>]	[1]
	6		(14) GOODS-SOUT H-14	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 14	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 14	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 14	989.0 Secs [==>]	[1]
	9		(14) GOODS-SOUT H-14	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 14	[==>]	[2]
	10		(14) GOODS-SOUT H-14	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 14	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 14	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 14	640.0 Secs [==>]	[2]
	13		(14) GOODS-SOUT H-14	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 14	[==>]	[2]
	14		(14) GOODS-SOUT H-14	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 14	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 14	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 14	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 15 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 15, completed Wed Jun 20 01:27:33 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 114D TO 114 D				
Diagnostics	(Visit 15) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 15) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 15) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 15) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 15) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(15)	GOODS-SOUTH-15	RA: 03 32 25.3341 (53.1055588d) Dec: -27 55 56.72 (-27.93242d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 15 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(15) GOODS-SOUT H-15	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARIO SINGLE	Prime + Parallel Group 1-4 in Visit 15	[==>]	[1]
	2		(15) GOODS-SOUT H-15	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 15	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 15	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 15	505.0 Secs [==>]	[1]
	5		(15) GOODS-SOUT H-15	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 15	[==>]	[1]
	6		(15) GOODS-SOUT H-15	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 15	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 15	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 15	989.0 Secs [==>]	[1]
	9		(15) GOODS-SOUT H-15	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 15	[==>]	[2]
	10		(15) GOODS-SOUT H-15	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 15	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 15	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 15	640.0 Secs [==>]	[2]
	13		(15) GOODS-SOUT H-15	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 15	[==>]	[2]
	14		(15) GOODS-SOUT H-15	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 15	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 15	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 15	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 16 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 16, completed					Wed Jun 20 01:27:39 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 114D TO 114 D					
Diagnostics	(Visit 16) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 16) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 16) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 16) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 16) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(16)	GOODS-SOUTH-16	RA: 03 32 34.9241 (53.1455171d) Dec: -27 55 6.81 (-27.91856d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 16 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(16) GOODS-SOUT H-16	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 16	[==>]	[1]
	2		(16) GOODS-SOUT H-16	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 16	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 16	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 16	505.0 Secs [==>]	[1]
	5		(16) GOODS-SOUT H-16	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 16	[==>]	[1]
	6		(16) GOODS-SOUT H-16	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 16	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 16	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 16	989.0 Secs [==>]	[1]
	9		(16) GOODS-SOUT H-16	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 16	[==>]	[2]
	10		(16) GOODS-SOUT H-16	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 16	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 16	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 16	640.0 Secs [==>]	[2]
	13		(16) GOODS-SOUT H-16	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 16	[==>]	[2]
	14		(16) GOODS-SOUT H-16	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 16	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 16	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 16	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 17 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 17, completed					Wed Jun 20 01:27:45 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 50D TO 50 D					
Diagnostics	(Visit 17) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 17) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 17) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 17) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 17) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(17)	GOODS-SOUTH-17	RA: 03 32 25.3147 (53.1054779d) Dec: -27 45 44.12 (-27.76226d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 17 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(17) GOODS-SOUT H-17	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 17	[==>]	[1]
	2		(17) GOODS-SOUT H-17	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 17	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 17	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 17	505.0 Secs [==>]	[1]
	5		(17) GOODS-SOUT H-17	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 17	[==>]	[1]
	6		(17) GOODS-SOUT H-17	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 17	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 17	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 17	989.0 Secs [==>]	[1]
	9		(17) GOODS-SOUT H-17	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 17	[==>]	[2]
	10		(17) GOODS-SOUT H-17	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 17	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 17	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 17	640.0 Secs [==>]	[2]
	13		(17) GOODS-SOUT H-17	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 17	[==>]	[2]
	14		(17) GOODS-SOUT H-17	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 17	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 17	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 17	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 18 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 18, completed Wed Jun 20 01:27:51 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 18) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 18) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 18) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 18) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 18) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(18)	GOODS-SOUTH-18	RA: 03 32 45.8309 (53.1909621d) Dec: -27 46 1.69 (-27.76714d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 18 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(18) GOODS-SOUT H-18	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 18	[==>]	[1]
	2		(18) GOODS-SOUT H-18	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 18	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 18	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 18	505.0 Secs [==>]	[1]
	5		(18) GOODS-SOUT H-18	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 18	[==>]	[1]
	6		(18) GOODS-SOUT H-18	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 18	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 18	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 18	989.0 Secs [==>]	[1]
	9		(18) GOODS-SOUT H-18	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 18	[==>]	[2]
	10		(18) GOODS-SOUT H-18	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 18	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 18	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 18	640.0 Secs [==>]	[2]
	13		(18) GOODS-SOUT H-18	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 18	[==>]	[2]
	14		(18) GOODS-SOUT H-18	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 18	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 18	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 18	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 19 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 19, completed Wed Jun 20 01:27:57 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 19) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 19) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 19) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 19) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 19) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(19)	GOODS-SOUTH-19	RA: 03 32 16.4850 (53.0686875d) Dec: -27 50 28.81 (-27.84134d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 19 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(19) GOODS-SOUT H-19	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 19	[==>]	[1]
	2		(19) GOODS-SOUT H-19	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 19	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 19	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 19	505.0 Secs [==>]	[1]
	5		(19) GOODS-SOUT H-19	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 19	[==>]	[1]
	6		(19) GOODS-SOUT H-19	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 19	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 19	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 19	989.0 Secs [==>]	[1]
	9		(19) GOODS-SOUT H-19	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 19	[==>]	[2]
	10		(19) GOODS-SOUT H-19	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 19	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 19	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 19	640.0 Secs [==>]	[2]
	13		(19) GOODS-SOUT H-19	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 19	[==>]	[2]
	14		(19) GOODS-SOUT H-19	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 19	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 19	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 19	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 20 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 20, completed Wed Jun 20 01:28:03 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 20) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 20) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 20) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 20) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 20) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(20)	GOODS-SOUTH-20	RA: 03 32 26.4878 (53.1103658d) Dec: -27 49 45.91 (-27.82942d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 20 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(20) GOODS-SOUT H-20	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 20	[==>]	[1]
	2		(20) GOODS-SOUT H-20	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 20	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 20	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 20	505.0 Secs [==>]	[1]
	5		(20) GOODS-SOUT H-20	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 20	[==>]	[1]
	6		(20) GOODS-SOUT H-20	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 20	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 20	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 20	989.0 Secs [==>]	[1]
	9		(20) GOODS-SOUT H-20	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 20	[==>]	[2]
	10		(20) GOODS-SOUT H-20	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 20	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 20	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 20	640.0 Secs [==>]	[2]
	13		(20) GOODS-SOUT H-20	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 20	[==>]	[2]
	14		(20) GOODS-SOUT H-20	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 20	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 20	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 20	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 21 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 21, completed Wed Jun 20 01:28:09 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 114D TO 114 D				
Diagnostics	(Visit 21) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 21) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 21) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 21) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 21) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(21)	GOODS-SOUTH-21	RA: 03 32 40.9800 (53.1707500d) Dec: -27 52 23.48 (-27.87319d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 21 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(21) GOODS-SOUT H-21	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 21	[==>]	[1]
	2		(21) GOODS-SOUT H-21	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 21	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 21	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 21	505.0 Secs [==>]	[1]
	5		(21) GOODS-SOUT H-21	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 21	[==>]	[1]
	6		(21) GOODS-SOUT H-21	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 21	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 21	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 21	989.0 Secs [==>]	[1]
	9		(21) GOODS-SOUT H-21	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 21	[==>]	[2]
	10		(21) GOODS-SOUT H-21	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 21	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 21	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 21	640.0 Secs [==>]	[2]
	13		(21) GOODS-SOUT H-21	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 21	[==>]	[2]
	14		(21) GOODS-SOUT H-21	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 21	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 21	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 21	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 22 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 22, completed					Wed Jun 20 01:28:15 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 114D TO 114 D					
Diagnostics	(Visit 22) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 22) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 22) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 22) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 22) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(22)	GOODS-SOUTH-22	RA: 03 32 54.0038 (53.2250158d) Dec: -27 53 28.96 (-27.89138d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 22 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(22) GOODS-SOUT H-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 22	[==>]	[1]
	2		(22) GOODS-SOUT H-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 22	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 22	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 22	505.0 Secs [==>]	[1]
	5		(22) GOODS-SOUT H-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 22	[==>]	[1]
	6		(22) GOODS-SOUT H-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 22	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 22	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 22	989.0 Secs [==>]	[1]
	9		(22) GOODS-SOUT H-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 22	[==>]	[2]
	10		(22) GOODS-SOUT H-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 22	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 22	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 22	640.0 Secs [==>]	[2]
	13		(22) GOODS-SOUT H-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 22	[==>]	[2]
	14		(22) GOODS-SOUT H-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 22	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 22	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 22	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 23 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 23, completed Wed Jun 20 01:28:21 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 210D TO 210 D				
Diagnostics	(Visit 23) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 23) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 23) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 23) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 23) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(23)	GOODS-SOUTH-23	RA: 03 32 7.4610 (53.0310875d) Dec: -27 43 9.21 (-27.71922d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 23 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(23) GOODS-SOUT H-23	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 23	[==>]	[1]
	2		(23) GOODS-SOUT H-23	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 23	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 23	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 23	505.0 Secs [==>]	[1]
	5		(23) GOODS-SOUT H-23	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 23	[==>]	[1]
	6		(23) GOODS-SOUT H-23	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 23	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 23	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 23	989.0 Secs [==>]	[1]
	9		(23) GOODS-SOUT H-23	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 23	[==>]	[2]
	10		(23) GOODS-SOUT H-23	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 23	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 23	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 23	640.0 Secs [==>]	[2]
	13		(23) GOODS-SOUT H-23	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 23	[==>]	[2]
	14		(23) GOODS-SOUT H-23	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 23	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 23	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 23	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 24 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 24, completed Wed Jun 20 01:28:27 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 198D TO 198 D				
Diagnostics	(Visit 24) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 24) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 24) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 24) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 24) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(24)	GOODS-SOUTH-24	RA: 03 32 8.6764 (53.0361517d) Dec: -27 45 21.35 (-27.75593d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 24 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(24) GOODS-SOUT H-24	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 24	[==>]	[1]
	2		(24) GOODS-SOUT H-24	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 24	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 24	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 24	505.0 Secs [==>]	[1]
	5		(24) GOODS-SOUT H-24	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 24	[==>]	[1]
	6		(24) GOODS-SOUT H-24	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 24	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 24	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 24	925 Secs [==>]	[1]
	9		(24) GOODS-SOUT H-24	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 24	[==>]	[2]
	10		(24) GOODS-SOUT H-24	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 24	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 24	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 24	640.0 Secs [==>]	[2]
	13		(24) GOODS-SOUT H-24	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 24	[==>]	[2]
	14		(24) GOODS-SOUT H-24	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 24	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 24	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 24	925 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 25 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 25, completed Wed Jun 20 01:28:33 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 20D TO 20 D				
Diagnostics	(Visit 25) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 25) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 25) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 25) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 25) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(25)	GOODS-SOUTH-25	RA: 03 32 9.8340 (53.0409750d) Dec: -27 47 42.16 (-27.79504d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 25 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(25) GOODS-SOUT H-25	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 25	[==>]	[1]
	2		(25) GOODS-SOUT H-25	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 25	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 25	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 25	505.0 Secs [==>]	[1]
	5		(25) GOODS-SOUT H-25	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 25	[==>]	[1]
	6		(25) GOODS-SOUT H-25	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 25	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 25	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 25	989.0 Secs [==>]	[1]
	9		(25) GOODS-SOUT H-25	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 25	[==>]	[2]
	10		(25) GOODS-SOUT H-25	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 25	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 25	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 25	640.0 Secs [==>]	[2]
	13		(25) GOODS-SOUT H-25	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 25	[==>]	[2]
	14		(25) GOODS-SOUT H-25	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 25	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 25	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 25	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 26 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 26, completed					Wed Jun 20 01:28:39 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 223D TO 223 D					
Diagnostics	(Visit 26) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 26) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 26) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 26) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 26) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(26)	GOODS-SOUTH-26	RA: 03 32 20.7960 (53.0866500d) Dec: -27 52 8.23 (-27.86895d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 26 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(26) GOODS-SOUT H-26	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARIO SINGLE	Prime + Parallel Group 1-4 in Visit 26	[==>]	[1]
	2		(26) GOODS-SOUT H-26	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 26	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 26	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 26	505.0 Secs [==>]	[1]
	5		(26) GOODS-SOUT H-26	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 26	[==>]	[1]
	6		(26) GOODS-SOUT H-26	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 26	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 26	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 26	989.0 Secs [==>]	[1]
	9		(26) GOODS-SOUT H-26	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 26	[==>]	[2]
	10		(26) GOODS-SOUT H-26	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 26	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 26	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 26	640.0 Secs [==>]	[2]
	13		(26) GOODS-SOUT H-26	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 26	[==>]	[2]
	14		(26) GOODS-SOUT H-26	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 26	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 26	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 26	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 27 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 27, completed Wed Jun 20 01:28:45 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 120D TO 130 D				
Diagnostics	(Visit 27) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 27) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 27) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 27) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 27) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(27)	GOODS-SOUTH-27	RA: 03 32 47.1570 (53.1964875d) Dec: -27 49 41.75 (-27.82826d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 27 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(27) GOODS-SOUT H-27	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Group 1-4 in Visit 27	[==>]	[1]
	2		(27) GOODS-SOUT H-27	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 27	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 27	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 27	505.0 Secs [==>]	[1]
	5		(27) GOODS-SOUT H-27	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 27	[==>]	[1]
	6		(27) GOODS-SOUT H-27	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 27	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 27	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 27	989.0 Secs [==>]	[1]
	9		(27) GOODS-SOUT H-27	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 27	[==>]	[2]
	10		(27) GOODS-SOUT H-27	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 27	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 27	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 27	640.0 Secs [==>]	[2]
	13		(27) GOODS-SOUT H-27	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 27	[==>]	[2]
	14		(27) GOODS-SOUT H-27	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 27	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 27	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 27	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 28 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 28, completed Wed Jun 20 01:28:51 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 79D TO 79 D				
Diagnostics	(Visit 28) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 28) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 28) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 28) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 28) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(28)	GOODS-SOUTH-28	RA: 03 33 5.4270 (53.2726125d) Dec: -27 51 25.46 (-27.85707d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 28 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(28) GOODS-SOUT H-28	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 28	[==>]	[1]
	2		(28) GOODS-SOUT H-28	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 28	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 28	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 28	505.0 Secs [==>]	[1]
	5		(28) GOODS-SOUT H-28	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 28	[==>]	[1]
	6		(28) GOODS-SOUT H-28	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 28	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 28	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 28	989.0 Secs [==>]	[1]
	9		(28) GOODS-SOUT H-28	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 28	[==>]	[2]
	10		(28) GOODS-SOUT H-28	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 28	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 28	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 28	640.0 Secs [==>]	[2]
	13		(28) GOODS-SOUT H-28	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 28	[==>]	[2]
	14		(28) GOODS-SOUT H-28	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 28	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 28	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 28	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 29 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 29, completed					Wed Jun 20 01:28:57 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 50D TO 50 D					
Diagnostics	(Visit 29) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 29) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 29) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 29) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 29) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(29)	GOODS-SOUTH-29	RA: 03 32 44.4738 (53.1853075d) Dec: -27 44 6.12 (-27.73503d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 29 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(29) GOODS-SOUT H-29	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 29	[==>]	[1]
	2		(29) GOODS-SOUT H-29	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 29	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 29	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 29	505.0 Secs [==>]	[1]
	5		(29) GOODS-SOUT H-29	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 29	[==>]	[1]
	6		(29) GOODS-SOUT H-29	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 29	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 29	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 29	989.0 Secs [==>]	[1]
	9		(29) GOODS-SOUT H-29	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 29	[==>]	[2]
	10		(29) GOODS-SOUT H-29	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 29	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 29	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 29	640.0 Secs [==>]	[2]
	13		(29) GOODS-SOUT H-29	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 29	[==>]	[2]
	14		(29) GOODS-SOUT H-29	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 29	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 29	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 29	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 30 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 30, completed Wed Jun 20 01:29:03 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 50D TO 50 D				
Diagnostics	(Visit 30) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 30) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 30) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 30) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 30) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(30)	GOODS-SOUTH-30	RA: 03 32 26.1875 (53.1091146d) Dec: -27 43 29.26 (-27.72479d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 30 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(30) GOODS-SOUT H-30	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 30	[==>]	[1]
	2		(30) GOODS-SOUT H-30	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 30	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 30	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 30	505.0 Secs [==>]	[1]
	5		(30) GOODS-SOUT H-30	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 30	[==>]	[1]
	6		(30) GOODS-SOUT H-30	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 30	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 30	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 30	989.0 Secs [==>]	[1]
	9		(30) GOODS-SOUT H-30	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 30	[==>]	[2]
	10		(30) GOODS-SOUT H-30	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 30	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 30	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 30	640.0 Secs [==>]	[2]
	13		(30) GOODS-SOUT H-30	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 30	[==>]	[2]
	14		(30) GOODS-SOUT H-30	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 30	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 30	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 30	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 31 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 31, completed Wed Jun 20 01:29:09 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 31) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 31) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 31) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 31) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 31) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(31)	GOODS-SOUTH-31	RA: 03 32 25.8272 (53.1076133d) Dec: -27 47 43.39 (-27.79539d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 31 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(31) GOODS-SOUT H-31	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 31	[==>]	[1]
	2		(31) GOODS-SOUT H-31	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 31	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 31	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 31	505.0 Secs [==>]	[1]
	5		(31) GOODS-SOUT H-31	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 31	[==>]	[1]
	6		(31) GOODS-SOUT H-31	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 31	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 31	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 31	989.0 Secs [==>]	[1]
	9		(31) GOODS-SOUT H-31	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 31	[==>]	[2]
	10		(31) GOODS-SOUT H-31	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 31	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 31	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 31	640.0 Secs [==>]	[2]
	13		(31) GOODS-SOUT H-31	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 31	[==>]	[2]
	14		(31) GOODS-SOUT H-31	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 31	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 31	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 31	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 32 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 32, completed Wed Jun 20 01:29:15 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 32) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 32) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 32) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 32) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 32) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(32)	GOODS-SOUTH-32	RA: 03 32 35.8146 (53.1492275d) Dec: -27 46 51.90 (-27.78108d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 32 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(32) GOODS-SOUT H-32	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 32	[==>]	[1]
	2		(32) GOODS-SOUT H-32	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 32	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 32	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 32	505.0 Secs [==>]	[1]
	5		(32) GOODS-SOUT H-32	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 32	[==>]	[1]
	6		(32) GOODS-SOUT H-32	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 32	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 32	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 32	989.0 Secs [==>]	[1]
	9		(32) GOODS-SOUT H-32	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 32	[==>]	[2]
	10		(32) GOODS-SOUT H-32	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 32	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 32	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 32	640.0 Secs [==>]	[2]
	13		(32) GOODS-SOUT H-32	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 32	[==>]	[2]
	14		(32) GOODS-SOUT H-32	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 32	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 32	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 32	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 33 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 33, completed Wed Jun 20 01:29:21 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 50D TO 50 D				
Diagnostics	(Visit 33) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 33) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 33) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 33) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 33) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(33)	GOODS-SOUTH-33	RA: 03 32 34.9179 (53.1454912d) Dec: -27 44 54.29 (-27.74841d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 33 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(33) GOODS-SOUT H-33	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 33	[==>]	[1]
	2		(33) GOODS-SOUT H-33	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 33	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 33	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 33	505.0 Secs [==>]	[1]
	5		(33) GOODS-SOUT H-33	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 33	[==>]	[1]
	6		(33) GOODS-SOUT H-33	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 33	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 33	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 33	989.0 Secs [==>]	[1]
	9		(33) GOODS-SOUT H-33	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 33	[==>]	[2]
	10		(33) GOODS-SOUT H-33	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 33	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 33	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 33	640.0 Secs [==>]	[2]
	13		(33) GOODS-SOUT H-33	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 33	[==>]	[2]
	14		(33) GOODS-SOUT H-33	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 33	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 33	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 33	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 34 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 34, completed Wed Jun 20 01:29:27 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 264D TO 264 D				
Diagnostics	(Visit 34) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 34) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 34) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 34) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 34) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(34)	GOODS-SOUTH-34	RA: 03 32 38.8860 (53.1620250d) Dec: -27 46 54.24 (-27.78173d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 34 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(34) GOODS-SOUT H-34	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 34	[==>]	[1]
	2		(34) GOODS-SOUT H-34	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 34	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 34	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 34	505.0 Secs [==>]	[1]
	5		(34) GOODS-SOUT H-34	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 34	[==>]	[1]
	6		(34) GOODS-SOUT H-34	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 34	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 34	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 34	989.0 Secs [==>]	[1]
	9		(34) GOODS-SOUT H-34	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 34	[==>]	[2]
	10		(34) GOODS-SOUT H-34	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 34	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 34	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 34	640.0 Secs [==>]	[2]
	13		(34) GOODS-SOUT H-34	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 34	[==>]	[2]
	14		(34) GOODS-SOUT H-34	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 34	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 34	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 34	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 35 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 35, completed Wed Jun 20 01:29:33 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 311D TO 311 D				
Diagnostics	(Visit 35) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 35) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 35) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 35) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 35) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(35)	GOODS-SOUTH-35	RA: 03 32 26.6200 (53.1109167d) Dec: -27 42 2.53 (-27.70070d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 35 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(35) GOODS-SOUT H-35	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 35	[==>]	[1]
	2		(35) GOODS-SOUT H-35	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 35	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 35	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 35	505.0 Secs [==>]	[1]
	5		(35) GOODS-SOUT H-35	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 35	[==>]	[1]
	6		(35) GOODS-SOUT H-35	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 35	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 35	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 35	989.0 Secs [==>]	[1]
	9		(35) GOODS-SOUT H-35	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 35	[==>]	[2]
	10		(35) GOODS-SOUT H-35	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 35	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 35	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 35	640.0 Secs [==>]	[2]
	13		(35) GOODS-SOUT H-35	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 35	[==>]	[2]
	14		(35) GOODS-SOUT H-35	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 35	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 35	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 35	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 36 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 36, completed					Wed Jun 20 01:29:39 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 264D TO 264 D					
Diagnostics	(Visit 36) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 36) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 36) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 36) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 36) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(36)	GOODS-SOUTH-36	RA: 03 32 39.6330 (53.1651375d) Dec: -27 46 49.80 (-27.78050d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 36 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(36) GOODS-SOUT H-36	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 36	[==>]	[1]
	2		(36) GOODS-SOUT H-36	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 36	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 36	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 36	505.0 Secs [==>]	[1]
	5		(36) GOODS-SOUT H-36	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 36	[==>]	[1]
	6		(36) GOODS-SOUT H-36	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 36	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 36	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 36	989.0 Secs [==>]	[1]
	9		(36) GOODS-SOUT H-36	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 36	[==>]	[2]
	10		(36) GOODS-SOUT H-36	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 36	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 36	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 36	640.0 Secs [==>]	[2]
	13		(36) GOODS-SOUT H-36	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 36	[==>]	[2]
	14		(36) GOODS-SOUT H-36	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 36	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 36	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 36	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 37 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 37, completed Wed Jun 20 01:29:45 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 264D TO 264 D				
Diagnostics	(Visit 37) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 37) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 37) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 37) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 37) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(37)	GOODS-SOUTH-37	RA: 03 32 38.6600 (53.1610833d) Dec: -27 47 0.60 (-27.78350d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 37 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(37) GOODS-SOUT H-37	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 37	[==>]	[1]
	2		(37) GOODS-SOUT H-37	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 37	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 37	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 37	505.0 Secs [==>]	[1]
	5		(37) GOODS-SOUT H-37	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 37	[==>]	[1]
	6		(37) GOODS-SOUT H-37	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 37	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 37	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 37	989.0 Secs [==>]	[1]
	9		(37) GOODS-SOUT H-37	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 37	[==>]	[2]
	10		(37) GOODS-SOUT H-37	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 37	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 37	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 37	640.0 Secs [==>]	[2]
	13		(37) GOODS-SOUT H-37	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 37	[==>]	[2]
	14		(37) GOODS-SOUT H-37	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 37	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 37	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 37	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 38 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 38, completed Wed Jun 20 01:29:51 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 264D TO 264 D				
Diagnostics	(Visit 38) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 38) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 38) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 38) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 38) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(38)	GOODS-SOUTH-38	RA: 03 32 39.4340 (53.1643083d) Dec: -27 46 59.28 (-27.78313d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 38 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(38) GOODS-SOUT H-38	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-4 in Visit 38	[==>]	[1]
	2		(38) GOODS-SOUT H-38	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 38	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 38	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 38	505.0 Secs [==>]	[1]
	5		(38) GOODS-SOUT H-38	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 38	[==>]	[1]
	6		(38) GOODS-SOUT H-38	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 38	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 38	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 38	989.0 Secs [==>]	[1]
	9		(38) GOODS-SOUT H-38	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 38	[==>]	[2]
	10		(38) GOODS-SOUT H-38	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 38	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 38	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 38	640.0 Secs [==>]	[2]
	13		(38) GOODS-SOUT H-38	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 38	[==>]	[2]
	14		(38) GOODS-SOUT H-38	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 38	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 38	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 38	989.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 39 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 39, failed					Wed Jun 20 01:29:57 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 180D TO 180 D					
Diagnostics	(Visit 39) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 39) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 39) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 39) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 39) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(39)	AEGIS-1	RA: 14 19 32.9281 (214.8872004d) Dec: +52 51 46.80 (52.86300d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 39 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 39	[==>]	[1]
	2		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 39	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 39	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 39	605.0 Secs [==>]	[1]
	5		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 39	[==>]	[1]
	6		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 39	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 39	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 39	1089.0 Secs [==>]	[1]
	9		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 39	[==>]	[2]
	10		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 39	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 39	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 39	740.0 Secs [==>]	[2]
	13		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 39	[==>]	[2]
	14		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 39	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 39	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 39	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604




Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 69 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Visit	Proposal 12177, Visit 69, implementation Wed Jun 20 01:30:03 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 180D TO 180 D <i>Comments: Repeat of visit 39. NOTE: Only one orbit is being repeated.</i>									
Diagnostics	(Visit 69) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 69) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 69) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(39)	AEGIS-1	RA: 14 19 32.9281 (214.8872004d) Dec: +52 51 46.80 (52.86300d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 69	[==>]	[1]
	2		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 69	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 69	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 69	605.0 Secs [==>]	[1]
	5		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 69	[==>]	[1]
	6		(39) AEGIS-1	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 69	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 69	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 69	1089.0 Secs [==>]	[1]



Proposal 12177 - Visit 40 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 40, completed Wed Jun 20 01:30:06 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 180D TO 180 D				
Diagnostics	(Visit 40) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 40) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 40) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 40) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 40) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(40)	AEGIS-2	RA: 14 19 42.1947 (214.9258112d) Dec: +52 50 8.98 (52.83583d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 40 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(40) AEGIS-2	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 40	[==>]	[1]
	2		(40) AEGIS-2	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 40	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 40	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 40	605.0 Secs [==>]	[1]
	5		(40) AEGIS-2	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 40	[==>]	[1]
	6		(40) AEGIS-2	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 40	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 40	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 40	1089.0 Secs [==>]	[1]
	9		(40) AEGIS-2	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 40	[==>]	[2]
	10		(40) AEGIS-2	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 40	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 40	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 40	740.0 Secs [==>]	[2]
	13		(40) AEGIS-2	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 40	[==>]	[2]
	14		(40) AEGIS-2	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 40	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 40	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 40	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 41 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 41, completed					Wed Jun 20 01:30:12 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 130D TO 130 D					
Diagnostics	(Visit 41) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 41) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 41) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 41) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 41) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(41)	AEGIS-3	RA: 14 18 47.0610 (214.6960875d) Dec: +52 43 38.75 (52.72743d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 41 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(41) AEGIS-3	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 41	[==>]	[1]
	2		(41) AEGIS-3	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 41	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 41	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 41	605.0 Secs [==>]	[1]
	5		(41) AEGIS-3	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 41	[==>]	[1]
	6		(41) AEGIS-3	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 41	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 41	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 41	1089.0 Secs [==>]	[1]
	9		(41) AEGIS-3	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 41	[==>]	[2]
	10		(41) AEGIS-3	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 41	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 41	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 41	740.0 Secs [==>]	[2]
	13		(41) AEGIS-3	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 41	[==>]	[2]
	14		(41) AEGIS-3	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 41	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 41	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 41	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 42 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 42, completed					Wed Jun 20 01:30:18 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 240D TO 240 D					
Diagnostics	(Visit 42) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 42) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 42) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 42) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 42) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(42)	AEGIS-4	RA: 14 18 54.2531 (214.7260546d) Dec: +52 47 42.67 (52.79519d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 42 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(42) AEGIS-4	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 42	[==>]	[1]
	2		(42) AEGIS-4	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 42	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 42	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 42	605.0 Secs [==>]	[1]
	5		(42) AEGIS-4	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 42	[==>]	[1]
	6		(42) AEGIS-4	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 42	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 42	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 42	1089.0 Secs [==>]	[1]
	9		(42) AEGIS-4	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 42	[==>]	[2]
	10		(42) AEGIS-4	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 42	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 42	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 42	740.0 Secs [==>]	[2]
	13		(42) AEGIS-4	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 42	[==>]	[2]
	14		(42) AEGIS-4	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 42	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 42	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 42	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 43 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 43, completed Wed Jun 20 01:30:24 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 240D TO 240 D				
Diagnostics	(Visit 43) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 43) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 43) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 43) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 43) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(43)	AEGIS-5	RA: 14 18 44.2149 (214.6842288d) Dec: +52 45 50.49 (52.76402d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 43 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(43) AEGIS-5	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 43	[==>]	[1]
	2		(43) AEGIS-5	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 43	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 43	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 43	605.0 Secs [==>]	[1]
	5		(43) AEGIS-5	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 43	[==>]	[1]
	6		(43) AEGIS-5	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 43	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 43	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 43	1089.0 Secs [==>]	[1]
	9		(43) AEGIS-5	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 43	[==>]	[2]
	10		(43) AEGIS-5	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 43	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 43	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 43	740.0 Secs [==>]	[2]
	13		(43) AEGIS-5	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 43	[==>]	[2]
	14		(43) AEGIS-5	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 43	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 43	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 43	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 44 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 44, completed Wed Jun 20 01:30:30 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 18D TO 18 D				
Diagnostics	(Visit 44) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 44) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 44) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 44) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 44) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(44)	AEGIS-6	RA: 14 20 1.1175 (215.0046562d) Dec: +52 52 40.83 (52.87801d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 44 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(44) AEGIS-6	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 44	[==>]	[1]
	2		(44) AEGIS-6	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 44	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 44	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 44	605.0 Secs [==>]	[1]
	5		(44) AEGIS-6	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 44	[==>]	[1]
	6		(44) AEGIS-6	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 44	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 44	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 44	1089.0 Secs [==>]	[1]
	9		(44) AEGIS-6	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 44	[==>]	[2]
	10		(44) AEGIS-6	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 44	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 44	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 44	740.0 Secs [==>]	[2]
	13		(44) AEGIS-6	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 44	[==>]	[2]
	14		(44) AEGIS-6	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 44	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 44	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 44	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 45 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 45, completed Wed Jun 20 01:30:36 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 0D TO 0 D				
Diagnostics	(Visit 45) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 45) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 45) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 45) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 45) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(45)	AEGIS-7	RA: 14 20 9.9801 (215.0415838d) Dec: +52 54 19.10 (52.90531d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 45 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(45) AEGIS-7	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 45	[==>]	[1]
	2		(45) AEGIS-7	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 45	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 45	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 45	605.0 Secs [==>]	[1]
	5		(45) AEGIS-7	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 45	[==>]	[1]
	6		(45) AEGIS-7	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 45	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 45	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 45	1089.0 Secs [==>]	[1]
	9		(45) AEGIS-7	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 45	[==>]	[2]
	10		(45) AEGIS-7	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 45	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 45	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 45	740.0 Secs [==>]	[2]
	13		(45) AEGIS-7	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 45	[==>]	[2]
	14		(45) AEGIS-7	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 45	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 45	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 45	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 46 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 46, completed					Wed Jun 20 01:30:42 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 5D TO 5 D					
Diagnostics	(Visit 46) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 46) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 46) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 46) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 46) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 46) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(46)	AEGIS-8	RA: 14 19 59.2818 (214.9970075d) Dec: +52 55 57.45 (52.93262d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 46 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(46) AEGIS-8	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 46	[==>]	[1]
	2		(46) AEGIS-8	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 46	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 46	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 46	605.0 Secs [==>]	[1]
	5		(46) AEGIS-8	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 46	[==>]	[1]
	6		(46) AEGIS-8	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 46	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 46	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 46	1089.0 Secs [==>]	[1]
	9		(46) AEGIS-8	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 46	[==>]	[2]
	10		(46) AEGIS-8	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 46	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 46	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 46	740.0 Secs [==>]	[2]
	13		(46) AEGIS-8	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 46	[==>]	[2]
	14		(46) AEGIS-8	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 46	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 46	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 46	1050 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 47 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 47, completed Wed Jun 20 01:30:49 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 130D TO 130 D				
Diagnostics	(Visit 47) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 47) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 47) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 47) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 47) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(47)	AEGIS-9	RA: 14 19 9.0576 (214.7877400d) Dec: +52 47 15.59 (52.78766d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 47 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(47) AEGIS-9	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 47	[==>]	[1]
	2		(47) AEGIS-9	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 47	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 47	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 47	605.0 Secs [==>]	[1]
	5		(47) AEGIS-9	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 47	[==>]	[1]
	6		(47) AEGIS-9	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 47	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 47	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 47	1089.0 Secs [==>]	[1]
	9		(47) AEGIS-9	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 47	[==>]	[2]
	10		(47) AEGIS-9	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 47	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 47	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 47	740.0 Secs [==>]	[2]
	13		(47) AEGIS-9	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 47	[==>]	[2]
	14		(47) AEGIS-9	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 47	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 47	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 47	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 48 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 48, completed Wed Jun 20 01:30:55 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 5D TO 5 D				
Diagnostics	(Visit 48) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 48) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 48) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 48) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 48) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(48)	AEGIS-10	RA: 14 19 51.7741 (214.9657254d) Dec: +52 54 20.62 (52.90573d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 48 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(48) AEGIS-10	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 48	[==>]	[1]
	2		(48) AEGIS-10	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 48	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 48	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 48	605.0 Secs [==>]	[1]
	5		(48) AEGIS-10	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 48	[==>]	[1]
	6		(48) AEGIS-10	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 48	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 48	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 48	1089.0 Secs [==>]	[1]
	9		(48) AEGIS-10	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 48	[==>]	[2]
	10		(48) AEGIS-10	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 48	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 48	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 48	740.0 Secs [==>]	[2]
	13		(48) AEGIS-10	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 48	[==>]	[2]
	14		(48) AEGIS-10	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 48	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 48	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 48	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 49 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 49, completed Wed Jun 20 01:31:01 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 180D TO 180 D				
Diagnostics	(Visit 49) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 49) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 49) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 49) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 49) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(49)	AEGIS-11	RA: 14 19 22.4804 (214.8436683d) Dec: +52 53 43.73 (52.89548d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 49 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(49) AEGIS-11	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 49	[==>]	[1]
	2		(49) AEGIS-11	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 49	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 49	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 49	605.0 Secs [==>]	[1]
	5		(49) AEGIS-11	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 49	[==>]	[1]
	6		(49) AEGIS-11	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 49	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 49	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 49	1089.0 Secs [==>]	[1]
	9		(49) AEGIS-11	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 49	[==>]	[2]
	10		(49) AEGIS-11	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 49	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 49	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 49	740.0 Secs [==>]	[2]
	13		(49) AEGIS-11	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 49	[==>]	[2]
	14		(49) AEGIS-11	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 49	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 49	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 49	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 50 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 50, completed Wed Jun 20 01:31:07 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 130D TO 130 D				
Diagnostics	(Visit 50) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 50) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 50) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 50) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 50) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(50)	AEGIS-12	RA: 14 19 1.8080 (214.7575333d) Dec: +52 43 15.70 (52.72103d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 50 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(50) AEGIS-12	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 50	[==>]	[1]
	2		(50) AEGIS-12	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 50	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 50	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 50	605.0 Secs [==>]	[1]
	5		(50) AEGIS-12	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 50	[==>]	[1]
	6		(50) AEGIS-12	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 50	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 50	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 50	1089.0 Secs [==>]	[1]
	9		(50) AEGIS-12	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 50	[==>]	[2]
	10		(50) AEGIS-12	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 50	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 50	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 50	740.0 Secs [==>]	[2]
	13		(50) AEGIS-12	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 50	[==>]	[2]
	14		(50) AEGIS-12	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 50	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 50	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 50	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 51 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 51, completed Wed Jun 20 01:31:13 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 65D TO 65 D				
Diagnostics	(Visit 51) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 51) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 51) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 51) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 51) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(51)	AEGIS-13	RA: 14 19 1.8571 (214.7577379d) Dec: +52 46 57.76 (52.78271d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 51 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(51) AEGIS-13	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 51	[==>]	[1]
	2		(51) AEGIS-13	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 51	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 51	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 51	605.0 Secs [==>]	[1]
	5		(51) AEGIS-13	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 51	[==>]	[1]
	6		(51) AEGIS-13	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 51	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 51	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 51	1089.0 Secs [==>]	[1]
	9		(51) AEGIS-13	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 51	[==>]	[2]
	10		(51) AEGIS-13	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 51	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 51	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 51	740.0 Secs [==>]	[2]
	13		(51) AEGIS-13	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 51	[==>]	[2]
	14		(51) AEGIS-13	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 51	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 51	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 51	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 52 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 52, completed Wed Jun 20 01:31:19 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 130D TO 130 D				
Diagnostics	(Visit 52) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 52) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 52) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 52) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 52) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(52)	AEGIS-14	RA: 14 19 17.2836 (214.8220150d) Dec: +52 49 10.29 (52.81953d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 52 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(52) AEGIS-14	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 52	[==>]	[1]
	2		(52) AEGIS-14	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 52	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 52	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 52	605.0 Secs [==>]	[1]
	5		(52) AEGIS-14	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 52	[==>]	[1]
	6		(52) AEGIS-14	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 52	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 52	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 52	1089.0 Secs [==>]	[1]
	9		(52) AEGIS-14	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 52	[==>]	[2]
	10		(52) AEGIS-14	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 52	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 52	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 52	740.0 Secs [==>]	[2]
	13		(52) AEGIS-14	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 52	[==>]	[2]
	14		(52) AEGIS-14	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 52	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 52	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 52	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 53 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 53, completed					Wed Jun 20 01:31:25 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 130D TO 130 D					
Diagnostics	(Visit 53) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 53) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 53) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 53) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 53) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(53)	AEGIS-15	RA: 14 19 13.5717 (214.8065488d) Dec: +52 45 20.85 (52.75579d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 53 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(53) AEGIS-15	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 53	[==>]	[1]
	2		(53) AEGIS-15	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 53	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 53	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 53	605.0 Secs [==>]	[1]
	5		(53) AEGIS-15	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 53	[==>]	[1]
	6		(53) AEGIS-15	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 53	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 53	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 53	1089.0 Secs [==>]	[1]
	9		(53) AEGIS-15	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 53	[==>]	[2]
	10		(53) AEGIS-15	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 53	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 53	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 53	740.0 Secs [==>]	[2]
	13		(53) AEGIS-15	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 53	[==>]	[2]
	14		(53) AEGIS-15	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 53	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 53	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 53	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 54 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 54, completed Wed Jun 20 01:31:31 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 5D TO 5 D				
Diagnostics	(Visit 54) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 54) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 54) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 54) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 54) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(54)	AEGIS-16	RA: 14 19 42.5728 (214.9273867d) Dec: +52 52 56.05 (52.88224d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 54 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(54) AEGIS-16	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 54	[==>]	[1]
	2		(54) AEGIS-16	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 54	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 54	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 54	605.0 Secs [==>]	[1]
	5		(54) AEGIS-16	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 54	[==>]	[1]
	6		(54) AEGIS-16	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 54	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 54	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 54	1089.0 Secs [==>]	[1]
	9		(54) AEGIS-16	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 54	[==>]	[2]
	10		(54) AEGIS-16	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 54	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 54	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 54	740.0 Secs [==>]	[2]
	13		(54) AEGIS-16	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 54	[==>]	[2]
	14		(54) AEGIS-16	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 54	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 54	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 54	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 55 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 55, completed Wed Jun 20 01:31:37 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 5D TO 5 D				
Diagnostics	(Visit 55) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 55) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 55) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 55) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 55) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(55)	AEGIS-17	RA: 14 19 49.9157 (214.9579821d) Dec: +52 57 47.86 (52.96329d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 55 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(55) AEGIS-17	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 55	[==>]	[1]
	2		(55) AEGIS-17	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 55	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 55	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 55	605.0 Secs [==>]	[1]
	5		(55) AEGIS-17	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 55	[==>]	[1]
	6		(55) AEGIS-17	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 55	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 55	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 55	1089.0 Secs [==>]	[1]
	9		(55) AEGIS-17	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 55	[==>]	[2]
	10		(55) AEGIS-17	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 55	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 55	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 55	740.0 Secs [==>]	[2]
	13		(55) AEGIS-17	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 55	[==>]	[2]
	14		(55) AEGIS-17	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 55	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 55	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 55	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 56 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 56, completed Wed Jun 20 01:31:42 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 65D TO 65 D				
Diagnostics	(Visit 56) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 56) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 56) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 56) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 56) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(56)	AEGIS-18	RA: 14 19 10.4285 (214.7934521d) Dec: +52 44 14.87 (52.73746d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 56 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(56) AEGIS-18	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 56	[==>]	[1]
	2		(56) AEGIS-18	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 56	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 56	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 56	605.0 Secs [==>]	[1]
	5		(56) AEGIS-18	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 56	[==>]	[1]
	6		(56) AEGIS-18	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 56	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 56	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 56	1089.0 Secs [==>]	[1]
	9		(56) AEGIS-18	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 56	[==>]	[2]
	10		(56) AEGIS-18	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 56	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 56	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 56	740.0 Secs [==>]	[2]
	13		(56) AEGIS-18	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 56	[==>]	[2]
	14		(56) AEGIS-18	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 56	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 56	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 56	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 57 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 57, completed Wed Jun 20 01:31:48 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 5D TO 5 D				
Diagnostics	(Visit 57) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 57) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 57) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 57) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 57) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(57)	AEGIS-19	RA: 14 19 42.2356 (214.9259817d) Dec: +52 56 2.29 (52.93397d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 57 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(57) AEGIS-19	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 57	[==>]	[1]
	2		(57) AEGIS-19	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 57	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 57	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 57	605.0 Secs [==>]	[1]
	5		(57) AEGIS-19	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 57	[==>]	[1]
	6		(57) AEGIS-19	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 57	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 57	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 57	1089.0 Secs [==>]	[1]
	9		(57) AEGIS-19	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 57	[==>]	[2]
	10		(57) AEGIS-19	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 57	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 57	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 57	740.0 Secs [==>]	[2]
	13		(57) AEGIS-19	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 57	[==>]	[2]
	14		(57) AEGIS-19	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 57	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 57	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 57	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 58 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 58, completed Wed Jun 20 01:31:54 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 5D TO 5 D				
Diagnostics	(Visit 58) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 58) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 58) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 58) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 58) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(58)	AEGIS-20	RA: 14 19 33.1565 (214.8881521d) Dec: +52 54 35.04 (52.90973d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 58 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(58) AEGIS-20	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 58	[==>]	[1]
	2		(58) AEGIS-20	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 58	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 58	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 58	605.0 Secs [==>]	[1]
	5		(58) AEGIS-20	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 58	[==>]	[1]
	6		(58) AEGIS-20	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 58	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 58	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 58	1089.0 Secs [==>]	[1]
	9		(58) AEGIS-20	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 58	[==>]	[2]
	10		(58) AEGIS-20	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 58	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 58	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 58	740.0 Secs [==>]	[2]
	13		(58) AEGIS-20	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 58	[==>]	[2]
	14		(58) AEGIS-20	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 58	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 58	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 58	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 59 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 59, completed					Wed Jun 20 01:32:01 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 5D TO 5 D					
Diagnostics	(Visit 59) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 59) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 59) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 59) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 59) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(59)	AEGIS-21	RA: 14 19 50.7332 (214.9613883d) Dec: +52 51 31.75 (52.85882d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 59 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(59) AEGIS-21	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 59	[==>]	[1]
	2		(59) AEGIS-21	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 59	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 59	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 59	605.0 Secs [==>]	[1]
	5		(59) AEGIS-21	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 59	[==>]	[1]
	6		(59) AEGIS-21	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 59	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 59	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 59	1089.0 Secs [==>]	[1]
	9		(59) AEGIS-21	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 59	[==>]	[2]
	10		(59) AEGIS-21	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 59	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 59	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 59	740.0 Secs [==>]	[2]
	13		(59) AEGIS-21	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 59	[==>]	[2]
	14		(59) AEGIS-21	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 59	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 59	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 59	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 60 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 60, failed Wed Jun 20 01:32:07 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 326D TO 326 D				
Diagnostics	(Visit 60) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 60) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 60) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 60) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 60) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(60)	AEGIS-22	RA: 14 19 5.5450 (214.7731042d) Dec: +52 49 11.90 (52.81997d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 60 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 60	[==>]	[1]
	2		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 60	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 60	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 60	605.0 Secs [==>]	[1]
	5		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 60	[==>]	[1]
	6		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 60	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 60	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 60	1089.0 Secs [==>]	[1]
	9		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 60	[==>]	[2]
	10		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 60	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 60	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 60	740.0 Secs [==>]	[2]
	13		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 60	[==>]	[2]
	14		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 60	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 60	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 60	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 70 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 70, implementation Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 326D TO 326 D <i>Comments: Repeat of visit 60 which was lost due to a SSR lockup.</i>					Wed Jun 20 01:32:13 GMT 2012
	(Visit 70) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 70) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 70) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 70) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 70) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	# Name Target Coordinates Targ. Coord. Corrections Fluxes Miscellaneous					
	(60) AEGIS-22 RA: 14 19 5.5450 (214.7731042d) Dec: +52 49 11.90 (52.81997d) Equinox: J2000 V=26.0+/-0.1 Reference Frame: ICRS					

Proposal 12177 - Visit 70 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 70	[==>]	[1]
	2		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 70	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 70	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 70	605.0 Secs [==>]	[1]
	5		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 70	[==>]	[1]
	6		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=11; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 70	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 70	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 70	830 Secs [==>]	[1]
	9		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 70	[==>]	[2]
	10		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 70	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 70	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 70	740.0 Secs [==>]	[2]
	13		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 70	[==>]	[2]
	14		(60) AEGIS-22	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=11; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 70	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 70	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 70	830 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 61 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 61, completed Wed Jun 20 01:32:19 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 325D TO 325 D				
Diagnostics	(Visit 61) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 61) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 61) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 61) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 61) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(61)	AEGIS-23	RA: 14 19 17.0969 (214.8212371d) Dec: +52 50 53.72 (52.84826d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 61 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(61) AEGIS-23	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 61	[==>]	[1]
	2		(61) AEGIS-23	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 61	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 61	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 61	605.0 Secs [==>]	[1]
	5		(61) AEGIS-23	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 61	[==>]	[1]
	6		(61) AEGIS-23	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 61	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 61	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 61	1089.0 Secs [==>]	[1]
	9		(61) AEGIS-23	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 61	[==>]	[2]
	10		(61) AEGIS-23	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 61	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 61	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 61	740.0 Secs [==>]	[2]
	13		(61) AEGIS-23	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 61	[==>]	[2]
	14		(61) AEGIS-23	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 61	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 61	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 61	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 62 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 62, completed					Wed Jun 20 01:32:25 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 65D TO 65 D					
Diagnostics	(Visit 62) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 62) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 62) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 62) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
	(Visit 62) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(62)	AEGIS-24	RA: 14 18 51.4608 (214.7144200d) Dec: +52 45 38.50 (52.76069d) Equinox: J2000		V=26.0+/-0.1	Reference Frame: ICRS

Proposal 12177 - Visit 62 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(62) AEGIS-24	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 62	[==>]	[1]
	2		(62) AEGIS-24	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 62	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 62	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 62	605.0 Secs [==>]	[1]
	5		(62) AEGIS-24	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 62	[==>]	[1]
	6		(62) AEGIS-24	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 62	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 62	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 62	1089.0 Secs [==>]	[1]
	9		(62) AEGIS-24	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 62	[==>]	[2]
	10		(62) AEGIS-24	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 62	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 62	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 62	740.0 Secs [==>]	[2]
	13		(62) AEGIS-24	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 62	[==>]	[2]
	14		(62) AEGIS-24	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 62	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 62	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 62	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 63 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 63, completed Wed Jun 20 01:32:31 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 130D TO 130 D				
Diagnostics	(Visit 63) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 63) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 63) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 63) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 63) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(63)	AEGIS-25	RA: 14 18 59.1630 (214.7465125d) Dec: +52 45 9.37 (52.75260d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 63 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(63) AEGIS-25	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 63	[==>]	[1]
	2		(63) AEGIS-25	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 63	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 63	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 63	605.0 Secs [==>]	[1]
	5		(63) AEGIS-25	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 63	[==>]	[1]
	6		(63) AEGIS-25	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 63	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 63	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 63	1089.0 Secs [==>]	[1]
	9		(63) AEGIS-25	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 63	[==>]	[2]
	10		(63) AEGIS-25	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 63	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 63	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 63	740.0 Secs [==>]	[2]
	13		(63) AEGIS-25	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 63	[==>]	[2]
	14		(63) AEGIS-25	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 63	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 63	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 63	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 64 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 64, completed Wed Jun 20 01:32:37 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 5D TO 5 D				
Diagnostics	(Visit 64) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 64) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 64) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 64) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 64) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(64)	AEGIS-26	RA: 14 20 19.3875 (215.0807812d) Dec: +52 55 40.96 (52.92804d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 64 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(64) AEGIS-26	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-4 in Visit 64	[==>]	[1]
	2		(64) AEGIS-26	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 64	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 64	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 64	605.0 Secs [==>]	[1]
	5		(64) AEGIS-26	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 64	[==>]	[1]
	6		(64) AEGIS-26	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 64	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 64	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 64	1089.0 Secs [==>]	[1]
	9		(64) AEGIS-26	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 64	[==>]	[2]
	10		(64) AEGIS-26	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 64	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 64	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 64	740.0 Secs [==>]	[2]
	13		(64) AEGIS-26	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 64	[==>]	[2]
	14		(64) AEGIS-26	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 64	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 64	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 64	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 65 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 65, completed Wed Jun 20 01:32:43 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 5D TO 5 D				
Diagnostics	(Visit 65) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 65) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 65) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 65) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 65) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(65)	AEGIS-27	RA: 14 20 0.1199 (215.0004996d) Dec: +52 58 51.73 (52.98104d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 65 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(65) AEGIS-27	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 65	[==>]	[1]
	2		(65) AEGIS-27	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 65	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 65	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 65	605.0 Secs [==>]	[1]
	5		(65) AEGIS-27	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 65	[==>]	[1]
	6		(65) AEGIS-27	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 65	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 65	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 65	1089.0 Secs [==>]	[1]
	9		(65) AEGIS-27	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 65	[==>]	[2]
	10		(65) AEGIS-27	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 65	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 65	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 65	740.0 Secs [==>]	[2]
	13		(65) AEGIS-27	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 65	[==>]	[2]
	14		(65) AEGIS-27	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 65	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 65	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 65	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 66 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 66, completed Wed Jun 20 01:32:49 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 130D TO 130 D				
Diagnostics	(Visit 66) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 66) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 66) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 66) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 66) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(66)	AEGIS-28	RA: 14 19 23.9378 (214.8497408d) Dec: +52 47 18.08 (52.78836d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 66 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(66) AEGIS-28	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Group 1-4 in Visit 66	[==>]	[1]
	2		(66) AEGIS-28	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Group 1-4 in Visit 66	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-4 in Visit 66	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 1-4 in Visit 66	605.0 Secs [==>]	[1]
	5		(66) AEGIS-28	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0.424	Prime + Parallel Group 5-8 in Visit 66	[==>]	[1]
	6		(66) AEGIS-28	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Group 5-8 in Visit 66	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-8 in Visit 66	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 5-8 in Visit 66	1089.0 Secs [==>]	[1]
	9		(66) AEGIS-28	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1.212	Prime + Parallel Group 9-12 in Visit 66	[==>]	[2]
	10		(66) AEGIS-28	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Group 9-12 in Visit 66	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-12 in Visit 66	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 9-12 in Visit 66	740.0 Secs [==>]	[2]
	13		(66) AEGIS-28	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0.788	Prime + Parallel Group 13-16 in Visit 66	[==>]	[2]
	14		(66) AEGIS-28	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Group 13-16 in Visit 66	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 13-16 in Visit 66	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Group 13-16 in Visit 66	1089.0 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 67 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 67, completed Wed Jun 20 01:32:55 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 340D TO 340 D				
Diagnostics	(Visit 67) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 67) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 67) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 67) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 67) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(67)	AEGIS-29	RA: 14 20 9.5812 (215.0399217d) Dec: +52 57 19.11 (52.95531d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 67 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(67) AEGIS-29	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-4 in Visit 67	[==>]	[1]
	2		(67) AEGIS-29	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 67	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 67	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 67	605.0 Secs [==>]	[1]
	5		(67) AEGIS-29	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 67	[==>]	[1]
	6		(67) AEGIS-29	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 67	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 67	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 67	900 Secs [==>]	[1]
	9		(67) AEGIS-29	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 67	[==>]	[2]
	10		(67) AEGIS-29	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 67	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 67	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 67	740.0 Secs [==>]	[2]
	13		(67) AEGIS-29	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 67	[==>]	[2]
	14		(67) AEGIS-29	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=12; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 67	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 67	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 67	900 Secs [==>]	[2]


Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604



Proposal 12177 - Visit 68 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury


Visit	Proposal 12177, Visit 68, completed Wed Jun 20 01:33:00 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 5D TO 5 D				
Diagnostics	(Visit 68) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 68) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 68) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 68) Warning (Orbit Planner): SAME POS MAY NOT BE APPROPRIATE (Visit 68) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(68)	AEGIS-30	RA: 14 19 33.1280 (214.8880333d) Dec: +52 48 23.72 (52.80659d) Equinox: J2000		V=26.0+/-0.1 Reference Frame: ICRS

Proposal 12177 - Visit 68 - 3D-HST: A Spectroscopic Galaxy Evolution Treasury

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(68) AEGIS-30	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.0,0.0	Prime + Parallel Gro up 1-4 in Visit 68	[==>]	[1]
	2		(68) AEGIS-30	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=13; SAMP-SEQ=SPAR S100	SAME POS AS 1	Prime + Parallel Gro up 1-4 in Visit 68	[==>]	[1]
	3		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-4 in Visit 68	120.0 Secs [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 1-4 in Visit 68	605.0 Secs [==>]	[1]
	5		(68) AEGIS-30	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 1.355,0. 424	Prime + Parallel Gro up 5-8 in Visit 68	[==>]	[1]
	6		(68) AEGIS-30	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 5	Prime + Parallel Gro up 5-8 in Visit 68	[==>]	[1]
	7		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-8 in Visit 68	120.0 Secs [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 5-8 in Visit 68	1089.0 Secs [==>]	[1]
	9		(68) AEGIS-30	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG 0.881,1. 212	Prime + Parallel Gro up 9-12 in Visit 68	[==>]	[2]
	10		(68) AEGIS-30	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 9	Prime + Parallel Gro up 9-12 in Visit 68	[==>]	[2]
	11		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-12 in Visit 68	120.0 Secs [==>]	[2]
	12		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 9-12 in Visit 68	740.0 Secs [==>]	[2]
	13		(68) AEGIS-30	WFC3/IR, MULTIACCUM, IR	F140W	NSAMP=5; SAMP-SEQ=SPAR S50	POS TARG -0.474,0 .788	Prime + Parallel Gro up 13-16 in Visit 68	[==>]	[2]
	14		(68) AEGIS-30	WFC3/IR, MULTIACCUM, IR	G141	NSAMP=14; SAMP-SEQ=SPAR S100	SAME POS AS 13	Prime + Parallel Gro up 13-16 in Visit 68	[==>]	[2]
	15		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 13-16 in Visit 68	120.0 Secs [==>]	[2]
	16		ANY	ACS/WFC, ACCUM, WFC	G800L	AUTOIMAGE=NO		Prime + Parallel Gro up 13-16 in Visit 68	1089.0 Secs [==>]	[2]

Orbit 1

Server Version: 20120604



Orbit 2

Server Version: 20120604

