



12444 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of SNe Search

Cycle: 19, Proposal Category: GO

(Availability Mode: AVAILABLE)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Sandra M. Faber (PI) (Contact)	University of California - Santa Cruz	faber@ucolick.org
Dr. Harry C. Ferguson (CoI) (Contact)	Space Telescope Science Institute	ferguson@stsci.edu
Dr. Matthew L. N. Ashby (CoI)	Smithsonian Institution Astrophysical Observatory	mashby@cfa.harvard.edu
Dr. Marco Barden (CoI) (ESA Member)	Universitat Innsbruck, Institut fur Astronomie	marco.barden@uibk.ac.at
Dr. Eric F. Bell (CoI)	University of Michigan	ericbell@umich.edu
Dr. Karina Caputi (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	kic@roe.ac.uk
Dr. Michele Cirasuolo (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	ciras@roe.ac.uk
Dr. Darren Croton (CoI)	Swinburne University of Technology	darren@astron.berkeley.edu
Dr. Romeel Dave (CoI)	University of Arizona	rad@as.arizona.edu
Dr. Avishai Dekel (CoI)	The Hebrew University	dekel@phys.huji.ac.il
Dr. James S. Dunlop (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	jsd@roe.ac.uk
Dr. Aaron Dutton (CoI)	University of Victoria	dutton@uvic.ca
Dr. Giovanni G. Fazio (CoI)	Smithsonian Institution Astrophysical Observatory	gfazio@cfa.harvard.edu
Dr. Boris Haeussler (CoI) (ESA Member)	University of Nottingham	boris.haeussler@nottingham.ac.uk
Dr. Jiasheng Huang (CoI)	Smithsonian Institution Astrophysical Observatory	jhuang@cfa.harvard.edu
Dr. Dale D. Kocevski (CoI) (Contact)	University of Kentucky	kocevski@ucolick.org
Dr. Anton M. Koekemoer (CoI) (Contact)	Space Telescope Science Institute	koekemoe@stsci.edu
Dr. David C. Koo (CoI)	University of California - Santa Cruz	koo@ucolick.org
Dr. Kamson Lai (CoI)	University of California - Santa Cruz	klai@ucolick.org
Dr. Jennifer Lotz (CoI)	Space Telescope Science Institute	lotz@stsci.edu

Proposal 12444 (STScI Edit Number: 4, Created: Wednesday, November 28, 2012 9:30:30 PM EST) - Overview

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Patrick J. McCarthy (CoI)	Carnegie Institution of Washington	pmccarthy@gmto.org
Dr. Daniel McIntosh (CoI)	University of Missouri - Kansas City	mcintoshdh@umkc.edu
Dr. Ross McLure (CoI) (ESA Member)	Royal Observatory Edinburgh	rjm@roe.ac.uk
Mr. Mark Mozena (CoI)	University of California - Santa Cruz	mmozena@ucolick.org
Dr. Kirpal Nandra (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	knandra@mpe.mpg.de
Dr. Jeffrey Allen Newman (CoI)	University of Pittsburgh	jnewman@pitt.edu
Dr. Kai G. Noeske (CoI)	Space Telescope Science Institute	noeske@stsci.edu
Dr. Joel R. Primack (CoI)	University of California - Santa Cruz	joel@physics.ucsc.edu
Dr. Loic de Ravel (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	ldr@roe.ac.uk
Dr. Adam Riess (CoI) (Contact)	Space Telescope Science Institute	ariess@stsci.edu
Dr. Hans-Walter Rix (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	rix@mpia.de
Dr. Aday Robaina (CoI) (ESA Member)	Universidad de Barcelona	arobaina@icc.ub.edu
Dr. David J. V. Rosario (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	rosario@mpe.mpg.de
Dr. Luc Simard (CoI)	Dominion Astrophysical Observatory	luc.simard@nrc.ca
Dr. Arjen van der Wel (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	vdwel@mpia.de
Prof. Risa H. Wechsler (CoI)	Stanford University	rwechsler@stanford.edu
Dr. Benjamin Weiner (CoI)	University of Arizona	bjw@as.arizona.edu
Dr. Stijn Wuyts (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	swuyts@mpe.mpg.de
Prof. Haojing Yan (CoI)	University of Missouri - Columbia	yanha@missouri.edu
Prof. Mauro Giavalisco (CoI)	University of Massachusetts	mauro@astro.umass.edu
Dr. Mark Dickinson (CoI)	National Optical Astronomy Observatory, AURA	med@noao.edu
Dr. David M. Alexander (CoI) (ESA Member)	University of Durham	d.m.alexander@durham.ac.uk
Dr. Frederic Bournaud (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	frederic.bournaud@cea.fr
Dr. Thomas M. Brown (CoI)	Space Telescope Science Institute	tbrown@stsci.edu
Dr. Stefano Casertano (CoI)	Space Telescope Science Institute	stefano@stsci.edu
Dr. Paolo Cassata (CoI) (ESA Member)	Laboratoire d'Astrophysique de Marseille	paolo.cassata@oamp.fr
Mr. Peter Challis (CoI)	Australian National University	pchallis@mso.anu.edu.au
Dr. Ranga-Ram Chary (CoI)	California Institute of Technology	rchary@caltech.edu
Dr. Christopher J. Conselice (CoI) (ESA Member)	University of Nottingham	conselice@nottingham.ac.uk
Prof. Asantha Roshan Cooray (CoI)	University of California - Irvine	acooray@uci.edu
Dr. Emanuele Daddi (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	edaddi@cea.fr
Dr. Tomas Dahlen (CoI)	Space Telescope Science Institute	dahlen@stsci.edu

Proposal 12444 (STScI Edit Number: 4, Created: Wednesday, November 28, 2012 9:30:30 PM EST) - Overview

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Duilia F. de Mello (CoI)	Catholic University of America	demello@cua.edu
Mr. Timothy Dolch (CoI)	The Johns Hopkins University	tdolch1@pha.jhu.edu
Dr. Jennifer Donley (CoI)	Los Alamos National Laboratory	jdonley@lanl.gov
Dr. David Elbaz (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	elbaz@discovery.saclay.cea.fr
Prof. Alex V. Filippenko (CoI)	University of California - Berkeley	alex@astro.berkeley.edu
Dr. Adriano Fontana (CoI) (ESA Member)	INAF, Osservatorio Astronomico di Roma	fontana@oa-roma.inaf.it
Dr. Joshua Frieman (CoI)	University of Chicago	frieman@fnal.gov
Dr. Jonathan P. Gardner (CoI)	NASA Goddard Space Flight Center	jonathan.p.gardner@nasa.gov
Dr. Peter Garnavich (CoI)	University of Notre Dame	pgarnavi@nd.edu
Prof. Eric Gawiser (CoI)	Rutgers the State University of New Jersey	gawiser@physics.rutgers.edu
Dr. Andrea Grazian (CoI) (ESA Member)	INAF, Osservatorio Astronomico di Roma	grazian@oa-roma.inaf.it
Dr. Norman Grogin (CoI) (Contact)	Space Telescope Science Institute	nagrogin@stsci.edu
Mr. Yicheng Guo (CoI)	University of Massachusetts	yicheng@astro.umass.edu
Dr. Philip F. Hopkins (CoI)	University of California - Berkeley	phopkins@astro.berkeley.edu
Dr. Saurabh W. Jha (CoI)	Rutgers the State University of New Jersey	saurabh@physics.rutgers.edu
Dr. Jeyhan Kartaltepe (CoI)	National Optical Astronomy Observatory, AURA	jeyhan@noao.edu
Dr. Rick Kessler (CoI)	University of Chicago	kessler@hep.uchicago.edu
Prof. Robert P. Kirshner (CoI)	Harvard University	kirshner@cfa.harvard.edu
Dr. Kyoung-Soo Lee (CoI)	Purdue University	soolee@purdue.edu
Mr. Ray Lucas (CoI)	Space Telescope Science Institute	lucas@stsci.edu
Dr. Piero Madau (CoI)	University of California - Santa Cruz	pmadau@ucolick.org
Dr. Bahram Mobasher (CoI)	University of California - Riverside	mobasher@ucr.edu
Dr. Leonidas Moustakas (CoI)	Jet Propulsion Laboratory	leonidas@jpl.nasa.gov
Prof. Casey Papovich (CoI)	Texas A & M University	papovich@physics.tamu.edu
Dr. Alexandra Pope (CoI)	University of Massachusetts	pope@noao.edu
Dr. Swara Ravindranath (CoI)	Inter-University Centre for Astronomy and Astrophysics	swara@iucaa.ernet.in
Dr. Naveen A. Reddy (CoI)	University of California - Riverside	naveenr@ucr.edu
Prof. Alvio Renzini (CoI) (ESA Member)	Osservatorio Astronomico di Padova	alvio.renzini@oapd.inaf.it
Dr. Piero Rosati (CoI) (ESA Member)	European Southern Observatory - Germany	prosati@eso.org
Dr. Sara Salimbeni (CoI)	University of Massachusetts	salimben@astro.umass.edu
Prof. Claudia Scarlata (CoI)	University of Minnesota - Twin Cities	scarlata@astro.umn.edu
Prof. Brian Siana (CoI) (Contact)	University of California - Riverside	brian.siana@ucr.edu

Proposal 12444 (STScI Edit Number: 4, Created: Wednesday, November 28, 2012 9:30:30 PM EST) - Overview

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Rachel S. Somerville (CoI)	Space Telescope Science Institute	somerville@stsci.edu
Prof. Hyron Spinrad (CoI)	University of California - Berkeley	hspinrad@astro.berkeley.edu
Dr. Louis G. Strolger (CoI)	Western Kentucky University	louis.strolger@wku.edu
Dr. Amber Straughn (CoI)	NASA Goddard Space Flight Center	amber.n.straughn@nasa.gov
Dr. Harry Teplitz (CoI)	California Institute of Technology	hit@ipac.caltech.edu
Dr. Tommy Wiklind (CoI)	Space Telescope Science Institute	wiklind@stsci.edu
Dr. Grant Wilson (CoI)	University of Massachusetts	wilson@astro.umass.edu
Prof. Min S. Yun (CoI)	University of Massachusetts	myun@astro.umass.edu
Dr. Weidong Li (CoI)	University of California - Berkeley	wli@astro.berkeley.edu
Dr. Nimish P. Hathi (CoI)	Carnegie Institution of Washington	nhathi@obs.carnegiescience.edu
Dr. Steven A. Rodney (CoI) (Contact)	The Johns Hopkins University	rodney@jhu.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4A	(4) GOODS-N-ORI020-V4A ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:14:47.0	yes
4B	(5) GOODS-N-ORI020-V4B ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:15:07.0	yes
4C	(6) GOODS-N-ORI020-V4C ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:15:24.0	yes
4D	(7) GOODS-N-ORI020-V4D ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:15:40.0	yes
4E	(8) GOODS-N-ORI020-V4E ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:15:55.0	yes

Proposal 12444 (STScI Edit Number: 4, Created: Wednesday, November 28, 2012 9:30:30 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4F	(9) GOODSN-ORI020-V4F ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:16:14.0	yes
4G	(10) GOODSN-ORI020-V4G ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:16:29.0	yes
4H	(11) GOODSN-ORI020-V4H ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:16:44.0	yes
4I	(12) GOODSN-ORI020-V4I ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:17:00.0	yes
4J	(13) GOODSN-ORI020-V4J ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:17:15.0	yes
4K	(14) GOODSN-ORI020-V4K ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:17:30.0	yes
4L	(15) GOODSN-ORI020-V4L ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:17:44.0	yes
4M	(16) GOODSN-ORI020-V4M ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:18:02.0	yes
4N	(17) GOODSN-ORI020-V4N ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:18:16.0	yes

Proposal 12444 (STScI Edit Number: 4, Created: Wednesday, November 28, 2012 9:30:30 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4O	(18) GOODSN-ORI020-V4O ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:18:31.0	yes
4P	(19) GOODSN-ORI020-V4P ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:18:45.0	yes
4Q	(20) GOODSN-ORI020-V4Q ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:18:59.0	yes
4R	(21) GOODSN-ORI020-V4R ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:19:12.0	yes
4S	(22) GOODSN-ORI020-V4S ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:19:23.0	yes
4T	(23) GOODSN-ORI020-V4T ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:19:33.0	yes
4U	(24) GOODSN-ORI020-V4U ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:19:45.0	yes
4V	(26) GOODSN-ORI020-V4V ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:19:56.0	yes
4W	(27) GOODSN-ORI020-V4W ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:20:10.0	yes

Proposal 12444 (STScI Edit Number: 4, Created: Wednesday, November 28, 2012 9:30:30 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4X	(28) GOODSN-ORI020-V4X ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:20:21.0	yes
4Y	(25) GOODSN-ORI020-V4Y ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:20:32.0	yes
5A	(29) GOODSN-ORI326-V5A ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:20:46.0	yes
5B	(30) GOODSN-ORI326-V5B ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:21:01.0	yes
5C	(32) GOODSN-ORI326-V5C ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:21:15.0	yes
5D	(34) GOODSN-ORI326-V5D ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:21:30.0	yes
5E	(35) GOODSN-ORI326-V5E ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:21:44.0	yes
5F	(36) GOODSN-ORI326-V5F ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:22:03.0	yes
5G	(38) GOODSN-ORI326-V5G ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:22:17.0	yes

Proposal 12444 (STScI Edit Number: 4, Created: Wednesday, November 28, 2012 9:30:30 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
5H	(40) GOODSN-ORI326-V5H ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:22:31.0	yes
5I	(42) GOODSN-ORI326-V5I ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:22:46.0	yes
5J	(44) GOODSN-ORI326-V5J ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:23:01.0	yes
5K	(46) GOODSN-ORI326-V5K ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:23:17.0	yes
5L	(48) GOODSN-ORI326-V5L ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:23:29.0	yes
5M	(49) GOODSN-ORI326-V5M ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:23:44.0	yes
5N	(50) GOODSN-ORI326-V5N ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:23:58.0	yes
5O	(52) GOODSN-ORI326-V5O ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:24:13.0	yes
5P	(54) GOODSN-ORI326-V5P ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:24:28.0	yes

Proposal 12444 (STScI Edit Number: 4, Created: Wednesday, November 28, 2012 9:30:30 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
5Q	(56) GOODSN-ORI326-V5Q ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:24:39.0	yes
5R	(57) GOODSN-ORI326-V5R ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:24:51.0	yes
5S	(58) GOODSN-ORI326-V5S ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:25:02.0	yes
5T	(59) GOODSN-ORI326-V5T ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:25:16.0	yes
5U	(61) GOODSN-ORI326-V5U ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:25:34.0	yes
5V	(63) GOODSN-ORI326-V5V ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:25:46.0	yes
5W	(64) GOODSN-ORI326-V5W ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:25:57.0	yes
5X	(65) GOODSN-ORI326-V5X ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:26:08.0	yes
5Y	(66) GOODSN-ORI326-V5Y ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:26:19.0	yes

Proposal 12444 (STScI Edit Number: 4, Created: Wednesday, November 28, 2012 9:30:30 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
6A	(67) GOODSN-ORI090-V6A ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:26:33.0	yes
6B	(68) GOODSN-ORI090-V6B ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:26:48.0	yes
6C	(69) GOODSN-ORI090-V6C ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:27:03.0	yes
6D	(70) GOODSN-ORI090-V6D ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:27:21.0	yes
6E	(71) GOODSN-ORI090-V6E ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:27:36.0	yes
6F	(72) GOODSN-ORI090-V6F ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:27:50.0	yes
6G	(73) GOODSN-ORI090-V6G ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:28:05.0	yes
6H	(74) GOODSN-ORI090-V6H ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:28:20.0	yes
6I	(75) GOODSN-ORI090-V6I ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:28:35.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
6J	(76) GOODSN-ORI090-V6J ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:28:53.0	yes
6K	(77) GOODSN-ORI090-V6K ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:29:08.0	yes
6L	(78) GOODSN-ORI090-V6L ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:29:23.0	yes
6M	(79) GOODSN-ORI090-V6M ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:29:38.0	yes
6N	(80) GOODSN-ORI090-V6N ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:29:53.0	yes
6O	(81) GOODSN-ORI090-V6O ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	28-Nov-2012 21:30:08.0	yes

65 Total Orbits Used

ABSTRACT

The Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey (CANDELS) is designed to document the first third of galactic evolution from $z = 8$ to 1.5 via deep imaging of more than 250,000 galaxies with WFC3/IR and ACS. It will also find the first Type Ia SNe beyond $z > 1.5$ and establish their accuracy as standard candles for cosmology. Five premier multi-wavelength sky regions selected from the Spitzer Extragalactic Deep Survey (SEDS) provide complementary IRAC imaging data down to 26.5 AB mag, a unique resource for stellar masses at all

redshifts. The use of very widely separated fields mitigates cosmic variance and yields statistically robust and complete samples of galaxies down to 10^9 solar masses out to $z \sim 8$.

The program merges two originally separate MCT proposals. The Faber program incorporates a "Wide" imaging survey in three separate fields to ~ 2 orbit depth over ~ 0.2 sq. degrees, plus a "Deep" imaging survey to ~ 12 orbit depth in the two GOODS regions over ~ 0.04 sq. degrees. When combined with ultra-deep imaging from the Hubble Ultradeep Field program (GO 11563), the result is a three-tiered strategy that efficiently samples both bright/rare and faint/common extragalactic objects. The Ferguson program adds an extensive high-redshift Type Ia SNe search, plus ultraviolet "daytime" UVIS exposures in GOODS-N to exploit the CVZ opportunity in that field.

This program, GO 12060, is part of the GOODS-S Deep survey. Special Deep science highlights include:

- * Detection and counts of early galaxies to $z \sim 7-8$ as revealed by red-sensitive WFC3-IR images beyond the Ly α break
 - Measurement of the luminosity function of infant galaxies down to 10^9 solar masses out to $z = 7-8$
 - Measurement of the faint-end LF slope to assess the contribution of faint galaxies to cosmic reionization
- * The physics of early star formation
 - Properties of the earliest star-forming regions -- sizes, star-formation rates, stellar masses and radiation densities, dust contents
 - In concert with Spitzer/IRAC data, measurement of the key

relation between star-formation rate and stellar mass --

what set the rate of early star formation in galaxies?

- When did star-formation begin to slow down? In what types of objects? Why?

* Structural properties, stellar masses, and environments of the earliest identifiable non-QSO AGN as revealed by WFC3-IR

* Structure of highly reddened, dust-obscured galaxies

* Deep imaging of the outer envelopes of galaxies

- Evidence for galaxy-galaxy interactions; counts of merging galaxies

- Growth of the outer envelopes and evolution of structure of spheroidal galaxies

* Search for Type Ia SNe to $z \sim 2$ exploiting the long-wavelength J and H sensitivity of WFC3-IR. The first comprehensive search for Type Ia's at these large distances and early epochs.

OBSERVING DESCRIPTION

GOODS-S Overview:

The CANDELS program in Cycle 18 includes:

GO 12060: Deep mosaic in GOODS-S: Y-band + one skirt epoch

GO 12061: Deep mosaic in GOODS-S: J+H, epochs 1-5 + 2 skirt epochs

GO 12062: Deep mosaic in GOODS-S: J+H, epochs 6-10

GO 12063: Wide mosaic in Extended Groth Strip (EGS)

GO 12064: Wide mosaic in UKIDSS/Ultradeep Survey (UDS)

Field maps and details are at <http://candels.ucolick.org>.

Program GO 12060 executes the Y-band observations in GOODS-S, which are not designed specifically for SNe search (though some may be

found). One epoch of skirt observations is also included.

GOODS-S observations are in two flavors: 1) the Deep area proper, which covers approximately 3x5 WFC3-IR tiles and runs east-west near the middle of the GOODS-S region, and 2) the "skirt", which contains 9 tiles in a roughly rectangular pattern running parallel to Deep but offset to the south. The transverse layout of Deep matches the deepest IRAC data in GOODS-S, which are needed for stellar masses. The Deep region and its skirt coordinate with one another and with existing WFC3 and ACS data to achieve the observational goals of the GOODS-S Deep program, as follows:

1) Detect $z \sim 7-8$ galaxies down to $0.5L^*$ by imaging the Deep area to an *effective* depth of 4 orbits in WFC3-IR F125W and F160W and 3 orbits in Y. The reduction to 3 orbits in Y frees up 15 orbits for the skirt area without impacting the SNe search (Y is not prime for SNe) and was tested with extensive sensitivity simulations. The actual number of orbits used for J and H is 5 in order to allow for the inclusion of F350LP exposures in WFC3-UVIS for SNe rejection (see below), hence the term "effective" for the J and H exposure times.

2) Provide at least 32,000 s of exposure time in F814W at each point within the Deep area. This is needed to establish the Ly α break in distant $z \sim 7-8$ galaxies and is essential for discriminating them from reddened foreground galaxies at $z \sim 2$. The quota for F814W is met by adding together ACS parallels from the present program (GO 12060-2) to parallels in existing F814W exposures plus future F814W exposures that are planned in GO 11563. A considerable fraction of the ACS parallel coverage on Deep comes from parallels that originate from the

skirt region, which has been placed to the south to balance ERS2 to the north and additionally increases total WFC3-IR coverage in GOODS-S.

3) Maximize the number of J and H orbits usable for SNe searching. SNe are discovered in J and H, but low-redshift interlopers and other SNe types are rejected using short-wavelength ACS exposures taken close in time. These should preferably be taken within 3 days of J/H. The short-wavelength exposure can in principle be provided by 1300 s in contemporaneous F606W ACS parallels, but in practice these are not available over most of GOODS-S, and so a short ~430 s F350LP UVIS exposure is inserted into the J/H orbit instead. The follow-up for discovered SNe is provided in GO 12099.

Meeting the above requirements creates a complex interlocking puzzle in which one must lay out two seamless mosaics to the required depth in both the Deep and skirt areas, locate and orient them to match existing data (e.g., IRAC), have ACS parallels lie on top of the WFC3-IR area as much as possible, reach the desired minimum exposure time of 32,000 s in parallel F814W in the Deep area, use any excess parallel exposure time beyond this productively, take Deep data at multiple epochs spaced ~52 d apart for SNe searching, operate within the narrow range of ORIENTs available at each epoch, allow for at least 30 days of SNe follow-up time after each SNe search epoch, identify suitable guide stars for all observations, break up each orbit into enough exposures to produce a reasonable dither pattern but not waste too much time in extra readouts, and work around solar avoidance, which removes ~60 degrees and two months of calendar time in April-May from the available ORIENTs. The final design was adopted after exploring many possibilities and represents a

compromise. It is generally impossible to perturb any aspect of the program significantly without adversely impacting several others.

Details of GOODS-S observations:

* Filters used: Y = F105W, J = F125W, H = F160W, V = F606W, I = F814W,
z = F850LP

* Deep area, J and H exposures:

- 10 1-orbit epochs lasting from Oct 2010 to Feb 2012
- Nominal WFC3-IR exposure times per orbit: 1/2 orbit J, 1/2 orbit H, each broken into two sub-exposures. J and H are co-added for SNe searching; the four exposures yield a good dither pattern
- F350LP inserted for low-z SNe rejection
- Total effective exposure time allowing for F350LP: 4 orbit depth in J, 4 orbit depth in H
- 10 epochs span solar avoidance gap of ~50 days, permit 8 prime SNe search epochs with 52 d cadence plus one less sensitive search across solar avoidance gap

* Skirt area, J and H exposures:

- Two 1-orbit epochs taken in Jan 2011 and Feb 2011
- Nominal WFC3-IR exposure times per orbit: 1/3 orbit J, 2/3 orbit H, each one broken into two sub-exposures (mimics Wide mosaics in other fields)
- 2 epochs permit one epoch of SNe search on each skirt tile

* Deep and skirt areas, Y:

- 3 orbits in Deep, to complement 4-orbit J+H there
- 1 orbit at another epoch in skirt, to complement 2-orbit J+H there
- All epochs chosen to throw ACS parallels maximally onto Deep

* SNe search combines all J and H exposures from each epoch into a

single image. Small-scale four-point dither treats them as part of same exposure, gives sub-pixel sampling

* ACS parallels lying completely or largely within the Deep area:

- Default filter is I-band with goal of obtaining at least 32,000 sec of exposure time at virtually all locations within the Deep area. Sum includes all known past and future I exposures from other programs at that field location. Getting sufficient I takes precedence over getting V in a contemporaneous parallel if total I goal is not met
- Next goal is one orbit (~2500 sec) of z, for variability studies. Again, this takes precedence over V parallel
- If above goals are met, take up to two orbits (5,000 s) of V
- If still more time is left, put into I

* ACS parallels lying largely outside the Deep area:

- First goal is to get one orbit (2500 sec) of I everywhere
- Second goal is to get one orbit (2500 sec) of z for variability studies
- If still more time, put into 2/3 I and 1/3 V to mimic the balance in the Wide mosaics

* Gap from early April to late May due to solar avoidance:

- The gap in 2011 is Apr 7 - May 27 inclusive (50 d)
- 30 d are budgeted for SNe searching after the last search epoch before solar avoidance (Epoch 4)
- Deep epochs before solar avoidance are covered by GO 12061. Both skirt J/H epochs are also included in GO 12061
- Deep epochs after solar avoidance are covered by GO 12062. There are no skirt epochs in GO 12062

Specifics of GO 12060:

* Y in the Deep area:

- Since Y-band is not used to search for SNe, Y exposures can be tuned to throw their parallels onto Deep. Y is a major source of parallels for Deep
- 3-orbit exposures are taken at each location, all at the same visit and ORIENT
- The 3x5 Y-band mosaic covers the Deep area and is divided into two epochs:
 - 2x3 tiles are observed at one epoch (Jun 2011), 3x3 tiles at a second epoch 180 deg apart (Nov-Dec 2011). Both epochs throw parallels onto the Deep area. The mosaic is seamless except:
 - Tile 3I is shifted south to find a guide star
 - Tile 3R is rotated slightly to put its ACS parallel in an underobserved part of Deep
 - Tile 3P is rotated to find a guide star
- The chosen mosaic overlap is 4%, which yields a minimum overlap of 1% (1.3") in the short direction to defend against estimated pointing errors of ~0.2-0.25"
- ? dither pattern
- * Y in the skirt area (Mar 2011):
 - The skirt consists of 8 WFC3-IR tiles in a 2x4 array, plus three additional J+H tiles that were added to boost ACS parallel coverage in underserved parts of the Deep region
 - The skirt array is offset to the south of the Deep area and runs parallel to it (east-west)
 - Parallels from the skirt overlie the Deep region as much as possible
 - 1-orbit Y exposures are taken at each skirt location
 - The chosen mosaic overlap is again 4%
 - The three extra J+H tiles (4B, 4C, 4D) consist of 1/3 orbit J and 2/3 orbit H to match the other J+H skirt observations

- ? dither pattern

* Timing

- Y is not designed to search for SNe. The observations can be taken any time that the desired ORIENTs are available.

The specified ORIENTs are needed to create mosaics that are as seamless as possible given the guide star constraints

ADDITIONAL COMMENTS

Comments for schedulers:

Guide stars:

* Guide stars have been pre-screened. Use of "SINGLES" is approved by the PI.

BETWEENs and ORIENTs:

* The BETWEEN epochs are chosen to place all ACS parallel coverage as much as possible on top of the Deep region

* The ORIENTS are identical to get seamless WFC3-IR mosaics

* A few tiles are rotated or displaced in order to get guide stars

* There are no other timing requirements besides BETWEEN/ORIENT

Bright objects -- persistence:


* The Deep Y-band exposures will be pushed to the deepest possible limiting magnitude. Please do not schedule bright objects (like star clusters) in the 8?-orbit window before our observations

Proposal 12444 - Tile Visit 4A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4A, completed Thu Nov 29 02:30:31 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 80 M																
	(Tile Visit 4A) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(4)</td> <td>GOODSN-ORI020-V4A</td> <td>RA: 12 36 46.1543 (189.1923096d) Dec: +62 11 59.14 (62.19976d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(4)	GOODSN-ORI020-V4A	RA: 12 36 46.1543 (189.1923096d) Dec: +62 11 59.14 (62.19976d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(4)	GOODSN-ORI020-V4A	RA: 12 36 46.1543 (189.1923096d) Dec: +62 11 59.14 (62.19976d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 4A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(4) GOODSN-ORI0 20-V4A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 A	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 A	375 Secs [==>]	[1]
	3		(4) GOODSN-ORI0 20-V4A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 A	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 A	507 Secs [==>]	[1]
	5		(4) GOODSN-ORI0 20-V4A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 A	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 A	507 Secs [==>]	[1]
	7		(4) GOODSN-ORI0 20-V4A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 A	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 A	507 Secs [==>]	[1]
	9		(4) GOODSN-ORI0 20-V4A	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4A	434 Secs [==>]	[1]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4A	340 Secs [==>]	[1]
	11		(4) GOODSN-ORI0 20-V4A	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4A	1122 Secs [==>]	[1]
12		ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4A	1011 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4B, completed Thu Nov 29 02:30:33 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 4B) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(5)	GOODSN-ORI020-V4B	RA: 12 36 33.0013 (189.1375054d) Dec: +62 13 43.75 (62.22882d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(5) GOODSN-ORI0 20-V4B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 B	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 1-2 in Tile Visit 4 B	375 Secs [==>]	[1]
	3		(5) GOODSN-ORI0 20-V4B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 B	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 3-4 in Tile Visit 4 B	507 Secs [==>]	[1]
	5		(5) GOODSN-ORI0 20-V4B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 B	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 5-6 in Tile Visit 4 B	507 Secs [==>]	[1]
	7		(5) GOODSN-ORI0 20-V4B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 B	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 7-8 in Tile Visit 4 B	507 Secs [==>]	[1]
	9		(5) GOODSN-ORI0 20-V4B	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4B	434 Secs [==>]	[1]
	10		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 9-10 in Tile Visit 4B	340 Secs [==>]	[1]
	11		(5) GOODSN-ORI0 20-V4B	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4B	1480 Secs [==>]	[1]
12		ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4B	1369 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4C, completed Thu Nov 29 02:30:35 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 80 M					
	(Tile Visit 4C) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(6)	GOODSN-ORI020-V4C	RA: 12 36 18.4250 (189.0767708d) Dec: +62 15 22.85 (62.25635d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(6) GOODSN-ORI0 20-V4C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 C	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 C	375 Secs [==>]	[1]
	3		(6) GOODSN-ORI0 20-V4C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 C	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 C	507 Secs [==>]	[1]
	5		(6) GOODSN-ORI0 20-V4C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 C	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 C	507 Secs [==>]	[1]
	7		(6) GOODSN-ORI0 20-V4C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 C	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 C	507 Secs [==>]	[1]
	9		(6) GOODSN-ORI0 20-V4C	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4C	434 Secs [==>]	[1]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4C	340 Secs [==>]	[1]
	11		(6) GOODSN-ORI0 20-V4C	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4C	1122 Secs [==>]	[1]
12		ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4C	1011 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4D, completed Thu Nov 29 02:30:36 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 19.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 4D) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(7)	GOODSN-ORI020-V4D	RA: 12 37 0.6973 (189.2529054d) Dec: +62 10 18.48 (62.17180d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(7) GOODSN-ORI0 20-V4D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-2 in Tile Visit 4 D	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 1-2 in Tile Visit 4 D	375 Secs [==>]	[1]
	3		(7) GOODSN-ORI0 20-V4D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 D	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 3-4 in Tile Visit 4 D	507 Secs [==>]	[1]
	5		(7) GOODSN-ORI0 20-V4D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 D	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 5-6 in Tile Visit 4 D	507 Secs [==>]	[1]
	7		(7) GOODSN-ORI0 20-V4D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 D	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 7-8 in Tile Visit 4 D	507 Secs [==>]	[1]
	9		(7) GOODSN-ORI0 20-V4D	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4D	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 9-10 in Tile Visit 4D	340 Secs [==>]	[1]
	11		(7) GOODSN-ORI0 20-V4D	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4D	1480 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4D	1369 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4E, completed Thu Nov 29 02:30:37 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 4E) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(8)	GOODSN-ORI020-V4E	RA: 12 37 1.6079 (189.2566996d) Dec: +62 12 50.28 (62.21397d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(8) GOODSN-ORI0 20-V4E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 E	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 1-2 in Tile Visit 4 E	375 Secs [==>]	[1]
	3		(8) GOODSN-ORI0 20-V4E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 E	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 3-4 in Tile Visit 4 E	507 Secs [==>]	[1]
	5		(8) GOODSN-ORI0 20-V4E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 E	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 5-6 in Tile Visit 4 E	507 Secs [==>]	[1]
	7		(8) GOODSN-ORI0 20-V4E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 E	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 7-8 in Tile Visit 4 E	507 Secs [==>]	[1]
	9		(8) GOODSN-ORI0 20-V4E	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4E	434 Secs [==>]	[1]
	10		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 9-10 in Tile Visit 4E	340 Secs [==>]	[1]
	11		(8) GOODSN-ORI0 20-V4E	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4E	1480 Secs [==>]	[1]
12		ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4E	1369 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4F, completed Thu Nov 29 02:30:39 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 80 M																
	(Tile Visit 4F) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Diagnostics																	
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(9)</td> <td>GOODSN-ORI020-V4F</td> <td> RA: 12 36 48.4503 (189.2018762d) Dec: +62 14 34.99 (62.24305d) Equinox: J2000 </td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(9)	GOODSN-ORI020-V4F	RA: 12 36 48.4503 (189.2018762d) Dec: +62 14 34.99 (62.24305d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(9)	GOODSN-ORI020-V4F	RA: 12 36 48.4503 (189.2018762d) Dec: +62 14 34.99 (62.24305d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 4F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(9) GOODSN-ORI0 20-V4F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 F	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 F	375 Secs [==>]	[1]
	3		(9) GOODSN-ORI0 20-V4F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 F	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 F	507 Secs [==>]	[1]
	5		(9) GOODSN-ORI0 20-V4F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 F	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 F	507 Secs [==>]	[1]
	7		(9) GOODSN-ORI0 20-V4F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 F	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 F	507 Secs [==>]	[1]
	9		(9) GOODSN-ORI0 20-V4F	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4F	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4F	340 Secs [==>]	[1]
	11		(9) GOODSN-ORI0 20-V4F	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4F	1122 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4F	1011 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Visit	Proposal 12444, Tile Visit 4G, completed Thu Nov 29 02:30:40 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 4G) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(10)	GOODSN-ORI020-V4G	RA: 12 36 33.8680 (189.1411167d) Dec: +62 16 14.19 (62.27061d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(10) GOODSN-ORI 020-V4G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 G	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 G	375 Secs [==>]	[1]
	3		(10) GOODSN-ORI 020-V4G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 G	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 G	507 Secs [==>]	[1]
	5		(10) GOODSN-ORI 020-V4G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 G	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 G	507 Secs [==>]	[1]
	7		(10) GOODSN-ORI 020-V4G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 G	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 G	507 Secs [==>]	[1]
	9		(10) GOODSN-ORI 020-V4G	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4G	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4G	340 Secs [==>]	[1]
	11		(10) GOODSN-ORI 020-V4G	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4G	1480 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4G	1369 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4H, completed Thu Nov 29 02:30:41 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 80 M					
	(Tile Visit 4H) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(11)	GOODSN-ORI020-V4H	RA: 12 36 29.9663 (189.1248596d) Dec: +62 18 30.91 (62.30859d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(11) GOODSN-ORI 020-V4H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 H	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 H	375 Secs [==>]	[1]
	3		(11) GOODSN-ORI 020-V4H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 H	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 H	507 Secs [==>]	[1]
	5		(11) GOODSN-ORI 020-V4H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 H	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 H	507 Secs [==>]	[1]
	7		(11) GOODSN-ORI 020-V4H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 H	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 H	507 Secs [==>]	[1]
	9		(11) GOODSN-ORI 020-V4H	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4H	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4H	340 Secs [==>]	[1]
	11		(11) GOODSN-ORI 020-V4H	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4H	1122 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4H	1011 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4I, completed Thu Nov 29 02:30:42 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 80 M																
	(Tile Visit 4I) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(12)</td> <td>GOODSN-ORI020-V4I</td> <td>RA: 12 37 16.1423 (189.3172596d) Dec: +62 11 9.53 (62.18598d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(12)	GOODSN-ORI020-V4I	RA: 12 37 16.1423 (189.3172596d) Dec: +62 11 9.53 (62.18598d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(12)	GOODSN-ORI020-V4I	RA: 12 37 16.1423 (189.3172596d) Dec: +62 11 9.53 (62.18598d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 4I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(12) GOODSN-ORI 020-V4I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 I	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 I	375 Secs [==>]	[1]
	3		(12) GOODSN-ORI 020-V4I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 I	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 I	507 Secs [==>]	[1]
	5		(12) GOODSN-ORI 020-V4I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 I	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 I	507 Secs [==>]	[1]
	7		(12) GOODSN-ORI 020-V4I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 I	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 I	507 Secs [==>]	[1]
	9		(12) GOODSN-ORI 020-V4I	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4I	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4I	340 Secs [==>]	[1]
	11		(12) GOODSN-ORI 020-V4I	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4I	1122 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4I	1011 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4J, completed Thu Nov 29 02:30:43 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 80 M					
	(Tile Visit 4J) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(13)	GOODSN-ORI020-V4J	RA: 12 37 17.0616 (189.3210900d) Dec: +62 13 41.32 (62.22814d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(13) GOODSN-ORI 020-V4J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 J	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 J	375 Secs [==>]	[1]
	3		(13) GOODSN-ORI 020-V4J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 J	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 J	507 Secs [==>]	[1]
	5		(13) GOODSN-ORI 020-V4J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 J	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 J	507 Secs [==>]	[1]
	7		(13) GOODSN-ORI 020-V4J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 J	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 J	507 Secs [==>]	[1]
	9		(13) GOODSN-ORI 020-V4J	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4J	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4J	340 Secs [==>]	[1]
	11		(13) GOODSN-ORI 020-V4J	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4J	1122 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4J	1011 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4K, completed Thu Nov 29 02:30:44 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	(Tile Visit 4K) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(14)</td> <td>GOODSN-ORI020-V4K</td> <td>RA: 12 37 3.8994 (189.2662475d) Dec: +62 15 26.11 (62.25725d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(14)	GOODSN-ORI020-V4K	RA: 12 37 3.8994 (189.2662475d) Dec: +62 15 26.11 (62.25725d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(14)	GOODSN-ORI020-V4K	RA: 12 37 3.8994 (189.2662475d) Dec: +62 15 26.11 (62.25725d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 4K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(14) GOODSN-ORI 020-V4K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-2 in Tile Visit 4 K	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 1-2 in Tile Visit 4 K	375 Secs [==>]	[1]
	3		(14) GOODSN-ORI 020-V4K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 K	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 3-4 in Tile Visit 4 K	507 Secs [==>]	[1]
	5		(14) GOODSN-ORI 020-V4K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 K	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 5-6 in Tile Visit 4 K	507 Secs [==>]	[1]
	7		(14) GOODSN-ORI 020-V4K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 K	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 7-8 in Tile Visit 4 K	507 Secs [==>]	[1]
	9		(14) GOODSN-ORI 020-V4K	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4K	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 9-10 in Tile Visit 4K	340 Secs [==>]	[1]
	11		(14) GOODSN-ORI 020-V4K	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4K	1480 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4K	1369 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4L, completed Thu Nov 29 02:30:45 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 80 M					
	(Tile Visit 4L) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(15)	GOODSN-ORI020-V4L	RA: 12 36 49.3110 (189.2054625d) Dec: +62 17 5.42 (62.28484d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(15) GOODSN-ORI 020-V4L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 L	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 1-2 in Tile Visit 4 L	375 Secs [==>]	[1]
	3		(15) GOODSN-ORI 020-V4L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 L	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 3-4 in Tile Visit 4 L	507 Secs [==>]	[1]
	5		(15) GOODSN-ORI 020-V4L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 L	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 5-6 in Tile Visit 4 L	507 Secs [==>]	[1]
	7		(15) GOODSN-ORI 020-V4L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 L	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 7-8 in Tile Visit 4 L	507 Secs [==>]	[1]
	9		(15) GOODSN-ORI 020-V4L	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4L	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 9-10 in Tile Visit 4L	340 Secs [==>]	[1]
	11		(15) GOODSN-ORI 020-V4L	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4L	1122 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4L	1011 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Visit	Proposal 12444, Tile Visit 4M, completed Thu Nov 29 02:30:46 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 80 M																
	Diagnosics (Tile Visit 4M) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(16)</td> <td>GOODSN-ORI020-V4M</td> <td>RA: 12 36 45.5594 (189.1898308d) Dec: +62 19 21.51 (62.32264d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(16)	GOODSN-ORI020-V4M	RA: 12 36 45.5594 (189.1898308d) Dec: +62 19 21.51 (62.32264d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(16)	GOODSN-ORI020-V4M	RA: 12 36 45.5594 (189.1898308d) Dec: +62 19 21.51 (62.32264d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 4M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(16) GOODSN-ORI 020-V4M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Gro up 1-2 in Tile Visit 4 M	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 M	375 Secs [==>]	[1]
	3		(16) GOODSN-ORI 020-V4M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 M	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 M	507 Secs [==>]	[1]
	5		(16) GOODSN-ORI 020-V4M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 M	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 M	507 Secs [==>]	[1]
	7		(16) GOODSN-ORI 020-V4M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 M	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 M	507 Secs [==>]	[1]
	9		(16) GOODSN-ORI 020-V4M	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4M	434 Secs [==>]	[1]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4M	340 Secs [==>]	[1]
	11		(16) GOODSN-ORI 020-V4M	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4M	1122 Secs [==>]	[1]
12		ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4M	1011 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4N, completed Thu Nov 29 02:30:47 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 4N) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(17)	GOODSN-ORI020-V4N	RA: 12 37 31.5873 (189.3816138d) Dec: +62 12 0.47 (62.20013d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(17) GOODSN-ORI 020-V4N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-2 in Tile Visit 4 N	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 1-2 in Tile Visit 4 N	375 Secs [==>]	[1]
	3		(17) GOODSN-ORI 020-V4N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 N	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 3-4 in Tile Visit 4 N	507 Secs [==>]	[1]
	5		(17) GOODSN-ORI 020-V4N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 N	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 5-6 in Tile Visit 4 N	507 Secs [==>]	[1]
	7		(17) GOODSN-ORI 020-V4N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 N	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 7-8 in Tile Visit 4 N	507 Secs [==>]	[1]
	9		(17) GOODSN-ORI 020-V4N	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4N	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 9-10 in Tile Visit 4N	340 Secs [==>]	[1]
	11		(17) GOODSN-ORI 020-V4N	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4N	1480 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4N	1369 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4O - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Visit	Proposal 12444, Tile Visit 4O, completed Thu Nov 29 02:30:49 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 4O) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnostics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(18)	GOODSN-ORI020-V4O	RA: 12 37 32.5153 (189.3854804d) Dec: +62 14 32.25 (62.24229d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 40 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(18) GOODSN-ORI 020-V40	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-2 in Tile Visit 4 O	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 1-2 in Tile Visit 4 O	375 Secs [==>]	[1]
	3	(18) GOODSN-ORI 020-V40	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 O	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 3-4 in Tile Visit 4 O	507 Secs [==>]	[1]
	5	(18) GOODSN-ORI 020-V40	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 O	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 5-6 in Tile Visit 4 O	507 Secs [==>]	[1]
	7	(18) GOODSN-ORI 020-V40	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 O	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 7-8 in Tile Visit 4 O	507 Secs [==>]	[1]
	9	(18) GOODSN-ORI 020-V40	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4O	434 Secs [==>]	[1]
	10	ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Gro up 9-10 in Tile Visit 4O	340 Secs [==>]	[1]
	11	(18) GOODSN-ORI 020-V40	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4O	1480 Secs [==>]	[1]
	12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4O	1369 Secs [==>]	[1]




Proposal 12444 - Tile Visit 4P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 4P, completed Thu Nov 29 02:30:50 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 80 M					
	(Tile Visit 4P) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(19)	GOODSN-ORI020-V4P	RA: 12 37 19.3485 (189.3306188d) Dec: +62 16 17.14 (62.27143d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(19) GOODSN-ORI 020-V4P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-2 in Tile Visit 4 P	[==>]	[1]
	2	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 P	275 Secs [==>]	[1]
	3		(19) GOODSN-ORI 020-V4P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 P	[==>]	[1]
	4	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 P	607 Secs [==>]	[1]
	5		(19) GOODSN-ORI 020-V4P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 P	[==>]	[1]
	6	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 P	607 Secs [==>]	[1]
	7		(19) GOODSN-ORI 020-V4P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 P	[==>]	[1]
	8	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 P	407 Secs [==>]	[1]
	9		(19) GOODSN-ORI 020-V4P	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4P	434 Secs [==>]	[1]
	10	ANY		ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4P	340 Secs [==>]	[1]
	11		(19) GOODSN-ORI 020-V4P	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4P	1122 Secs [==>]	[1]
12	ANY		ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4P	1011 Secs [==>]	[1]	




Proposal 12444 - Tile Visit 4Q - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Visit	Proposal 12444, Tile Visit 4Q, completed Thu Nov 29 02:30:51 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 4Q) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(20)	GOODSN-ORI020-V4Q	RA: 12 37 4.7541 (189.2698088d) Dec: +62 17 56.55 (62.29904d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 4Q - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(20) GOODSN-ORI 020-V4Q	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-2 in Tile Visit 4 Q	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 1-2 in Tile Visit 4 Q	375 Secs [==>]	[1]
	3	(20) GOODSN-ORI 020-V4Q	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Gro up 3-4 in Tile Visit 4 Q	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 3-4 in Tile Visit 4 Q	507 Secs [==>]	[1]
	5	(20) GOODSN-ORI 020-V4Q	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Gro up 5-6 in Tile Visit 4 Q	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Tile Visit 4 Q	507 Secs [==>]	[1]
	7	(20) GOODSN-ORI 020-V4Q	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Gro up 7-8 in Tile Visit 4 Q	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Tile Visit 4 Q	507 Secs [==>]	[1]
	9	(20) GOODSN-ORI 020-V4Q	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Gro up 9-10 in Tile Visit 4Q	434 Secs [==>]	[1]
	10	ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Tile Visit 4Q	340 Secs [==>]	[1]
	11	(20) GOODSN-ORI 020-V4Q	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0. 015	Prime + Parallel Gro up 11-12 in Tile Visi t 4Q	1570 Secs [==>]	[1]
	12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Prime + Parallel Gro up 11-12 in Tile Visi t 4Q	1459 Secs [==>]	[1]



Proposal 12444 - Tile Visit 4R - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Thu Nov 29 02:30:52 GMT 2012


Visit	Proposal 12444, Tile Visit 4R, completed Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00									
	(Tile Visit 4R) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(21)	GOODSN-ORI020-V4R	RA: 12 37 1.0069 (189.2541954d) Dec: +62 20 12.33 (62.33676d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(21) GOODSN-ORI020-V4R	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Prime + Parallel Group 1-2 in Tile Visit 4R	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Tile Visit 4R	275 Secs [==>]	[1]
	3		(21) GOODSN-ORI020-V4R	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Group 3-4 in Tile Visit 4R	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Tile Visit 4R	607 Secs [==>]	[1]
	5		(21) GOODSN-ORI020-V4R	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Group 5-6 in Tile Visit 4R	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Tile Visit 4R	607 Secs [==>]	[1]
	7		(21) GOODSN-ORI020-V4R	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Group 7-8 in Tile Visit 4R	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Tile Visit 4R	407 Secs [==>]	[1]
	9		(21) GOODSN-ORI020-V4R	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Group 9-10 in Tile Visit 4R	434 Secs [==>]	[1]
10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Tile Visit 4R	340 Secs [==>]	[1]	



Proposal 12444 - Tile Visit 4S - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Thu Nov 29 02:30:53 GMT 2012


Visit	Proposal 12444, Tile Visit 4S, completed Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00									
	(Tile Visit 4S) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
		(22)	GOODSN-ORI020-V4S	RA: 12 37 47.9690 (189.4498708d) Dec: +62 15 23.08 (62.25641d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(22) GOODSN-ORI020-V4S	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Tile Visit 4S	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Tile Visit 4S	275 Secs [==>]	[1]
	3		(22) GOODSN-ORI020-V4S	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Group 3-4 in Tile Visit 4S	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Tile Visit 4S	607 Secs [==>]	[1]
	5		(22) GOODSN-ORI020-V4S	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Group 5-6 in Tile Visit 4S	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Tile Visit 4S	607 Secs [==>]	[1]
	7		(22) GOODSN-ORI020-V4S	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Group 7-8 in Tile Visit 4S	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Tile Visit 4S	407 Secs [==>]	[1]
	9		(22) GOODSN-ORI020-V4S	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Group 9-10 in Tile Visit 4S	434 Secs [==>]	[1]
10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Tile Visit 4S	340 Secs [==>]	[1]	



Proposal 12444 - Tile Visit 4T - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Thu Nov 29 02:30:54 GMT 2012


Visit	Proposal 12444, Tile Visit 4T, completed Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00									
	(Tile Visit 4T) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
		(23)	GOODSN-ORI020-V4T	RA: 12 37 34.7976 (189.3949900d) Dec: +62 17 8.06 (62.28557d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(23) GOODSN-ORI020-V4T	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Tile Visit 4T	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Tile Visit 4T	275 Secs [==>]	[1]
	3		(23) GOODSN-ORI020-V4T	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Group 3-4 in Tile Visit 4T	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Tile Visit 4T	607 Secs [==>]	[1]
	5		(23) GOODSN-ORI020-V4T	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Group 5-6 in Tile Visit 4T	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Tile Visit 4T	607 Secs [==>]	[1]
	7		(23) GOODSN-ORI020-V4T	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Group 7-8 in Tile Visit 4T	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Tile Visit 4T	407 Secs [==>]	[1]
	9		(23) GOODSN-ORI020-V4T	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Group 9-10 in Tile Visit 4T	434 Secs [==>]	[1]
10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Tile Visit 4T	340 Secs [==>]	[1]	



Proposal 12444 - Tile Visit 4U - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Thu Nov 29 02:30:55 GMT 2012


Visit	Proposal 12444, Tile Visit 4U, completed Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00									
	(Tile Visit 4U) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(24)	GOODSN-ORI020-V4U	RA: 12 37 20.1971 (189.3341546d) Dec: +62 18 47.57 (62.31321d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(24) GOODSN-ORI 020-V4U	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Tile Visit 4U	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Tile Visit 4U	275 Secs [==>]	[1]
	3		(24) GOODSN-ORI 020-V4U	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Group 3-4 in Tile Visit 4U	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Tile Visit 4U	607 Secs [==>]	[1]
	5		(24) GOODSN-ORI 020-V4U	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Group 5-6 in Tile Visit 4U	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Tile Visit 4U	607 Secs [==>]	[1]
	7		(24) GOODSN-ORI 020-V4U	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Group 7-8 in Tile Visit 4U	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Tile Visit 4U	407 Secs [==>]	[1]
	9		(24) GOODSN-ORI 020-V4U	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Group 9-10 in Tile Visit 4U	434 Secs [==>]	[1]
10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Tile Visit 4U	340 Secs [==>]	[1]	



Proposal 12444 - Tile Visit 4V - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Thu Nov 29 02:30:56 GMT 2012


Visit	Proposal 12444, Tile Visit 4V, completed Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00									
	(Tile Visit 4V) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
		(26)	GOODSN-ORI020-V4V	RA: 12 37 16.4542 (189.3185592d) Dec: +62 21 3.37 (62.35094d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(26) GOODSN-ORI020-V4V	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Tile Visit 4V	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Tile Visit 4V	275 Secs [==>]	[1]
	3		(26) GOODSN-ORI020-V4V	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Group 3-4 in Tile Visit 4V	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Tile Visit 4V	607 Secs [==>]	[1]
	5		(26) GOODSN-ORI020-V4V	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Group 5-6 in Tile Visit 4V	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Tile Visit 4V	607 Secs [==>]	[1]
	7		(26) GOODSN-ORI020-V4V	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Group 7-8 in Tile Visit 4V	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Tile Visit 4V	407 Secs [==>]	[1]
	9		(26) GOODSN-ORI020-V4V	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Group 9-10 in Tile Visit 4V	434 Secs [==>]	[1]
10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Tile Visit 4V	340 Secs [==>]	[1]	



Proposal 12444 - Tile Visit 4W - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Thu Nov 29 02:30:57 GMT 2012


Visit	Proposal 12444, Tile Visit 4W, completed Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00									
	(Tile Visit 4W) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(27)	GOODSN-ORI020-V4W	RA: 12 38 3.4227 (189.5142612d) Dec: +62 16 13.80 (62.27050d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(27) GOODSN-ORI 020-V4W	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Tile Visit 4W	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Tile Visit 4W	275 Secs [==>]	[1]
	3		(27) GOODSN-ORI 020-V4W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Group 3-4 in Tile Visit 4W	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Tile Visit 4W	607 Secs [==>]	[1]
	5		(27) GOODSN-ORI 020-V4W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Group 5-6 in Tile Visit 4W	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Tile Visit 4W	607 Secs [==>]	[1]
	7		(27) GOODSN-ORI 020-V4W	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Group 7-8 in Tile Visit 4W	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Tile Visit 4W	407 Secs [==>]	[1]
	9		(27) GOODSN-ORI 020-V4W	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Group 9-10 in Tile Visit 4W	434 Secs [==>]	[1]
10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Tile Visit 4W	340 Secs [==>]	[1]	



Proposal 12444 - Tile Visit 4X - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Thu Nov 29 02:30:58 GMT 2012


Visit	Proposal 12444, Tile Visit 4X, completed Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 18.3D TO 18.3 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00									
	(Tile Visit 4X) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
		(28)	GOODSN-ORI020-V4X	RA: 12 37 50.2467 (189.4593612d) Dec: +62 17 58.87 (62.29969d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(28) GOODSN-ORI020-V4X	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Tile Visit 4X	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Tile Visit 4X	275 Secs [==>]	[1]
	3		(28) GOODSN-ORI020-V4X	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Group 3-4 in Tile Visit 4X	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Tile Visit 4X	607 Secs [==>]	[1]
	5		(28) GOODSN-ORI020-V4X	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Group 5-6 in Tile Visit 4X	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Tile Visit 4X	607 Secs [==>]	[1]
	7		(28) GOODSN-ORI020-V4X	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Prime + Parallel Group 7-8 in Tile Visit 4X	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Tile Visit 4X	407 Secs [==>]	[1]
	9		(28) GOODSN-ORI020-V4X	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0. 015	Prime + Parallel Group 9-10 in Tile Visit 4X	434 Secs [==>]	[1]
10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Tile Visit 4X	340 Secs [==>]	[1]	



Proposal 12444 - Tile Visit 4Y - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Thu Nov 29 02:30:59 GMT 2012

Visit	Proposal 12444, Tile Visit 4Y, completed Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 20.0D TO 20.0 D; BETWEEN 08-SEP-2012:00:00:00 AND 18-SEP-2012:00:00:00									
	(Tile Visit 4Y) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
		(25)	GOODSN-ORI020-V4Y	RA: 12 37 35.6401 (189.3985004d) Dec: +62 19 38.49 (62.32736d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(25) GOODSN-ORI020-V4Y	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Tile Visit 4Y	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Tile Visit 4Y	275 Secs [==>]	[1]
	3		(25) GOODSN-ORI020-V4Y	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Prime + Parallel Group 3-4 in Tile Visit 4Y	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Tile Visit 4Y	607 Secs [==>]	[1]
	5		(25) GOODSN-ORI020-V4Y	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Prime + Parallel Group 5-6 in Tile Visit 4Y	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Tile Visit 4Y	607 Secs [==>]	[1]
	7		(25) GOODSN-ORI020-V4Y	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG 0,0	Prime + Parallel Group 7-8 in Tile Visit 4Y	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Tile Visit 4Y	407 Secs [==>]	[1]
	9		(25) GOODSN-ORI020-V4Y	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.015,0.015	Prime + Parallel Group 9-10 in Tile Visit 4Y	434 Secs [==>]	[1]
10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Tile Visit 4Y	340 Secs [==>]	[1]	



Proposal 12444 - Tile Visit 5A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5A, completed Thu Nov 29 02:30:59 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	(Tile Visit 5A) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5A) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 5A) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Diagnosics																	
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(29)</td> <td>GOODSN-ORI326-V5A</td> <td>RA: 12 37 4.3440 (189.2681000d) Dec: +62 10 7.34 (62.16871d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(29)	GOODSN-ORI326-V5A	RA: 12 37 4.3440 (189.2681000d) Dec: +62 10 7.34 (62.16871d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(29)	GOODSN-ORI326-V5A	RA: 12 37 4.3440 (189.2681000d) Dec: +62 10 7.34 (62.16871d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(29) GOODSN-ORI 326-V5A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5A	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5A	375 Secs [==>]	[1]
	3	(29) GOODSN-ORI 326-V5A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5A	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5A	507 Secs [==>]	[1]
	5	(29) GOODSN-ORI 326-V5A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5A	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5A	507 Secs [==>]	[1]
	7	(29) GOODSN-ORI 326-V5A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5A	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5A	507 Secs [==>]	[1]
	9	(29) GOODSN-ORI 326-V5A	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5A	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5A	340 Secs [==>]	[1]
11	(29) GOODS-N-ORI 326-V5A	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5A	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5A	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5B, completed Thu Nov 29 02:31:01 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	(Tile Visit 5B) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5B) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 5B) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE																
Diagnosics																	
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(30)</td> <td>GOODSN-ORI326-V5B</td> <td>RA: 12 36 45.3650 (189.1890208d) Dec: +62 10 32.20 (62.17561d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(30)	GOODSN-ORI326-V5B	RA: 12 36 45.3650 (189.1890208d) Dec: +62 10 32.20 (62.17561d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(30)	GOODSN-ORI326-V5B	RA: 12 36 45.3650 (189.1890208d) Dec: +62 10 32.20 (62.17561d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(30) GOODSN-ORI 326-V5B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5B	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5B	375 Secs [==>]	[1]
	3	(30) GOODSN-ORI 326-V5B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5B	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5B	507 Secs [==>]	[1]
	5	(30) GOODSN-ORI 326-V5B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5B	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5B	507 Secs [==>]	[1]
	7	(30) GOODSN-ORI 326-V5B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5B	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5B	507 Secs [==>]	[1]
	9	(30) GOODSN-ORI 326-V5B	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5B	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5B	340 Secs [==>]	[1]
11	(30) GOODS-N-ORI 326-V5B	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5B	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5B	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5C, completed Thu Nov 29 02:31:02 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	Diagnosics (Tile Visit 5C) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5C) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 5C) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE																
Fixed Targets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">#</th> <th style="text-align: left;">Name</th> <th style="text-align: left;">Target Coordinates</th> <th style="text-align: left;">Targ. Coord. Corrections</th> <th style="text-align: left;">Fluxes</th> <th style="text-align: left;">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(32)</td> <td>GOODSN-ORI326-V5C</td> <td>RA: 12 37 18.9680 (189.3290333d) Dec: +62 11 50.70 (62.19742d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(32)	GOODSN-ORI326-V5C	RA: 12 37 18.9680 (189.3290333d) Dec: +62 11 50.70 (62.19742d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(32)	GOODSN-ORI326-V5C	RA: 12 37 18.9680 (189.3290333d) Dec: +62 11 50.70 (62.19742d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(32) GOODSN-ORI 326-V5C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 5C	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 5C	375 Secs [==>]	[1]
	3	(32) GOODSN-ORI 326-V5C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 5C	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 5C	507 Secs [==>]	[1]
	5	(32) GOODSN-ORI 326-V5C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 5C	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 5C	507 Secs [==>]	[1]
	7	(32) GOODSN-ORI 326-V5C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 5C	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 5C	507 Secs [==>]	[1]
	9	(32) GOODSN-ORI 326-V5C	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5C	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5C	340 Secs [==>]	[1]
11	(32) GOODS-N-ORI 326-V5C	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5C	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5C	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5D, completed Thu Nov 29 02:31:03 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	Diagnosics (Tile Visit 5D) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5D) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 5D) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">#</th> <th style="width: 20%;">Name</th> <th style="width: 30%;">Target Coordinates</th> <th style="width: 20%;">Targ. Coord. Corrections</th> <th style="width: 10%;">Fluxes</th> <th style="width: 15%;">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(34)</td> <td>GOODSN-ORI326-V5D</td> <td>RA: 12 36 59.9870 (189.2499458d) Dec: +62 12 15.69 (62.20436d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(34)	GOODSN-ORI326-V5D	RA: 12 36 59.9870 (189.2499458d) Dec: +62 12 15.69 (62.20436d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(34)	GOODSN-ORI326-V5D	RA: 12 36 59.9870 (189.2499458d) Dec: +62 12 15.69 (62.20436d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(34) GOODSN-ORI 326-V5D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5D	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5D	375 Secs [==>]	[1]
	3	(34) GOODSN-ORI 326-V5D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5D	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5D	507 Secs [==>]	[1]
	5	(34) GOODSN-ORI 326-V5D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5D	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5D	507 Secs [==>]	[1]
	7	(34) GOODSN-ORI 326-V5D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5D	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5D	507 Secs [==>]	[1]
	9	(34) GOODSN-ORI 326-V5D	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5D	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5D	340 Secs [==>]	[1]
11	(34) GOODS-N-ORI 326-V5D	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5D	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5D	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5E, completed Thu Nov 29 02:31:04 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	Diagnosics (Tile Visit 5E) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5E) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 5E) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(35)</td> <td>GOODSN-ORI326-V5E</td> <td>RA: 12 36 41.0100 (189.1708750d) Dec: +62 12 40.53 (62.21126d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(35)	GOODSN-ORI326-V5E	RA: 12 36 41.0100 (189.1708750d) Dec: +62 12 40.53 (62.21126d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(35)	GOODSN-ORI326-V5E	RA: 12 36 41.0100 (189.1708750d) Dec: +62 12 40.53 (62.21126d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(35) GOODSN-ORI 326-V5E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5E	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F850LP			Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5E	375 Secs [==>]	[1]
	3	(35) GOODSN-ORI 326-V5E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5E	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F850LP			Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5E	507 Secs [==>]	[1]
	5	(35) GOODSN-ORI 326-V5E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5E	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F850LP			Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5E	507 Secs [==>]	[1]
	7	(35) GOODSN-ORI 326-V5E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5E	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F850LP			Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5E	507 Secs [==>]	[1]
	9	(35) GOODSN-ORI 326-V5E	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5E	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F850LP			Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5E	340 Secs [==>]	[1]
11	(35) GOODS-N-ORI 326-V5E	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5E	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5E	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5F, completed Thu Nov 29 02:31:05 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	(Tile Visit 5F) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5F) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 5F) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Diagnosics																	
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(36)</td> <td>GOODSN-ORI326-V5F</td> <td>RA: 12 36 22.0370 (189.0918208d) Dec: +62 13 5.21 (62.21811d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(36)	GOODSN-ORI326-V5F	RA: 12 36 22.0370 (189.0918208d) Dec: +62 13 5.21 (62.21811d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(36)	GOODSN-ORI326-V5F	RA: 12 36 22.0370 (189.0918208d) Dec: +62 13 5.21 (62.21811d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(36) GOODSN-ORI 326-V5F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 5F	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 5F	375 Secs [==>]	[1]
	3	(36) GOODSN-ORI 326-V5F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 5F	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 5F	507 Secs [==>]	[1]
	5	(36) GOODSN-ORI 326-V5F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 5F	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 5F	507 Secs [==>]	[1]
	7	(36) GOODSN-ORI 326-V5F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 5F	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 5F	507 Secs [==>]	[1]
	9	(36) GOODSN-ORI 326-V5F	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5F	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5F	340 Secs [==>]	[1]
11	(36) GOODS-N-ORI 326-V5F	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5F	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5F	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...


Visit	Proposal 12444, Tile Visit 5G, completed Thu Nov 29 02:31:06 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	Diagnosics (Tile Visit 5G) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5G) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 5G) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE																
Fixed Targets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">#</th> <th style="width: 15%;">Name</th> <th style="width: 30%;">Target Coordinates</th> <th style="width: 20%;">Targ. Coord. Corrections</th> <th style="width: 10%;">Fluxes</th> <th style="width: 20%;">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(38)</td> <td>GOODSN-ORI326-V5G</td> <td>RA: 12 37 33.5950 (189.3899792d) Dec: +62 13 33.93 (62.22609d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(38)	GOODSN-ORI326-V5G	RA: 12 37 33.5950 (189.3899792d) Dec: +62 13 33.93 (62.22609d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(38)	GOODSN-ORI326-V5G	RA: 12 37 33.5950 (189.3899792d) Dec: +62 13 33.93 (62.22609d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(38) GOODSN-ORI 326-V5G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 5G	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 5G	475 Secs [==>]	[1]
	3	(38) GOODSN-ORI 326-V5G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 5G	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 5G	507 Secs [==>]	[1]
	5	(38) GOODSN-ORI 326-V5G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 5G	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 5G	507 Secs [==>]	[1]
	7	(38) GOODSN-ORI 326-V5G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 5G	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 5G	507 Secs [==>]	[1]
	9	(38) GOODSN-ORI 326-V5G	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5G	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5G	340 Secs [==>]	[1]
11	(38) GOODS-N-ORI 326-V5G	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5G	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5G	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5H, completed Thu Nov 29 02:31:07 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	(Tile Visit 5H) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5H) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 5H) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(40)</td> <td>GOODSN-ORI326-V5H</td> <td>RA: 12 37 14.6110 (189.3108792d) Dec: +62 13 59.06 (62.23307d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(40)	GOODSN-ORI326-V5H	RA: 12 37 14.6110 (189.3108792d) Dec: +62 13 59.06 (62.23307d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(40)	GOODSN-ORI326-V5H	RA: 12 37 14.6110 (189.3108792d) Dec: +62 13 59.06 (62.23307d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(40) GOODSN-ORI 326-V5H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5H	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5H	375 Secs [==>]	[1]
	3	(40) GOODSN-ORI 326-V5H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5H	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5H	507 Secs [==>]	[1]
	5	(40) GOODSN-ORI 326-V5H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5H	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5H	507 Secs [==>]	[1]
	7	(40) GOODSN-ORI 326-V5H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5H	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5H	507 Secs [==>]	[1]
	9	(40) GOODSN-ORI 326-V5H	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5H	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5H	340 Secs [==>]	[1]
11	(40) GOODS-N-ORI 326-V5H	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5H	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5H	1369 Secs [==>]	[1]




Proposal 12444 - Tile Visit 5I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 5I, completed Thu Nov 29 02:31:08 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	Diagnosics (Tile Visit 5I) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5I) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 5I) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(42)</td> <td>GOODSN-ORI326-V5I</td> <td>RA: 12 36 55.6320 (189.2318000d) Dec: +62 14 24.03 (62.24001d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(42)	GOODSN-ORI326-V5I	RA: 12 36 55.6320 (189.2318000d) Dec: +62 14 24.03 (62.24001d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(42)	GOODSN-ORI326-V5I	RA: 12 36 55.6320 (189.2318000d) Dec: +62 14 24.03 (62.24001d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(42) GOODSN-ORI 326-V5I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 5I	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 5I	375 Secs [==>]	[1]
	3	(42) GOODSN-ORI 326-V5I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 5I	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 5I	507 Secs [==>]	[1]
	5	(42) GOODSN-ORI 326-V5I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 5I	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 5I	507 Secs [==>]	[1]
	7	(42) GOODSN-ORI 326-V5I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 5I	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 5I	507 Secs [==>]	[1]
	9	(42) GOODSN-ORI 326-V5I	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5I	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5I	340 Secs [==>]	[1]
11	(42) GOODS-N-ORI 326-V5I	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5I	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5I Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5I	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5J, completed Thu Nov 29 02:31:09 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	Diagnosics (Tile Visit 5J) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5J) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 5J) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(44)</td> <td>GOODSN-ORI326-V5J</td> <td>RA: 12 36 36.6550 (189.1527292d) Dec: +62 14 48.84 (62.24690d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(44)	GOODSN-ORI326-V5J	RA: 12 36 36.6550 (189.1527292d) Dec: +62 14 48.84 (62.24690d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(44)	GOODSN-ORI326-V5J	RA: 12 36 36.6550 (189.1527292d) Dec: +62 14 48.84 (62.24690d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(44) GOODSN-ORI 326-V5J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5J	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5J	375 Secs [==>]	[1]
	3	(44) GOODSN-ORI 326-V5J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5J	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5J	507 Secs [==>]	[1]
	5	(44) GOODSN-ORI 326-V5J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5J	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5J	507 Secs [==>]	[1]
	7	(44) GOODSN-ORI 326-V5J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5J	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5J	507 Secs [==>]	[1]
	9	(44) GOODSN-ORI 326-V5J	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5J	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5J	340 Secs [==>]	[1]
11	(44) GOODS-N-ORI 326-V5J	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5J	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5J	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5K, completed Thu Nov 29 02:31:10 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	Diagnosics (Tile Visit 5K) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5K) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 5K) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(46)</td> <td>GOODSN-ORI326-V5K</td> <td>RA: 12 36 17.6830 (189.0736792d) Dec: +62 15 13.50 (62.25375d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(46)	GOODSN-ORI326-V5K	RA: 12 36 17.6830 (189.0736792d) Dec: +62 15 13.50 (62.25375d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(46)	GOODSN-ORI326-V5K	RA: 12 36 17.6830 (189.0736792d) Dec: +62 15 13.50 (62.25375d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(46) GOODSN-ORI 326-V5K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5K	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5K	375 Secs [==>]	[1]
	3	(46) GOODSN-ORI 326-V5K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5K	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5K	507 Secs [==>]	[1]
	5	(46) GOODSN-ORI 326-V5K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5K	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5K	507 Secs [==>]	[1]
	7	(46) GOODSN-ORI 326-V5K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5K	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5K	507 Secs [==>]	[1]
	9	(46) GOODSN-ORI 326-V5K	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5K	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5K	340 Secs [==>]	[1]
11	(46) GOODS-N-ORI 326-V5K	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5K	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5K	1369 Secs [==>]	[1]




Proposal 12444 - Tile Visit 5L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 5L, completed Thu Nov 29 02:31:11 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00					
	(Tile Visit 5L) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(48)	GOODSN-ORI326-V5L	RA: 12 37 48.2240 (189.4509333d) Dec: +62 15 17.06 (62.25474d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 5L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(48) GOODSN-ORI 326-V5L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5L	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5L	275 Secs [==>]	[1]
	3	(48) GOODSN-ORI 326-V5L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5L	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5L	607 Secs [==>]	[1]
	5	(48) GOODSN-ORI 326-V5L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5L	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5L	607 Secs [==>]	[1]
	7	(48) GOODSN-ORI 326-V5L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5L	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5L	407 Secs [==>]	[1]
	9	(48) GOODSN-ORI 326-V5L	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5L	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 5L Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5L	340 Secs [==>]	[1]
----	-----	---------------------	-------	---	-------------------	-----




Proposal 12444 - Tile Visit 5M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Visit	Proposal 12444, Tile Visit 5M, completed Thu Nov 29 02:31:12 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00																
	(Tile Visit 5M) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(49)</td> <td>GOODSN-ORI326-V5M</td> <td>RA: 12 37 29.2380 (189.3718250d) Dec: +62 15 42.31 (62.26175d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(49)	GOODSN-ORI326-V5M	RA: 12 37 29.2380 (189.3718250d) Dec: +62 15 42.31 (62.26175d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(49)	GOODSN-ORI326-V5M	RA: 12 37 29.2380 (189.3718250d) Dec: +62 15 42.31 (62.26175d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(49) GOODSN-ORI 326-V5M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5M	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5M	275 Secs [==>]	[1]
	3	(49) GOODSN-ORI 326-V5M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5M	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5M	607 Secs [==>]	[1]
	5	(49) GOODSN-ORI 326-V5M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5M	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5M	607 Secs [==>]	[1]
	7	(49) GOODSN-ORI 326-V5M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5M	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5M	407 Secs [==>]	[1]
	9	(49) GOODSN-ORI 326-V5M	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5M	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 5M Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5M	340 Secs [==>]	[1]
----	-----	---------------------	-------	---	-------------------	-----




Proposal 12444 - Tile Visit 5N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 5N, completed Thu Nov 29 02:31:13 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	(Tile Visit 5N) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5N) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 5N) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE																
Diagnosics																	
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(50)</td> <td>GOODSN-ORI326-V5N</td> <td>RA: 12 37 10.2550 (189.2927292d) Dec: +62 16 7.42 (62.26873d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(50)	GOODSN-ORI326-V5N	RA: 12 37 10.2550 (189.2927292d) Dec: +62 16 7.42 (62.26873d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(50)	GOODSN-ORI326-V5N	RA: 12 37 10.2550 (189.2927292d) Dec: +62 16 7.42 (62.26873d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(50) GOODSN-ORI 326-V5N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5N	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5N	375 Secs [==>]	[1]
	3	(50) GOODSN-ORI 326-V5N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5N	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5N	507 Secs [==>]	[1]
	5	(50) GOODSN-ORI 326-V5N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5N	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5N	507 Secs [==>]	[1]
	7	(50) GOODSN-ORI 326-V5N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5N	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5N	507 Secs [==>]	[1]
	9	(50) GOODSN-ORI 326-V5N	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5N	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5N	340 Secs [==>]	[1]
11	(50) GOODS-N-ORI 326-V5N	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5N	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5N	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 50 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...


Visit	Proposal 12444, Tile Visit 50, completed Thu Nov 29 02:31:14 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	Diagnosics (Tile Visit 50) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 50) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 50) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE																
Fixed Targets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">#</th> <th style="width: 20%;">Name</th> <th style="width: 30%;">Target Coordinates</th> <th style="width: 20%;">Targ. Coord. Corrections</th> <th style="width: 10%;">Fluxes</th> <th style="width: 15%;">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(52)</td> <td>GOODSN-ORI326-V50</td> <td>RA: 12 36 51.2770 (189.2136542d) Dec: +62 16 32.36 (62.27566d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(52)	GOODSN-ORI326-V50	RA: 12 36 51.2770 (189.2136542d) Dec: +62 16 32.36 (62.27566d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(52)	GOODSN-ORI326-V50	RA: 12 36 51.2770 (189.2136542d) Dec: +62 16 32.36 (62.27566d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 50 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(52) GOODSN-ORI 326-V50	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 50	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 50	375 Secs [==>]	[1]
	3	(52) GOODSN-ORI 326-V50	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 50	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 50	507 Secs [==>]	[1]
	5	(52) GOODSN-ORI 326-V50	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 50	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 50	507 Secs [==>]	[1]
	7	(52) GOODSN-ORI 326-V50	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 50	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 50	507 Secs [==>]	[1]
	9	(52) GOODSN-ORI 326-V50	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 50	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 50 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 50	340 Secs [==>]	[1]
11	(52) GOODS-N-ORI 326-V50	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=10	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 50	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 50 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 50	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5P, completed Thu Nov 29 02:31:15 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	(Tile Visit 5P) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5P) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 5P) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Diagnosics																	
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(54)</td> <td>GOODSN-ORI326-V5P</td> <td>RA: 12 36 32.3020 (189.1345917d) Dec: +62 16 57.16 (62.28254d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(54)	GOODSN-ORI326-V5P	RA: 12 36 32.3020 (189.1345917d) Dec: +62 16 57.16 (62.28254d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(54)	GOODSN-ORI326-V5P	RA: 12 36 32.3020 (189.1345917d) Dec: +62 16 57.16 (62.28254d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(54) GOODSN-ORI 326-V5P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5P	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5P	375 Secs [==>]	[1]
	3	(54) GOODSN-ORI 326-V5P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5P	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5P	507 Secs [==>]	[1]
	5	(54) GOODSN-ORI 326-V5P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5P	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5P	507 Secs [==>]	[1]
	7	(54) GOODSN-ORI 326-V5P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5P	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5P	507 Secs [==>]	[1]
	9	(54) GOODSN-ORI 326-V5P	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5P	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5P	340 Secs [==>]	[1]
11	(54) GOODS-N-ORI 326-V5P	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5P	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5P Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5P	1369 Secs [==>]	[1]




Proposal 12444 - Tile Visit 5Q - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Visit	Proposal 12444, Tile Visit 5Q, completed Thu Nov 29 02:31:16 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00					
	(Tile Visit 5Q) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(56)	GOODSN-ORI326-V5Q	RA: 12 38 2.8560 (189.5119000d) Dec: +62 17 0.07 (62.28335d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 5Q - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(56) GOODSN-ORI 326-V5Q	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5Q	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5Q	375 Secs [==>]	[1]
	3	(56) GOODSN-ORI 326-V5Q	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5Q	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5Q	607 Secs [==>]	[1]
	5	(56) GOODSN-ORI 326-V5Q	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5Q	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5Q	607 Secs [==>]	[1]
	7	(56) GOODSN-ORI 326-V5Q	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5Q	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5Q	407 Secs [==>]	[1]
	9	(56) GOODSN-ORI 326-V5Q	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5Q	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 5Q Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5Q	340 Secs [==>]	[1]
----	-----	---------------------	-------	---	-------------------	-----




Proposal 12444 - Tile Visit 5R - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 5R, completed Thu Nov 29 02:31:17 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00																
	Diagnosics (Tile Visit 5R) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">#</th> <th style="width: 20%;">Name</th> <th style="width: 30%;">Target Coordinates</th> <th style="width: 20%;">Targ. Coord. Corrections</th> <th style="width: 10%;">Fluxes</th> <th style="width: 15%;">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(57)</td> <td>GOODSN-ORI326-V5R</td> <td>RA: 12 37 43.8670 (189.4327792d) Dec: +62 17 25.47 (62.29041d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(57)	GOODSN-ORI326-V5R	RA: 12 37 43.8670 (189.4327792d) Dec: +62 17 25.47 (62.29041d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(57)	GOODSN-ORI326-V5R	RA: 12 37 43.8670 (189.4327792d) Dec: +62 17 25.47 (62.29041d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5R - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(57) GOODSN-ORI 326-V5R	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S100	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5R	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5R	375 Secs [==>]	[1]
	3	(57) GOODSN-ORI 326-V5R	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5R	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5R	607 Secs [==>]	[1]
	5	(57) GOODSN-ORI 326-V5R	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5R	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5R	607 Secs [==>]	[1]
	7	(57) GOODSN-ORI 326-V5R	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5R	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5R	407 Secs [==>]	[1]
	9	(57) GOODSN-ORI 326-V5R	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5R	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 5R Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5R	340 Secs [==>]	[1]
----	-----	---------------------	-------	---	-------------------	-----




Proposal 12444 - Tile Visit 5S - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 5S, completed Thu Nov 29 02:31:18 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00																
	(Tile Visit 5S) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(58)</td> <td>GOODSN-ORI326-V5S</td> <td>RA: 12 37 24.8820 (189.3536750d) Dec: +62 17 50.69 (62.29741d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(58)	GOODSN-ORI326-V5S	RA: 12 37 24.8820 (189.3536750d) Dec: +62 17 50.69 (62.29741d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(58)	GOODSN-ORI326-V5S	RA: 12 37 24.8820 (189.3536750d) Dec: +62 17 50.69 (62.29741d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5S - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(58) GOODSN-ORI 326-V5S	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5S	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5S	275 Secs [==>]	[1]
	3	(58) GOODSN-ORI 326-V5S	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5S	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5S	607 Secs [==>]	[1]
	5	(58) GOODSN-ORI 326-V5S	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5S	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5S	607 Secs [==>]	[1]
	7	(58) GOODSN-ORI 326-V5S	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5S	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5S	407 Secs [==>]	[1]
	9	(58) GOODSN-ORI 326-V5S	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5S	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 5S Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5S	340 Secs [==>]	[1]
----	-----	---------------------	-------	---	-------------------	-----



Proposal 12444 - Tile Visit 5T - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5T, completed Thu Nov 29 02:31:19 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	(Tile Visit 5T) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5T) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 5T) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE																
Diagnosics																	
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(59)</td> <td>GOODSN-ORI326-V5T</td> <td>RA: 12 37 5.9000 (189.2745833d) Dec: +62 18 15.77 (62.30438d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(59)	GOODSN-ORI326-V5T	RA: 12 37 5.9000 (189.2745833d) Dec: +62 18 15.77 (62.30438d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(59)	GOODSN-ORI326-V5T	RA: 12 37 5.9000 (189.2745833d) Dec: +62 18 15.77 (62.30438d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5T - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(59) GOODSN-ORI 326-V5T	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5T	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5T	375 Secs [==>]	[1]
	3	(59) GOODSN-ORI 326-V5T	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5T	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5T	507 Secs [==>]	[1]
	5	(59) GOODSN-ORI 326-V5T	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5T	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5T	507 Secs [==>]	[1]
	7	(59) GOODSN-ORI 326-V5T	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5T	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5T	507 Secs [==>]	[1]
	9	(59) GOODSN-ORI 326-V5T	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5T	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5T - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5T	340 Secs [==>]	[1]
11	(59) GOODS-N-ORI 326-V5T	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5T	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5T Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5T	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 5U - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 5U, completed Thu Nov 29 02:31:20 GMT 2012 Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00; VISIBILITY INTERVAL 90 M																
	Diagnosics (Tile Visit 5U) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 5U) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 5U) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">#</th> <th style="width: 20%;">Name</th> <th style="width: 30%;">Target Coordinates</th> <th style="width: 20%;">Targ. Coord. Corrections</th> <th style="width: 10%;">Fluxes</th> <th style="width: 15%;">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(61)</td> <td>GOODSN-ORI326-V5U</td> <td>RA: 12 36 46.9230 (189.1955125d) Dec: +62 18 40.71 (62.31131d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(61)	GOODSN-ORI326-V5U	RA: 12 36 46.9230 (189.1955125d) Dec: +62 18 40.71 (62.31131d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(61)	GOODSN-ORI326-V5U	RA: 12 36 46.9230 (189.1955125d) Dec: +62 18 40.71 (62.31131d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5U - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(61) GOODSN-ORI 326-V5U	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5U	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 5U	375 Secs [==>]	[1]
	3	(61) GOODSN-ORI 326-V5U	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5U	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 5U	507 Secs [==>]	[1]
	5	(61) GOODSN-ORI 326-V5U	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5U	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 5U	507 Secs [==>]	[1]
	7	(61) GOODSN-ORI 326-V5U	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5U	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 5U	507 Secs [==>]	[1]
	9	(61) GOODSN-ORI 326-V5U	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 5U	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 5U - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 5U	340 Secs [==>]	[1]
11	(61) GOODS-N-ORI 326-V5U	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5U	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 5U Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 5U	1369 Secs [==>]	[1]




Proposal 12444 - Tile Visit 5V - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 5V, completed Thu Nov 29 02:31:21 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00																
	(Tile Visit 5V) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(63)</td> <td>GOODSN-ORI326-V5V</td> <td>RA: 12 37 39.5110 (189.4146292d) Dec: +62 19 33.86 (62.32607d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(63)	GOODSN-ORI326-V5V	RA: 12 37 39.5110 (189.4146292d) Dec: +62 19 33.86 (62.32607d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(63)	GOODSN-ORI326-V5V	RA: 12 37 39.5110 (189.4146292d) Dec: +62 19 33.86 (62.32607d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5V - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(63) GOODSN-ORI 326-V5V	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S100	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Gro up 1-2 in Sequence 1 -10 Non-Int in Tile V isit 5V	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Gro up 1-2 in Sequence 1 -10 Non-Int in Tile V isit 5V	375 Secs [==>]	[1]
	3	(63) GOODSN-ORI 326-V5V	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Gro up 3-4 in Sequence 1 -10 Non-Int in Tile V isit 5V	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Gro up 3-4 in Sequence 1 -10 Non-Int in Tile V isit 5V	607 Secs [==>]	[1]
	5	(63) GOODSN-ORI 326-V5V	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Gro up 5-6 in Sequence 1 -10 Non-Int in Tile V isit 5V	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Gro up 5-6 in Sequence 1 -10 Non-Int in Tile V isit 5V	607 Secs [==>]	[1]
	7	(63) GOODSN-ORI 326-V5V	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Gro up 7-8 in Sequence 1 -10 Non-Int in Tile V isit 5V	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Gro up 7-8 in Sequence 1 -10 Non-Int in Tile V isit 5V	407 Secs [==>]	[1]
	9	(63) GOODSN-ORI 326-V5V	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Gro up 9-10 in Sequence 1-10 Non-Int in Tile Visit 5V	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 5V Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5V	340 Secs [==>]	[1]
----	-----	---------------------	-------	---	-------------------	-----




Proposal 12444 - Tile Visit 5W - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Visit	Proposal 12444, Tile Visit 5W, completed Thu Nov 29 02:31:22 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00																
	(Tile Visit 5W) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(64)</td> <td>GOODSN-ORI326-V5W</td> <td>RA: 12 37 20.5270 (189.3355292d) Dec: +62 19 59.08 (62.33308d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(64)	GOODSN-ORI326-V5W	RA: 12 37 20.5270 (189.3355292d) Dec: +62 19 59.08 (62.33308d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(64)	GOODSN-ORI326-V5W	RA: 12 37 20.5270 (189.3355292d) Dec: +62 19 59.08 (62.33308d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5W - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(64) GOODSN-ORI 326-V5W	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5W	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5W	275 Secs [==>]	[1]
	3	(64) GOODSN-ORI 326-V5W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5W	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5W	607 Secs [==>]	[1]
	5	(64) GOODSN-ORI 326-V5W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5W	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5W	607 Secs [==>]	[1]
	7	(64) GOODSN-ORI 326-V5W	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5W	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5W	407 Secs [==>]	[1]
	9	(64) GOODSN-ORI 326-V5W	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5W	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 5W Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5W	340 Secs [==>]	[1]
----	-----	---------------------	-------	---	-------------------	-----




Proposal 12444 - Tile Visit 5X - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 5X, completed Thu Nov 29 02:31:23 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00																
	(Tile Visit 5X) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">#</th> <th style="width: 20%;">Name</th> <th style="width: 30%;">Target Coordinates</th> <th style="width: 20%;">Targ. Coord. Corrections</th> <th style="width: 10%;">Fluxes</th> <th style="width: 15%;">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(65)</td> <td>GOODSN-ORI326-V5X</td> <td>RA: 12 37 1.5460 (189.2564417d) Dec: +62 20 24.14 (62.34004d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(65)	GOODSN-ORI326-V5X	RA: 12 37 1.5460 (189.2564417d) Dec: +62 20 24.14 (62.34004d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(65)	GOODSN-ORI326-V5X	RA: 12 37 1.5460 (189.2564417d) Dec: +62 20 24.14 (62.34004d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5X - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(65) GOODSN-ORI 326-V5X	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5X	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5X	275 Secs [==>]	[1]
	3	(65) GOODSN-ORI 326-V5X	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5X	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5X	607 Secs [==>]	[1]
	5	(65) GOODSN-ORI 326-V5X	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5X	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5X	607 Secs [==>]	[1]
	7	(65) GOODSN-ORI 326-V5X	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5X	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5X	407 Secs [==>]	[1]
	9	(65) GOODSN-ORI 326-V5X	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5X	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 5X Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5X	340 Secs [==>]	[1]
----	-----	---------------------	-------	---	-------------------	-----




Proposal 12444 - Tile Visit 5Y - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 5Y, completed Thu Nov 29 02:31:23 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 326D TO 326 D; BETWEEN 04-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00																
	Diagnosics (Tile Visit 5Y) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.																
Fixed Targets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">#</th> <th style="width: 20%;">Name</th> <th style="width: 30%;">Target Coordinates</th> <th style="width: 20%;">Targ. Coord. Corrections</th> <th style="width: 10%;">Fluxes</th> <th style="width: 15%;">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(66)</td> <td>GOODSN-ORI326-V5Y</td> <td>RA: 12 37 16.0610 (189.3169208d) Dec: +62 22 7.60 (62.36878d) Equinox: J2000</td> <td></td> <td>V=26.0+/-2.0</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(66)	GOODSN-ORI326-V5Y	RA: 12 37 16.0610 (189.3169208d) Dec: +62 22 7.60 (62.36878d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(66)	GOODSN-ORI326-V5Y	RA: 12 37 16.0610 (189.3169208d) Dec: +62 22 7.60 (62.36878d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS												

Proposal 12444 - Tile Visit 5Y - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(66) GOODSN-ORI 326-V5Y	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5Y	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 5Y	375 Secs [==>]	[1]
	3	(66) GOODSN-ORI 326-V5Y	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5Y	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 5Y	607 Secs [==>]	[1]
	5	(66) GOODSN-ORI 326-V5Y	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5Y	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 5Y	607 Secs [==>]	[1]
	7	(66) GOODSN-ORI 326-V5Y	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5Y	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 5Y	407 Secs [==>]	[1]
	9	(66) GOODSN-ORI 326-V5Y	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5Y	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 5Y Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 5Y	340 Secs [==>]	[1]
----	-----	---------------------	-------	---	-------------------	-----



Proposal 12444 - Tile Visit 6A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6A, implementation Thu Nov 29 02:31:24 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 260D TO 260 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6A) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(67)	GOODSN-ORI090-V6A	RA: 12 37 33.1185 (189.3879938d) Dec: +62 13 4.05 (62.21779d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(67) GOODSN-ORI 090-V6A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6A	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6A	375 Secs [==>]	[1]
	3	(67) GOODSN-ORI 090-V6A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6A	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6A	507 Secs [==>]	[1]
	5	(67) GOODSN-ORI 090-V6A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6A	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6A	507 Secs [==>]	[1]
	7	(67) GOODSN-ORI 090-V6A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6A	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6A	507 Secs [==>]	[1]
	9	(67) GOODSN-ORI 090-V6A	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6A	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6A	340 Secs [==>]	[1]
11	(67) GOODS-N-ORI 090-V6A	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6A	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6A	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6B, implementation Thu Nov 29 02:31:26 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6B) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(68)	GOODSN-ORI090-V6B	RA: 12 37 19.5489 (189.3314538d) Dec: +62 11 27.94 (62.19109d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(68) GOODSN-ORI 090-V6B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE	Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6B	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6B	475 Secs [==>]	[1]
	3	(68) GOODSN-ORI 090-V6B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6B	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6B	507 Secs [==>]	[1]
	5	(68) GOODSN-ORI 090-V6B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6B	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6B	507 Secs [==>]	[1]
	7	(68) GOODSN-ORI 090-V6B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6B	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6B	507 Secs [==>]	[1]
	9	(68) GOODSN-ORI 090-V6B	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6B	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6B	340 Secs [==>]	[1]
11	(68) GOODS-N-ORI 090-V6B	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6B	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6B	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6C, implementation Thu Nov 29 02:31:27 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6C) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(69)	GOODSN-ORI090-V6C	RA: 12 37 5.9793 (189.2749138d) Dec: +62 09 51.83 (62.16440d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(69) GOODSN-ORI 090-V6C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6C	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6C	475 Secs [==>]	[1]
	3	(69) GOODSN-ORI 090-V6C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6C	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6C	507 Secs [==>]	[1]
	5	(69) GOODSN-ORI 090-V6C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6C	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6C	507 Secs [==>]	[1]
	7	(69) GOODSN-ORI 090-V6C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6C	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6C	507 Secs [==>]	[1]
	9	(69) GOODSN-ORI 090-V6C	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6C	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6C	340 Secs [==>]	[1]
11	(69) GOODS-N-ORI 090-V6C	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6C	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6C	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6D, implementation Thu Nov 29 02:31:28 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6D) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(70)	GOODSN-ORI090-V6D	RA: 12 37 20.8439 (189.3368496d) Dec: +62 14 29.30 (62.24147d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(70) GOODSN-ORI 090-V6D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6D	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6D	375 Secs [==>]	[1]
	3	(70) GOODSN-ORI 090-V6D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6D	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6D	507 Secs [==>]	[1]
	5	(70) GOODSN-ORI 090-V6D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6D	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6D	507 Secs [==>]	[1]
	7	(70) GOODSN-ORI 090-V6D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6D	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6D	507 Secs [==>]	[1]
	9	(70) GOODSN-ORI 090-V6D	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6D	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6D	340 Secs [==>]	[1]
11	(70) GOODS-N-ORI 090-V6D	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6D	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6D	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6E, implementation Thu Nov 29 02:31:29 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6E) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(71)	GOODSN-ORI090-V6E	RA: 12 37 7.2744 (189.2803100d) Dec: +62 12 53.19 (62.21478d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(71) GOODSN-ORI 090-V6E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6E	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6E	375 Secs [==>]	[1]
	3	(71) GOODSN-ORI 090-V6E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6E	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6E	507 Secs [==>]	[1]
	5	(71) GOODSN-ORI 090-V6E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6E	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6E	507 Secs [==>]	[1]
	7	(71) GOODSN-ORI 090-V6E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6E	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6E	507 Secs [==>]	[1]
	9	(71) GOODSN-ORI 090-V6E	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6E	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6E	340 Secs [==>]	[1]
11	(71) GOODS-N-ORI 090-V6E	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6E	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6E	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6F, implementation Thu Nov 29 02:31:29 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6F) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(72)	GOODSN-ORI090-V6F	RA: 12 36 53.7049 (189.2237704d) Dec: +62 11 17.31 (62.18814d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(72) GOODSN-ORI 090-V6F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE	Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6F	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6F	475 Secs [==>]	[1]
	3	(72) GOODSN-ORI 090-V6F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6F	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6F	507 Secs [==>]	[1]
	5	(72) GOODSN-ORI 090-V6F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6F	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6F	507 Secs [==>]	[1]
	7	(72) GOODSN-ORI 090-V6F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6F	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6F	507 Secs [==>]	[1]
	9	(72) GOODSN-ORI 090-V6F	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6F	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6F	340 Secs [==>]	[1]
11	(72) GOODS-N-ORI 090-V6F	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6F	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6F	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...


Visit	Proposal 12444, Tile Visit 6G, implementation Thu Nov 29 02:31:30 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6G) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(73)	GOODSN-ORI090-V6G	RA: 12 37 8.5696 (189.2857067d) Dec: +62 15 53.87 (62.26496d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(73) GOODSN-ORI 090-V6G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6G	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6G	375 Secs [==>]	[1]
	3	(73) GOODSN-ORI 090-V6G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6G	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6G	507 Secs [==>]	[1]
	5	(73) GOODSN-ORI 090-V6G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6G	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6G	507 Secs [==>]	[1]
	7	(73) GOODSN-ORI 090-V6G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6G	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6G	507 Secs [==>]	[1]
	9	(73) GOODSN-ORI 090-V6G	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6G	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6G	340 Secs [==>]	[1]
11	(73) GOODS-N-ORI 090-V6G	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6G	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6G	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6H, implementation Thu Nov 29 02:31:31 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6H) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(74)	GOODSN-ORI090-V6H	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(74) GOODSN-ORI 090-V6H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG 0.273,+ 0.302; GS ACQ SCENARI O SINGLE	Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 6H	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 6H	475 Secs [==>]	[1]
	3	(74) GOODSN-ORI 090-V6H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG 0.54,-0. 243	Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 6H	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 6H	507 Secs [==>]	[1]
	5	(74) GOODSN-ORI 090-V6H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.34,-0. 301	Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 6H	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 6H	507 Secs [==>]	[1]
	7	(74) GOODSN-ORI 090-V6H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 6H	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 6H	507 Secs [==>]	[1]
	9	(74) GOODSN-ORI 090-V6H	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.06500 000000002842,0.015	Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 6H	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6H	340 Secs [==>]	[1]
11	(74) GOODS-N-ORI 090-V6H	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.01500 0000000028421,0.015	Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6H	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6H	1369 Secs [==>]	[1]




Proposal 12444 - Tile Visit 6I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 6I, implementation Thu Nov 29 02:31:32 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6I) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(75)	GOODSN-ORI090-V6I	RA: 12 36 41.4304 (189.1726267d) Dec: +62 12 42.04 (62.21168d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(75) GOODSN-ORI 090-V6I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6I	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6I	475 Secs [==>]	[1]
	3	(75) GOODSN-ORI 090-V6I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6I	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6I	507 Secs [==>]	[1]
	5	(75) GOODSN-ORI 090-V6I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6I	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6I	507 Secs [==>]	[1]
	7	(75) GOODSN-ORI 090-V6I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6I	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6I	507 Secs [==>]	[1]
	9	(75) GOODSN-ORI 090-V6I	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6I	434 Secs [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6I	340 Secs [==>]	[1]
11	(75) GOODS-N-ORI 090-V6I	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6I	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6I Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6I	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6J, implementation Thu Nov 29 02:31:33 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6J) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(76)	GOODSN-ORI090-V6J	RA: 12 36 56.2951 (189.2345629d) Dec: +62 17 18.69 (62.28852d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(76) GOODSN-ORI 090-V6J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6J	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6J	375 Secs [==>]	[1]
	3	(76) GOODSN-ORI 090-V6J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6J	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6J	507 Secs [==>]	[1]
	5	(76) GOODSN-ORI 090-V6J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6J	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6J	507 Secs [==>]	[1]
	7	(76) GOODSN-ORI 090-V6J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6J	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6J	507 Secs [==>]	[1]
	9	(76) GOODSN-ORI 090-V6J	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6J	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6J	340 Secs [==>]	[1]
11	(76) GOODS-N-ORI 090-V6J	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6J	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6J	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6K, implementation Thu Nov 29 02:31:34 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6K) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(77)	GOODSN-ORI090-V6K	RA: 12 36 42.7256 (189.1780233d) Dec: +62 15 42.74 (62.26187d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(77) GOODSN-ORI 090-V6K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6K	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6K	375 Secs [==>]	[1]
	3	(77) GOODSN-ORI 090-V6K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6K	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6K	507 Secs [==>]	[1]
	5	(77) GOODSN-ORI 090-V6K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6K	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6K	507 Secs [==>]	[1]
	7	(77) GOODSN-ORI 090-V6K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6K	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6K	507 Secs [==>]	[1]
	9	(77) GOODSN-ORI 090-V6K	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6K	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6K	340 Secs [==>]	[1]
11	(77) GOODS-N-ORI 090-V6K	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6K	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6K	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

Visit	Proposal 12444, Tile Visit 6L, implementation Thu Nov 29 02:31:35 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6L) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(78)	GOODSN-ORI090-V6L	RA: 12 36 29.1560 (189.1214833d) Dec: +62 14 6.71 (62.23520d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(78) GOODS-N-ORI 090-V6L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE	Sequence 1-12 Non-Int in Tile Visit 6L Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6L	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6L Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6L	475 Secs [==>]	[1]
	3	(78) GOODS-N-ORI 090-V6L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Sequence 1-12 Non-Int in Tile Visit 6L Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6L	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6L Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6L	507 Secs [==>]	[1]
	5	(78) GOODS-N-ORI 090-V6L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Sequence 1-12 Non-Int in Tile Visit 6L Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6L	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6L Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6L	507 Secs [==>]	[1]
	7	(78) GOODS-N-ORI 090-V6L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Sequence 1-12 Non-Int in Tile Visit 6L Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6L	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6L Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6L	507 Secs [==>]	[1]
	9	(78) GOODS-N-ORI 090-V6L	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 6L Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6L	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...


Visit	Proposal 12444, Tile Visit 6M, implementation Thu Nov 29 02:31:36 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6M) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(79)	GOODSN-ORI090-V6M	RA: 12 36 44.0207 (189.1834196d) Dec: +62 18 43.43 (62.31206d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(79) GOODSN-ORI 090-V6M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6M	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6M	375 Secs [==>]	[1]
	3	(79) GOODSN-ORI 090-V6M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6M	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6M	507 Secs [==>]	[1]
	5	(79) GOODSN-ORI 090-V6M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6M	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6M	507 Secs [==>]	[1]
	7	(79) GOODSN-ORI 090-V6M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6M	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6M	507 Secs [==>]	[1]
	9	(79) GOODSN-ORI 090-V6M	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6M	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6M	340 Secs [==>]	[1]
11	(79) GOODS-N-ORI 090-V6M	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6M	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6M Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6M	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...


Visit	Proposal 12444, Tile Visit 6N, implementation Thu Nov 29 02:31:37 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6N) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(80)	GOODSN-ORI090-V6N	RA: 12 36 30.4511 (189.1268796d) Dec: +62 17 7.41 (62.28539d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(80) GOODSN-ORI 090-V6N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6N	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6N	375 Secs [==>]	[1]
	3	(80) GOODSN-ORI 090-V6N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6N	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6N	507 Secs [==>]	[1]
	5	(80) GOODSN-ORI 090-V6N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6N	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6N	507 Secs [==>]	[1]
	7	(80) GOODSN-ORI 090-V6N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6N	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6N	507 Secs [==>]	[1]
	9	(80) GOODSN-ORI 090-V6N	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6N	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 6N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of ...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6N	340 Secs [==>]	[1]
11	(80) GOODS-N-ORI 090-V6N	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6N	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 6N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 6N	1369 Secs [==>]	[1]



Proposal 12444 - Tile Visit 6O - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

Visit	Proposal 12444, Tile Visit 6O, implementation Thu Nov 29 02:31:38 GMT 2012 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 270D TO 270 D; BETWEEN 01-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00; VISIBILITY INTERVAL 90 M					
	(Tile Visit 6O) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Diagnosics						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(81)	GOODSN-ORI090-V6O	RA: 12 36 16.8815 (189.0703396d) Dec: +62 15 31.30 (62.25869d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 12444 - Tile Visit 6O - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
Exposures	1	(81) GOODSN-ORI 090-V6O	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Sequence 1-12 Non-Int in Tile Visit 6O Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6O	[==>]	[1]
	2	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6O Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 6O	375 Secs [==>]	[1]
	3	(81) GOODSN-ORI 090-V6O	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243	Sequence 1-12 Non-Int in Tile Visit 6O Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6O	[==>]	[1]
	4	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6O Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 6O	507 Secs [==>]	[1]
	5	(81) GOODSN-ORI 090-V6O	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301	Sequence 1-12 Non-Int in Tile Visit 6O Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6O	[==>]	[1]
	6	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6O Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 6O	507 Secs [==>]	[1]
	7	(81) GOODSN-ORI 090-V6O	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244	Sequence 1-12 Non-Int in Tile Visit 6O Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6O	[==>]	[1]
	8	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 6O Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 6O	507 Secs [==>]	[1]
	9	(81) GOODSN-ORI 090-V6O	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 6O Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 6O	434 Secs [==>]	[1]

Proposal 12444 - Tile Visit 60 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Middle Visits of...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 60 Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 60	340 Secs [==>]	[1]
11	(81) GOODS-N-ORI 090-V60	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 60 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 60	1480 Secs [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 60 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 60	1369 Secs [==>]	[1]

