



12445 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SNe Search

Cycle: 20, Proposal Category: GO

(Large Program)

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Sandra M. Faber (PI) (Contact)	University of California - Santa Cruz	faber@ucolick.org
Dr. Harry C. Ferguson (CoI) (Contact)	Space Telescope Science Institute	ferguson@stsci.edu
Dr. Matthew L. N. Ashby (CoI)	Smithsonian Institution Astrophysical Observatory	mashby@cfa.harvard.edu
Dr. Marco Barden (CoI) (ESA Member)	Universitat Innsbruck, Institut fur Astronomie	marco.barden@uibk.ac.at
Dr. Eric F. Bell (CoI)	University of Michigan	ericbell@umich.edu
Dr. Karina Caputi (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	kic@roe.ac.uk
Dr. Michele Cirasuolo (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	ciras@roe.ac.uk
Dr. Darren Croton (CoI)	Swinburne University of Technology	darren@astron.berkeley.edu
Dr. Romeel Dave (CoI)	University of Arizona	rad@as.arizona.edu
Dr. Avishai Dekel (CoI)	The Hebrew University	dekel@phys.huji.ac.il
Prof. James S. Dunlop (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	jsd@roe.ac.uk
Dr. Aaron Dutton (CoI)	University of Victoria	dutton@uvic.ca
Dr. Giovanni G. Fazio (CoI)	Smithsonian Institution Astrophysical Observatory	gfazio@cfa.harvard.edu
Dr. Boris Niels Haeussler (CoI) (ESA Member)	University of Nottingham	borishaeussler.astro@gmail.com
Dr. Jiasheng Huang (CoI)	Smithsonian Institution Astrophysical Observatory	jhuang@cfa.harvard.edu
Dr. Dale D. Kocevski (CoI) (Contact)	University of Kentucky	kocevski@ucolick.org
Dr. Anton M. Koekemoer (CoI) (Contact)	Space Telescope Science Institute	koekemoer@stsci.edu
Dr. David C. Koo (CoI)	University of California - Santa Cruz	koo@ucolick.org
Dr. Kamson Lai (CoI)	University of California - Santa Cruz	klai@ucolick.org

Proposal 12445 (STScI Edit Number: 7, Created: Thursday, July 11, 2013 10:17:28 AM EST) - Overview

Name	Institution	E-Mail
Dr. Jennifer Lotz (CoI)	Space Telescope Science Institute	lotz@stsci.edu
Dr. Patrick J. McCarthy (CoI)	Carnegie Institution of Washington	pmccarthy@obs.carnegiescience.edu
Dr. Daniel McIntosh (CoI)	University of Missouri - Kansas City	mcintoshdh@umkc.edu
Dr. Ross McLure (CoI) (ESA Member)	Royal Observatory Edinburgh	rjm@roe.ac.uk
Mr. Mark Mozena (CoI)	University of California - Santa Cruz	mmozena@ucolick.org
Dr. Kirpal Nandra (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	knandra@mpe.mpg.de
Dr. Jeffrey Allen Newman (CoI)	University of Pittsburgh	jnewman@pitt.edu
Dr. Kai G. Noeske (CoI)	Space Telescope Science Institute	noeske@stsci.edu
Dr. Joel R. Primack (CoI)	University of California - Santa Cruz	joel@physics.ucsc.edu
Dr. Loic de Ravel (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	ldr@roe.ac.uk
Dr. Adam Riess (CoI) (Contact)	Space Telescope Science Institute	ariess@stsci.edu
Dr. Hans-Walter Rix (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	rix@mpia.de
Dr. Aday Robaina (CoI) (ESA Member)	Universidad de Barcelona	arobaina@icc.ub.edu
Dr. David J. V. Rosario (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	rosario@mpe.mpg.de
Dr. Luc Simard (CoI)	Dominion Astrophysical Observatory	luc.simard@nrc.ca
Dr. Arjen van der Wel (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	vdwel@mpia.de
Prof. Risa H. Wechsler (CoI)	Stanford University	rwechsler@stanford.edu
Dr. Benjamin Weiner (CoI)	University of Arizona	bjw@as.arizona.edu
Dr. Stijn Wuyts (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	swuyts@mpe.mpg.de
Prof. Haojing Yan (CoI)	University of Missouri - Columbia	yanha@missouri.edu
Prof. Mauro Giavalisco (CoI)	University of Massachusetts - Amherst	mauro@astro.umass.edu
Dr. Mark Dickinson (CoI)	National Optical Astronomy Observatory, AURA	med@noao.edu
Dr. David M. Alexander (CoI) (ESA Member)	University of Durham	d.m.alexander@durham.ac.uk
Dr. Frederic Bounaud (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	frederic.bounaud@cea.fr
Dr. Thomas M. Brown (CoI)	Space Telescope Science Institute	tbrown@stsci.edu
Dr. Stefano Casertano (CoI)	Space Telescope Science Institute	stefano@stsci.edu
Dr. Paolo Cassata (CoI) (ESA Member)	Laboratoire d'Astrophysique de Marseille	paolo.cassata@oamp.fr
Mr. Peter Challis (CoI)	Harvard University	pchallis@cfa.harvard.edu
Dr. Ranga-Ram Chary (CoI)	California Institute of Technology	rchary@caltech.edu
Dr. Christopher J. Conselice (CoI) (ESA Member)	University of Nottingham	conselice@nottingham.ac.uk
Prof. Asantha Cooray (CoI)	University of California - Irvine	acooray@uci.edu
Dr. Emanuele Daddi (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	edaddi@cea.fr

Proposal 12445 (STScI Edit Number: 7, Created: Thursday, July 11, 2013 10:17:28 AM EST) - Overview

Name	Institution	E-Mail
Dr. Tomas Dahlen (CoI)	Space Telescope Science Institute	dahlen@stsci.edu
Dr. Duilia F. de Mello (CoI)	Catholic University of America	demello@cua.edu
Dr. Timothy Dolch (CoI)	Oberlin College	tdolch@oberlin.edu
Dr. Jennifer Donley (CoI)	Los Alamos National Laboratory	jdonley@lanl.gov
Dr. David Elbaz (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	elbaz@discovery.saclay.cea.fr
Prof. Alex V. Filippenko (CoI)	University of California - Berkeley	alex@astro.berkeley.edu
Dr. Adriano Fontana (CoI) (ESA Member)	INAF, Osservatorio Astronomico di Roma	fontana@oa-roma.inaf.it
Dr. Joshua Frieman (CoI)	University of Chicago	frieman@fnal.gov
Dr. Jonathan P. Gardner (CoI)	NASA Goddard Space Flight Center	jonathan.p.gardner@nasa.gov
Dr. Peter Garnavich (CoI)	University of Notre Dame	pgarnavi@nd.edu
Prof. Eric Gawiser (CoI)	Rutgers the State University of New Jersey	gawiser@physics.rutgers.edu
Dr. Andrea Grazian (CoI) (ESA Member)	INAF, Osservatorio Astronomico di Roma	grazian@oa-roma.inaf.it
Dr. Norman Grogan (CoI) (Contact)	Space Telescope Science Institute	nagrogan@stsci.edu
Mr. Yicheng Guo (CoI)	University of Massachusetts - Amherst	yicheng@astro.umass.edu
Dr. Philip F. Hopkins (CoI)	University of California - Berkeley	phopkins@astro.berkeley.edu
Dr. Saurabh W. Jha (CoI)	Rutgers the State University of New Jersey	saurabh@physics.rutgers.edu
Dr. Jeyhan Kartaltepe (CoI)	National Optical Astronomy Observatory, AURA	jeyhan@noao.edu
Dr. Rick Kessler (CoI)	University of Chicago	kessler@hep.uchicago.edu
Prof. Robert P. Kirshner (CoI)	Harvard University	kirshner@cfa.harvard.edu
Dr. Kyoung-Soo Lee (CoI)	Purdue University	soolee@purdue.edu
Mr. Ray Lucas (CoI)	Space Telescope Science Institute	lucas@stsci.edu
Dr. Piero Madau (CoI)	University of California - Santa Cruz	pmadau@ucolick.org
Dr. Bahram Mobasher (CoI)	University of California - Riverside	mobasher@ucr.edu
Dr. Leonidas Moustakas (CoI)	Jet Propulsion Laboratory	leonidas@jpl.nasa.gov
Prof. Casey Papovich (CoI)	Texas A & M University	papovich@physics.tamu.edu
Dr. Alexandra Pope (CoI)	University of Massachusetts - Amherst	pope@noao.edu
Dr. Swara Ravindranath (CoI)	Inter-University Centre for Astronomy and Astrophysics	swara@iucaa.ernet.in
Dr. Naveen A. Reddy (CoI)	University of California - Riverside	naveenr@ucr.edu
Prof. Alvio Renzini (CoI) (ESA Member)	Osservatorio Astronomico di Padova	alvio.renzini@oapd.inaf.it
Dr. Piero Rosati (CoI) (ESA Member)	European Southern Observatory - Germany	prosati@eso.org
Dr. Sara Salimbeni (CoI)	University of Massachusetts - Amherst	salimben@astro.umass.edu
Prof. Claudia Scarlata (CoI)	University of Minnesota - Twin Cities	scarlata@astro.umn.edu

Proposal 12445 (STScI Edit Number: 7, Created: Thursday, July 11, 2013 10:17:28 AM EST) - Overview

Name	Institution	E-Mail
Prof. Brian Siana (CoI) (Contact)	University of California - Riverside	brian.siana@ucr.edu
Prof. Rachel S. Somerville (CoI)	Rutgers the State University of New Jersey	somerville@physics.rutgers.edu
Prof. Hyron Spinrad (CoI)	University of California - Berkeley	hspinrad@astro.berkeley.edu
Dr. Louis G. Strolger (CoI)	Space Telescope Science Institute	strolger@stsci.edu
Dr. Amber Straughn (CoI)	NASA Goddard Space Flight Center	amber.n.straughn@nasa.gov
Dr. Harry Teplitz (CoI)	California Institute of Technology	hit@ipac.caltech.edu
Dr. Tommy Wiklind (CoI)	Space Telescope Science Institute	wiklind@stsci.edu
Dr. Grant Wilson (CoI)	University of Massachusetts - Amherst	wilson@astro.umass.edu
Prof. Min S. Yun (CoI)	University of Massachusetts - Amherst	myun@astro.umass.edu
Dr. Weidong Li (CoI)	University of California - Berkeley	wli@astro.berkeley.edu
Dr. Nimish P. Hathi (CoI)	Carnegie Institution of Washington	nhathi@obs.carnegiescience.edu
Dr. Steven A. Rodney (CoI) (Contact)	The Johns Hopkins University	rodney@jhu.edu

VISITS

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
7A	(1) GOODS-N-ORI090 (4) GOODS-N-ORI090-V7A ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:00:59.0	yes
7B	(1) GOODS-N-ORI090 (5) GOODS-N-ORI090-V7B ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:01:18.0	yes
7C	(1) GOODS-N-ORI090 (6) GOODS-N-ORI090-V7C ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:01:35.0	yes
7D	(1) GOODS-N-ORI090 (7) GOODS-N-ORI090-V7D ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:01:50.0	yes
7E	(1) GOODS-N-ORI090 (8) GOODS-N-ORI090-V7E ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:02:06.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
7F	(1) GOODSN-ORI090 (9) GOODSN-ORI090-V7F ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:02:25.0	yes
7G	(1) GOODSN-ORI090 (10) GOODSN-ORI090-V7G ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:02:39.0	yes
7H	(1) GOODSN-ORI090 (11) GOODSN-ORI090-V7H ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:02:54.0	yes
7I	(1) GOODSN-ORI090 (12) GOODSN-ORI090-V7I ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:03:08.0	yes
7J	(1) GOODSN-ORI090 (13) GOODSN-ORI090-V7J ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:03:23.0	yes
7K	(1) GOODSN-ORI090 (14) GOODSN-ORI090-V7K ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:03:37.0	yes
7L	(1) GOODSN-ORI090 (15) GOODSN-ORI090-V7L ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:03:52.0	yes
7M	(1) GOODSN-ORI090 (16) GOODSN-ORI090-V7M ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:04:10.0	yes
7N	(1) GOODSN-ORI090 (17) GOODSN-ORI090-V7N ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:04:24.0	yes

Proposal 12445 (STScI Edit Number: 7, Created: Thursday, July 11, 2013 10:17:28 AM EST) - Overview

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
7O	(1) GOODSN-ORI090 (18) GOODSN-ORI090-V7O ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:04:39.0	yes
7P	(1) GOODSN-ORI090 (19) GOODSN-ORI090-V7P ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:04:53.0	yes
P7	(1) GOODSN-ORI090 (19) GOODSN-ORI090-V7P	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:05:04.0	yes
8A	(1) GOODSN-ORI090 (20) GOODSN-ORI175-V8A ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:05:18.0	yes
8B	(1) GOODSN-ORI090 (21) GOODSN-ORI175-V8B ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:05:32.0	yes
8C	(1) GOODSN-ORI090 (22) GOODSN-ORI175-V8C ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:05:50.0	yes
8D	(1) GOODSN-ORI090 (23) GOODSN-ORI175-V8D ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:06:04.0	yes
8E	(1) GOODSN-ORI090 (24) GOODSN-ORI175-V8E ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:06:18.0	yes
8F	(1) GOODSN-ORI090 (25) GOODSN-ORI175-V8F ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:06:32.0	yes

Proposal 12445 (STScI Edit Number: 7, Created: Thursday, July 11, 2013 10:17:28 AM EST) - Overview

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
8G	(1) GOODSN-ORI090 (26) GOODSN-ORI175-V8G ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:06:46.0	yes
8H	(1) GOODSN-ORI090 (27) GOODSN-ORI175-V8H ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:07:00.0	yes
8I	(1) GOODSN-ORI090 (28) GOODSN-ORI175-V8I	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:07:12.0	yes
I8	(1) GOODSN-ORI090 (28) GOODSN-ORI175-V8I	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:07:23.0	yes
8J	(1) GOODSN-ORI090 (29) GOODSN-ORI175-V8J ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:07:40.0	yes
8K	(1) GOODSN-ORI090 (30) GOODSN-ORI175-V8K ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:07:54.0	yes
8L	(1) GOODSN-ORI090 (31) GOODSN-ORI175-V8L ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:08:08.0	yes
8M	(1) GOODSN-ORI090 (32) GOODSN-ORI175-V8M ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:08:22.0	yes
8N	(1) GOODSN-ORI090 (33) GOODSN-ORI175-V8N ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:08:36.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
8O	(1) GOODSN-ORI090 (34) GOODSN-ORI175-V8O ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:08:51.0	yes
8P	(1) GOODSN-ORI090 (35) GOODSN-ORI175-V8P ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:09:05.0	yes
9A	(36) GOODSN-ORI119-V9A ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:09:23.0	yes
9B	(37) GOODSN-ORI119-V9B ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:09:37.0	yes
9C	(38) GOODSN-ORI119-V9C ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:09:51.0	yes
9D	(39) GOODSN-ORI119-V9D ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:10:05.0	yes
9E	(40) GOODSN-ORI119-V9E ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:10:20.0	yes
9F	(41) GOODSN-ORI119-V9F ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:10:34.0	yes
9G	(42) GOODSN-ORI119-V9G ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:10:53.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
9H	(43) GOODSN-ORI119-V9H ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:11:07.0	yes
9I	(44) GOODSN-ORI119-V9I ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:11:22.0	yes
9J	(45) GOODSN-ORI119-V9J ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:11:36.0	yes
9K	(46) GOODSN-ORI119-V9K ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:11:50.0	yes
9L	(47) GOODSN-ORI119-V9L ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:12:04.0	yes
9M	(48) GOODSN-ORI119-V9M ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:12:18.0	yes
9N	(49) GOODSN-ORI119-V9N ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:12:36.0	yes
9O	(50) GOODSN-ORI119-V9O ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:12:50.0	yes
9P	(51) GOODSN-ORI119-V9P ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:13:04.0	yes

Proposal 12445 (STScI Edit Number: 7, Created: Thursday, July 11, 2013 10:17:28 AM EST) - Overview

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
AA	(1) GOODSN-ORI090 (52) GOODSN-ORI090-VAA ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:13:18.0	yes
AB	(1) GOODSN-ORI090 (53) GOODSN-ORI090-VAB ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:13:33.0	yes
AC	(1) GOODSN-ORI090 (54) GOODSN-ORI090-VAC ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:13:47.0	yes
AD	(55) GOODSN-ORI090-VAD ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:14:05.0	yes
AE	(1) GOODSN-ORI090 (56) GOODSN-ORI090-VAE ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:14:19.0	yes
AF	(1) GOODSN-ORI090 (57) GOODSN-ORI090-VAF ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:14:34.0	yes
AG	(58) GOODSN-ORI090-VAG ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:14:48.0	yes
AH	(59) GOODSN-ORI090-VAH ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:15:02.0	yes
AI	(1) GOODSN-ORI090 (60) GOODSN-ORI090-VAI ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:15:17.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
AJ	(1) GOODSN-ORI090 (61) GOODSN-ORI090-VAJ ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:15:31.0	yes
AK	(62) GOODSN-ORI090-VAK ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:15:50.0	yes
AL	(63) GOODSN-ORI090-VAL ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:16:04.0	yes
AM	(1) GOODSN-ORI090 (64) GOODSN-ORI090-VAM ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:16:19.0	yes
AN	(65) GOODSN-ORI090-VAN ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:16:33.0	yes
AO	(66) GOODSN-ORI090-VAO ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:16:47.0	yes
AP	(67) GOODSN-ORI090-VAP ANY	ACS/WFC WFC3/IR WFC3/UVIS	1	11-Jul-2013 11:17:01.0	yes

66 Total Orbits Used

ABSTRACT

The Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey (CANDELS) is designed to document the $\sim$ first third of galactic evolution from $z = 8$ to 1.5 via deep imaging of more than 250,000 galaxies with WFC3/IR and ACS. It will also find the first Type Ia SNe beyond $z > 1.5$ and establish their accuracy as standard candles for cosmology. Five

premier multi-wavelength sky regions selected from the Spitzer Extragalactic Deep Survey (SEDS) provide complementary IRAC imaging data down to 26.5 AB mag, a unique resource for stellar masses at all redshifts. The use of $\sim 1^\circ$ widely separated fields mitigates cosmic variance and yields statistically robust and complete samples of galaxies down to 10^9 solar masses out to $z \sim 8$.

The program merges two originally separate MCT proposals. The Faber program incorporates a $\sim 1^\circ$ Wide-field imaging survey in three separate fields to $\sim 2^\circ$ orbit depth over ~ 0.2 sq. degrees, plus a $\sim 1^\circ$ Deep-field imaging survey to $\sim 12^\circ$ orbit depth in the two GOODS regions over ~ 0.04 sq. degrees. When combined with ultra-deep imaging from the Hubble Ultradeep Field program (GO 11563), the result is a three-tiered strategy that efficiently samples both bright/rare and faint/common extragalactic objects. The Ferguson program adds an extensive high-redshift Type Ia SNe search, plus ultraviolet "daytime" UVIS exposures in GOODS-N to exploit the CVZ opportunity in that field.

This program, GO 12060, is part of the GOODS-S Deep survey. Special Deep science highlights include:

- * Detection and counts of early galaxies to $z \sim 7-8$ as revealed by red-sensitive WFC3-IR images beyond the Ly α break
- Measurement of the luminosity function of infant galaxies down to 10^9 solar masses out to $z = 7-8$
- Measurement of the faint-end LF slope to assess the contribution of faint galaxies to cosmic reionization
- * The physics of early star formation
- Properties of the earliest star-forming regions -- sizes,

- star-formation rates, stellar masses and radiation densities,
dust contents
- In concert with Spitzer/IRAC data, measurement of the key
relation between star-formation rate and stellar mass --
what set the rate of early star formation in galaxies?
- When did star-formation begin to slow down? In what types
of objects? Why?
- * Structural properties, stellar masses, and environments of the
earliest identifiable non-QSO AGN as revealed by WFC3-IR
- * Structure of highly reddened, dust-obscured galaxies
- * Deep imaging of the outer envelopes of galaxies
 - Evidence for galaxy-galaxy interactions; counts of merging
galaxies
 - Growth of the outer envelopes and evolution of structure
of spheroidal galaxies
- * Search for Type Ia SNe to $z \sim 2$ exploiting the long-wavelength
J and H sensitivity of WFC3-IR. The first comprehensive
search for Type Ia's at these large distances and early epochs.

OBSERVING DESCRIPTION

GOODS-S Overview:

The CANDELS program in Cycle 18 includes:

GO 12060: Deep mosaic in GOODS-S: Y-band + one skirt epoch

GO 12061: Deep mosaic in GOODS-S: J+H, epochs 1-5 + 2 skirt epochs

GO 12062: Deep mosaic in GOODS-S: J+H, epochs 6-10

GO 12063: Wide mosaic in Extended Groth Strip (EGS)

GO 12064: Wide mosaic in UKIDSS/Ultradeep Survey (UDS)

Field maps and details are at <http://candels.ucolick.org>.

Program GO 12060 executes the Y-band observations in GOODS-S, which are not designed specifically for SNe search (though some may be found). One epoch of skirt observations is also included.

GOODS-S observations are in two flavors: 1) the Deep area proper, which covers approximately 3x5 WFC3-IR tiles and runs east-west near the middle of the GOODS-S region, and 2) the "skirt", which contains 9 tiles in a roughly rectangular pattern running parallel to Deep but offset to the south. The transverse layout of Deep matches the deepest IRAC data in GOODS-S, which are needed for stellar masses. The Deep region and its skirt coordinate with one another and with existing WFC3 and ACS data to achieve the observational goals of the GOODS-S Deep program, as follows:

1) Detect $z \sim 7-8$ galaxies down to $0.5L^*$ by imaging the Deep area to an *effective* depth of 4 orbits in WFC3-IR F125W and F160W and 3 orbits in Y. The reduction to 3 orbits in Y frees up 15 orbits for the skirt area without impacting the SNe search (Y is not prime for SNe) and was tested with extensive sensitivity simulations. The actual number of orbits used for J and H is 5 in order to allow for the inclusion of F350LP exposures in WFC3-UVIS for SNe rejection (see below), hence the term "effective" for the J and H exposure times.

2) Provide at least 32,000 s of exposure time in F814W at each point within the Deep area. This is needed to establish the Ly α break in distant $z \sim 7-8$ galaxies and is essential for discriminating them from reddened foreground galaxies at $z \sim 2$. The quota for F814W is met by adding together ACS parallels from the present program (GO 12060-2) to

parallels in existing F814W exposures plus future F814W exposures that are planned in GO 11563. A considerable fraction of the ACS parallel coverage on Deep comes from parallels that originate from the skirt region, which has been placed to the south to balance ERS2 to the north and additionally increases total WFC3-IR coverage in GOODS-S.

3) Maximize the number of J and H orbits usable for SNe searching. SNe are discovered in J and H, but low-redshift interlopers and other SNe types are rejected using short-wavelength ACS exposures taken close in time. These should preferably be taken within 3 days of J/H. The short-wavelength exposure can in principle be provided by 1300 s in contemporaneous F606W ACS parallels, but in practice these are not available over most of GOODS-S, and so a short ~430 s F350LP UVIS exposure is inserted into the J/H orbit instead. The follow-up for discovered SNe is provided in GO 12099.

Meeting the above requirements creates a complex interlocking puzzle in which one must lay out two seamless mosaics to the required depth in both the Deep and skirt areas, locate and orient them to match existing data (e.g., IRAC), have ACS parallels lie on top of the WFC3-IR area as much as possible, reach the desired minimum exposure time of 32,000 s in parallel F814W in the Deep area, use any excess parallel exposure time beyond this productively, take Deep data at multiple epochs spaced ~52 d apart for SNe searching, operate within the narrow range of ORIENTs available at each epoch, allow for at least 30 days of SNe follow-up time after each SNe search epoch, identify suitable guide stars for all observations, break up each orbit into enough exposures to produce a reasonable dither pattern but not waste too much time in extra readouts, and work around solar

avoidance, which removes ~60 degrees and two months of calendar time in April-May from the available ORIENTs. The final design was adopted after exploring many possibilities and represents a compromise. It is generally impossible to perturb any aspect of the program significantly without adversely impacting several others.

Details of GOODS-S observations:

* Filters used: Y = F105W, J = F125W, H = F160W, V = F606W, I = F814W,
z = F850LP

* Deep area, J and H exposures:

- 10 1-orbit epochs lasting from Oct 2010 to Feb 2012
- Nominal WFC3-IR exposure times per orbit: 1/2 orbit J, 1/2 orbit H, each broken into two sub-exposures. J and H are co-added for SNe searching; the four exposures yield a good dither pattern
- F350LP inserted for low-z SNe rejection
- Total effective exposure time allowing for F350LP: 4 orbit depth in J, 4 orbit depth in H
- 10 epochs span solar avoidance gap of ~50 days, permit 8 prime SNe search epochs with 52 d cadence plus one less sensitive search across solar avoidance gap

* Skirt area, J and H exposures:

- Two 1-orbit epochs taken in Jan 2011 and Feb 2011
- Nominal WFC3-IR exposure times per orbit: 1/3 orbit J, 2/3 orbit H, each one broken into two sub-exposures (mimics Wide mosaics in other fields)
- 2 epochs permit one epoch of SNe search on each skirt tile

* Deep and skirt areas, Y:

- 3 orbits in Deep, to complement 4-orbit J+H there

Proposal 12445 (STScI Edit Number: 7, Created: Thursday, July 11, 2013 10:17:28 AM EST) - Overview

- 1 orbit at another epoch in skirt, to complement 2-orbit J+H there
- All epochs chosen to throw ACS parallels maximally onto Deep
- * SNe search combines all J and H exposures from each epoch into a single image. Small-scale four-point dither treats them as part of same exposure, gives sub-pixel sampling
- * ACS parallels lying completely or largely within the Deep area:
 - Default filter is I-band with goal of obtaining at least 32,000 sec of exposure time at virtually all locations within the Deep area. Sum includes all known past and future I exposures from other programs at that field location. Getting sufficient I takes precedence over getting V in a contemporaneous parallel if total I goal is not met
 - Next goal is one orbit (~2500 sec) of z, for variability studies. Again, this takes precedence over V parallel
 - If above goals are met, take up to two orbits (5,000 s) of V
 - If still more time is left, put into I
- * ACS parallels lying largely outside the Deep area:
 - First goal is to get one orbit (2500 sec) of I everywhere
 - Second goal is to get one orbit (2500 sec) of z for variability studies
 - If still more time, put into 2/3 I and 1/3 V to mimic the balance in the Wide mosaics
- * Gap from early April to late May due to solar avoidance:
 - The gap in 2011 is Apr 7 - May 27 inclusive (50 d)
 - 30 d are budgeted for SNe searching after the last search epoch before solar avoidance (Epoch 4)
 - Deep epochs before solar avoidance are covered by GO 12061. Both skirt J/H epochs are also included in GO 12061
 - Deep epochs after solar avoidance are covered by GO 12062. There are no skirt epochs in GO 12062

Specifics of GO 12060:

* Y in the Deep area:

- Since Y-band is not used to search for SNe, Y exposures can be tuned to throw their parallels onto Deep. Y is a major source of parallels for Deep
- 3-orbit exposures are taken at each location, all at the same visit and ORIENT
- The 3x5 Y-band mosaic covers the Deep area and is divided into two epochs:
 - 2x3 tiles are observed at one epoch (Jun 2011), 3x3 tiles at a second epoch 180 deg apart (Nov-Dec 2011). Both epochs throw parallels onto the Deep area. The mosaic is seamless except:
 - Tile 3I is shifted south to find a guide star
 - Tile 3R is rotated slightly to put its ACS parallel in an underobserved part of Deep
 - Tile 3P is rotated to find a guide star
- The chosen mosaic overlap is 4%, which yields a minimum overlap of 1% (1.3") in the short direction to defend against estimated pointing errors of ~0.2-0.25"
- ? dither pattern

* Y in the skirt area (Mar 2011):

- The skirt consists of 8 WFC3-IR tiles in a 2x4 array, plus three additional J+H tiles that were added to boost ACS parallel coverage in underserved parts of the Deep region
- The skirt array is offset to the south of the Deep area and runs parallel to it (east-west)
- Parallels from the skirt overlie the Deep region as much as possible
- 1-orbit Y exposures are taken at each skirt location

- The chosen mosaic overlap is again 4%
- The three extra J+H tiles (4B, 4C, 4D) consist of 1/3 orbit J and 2/3 orbit H to match the other J+H skirt observations
- ? dither pattern
- * Timing
 - Y is not designed to search for SNe. The observations can be taken any time that the desired ORIENTs are available.
 - The specified ORIENTs are needed to create mosaics that are as seamless as possible given the guide star constraints

ADDITIONAL COMMENTS

Comments for schedulers:

Guide stars:

- * Guide stars have been pre-screened. Use of "SINGLES" is approved by the PI.

BETWEENs and ORIENTs:

- * The BETWEEN epochs are chosen to place all ACS parallel coverage as much as possible on top of the Deep region
- * The ORIENTs are identical to get seamless WFC3-IR mosaics
- * A few tiles are rotated or displaced in order to get guide stars
- * There are no other timing requirements besides BETWEEN/ORIENT

Bright objects -- persistence:

- * The Deep Y-band exposures will be pushed to the deepest possible limiting magnitude. Please do not schedule bright objects (like star clusters) in the 8?-orbit window before our observations

Proposal 12445 - Tile Visit 7A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7A, completed Thu Jul 11 15:17:30 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7A) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 7A) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7A) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7A) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7A) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(4)	GOODSN-ORI090-V7A	RA: 12 37 37.7817 (189.4074238d) Dec: +62 13 32.25 (62.22562d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(4) GOODS-N-ORI0 90-V7A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7A	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7A	375 Secs (375 Secs) [==>]	[1]
	3		(4) GOODS-N-ORI0 90-V7A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7A	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7A	507 Secs (507 Secs) [==>]	[1]
	5		(4) GOODS-N-ORI0 90-V7A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7A	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7A	507 Secs (507 Secs) [==>]	[1]
	7		(4) GOODS-N-ORI0 90-V7A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7A	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7A	507 Secs (507 Secs) [==>]	[1]
	9		(4) GOODS-N-ORI0 90-V7A	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 7A	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7A	340 Secs (340 Secs) [==>]	[1]
11	(4) GOODSN-ORI090-V7A	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7A	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7A	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7B, completed Thu Jul 11 15:17:33 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7B) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 7B) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7B) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7B) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7B) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(5)	GOODSN-ORI090-V7B	RA: 12 37 20.4676 (189.3352817d) Dec: +62 14 18.40 (62.23844d) Equinox: J2000		V=26+/-2

Proposal 12445 - Tile Visit 7B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(5) GOODS-N-ORI0 90-V7B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7B	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7B	375 Secs (375 Secs) [==>]	[1]
	3		(5) GOODS-N-ORI0 90-V7B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7B	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7B	507 Secs (507 Secs) [==>]	[1]
	5		(5) GOODS-N-ORI0 90-V7B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7B	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7B	507 Secs (507 Secs) [==>]	[1]
	7		(5) GOODS-N-ORI0 90-V7B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7B	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7B	507 Secs (507 Secs) [==>]	[1]
	9		(5) GOODS-N-ORI0 90-V7B	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 7B	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7B	340 Secs (340 Secs) [==>]	[1]
11	(5) GOODSN-ORI090-V7B	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7B	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7B	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7C, completed Thu Jul 11 15:17:34 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7C) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 7C) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7C) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7C) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7C) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(6)	GOODSN-ORI090-V7C	RA: 12 37 20.6618 (189.3360908d) Dec: +62 12 3.54 (62.20098d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(6) GOODS-N-ORI0 90-V7C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit 7C Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7C	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit 7C Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7C	375 Secs (375 Secs) [==>]	[1]
	3		(6) GOODS-N-ORI0 90-V7C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit 7C Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7C	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit 7C Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7C	507 Secs (507 Secs) [==>]	[1]
	5		(6) GOODS-N-ORI0 90-V7C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit 7C Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7C	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit 7C Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7C	507 Secs (507 Secs) [==>]	[1]
	7		(6) GOODS-N-ORI0 90-V7C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit 7C Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7C	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit 7C Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7C	507 Secs (507 Secs) [==>]	[1]
	9		(6) GOODS-N-ORI0 90-V7C	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-I nt in Tile Visit 7C Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 7C	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7C Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7C	340 Secs (340 Secs) [==>]	[1]
11	(6) GOODSN-ORI090-V7C	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7C	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7C	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7D, completed Thu Jul 11 15:17:36 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7D) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 7D) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7D) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7D) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7D) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(7)	GOODSN-ORI090-V7D	RA: 12 37 8.0922 (189.2837175d) Dec: +62 09 48.19 (62.16339d) Equinox: J2000		V=26+/-2

Proposal 12445 - Tile Visit 7D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(7) GOODS-N-ORI0 90-V7D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7D	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7D	375 Secs (375 Secs) [==>]	[1]
	3		(7) GOODS-N-ORI0 90-V7D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7D	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7D	507 Secs (507 Secs) [==>]	[1]
	5		(7) GOODS-N-ORI0 90-V7D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7D	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7D	507 Secs (507 Secs) [==>]	[1]
	7		(7) GOODS-N-ORI0 90-V7D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7D	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7D	507 Secs (507 Secs) [==>]	[1]
	9		(7) GOODS-N-ORI0 90-V7D	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 7D	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7D	340 Secs (340 Secs) [==>]	[1]
11	(7) GOODS-N-ORI090-V7D	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7D	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7D	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7E, completed Thu Jul 11 15:17:37 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7E) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 7E) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7E) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7E) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7E) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(8)	GOODSN-ORI090-V7E	RA: 12 37 3.0163 (189.2625679d) Dec: +62 16 31.42 (62.27539d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(8) GOODS-N-ORI0 90-V7E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7E	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7E	375 Secs (375 Secs) [==>]	[1]
	3		(8) GOODS-N-ORI0 90-V7E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7E	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7E	507 Secs (507 Secs) [==>]	[1]
	5		(8) GOODS-N-ORI0 90-V7E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7E	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7E	507 Secs (507 Secs) [==>]	[1]
	7		(8) GOODS-N-ORI0 90-V7E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7E	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7E	507 Secs (507 Secs) [==>]	[1]
	9		(8) GOODS-N-ORI0 90-V7E	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7E	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7E	340 Secs (340 Secs) [==>]	[1]
11	(8) GOODS-N-ORI090-V7E	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7E	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7E	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7F, completed Thu Jul 11 15:17:38 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7F) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 7F) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7F) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7F) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7F) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(9)	GOODSN-ORI090-V7F	RA: 12 37 3.2105 (189.2633771d) Dec: +62 14 16.56 (62.23793d) Equinox: J2000		V=26+/-2

Proposal 12445 - Tile Visit 7F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(9) GOODSN-ORI0 90-V7F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit 7F Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7F	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit 7F Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7F	375 Secs (375 Secs) [==>]	[1]
	3		(9) GOODSN-ORI0 90-V7F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit 7F Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7F	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit 7F Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7F	507 Secs (507 Secs) [==>]	[1]
	5		(9) GOODSN-ORI0 90-V7F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit 7F Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7F	702.934552 Secs (702.935 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit 7F Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7F	607 Secs (607 Secs) [==>]	[1]
	7		(9) GOODSN-ORI0 90-V7F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit 7F Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7F	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit 7F Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7F	507 Secs (507 Secs) [==>]	[1]
	9		(9) GOODSN-ORI0 90-V7F	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-I nt in Tile Visit 7F Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 7F	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7F Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7F	340 Secs (340 Secs) [==>]	[1]
11	(9) GOODSN-ORI0 90-V7F	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7F	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7F	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7G, completed Thu Jul 11 15:17:39 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7G) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 7G) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7G) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7G) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7G) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(10)	GOODSN-ORI090-V7G	RA: 12 37 3.4046 (189.2641858d) Dec: +62 12 1.70 (62.20047d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(10) GOODS-N-ORI 090-V7G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7G	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7G	375 Secs (375 Secs) [==>]	[1]
	3		(10) GOODS-N-ORI 090-V7G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7G	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7G	507 Secs (507 Secs) [==>]	[1]
	5		(10) GOODS-N-ORI 090-V7G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7G	702.934552 Secs (702.935 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7G	607 Secs (607 Secs) [==>]	[1]
	7		(10) GOODS-N-ORI 090-V7G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7G	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7G	507 Secs (507 Secs) [==>]	[1]
	9		(10) GOODS-N-ORI 090-V7G	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7G	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7G	340 Secs (340 Secs) [==>]	[1]
11	(10) GOODSN-ORI090-V7G	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7G	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7G	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7H, completed Thu Jul 11 15:17:40 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7H) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 7H) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7H) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7H) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7H) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(11)	GOODSN-ORI090-V7H	RA: 12 36 50.9210 (189.2121708d) Dec: +62 09 46.25 (62.16285d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(11) GOODSN-ORI 090-V7H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7H	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7H	375 Secs (375 Secs) [==>]	[1]
	3		(11) GOODSN-ORI 090-V7H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7H	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7H	507 Secs (507 Secs) [==>]	[1]
	5		(11) GOODSN-ORI 090-V7H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7H	702.934552 Secs (702.935 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7H	607 Secs (607 Secs) [==>]	[1]
	7		(11) GOODSN-ORI 090-V7H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7H	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7H	507 Secs (507 Secs) [==>]	[1]
	9		(11) GOODSN-ORI 090-V7H	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7H	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7H	340 Secs (340 Secs) [==>]	[1]
11	(11) GOODSN-ORI090-V7H	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7H	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7H	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...


Visit	Proposal 12445, Tile Visit 7I, completed Thu Jul 11 15:17:41 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7I) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 7I) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7I) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7I) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7I) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7I) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7I) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7I) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7I) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(12)	GOODSN-ORI090-V7I	RA: 12 36 56.7562 (189.2364842d) Dec: +62 18 45.52 (62.31264d) Equinox: J2000		V=26+/-2

Proposal 12445 - Tile Visit 7I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(12) GOODS-N-ORI 090-V7I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7I	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7I	375 Secs (375 Secs) [==>]	[1]
	3		(12) GOODS-N-ORI 090-V7I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540, -0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7I	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7I	507 Secs (507 Secs) [==>]	[1]
	5		(12) GOODS-N-ORI 090-V7I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340, -0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7I	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7I	507 Secs (507 Secs) [==>]	[1]
	7		(12) GOODS-N-ORI 090-V7I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608, +0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7I	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7I	507 Secs (507 Secs) [==>]	[1]
	9		(12) GOODS-N-ORI 090-V7I	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065, 0.015	Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7I	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7I	340 Secs (340 Secs) [==>]	[1]
11	(12) GOODS-N-ORI090-V7I	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7I	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7I Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7I	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7J, completed Thu Jul 11 15:17:42 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7J) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 7J) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7J) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7J) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7J) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(13)	GOODSN-ORI090-V7J	RA: 12 36 45.7592 (189.1906633d) Dec: +62 16 29.44 (62.27484d) Equinox: J2000		V=26+/-2

Proposal 12445 - Tile Visit 7J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(13) GOODSN-ORI 090-V7J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7J	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7J	375 Secs (375 Secs) [==>]	[1]
	3		(13) GOODSN-ORI 090-V7J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7J	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7J	507 Secs (507 Secs) [==>]	[1]
	5		(13) GOODSN-ORI 090-V7J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7J	702.934552 Secs (702.935 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7J	607 Secs (607 Secs) [==>]	[1]
	7		(13) GOODSN-ORI 090-V7J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7J	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7J	507 Secs (507 Secs) [==>]	[1]
	9		(13) GOODSN-ORI 090-V7J	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7J	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7J	340 Secs (340 Secs) [==>]	[1]
11	(13) GOODSN-ORI090-V7J	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7J	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7J	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7K, completed Thu Jul 11 15:17:42 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7K) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 7K) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7K) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7K) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7K) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(14)	GOODSN-ORI090-V7K	RA: 12 36 45.9533 (189.1914721d) Dec: +62 14 14.58 (62.23738d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(14) GOODSN-ORI 090-V7K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7K	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7K	375 Secs (375 Secs) [==>]	[1]
	3		(14) GOODSN-ORI 090-V7K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7K	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7K	507 Secs (507 Secs) [==>]	[1]
	5		(14) GOODSN-ORI 090-V7K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7K	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7K	507 Secs (507 Secs) [==>]	[1]
	7		(14) GOODSN-ORI 090-V7K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7K	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7K	507 Secs (507 Secs) [==>]	[1]
	9		(14) GOODSN-ORI 090-V7K	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7K	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7K	340 Secs (340 Secs) [==>]	[1]
11	(14) GOODSN-ORI090-V7K	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7K	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7K	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7L, completed Thu Jul 11 15:17:43 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7L) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 7L) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7L) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7L) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7L) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(15)	GOODSN-ORI090-V7L	RA: 12 36 46.1475 (189.1922812d) Dec: +62 11 59.72 (62.19992d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(15) GOODS-N-ORI 090-V7L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO BASE1B3; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7L	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7L	375 Secs (375 Secs) [==>]	[1]
	3		(15) GOODS-N-ORI 090-V7L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7L	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7L	507 Secs (507 Secs) [==>]	[1]
	5		(15) GOODS-N-ORI 090-V7L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7L	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7L	507 Secs (507 Secs) [==>]	[1]
	7		(15) GOODS-N-ORI 090-V7L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7L	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7L	507 Secs (507 Secs) [==>]	[1]
	9		(15) GOODS-N-ORI 090-V7L	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7L	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7L	340 Secs (340 Secs) [==>]	[1]
11	(15) GOODSN-ORI090-V7L	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7L	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7L Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7L	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7M, completed Thu Jul 11 15:17:44 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7M) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 7M) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7M) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7M) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7M) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(16)	GOODSN-ORI090-V7M	RA: 12 36 39.4126 (189.1642192d) Dec: +62 18 43.48 (62.31208d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(16) GOODS-N-ORI 090-V7M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7M	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7M	375 Secs (375 Secs) [==>]	[1]
	3		(16) GOODS-N-ORI 090-V7M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7M	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7M	507 Secs (507 Secs) [==>]	[1]
	5		(16) GOODS-N-ORI 090-V7M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7M	702.934552 Secs (702.935 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7M	607 Secs (607 Secs) [==>]	[1]
	7		(16) GOODS-N-ORI 090-V7M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7M	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7M	507 Secs (507 Secs) [==>]	[1]
	9		(16) GOODS-N-ORI 090-V7M	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7M	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7M	340 Secs (340 Secs) [==>]	[1]
11	(16) GOODSN-ORI090-V7M	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7M	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7M Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7M	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7N, completed Thu Jul 11 15:17:45 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7N) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 7N) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7N) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7N) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 7N) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(17)	GOODSN-ORI090-V7N	RA: 12 36 28.5020 (189.1187583d) Dec: +62 16 27.32 (62.27426d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(17) GOODSN-ORI 090-V7N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7N	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 7N	375 Secs (375 Secs) [==>]	[1]
	3		(17) GOODSN-ORI 090-V7N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7N	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 7N	507 Secs (507 Secs) [==>]	[1]
	5		(17) GOODSN-ORI 090-V7N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7N	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 7N	507 Secs (507 Secs) [==>]	[1]
	7		(17) GOODSN-ORI 090-V7N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7N	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 7N	507 Secs (507 Secs) [==>]	[1]
	9		(17) GOODSN-ORI 090-V7N	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 7N	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 7N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7N	340 Secs (340 Secs) [==>]	[1]
11	(17) GOODSN-ORI090-V7N	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7N	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7N	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7O - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7O, completed Thu Jul 11 15:17:46 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7O) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 7O) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7O) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7O) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7O) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7O) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7O) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7O) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7O) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(18)	GOODSN-ORI090-V7O	RA: 12 36 28.6962 (189.1195675d) Dec: +62 14 12.47 (62.23680d) Equinox: J2000		V=26+/-2

Proposal 12445 - Tile Visit 70 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(18) GOODS-N-ORI 090-V70	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 70	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit 70	375 Secs (375 Secs) [==>]	[1]
	3		(18) GOODS-N-ORI 090-V70	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 70	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit 70	507 Secs (507 Secs) [==>]	[1]
	5		(18) GOODS-N-ORI 090-V70	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 70	702.934552 Secs (702.935 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit 70	607 Secs (607 Secs) [==>]	[1]
	7		(18) GOODS-N-ORI 090-V70	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 70	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit 70	507 Secs (507 Secs) [==>]	[1]
	9		(18) GOODS-N-ORI 090-V70	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit 70	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 70 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 70	340 Secs (340 Secs) [==>]	[1]
11	(18) GOODSN-ORI090-V70	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 70	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 70 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 70	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 7P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 7P, failed Thu Jul 11 15:17:47 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 225D TO 225 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 7P) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 7P) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 7P) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 7P) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 7P) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(19)	GOODSN-ORI090-V7P	RA: 12 36 11.3630 (189.0473458d) Dec: +62 15 4.98 (62.25138d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 7P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(19) GOODSN-ORI 090-V7P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7P	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 7P	375 Secs (375 Secs) [==>]	[1]
	3		(19) GOODSN-ORI 090-V7P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7P	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 7P	507 Secs (507 Secs) [==>]	[1]
	5		(19) GOODSN-ORI 090-V7P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7P	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 7P	507 Secs (507 Secs) [==>]	[1]
	7		(19) GOODSN-ORI 090-V7P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7P	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 7P	507 Secs (507 Secs) [==>]	[1]
	9		(19) GOODSN-ORI 090-V7P	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7P	434 Secs (434 Secs) [==>]	[1]


Proposal 12445 - Tile Visit 7P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 7P	340 Secs (340 Secs) [==>]	[1]
11	(19) GOODS-N-ORI090-V7P	WFC3/UVIS, ACCUM, UVIS-IR-FIX	F275W	CR-SPLIT=NO	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7P	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 7P Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 7P	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit P7 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit P7, completed										Thu Jul 11 15:17:47 GMT 2013			
	Diagnostic Status: Warning													
	Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC													
	Special Requirements: ORIENT 212D TO 225 D													
Diagnostics	(Tile Visit P7) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.													
	(Tile Visit P7) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.													
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Fluxes		Miscellaneous			
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000						V=26+/-2		Reference Frame: ICRS			
	(19)	GOODSN-ORI090-V7P	RA: 12 36 11.3630 (189.0473458d) Dec: +62 15 4.98 (62.25138d) Equinox: J2000						V=26+/-2		Reference Frame: ICRS			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit			
	1		(19) GOODSN-ORI 090-V7P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=10; SAMP-SEQ=SPAR S50	POS TARG 0.273,0.302	Prime + Parallel Group 1-2 in Tile Visit P7	452.93635 Secs (452.936 Secs) [==>]		[1]			
	2		(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Tile Visit P7	275 Secs (275 Secs) [==>]		[1]			
	3		(19) GOODSN-ORI 090-V7P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG 0.54,-0.243	Prime + Parallel Group 3-4 in Tile Visit P7	602.934229 Secs (602.934 Secs) [==>]		[1]			
	4		(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Tile Visit P7	507 Secs (507 Secs) [==>]		[1]			
	5		(19) GOODSN-ORI 090-V7P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.34,-0.301	Prime + Parallel Group 5-6 in Tile Visit P7	602.934229 Secs (602.934 Secs) [==>]		[1]			
	6		(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Tile Visit P7	507 Secs (507 Secs) [==>]		[1]			
	7		(19) GOODSN-ORI 090-V7P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG 0.0,0,0.0	Prime + Parallel Group 7-8 in Tile Visit P7	502.933906 Secs (502.934 Secs) [==>]		[1]			
	8		(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Tile Visit P7	407 Secs (407 Secs) [==>]		[1]			
	9		(19) GOODSN-ORI 090-V7P	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Prime + Parallel Group 9-10 in Tile Visit P7	434 Secs (434 Secs) [==>]		[1]			
	10		(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Tile Visit P7	340 Secs (340 Secs) [==>]		[1]			



Proposal 12445 - Tile Visit 8A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8A, completed Thu Jul 11 15:17:48 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8A) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 8A) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8A) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8A) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8A) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(20)	GOODSN-ORI175-V8A	RA: 12 36 50.4896 (189.2103733d) Dec: +62 19 1.77 (62.31716d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(20) GOODSN-ORI 175-V8A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8A	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8A	375 Secs (375 Secs) [==>]	[1]
	3		(20) GOODSN-ORI 175-V8A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8A	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8A	507 Secs (507 Secs) [==>]	[1]
	5		(20) GOODSN-ORI 175-V8A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8A	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8A	507 Secs (507 Secs) [==>]	[1]
	7		(20) GOODSN-ORI 175-V8A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8A	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8A	507 Secs (507 Secs) [==>]	[1]
	9		(20) GOODSN-ORI 175-V8A	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8A	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8A	340 Secs (340 Secs) [==>]	[1]
11	(20) GOODSN-ORI 175-V8A	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8A	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8A	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8B, completed Thu Jul 11 15:17:49 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8B) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 8B) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8B) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 8B) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8B) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(21)	GOODSN-ORI175-V8B	RA: 12 37 4.1615 (189.2673396d) Dec: +62 17 25.66 (62.29046d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(21) GOODSN-ORI 175-V8B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO BASE1B3; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8B	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8B	375 Secs (375 Secs) [==>]	[1]
	3		(21) GOODSN-ORI 175-V8B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8B	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8B	507 Secs (507 Secs) [==>]	[1]
	5		(21) GOODSN-ORI 175-V8B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8B	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8B	507 Secs (507 Secs) [==>]	[1]
	7		(21) GOODSN-ORI 175-V8B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8B	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8B	507 Secs (507 Secs) [==>]	[1]
	9		(21) GOODSN-ORI 175-V8B	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8B	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8B	340 Secs (340 Secs) [==>]	[1]
11	(21) GOODSN-ORI175-V8B	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8B	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8B	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8C, completed Thu Jul 11 15:17:50 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8C) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 8C) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8C) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 8C) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8C) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(22)	GOODSN-ORI175-V8C	RA: 12 37 17.8335 (189.3243062d) Dec: +62 15 49.48 (62.26374d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(22) GOODSN-ORI 175-V8C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8C	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8C	375 Secs (375 Secs) [==>]	[1]
	3		(22) GOODSN-ORI 175-V8C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8C	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8C	507 Secs (507 Secs) [==>]	[1]
	5		(22) GOODSN-ORI 175-V8C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8C	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8C	507 Secs (507 Secs) [==>]	[1]
	7		(22) GOODSN-ORI 175-V8C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8C	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8C	507 Secs (507 Secs) [==>]	[1]
	9		(22) GOODSN-ORI 175-V8C	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8C	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8C	340 Secs (340 Secs) [==>]	[1]
11	(22) GOODSN-ORI175-V8C	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8C	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8C	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8D, completed Thu Jul 11 15:17:50 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8D) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 8D) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8D) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8D) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8D) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(23)	GOODSN-ORI175-V8D	RA: 12 37 31.5054 (189.3812725d) Dec: +62 14 13.21 (62.23700d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(23) GOODSN-ORI 175-V8D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8D	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8D	375 Secs (375 Secs) [==>]	[1]
	3		(23) GOODSN-ORI 175-V8D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8D	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8D	507 Secs (507 Secs) [==>]	[1]
	5		(23) GOODSN-ORI 175-V8D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8D	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8D	507 Secs (507 Secs) [==>]	[1]
	7		(23) GOODSN-ORI 175-V8D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8D	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8D	507 Secs (507 Secs) [==>]	[1]
	9		(23) GOODSN-ORI 175-V8D	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8D	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8D	340 Secs (340 Secs) [==>]	[1]
11	(23) GOODS-N-ORI 175-V8D	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8D	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8D	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8E, completed Thu Jul 11 15:17:51 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8E) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 8E) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8E) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8E) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8E) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(24)	GOODSN-ORI175-V8E	RA: 12 36 41.1287 (189.1713696d) Dec: +62 17 19.34 (62.28871d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(24) GOODS-N-ORI 175-V8E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8E	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8E	375 Secs (375 Secs) [==>]	[1]
	3		(24) GOODS-N-ORI 175-V8E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8E	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8E	507 Secs (507 Secs) [==>]	[1]
	5		(24) GOODS-N-ORI 175-V8E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8E	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8E	507 Secs (507 Secs) [==>]	[1]
	7		(24) GOODS-N-ORI 175-V8E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8E	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8E	507 Secs (507 Secs) [==>]	[1]
	9		(24) GOODS-N-ORI 175-V8E	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8E	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8E	340 Secs (340 Secs) [==>]	[1]
11	(24) GOODSN-ORI175-V8E	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8E	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8E	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8F, completed Thu Jul 11 15:17:52 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8F) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 8F) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8F) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8F) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 8F) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(25)	GOODSN-ORI175-V8F	RA: 12 36 53.1446 (189.2214358d) Dec: +62 15 52.86 (62.26468d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(25) GOODSN-ORI 175-V8F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO BASE1B3; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8F	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8F	375 Secs (375 Secs) [==>]	[1]
	3		(25) GOODSN-ORI 175-V8F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8F	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8F	507 Secs (507 Secs) [==>]	[1]
	5		(25) GOODSN-ORI 175-V8F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8F	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8F	507 Secs (507 Secs) [==>]	[1]
	7		(25) GOODSN-ORI 175-V8F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8F	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8F	507 Secs (507 Secs) [==>]	[1]
	9		(25) GOODSN-ORI 175-V8F	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8F	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8F	340 Secs (340 Secs) [==>]	[1]
11	(25) GOODSN-ORI175-V8F	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8F	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8F	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8G, completed Thu Jul 11 15:17:53 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8G) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 8G) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8G) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8G) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 8G) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(26)	GOODSN-ORI175-V8G	RA: 12 37 10.3249 (189.2930204d) Dec: +62 13 56.17 (62.23227d) Equinox: J2000		V=26.0+/-2.0

Proposal 12445 - Tile Visit 8G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(26) GOODS-N-ORI 175-V8G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8G	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8G	375 Secs (375 Secs) [==>]	[1]
	3		(26) GOODS-N-ORI 175-V8G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8G	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8G	507 Secs (507 Secs) [==>]	[1]
	5		(26) GOODS-N-ORI 175-V8G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8G	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8G	507 Secs (507 Secs) [==>]	[1]
	7		(26) GOODS-N-ORI 175-V8G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8G	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8G	507 Secs (507 Secs) [==>]	[1]
	9		(26) GOODS-N-ORI 175-V8G	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8G	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8G	340 Secs (340 Secs) [==>]	[1]
11	(26) GOODSN-ORI175-V8G	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8G	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8G	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8H, completed Thu Jul 11 15:17:54 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8H) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 8H) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8H) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8H) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 8H) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(27)	GOODSN-ORI175-V8H	RA: 12 37 20.4884 (189.3353683d) Dec: +62 12 40.54 (62.21126d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(27) GOODS-N-ORI 175-V8H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8H	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8H	375 Secs (375 Secs) [==>]	[1]
	3		(27) GOODS-N-ORI 175-V8H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8H	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8H	507 Secs (507 Secs) [==>]	[1]
	5		(27) GOODS-N-ORI 175-V8H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8H	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8H	507 Secs (507 Secs) [==>]	[1]
	7		(27) GOODS-N-ORI 175-V8H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8H	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8H	507 Secs (507 Secs) [==>]	[1]
	9		(27) GOODS-N-ORI 175-V8H	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8H	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8H	340 Secs (340 Secs) [==>]	[1]
11	(27) GOODS-N-ORI175-V8H	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8H	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8H	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit 8I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...

Visit	Proposal 12445, Tile Visit 8I, withdrawn Thu Jul 11 15:17:54 GMT 2013				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 85D TO 85 D; BETWEEN 01-JUL-2013:00:00:00 AND 31-JUL-2013:00:00:00				
Diagnostics	(Tile Visit 8I) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8I) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(28)	GOODSN-ORI175-V8I	RA: 12 36 29.2946 (189.1220608d) Dec: +62 15 51.93 (62.26442d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(28) GOODSN-ORI 175-V8I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO SINGLE	Sequence 1-10 Non-Int in Tile Visit 8I Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 8I	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 8I Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit 8I	375 Secs (375 Secs) [==>]	[1]
	3		(28) GOODSN-ORI 175-V8I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Sequence 1-10 Non-Int in Tile Visit 8I Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 8I	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 8I Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit 8I	507 Secs (507 Secs) [==>]	[1]
	5		(28) GOODSN-ORI 175-V8I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Sequence 1-10 Non-Int in Tile Visit 8I Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 8I	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 8I Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit 8I	507 Secs (507 Secs) [==>]	[1]
	7		(28) GOODSN-ORI 175-V8I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Sequence 1-10 Non-Int in Tile Visit 8I Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 8I	502.933906 Secs (502.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit 8I Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit 8I	407 Secs (407 Secs) [==>]	[1]
	9		(28) GOODSN-ORI 175-V8I	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-10 Non-Int in Tile Visit 8I Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 8I	434 Secs (434 Secs) [==>]	[1]

10	(1) GOODS-N-ORI0 ACS/WFC, ACCUM, WFC	F814W	Sequence 1-10 Non-Int in Tile Visit 8I	340 Secs (340 Secs)	
	90		Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit 8I	[==>]	[1]




Proposal 12445 - Tile Visit I8 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...

Visit	Proposal 12445, Tile Visit I8, scheduled Thu Jul 11 15:17:55 GMT 2013				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: ORIENT 85D TO 85 D; BETWEEN 01-JUL-2013:00:00:00 AND 31-JUL-2013:00:00:00				
Diagnostics	(Tile Visit I8) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit I8) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(28)	GOODSN-ORI175-V8I	RA: 12 36 29.2946 (189.1220608d) Dec: +62 15 51.93 (62.26442d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit I8 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(28) GOODSN-ORI 175-V8I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG -8.71,-1.02; GS ACQ SCENARI O SINGLE	Sequence 1-10 Non-Int in Tile Visit I8 Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit I8	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit I8 Prime + Parallel Group 1-2 in Sequence 1-10 Non-Int in Tile Visit I8	375 Secs (375 Secs) [==>]	[1]
	3		(28) GOODSN-ORI 175-V8I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -8.45,-1.56	Sequence 1-10 Non-Int in Tile Visit I8 Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit I8	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit I8 Prime + Parallel Group 3-4 in Sequence 1-10 Non-Int in Tile Visit I8	507 Secs (507 Secs) [==>]	[1]
	5		(28) GOODSN-ORI 175-V8I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -9.33,-1.62	Sequence 1-10 Non-Int in Tile Visit I8 Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit I8	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit I8 Prime + Parallel Group 5-6 in Sequence 1-10 Non-Int in Tile Visit I8	507 Secs (507 Secs) [==>]	[1]
	7		(28) GOODSN-ORI 175-V8I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=6; SAMP-SEQ=SPAR S100	POS TARG -9.59,-1.07	Sequence 1-10 Non-Int in Tile Visit I8 Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit I8	502.933906 Secs (502.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-10 Non-Int in Tile Visit I8 Prime + Parallel Group 7-8 in Sequence 1-10 Non-Int in Tile Visit I8	407 Secs (407 Secs) [==>]	[1]
	9		(28) GOODSN-ORI 175-V8I	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG -8.92,-1.30	Sequence 1-10 Non-Int in Tile Visit I8 Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit I8	434 Secs (434 Secs) [==>]	[1]

10	(1) GOODS-N-ORI0 ACS/WFC, ACCUM, WFC F814W	Sequence 1-10 Non-Int in Tile Visit I8	340 Secs (340 Secs)	
	90	Prime + Parallel Group 9-10 in Sequence 1-10 Non-Int in Tile Visit I8	[==>]	[1]



Proposal 12445 - Tile Visit 8J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8J, completed Thu Jul 11 15:17:56 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8J) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 8J) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8J) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8J) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 8J) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(29)	GOODSN-ORI175-V8J	RA: 12 36 42.1276 (189.1755317d) Dec: +62 14 20.01 (62.23889d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(29) GOODSN-ORI 175-V8J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO BASE1B3; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8J	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8J	375 Secs (375 Secs) [==>]	[1]
	3		(29) GOODSN-ORI 175-V8J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8J	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8J	507 Secs (507 Secs) [==>]	[1]
	5		(29) GOODSN-ORI 175-V8J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8J	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8J	507 Secs (507 Secs) [==>]	[1]
	7		(29) GOODSN-ORI 175-V8J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8J	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8J	507 Secs (507 Secs) [==>]	[1]
	9		(29) GOODSN-ORI 175-V8J	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8J	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8J	340 Secs (340 Secs) [==>]	[1]
11	(29) GOODSN-ORI 175-V8J	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8J	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8J	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8K, completed Thu Jul 11 15:17:56 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8K) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 8K) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8K) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8K) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 8K) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(30)	GOODSN-ORI175-V8K	RA: 12 36 55.7995 (189.2324979d) Dec: +62 12 43.95 (62.21221d) Equinox: J2000		V=26.0+/-2.0

Proposal 12445 - Tile Visit 8K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(30) GOODS-N-ORI 175-V8K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO BASE1B3; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8K	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8K	375 Secs (375 Secs) [==>]	[1]
	3		(30) GOODS-N-ORI 175-V8K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8K	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8K	507 Secs (507 Secs) [==>]	[1]
	5		(30) GOODS-N-ORI 175-V8K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8K	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8K	507 Secs (507 Secs) [==>]	[1]
	7		(30) GOODS-N-ORI 175-V8K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8K	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8K	507 Secs (507 Secs) [==>]	[1]
	9		(30) GOODS-N-ORI 175-V8K	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8K	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8K	340 Secs (340 Secs) [==>]	[1]
11	(30) GOODSN-ORI175-V8K	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8K	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8K	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8L, completed Thu Jul 11 15:17:57 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8L) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 8L) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8L) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8L) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 8L) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(31)	GOODSN-ORI175-V8L	RA: 12 37 9.4715 (189.2894646d) Dec: +62 11 7.82 (62.18551d) Equinox: J2000		V=26.0+/-2.0

Proposal 12445 - Tile Visit 8L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(31) GOODSN-ORI 175-V8L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8L	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8L	375 Secs (375 Secs) [==>]	[1]
	3		(31) GOODSN-ORI 175-V8L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8L	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8L	507 Secs (507 Secs) [==>]	[1]
	5		(31) GOODSN-ORI 175-V8L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8L	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8L	507 Secs (507 Secs) [==>]	[1]
	7		(31) GOODSN-ORI 175-V8L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8L	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8L	507 Secs (507 Secs) [==>]	[1]
	9		(31) GOODSN-ORI 175-V8L	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8L	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8L	340 Secs (340 Secs) [==>]	[1]
11	(31) GOODS-N-ORI 175-V8L	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8L	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8L Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8L	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8M, completed Thu Jul 11 15:17:58 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8M) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 8M) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8M) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8M) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8M) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(32)	GOODSN-ORI175-V8M	RA: 12 36 17.4386 (189.0726608d) Dec: +62 14 22.99 (62.23972d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(32) GOODSN-ORI 175-V8M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8M	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8M	375 Secs (375 Secs) [==>]	[1]
	3		(32) GOODSN-ORI 175-V8M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8M	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8M	507 Secs (507 Secs) [==>]	[1]
	5		(32) GOODSN-ORI 175-V8M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8M	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8M	507 Secs (507 Secs) [==>]	[1]
	7		(32) GOODSN-ORI 175-V8M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8M	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8M	507 Secs (507 Secs) [==>]	[1]
	9		(32) GOODSN-ORI 175-V8M	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8M	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8M	340 Secs (340 Secs) [==>]	[1]
11	(32) GOODSN-ORI175-V8M	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8M	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8M Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8M	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8N, completed Thu Jul 11 15:17:58 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8N) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 8N) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8N) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 8N) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8N) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(33)	GOODSN-ORI175-V8N	RA: 12 36 31.1106 (189.1296275d) Dec: +62 12 47.09 (62.21308d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(33) GOODSN-ORI 175-V8N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8N	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8N	375 Secs (375 Secs) [==>]	[1]
	3		(33) GOODSN-ORI 175-V8N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8N	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8N	507 Secs (507 Secs) [==>]	[1]
	5		(33) GOODSN-ORI 175-V8N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8N	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8N	507 Secs (507 Secs) [==>]	[1]
	7		(33) GOODSN-ORI 175-V8N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8N	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8N	507 Secs (507 Secs) [==>]	[1]
	9		(33) GOODSN-ORI 175-V8N	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8N	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8N	340 Secs (340 Secs) [==>]	[1]
11	(33) GOODSN-ORI175-V8N	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8N	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8N	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 80 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 80, completed Thu Jul 11 15:17:59 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 80) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 80) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 80) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 80) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 80) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 80) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 80) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 80) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 80) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(34)	GOODSN-ORI175-V80	RA: 12 36 44.7826 (189.1865942d) Dec: +62 11 11.11 (62.18642d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 80 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(34) GOODS-N-ORI 175-V80	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO BASE1B3; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 80	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 80	375 Secs (375 Secs) [==>]	[1]
	3		(34) GOODS-N-ORI 175-V80	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 80	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 80	507 Secs (507 Secs) [==>]	[1]
	5		(34) GOODS-N-ORI 175-V80	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 80	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 80	507 Secs (507 Secs) [==>]	[1]
	7		(34) GOODS-N-ORI 175-V80	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 80	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 80	507 Secs (507 Secs) [==>]	[1]
	9		(34) GOODS-N-ORI 175-V80	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 80	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 80 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 80	340 Secs (340 Secs) [==>]	[1]
11	(34) GOODS-N-ORI 175-V80	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 80	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 80 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 80	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 8P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 8P, completed Thu Jul 11 15:18:00 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 175D TO 175 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 8P) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 8P) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 8P) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 8P) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 8P) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(35)	GOODSN-ORI175-V8P	RA: 12 36 58.4545 (189.2435604d) Dec: +62 09 35.04 (62.15973d) Equinox: J2000		V=26.0+/-2.0
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 8P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(35) GOODSN-ORI 175-V8P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARIO BASE1B3; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8P	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 8P	375 Secs (375 Secs) [==>]	[1]
	3		(35) GOODSN-ORI 175-V8P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8P	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 8P	507 Secs (507 Secs) [==>]	[1]
	5		(35) GOODSN-ORI 175-V8P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8P	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 8P	507 Secs (507 Secs) [==>]	[1]
	7		(35) GOODSN-ORI 175-V8P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC3 DET IROCC IROCC	Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8P	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 8P	507 Secs (507 Secs) [==>]	[1]
	9		(35) GOODSN-ORI 175-V8P	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 2.51,-6.17	Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8P	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 8P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 8P	340 Secs (340 Secs) [==>]	[1]
11	(35) GOODS-N-ORI 175-V8P	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8P	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 8P Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 8P	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9A, completed Thu Jul 11 15:18:00 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115.0D TO 115.0 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9A) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 9A) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9A) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9A) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 9A) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 9A) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(36)	GOODSN-ORI119-V9A	RA: 12 36 44.0953 (189.1837304d) Dec: +62 19 12.88 (62.32024d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 9A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(36) GOODSN-ORI 119-V9A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9A	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9A	375 Secs (375 Secs) [==>]	[1]
	3		(36) GOODSN-ORI 119-V9A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9A	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9A	507 Secs (507 Secs) [==>]	[1]
	5		(36) GOODSN-ORI 119-V9A	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9A	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9A	507 Secs (507 Secs) [==>]	[1]
	7		(36) GOODSN-ORI 119-V9A	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9A	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9A	507 Secs (507 Secs) [==>]	[1]
	9		(36) GOODSN-ORI 119-V9A	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9A	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9A	340 Secs (340 Secs) [==>]	[1]
11	(36) GOODS-N-ORI 119-V9A	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9A	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9A Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9A	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9B, completed Thu Jul 11 15:18:01 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9B) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 9B) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9B) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9B) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 9B) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9B) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(37)	GOODSN-ORI119-V9B	RA: 12 36 23.0483 (189.0960346d) Dec: +62 16 9.59 (62.26933d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit 9B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(37) GOODSN-ORI 119-V9B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9B	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9B	375 Secs (375 Secs) [==>]	[1]
	3		(37) GOODSN-ORI 119-V9B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9B	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9B	507 Secs (507 Secs) [==>]	[1]
	5		(37) GOODSN-ORI 119-V9B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9B	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9B	507 Secs (507 Secs) [==>]	[1]
	7		(37) GOODSN-ORI 119-V9B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9B	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9B	507 Secs (507 Secs) [==>]	[1]
	9		(37) GOODSN-ORI 119-V9B	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9B	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9B	340 Secs (340 Secs) [==>]	[1]
11	(37) GOODS-N-ORI 119-V9B	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9B	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9B Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9B	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9C, completed Thu Jul 11 15:18:02 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9C) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 9C) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9C) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9C) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9C) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 9C) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(38)	GOODSN-ORI119-V9C	RA: 12 36 41.1484 (189.1714517d) Dec: +62 16 56.64 (62.28240d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit 9C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(38) GOODS-N-ORI 119-V9C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9C	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9C	375 Secs (375 Secs) [==>]	[1]
	3		(38) GOODS-N-ORI 119-V9C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540, -0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9C	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9C	507 Secs (507 Secs) [==>]	[1]
	5		(38) GOODS-N-ORI 119-V9C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340, -0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9C	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9C	507 Secs (507 Secs) [==>]	[1]
	7		(38) GOODS-N-ORI 119-V9C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608, +0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9C	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9C	507 Secs (507 Secs) [==>]	[1]
	9		(38) GOODS-N-ORI 119-V9C	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065, 0.015	Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9C	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9C	340 Secs (340 Secs) [==>]	[1]
11	(38) GOODS-N-ORI 119-V9C	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9C	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9C Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9C	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9D, completed Thu Jul 11 15:18:02 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9D) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 9D) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9D) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9D) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 9D) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9D) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(39)	GOODSN-ORI119-V9D	RA: 12 36 59.2485 (189.2468688d) Dec: +62 17 43.54 (62.29543d) Equinox: J2000		V=26+/-2
					Miscellaneous
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 9D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(39) GOODSN-ORI 119-V9D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9D	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9D	375 Secs (375 Secs) [==>]	[1]
	3		(39) GOODSN-ORI 119-V9D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9D	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9D	507 Secs (507 Secs) [==>]	[1]
	5		(39) GOODSN-ORI 119-V9D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9D	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9D	507 Secs (507 Secs) [==>]	[1]
	7		(39) GOODSN-ORI 119-V9D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9D	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9D	507 Secs (507 Secs) [==>]	[1]
	9		(39) GOODSN-ORI 119-V9D	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9D	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9D	340 Secs (340 Secs) [==>]	[1]
11	(39) GOODS-N-ORI 119-V9D	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9D	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9D Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9D	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9E, completed					Thu Jul 11 15:18:03 GMT 2013
	Diagnostic Status: Error					
	Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC					
	Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M					
Diagnostics	(Tile Visit 9E) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode.					
	(Tile Visit 9E) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range.					
	(Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode.					
	(Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode.					
	(Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode.					
	(Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9E) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode.					
	(Tile Visit 9E) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE					
	(Tile Visit 9E) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Fixed Targets	(Tile Visit 9E) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.					
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(40)	GOODSN-ORI119-V9E	RA: 12 36 20.5844 (189.0857683d) Dec: +62 13 55.01 (62.23195d) Equinox: J2000		V=26+/-2	Reference Frame: ICRS

Proposal 12445 - Tile Visit 9E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(40) GOODS-N-ORI 119-V9E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9E	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9E	375 Secs (375 Secs) [==>]	[1]
	3		(40) GOODS-N-ORI 119-V9E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9E	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9E	507 Secs (507 Secs) [==>]	[1]
	5		(40) GOODS-N-ORI 119-V9E	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9E	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9E	507 Secs (507 Secs) [==>]	[1]
	7		(40) GOODS-N-ORI 119-V9E	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9E	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9E	507 Secs (507 Secs) [==>]	[1]
	9		(40) GOODS-N-ORI 119-V9E	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9E	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9E	340 Secs (340 Secs) [==>]	[1]
11	(40) GOODS-N-ORI 119-V9E	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9E	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9E Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9E	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit 9F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit 9F, completed Thu Jul 11 15:18:04 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9F) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 9F) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9F) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9F) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 9F) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 9F) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(41)	GOODSN-ORI119-V9F	RA: 12 36 38.7333 (189.1613888d) Dec: +62 14 41.74 (62.24493d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit 9F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(41) GOODS-N-ORI 119-V9F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9F	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9F	375 Secs (375 Secs) [==>]	[1]
	3		(41) GOODS-N-ORI 119-V9F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9F	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9F	507 Secs (507 Secs) [==>]	[1]
	5		(41) GOODS-N-ORI 119-V9F	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9F	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9F	507 Secs (507 Secs) [==>]	[1]
	7		(41) GOODS-N-ORI 119-V9F	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9F	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9F	507 Secs (507 Secs) [==>]	[1]
	9		(41) GOODS-N-ORI 119-V9F	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9F	434 Secs (434 Secs) [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9F	340 Secs (340 Secs) [==>]	[1]
11	(41) GOODS-N-ORI 119-V9F	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9F	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9F Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9F	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9G, completed Thu Jul 11 15:18:04 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9G) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 9G) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9G) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9G) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 9G) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9G) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(42)	GOODSN-ORI119-V9G	RA: 12 36 56.3016 (189.2345900d) Dec: +62 15 27.31 (62.25759d) Equinox: J2000		V=26+/-2
					Miscellaneous
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 9G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(42) GOODSN-ORI 119-V9G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9G	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9G	375 Secs (375 Secs) [==>]	[1]
	3		(42) GOODSN-ORI 119-V9G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9G	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9G	507 Secs (507 Secs) [==>]	[1]
	5		(42) GOODSN-ORI 119-V9G	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9G	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9G	507 Secs (507 Secs) [==>]	[1]
	7		(42) GOODSN-ORI 119-V9G	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9G	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9G	507 Secs (507 Secs) [==>]	[1]
	9		(42) GOODSN-ORI 119-V9G	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9G	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9G	340 Secs (340 Secs) [==>]	[1]
11	(42) GOODS-N-ORI 119-V9G	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9G	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9G Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9G	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9H, completed Thu Jul 11 15:18:05 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9H) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 9H) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9H) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9H) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 9H) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9H) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(43)	GOODSN-ORI119-V9H	RA: 12 37 14.4017 (189.3100071d) Dec: +62 16 14.09 (62.27058d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 9H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(43) GOODSN-ORI 119-V9H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9H	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9H	375 Secs (375 Secs) [==>]	[1]
	3		(43) GOODSN-ORI 119-V9H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9H	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9H	507 Secs (507 Secs) [==>]	[1]
	5		(43) GOODSN-ORI 119-V9H	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9H	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9H	507 Secs (507 Secs) [==>]	[1]
	7		(43) GOODSN-ORI 119-V9H	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9H	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9H	507 Secs (507 Secs) [==>]	[1]
	9		(43) GOODSN-ORI 119-V9H	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9H	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9H	340 Secs (340 Secs) [==>]	[1]
11	(43) GOODS-N-ORI 119-V9H	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9H	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9H Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9H	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...


Visit	Proposal 12445, Tile Visit 9I, completed Thu Jul 11 15:18:05 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9I) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 9I) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9I) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9I) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9I) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9I) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9I) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9I) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 9I) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(44)	GOODSN-ORI119-V9I	RA: 12 36 35.2547 (189.1468946d) Dec: +62 12 24.14 (62.20671d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit 9I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(44) GOODS-N-ORI 119-V9I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9I	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9I	375 Secs (375 Secs) [==>]	[1]
	3		(44) GOODS-N-ORI 119-V9I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540, -0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9I	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9I	507 Secs (507 Secs) [==>]	[1]
	5		(44) GOODS-N-ORI 119-V9I	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340, -0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9I	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9I	507 Secs (507 Secs) [==>]	[1]
	7		(44) GOODS-N-ORI 119-V9I	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608, +0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9I	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9I	507 Secs (507 Secs) [==>]	[1]
	9		(44) GOODS-N-ORI 119-V9I	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065, 0.015	Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9I	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of SN...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9I	340 Secs (340 Secs) [==>]	[1]
11	(44) GOODS-N-ORI 119-V9I	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9I	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9I Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9I	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9J, completed Thu Jul 11 15:18:06 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9J) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 9J) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9J) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9J) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 9J) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 9J) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(45)	GOODSN-ORI119-V9J	RA: 12 36 53.3548 (189.2223117d) Dec: +62 13 11.09 (62.21975d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit 9J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(45) GOODSN-ORI 119-V9J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9J	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9J	375 Secs (375 Secs) [==>]	[1]
	3		(45) GOODSN-ORI 119-V9J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9J	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9J	507 Secs (507 Secs) [==>]	[1]
	5		(45) GOODSN-ORI 119-V9J	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9J	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9J	507 Secs (507 Secs) [==>]	[1]
	7		(45) GOODSN-ORI 119-V9J	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9J	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9J	507 Secs (507 Secs) [==>]	[1]
	9		(45) GOODSN-ORI 119-V9J	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9J	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9J	340 Secs (340 Secs) [==>]	[1]
11	(45) GOODS-N-ORI 119-V9J	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9J	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9J Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9J	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit 9K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit 9K, completed Thu Jul 11 15:18:07 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9K) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit 9K) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9K) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9K) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9K) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 9K) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(46)	GOODSN-ORI119-V9K	RA: 12 37 11.4548 (189.2977283d) Dec: +62 13 57.88 (62.23274d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit 9K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(46) GOODSN-ORI 119-V9K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9K	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9K	375 Secs (375 Secs) [==>]	[1]
	3		(46) GOODSN-ORI 119-V9K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9K	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9K	507 Secs (507 Secs) [==>]	[1]
	5		(46) GOODSN-ORI 119-V9K	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9K	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9K	507 Secs (507 Secs) [==>]	[1]
	7		(46) GOODSN-ORI 119-V9K	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9K	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9K	507 Secs (507 Secs) [==>]	[1]
	9		(46) GOODSN-ORI 119-V9K	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9K	434 Secs (434 Secs) [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9K	340 Secs (340 Secs) [==>]	[1]
11	(46) GOODS-N-ORI 119-V9K	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9K	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9K Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9K	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit 9L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit 9L, completed Thu Jul 11 15:18:07 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9L) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 9L) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9L) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9L) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9L) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 9L) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(47)	GOODSN-ORI119-V9L	RA: 12 37 29.5549 (189.3731454d) Dec: +62 14 44.54 (62.24571d) Equinox: J2000		V=26+/-2
		Reference Frame: ICRS			

Proposal 12445 - Tile Visit 9L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(47) GOODSN-ORI 119-V9L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9L	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9L	375 Secs (375 Secs) [==>]	[1]
	3		(47) GOODSN-ORI 119-V9L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9L	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9L	507 Secs (507 Secs) [==>]	[1]
	5		(47) GOODSN-ORI 119-V9L	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9L	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9L	507 Secs (507 Secs) [==>]	[1]
	7		(47) GOODSN-ORI 119-V9L	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9L	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9L	507 Secs (507 Secs) [==>]	[1]
	9		(47) GOODSN-ORI 119-V9L	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9L	434 Secs (434 Secs) [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9L	340 Secs (340 Secs) [==>]	[1]
11	(47) GOODS-N-ORI 119-V9L	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9L	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9L Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9L	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9M, completed Thu Jul 11 15:18:08 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 113D TO 113 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9M) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 9M) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9M) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9M) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 9M) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9M) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(48)	GOODSN-ORI119-V9M	RA: 12 36 50.4079 (189.2100329d) Dec: +62 10 54.85 (62.18190d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit 9M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(48) GOODS-N-ORI 119-V9M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9M	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9M	375 Secs (375 Secs) [==>]	[1]
	3		(48) GOODS-N-ORI 119-V9M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9M	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9M	507 Secs (507 Secs) [==>]	[1]
	5		(48) GOODS-N-ORI 119-V9M	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9M	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9M	507 Secs (507 Secs) [==>]	[1]
	7		(48) GOODS-N-ORI 119-V9M	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9M	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9M	507 Secs (507 Secs) [==>]	[1]
	9		(48) GOODS-N-ORI 119-V9M	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9M	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9M	340 Secs (340 Secs) [==>]	[1]
11	(48) GOODS-N-ORI 119-V9M	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9M	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9M Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9M	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 9N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 9N, completed Thu Jul 11 15:18:09 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9N) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 9N) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9N) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9N) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 9N) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit 9N) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(49)	GOODSN-ORI119-V9N	RA: 12 37 8.5080 (189.2854500d) Dec: +62 11 41.68 (62.19491d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 9N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(49) GOODSN-ORI 119-V9N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9N	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9N	375 Secs (375 Secs) [==>]	[1]
	3		(49) GOODSN-ORI 119-V9N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540, -0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9N	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9N	507 Secs (507 Secs) [==>]	[1]
	5		(49) GOODSN-ORI 119-V9N	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340, -0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9N	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9N	507 Secs (507 Secs) [==>]	[1]
	7		(49) GOODSN-ORI 119-V9N	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608, +0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9N	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9N	507 Secs (507 Secs) [==>]	[1]
	9		(49) GOODSN-ORI 119-V9N	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065, 0.015	Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9N	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 9N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9N	340 Secs (340 Secs) [==>]	[1]
11	(49) GOODS-N-ORI 119-V9N	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9N	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9N Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9N	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit 90 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit 90, completed Thu Jul 11 15:18:09 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 90) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 90) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 90) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 90) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 90) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 90) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 90) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 90) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 90) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(50)	GOODSN-ORI119-V90	RA: 12 37 26.6081 (189.3608671d) Dec: +62 12 28.35 (62.20788d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit 90 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(50) GOODSN-ORI 119-V90	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 90	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 90	375 Secs (375 Secs) [==>]	[1]
	3		(50) GOODSN-ORI 119-V90	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 90	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 90	507 Secs (507 Secs) [==>]	[1]
	5		(50) GOODSN-ORI 119-V90	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 90	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 90	507 Secs (507 Secs) [==>]	[1]
	7		(50) GOODSN-ORI 119-V90	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 90	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 90	507 Secs (507 Secs) [==>]	[1]
	9		(50) GOODSN-ORI 119-V90	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 90	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit 90 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 90	340 Secs (340 Secs) [==>]	[1]
11	(50) GOODS-N-ORI 119-V90	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 90	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 90 Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 90	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit 9P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit 9P, completed Thu Jul 11 15:18:10 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 115D TO 115 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit 9P) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit 9P) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9P) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit 9P) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit 9P) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit 9P) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(51)	GOODSN-ORI119-V9P	RA: 12 37 5.5611 (189.2731713d) Dec: +62 09 25.46 (62.15707d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit 9P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(51) GOODSN-ORI 119-V9P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9P	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit 9P	375 Secs (375 Secs) [==>]	[1]
	3		(51) GOODSN-ORI 119-V9P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9P	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit 9P	507 Secs (507 Secs) [==>]	[1]
	5		(51) GOODSN-ORI 119-V9P	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9P	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit 9P	507 Secs (507 Secs) [==>]	[1]
	7		(51) GOODSN-ORI 119-V9P	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9P	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit 9P	507 Secs (507 Secs) [==>]	[1]
	9		(51) GOODSN-ORI 119-V9P	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0.015	Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9P	434 Secs (434 Secs) [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit 9P	340 Secs (340 Secs) [==>]	[1]
11	(51) GOODS-N-ORI 119-V9P	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9P	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit 9P Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit 9P	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AA - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AA, implementation Thu Jul 11 15:18:10 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AA) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit AA) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AA) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AA) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AA) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AA) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AA) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AA) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit AA) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
	(52)	GOODSN-ORI090-VAA	RA: 12 36 11.9835 (189.0499312d) Dec: +62 14 59.87 (62.24996d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AA - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(52) GOODS-N-ORI 090-VAA	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AA	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AA	375 Secs (375 Secs) [==>]	[1]
	3		(52) GOODS-N-ORI 090-VAA	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AA	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AA	507 Secs (507 Secs) [==>]	[1]
	5		(52) GOODS-N-ORI 090-VAA	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AA	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AA	507 Secs (507 Secs) [==>]	[1]
	7		(52) GOODS-N-ORI 090-VAA	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AA	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AA	507 Secs (507 Secs) [==>]	[1]
	9		(52) GOODS-N-ORI 090-VAA	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AA	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AA - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AA	340 Secs (340 Secs) [==>]	[1]
11	(52) GOODS-N-ORI090-VAA	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AA	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AA Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AA	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AB - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AB, implementation Thu Jul 11 15:18:11 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AB) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit AB) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AB) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AB) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AB) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AB) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AB) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AB) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit AB) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(53)	GOODSN-ORI090-VAB	RA: 12 36 26.2575 (189.1094062d) Dec: +62 13 24.91 (62.22359d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AB - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(53) GOODS-N-ORI 090-VAB	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AB	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AB	375 Secs (375 Secs) [==>]	[1]
	3		(53) GOODS-N-ORI 090-VAB	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AB	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AB	507 Secs (507 Secs) [==>]	[1]
	5		(53) GOODS-N-ORI 090-VAB	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AB	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AB	507 Secs (507 Secs) [==>]	[1]
	7		(53) GOODS-N-ORI 090-VAB	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AB	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AB	507 Secs (507 Secs) [==>]	[1]
	9		(53) GOODS-N-ORI 090-VAB	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AB	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AB - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AB	340 Secs (340 Secs) [==>]	[1]
11	(53) GOODSN-ORI090-VAB	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AB	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AB Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AB	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AC - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AC, implementation Thu Jul 11 15:18:12 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AC) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit AC) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AC) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AC) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AC) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AC) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AC) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AC) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit AC) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(54)	GOODSN-ORI090-VAC	RA: 12 36 31.1452 (189.1297717d) Dec: +62 15 35.43 (62.25984d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AC - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(54) GOODS-N-ORI 090-VAC	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AC	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AC	375 Secs (375 Secs) [==>]	[1]
	3		(54) GOODS-N-ORI 090-VAC	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AC	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AC	507 Secs (507 Secs) [==>]	[1]
	5		(54) GOODS-N-ORI 090-VAC	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AC	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AC	507 Secs (507 Secs) [==>]	[1]
	7		(54) GOODS-N-ORI 090-VAC	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AC	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AC	507 Secs (507 Secs) [==>]	[1]
	9		(54) GOODS-N-ORI 090-VAC	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AC	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AC - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AC	340 Secs (340 Secs) [==>]	[1]
11	(54) GOODS-N-ORI090-VAC	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AC	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AC Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AC	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AD - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AD, implementation Thu Jul 11 15:18:12 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AD) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AD) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AD) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AD) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AD) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AD) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AD) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AD) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit AD) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(55)	GOODSN-ORI090-VAD	RA: 12 36 36.0328 (189.1501367d) Dec: +62 17 45.95 (62.29610d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit AD - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(55) GOODS-N-ORI 090-VAD	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AD	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AD	375 Secs (375 Secs) [==>]	[1]
	3		(55) GOODS-N-ORI 090-VAD	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AD	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AD	507 Secs (507 Secs) [==>]	[1]
	5		(55) GOODS-N-ORI 090-VAD	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AD	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AD	507 Secs (507 Secs) [==>]	[1]
	7		(55) GOODS-N-ORI 090-VAD	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AD	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AD	507 Secs (507 Secs) [==>]	[1]
	9		(55) GOODS-N-ORI 090-VAD	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit AD	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AD - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AD	340 Secs (340 Secs) [==>]	[1]
11	(55) GOODS-N-ORI 090-VAD	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AD	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AD Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AD	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AE - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AE, implementation Thu Jul 11 15:18:13 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AE) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AE) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AE) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AE) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AE) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AE) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AE) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AE) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit AE) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(56)	GOODSN-ORI090-VAE	RA: 12 36 40.5315 (189.1688812d) Dec: +62 11 49.85 (62.19718d) Equinox: J2000		V=26+/-2

Proposal 12445 - Tile Visit AE - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(56) GOODSN-ORI 090-VAE	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AE	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AE	375 Secs (375 Secs) [==>]	[1]
	3		(56) GOODSN-ORI 090-VAE	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AE	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AE	507 Secs (507 Secs) [==>]	[1]
	5		(56) GOODSN-ORI 090-VAE	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AE	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AE	507 Secs (507 Secs) [==>]	[1]
	7		(56) GOODSN-ORI 090-VAE	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AE	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AE	507 Secs (507 Secs) [==>]	[1]
	9		(56) GOODSN-ORI 090-VAE	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit AE	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AE - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AE	340 Secs (340 Secs) [==>]	[1]
11	(56) GOODSN-ORI090-VAE	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AE	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AE Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AE	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit AF - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit AF, implementation Thu Jul 11 15:18:14 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AF) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AF) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AF) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AF) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AF) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AF) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AF) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit AF) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AF) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(57)	GOODSN-ORI090-VAF	RA: 12 36 45.4192 (189.1892467d) Dec: +62 14 0.34 (62.23343d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AF - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(57) GOODSN-ORI 090-VAF	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AF	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AF	375 Secs (375 Secs) [==>]	[1]
	3		(57) GOODSN-ORI 090-VAF	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AF	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AF	507 Secs (507 Secs) [==>]	[1]
	5		(57) GOODSN-ORI 090-VAF	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AF	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AF	507 Secs (507 Secs) [==>]	[1]
	7		(57) GOODSN-ORI 090-VAF	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AF	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AF	507 Secs (507 Secs) [==>]	[1]
	9		(57) GOODSN-ORI 090-VAF	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit AF	434 Secs (434 Secs) [==>]	[1]

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AF	340 Secs (340 Secs) [==>]	[1]
11	(57) GOODS-N-ORI090-VAF	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AF	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AF Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AF	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit AG - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit AG, implementation Thu Jul 11 15:18:14 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AG) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AG) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AG) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AG) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AG) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AG) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AG) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AG) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit AG) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(58)	GOODSN-ORI090-VAG	RA: 12 36 50.3068 (189.2096117d) Dec: +62 16 10.83 (62.26968d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AG - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(58) GOODS-N-ORI 090-VAG	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AG	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AG	375 Secs (375 Secs) [==>]	[1]
	3		(58) GOODS-N-ORI 090-VAG	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AG	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AG	507 Secs (507 Secs) [==>]	[1]
	5		(58) GOODS-N-ORI 090-VAG	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AG	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AG	507 Secs (507 Secs) [==>]	[1]
	7		(58) GOODS-N-ORI 090-VAG	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AG	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AG	507 Secs (507 Secs) [==>]	[1]
	9		(58) GOODS-N-ORI 090-VAG	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit AG	434 Secs (434 Secs) [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AG	340 Secs (340 Secs) [==>]	[1]
11	(58) GOODS-N-ORI 090-VAG	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AG	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AG Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AG	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit AH - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit AH, implementation Thu Jul 11 15:18:15 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AH) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AH) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AH) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AH) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AH) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AH) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AH) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AH) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit AH) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(59)	GOODSN-ORI090-VAH	RA: 12 36 55.1945 (189.2299771d) Dec: +62 18 21.30 (62.30592d) Equinox: J2000		V=26+/-2
					Miscellaneous
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AH - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(59) GOODSN-ORI 090-VAH	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit AH Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AH	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit AH Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AH	375 Secs (375 Secs) [==>]	[1]
	3		(59) GOODSN-ORI 090-VAH	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit AH Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AH	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit AH Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AH	507 Secs (507 Secs) [==>]	[1]
	5		(59) GOODSN-ORI 090-VAH	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit AH Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AH	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit AH Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AH	507 Secs (507 Secs) [==>]	[1]
	7		(59) GOODSN-ORI 090-VAH	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit AH Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AH	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit AH Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AH	507 Secs (507 Secs) [==>]	[1]
	9		(59) GOODSN-ORI 090-VAH	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-I nt in Tile Visit AH Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit AH	434 Secs (434 Secs) [==>]	[1]

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AH Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AH	340 Secs (340 Secs) [==>]	[1]
11	(59) GOODS-N-ORI 090-VAH	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AH Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AH	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AH Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AH	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit AI - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit AI, implementation Thu Jul 11 15:18:15 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AI) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AI) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AI) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AI) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AI) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AI) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AI) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit AI) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AI) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(60)	GOODSN-ORI090-VAI	RA: 12 36 54.8055 (189.2283562d) Dec: +62 10 14.70 (62.17075d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AI - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(60) GOODSN-ORI 090-VAI	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AI	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AI	375 Secs (375 Secs) [==>]	[1]
	3		(60) GOODSN-ORI 090-VAI	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AI	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AI	507 Secs (507 Secs) [==>]	[1]
	5		(60) GOODSN-ORI 090-VAI	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AI	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AI	507 Secs (507 Secs) [==>]	[1]
	7		(60) GOODSN-ORI 090-VAI	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AI	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AI	507 Secs (507 Secs) [==>]	[1]
	9		(60) GOODSN-ORI 090-VAI	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit AI	434 Secs (434 Secs) [==>]	[1]

10	(1) GOODSN-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AI	340 Secs (340 Secs) [==>]	[1]
11	(60) GOODSN-ORI090-VAI	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AI	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AI Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AI	1369 Secs (1369 Secs) [==>]	[1]




Proposal 12445 - Tile Visit AJ - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit AJ, implementation Thu Jul 11 15:18:16 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AJ) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AJ) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AJ) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AJ) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AJ) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AJ) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AJ) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AJ) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit AJ) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(61)	GOODSN-ORI090-VAJ	RA: 12 36 59.6932 (189.2487217d) Dec: +62 12 25.16 (62.20699d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AJ - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(61) GOODSN-ORI 090-VAJ	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AJ	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AJ	375 Secs (375 Secs) [==>]	[1]
	3		(61) GOODSN-ORI 090-VAJ	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AJ	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AJ	507 Secs (507 Secs) [==>]	[1]
	5		(61) GOODSN-ORI 090-VAJ	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AJ	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AJ	507 Secs (507 Secs) [==>]	[1]
	7		(61) GOODSN-ORI 090-VAJ	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AJ	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODSN-ORI0 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AJ	507 Secs (507 Secs) [==>]	[1]
	9		(61) GOODSN-ORI 090-VAJ	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AJ	434 Secs (434 Secs) [==>]	[1]

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AJ	340 Secs (340 Secs) [==>]	[1]
11	(61) GOODS-N-ORI090-VAJ	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AJ	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AJ Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AJ	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AK - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AK, implementation Thu Jul 11 15:18:17 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AK) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AK) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AK) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AK) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AK) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AK) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AK) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit AK) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AK) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(62)	GOODSN-ORI090-VAK	RA: 12 37 4.5808 (189.2690867d) Dec: +62 14 35.62 (62.24323d) Equinox: J2000		V=26+/-2
					Miscellaneous
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AK - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(62) GOODSN-ORI 090-VAK	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit AK Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AK	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit AK Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AK	375 Secs (375 Secs) [==>]	[1]
	3		(62) GOODSN-ORI 090-VAK	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit AK Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AK	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit AK Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AK	507 Secs (507 Secs) [==>]	[1]
	5		(62) GOODSN-ORI 090-VAK	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit AK Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AK	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit AK Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AK	507 Secs (507 Secs) [==>]	[1]
	7		(62) GOODSN-ORI 090-VAK	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-I nt in Tile Visit AK Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AK	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-I nt in Tile Visit AK Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AK	507 Secs (507 Secs) [==>]	[1]
	9		(62) GOODSN-ORI 090-VAK	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-I nt in Tile Visit AK Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit AK	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AK - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AK Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AK	340 Secs (340 Secs) [==>]	[1]
11	(62) GOODS-N-ORI 090-VAK	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AK Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AK	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AK Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AK	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AL - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AL, implementation Thu Jul 11 15:18:17 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AL) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AL) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AL) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AL) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AL) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AL) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AL) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AL) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit AL) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(63)	GOODSN-ORI090-VAL	RA: 12 37 9.4685 (189.2894521d) Dec: +62 16 46.06 (62.27946d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AL - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(63) GOODS-N-ORI 090-VAL	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AL	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Gro up 1-2 in Sequence 1 -12 Non-Int in Tile V isit AL	375 Secs (375 Secs) [==>]	[1]
	3		(63) GOODS-N-ORI 090-VAL	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AL	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Gro up 3-4 in Sequence 1 -12 Non-Int in Tile V isit AL	507 Secs (507 Secs) [==>]	[1]
	5		(63) GOODS-N-ORI 090-VAL	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AL	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Gro up 5-6 in Sequence 1 -12 Non-Int in Tile V isit AL	507 Secs (507 Secs) [==>]	[1]
	7		(63) GOODS-N-ORI 090-VAL	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AL	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Gro up 7-8 in Sequence 1 -12 Non-Int in Tile V isit AL	507 Secs (507 Secs) [==>]	[1]
	9		(63) GOODS-N-ORI 090-VAL	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Gro up 9-10 in Sequence 1-12 Non-Int in Tile Visit AL	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AL - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AL	340 Secs (340 Secs) [==>]	[1]
11	(63) GOODS-N-ORI 090-VAL	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AL	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AL Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AL	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AM - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AM, implementation Thu Jul 11 15:18:18 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AM) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AM) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AM) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AM) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AM) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AM) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AM) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit AM) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AM) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(1)	GOODSN-ORI090	RA: 12 36 55.0000 (189.2291667d) Dec: +62 14 18.00 (62.23833d) Equinox: J2000		V=26+/-2
Fixed Targets	(64)	GOODSN-ORI090-VAM	RA: 12 37 13.9672 (189.3081967d) Dec: +62 10 49.89 (62.18052d) Equinox: J2000		V=26+/-2

Proposal 12445 - Tile Visit AM - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(64) GOODS-N-ORI 090-VAM	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AM	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AM	375 Secs (375 Secs) [==>]	[1]
	3		(64) GOODS-N-ORI 090-VAM	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AM	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AM	507 Secs (507 Secs) [==>]	[1]
	5		(64) GOODS-N-ORI 090-VAM	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AM	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AM	507 Secs (507 Secs) [==>]	[1]
	7		(64) GOODS-N-ORI 090-VAM	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AM	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		(1) GOODS-N-ORI 90	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AM	507 Secs (507 Secs) [==>]	[1]
	9		(64) GOODS-N-ORI 090-VAM	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AM	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AM - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	(1) GOODS-N-ORI090	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AM	340 Secs (340 Secs) [==>]	[1]
11	(64) GOODS-N-ORI090-VAM	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AM	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AM Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AM	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AN - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AN, implementation Thu Jul 11 15:18:18 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AN) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AN) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AN) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AN) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AN) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AN) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AN) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit AN) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit AN) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(65)	GOODSN-ORI090-VAN	RA: 12 37 18.8548 (189.3285617d) Dec: +62 13 0.31 (62.21675d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit AN - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(65) GOODS-N-ORI 090-VAN	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AN	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AN	375 Secs (375 Secs) [==>]	[1]
	3		(65) GOODS-N-ORI 090-VAN	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AN	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AN	507 Secs (507 Secs) [==>]	[1]
	5		(65) GOODS-N-ORI 090-VAN	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AN	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AN	507 Secs (507 Secs) [==>]	[1]
	7		(65) GOODS-N-ORI 090-VAN	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AN	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AN	507 Secs (507 Secs) [==>]	[1]
	9		(65) GOODS-N-ORI 090-VAN	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AN	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AN - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AN	340 Secs (340 Secs) [==>]	[1]
11	(65) GOODS-N-ORI 090-VAN	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AN	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AN Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AN	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AO - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...


Visit	Proposal 12445, Tile Visit AO, implementation Thu Jul 11 15:18:19 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AO) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Tile Visit AO) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AO) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AO) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AO) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AO) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AO) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Tile Visit AO) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AO) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(66)	GOODSN-ORI090-VAO	RA: 12 37 23.7425 (189.3489271d) Dec: +62 15 10.72 (62.25298d) Equinox: J2000		V=26+/-2 Reference Frame: ICRS

Proposal 12445 - Tile Visit AO - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(66) GOODS-N-ORI 090-VAO	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AO	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AO	375 Secs (375 Secs) [==>]	[1]
	3		(66) GOODS-N-ORI 090-VAO	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AO	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AO	507 Secs (507 Secs) [==>]	[1]
	5		(66) GOODS-N-ORI 090-VAO	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AO	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AO	507 Secs (507 Secs) [==>]	[1]
	7		(66) GOODS-N-ORI 090-VAO	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AO	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AO	507 Secs (507 Secs) [==>]	[1]
	9		(66) GOODS-N-ORI 090-VAO	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AO	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AO - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AO	340 Secs (340 Secs) [==>]	[1]
11	(66) GOODS-N-ORI 090-VAO	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AO	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AO Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AO	1369 Secs (1369 Secs) [==>]	[1]



Proposal 12445 - Tile Visit AP - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Visit	Proposal 12445, Tile Visit AP, implementation Thu Jul 11 15:18:20 GMT 2013				
	Diagnostic Status: Error Scientific Instruments: WFC3/IR, WFC3/UVIS, ACS/WFC Special Requirements: BRIGHT EARTH AVOID 13.5D; ORIENT 62D TO 62 D; VISIBILITY INTERVAL 90 M				
Diagnostics	(Tile Visit AP) Error (Form): Bright Earth Avoidance (degrees) may not be specified in Supported mode or PC Only mode. (Tile Visit AP) Error (Form): The specified Bright Earth Avoidance angle is outside the permitted range. (Primary Exposure 1 (Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AP) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 3 (Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AP) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 5 (Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AP) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Primary Exposure 7 (Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AP) special requirements) Error (Form): QasiStates may not be specified in Supported mode or PC Only mode. (Tile Visit AP) Warning (Orbit Planner): NO VISIBILITY TABLE CORRESPONDING TO BRIGHT EARTH AVOIDANCE ANGLE (Tile Visit AP) Warning (Form): The 'SCHED=100' special requirement must be selected for this visit. (Tile Visit AP) Warning (Form): The proposal is part of a cycle 20 large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(67)	GOODSN-ORI090-VAP	RA: 12 37 38.0165 (189.4084021d) Dec: +62 13 35.30 (62.22647d) Equinox: J2000		V=26+/-2
					Reference Frame: ICRS

Proposal 12445 - Tile Visit AP - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(67) GOODS-N-ORI 090-VAP	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=12; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AP	552.937252 Secs (552.937 Secs) [==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 1-2 in Sequence 1-12 Non-Int in Tile Visit AP	375 Secs (375 Secs) [==>]	[1]
	3		(67) GOODS-N-ORI 090-VAP	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG +0.540,- 0.243; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AP	602.934229 Secs (602.934 Secs) [==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 3-4 in Sequence 1-12 Non-Int in Tile Visit AP	507 Secs (507 Secs) [==>]	[1]
	5		(67) GOODS-N-ORI 090-VAP	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.340,- 0.301; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AP	602.934229 Secs (602.934 Secs) [==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 5-6 in Sequence 1-12 Non-Int in Tile Visit AP	507 Secs (507 Secs) [==>]	[1]
	7		(67) GOODS-N-ORI 090-VAP	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+ 0.244; QASISTATES WFC 3 DET IROCC IRO CC	Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AP	602.934229 Secs (602.934 Secs) [==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 7-8 in Sequence 1-12 Non-Int in Tile Visit AP	507 Secs (507 Secs) [==>]	[1]
	9		(67) GOODS-N-ORI 090-VAP	WFC3/UVIS, ACCUM, UVIS-CENTER	F350LP	CR-SPLIT=NO	POS TARG 0.065,0. 015	Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AP	434 Secs (434 Secs) [==>]	[1]

Proposal 12445 - Tile Visit AP - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-North Field, Late Visits of S...

10	ANY	ACS/WFC, ACCUM, WFC	F814W			Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 9-10 in Sequence 1-12 Non-Int in Tile Visit AP	340 Secs (340 Secs) [==>]	[1]
11	(67) GOODS-N-ORI 090-VAP	WFC3/UVIS, ACCUM, UVIS-CENTER	F275W	CR-SPLIT=NO; FLASH=11	POS TARG 0.015,0.015	Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AP	1480 Secs (1480 Secs) [==>]	[1]
12	ANY	ACS/WFC, ACCUM, WFC1-1K	F658N			Sequence 1-12 Non-Int in Tile Visit AP Prime + Parallel Group 11-12 in Sequence 1-12 Non-Int in Tile Visit AP	1369 Secs (1369 Secs) [==>]	[1]

