



13056 - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched Visits

Cycle: 18, Proposal Category: GO

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Sandra M. Faber (PI) (Contact)	University of California - Santa Cruz	faber@ucolick.org
Dr. Harry C. Ferguson (CoI) (Contact)	Space Telescope Science Institute	ferguson@stsci.edu
Dr. Matthew L. N. Ashby (CoI)	Smithsonian Institution Astrophysical Observatory	mashby@cfa.harvard.edu
Dr. Marco Barden (CoI) (ESA Member)	Universitat Innsbruck, Institut fur Astronomie	marco.barden@uibk.ac.at
Dr. Eric F. Bell (CoI)	University of Michigan	ericbell@umich.edu
Dr. Karina Caputi (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	kic@roe.ac.uk
Dr. Michele Cirasuolo (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	ciras@roe.ac.uk
Dr. Darren Croton (CoI)	Swinburne University of Technology	darren@astron.berkeley.edu
Dr. Romeel Dave (CoI)	University of Arizona	rad@as.arizona.edu
Dr. Avishai Dekel (CoI)	The Hebrew University	dekel@phys.huji.ac.il
Dr. James S. Dunlop (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	jsd@roe.ac.uk
Dr. Aaron Dutton (CoI)	University of Victoria	dutton@uvic.ca
Dr. Giovanni G. Fazio (CoI)	Smithsonian Institution Astrophysical Observatory	gfazio@cfa.harvard.edu
Dr. Boris Haeussler (CoI) (ESA Member)	University of Nottingham	boris@mpia-hd.mpg.de
Dr. Jiasheng Huang (CoI)	Smithsonian Institution Astrophysical Observatory	jhuang@cfa.harvard.edu
Dr. Dale D. Kocevski (CoI) (Contact)	University of California - Santa Cruz	kocevski@ucolick.org
Dr. Anton M. Koekemoer (CoI) (Contact)	Space Telescope Science Institute	koekemoer@stsci.edu
Dr. David C. Koo (CoI)	University of California - Santa Cruz	koo@ucolick.org
Dr. Kamson Lai (CoI)	University of California - Santa Cruz	klai@ucolick.org
Dr. Jennifer Lotz (CoI)	Space Telescope Science Institute	lotz@stsci.edu

Proposal 13056 (STScI Edit Number: 3, Created: Wednesday, June 6, 2012 8:55:51 PM EST) - Overview

Name	Institution	E-Mail
Dr. Patrick J. McCarthy (CoI)	Carnegie Institution of Washington	pmccarthy@gmto.org
Dr. Daniel McIntosh (CoI)	University of Missouri - Kansas City	mcintoshdh@umkc.edu
Dr. Ross McLure (CoI) (ESA Member)	Royal Observatory Edinburgh	rjm@roe.ac.uk
Mr. Mark Mozena (CoI)	University of California - Santa Cruz	mmozena@ucolick.org
Dr. Kirpal Nandra (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	knandra@mpe.mpg.de
Dr. Jeffrey Allen Newman (CoI)	University of Pittsburgh	jnewman@pitt.edu
Dr. Kai G. Noeske (CoI)	Space Telescope Science Institute	noeske@stsci.edu
Dr. Joel R. Primack (CoI)	University of California - Santa Cruz	joel@physics.ucsc.edu
Dr. Loic de Ravel (CoI) (ESA Member)	University of Edinburgh, Institute for Astronomy	ldr@roe.ac.uk
Dr. Adam Riess (CoI) (Contact)	Space Telescope Science Institute	ariess@stsci.edu
Dr. Hans-Walter Rix (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	rix@mpia.de
Dr. Aday Robaina (CoI) (ESA Member)	Universidad de Barcelona	arobaina@icc.ub.edu
Dr. David J. V. Rosario (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	rosario@mpe.mpg.de
Dr. Luc Simard (CoI)	Dominion Astrophysical Observatory	luc.simard@nrc.ca
Dr. Arjen van der Wel (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	vdwel@mpia.de
Prof. Risa H. Wechsler (CoI)	Stanford University	rwechsler@stanford.edu
Dr. Benjamin Weiner (CoI)	University of Arizona	bjw@as.arizona.edu
Dr. Stijn Wuyts (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik	swuyts@mpe.mpg.de
Prof. Haojing Yan (CoI)	University of Missouri - Columbia	yanhaojing@gmail.com
Prof. Mauro Giavalisco (CoI)	University of Massachusetts	mauro@astro.umass.edu
Dr. Mark Dickinson (CoI)	National Optical Astronomy Observatory, AURA	med@noao.edu
Dr. David M. Alexander (CoI) (ESA Member)	University of Durham	d.m.alexander@durham.ac.uk
Dr. Frederic Bournaud (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	frederic.bournaud@cea.fr
Dr. Thomas M. Brown (CoI)	Space Telescope Science Institute	tbrown@stsci.edu
Dr. Stefano Casertano (CoI)	Space Telescope Science Institute	stefano@stsci.edu
Dr. Paolo Cassata (CoI) (ESA Member)	Laboratoire d'Astrophysique de Marseille	paolo.cassata@oamp.fr
Mr. Peter Challis (CoI)	Australian National University	pchallis@mso.anu.edu.au
Dr. Ranga-Ram Chary (CoI)	California Institute of Technology	rchary@caltech.edu
Dr. Christopher J. Conselice (CoI) (ESA Member)	University of Nottingham	conselice@nottingham.ac.uk
Prof. Asantha Roshan Cooray (CoI)	University of California - Irvine	acooray@uci.edu
Dr. Emanuele Daddi (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	edaddi@cea.fr
Dr. Tomas Dahlen (CoI)	Space Telescope Science Institute	dahlen@stsci.edu

Proposal 13056 (STScI Edit Number: 3, Created: Wednesday, June 6, 2012 8:55:51 PM EST) - Overview

Name	Institution	E-Mail
Dr. Duilia F. de Mello (CoI)	Catholic University of America	demello@cua.edu
Mr. Timothy Dolch (CoI)	The Johns Hopkins University	tdolch1@pha.jhu.edu
Dr. Jennifer Donley (CoI)	Los Alamos National Laboratory	donley@stsci.edu
Dr. David Elbaz (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	elbaz@discovery.saclay.cea.fr
Prof. Alex V. Filippenko (CoI)	University of California - Berkeley	alex@astro.berkeley.edu
Dr. Adriano Fontana (CoI) (ESA Member)	INAF, Osservatorio Astronomico di Roma	fontana@oa-roma.inaf.it
Dr. Joshua Frieman (CoI)	University of Chicago	frieman@fnal.gov
Dr. Jonathan P. Gardner (CoI)	NASA Goddard Space Flight Center	jonathan.p.gardner@nasa.gov
Dr. Peter Garnavich (CoI)	University of Notre Dame	pgarnavi@nd.edu
Prof. Eric Gawiser (CoI)	Rutgers the State University of New Jersey	gawiser@physics.rutgers.edu
Dr. Andrea Grazian (CoI) (ESA Member)	INAF, Osservatorio Astronomico di Roma	grazian@oa-roma.inaf.it
Dr. Norman Grogin (CoI) (Contact)	Space Telescope Science Institute	nagrogin@stsci.edu
Mr. Yicheng Guo (CoI)	University of Massachusetts	yicheng@astro.umass.edu
Dr. Philip F. Hopkins (CoI)	University of California - Berkeley	phopkins@astro.berkeley.edu
Dr. Saurabh W. Jha (CoI)	Rutgers the State University of New Jersey	saurabh@physics.rutgers.edu
Dr. Jeyhan Kartaltepe (CoI)	National Optical Astronomy Observatory, AURA	jeyhan@noao.edu
Dr. Rick Kessler (CoI)	University of Chicago	kessler@hep.uchicago.edu
Prof. Robert P. Kirshner (CoI)	Harvard University	kirshner@cfa.harvard.edu
Dr. Kyoung-Soo Lee (CoI)	Purdue University	soolee@purdue.edu
Mr. Ray Lucas (CoI)	Space Telescope Science Institute	lucas@stsci.edu
Dr. Piero Madau (CoI)	University of California - Santa Cruz	pmadau@ucolick.org
Dr. Bahram Mobasher (CoI)	University of California - Riverside	mobasher@ucr.edu
Dr. Leonidas Moustakas (CoI)	Jet Propulsion Laboratory	leonidas@jpl.nasa.gov
Prof. Casey Papovich (CoI)	Texas A & M Research Foundation	papovich@physics.tamu.edu
Dr. Alexandra Pope (CoI)	University of Massachusetts	pope@noao.edu
Dr. Swara Ravindranath (CoI)	Inter-University Centre for Astronomy and Astrophysics	swara@stsci.edu
Dr. Naveen A. Reddy (CoI)	University of California - Riverside	naveenr@ucr.edu
Prof. Alvio Renzini (CoI) (ESA Member)	Osservatorio Astronomico di Padova	alvio.renzini@oapd.inaf.it
Dr. Piero Rosati (CoI) (ESA Member)	European Southern Observatory - Germany	prosati@eso.org
Dr. Sara Salimbeni (CoI)	University of Massachusetts	salimben@astro.umass.edu
Prof. Claudia Scarlata (CoI)	University of Minnesota - Twin Cities	scarlata@astro.umn.edu
Prof. Brian Siana (CoI) (Contact)	University of California - Riverside	brian.siana@ucr.edu

Name	Institution	E-Mail
Dr. Rachel S. Somerville (CoI)	Space Telescope Science Institute	somerville@stsci.edu
Prof. Hyron Spinrad (CoI)	University of California - Berkeley	hspinrad@astro.berkeley.edu
Dr. Louis G. Strolger (CoI)	Western Kentucky University	louis.strolger@wku.edu
Dr. Amber Straughn (CoI)	NASA Goddard Space Flight Center	amber.n.straughn@nasa.gov
Dr. Harry Teplitz (CoI)	California Institute of Technology	hit@ipac.caltech.edu
Dr. Tommy Wiklind (CoI)	Space Telescope Science Institute	wiklind@stsci.edu
Dr. Grant Wilson (CoI)	University of Massachusetts	wilson@astro.umass.edu
Prof. Min S. Yun (CoI)	University of Massachusetts	myun@astro.umass.edu
Dr. Weidong Li (CoI)	University of California - Berkeley	wli@astro.berkeley.edu
Dr. Nimish P. Hathi (CoI)	Carnegie Institution of Washington	nhathi@obs.carnegiescience.edu
Dr. Steven A. Rodney (CoI) (Contact)	The Johns Hopkins University	rodney@jhu.edu
Dr. Steven L. Finkelstein (CoI)	University of Texas at Austin	stevenf@astro.as.utexas.edu

VISITS

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
3E	(4) GOODS-S1-V3E ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:49:07.0	yes
3F	(5) GOODS-S1-V3F ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:49:26.0	yes
3G	(6) GOODS-S1-V3G ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:49:43.0	yes
3H	(7) GOODS-S1-V3H ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:49:59.0	yes
3I	(8) GOODS-S1-V3I ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:50:17.0	yes
3J	(9) GOODS-S1-V3J ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:50:36.0	yes
3K	(10) GOODS-S1-V3K ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:50:53.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
3L	(11) GOODS-S1-V3L ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:51:11.0	yes
3M	(12) GOODS-S1-V3M ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:51:27.0	yes
3N	(13) GOODS-S2-V3N ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:51:42.0	yes
3Q	(16) GOODS-S2-V3Q ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:51:56.0	yes
3S	(18) GOODS-S2-V3S ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:52:16.0	yes
3U	(24) GOODS-WIDE115-V3U ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:52:28.0	yes
3V	(25) GOODS-WIDE115-V3V ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:52:37.0	yes
3W	(26) GOODS-WIDE115-V3W ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:52:45.0	yes
3X	(27) GOODS-WIDE115-V3X ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:52:53.0	yes
3Y	(28) GOODS-WIDE115-V3Y ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:53:01.0	yes
3Z	(29) GOODS-WIDE115-V3Z ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:53:09.0	yes
4A	(19) GOODS-WIDE115-V4A ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:53:18.0	yes
4B	(20) GOODS-WIDE115-V4B ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:53:26.0	yes
4C	(21) GOODS-WIDE115-V4C ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:53:34.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
4D	(22) GOODS-WIDE115-V4D ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:53:42.0	yes
3R	(17) GOODS-S2-V3R ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:53:57.0	yes
3O	(14) GOODS-S2-V3O ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:54:14.0	yes
AN	(13) GOODS-S2-V3N ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:54:29.0	yes
AQ	(16) GOODS-S2-V3Q ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:54:44.0	yes
AS	(18) GOODS-S2-V3S ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:55:01.0	yes
AO	(14) GOODS-S2-V3O ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:55:16.0	yes
3P	(15) GOODS-S2-V3P ANY	ACS/WFC WFC3/IR	3	06-Jun-2012 21:55:30.0	yes
3T	(23) GOODS-WIDE115-V3T ANY	ACS/WFC WFC3/IR	1	06-Jun-2012 21:55:40.0	yes

68 Total Orbits Used

ABSTRACT

The Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey (CANDELS) is designed to document the first third of galactic evolution from $z = 8$ to 1.5 via deep imaging of more than 250,000 galaxies with WFC3/IR and ACS. It will also find the first Type Ia SNe beyond $z > 1.5$ and establish their accuracy as standard candles for cosmology. Five premier multi-wavelength sky regions selected from the Spitzer Extragalactic Deep Survey (SEDS) provide complementary IRAC imaging

data down to 26.5 AB mag, a unique resource for stellar masses at all redshifts. The use of very widely separated fields mitigates cosmic variance and yields statistically robust and complete samples of galaxies down to 10^9 solar masses out to $z \sim 8$.

The program merges two originally separate MCT proposals. The Faber program incorporates a “Wide” imaging survey in three separate fields to ~ 2 orbit depth over ~ 0.2 sq. degrees, plus a “Deep” imaging survey to ~ 12 orbit depth in the two GOODS regions over ~ 0.04 sq. degrees. When combined with ultra-deep imaging from the Hubble Ultradeep Field program (GO 11563), the result is a three-tiered strategy that efficiently samples both bright/rare and faint/common extragalactic objects. The Ferguson program adds an extensive high-redshift Type Ia SNe search, plus ultraviolet “daytime” UVIS exposures in GOODS-N to exploit the CVZ opportunity in that field.

This program, GO 12060, is part of the GOODS-S Deep survey. Special Deep science highlights include:

- * Detection and counts of early galaxies to $z \sim 7-8$ as revealed by red-sensitive WFC3-IR images beyond the Ly α break
- Measurement of the luminosity function of infant galaxies down to 10^9 solar masses out to $z = 7-8$
- Measurement of the faint-end LF slope to assess the contribution of faint galaxies to cosmic reionization
- * The physics of early star formation
- Properties of the earliest star-forming regions -- sizes, star-formation rates, stellar masses and radiation densities, dust contents

Proposal 13056 (STScI Edit Number: 3, Created: Wednesday, June 6, 2012 8:55:51 PM EST) - Overview

- In concert with Spitzer/IRAC data, measurement of the key relation between star-formation rate and stellar mass -- what set the rate of early star formation in galaxies?
- When did star-formation begin to slow down? In what types of objects? Why?
- * Structural properties, stellar masses, and environments of the earliest identifiable non-QSO AGN as revealed by WFC3-IR
- * Structure of highly reddened, dust-obscured galaxies
- * Deep imaging of the outer envelopes of galaxies
 - Evidence for galaxy-galaxy interactions; counts of merging galaxies
 - Growth of the outer envelopes and evolution of structure of spheroidal galaxies
- * Search for Type Ia SNe to $z \sim 2$ exploiting the long-wavelength J and H sensitivity of WFC3-IR. The first comprehensive search for Type Ia's at these large distances and early epochs.

OBSERVING DESCRIPTION

GOODS-S Overview:

The CANDELS program in Cycle 18 includes:

GO 12060: Deep mosaic in GOODS-S: Y-band + one skirt epoch

GO 12061: Deep mosaic in GOODS-S: J+H, epochs 1-5 + 2 skirt epochs

GO 12062: Deep mosaic in GOODS-S: J+H, epochs 6-10

GO 12063: Wide mosaic in Extended Groth Strip (EGS)

GO 12064: Wide mosaic in UKIDSS/Ultradeep Survey (UDS)

Field maps and details are at <http://candels.ucolick.org>.

Program GO 12060 executes the Y-band observations in GOODS-S, which

are not designed specifically for SNe search (though some may be found). One epoch of skirt observations is also included.

GOODS-S observations are in two flavors: 1) the Deep area proper, which covers approximately 3x5 WFC3-IR tiles and runs east-west near the middle of the GOODS-S region, and 2) the "skirt", which contains 9 tiles in a roughly rectangular pattern running parallel to Deep but offset to the south. The transverse layout of Deep matches the deepest IRAC data in GOODS-S, which are needed for stellar masses. The Deep region and its skirt coordinate with one another and with existing WFC3 and ACS data to achieve the observational goals of the GOODS-S Deep program, as follows:

1) Detect $z \sim 7-8$ galaxies down to $0.5L^*$ by imaging the Deep area to an *effective* depth of 4 orbits in WFC3-IR F125W and F160W and 3 orbits in Y. The reduction to 3 orbits in Y frees up 15 orbits for the skirt area without impacting the SNe search (Y is not prime for SNe) and was tested with extensive sensitivity simulations. The actual number of orbits used for J and H is 5 in order to allow for the inclusion of F350LP exposures in WFC3-UVIS for SNe rejection (see below), hence the term "effective" for the J and H exposure times.

2) Provide at least 32,000 s of exposure time in F814W at each point within the Deep area. This is needed to establish the Ly α break in distant $z \sim 7-8$ galaxies and is essential for discriminating them from reddened foreground galaxies at $z \sim 2$. The quota for F814W is met by adding together ACS parallels from the present program (GO 12060-2) to parallels in existing F814W exposures plus future F814W exposures that are planned in GO 11563. A considerable fraction of the ACS

parallel coverage on Deep comes from parallels that originate from the skirt region, which has been placed to the south to balance ERS2 to the north and additionally increases total WFC3-IR coverage in GOODS-S.

3) Maximize the number of J and H orbits usable for SNe searching. SNe are discovered in J and H, but low-redshift interlopers and other SNe types are rejected using short-wavelength ACS exposures taken close in time. These should preferably be taken within 3 days of J/H. The short-wavelength exposure can in principle be provided by 1300 s in contemporaneous F606W ACS parallels, but in practice these are not available over most of GOODS-S, and so a short ~ 430 s F350LP UVIS exposure is inserted into the J/H orbit instead. The follow-up for discovered SNe is provided in GO 12099.

Meeting the above requirements creates a complex interlocking puzzle in which one must lay out two seamless mosaics to the required depth in both the Deep and skirt areas, locate and orient them to match existing data (e.g., IRAC), have ACS parallels lie on top of the WFC3-IR area as much as possible, reach the desired minimum exposure time of 32,000 s in parallel F814W in the Deep area, use any excess parallel exposure time beyond this productively, take Deep data at multiple epochs spaced ~ 52 d apart for SNe searching, operate within the narrow range of ORIENTs available at each epoch, allow for at least 30 days of SNe follow-up time after each SNe search epoch, identify suitable guide stars for all observations, break up each orbit into enough exposures to produce a reasonable dither pattern but not waste too much time in extra readouts, and work around solar avoidance, which removes ~ 60 degrees and two months of calendar time in April-May from the available ORIENTs. The final design was

adopted after exploring many possibilities and represents a compromise. It is generally impossible to perturb any aspect of the program significantly without adversely impacting several others.

Details of GOODS-S observations:

* Filters used: Y = F105W, J = F125W, H = F160W, V = F606W, I = F814W,
z = F850LP

* Deep area, J and H exposures:

- 10 1-orbit epochs lasting from Oct 2010 to Feb 2012
- Nominal WFC3-IR exposure times per orbit: 1/2 orbit J, 1/2 orbit H, each broken into two sub-exposures. J and H are co-added

for SNe searching; the four exposures yield a good dither pattern

- F350LP inserted for low-z SNe rejection
- Total effective exposure time allowing for F350LP: 4 orbit depth in J, 4 orbit depth in H
- 10 epochs span solar avoidance gap of ~50 days, permit 8 prime SNe search epochs with 52 d cadence plus one less sensitive search across solar avoidance gap

* Skirt area, J and H exposures:

- Two 1-orbit epochs taken in Jan 2011 and Feb 2011
- Nominal WFC3-IR exposure times per orbit: 1/3 orbit J, 2/3 orbit H, each one broken into two sub-exposures (mimics Wide mosaics in other fields)
- 2 epochs permit one epoch of SNe search on each skirt tile

* Deep and skirt areas, Y:

- 3 orbits in Deep, to complement 4-orbit J+H there
- 1 orbit at another epoch in skirt, to complement 2-orbit J+H there

Proposal 13056 (STScI Edit Number: 3, Created: Wednesday, June 6, 2012 8:55:51 PM EST) - Overview

- All epochs chosen to throw ACS parallels maximally onto Deep
- * SNe search combines all J and H exposures from each epoch into a single image. Small-scale four-point dither treats them as part of same exposure, gives sub-pixel sampling
- * ACS parallels lying completely or largely within the Deep area:
 - Default filter is I-band with goal of obtaining at least 32,000 sec of exposure time at virtually all locations within the Deep area. Sum includes all known past and future I exposures from other programs at that field location. Getting sufficient I takes precedence over getting V in a contemporaneous parallel if total I goal is not met
 - Next goal is one orbit (~2500 sec) of z, for variability studies. Again, this takes precedence over V parallel
 - If above goals are met, take up to two orbits (5,000 s) of V
 - If still more time is left, put into I
- * ACS parallels lying largely outside the Deep area:
 - First goal is to get one orbit (2500 sec) of I everywhere
 - Second goal is to get one orbit (2500 sec) of z for variability studies
 - If still more time, put into 2/3 I and 1/3 V to mimic the balance in the Wide mosaics
- * Gap from early April to late May due to solar avoidance:
 - The gap in 2011 is Apr 7 - May 27 inclusive (50 d)
 - 30 d are budgeted for SNe searching after the last search epoch before solar avoidance (Epoch 4)
 - Deep epochs before solar avoidance are covered by GO 12061. Both skirt J/H epochs are also included in GO 12061
 - Deep epochs after solar avoidance are covered by GO 12062. There are no skirt epochs in GO 12062

Specifics of GO 12060:

* Y in the Deep area:

- Since Y-band is not used to search for SNe, Y exposures can be tuned to throw their parallels onto Deep. Y is a major source of parallels for Deep
- 3-orbit exposures are taken at each location, all at the same visit and ORIENT
- The 3x5 Y-band mosaic covers the Deep area and is divided into two epochs:
 - 2x3 tiles are observed at one epoch (Jun 2011), 3x3 tiles at a second epoch 180 deg apart (Nov-Dec 2011). Both epochs throw parallels onto the Deep area. The mosaic is seamless except:
 - Tile 3I is shifted south to find a guide star
 - Tile 3R is rotated slightly to put its ACS parallel in an underobserved part of Deep
 - Tile 3P is rotated to find a guide star
- The chosen mosaic overlap is 4%, which yields a minimum overlap of 1% (1.3") in the short direction to defend against estimated pointing errors of ~0.2-0.25"
- ? dither pattern

* Y in the skirt area (Mar 2011):

- The skirt consists of 8 WFC3-IR tiles in a 2x4 array, plus three additional J+H tiles that were added to boost ACS parallel coverage in underserved parts of the Deep region
- The skirt array is offset to the south of the Deep area and runs parallel to it (east-west)
- Parallels from the skirt overlie the Deep region as much as possible
- 1-orbit Y exposures are taken at each skirt location
- The chosen mosaic overlap is again 4%

Proposal 13056 (STScI Edit Number: 3, Created: Wednesday, June 6, 2012 8:55:51 PM EST) - Overview

- The three extra J+H tiles (4B, 4C, 4D) consist of 1/3 orbit J and 2/3 orbit H to match the other J+H skirt observations
- ? dither pattern

* Timing

- Y is not designed to search for SNe. The observations can be taken any time that the desired ORIENTs are available.
The specified ORIENTs are needed to create mosaics that are as seamless as possible given the guide star constraints

ADDITIONAL COMMENTS

Comments for schedulers:

Guide stars:

- * Guide stars have been pre-screened. Use of "SINGLES" is approved by the PI.

BETWEENs and ORIENTs:

- * The BETWEEN epochs are chosen to place all ACS parallel coverage as much as possible on top of the Deep region
- * The ORIENTs are identical to get seamless WFC3-IR mosaics
- * A few tiles are rotated or displaced in order to get guide stars
- * There are no other timing requirements besides BETWEEN/ORIENT

Bright objects -- persistence:


- * The Deep Y-band exposures will be pushed to the deepest possible limiting magnitude. Please do not schedule bright objects (like star clusters) in the 8?-orbit window before our observations

Proposal 13056 - Visit 3E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3E, completed					Thu Jun 07 01:55:52 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 25.0D TO 25.0 D; BETWEEN 21-NOV-2011:12:00:00 AND 01-DEC-2011:12:00:00					
Diagnostics	(Visit 3E) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 3E) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(4)	GOODS-S1-V3E	RA: 03 32 33.8877 (53.1411988d) Dec: -27 50 20.54 (-27.83904d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS


Proposal 13056 - Visit 3E - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(4) GOODS-S1-V3E	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-2 in Visit 3E	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3E	1170.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(4) GOODS-S1-V3E	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3E	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3E	1160.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(4) GOODS-S1-V3E	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0 273	Prime + Parallel Gro up 5-6 in Visit 3E	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Visit 3E	1249.0 Secs [==>]	[2]
	7		(4) GOODS-S1-V3E	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0 091	Prime + Parallel Gro up 7-8 in Visit 3E	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Visit 3E	1303.0 Secs [==>]	[2]
	9		(4) GOODS-S1-V3E	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0 212	Prime + Parallel Gro up 9-10 in Visit 3E	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Visit 3E	1303.0 Secs [==>]	[3]
	11		(4) GOODS-S1-V3E	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0 394	Prime + Parallel Gro up 11-12 in Visit 3E	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 11-12 in Visit 3E	1303.0 Secs [==>]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit 3F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3F, completed Thu Jun 07 01:55:56 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 25.0D TO 25.0 D; BETWEEN 21-NOV-2011:12:00:00 AND 01-DEC-2011:12:00:00				
Diagnostics	(Visit 3F) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(5)	GOODS-S1-V3F	RA: 03 32 30.3562 (53.1264842d) Dec: -27 48 14.06 (-27.80391d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit 3F - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(5) GOODS-S1-V3F	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212	Prime + Parallel Gro up 1-2 in Visit 3F	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3F	1080.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(5) GOODS-S1-V3F	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3F	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3F	1160.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(5) GOODS-S1-V3F	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit 3F	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Visit 3F	1249.0 Secs [==>]	[2]
	7		(5) GOODS-S1-V3F	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit 3F	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Visit 3F	1303.0 Secs [==>]	[2]
	9		(5) GOODS-S1-V3F	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit 3F	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Visit 3F	1303.0 Secs [==>]	[3]
	11		(5) GOODS-S1-V3F	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit 3F	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 11-12 in Visit 3F	1303.0 Secs [==>]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604



Proposal 13056 - Visit 3G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searche...

Visit	Proposal 13056, Visit 3G, completed					Thu Jun 07 01:55:59 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 25.0D TO 25.0 D; BETWEEN 21-NOV-2011:12:00:00 AND 01-DEC-2011:12:00:00					
Diagnos	(Visit 3G) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(6)	GOODS-S1-V3G	RA: 03 32 26.8248 (53.1117700d)		V=26.0+/-2.0	Reference Frame: ICRS
			Dec: -27 46 7.58 (-27.76877d)			
			Equinox: J2000			


Proposal 13056 - Visit 3G - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Search...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(6) GOODS-S1-V3G	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-2 in Visit 3G	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3G	1080.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(6) GOODS-S1-V3G	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3G	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3G	1160.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(6) GOODS-S1-V3G	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0 273	Prime + Parallel Gro up 5-6 in Visit 3G	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Visit 3G	1249.0 Secs [==>]	[2]
	7		(6) GOODS-S1-V3G	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0 091	Prime + Parallel Gro up 7-8 in Visit 3G	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Visit 3G	1303.0 Secs [==>]	[2]
	9		(6) GOODS-S1-V3G	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0 212	Prime + Parallel Gro up 9-10 in Visit 3G	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Visit 3G	1303.0 Secs [==>]	[3]
	11		(6) GOODS-S1-V3G	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0 394	Prime + Parallel Gro up 11-12 in Visit 3G	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 11-12 in Visit 3G	1303.0 Secs [==>]	[3]

Orbit Structure


Orbit 1

Server Version: 20120604




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit 3H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3H, completed					Thu Jun 07 01:56:02 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 25.0D TO 25.0 D; BETWEEN 21-NOV-2011:12:00:00 AND 01-DEC-2011:12:00:00					
Diagnostics	(Visit 3H) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 3H) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(7)	GOODS-S1-V3H	RA: 03 32 42.4088 (53.1767033d) Dec: -27 49 38.64 (-27.82740d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS


Proposal 13056 - Visit 3H - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(7) GOODS-S1-V3H	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-2 in Visit 3H	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3H	1170.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(7) GOODS-S1-V3H	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3H	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3H	1160.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(7) GOODS-S1-V3H	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0 273	Prime + Parallel Gro up 5-6 in Visit 3H	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Visit 3H	1249.0 Secs [==>]	[2]
	7		(7) GOODS-S1-V3H	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0 091	Prime + Parallel Gro up 7-8 in Visit 3H	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Visit 3H	1303.0 Secs [==>]	[2]
	9		(7) GOODS-S1-V3H	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0 212	Prime + Parallel Gro up 9-10 in Visit 3H	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Visit 3H	1303.0 Secs [==>]	[3]
	11		(7) GOODS-S1-V3H	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0 394	Prime + Parallel Gro up 11-12 in Visit 3H	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 11-12 in Visit 3H	1303.0 Secs [==>]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit 3I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched ...

Visit	Proposal 13056, Visit 3I, completed					Thu Jun 07 01:56:05 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 25.0D TO 25.0 D; BETWEEN 21-NOV-2011:12:00:00 AND 01-DEC-2011:12:00:00					
Diagnostics	(Visit 3I) Warning (Orbit Planner): VISIBILITY OVERRUN					
	(Visit 3I) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME					
	(Visit 3I) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME					
	(Visit 3I) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME					
	(Visit 3I) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 3I) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME					
	(Visit 3I) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(8)	GOODS-S1-V3I	RA: 03 32 39.6629 (53.1652621d) Dec: -27 48 0.31 (-27.80009d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS


Proposal 13056 - Visit 3I - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched ...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(8) GOODS-S1-V3I	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -45.237, -0.212; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-2 in Visit 3I	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3I	1170.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(8) GOODS-S1-V3I	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -44.695, -0.03	Prime + Parallel Gro up 3-4 in Visit 3I	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3I	1160.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(8) GOODS-S1-V3I	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -44.898, 0.273	Prime + Parallel Gro up 5-6 in Visit 3I	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 5-6 in Visit 3I	1240.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	7		(8) GOODS-S1-V3I	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -45.44,0 .091	Prime + Parallel Gro up 7-8 in Visit 3I	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 7-8 in Visit 3I	1240.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	9		(8) GOODS-S1-V3I	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -44.763, 0.212	Prime + Parallel Gro up 9-10 in Visit 3I	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 9-10 in Visit 3I	1240.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]
	11		(8) GOODS-S1-V3I	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -44.221, 0.394	Prime + Parallel Gro up 11-12 in Visit 3I	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 11-12 in Visit 3I	1240.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit 3J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3J, completed Thu Jun 07 01:56:09 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 25.0D TO 25.0 D; BETWEEN 21-NOV-2011:12:00:00 AND 01-DEC-2011:12:00:00				
Diagnostics	(Visit 3J) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(9)	GOODS-S1-V3J	RA: 03 32 35.3460 (53.1472750d) Dec: -27 45 25.71 (-27.75714d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit 3J - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(9) GOODS-S1-V3J	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212	Prime + Parallel Gro up 1-2 in Visit 3J	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3J	1080.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(9) GOODS-S1-V3J	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3J	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3J	1160.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(9) GOODS-S1-V3J	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit 3J	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Visit 3J	1249.0 Secs [==>]	[2]
	7		(9) GOODS-S1-V3J	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit 3J	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Visit 3J	1303.0 Secs [==>]	[2]
	9		(9) GOODS-S1-V3J	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit 3J	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Visit 3J	1303.0 Secs [==>]	[3]
	11		(9) GOODS-S1-V3J	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit 3J	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 11-12 in Visit 3J	1303.0 Secs [==>]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit 3K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3K, completed Thu Jun 07 01:56:12 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 25.0D TO 25.0 D; BETWEEN 21-NOV-2011:12:00:00 AND 01-DEC-2011:12:00:00				
Diagnostics	(Visit 3K) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME (Visit 3K) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME (Visit 3K) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME (Visit 3K) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100. (Visit 3K) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME (Visit 3K) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME (Visit 3K) Warning (Orbit Planner): VISIBILITY OVERRUN				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(10)	GOODS-S1-V3K	RA: 03 32 50.9300 (53.2122083d) Dec: -27 48 56.71 (-27.81575d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit 3K - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(10) GOODS-S1-V3 K	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-2 in Visit 3K	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3K	1170.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(10) GOODS-S1-V3 K	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3K	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3K	1160.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(10) GOODS-S1-V3 K	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit 3K	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 5-6 in Visit 3K	1240.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	7		(10) GOODS-S1-V3 K	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit 3K	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 7-8 in Visit 3K	1240.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	9		(10) GOODS-S1-V3 K	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit 3K	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 9-10 in Visit 3K	1240.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]
	11		(10) GOODS-S1-V3 K	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit 3K	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 11-12 in Visit 3K	1240.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604



Proposal 13056 - Visit 3L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3L, completed					Thu Jun 07 01:56:16 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 25.0D TO 25.0 D; BETWEEN 21-NOV-2011:12:00:00 AND 01-DEC-2011:12:00:00					
Diagnostics	(Visit 3L) Warning (Orbit Planner): VISIBILITY OVERRUN					
	(Visit 3L) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
	(Visit 3L) Warning (Orbit Planner): PARALLELS SIGNIFICANTLY EXTEND ALIGNMENT TIME					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(11)	GOODS-S1-V3L	RA: 03 32 47.3986 (53.1974942d) Dec: -27 46 50.26 (-27.78063d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS


Proposal 13056 - Visit 3L - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(11) GOODS-S1-V3 L	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-2 in Visit 3L	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3L	1080.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(11) GOODS-S1-V3 L	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3L	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3L	1160.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(11) GOODS-S1-V3 L	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit 3L	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 5-6 in Visit 3L	1216.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	7		(11) GOODS-S1-V3 L	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit 3L	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 7-8 in Visit 3L	1216.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	9		(11) GOODS-S1-V3 L	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit 3L	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 9-10 in Visit 3L	1220.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]
	11		(11) GOODS-S1-V3 L	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit 3L	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 11-12 in Visit 3L	1220.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]

Orbit Structure


Orbit 1

Server Version: 20120604




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604



Proposal 13056 - Visit 3M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searche...

Visit	Proposal 13056, Visit 3M, completed					Thu Jun 07 01:56:19 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 25.0D TO 25.0 D; BETWEEN 21-NOV-2011:12:00:00 AND 01-DEC-2011:12:00:00					
Diagnosics	(Visit 3M) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(12)	GOODS-S1-V3M	RA: 03 32 43.8671 (53.1827796d) Dec: -27 44 43.81 (-27.74550d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS


Proposal 13056 - Visit 3M - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searches...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(12) GOODS-S1-V3 M	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-2 in Visit 3M	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3M	1080.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(12) GOODS-S1-V3 M	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3M	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3M	1160.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(12) GOODS-S1-V3 M	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0 273	Prime + Parallel Gro up 5-6 in Visit 3M	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Visit 3M	1249.0 Secs [==>]	[2]
	7		(12) GOODS-S1-V3 M	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0 091	Prime + Parallel Gro up 7-8 in Visit 3M	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Visit 3M	1303.0 Secs [==>]	[2]
	9		(12) GOODS-S1-V3 M	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0 212	Prime + Parallel Gro up 9-10 in Visit 3M	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Visit 3M	1303.0 Secs [==>]	[3]
	11		(12) GOODS-S1-V3 M	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0 394	Prime + Parallel Gro up 11-12 in Visit 3M	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 11-12 in Visit 3M	1303.0 Secs [==>]	[3]

Orbit Structure


Orbit 1

Server Version: 20120604




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604



Proposal 13056 - Visit 3N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3N, withdrawn Thu Jun 07 01:56:22 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 205.0D TO 205.0 D; BETWEEN 07-JUN-2011:12:00:00 AND 12-JUN-2011:12:00:00				
Diagnos	(Visit 3N) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(13)	GOODS-S2-V3N	RA: 03 32 18.0807 (53.0753362d) Dec: -27 46 49.77 (-27.78049d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit 3N - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-2 in Visit 3N	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3N	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=13; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3N	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3N	964.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit 3N	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Visit 3N	1164.0 Secs [==>]	[2]
	7		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit 3N	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Visit 3N	1164.0 Secs [==>]	[2]
	9		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit 3N	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Visit 3N	1164.0 Secs [==>]	[3]
	11		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit 3N	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 11-12 in Visit 3N	1164.0 Secs [==>]	[3]

Orbit Structure


Orbit 1

Server Version: 20120604




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604



Proposal 13056 - Visit 3Q - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searche...

Visit	Proposal 13056, Visit 3Q, withdrawn					Thu Jun 07 01:56:24 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 205.0D TO 205.0 D; BETWEEN 07-JUN-2011:12:00:00 AND 12-JUN-2011:12:00:00					
Diagnos	(Visit 3Q) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(16)	GOODS-S2-V3Q	RA: 03 32 9.5573 (53.0398221d) Dec: -27 47 31.65 (-27.79212d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS


Proposal 13056 - Visit 3Q - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searches...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG -0.237,-0.212	Prime + Parallel Group 1-2 in Visit 3Q	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Group 1-2 in Visit 3Q	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=13; SAMP-SEQ=STEP200	POS TARG 0.305,-0.03	Prime + Parallel Group 3-4 in Visit 3Q	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Group 3-4 in Visit 3Q	964.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG 0.102,0.273	Prime + Parallel Group 5-6 in Visit 3Q	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 3Q	1164.0 Secs [==>]	[2]
	7		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG -0.44,0.091	Prime + Parallel Group 7-8 in Visit 3Q	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 3Q	1164.0 Secs [==>]	[2]
	9		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG 0.237,0.212	Prime + Parallel Group 9-10 in Visit 3Q	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Visit 3Q	1164.0 Secs [==>]	[3]
	11		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG 0.779,0.394	Prime + Parallel Group 11-12 in Visit 3Q	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 11-12 in Visit 3Q	1164.0 Secs [==>]	[3]

Orbit Structure


Orbit 1

Server Version: 20120604




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604



Proposal 13056 - Visit 3S - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3S, withdrawn Thu Jun 07 01:56:27 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 205.0D TO 205.0 D; BETWEEN 07-JUN-2011:12:00:00 AND 12-JUN-2011:12:00:00				
Diagnostics	(Visit 3S) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(18)	GOODS-S2-V3S	RA: 03 32 16.6221 (53.0692587d) Dec: -27 51 44.59 (-27.86239d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit 3S - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212	Prime + Parallel Gro up 1-2 in Visit 3S	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3S	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=13; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3S	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3S	964.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit 3S	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 5-6 in Visit 3S	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	7		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit 3S	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 7-8 in Visit 3S	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	9		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit 3S	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 9-10 in Visit 3S	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]
	11		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit 3S	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 11-12 in Visit 3S	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]

Orbit Structure


Orbit 1

Server Version: 20120604




Orbit 2

Server Version: 20120604




Orbit 3

Server Version: 20120604




Proposal 13056 - Visit 3U - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3U, completed Thu Jun 07 01:56:30 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 3U) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(24)	GOODS-WIDE115-V3U	RA: 03 32 33.2033 (53.1383471d) Dec: -27 53 13.91 (-27.88720d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(24) GOODS-WIDE 115-V3U	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-2 in Visit 3U	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 3U	475.0 Secs [==>]	[1]
	3		(24) GOODS-WIDE 115-V3U	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 3U	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 3U	607.0 Secs [==>]	[1]
	5		(24) GOODS-WIDE 115-V3U	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 3U	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 3U	607.0 Secs [==>]	[1]
	7		(24) GOODS-WIDE 115-V3U	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 3U	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 3U	507.0 Secs [==>]	[1]




Proposal 13056 - Visit 3V - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3V, completed Thu Jun 07 01:56:30 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 3V) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(25)	GOODS-WIDE115-V3V	RA: 03 32 42.7427 (53.1780946d) Dec: -27 52 27.06 (-27.87418d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(25) GOODS-WIDE 115-V3V	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Visit 3V	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 3V	475.0 Secs	
									[==>]	[1]
	3		(25) GOODS-WIDE 115-V3V	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 3V	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 3V	607.0 Secs	
									[==>]	[1]
	5		(25) GOODS-WIDE 115-V3V	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 3V	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 3V	607.0 Secs	
									[==>]	[1]
	7		(25) GOODS-WIDE 115-V3V	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 3V	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 3V	507.0 Secs	
									[==>]	[1]




Proposal 13056 - Visit 3W - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Search...

Visit	Proposal 13056, Visit 3W, completed Thu Jun 07 01:56:31 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 3W) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(26)	GOODS-WIDE115-V3W	RA: 03 32 52.2820 (53.2178417d) Dec: -27 51 40.17 (-27.86116d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(26) GOODS-WIDE 115-V3W	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Prime + Parallel Group 1-2 in Visit 3W	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 3W	475.0 Secs [==>]	[1]
	3		(26) GOODS-WIDE 115-V3W	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 3W	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 3W	607.0 Secs [==>]	[1]
	5		(26) GOODS-WIDE 115-V3W	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 3W	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 3W	607.0 Secs [==>]	[1]
	7		(26) GOODS-WIDE 115-V3W	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 3W	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 3W	507.0 Secs [==>]	[1]




Proposal 13056 - Visit 3X - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3X, completed Thu Jun 07 01:56:32 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 3X) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(27)	GOODS-WIDE115-V3X	RA: 03 32 26.8246 (53.1117692d) Dec: -27 55 53.82 (-27.93162d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(27) GOODS-WIDE 115-V3X	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Prime + Parallel Group 1-2 in Visit 3X	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 3X	475.0 Secs [==>]	[1]
	3		(27) GOODS-WIDE 115-V3X	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 3X	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 3X	607.0 Secs [==>]	[1]
	5		(27) GOODS-WIDE 115-V3X	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 3X	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 3X	607.0 Secs [==>]	[1]
	7		(27) GOODS-WIDE 115-V3X	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 3X	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 3X	507.0 Secs [==>]	[1]




Proposal 13056 - Visit 3Y - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3Y, completed Thu Jun 07 01:56:33 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 3Y) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(28)	GOODS-WIDE115-V3Y	RA: 03 32 36.3639 (53.1515162d) Dec: -27 55 6.99 (-27.91861d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(28) GOODS-WIDE 115-V3Y	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O BASE1B3	Prime + Parallel Group 1-2 in Visit 3Y	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 3Y	475.0 Secs [==>]	[1]
	3		(28) GOODS-WIDE 115-V3Y	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 3Y	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 3Y	607.0 Secs [==>]	[1]
	5		(28) GOODS-WIDE 115-V3Y	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 3Y	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 3Y	607.0 Secs [==>]	[1]
	7		(28) GOODS-WIDE 115-V3Y	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 3Y	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 3Y	507.0 Secs [==>]	[1]




Proposal 13056 - Visit 3Z - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3Z, completed Thu Jun 07 01:56:34 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 3Z) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(29)	GOODS-WIDE115-V3Z	RA: 03 32 45.9033 (53.1912638d) Dec: -27 54 20.13 (-27.90559d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(29) GOODS-WIDE 115-V3Z	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Visit 3Z	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 3Z	475.0 Secs [==>]	[1]
	3		(29) GOODS-WIDE 115-V3Z	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 3Z	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 3Z	607.0 Secs [==>]	[1]
	5		(29) GOODS-WIDE 115-V3Z	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 3Z	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 3Z	607.0 Secs [==>]	[1]
	7		(29) GOODS-WIDE 115-V3Z	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 3Z	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 3Z	507.0 Secs [==>]	[1]




Proposal 13056 - Visit 4A - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 4A, completed Thu Jun 07 01:56:34 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 4A) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(19)	GOODS-WIDE115-V4A	RA: 03 32 55.4426 (53.2310108d) Dec: -27 53 33.22 (-27.89256d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(19) GOODS-WIDE 115-V4A	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Visit 4A	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 4A	475.0 Secs	
									[==>]	[1]
	3		(19) GOODS-WIDE 115-V4A	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 4A	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 4A	607.0 Secs	
									[==>]	[1]
	5		(19) GOODS-WIDE 115-V4A	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 4A	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 4A	607.0 Secs	
									[==>]	[1]
	7		(19) GOODS-WIDE 115-V4A	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 4A	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 4A	507.0 Secs	
									[==>]	[1]




Proposal 13056 - Visit 4B - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 4B, completed Thu Jun 07 01:56:35 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 4B) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(20)	GOODS-WIDE115-V4B	RA: 03 32 36.3927 (53.1516362d) Dec: -27 51 53.95 (-27.86499d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(20) GOODS-WIDE 115-V4B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Prime + Parallel Group 1-2 in Visit 4B	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 4B	475.0 Secs [==>]	[1]
	3		(20) GOODS-WIDE 115-V4B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 4B	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 4B	607.0 Secs [==>]	[1]
	5		(20) GOODS-WIDE 115-V4B	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 4B	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 4B	607.0 Secs [==>]	[1]
	7		(20) GOODS-WIDE 115-V4B	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 4B	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 4B	507.0 Secs [==>]	[1]




Proposal 13056 - Visit 4C - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 4C, completed Thu Jun 07 01:56:36 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 4C) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(21)	GOODS-WIDE115-V4C	RA: 03 32 39.5533 (53.1648054d) Dec: -27 53 47.03 (-27.89640d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(21) GOODS-WIDE 115-V4C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302	Prime + Parallel Group 1-2 in Visit 4C	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Group 1-2 in Visit 4C	475.0 Secs	
									[==>]	[1]
	3		(21) GOODS-WIDE 115-V4C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 4C	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Group 3-4 in Visit 4C	607.0 Secs	
									[==>]	[1]
	5		(21) GOODS-WIDE 115-V4C	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 4C	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Group 5-6 in Visit 4C	607.0 Secs	
									[==>]	[1]
	7		(21) GOODS-WIDE 115-V4C	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 4C	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F850LP			Prime + Parallel Group 7-8 in Visit 4C	507.0 Secs	
									[==>]	[1]



Proposal 13056 - Visit 4D - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 4D, completed Thu Jun 07 01:56:37 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 115.0D TO 115.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 4D) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(22)	GOODS-WIDE115-V4D	RA: 03 32 36.3927 (53.1516362d) Dec: -27 51 53.95 (-27.86499d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(22) GOODS-WIDE 115-V4D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Prime + Parallel Group 1-2 in Visit 4D	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 4D	475.0 Secs [==>]	[1]
	3		(22) GOODS-WIDE 115-V4D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 4D	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 4D	607.0 Secs [==>]	[1]
	5		(22) GOODS-WIDE 115-V4D	WFC3/IR, MULTIACCUM, IR-FIX	F160W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 4D	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 4D	607.0 Secs [==>]	[1]
	7		(22) GOODS-WIDE 115-V4D	WFC3/IR, MULTIACCUM, IR-FIX	F125W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 4D	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 4D	507.0 Secs [==>]	[1]




Proposal 13056 - Visit 3R - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3R, completed Thu Jun 07 01:56:38 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 190.0D TO 190.0 D; BETWEEN 27-MAY-2011:00:00:00 AND 30-MAY-2011:00:00:00				
Diagnostics	(Visit 3R) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(17)	GOODS-S2-V3R	RA: 03 32 13.3891 (53.0557879d) Dec: -27 49 36.90 (-27.82692d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit 3R - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(17) GOODS-S2-V3 R	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG -0.237,-0.212; GS ACQ SCENARIO BASE1B3	Prime + Parallel Group 1-2 in Visit 3R	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W	CR-SPLIT=2		Prime + Parallel Group 1-2 in Visit 3R	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(17) GOODS-S2-V3 R	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=13; SAMP-SEQ=STEP200	POS TARG 0.305,-0.03	Prime + Parallel Group 3-4 in Visit 3R	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W	CR-SPLIT=2		Prime + Parallel Group 3-4 in Visit 3R	964.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(17) GOODS-S2-V3 R	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG 0.102,0.273	Prime + Parallel Group 5-6 in Visit 3R	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W	CR-SPLIT=2		Prime + Parallel Group 5-6 in Visit 3R	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	7		(17) GOODS-S2-V3 R	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPARS100	POS TARG -0.44,0.091	Prime + Parallel Group 7-8 in Visit 3R	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W	CR-SPLIT=2		Prime + Parallel Group 7-8 in Visit 3R	1068.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	9		(17) GOODS-S2-V3 R	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG 0.237,0.212	Prime + Parallel Group 9-10 in Visit 3R	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W	CR-SPLIT=2		Prime + Parallel Group 9-10 in Visit 3R	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]
	11		(17) GOODS-S2-V3 R	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPARS100	POS TARG 0.779,0.394	Prime + Parallel Group 11-12 in Visit 3R	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W	CR-SPLIT=2		Prime + Parallel Group 11-12 in Visit 3R	1068.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit 3O - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searche...

Visit	Proposal 13056, Visit 3O, withdrawn Thu Jun 07 01:56:40 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 210.0D TO 210.0 D; BETWEEN 07-JUN-2011:12:00:00 AND 12-JUN-2011:12:00:00				
Diagnosics	(Visit 3O) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(14)	GOODS-S2-V3O	RA: 03 32 21.6131 (53.0900546d) Dec: -27 48 56.23 (-27.81562d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit 3O - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searches...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-2 in Visit 3O	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit 3O	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=13; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit 3O	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit 3O	964.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit 3O	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 5-6 in Visit 3O	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	7		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit 3O	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 7-8 in Visit 3O	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[2]
	9		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit 3O	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 9-10 in Visit 3O	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]
	11		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit 3O	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F606W	CR-SPLIT=2		Prime + Parallel Gro up 11-12 in Visit 3O	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit AN - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Search...

Visit	Proposal 13056, Visit AN, completed					Thu Jun 07 01:56:43 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 205.0D TO 205.0 D; BETWEEN 07-JUN-2011:12:00:00 AND 12-JUN-2011:12:00:00					
Diagnos	(Visit AN) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(13)	GOODS-S2-V3N	RA: 03 32 18.0807 (53.0753362d) Dec: -27 46 49.77 (-27.78049d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS

Proposal 13056 - Visit AN - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searches...


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O BASE1B3	Prime + Parallel Gro up 1-2 in Visit AN	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit AN	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=13; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit AN	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit AN	964.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit AN	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Visit AN	1302.0 Secs [==>]	[2]
	7		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit AN	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Visit AN	1303.0 Secs [==>]	[2]
	9		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit AN	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Visit AN	1303.0 Secs [==>]	[3]
	11		(13) GOODS-S2-V3 N	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit AN	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 11-12 in Visit AN	1303.0 Secs [==>]	[3]



Orbit Structure


Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit AQ - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searche...

Visit	Proposal 13056, Visit AQ, completed Thu Jun 07 01:56:46 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 205.0D TO 205.0 D; BETWEEN 07-JUN-2011:12:00:00 AND 12-JUN-2011:12:00:00				
Diagnostics	(Visit AQ) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(16)	GOODS-S2-V3Q	RA: 03 32 9.5573 (53.0398221d) Dec: -27 47 31.65 (-27.79212d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit AQ - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searches...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212	Prime + Parallel Gro up 1-2 in Visit AQ	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit AQ	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=13; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit AQ	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit AQ	964.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit AQ	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 5-6 in Visit AQ	1302.0 Secs [==>]	[2]
	7		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit AQ	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 7-8 in Visit AQ	1303.0 Secs [==>]	[2]
	9		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit AQ	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 9-10 in Visit AQ	1303.0 Secs [==>]	[3]
	11		(16) GOODS-S2-V3 Q	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit AQ	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Gro up 11-12 in Visit AQ	1303.0 Secs [==>]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604



Proposal 13056 - Visit AS - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searche...

Visit	Proposal 13056, Visit AS, completed					Thu Jun 07 01:56:48 GMT 2012
	Diagnostic Status: Warning					
	Scientific Instruments: WFC3/IR, ACS/WFC					
	Special Requirements: ORIENT 205.0D TO 205.0 D; BETWEEN 07-JUN-2011:12:00:00 AND 12-JUN-2011:12:00:00					
Diagnos	(Visit AS) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.					
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(18)	GOODS-S2-V3S	RA: 03 32 16.6221 (53.0692587d) Dec: -27 51 44.59 (-27.86239d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS


Proposal 13056 - Visit AS - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searches...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212	Prime + Parallel Gro up 1-2 in Visit AS	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit AS	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=13; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit AS	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit AS	964.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit AS	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F606W			Prime + Parallel Gro up 5-6 in Visit AS	1302.0 Secs [==>]	[2]
	7		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit AS	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F606W			Prime + Parallel Gro up 7-8 in Visit AS	1303.0 Secs [==>]	[2]
	9		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit AS	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F606W			Prime + Parallel Gro up 9-10 in Visit AS	1303.0 Secs [==>]	[3]
	11		(18) GOODS-S2-V3 S	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit AS	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F606W			Prime + Parallel Gro up 11-12 in Visit AS	1303.0 Secs [==>]	[3]

Orbit Structure


Orbit 1

Server Version: 20120604




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit AO - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searche...

Visit	Proposal 13056, Visit AO, completed Thu Jun 07 01:56:51 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 210.0D TO 210.0 D; BETWEEN 07-JUN-2011:12:00:00 AND 12-JUN-2011:12:00:00				
Diagnostics	(Visit AO) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(14)	GOODS-S2-V3O	RA: 03 32 21.6131 (53.0900546d) Dec: -27 48 56.23 (-27.81562d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit AO - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searches...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.237,- 0.212; GS ACQ SCENARI O SINGLE	Prime + Parallel Gro up 1-2 in Visit AO	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 1-2 in Visit AO	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=13; SAMP-SEQ=STEP2 00	POS TARG 0.305,-0 .03	Prime + Parallel Gro up 3-4 in Visit AO	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Gro up 3-4 in Visit AO	964.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.102,0. 273	Prime + Parallel Gro up 5-6 in Visit AO	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F606W			Prime + Parallel Gro up 5-6 in Visit AO	1302.0 Secs [==>]	[2]
	7		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG -0.44,0. 091	Prime + Parallel Gro up 7-8 in Visit AO	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F606W			Prime + Parallel Gro up 7-8 in Visit AO	1303.0 Secs [==>]	[2]
	9		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.237,0. 212	Prime + Parallel Gro up 9-10 in Visit AO	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F606W			Prime + Parallel Gro up 9-10 in Visit AO	1303.0 Secs [==>]	[3]
	11		(14) GOODS-S2-V3 O	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP2 00	POS TARG 0.779,0. 394	Prime + Parallel Gro up 11-12 in Visit AO	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F606W			Prime + Parallel Gro up 11-12 in Visit AO	1303.0 Secs [==>]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604




Proposal 13056 - Visit 3P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3P, completed Thu Jun 07 01:56:53 GMT 2012				
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 220.0D TO 220.0 D; BETWEEN 19-JUN-2011:12:00:00 AND 21-JUN-2011:12:00:00				
Diagnostics	(Visit 3P) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes
	(15)	GOODS-S2-V3P	RA: 03 32 25.1455 (53.1047729d) Dec: -27 51 2.68 (-27.85074d) Equinox: J2000		V=26.0+/-2.0 Reference Frame: ICRS


Proposal 13056 - Visit 3P - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(15) GOODS-S2-V3 P	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG -0.237,-0.212; GS ACQ SCENARIO SINGLE	Prime + Parallel Group 1-2 in Visit 3P	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Group 1-2 in Visit 3P	1082.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	3		(15) GOODS-S2-V3 P	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG 0.305,-0.03	Prime + Parallel Group 3-4 in Visit 3P	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F850LP	CR-SPLIT=2		Prime + Parallel Group 3-4 in Visit 3P	1164.0 Secs [==>(Split 1)] [==>(Split 2)]	[1]
	5		(15) GOODS-S2-V3 P	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG 0.102,0.273	Prime + Parallel Group 5-6 in Visit 3P	[==>]	[2]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 3P	1302.0 Secs [==>]	[2]
	7		(15) GOODS-S2-V3 P	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG -0.44,0.091	Prime + Parallel Group 7-8 in Visit 3P	[==>]	[2]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 3P	1303.0 Secs [==>]	[2]
	9		(15) GOODS-S2-V3 P	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG 0.237,0.212	Prime + Parallel Group 9-10 in Visit 3P	[==>]	[3]
	10		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 9-10 in Visit 3P	1303.0 Secs [==>]	[3]
	11		(15) GOODS-S2-V3 P	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=STEP200	POS TARG 0.779,0.394	Prime + Parallel Group 11-12 in Visit 3P	[==>]	[3]
	12		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 11-12 in Visit 3P	1303.0 Secs [==>]	[3]




Orbit 2

Server Version: 20120604



Orbit 3

Server Version: 20120604



Proposal 13056 - Visit 3T - Cosmic Assembly Near-IR Deep Extragalactic Legacy Survey -- GOODS-South Field, Non-SNe-Searched...

Visit	Proposal 13056, Visit 3T, completed Thu Jun 07 01:56:56 GMT 2012									
	Diagnostic Status: Warning Scientific Instruments: WFC3/IR, ACS/WFC Special Requirements: ORIENT 117.0D TO 117.0 D; BETWEEN 25-MAR-2011:12:00:00 AND 29-MAR-2011:12:00:00									
Diagnostics	(Visit 3T) Warning (Form): The proposal is part of a large program (100 orbits or more in one cycle) and so should use Schedulability 100.									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(23)	GOODS-WIDE115-V3T	RA: 03 32 23.6640 (53.0986000d) Dec: -27 54 0.73 (-27.90020d) Equinox: J2000		V=26.0+/-2.0	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		(23) GOODS-WIDE 115-V3T	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=14; SAMP-SEQ=SPAR S50	POS TARG +0.273, +0.302; GS ACQ SCENARI O SINGLE	Prime + Parallel Group 1-2 in Visit 3T	[==>]	[1]
	2		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 1-2 in Visit 3T	475.0 Secs [==>]	[1]
	3		(23) GOODS-WIDE 115-V3T	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG +0.540,-0.243	Prime + Parallel Group 3-4 in Visit 3T	[==>]	[1]
	4		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 3-4 in Visit 3T	607.0 Secs [==>]	[1]
	5		(23) GOODS-WIDE 115-V3T	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=8; SAMP-SEQ=SPAR S100	POS TARG -0.340,-0.301	Prime + Parallel Group 5-6 in Visit 3T	[==>]	[1]
	6		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 5-6 in Visit 3T	607.0 Secs [==>]	[1]
	7		(23) GOODS-WIDE 115-V3T	WFC3/IR, MULTIACCUM, IR-FIX	F105W	NSAMP=7; SAMP-SEQ=SPAR S100	POS TARG -0.608,+0.244	Prime + Parallel Group 7-8 in Visit 3T	[==>]	[1]
	8		ANY	ACS/WFC, ACCUM, WFC	F814W			Prime + Parallel Group 7-8 in Visit 3T	507.0 Secs [==>]	[1]

