



# 13613 - Dust to Dust: Monitoring the Evolution of the New Class of Self-Obscured Transients

Cycle: 21, Proposal Category: GO  
(Availability Mode: SUPPORTED)

## INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
<b>Dr. C. S. Kochanek (PI) (Contact)</b>	<b>The Ohio State University</b>	<b>ckochanek@astronomy.ohio-state.edu</b>
Dr. Krzysztof Z. Stanek (CoI)	The Ohio State University	kstanek@astronomy.ohio-state.edu
Dr. Todd A. Thompson (CoI)	The Ohio State University	thompson@astronomy.ohio-state.edu
Dr. Jose Luis Prieto (CoI)	Princeton University	jprieto@astro.princeton.edu

## VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) SN-1999BW	WFC3/IR	1	21-Nov-2013 21:13:34.0	yes
02	(2) SN-2002BU	WFC3/IR	1	21-Nov-2013 21:13:43.0	yes
03	(3) SN-2008S	WFC3/IR	1	21-Nov-2013 21:13:52.0	yes
04	(4) NGC-300OT	WFC3/IR	1	21-Nov-2013 21:13:59.0	yes

4 Total Orbits Used

## ABSTRACT

The goal of this proposal is to understand a new class of explosive transients associated with the most massive AGB stars. Today these sources are true creatures of the mid-IR, being optically invisible and very faint in the near-IR. By coarsely monitoring them with Spitzer and HST we can

examine the evolution of the luminosity, dust optical depth and dust radius/temperature at a key time when their observed fluxes are approaching those of the two known progenitors. At its very simplest, they must stop fading in the next ~year or they are the theoretically expected but observationally missing electron capture supernovae (ecSNe). The only way to find out is to continue monitoring the evolution of the four closest examples.

### **OBSERVING DESCRIPTION**

Each observation is done as a 3 point line dither in F160W and F110W combined with one extra F110W exposure -- the latter is adjusted to come as close as possible to using the available time


Each of the images is done as a STEP100 sequence

Two of the targets, SN2002bu and SN2008S, are not placed at field center, but offset. In particular, this places another old SN in the field of view of the SN2008S observations. These pointings have all been used successfully in previous WFC3/IR observations of the targets.

Proposal 13613 - Visit 01 - Dust to Dust: Monitoring the Evolution of the New Class of Self-Obscured Transients

Fri Nov 22 02:14:06 GMT 2013


Visit	<b>Proposal 13613, Visit 01</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: WFC3/IR Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false					(1-2)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(1)	SN-1999BW	RA: 10 19 46.8100 (154.9450417d) Dec: +45 31 35.00 (45.52639d) Equinox: J2000		V=17.8	Reference Frame: NED				
	<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(1) SN-1999BW	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=11; SAMP-SEQ=STEP100		Pattern 1, Exps 1-2 in Visit 01 (1)	499.231969 Secs (1497.696 Secs)	
									[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]	[1]
	2		(1) SN-1999BW	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=9; SAMP-SEQ=STEP100		Pattern 1, Exps 1-2 in Visit 01 (1)	299.231323 Secs (897.694 Secs)	
								[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]	[1]	
3		(1) SN-1999BW	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=9; SAMP-SEQ=STEP100			299.231323 Secs (299.231 Secs)		
								[==>]	[1]	



Proposal 13613 - Visit 02 - Dust to Dust: Monitoring the Evolution of the New Class of Self-Obscured Transients

Fri Nov 22 02:14:08 GMT 2013


Visit	<b>Proposal 13613, Visit 02</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: WFC3/IR Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false					(1-2)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(2)	SN-2002BU	RA: 12 17 35.4000 (184.3975000d) Dec: +45 38 21.00 (45.63917d) Equinox: J2000		V=15.5	Reference Frame: NED				
	<i>Comments: Shifted to include more of the galaxy from 12 17 37.1800 +45 38 47.40</i>									
Exposures	#	Label	Target	Config, Mode, Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(2) SN-2002BU	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=11; SAMP-SEQ=STEP100		Pattern 1, Exps 1-2 in Visit 02 (1)	499.231969 Secs (1497.696 Secs)	
									[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]	[1]
	2		(2) SN-2002BU	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=9; SAMP-SEQ=STEP100		Pattern 1, Exps 1-2 in Visit 02 (1)	299.231323 Secs (897.694 Secs)	
								[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]	[1]	
3		(2) SN-2002BU	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=9; SAMP-SEQ=STEP100			299.231323 Secs (299.231 Secs)		
								[==>]	[1]	



Proposal 13613 - Visit 03 - Dust to Dust: Monitoring the Evolution of the New Class of Self-Obscured Transients

Fri Nov 22 02:14:09 GMT 2013

Visit	<b>Proposal 13613, Visit 03</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: WFC3/IR Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false					(1-2)	
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections		Fluxes	Miscellaneous			
	(3)	SN-2008S	RA: 20 34 46.5000 (308.6937500d) Dec: +60 06 41.00 (60.11139d) Equinox: J2000 <i>Comments: Shifted to capture several SN from 20 34 45.3300 +60 05 58.40</i>			V=18.79	Reference Frame: NED			
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(3) SN-2008S	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=11; SAMP-SEQ=STEP100		Pattern 1, Exps 1-2 in Visit 03 (1)	499.231969 Secs (1497.696 Secs) [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)]	[1]
	2		(3) SN-2008S	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=9; SAMP-SEQ=STEP100		Pattern 1, Exps 1-2 in Visit 03 (1)	299.231323 Secs (897.694 Secs) [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)]	[1]
	3		(3) SN-2008S	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=10; SAMP-SEQ=STEP100			399.231646 Secs (399.232 Secs) [=>]	[1]



Proposal 13613 - Visit 04 - Dust to Dust: Monitoring the Evolution of the New Class of Self-Obscured Transients

Fri Nov 22 02:14:10 GMT 2013

Visit	<b>Proposal 13613, Visit 04</b> <b>Diagnostic Status: No Diagnostics</b> Scientific Instruments: WFC3/IR Special Requirements: (none)									
	Patterns	#	Primary Pattern			Secondary Pattern			Exposures	
		(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(4)	NGC-300OT	RA: 00 54 34.2000 (13.6425000d) Dec: -37 38 28.60 (-37.64128d) Equinox: J2000		V=2.2	Reference Frame: NED				
	<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(4) NGC-300OT	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=11; SAMP-SEQ=STEP100		Pattern 1, Exps 1-2 in Visit 04 (1)	499.231969 Secs (1497.696 Secs) [==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]	[1]
	2		(4) NGC-300OT	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=9; SAMP-SEQ=STEP100		Pattern 1, Exps 1-2 in Visit 04 (1)	299.231323 Secs (897.694 Secs) [==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]	[1]
	3		(4) NGC-300OT	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=8; SAMP-SEQ=STEP100			199.231 Secs (199.231 Secs) [==>]	[1]

