



14764 - Measuring the structure of Fomalhaut's dusty debris belt via a fortuitous stellar occultation

Cycle: 24, Proposal Category: GO

(JWST Initiative)

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Benne Willem Holwerda (PI) (Contact)	University of Louisville Research Foundation, Inc.	benne.holwerda@gmail.com
Dr. Matthew Kenworthy (CoI) (ESA Member)	Leiden Observatory	kenworthy@strw.leidenuniv.nl
Dr. Tiffany Meshkat (CoI)	California Institute of Technology	meshkat@caltech.edu
Dr. Paul George Kalas (CoI)	University of California - Berkeley	kalas@berkeley.edu
Prof. Kevin France (CoI)	University of Colorado at Boulder	kevin.france@colorado.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) FOMALHAUT-BACKGROUND-SOURCE-OFF (2) FOMALHAUT CCDFLAT	STIS/CCD	1	13-Sep-2021 13:00:16.0	yes

1 Total Orbits Used

ABSTRACT

Fomalhaut, a young nearby A4V star, is surrounded by an inclined dust debris belt, directly imaged in optical scattered light with HST. The proper motion and parallax of Fomalhaut will move this belt across an 18.5 magnitude background star in the next decade. This presents a unique and fortuitous opportunity to probe the dust structure and confirm disk dynamical theory to unprecedented resolution. In Cycle-21 we obtained

Proposal 14764 (STScI Edit Number: 1, Created: Monday, September 13, 2021 at 12:00:16 PM Eastern Standard Time) - Overview
HST/STIS spectra of the background star during the diffuse phase of the debris disk occultation. We propose obtaining HST/STIS spectra during the thick (Cycle-24 to 26), and pristine (~2021 with JWST) phases of occultation as the debris disk moves across the target background star. This is a rare opportunity to measure - for the first time - the dust optical depth structure in a known planet-forming system, providing a valuable constraint on current planet formation theories. This experiment will act as a pathfinder for this type of science for future observations with JWST and future ELTs.

OBSERVING DESCRIPTION

We will use STIS] in Cycle-24, 25, and 26 to observe a 18.5 magnitude background star as it passes behind the Fomalhaut debris disk. We will obtain a quick (2 s) image with STIS 50CORON MIRVIS for preimaging photometry of the background star. In the same orbit, we will switch to STIS G750L for the remaining time (~31 minutes).

Proposal 14764 - Orbit 1: Cycle 24 (01) - Measuring the structure of Fomalhaut's dusty debris belt via a fortuitous stellar occultation

Mon Sep 13 17:00:17 GMT 2021

Visit	Proposal 14764, Orbit 1: Cycle 24 (01), completed Diagnostic Status: Warning Scientific Instruments: STIS/CCD Special Requirements: ORIENT 217D TO 281 D <i>Comments: First we will acquire Fomalhaut and then offset to the 18.5 magnitude background star.</i>										
	Diagnosics (Orbit 1: Cycle 24 (01)) Warning (Orbit Planner): ORBITAL VISIBILITY OVERRUN										
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous					
	(1)	FOMALHAUT-BACKGROUND-SOURCE-OFF	Offset from FOMALHAUT RA Offset: 0.584 Secs Dec Offset: -14.24 Arcsec		V=18.5+/-0.5	Offset Position (FOMALHAUT-BACKGROUND-SOURCE-OFF)					
<i>Comments: The offset of this target may be updated, depending on when the observation is scheduled.</i> Category=STAR Description=[G V-IV]											
(2)	FOMALHAUT	RA: 22 57 39.0463 (344.4126929d) Dec: -29 37 20.05 (-29.62224d) Equinox: J2000	Proper Motion RA: 0.0255 sec of time/yr Proper Motion Dec: -164.67 mas/yr Parallax: 0.13008" Epoch of Position: 2000.0	V=1.16	Reference Frame: ICRS						
<i>Comments:</i> Category=STAR Description=[A0-A3 V-IV]											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	Fomalhaut Acquisition	(2) FOMALHAUT	STIS/CCD, ACQ, F25ND5	MIRROR				0.5 Secs (0.5 Secs) [==>]	[1]	
	<i>Comments: Acquire Fomalhaut</i>										
	2	BG Source p reimaging	(2) FOMALHAUT	STIS/CCD, ACCUM, WEDGEA1.8	MIRROR		CR-SPLIT=NO; GAIN=4			.5 Secs X 4 (6 Secs) [==>1.5 Secs (Copy 1)] [==>1.5 Secs (Copy 2)] [==>1.5 Secs (Copy 3)] [==>1.5 Secs (Copy 4)]	[1]
	<i>Comments: This is following the proposal ID 8788 pre-imaging of the same background star.</i>										
3	BG Source G750L	(1) FOMALHAUT-BACKGROUND-SOURCE-OFF	STIS/CCD, ACCUM, 52X2	G750L 7751 A		CR-SPLIT=NO			369 Secs X 5 (1890 Secs) [==>378.0 Secs (Copy 1)] [==>378.0 Secs (Copy 2)] [==>378.0 Secs (Copy 3)] [==>378.0 Secs (Copy 4)] [==>378.0 Secs (Copy 5)]	[1]	
<i>Comments: The spectrum of the background star will be compared with ID:13434 and ID:8788 datasets.</i>											
4	Fring Flat C alibration	CCDFLAT	STIS/CCD, ACCUM, 52X2	G750L 7751 A					[==>(Copy 1)] [==>(Copy 2)]	[1]	
5	Fring Flat C alibration	CCDFLAT	STIS/CCD, ACCUM, 0.3X0.09	G750L 7751 A					[==>(Copy 1)] [==>(Copy 2)]	[1]	

