



14774 - Dynamical Masses for Free-Floating Planetary-Mass Binaries

Cycle: 24, Proposal Category: GO

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Trent J. Dupuy (PI) (Contact)	University of Texas at Austin	tdupuy@gmail.com
Dr. Michael C. Liu (CoI)	University of Hawaii	mliu@ifa.hawaii.edu
Dr. Sandy K. Leggett (CoI)	Gemini Observatory, Northern Operations	sleggett@gemini.edu
Dr. Isabelle Baraffe (CoI) (ESA Member)	University of Exeter	i.baraffe@exeter.ac.uk
Mr. Eugenio Victor Garcia (CoI)	Vanderbilt University	eugenio.v.garcia@gmail.com

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) 2MASSWJ0103320+193536	ACS/WFC	1	09-Nov-2016 12:12:38.0	yes
02	(1) 2MASSWJ0103320+193536	ACS/WFC	1	09-Nov-2016 12:12:39.0	yes
03	(2) WISEJ014656.66+423410.0	ACS/WFC	1	09-Nov-2016 12:12:40.0	yes
04	(2) WISEJ014656.66+423410.0	ACS/WFC	1	09-Nov-2016 12:12:40.0	yes
05	(4) WISEPJ234446.25+103415.8	ACS/WFC	1	09-Nov-2016 12:12:41.0	yes
06	(4) WISEPJ234446.25+103415.8	ACS/WFC	1	09-Nov-2016 12:12:41.0	yes

6 Total Orbits Used

ABSTRACT

We propose a 3-year orbit monitoring program to measure the first dynamical masses in the planetary-mass regime (5-15 M_{Jup}) for free-floating objects, including the first known Y dwarf binary. With projected separations of only 0.7-1.4 AU, our targets are among the tightest substellar visual

binaries ever found and are amenable to orbit determinations within only a few years. When combined with our parallax determination, these data will yield dynamical masses with $<10\%$ uncertainties. Two of our targets are late-T/Y dwarf field binaries (ages $\sim 1-5$ Gyr) and will provide the first empirical calibration in the poorly understood temperature regime of $\sim 350-500$ K, relevant both to free-floating objects and radial-velocity exoplanets. Such extreme conditions are the frontier of current theory, e.g. model uncertainties in non-equilibrium chemistry, metallicity, and clouds yield mass estimates that currently span an order of magnitude. Our third target is a young field L dwarf (age $\sim 10-100$ Myr), one of the rare field objects that serve as analogs for young directly imaged exoplanets. Our dynamical mass combined with evolutionary models will yield the first precise age and temperature estimates for such an object, thereby testing our ability to derive physical parameters from current models. Our targets have been discovered at the limits of existing facilities and thus promise to be the only viable objects in the planetary-mass regime for direct mass measurements until next-generation facilities like JWST come online.

OBSERVING DESCRIPTION


The goal of our observations is to obtain precise relative astrometry ($\sim 3-5$ mas) for three free-floating, planetary-mass binaries. Our data spanning 3 cycles will allow us to determine their orbits and thereby measure their dynamical masses. ACS/WFC enables a finer pixel scale than WFC3/IR and better sensitivity than WFC3/UVIS, both of which (high SNR, and better deblending of our tight $<0.1''$ binaries) are key to achieving our science goals.

We use a standard 3-position dither sequence to guard against cosmic rays and to sample different parts of the detector in case our target lands on a bad pixel in a single pointing. We set the exposure times to fill the time available in each visit, which will yield SNR of $\sim 30-40$ for our two fainter WISE sources and will not saturate the brighter 2MASS source.

Proposal 14774 - 2MASS0103+1935 EP01 (01) - Dynamical Masses for Free-Floating Planetary-Mass Binaries

Wed Nov 09 17:12:42 GMT 2016


Visit	Proposal 14774, 2MASS0103+1935_EP01 (01), implementation Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: BETWEEN 01-NOV-2016:00:00:00 AND 15-NOV-2016:00:00:00									
	#	Primary Pattern	Secondary Pattern	Exposures						
Patterns	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=3.011 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=85.28 Angle Between Sides= Center Pattern=false		(1)						
	(2)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=3.034 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=85.29 Angle Between Sides= Center Pattern=false		(2)						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(1)	2MASSWJ0103320+193536	RA: 01 03 32.3559 (15.8848163d) Dec: +19 35 36.23 (19.59340d) Equinox: J2000	Proper Motion RA: 302 mas/yr Proper Motion Dec: 20 mas/yr Epoch of Position: 2012.57	V=(?) J=16.3 mag	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(1) 2MASSWJ0103320+193536	ACS/WFC, ACCUM, WFC1-CTE	F850LP				Pattern 1, Exps 1-1 in 2MASS0103+1935_EP01 (01) (1)	337 Secs (1011 Secs) [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)]
2			(1) 2MASSWJ0103320+193536	ACS/WFC, ACCUM, WFC	F850LP	FLASH=6		Pattern 2, Exps 2-2 in 2MASS0103+1935_EP01 (01) (2)	478 Secs (956 Secs) [=>(Pattern 1)] [=>(Pattern 2)]	[1]



Proposal 14774 - 2MASS0103+1935 EP02 (02) - Dynamical Masses for Free-Floating Planetary-Mass Binaries

Wed Nov 09 17:12:42 GMT 2016

Visit	Proposal 14774, 2MASS0103+1935_EP02 (02), implementation Diagnostic Status: No Diagnostics Scientific Instruments: ACS/WFC Special Requirements: AFTER 01-JUL-2017:00:00:00									
	#	Primary Pattern	Secondary Pattern	Exposures						
Patterns	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=3.011 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=85.28 Angle Between Sides= Center Pattern=false		(1)						
	(2)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=2 Point Spacing=3.034 Line Spacing= Coordinate Frame=POS-TARG Pattern Orientation=85.29 Angle Between Sides= Center Pattern=false		(2)						
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(1)	2MASSWJ0103320+193536	RA: 01 03 32.3559 (15.8848163d) Dec: +19 35 36.23 (19.59340d) Equinox: J2000	Proper Motion RA: 302 mas/yr Proper Motion Dec: 20 mas/yr Epoch of Position: 2012.57	V=(?) J=16.3 mag	Reference Frame: ICRS				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(1) 2MASSWJ0103320+193536	ACS/WFC, ACCUM, WFC1-CTE	F850LP			Pattern 1, Exps 1-1 in 2MASS0103+1935_EP02 (02) (1)	337 Secs (1011 Secs) [=>(Pattern 1)] [=>(Pattern 2)] [=>(Pattern 3)]	[1]
2		(1) 2MASSWJ0103320+193536	ACS/WFC, ACCUM, WFC	F850LP	FLASH=6		Pattern 2, Exps 2-2 in 2MASS0103+1935_EP02 (02) (2)	478 Secs (956 Secs) [=>(Pattern 1)] [=>(Pattern 2)]	[1]	



Proposal 14774 - WISE0146+4234 EP01 (03) - Dynamical Masses for Free-Floating Planetary-Mass Binaries


Wed Nov 09 17:12:42 GMT 2016

Visit	Proposal 14774, WISE0146+4234_EP01 (03), scheduling		
	Diagnostic Status: No Diagnostics		
	Scientific Instruments: ACS/WFC		
	Special Requirements: BEFORE 01-MAR-2017:00:00:00		

Patterns	#	Primary Pattern	Secondary Pattern	Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=3.011 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=85.28 Angle Between Sides= Center Pattern=false	

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(2)	WISEJ014656.66+423410.0	RA: 01 46 56.6400 (26.7360000d) Dec: +42 34 9.05 (42.56918d) Equinox: J2000		V=(?) J=20.7 mag	Reference Frame: ICRS

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(2) WISEJ014656.66+423410.0	ACS/WFC, ACCUM, WFC1-CTE	F850LP				Pattern 1, Exps 1-1 in WISE0146+4234_EP01 (03) (1)	878 Secs (2430 Secs) [=>810.0 Secs (Pattern 1)] [=>810.0 Secs (Pattern 2)] [=>810.0 Secs (Pattern 3)]



Proposal 14774 - WISE0146+4234 EP02 (04) - Dynamical Masses for Free-Floating Planetary-Mass Binaries


Wed Nov 09 17:12:42 GMT 2016

Visit	Proposal 14774, WISE0146+4234_EP02 (04), scheduling		
	Diagnostic Status: No Diagnostics		
	Scientific Instruments: ACS/WFC		
	Special Requirements: AFTER 01-JUL-2017:00:00:00		

Patterns	#	Primary Pattern	Secondary Pattern	Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=3.011 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=85.28 Angle Between Sides= Center Pattern=false	

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(2)	WISEJ014656.66+423410.0	RA: 01 46 56.6400 (26.7360000d) Dec: +42 34 9.05 (42.56918d) Equinox: J2000		V=(?) J=20.7 mag	Reference Frame: ICRS

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(2) WISEJ014656.66+423410.0	ACS/WFC, ACCUM, WFC1-CTE	F850LP				Pattern 1, Exps 1-1 in WISE0146+4234_EP02 (04) (1)	878 Secs (2430 Secs) [=>810.0 Secs (Pattern 1)] [=>810.0 Secs (Pattern 2)] [=>810.0 Secs (Pattern 3)]



Proposal 14774 - WISE2344+1034 EP01 (05) - Dynamical Masses for Free-Floating Planetary-Mass Binaries


Wed Nov 09 17:12:42 GMT 2016

Visit	Proposal 14774, WISE2344+1034_EP01 (05), scheduling		
	Diagnostic Status: No Diagnostics		
	Scientific Instruments: ACS/WFC		
	Special Requirements: BEFORE 01-FEB-2017:00:00:00		

Patterns	#	Primary Pattern	Secondary Pattern	Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=3.011 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=85.28 Angle Between Sides= Center Pattern=false	

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(4)	WISEPJ234446.25+103415.8	RA: 23 44 46.5300 (356.1938750d) Dec: +10 34 15.20 (10.57089d) Equinox: J2000	Proper Motion RA: 860 mas/yr Proper Motion Dec: -10 mas/yr Epoch of Position: 2014.80	V=(?) J=18.8 mag	Reference Frame: ICRS

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(4) WISEPJ234446.25+103415.8	ACS/WFC, ACCUM, WFC1-CTE	F850LP				Pattern 1, Exps 1-1 in WISE2344+1034_EP01 (05) (1)	848 Secs (2340 Secs) [=>780.0 Secs (Pattern 1)] [=>780.0 Secs (Pattern 2)] [=>780.0 Secs (Pattern 3)]



Proposal 14774 - WISE2344+1034 EP02 (06) - Dynamical Masses for Free-Floating Planetary-Mass Binaries

Wed Nov 09 17:12:42 GMT 2016

Visit	Proposal 14774, WISE2344+1034_EP02 (06), scheduling		
	Diagnostic Status: No Diagnostics		
	Scientific Instruments: ACS/WFC		
	Special Requirements: AFTER 01-MAY-2017:00:00:00		

Patterns	#	Primary Pattern	Secondary Pattern	Exposures
	(1)	Pattern Type=ACS-WFC-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=3.011 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=85.28 Angle Between Sides= Center Pattern=false	

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(4)	WISEPJ234446.25+103415.8	RA: 23 44 46.5300 (356.1938750d) Dec: +10 34 15.20 (10.57089d) Equinox: J2000	Proper Motion RA: 860 mas/yr Proper Motion Dec: -10 mas/yr Epoch of Position: 2014.80	V=(?) J=18.8 mag	Reference Frame: ICRS

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(4) WISEPJ234446.25+103415.8	ACS/WFC, ACCUM, WFC1-CTE	F850LP				Pattern 1, Exps 1-1 in WISE2344+1034_EP02 (06) (1)	848 Secs (2340 Secs) [=>780.0 Secs (Pattern 1)] [=>780.0 Secs (Pattern 2)] [=>780.0 Secs (Pattern 3)]

