



16394 - WFC3 UVIS CCD Daily Monitor Part 1

Cycle: 28, Proposal Category: CAL/WFC3

(Availability Mode: RESTRICTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Benjamin Kuhn (PI) (Contact)	Space Telescope Science Institute	bkuhn@stsci.edu
Mr. Harish Khandrika (CoI) (Contact)	Space Telescope Science Institute	hkhandrika@stsci.edu
Ms. Catherine A Martlin (CoI) (Contact)	Space Telescope Science Institute	cmartlin@stsci.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:02.0	yes
02	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:03.0	yes
03	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:03.0	yes
04	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:03.0	yes
05	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:04.0	yes
06	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:04.0	yes
07	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:04.0	yes
08	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:05.0	yes
09	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:05.0	yes
10	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:05.0	yes
11	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:06.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
12	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:06.0	yes
13	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:06.0	yes
14	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:07.0	yes
15	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:07.0	yes
16	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:07.0	yes
17	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:08.0	yes
18	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:08.0	yes
19	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:08.0	yes
20	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:09.0	yes
21	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:09.0	yes
22	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:09.0	yes
23	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:10.0	yes
24	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:10.0	yes
25	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:10.0	yes
26	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:11.0	yes
27	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:11.0	yes
28	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:11.0	yes
29	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:12.0	yes
30	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:12.0	yes
31	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:12.0	yes
32	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:13.0	yes
33	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:13.0	yes
34	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:13.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
35	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:14.0	yes
36	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:14.0	yes
37	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:14.0	yes
38	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:15.0	yes
39	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:15.0	yes
40	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:15.0	yes
41	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:16.0	yes
42	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:16.0	yes
43	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:16.0	yes
44	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:17.0	yes
45	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:17.0	yes
46	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:17.0	yes
47	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:18.0	yes
48	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:18.0	yes
49	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:18.0	yes
50	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:19.0	yes
51	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:19.0	yes
52	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:19.0	yes
53	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:20.0	yes
54	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:20.0	yes
55	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:20.0	yes
56	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:21.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
57	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:21.0	yes
58	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:21.0	yes
59	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:22.0	yes
60	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:22.0	yes
61	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:22.0	yes
62	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:23.0	yes
63	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:23.0	yes
64	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:24.0	yes
65	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:24.0	yes
66	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:24.0	yes
67	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:25.0	yes
68	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:25.0	yes
69	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:25.0	yes
70	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:26.0	yes
71	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:26.0	yes
72	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:26.0	yes
73	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:27.0	yes
74	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:27.0	yes
75	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:27.0	yes
76	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:28.0	yes
77	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:28.0	yes
78	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:28.0	yes
79	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:29.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
80	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:29.0	yes
81	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:29.0	yes
82	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:30.0	yes
83	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:30.0	yes
84	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:30.0	yes
85	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:31.0	yes
86	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:31.0	yes
87	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:32.0	yes
88	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:32.0	yes
89	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:32.0	yes
90	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:33.0	yes
91	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:33.0	yes
92	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:34.0	yes
93	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:34.0	yes
94	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:34.0	yes
95	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:34.0	yes
96	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:35.0	yes
97	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:35.0	yes
98	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:36.0	yes
99	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:36.0	yes
0A	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:36.0	yes
0B	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:37.0	yes
0C	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:37.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
0D	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:37.0	yes
0E	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:37.0	yes
0F	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:38.0	yes
0G	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:39.0	yes
0H	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:39.0	yes
0I	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:39.0	yes
0J	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:40.0	yes
0K	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:40.0	yes
0L	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:40.0	yes
0M	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:41.0	yes
0N	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:41.0	yes
0O	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:41.0	yes
0P	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:42.0	yes
0Q	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:42.0	yes
0R	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:42.0	yes
0S	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:43.0	yes
0T	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:43.0	yes
0U	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:44.0	yes
0V	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:44.0	yes
0W	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:45.0	yes
0X	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:45.0	yes
0Y	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:45.0	yes
0Z	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:46.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
1A	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:46.0	yes
1B	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:46.0	yes
1C	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:47.0	yes
1D	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:47.0	yes
1E	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:47.0	yes
1F	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:48.0	yes
1G	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:48.0	yes
1H	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:48.0	yes
1I	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:49.0	yes
1J	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:49.0	yes
1K	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:49.0	yes
1L	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:50.0	yes
1M	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:50.0	yes
1N	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:51.0	yes
1O	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:51.0	yes
1P	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:52.0	yes
1Q	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:52.0	yes
1R	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:52.0	yes
1S	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:53.0	yes
1T	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:53.0	yes
1U	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:53.0	yes
1V	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:54.0	yes

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
1W	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:54.0	yes
1X	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:54.0	yes
1Y	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:55.0	yes
1Z	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:55.0	yes
2A	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:55.0	yes
2B	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:56.0	yes
2C	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:56.0	yes
2D	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:57.0	yes
2E	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:57.0	yes
2F	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:57.0	yes
2G	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:58.0	yes
2H	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:58.0	yes
2I	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:58.0	yes
2J	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:01:59.0	yes
2K	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:01:59.0	yes
2L	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:00.0	yes
2M	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:00.0	yes
2N	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:00.0	yes
2O	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:01.0	yes
2P	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:01.0	yes
2Q	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:02:01.0	yes
2R	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:02.0	yes
2S	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:02.0	yes

Proposal 16394 (STScI Edit Number: 1, Created: Tuesday, October 27, 2020 at 2:02:19 PM Eastern Standard Time) - Overview

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
2T	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:03.0	yes
2U	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:03.0	yes
2V	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:03.0	yes
2W	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:04.0	yes
2X	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:02:04.0	yes
2Y	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:05.0	yes
2Z	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:05.0	yes
3A	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:05.0	yes
3B	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:06.0	yes
3C	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:06.0	yes
3D	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:06.0	yes
3E	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:02:07.0	yes
3F	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:07.0	yes
3G	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:07.0	yes
3H	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:08.0	yes
3I	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:08.0	yes
3J	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:09.0	yes
3K	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:09.0	yes
3L	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:02:10.0	yes
3M	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:10.0	yes
3N	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:10.0	yes
3O	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:11.0	yes
3P	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:11.0	yes

Proposal 16394 (STScI Edit Number: 1, Created: Tuesday, October 27, 2020 at 2:02:19 PM Eastern Standard Time) - Overview

Visit	Targets used in Visit	Configurations used in Visit	Orbits Used	Last Orbit Planner Run	OP Current with Visit?
3Q	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:11.0	yes
3R	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:12.0	yes
3S	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:02:12.0	yes
3T	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:12.0	yes
3U	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:13.0	yes
3V	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:13.0	yes
3W	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:13.0	yes
3X	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:14.0	yes
3Y	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:14.0	yes
3Z	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:02:15.0	yes
4A	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:15.0	yes
4B	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:16.0	yes
4C	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:16.0	yes
4D	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:16.0	yes
4E	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:17.0	yes
4F	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:17.0	yes
4G	DARK	S/C WFC3/UVIS	1	27-Oct-2020 15:02:17.0	yes
4H	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:18.0	yes
4I	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:18.0	yes
4J	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:18.0	yes
4K	DARK-NM	WFC3/UVIS	1	27-Oct-2020 15:02:19.0	yes

214 Total Orbits Used

ABSTRACT

This UVIS daily monitor program obtains full-frame, four-amp readout bias and dark frames. All exposures are post-flashed at the 20 e-/pixel level; a separate program (16397) will be used to obtain un-flashed UVIS darks to monitor non-postflashed behavior. The biases and darks from this proposal, in addition to those that are obtained as part of the WFC3/UVIS anneal program (16414), will be used to create superbias and superdark calibration reference files for the Calibration Reference Data System (CRDS) and monitor the evolution of hot pixels, dark current, bias level and readnoise.

This is the first of three daily monitoring programs of Cycle 28 (the others are 16395 and 16396). It covers November 12th, 2020 through March 14th, 2021. The combination of the three programs provides full coverage of Cycle 28.

OBSERVING DESCRIPTION

Full-frame, four-amp readout bias and dark frames are acquired daily (during SAA-free passages) in a repeating four-day cycle:

Day 1:

Visit 1: Flashed biases on each shutter, and one 900s flashed dark

Visit 2: 2 x 900s flashed darks

Day 2:

Visit 1: 2 x 900s flashed darks

Visit 2: 2 x 900s flashed darks

Day 3:

Visit 1: 2 x 900s flashed darks

Day 4:

Visit 1: 2 x 900s flashed darks

Visit 2: 2 x 900s flashed darks

Proposal 16394 (STScI Edit Number: 1, Created: Tuesday, October 27, 2020 at 2:02:19 PM Eastern Standard Time) - Overview

Each dark frame employs a post-flash at a 20 e-/pixel level. All non-Day-1-Visit-1 darks use "no-move" darks (i.e. TARGNAME=DARK-NM) in which the Channel Select Mechanism (CSM) is not moved to the IR position and a narrow-band filter configuration is employed to reduce any scattered light. Since Day-1-Visit-1 Visits start with biases, and thus the CSM is in the IR position, these darks do not have to be "no-move" nor does a narrow filter have to be employed. Several different filters are used in order to distribute usage across multiple wheels thereby avoiding overuse of any particular wheel. The filters are:

F280N
F390M
F547M
F373N
F467M
F410M
F631N
F487N
F502N
F469N
F343N

Because there are two shutter blades, we use special commanding (config=S/C, target=DARK, mode=DATA, no spectral element, and exposure time = 4.0 Seconds) to toggle the shutter from A to B. We take 0.5 second dark exposures for bias measurements because the Flight Software does not allow post-flashed 0-sec bias exposures.

The dark frames serve as a daily monitor of the location and evolution of warm/hot pixels. The bias exposures will be used to monitor the readnoise, which is measured from the overscan regions of the individual bias frames as well as from science pixel areas from bias-pair difference images. The bias and dark images will be combined into superbias and superdark calibration reference files, respectively, and delivered to CRDS.

The WFC3/UVIS anneal program (16414) acquires an independent set of bias and dark frames immediately before and after each anneal. It is important to note that data from program 16414 takes precedence over this program (i.e. no visits from this program should be executed during or immediately before/after the anneal.) Also, all visits from this program must occur during SAA-free epochs.


Proposal 16394 - 1 (01) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1 (01), scheduling									Tue Oct 27 19:02:19 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 12-NOV-2020:00:00:00 AND 13-NOV-2020:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(1 (01)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (01.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									

Proposal 16394 - 2 (02) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2 (02), scheduling Tue Oct 27 19:02:19 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-NOV-2020:00:00:00 AND 14-NOV-2020:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(2 (02)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (02.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									


Proposal 16394 - 3 (03) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3 (03), scheduling									Tue Oct 27 19:02:19 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-NOV-2020:00:00:00 AND 14-NOV-2020:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(3 (03)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (03.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation  Server Version: 20200619									

Proposal 16394 - 4 (04) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4 (04), scheduling										Tue Oct 27 19:02:20 GMT 2020
	Diagnostic Status: Warning										
	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 14-NOV-2020:00:00:00 AND 15-NOV-2020:00:00:00										
Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED											
Diagnostics	(4 (04)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (04.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5;			900.0 Secs X 2 (1800 Secs)		
						FLASH=20			[==>(Copy 1)]		
									[==>(Copy 2)]		[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec										
	Server Version: 20200619										

Proposal 16394 - 5 (05) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 5 (05), scheduling										Tue Oct 27 19:02:20 GMT 2020
	Diagnostic Status: Warning										
Scientific Instruments: WFC3/UVIS											
Special Requirements: BETWEEN 15-NOV-2020:00:00:00 AND 16-NOV-2020:00:00:00											
Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED											
Diagnostics	(5 (05)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (05.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 										
	Server Version: 20200619										

Proposal 16394 - 6 (06) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 6 (06), scheduling									Tue Oct 27 19:02:20 GMT 2020
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 15-NOV-2020:00:00:00 AND 16-NOV-2020:00:00:00									
	Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(6 (06)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (06.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619									

Proposal 16394 - 7 (07) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 7 (07), implementation Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 16-NOV-2020:00:00:00 AND 17-NOV-2020:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619									

Proposal 16394 - 8 (08) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 8 (08), scheduling Tue Oct 27 19:02:20 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 16-NOV-2020:00:00:00 AND 17-NOV-2020:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
	(8 (08)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (08.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Unused Orbital Visibility = 3142 									
	Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 9 (09) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 9 (09), scheduling										Tue Oct 27 19:02:20 GMT 2020
	Diagnostic Status: Warning										
Scientific Instruments: WFC3/UVIS											
Special Requirements: BETWEEN 17-NOV-2020:00:00:00 AND 18-NOV-2020:00:00:00											
Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED											
Diagnostics	(9 (09)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (09.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation Server Version: 20200619										


Proposal 16394 - 10 (10) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 10 (10), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 17-NOV-2020:00:00:00 AND 18-NOV-2020:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(10 (10)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (10.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									


Proposal 16394 - 11 (11) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 11 (11), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 18-NOV-2020:00:00:00 AND 19-NOV-2020:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnosics	(11 (11)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (11.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram illustrates the orbital structure for Orbit 1. The x-axis represents time in seconds, ranging from 0 to 6000. A green bar indicates the duration of the exposure (Exp. 1, copy 1 and copy 2) from 0 to approximately 2100 seconds. A black bar indicates the occultation period from approximately 2100 to 2800 seconds. A white bar indicates the remaining orbital visibility from approximately 2800 to 5700 seconds. The total orbital visibility is 3142 seconds. The server version is 20200619.									

Proposal 16394 - 12 (12) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 12 (12), scheduling								Tue Oct 27 19:02:20 GMT 2020	
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 19-NOV-2020:00:00:00 AND 20-NOV-2020:00:00:00										
Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(12 (12)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (12.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation  050010001500200025003000350040004500500055006000 sec									
	Server Version: 20200619									

Proposal 16394 - 13 (13) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 13 (13), scheduling										Tue Oct 27 19:02:20 GMT 2020
	Diagnostic Status: Warning										
	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 19-NOV-2020:00:00:00 AND 20-NOV-2020:00:00:00										
Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED											
Diagnostics	(13 (13)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (13.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 										
	Server Version: 20200619										

Proposal 16394 - 14 (14) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 14 (14), implementation Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 20-NOV-2020:00:00:00 AND 21-NOV-2020:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 15 (15) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 15 (15), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 20-NOV-2020:00:00:00 AND 21-NOV-2020:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(15 (15)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (15.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 16 (16) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 16 (16), scheduling Tue Oct 27 19:02:20 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 21-NOV-2020:00:00:00 AND 22-NOV-2020:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
	(16 (16)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (16.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 17 (17) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 17 (17), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 21-NOV-2020:00:00:00 AND 22-NOV-2020:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(17 (17)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (17.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 18 (18) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 18 (18), scheduling Tue Oct 27 19:02:20 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 22-NOV-2020:00:00:00 AND 23-NOV-2020:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
	(18 (18)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (18.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Unused Orbital Visibility = 3142									

Proposal 16394 - 19 (19) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 19 (19), scheduling									Tue Oct 27 19:02:20 GMT 2020
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 23-NOV-2020:00:00:00 AND 24-NOV-2020:00:00:00										
Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(19 (19)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (19.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000sec									
	Server Version: 20200619									

Proposal 16394 - 20 (20) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 20 (20), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 23-NOV-2020:00:00:00 AND 24-NOV-2020:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnosics	(20 (20)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (20.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram illustrates the orbital structure for Orbit 1. The x-axis represents time in seconds, ranging from 0 to 6000. A green bar indicates the duration of the exposure, starting at 0 seconds and ending at approximately 2100 seconds. A black bar indicates the occultation period, starting at approximately 2100 seconds and ending at approximately 2800 seconds. A white bar indicates the remaining orbital visibility, starting at approximately 2800 seconds and ending at approximately 5700 seconds. Arrows point to the start of the green bar, the end of the green bar, and the start of the white bar. The text 'Unused Orbital Visibility = 3142' is shown above the green bar. The text 'Exp. 1, copy 1' and 'Exp. 1, copy 2' are shown above the green bar. The text 'Occultation' is shown above the black bar. The server version '20200619' is shown in the top right corner.									

Proposal 16394 - 21 (21) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 21 (21), implementation Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 24-NOV-2020:00:00:00 AND 25-NOV-2020:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619 The diagram shows the timeline of Orbit 1. The x-axis is time in seconds (0 to 6000). A green bar represents the total exposure time of 900 seconds. Four specific exposures are marked: Exp. 1 at ~100s, Exp. 2 at ~200s, Exp. 3 at ~300s, and Exp. 4 at ~400s. An 'Occultation' event is marked at ~3142s. A black bar is shown between ~1000s and ~1500s.									

Proposal 16394 - 22 (22) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 22 (22), scheduling Tue Oct 27 19:02:20 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 24-NOV-2020:00:00:00 AND 25-NOV-2020:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
	(22 (22)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (22.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Unused Orbital Visibility = 3142									
	Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 23 (23) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 23 (23), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 25-NOV-2020:00:00:00 AND 26-NOV-2020:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(23 (23)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (23.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 24 (24) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 24 (24), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 25-NOV-2020:00:00:00 AND 26-NOV-2020:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(24 (24)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (24.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 25 (25) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 25 (25), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 26-NOV-2020:00:00:00 AND 27-NOV-2020:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(25 (25)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (25.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 26 (26) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 26 (26), scheduling									Tue Oct 27 19:02:20 GMT 2020
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 27-NOV-2020:00:00:00 AND 28-NOV-2020:00:00:00										
Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(26 (26)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (26.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									
	Server Version: 20200619									

Proposal 16394 - 27 (27) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 27 (27), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 27-NOV-2020:00:00:00 AND 28-NOV-2020:00:00:00 Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(27 (27)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (27.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 28 (28) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 28 (28), implementation Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 28-NOV-2020:00:00:00 AND 29-NOV-2020:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 29 (29) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 29 (29), scheduling Tue Oct 27 19:02:20 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 28-NOV-2020:00:00:00 AND 29-NOV-2020:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
	(29 (29)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (29.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 30 (30) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 30 (30), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 29-NOV-2020:00:00:00 AND 30-NOV-2020:00:00:00 Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED									
Diagnostics	(30 (30)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (30.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram shows a horizontal timeline from 0 to 6000 seconds. A green bar starts at 0 and ends at approximately 2100 seconds. A black bar starts at approximately 2100 seconds and ends at approximately 2800 seconds. A white bar starts at approximately 2800 seconds and ends at approximately 5700 seconds. Arrows point to the start of the green bar, the end of the green bar, and the start of the white bar. The text 'Unused Orbital Visibility = 3142' is positioned above the green bar. The text 'Exp. 1, copy 1' is positioned above the start of the green bar. The text 'Exp. 1, copy 2' is positioned above the end of the green bar. The text 'Occultation' is positioned above the start of the white bar.									

Proposal 16394 - 31 (31) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 31 (31), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 29-NOV-2020:00:00:00 AND 30-NOV-2020:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnosics	(31 (31)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (31.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram shows a horizontal timeline from 0 to 6000 seconds. A green bar starts at 0 and ends at approximately 2100 seconds. A black bar starts at approximately 2100 seconds and ends at approximately 2800 seconds. A white bar starts at approximately 2800 seconds and ends at approximately 5700 seconds. Arrows point to the start of the green bar, the end of the green bar, and the start of the white bar.									

Proposal 16394 - 32 (32) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 32 (32), scheduling Tue Oct 27 19:02:20 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 30-NOV-2020:00:00:00 AND 01-DEC-2020:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(32 (32)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (32.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 33 (33) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 33 (33), scheduling								Tue Oct 27 19:02:20 GMT 2020	
	Diagnostic Status: Warning									
Diagnostics	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 01-DEC-2020:00:00:00 AND 02-DEC-2020:00:00:00									
	Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED									
Exposures	(33 (33)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (33.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec								Server Version: 20200619	

Proposal 16394 - 34 (34) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 34 (34), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 01-DEC-2020:00:00:00 AND 02-DEC-2020:00:00:00 Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(34 (34)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (34.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 35 (35) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 35 (35), implementation Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 02-DEC-2020:00:00:00 AND 03-DEC-2020:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619									

Proposal 16394 - 36 (36) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 36 (36), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 02-DEC-2020:00:00:00 AND 03-DEC-2020:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(36 (36)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (36.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 37 (37) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 37 (37), scheduling									Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 03-DEC-2020:00:00:00 AND 04-DEC-2020:00:00:00 Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED									
Diagnostics	(37 (37)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (37.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec									
	Server Version: 20200619									

Proposal 16394 - 38 (38) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 38 (38), scheduling									Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 03-DEC-2020:00:00:00 AND 04-DEC-2020:00:00:00									
	Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(38 (38)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (38.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	050010001500200025003000350040004500500055006000sec									
	Server Version: 20200619									

Proposal 16394 - 39 (39) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 39 (39), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 04-DEC-2020:00:00:00 AND 05-DEC-2020:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(39 (39)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (39.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 40 (40) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 40 (40), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-DEC-2020:00:00:00 AND 06-DEC-2020:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnosics	(40 (40)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (40.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram illustrates the orbital structure for Orbit 1. The x-axis represents time in seconds, ranging from 0 to 6000. A green bar indicates the duration of the exposure (Exp. 1, copy 1 and copy 2) from 0 to approximately 2100 seconds. A black bar indicates the occultation period from approximately 2100 to 2800 seconds. A white bar indicates the remaining orbital visibility from approximately 2800 to 5700 seconds. The total unused orbital visibility is 3142 seconds. The server version is 20200619.									

Proposal 16394 - 41 (41) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 41 (41), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-DEC-2020:00:00:00 AND 06-DEC-2020:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(41 (41)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (41.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 42 (42) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 42 (42), implementation Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 06-DEC-2020:00:00:00 AND 07-DEC-2020:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 43 (43) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 43 (43), scheduling									Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 06-DEC-2020:00:00:00 AND 07-DEC-2020:00:00:00									
	Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(43 (43)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (43.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	050010001500200025003000350040004500500055006000sec Server Version: 20200619									

Proposal 16394 - 44 (44) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 44 (44), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-DEC-2020:00:00:00 AND 08-DEC-2020:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(44 (44)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (44.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 45 (45) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 45 (45), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-DEC-2020:00:00:00 AND 08-DEC-2020:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(45 (45)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (45.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 46 (46) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 46 (46), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 08-DEC-2020:00:00:00 AND 09-DEC-2020:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnosics	(46 (46)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (46.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [= > (Copy 1)] [= > (Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Server Version: 20200619									

Proposal 16394 - 47 (47) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 47 (47), scheduling								Tue Oct 27 19:02:21 GMT 2020	
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 09-DEC-2020:00:00:00 AND 10-DEC-2020:00:00:00									
Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(47 (47)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (47.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5;			900.0 Secs X 2 (1800 Secs)	
		LASHED				FLASH=20			[==>(Copy 1)]	
									[==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation Server Version: 20200619									

Proposal 16394 - 48 (48) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 48 (48), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 09-DEC-2020:00:00:00 AND 10-DEC-2020:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(48 (48)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (48.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 49 (49) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 49 (49), implementation Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 10-DEC-2020:00:00:00 AND 11-DEC-2020:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	
									[==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs)	
									[==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	
									[==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs)	
									[==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619 The diagram illustrates the timing of exposures and occultation for Orbit 1. The x-axis represents time in seconds, ranging from 0 to 6000. A green bar at the bottom indicates the total exposure time of 900 seconds. Four specific exposures are marked: Exp. 1, Exp. 2, Exp. 3, and Exp. 4. An occultation event is shown as a black bar starting at approximately 3142 seconds and lasting until the end of the orbit at 6000 seconds.									

Proposal 16394 - 50 (50) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 50 (50), scheduling									Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning									
Diagnostics	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 10-DEC-2020:00:00:00 AND 11-DEC-2020:00:00:00									
	Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Exposures	(50 (50)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (50.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)]	
									[==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec									
	Server Version: 20200619									

Proposal 16394 - 51 (51) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 51 (51), scheduling								Tue Oct 27 19:02:21 GMT 2020	
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 11-DEC-2020:00:00:00 AND 12-DEC-2020:00:00:00										
Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(51 (51)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (51.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	050010001500200025003000350040004500500055006000sec Server Version: 20200619									

Proposal 16394 - 52 (52) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 52 (52), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 11-DEC-2020:00:00:00 AND 12-DEC-2020:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(52 (52)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (52.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 53 (53) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 53 (53), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 12-DEC-2020:00:00:00 AND 13-DEC-2020:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(53 (53)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (53.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 54 (54) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 54 (54), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-DEC-2020:00:00:00 AND 14-DEC-2020:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(54 (54)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (54.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 55 (55) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 55 (55), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-DEC-2020:00:00:00 AND 14-DEC-2020:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnosics	(55 (55)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (55.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram illustrates the orbital structure over a 6000-second period. It shows two exposures (green and black bars) followed by an occultation (white bar). The x-axis is labeled in seconds (sec).									

Proposal 16394 - 56 (56) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 56 (56), implementation Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 14-DEC-2020:00:00:00 AND 15-DEC-2020:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619									

Proposal 16394 - 57 (57) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 57 (57), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 14-DEC-2020:00:00:00 AND 15-DEC-2020:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnosics	(57 (57)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (57.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram illustrates the orbital structure for Orbit 1. The x-axis represents time in seconds, ranging from 0 to 6000. A green bar indicates the duration of the exposure (Exp. 1, copy 1 and copy 2) from 0 to approximately 2100 seconds. A black bar indicates the occultation period from approximately 2100 to 2800 seconds. A white bar indicates the remaining orbital visibility from approximately 2800 to 5700 seconds. The total orbital visibility is 3142 seconds. The server version is 20200619.									

Proposal 16394 - 58 (58) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 58 (58), scheduling									Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning									
Diagnostics	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 15-DEC-2020:00:00:00 AND 16-DEC-2020:00:00:00									
	Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED									
Exposures	(58 (58)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (58.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	050010001500200025003000350040004500500055006000sec Server Version: 20200619									

Proposal 16394 - 59 (59) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 59 (59), scheduling									Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 15-DEC-2020:00:00:00 AND 16-DEC-2020:00:00:00									
	Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(59 (59)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (59.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec									

Proposal 16394 - 60 (60) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 60 (60), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 16-DEC-2020:00:00:00 AND 17-DEC-2020:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(60 (60)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (60.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 61 (61) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 61 (61), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 17-DEC-2020:00:00:00 AND 18-DEC-2020:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnosics	(61 (61)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (61.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram shows a horizontal timeline from 0 to 6000 seconds. A green bar starts at 0 and ends at approximately 2100 seconds. A black bar starts at approximately 2100 seconds and ends at approximately 2800 seconds. A white bar starts at approximately 2800 seconds and ends at approximately 5700 seconds. Arrows point to the start of the green bar, the end of the green bar, and the start of the white bar.									


Proposal 16394 - 62 (62) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 62 (62), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 17-DEC-2020:00:00:00 AND 18-DEC-2020:00:00:00 Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(62 (62)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (62.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 63 (63) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 63 (63), implementation Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 18-DEC-2020:00:00:00 AND 19-DEC-2020:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 64 (64) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 64 (64), scheduling									Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 18-DEC-2020:00:00:00 AND 19-DEC-2020:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(64 (64)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (64.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation  Server Version: 20200619									

Proposal 16394 - 65 (65) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 65 (65), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 19-DEC-2020:00:00:00 AND 20-DEC-2020:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnosics	(65 (65)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (65.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram shows a horizontal timeline from 0 to 6000 seconds. A green bar starts at 0 and ends at approximately 2100 seconds. A black bar starts at approximately 2100 seconds and ends at approximately 2800 seconds. A white bar starts at approximately 2800 seconds and ends at approximately 5700 seconds. Arrows point to the start of the green bar, the end of the green bar, and the start of the white bar.									

Proposal 16394 - 66 (66) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 66 (66), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 19-DEC-2020:00:00:00 AND 20-DEC-2020:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(66 (66)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (66.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 67 (67) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 67 (67), scheduling										Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 20-DEC-2020:00:00:00 AND 21-DEC-2020:00:00:00										
	Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED										
Exposures	(67 (67)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (67.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation										
	Server Version: 20200619										

Proposal 16394 - 68 (68) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 68 (68), scheduling								Tue Oct 27 19:02:21 GMT 2020	
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 21-DEC-2020:00:00:00 AND 22-DEC-2020:00:00:00										
Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(68 (68)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (68.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)]	
									[==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec									
	Server Version: 20200619									

Proposal 16394 - 69 (69) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 69 (69), scheduling									Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 21-DEC-2020:00:00:00 AND 22-DEC-2020:00:00:00									
	Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(69 (69)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (69.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	050010001500200025003000350040004500500055006000sec									
	Server Version: 20200619									

Proposal 16394 - 70 (70) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 70 (70), implementation Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 22-DEC-2020:00:00:00 AND 23-DEC-2020:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 71 (71) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 71 (71), scheduling										Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 22-DEC-2020:00:00:00 AND 23-DEC-2020:00:00:00										
	Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED										
Exposures	(71 (71)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (71.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Server Version: 20200619 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec										

Proposal 16394 - 72 (72) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 72 (72), scheduling									Tue Oct 27 19:02:21 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 23-DEC-2020:00:00:00 AND 24-DEC-2020:00:00:00 Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED									
Diagnostics	(72 (72)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (72.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619									

Proposal 16394 - 73 (73) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 73 (73), scheduling Tue Oct 27 19:02:21 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 23-DEC-2020:00:00:00 AND 24-DEC-2020:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(73 (73)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (73.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 74 (74) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 74 (74), scheduling								Tue Oct 27 19:02:21 GMT 2020	
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 24-DEC-2020:00:00:00 AND 25-DEC-2020:00:00:00										
Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(74 (74)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (74.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec									
	Server Version: 20200619									

Proposal 16394 - 75 (75) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 75 (75), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 25-DEC-2020:00:00:00 AND 26-DEC-2020:00:00:00 Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED									
Diagnostics	(75 (75)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (75.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 76 (76) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 76 (76), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 25-DEC-2020:00:00:00 AND 26-DEC-2020:00:00:00										
Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED										
Diagnostics	(76 (76)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (76.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec									
	Server Version: 20200619									

Proposal 16394 - 77 (77) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 77 (77), implementation Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 26-DEC-2020:00:00:00 AND 27-DEC-2020:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 78 (78) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 78 (78), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning									
Diagnostics	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 26-DEC-2020:00:00:00 AND 27-DEC-2020:00:00:00									
	Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Exposures	(78 (78)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (78.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	050010001500200025003000350040004500500055006000sec Server Version: 20200619									

Proposal 16394 - 79 (79) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 79 (79), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 27-DEC-2020:00:00:00 AND 28-DEC-2020:00:00:00										
Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(79 (79)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (79.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	Server Version: 20200619									

Proposal 16394 - 80 (80) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 80 (80), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 27-DEC-2020:00:00:00 AND 28-DEC-2020:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(80 (80)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (80.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 81 (81) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 81 (81), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 28-DEC-2020:00:00:00 AND 29-DEC-2020:00:00:00 Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED									
Diagnostics	(81 (81)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (81.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									

Proposal 16394 - 82 (82) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 82 (82), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 29-DEC-2020:00:00:00 AND 30-DEC-2020:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(82 (82)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (82.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									

Proposal 16394 - 83 (83) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 83 (83), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 29-DEC-2020:00:00:00 AND 30-DEC-2020:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(83 (83)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (83.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 84 (84) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 84 (84), implementation Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 30-DEC-2020:00:00:00 AND 31-DEC-2020:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619 The diagram shows the timeline of Orbit 1. The x-axis is time in seconds (0 to 6000). A green bar represents the total exposure time of 900 seconds. Four specific exposures are marked: Exp. 1 at ~100s, Exp. 2 at ~200s, Exp. 3 at ~300s, and Exp. 4 at ~400s. An 'Occultation' event is marked at ~3142s. A black bar is shown between ~1000s and ~1500s.									

Proposal 16394 - 85 (85) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 85 (85), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 30-DEC-2020:00:00:00 AND 31-DEC-2020:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(85 (85)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (85.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 86 (86) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 86 (86), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 31-DEC-2020:00:00:00 AND 01-JAN-2021:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(86 (86)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (86.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 87 (87) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 87 (87), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 31-DEC-2020:00:00:00 AND 01-JAN-2021:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(87 (87)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (87.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec									

Proposal 16394 - 88 (88) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 88 (88), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 01-JAN-2021:00:00:00 AND 02-JAN-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(88 (88)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (88.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 89 (89) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 89 (89), scheduling								Tue Oct 27 19:02:22 GMT 2020	
	Diagnostic Status: Warning									
Diagnostics	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 02-JAN-2021:00:00:00 AND 03-JAN-2021:00:00:00									
	Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED									
Exposures	(89 (89)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (89.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec									
	Server Version: 20200619									

Proposal 16394 - 90 (90) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 90 (90), scheduling										Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning										
	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 02-JAN-2021:00:00:00 AND 03-JAN-2021:00:00:00										
Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED											
Diagnostics	(90 (90)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (90.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation  0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec										
	Server Version: 20200619										


Proposal 16394 - 91 (91) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 91 (91), implementation Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 03-JAN-2021:00:00:00 AND 04-JAN-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 92 (92) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 92 (92), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 03-JAN-2021:00:00:00 AND 04-JAN-2021:00:00:00										
Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED										
Diagnostics	(92 (92)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (92.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									
	Server Version: 20200619									

Proposal 16394 - 93 (93) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 93 (93), scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 04-JAN-2021:00:00:00 AND 05-JAN-2021:00:00:00 Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED									Tue Oct 27 19:02:22 GMT 2020
Diagnostics	(93 (93)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (93.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation  Server Version: 20200619									

Proposal 16394 - 94 (94) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 94 (94), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 04-JAN-2021:00:00:00 AND 05-JAN-2021:00:00:00										
Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED										
Diagnostics	(94 (94)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (94.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	050010001500200025003000350040004500500055006000sec Server Version: 20200619									

Proposal 16394 - 95 (95) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 95 (95), scheduling Tue Oct 27 19:02:22 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-JAN-2021:00:00:00 AND 06-JAN-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
	(95 (95)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (95.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 96 (96) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 96 (96), scheduling Tue Oct 27 19:02:22 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 06-JAN-2021:00:00:00 AND 07-JAN-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
	(96 (96)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (96.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 97 (97) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 97 (97), scheduling Tue Oct 27 19:02:22 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 06-JAN-2021:00:00:00 AND 07-JAN-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
	(97 (97)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (97.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 98 (98) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 98 (98), implementation Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 07-JAN-2021:00:00:00 AND 08-JAN-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619									

Proposal 16394 - 99 (99) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 99 (99), scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-JAN-2021:00:00:00 AND 08-JAN-2021:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									Tue Oct 27 19:02:22 GMT 2020
Diagnostics	(99 (99)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (99.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619									

Proposal 16394 - 0A (0A) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0A (0A), scheduling										Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 08-JAN-2021:00:00:00 AND 09-JAN-2021:00:00:00										
	Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED										
Exposures	(0A (0A)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (0A.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec										
	Server Version: 20200619										

Proposal 16394 - 0B (0B) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0B (0B), scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 08-JAN-2021:00:00:00 AND 09-JAN-2021:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
	(0B (0B)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0B.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									


Proposal 16394 - 0C (0C) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0C (0C), scheduling										Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning										
Scientific Instruments: WFC3/UVIS											
Special Requirements: BETWEEN 09-JAN-2021:00:00:00 AND 10-JAN-2021:00:00:00											
Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED											
Diagnostics	(0C (0C)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (0C.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)]		
									[==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec										
	Server Version: 20200619										

Proposal 16394 - 0D (0D) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0D (0D), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 10-JAN-2021:00:00:00 AND 11-JAN-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(0D (0D)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0D.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									


Proposal 16394 - 0E (0E) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0E (0E), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 10-JAN-2021:00:00:00 AND 11-JAN-2021:00:00:00 Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(0E (0E)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0E.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation  Server Version: 20200619									

Proposal 16394 - 0F (0F) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0F (0F), implementation Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 11-JAN-2021:00:00:00 AND 12-JAN-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation 									

Proposal 16394 - 0G (0G) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0G (0G), scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 11-JAN-2021:00:00:00 AND 12-JAN-2021:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(0G (0G)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0G.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation  Server Version: 20200619									

Proposal 16394 - 0H (0H) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0H (0H), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 12-JAN-2021:00:00:00 AND 13-JAN-2021:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(0H (0H)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0H.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 0I (0I) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0I (0I), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 12-JAN-2021:00:00:00 AND 13-JAN-2021:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(0I (0I)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0I.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)]	
									[==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									
	Server Version: 20200619									

Proposal 16394 - 0J (0J) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0J (0J), scheduling										Tue Oct 27 19:02:22 GMT 2020	
	Diagnostic Status: Warning											
	Scientific Instruments: WFC3/UVIS											
	Special Requirements: BETWEEN 13-JAN-2021:00:00:00 AND 14-JAN-2021:00:00:00											
Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED												
Diagnostics	(0J (0J)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU											
	(2 DARKS FLASHED (0J.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5;			900.0 Secs X 2 (1800 Secs)			
						FLASH=20				[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation											
	Server Version: 20200619											

Proposal 16394 - 0K (0K) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0K (0K), scheduling										Tue Oct 27 19:02:22 GMT 2020	
	Diagnostic Status: Warning											
Diagnostics	Scientific Instruments: WFC3/UVIS											
	Special Requirements: BETWEEN 14-JAN-2021:00:00:00 AND 15-JAN-2021:00:00:00											
Exposures	Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED											
	(0K (0K)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU											
Exposures	(2 DARKS FLASHED (0K.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit		
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]		
Orbit Structure	Orbit 1											
	Unused Orbital Visibility = 3142											
Orbit Structure	Server Version: 20200619											

Proposal 16394 - 0L (0L) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0L (0L), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 14-JAN-2021:00:00:00 AND 15-JAN-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(0L (0L)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0L.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 0M (0M) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0M (0M), implementation Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 15-JAN-2021:00:00:00 AND 16-JAN-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 0N (0N) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0N (0N), scheduling										Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 15-JAN-2021:00:00:00 AND 16-JAN-2021:00:00:00										
	Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED										
Exposures	(0N (0N)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (0N.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619										

Proposal 16394 - 00 (00) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 00 (00), scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 16-JAN-2021:00:00:00 AND 17-JAN-2021:00:00:00 Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED									Tue Oct 27 19:02:22 GMT 2020
Diagnostics	(00 (00)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (00.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619									

Proposal 16394 - 0P (0P) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0P (0P), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 16-JAN-2021:00:00:00 AND 17-JAN-2021:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(0P (0P)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0P.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									


Proposal 16394 - 0Q (0Q) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0Q (0Q), scheduling										Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning										
	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 17-JAN-2021:00:00:00 AND 18-JAN-2021:00:00:00										
Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED											
Diagnostics	(0Q (0Q)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (0Q.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5;			900.0 Secs X 2 (1800 Secs)		
						FLASH=20				[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec										
	Server Version: 20200619										

Proposal 16394 - 0R (0R) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0R (0R), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 18-JAN-2021:00:00:00 AND 19-JAN-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(0R (0R)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0R.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 0S (0S) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0S (0S), scheduling									Tue Oct 27 19:02:22 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 18-JAN-2021:00:00:00 AND 19-JAN-2021:00:00:00 Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(0S (0S)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0S.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation  Server Version: 20200619									

Proposal 16394 - 0T (0T) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0T (0T), implementation Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 19-JAN-2021:00:00:00 AND 20-JAN-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619									

Proposal 16394 - 0U (0U) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0U (0U), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 19-JAN-2021:00:00:00 AND 20-JAN-2021:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(0U (0U)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0U.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 0V (0V) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0V (0V), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 20-JAN-2021:00:00:00 AND 21-JAN-2021:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(0V (0V)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0V.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 0W (0W) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0W (0W), scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 20-JAN-2021:00:00:00 AND 21-JAN-2021:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									Tue Oct 27 19:02:22 GMT 2020
Diagnostics	(0W (0W)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0W.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619									

Proposal 16394 - 0X (0X) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0X (0X), scheduling Tue Oct 27 19:02:22 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 21-JAN-2021:00:00:00 AND 22-JAN-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(0X (0X)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0X.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 0Y (0Y) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0Y (0Y), scheduling Tue Oct 27 19:02:22 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 22-JAN-2021:00:00:00 AND 23-JAN-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
	(0Y (0Y)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0Y.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 0Z (0Z) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 0Z (0Z), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 22-JAN-2021:00:00:00 AND 23-JAN-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(0Z (0Z)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (0Z.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 1A (1A) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1A (1A), implementation Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 23-JAN-2021:00:00:00 AND 24-JAN-2021:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 1B (1B) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1B (1B), scheduling									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 23-JAN-2021:00:00:00 AND 24-JAN-2021:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(1B (1B)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (1B.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619									

Proposal 16394 - 1C (1C) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1C (1C), scheduling										Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 24-JAN-2021:00:00:00 AND 25-JAN-2021:00:00:00										
Exposures	Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED										
	(1C (1C)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
Exposures	(2 DARKS FLASHED (1C.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
Orbit Structure	[==>(Copy 1)]										
	[==>(Copy 2)]										
Orbit Structure	[1]										
Orbit Structure	Orbit 1										
	Unused Orbital Visibility = 3142										
Orbit Structure	Exp. 1, copy 1										
	Exp. 1, copy 2										
Orbit Structure	Occultation										
Orbit Structure	Server Version: 20200619										
Orbit Structure	0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec										

Proposal 16394 - 1D (1D) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1D (1D), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 24-JAN-2021:00:00:00 AND 25-JAN-2021:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(1D (1D)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1D.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 1E (1E) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1E (1E), scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 25-JAN-2021:00:00:00 AND 26-JAN-2021:00:00:00 Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED									Tue Oct 27 19:02:23 GMT 2020
Diagnostics	(1E (1E)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1E.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec Server Version: 20200619									

Proposal 16394 - 1F (1F) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1F (1F), scheduling									Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 26-JAN-2021:00:00:00 AND 27-JAN-2021:00:00:00									
Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(1F (1F)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (1F.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									

Proposal 16394 - 1G (1G) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1G (1G), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 26-JAN-2021:00:00:00 AND 27-JAN-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(1G (1G)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1G.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 1H (1H) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1H (1H), implementation									Tue Oct 27 19:02:23 GMT 2020	
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: WFC3/UVIS, S/C										
	Special Requirements: BETWEEN 27-JAN-2021:00:00:00 AND 28-JAN-2021:00:00:00; PARALLEL										
	Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)		
									[==>]	[1]	
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs)		
									[==>]	[1]	
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)		
									[==>]	[1]	
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs)		
								[==>]	[1]		
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1 Exp. 2 Exp. 3 Exp. 4 Occultation 050010001500200025003000350040004500500055006000 sec										Server Version: 20200619

Proposal 16394 - 1I (1I) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1I (1I), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 27-JAN-2021:00:00:00 AND 28-JAN-2021:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(1I (1I)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1I.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 1J (1J) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1J (1J), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 28-JAN-2021:00:00:00 AND 29-JAN-2021:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(1J (1J)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1J.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 1K (1K) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1K (1K), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 28-JAN-2021:00:00:00 AND 29-JAN-2021:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(1K (1K)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1K.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									

Proposal 16394 - 1L (1L) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1L (1L), scheduling										Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 29-JAN-2021:00:00:00 AND 30-JAN-2021:00:00:00										
	Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED										
Exposures	(1L (1L)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (1L.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec										
	Server Version: 20200619										

Proposal 16394 - 1M (1M) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1M (1M), scheduling										Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning										
	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 30-JAN-2021:00:00:00 AND 31-JAN-2021:00:00:00										
Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED											
Diagnostics	(1M (1M)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (1M.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec										
	Server Version: 20200619										

Proposal 16394 - 1N (1N) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1N (1N), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 30-JAN-2021:00:00:00 AND 31-JAN-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(1N (1N)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1N.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 1O (1O) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1O (1O), implementation Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 31-JAN-2021:00:00:00 AND 01-FEB-2021:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 1P (1P) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1P (1P), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 31-JAN-2021:00:00:00 AND 01-FEB-2021:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(1P (1P)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1P.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 1Q (1Q) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1Q (1Q), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 01-FEB-2021:00:00:00 AND 02-FEB-2021:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(1Q (1Q)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1Q.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 1R (1R) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1R (1R), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 01-FEB-2021:00:00:00 AND 02-FEB-2021:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(1R (1R)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1R.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 1S (1S) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1S (1S), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 02-FEB-2021:00:00:00 AND 03-FEB-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(1S (1S)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1S.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 1T (1T) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1T (1T), scheduling									Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 03-FEB-2021:00:00:00 AND 04-FEB-2021:00:00:00 Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED									
Diagnostics	(1T (1T)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1T.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619									

Proposal 16394 - 1U (1U) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1U (1U), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 03-FEB-2021:00:00:00 AND 04-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(1U (1U)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1U.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 1V (1V) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1V (1V), implementation Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 04-FEB-2021:00:00:00 AND 05-FEB-2021:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 1W (1W) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1W (1W), scheduling									Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 04-FEB-2021:00:00:00 AND 05-FEB-2021:00:00:00										
Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED										
Diagnostics	(1W (1W)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (1W.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									

Proposal 16394 - 1X (1X) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1X (1X), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-FEB-2021:00:00:00 AND 06-FEB-2021:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(1X (1X)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1X.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 1Y (1Y) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1Y (1Y), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-FEB-2021:00:00:00 AND 06-FEB-2021:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(1Y (1Y)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1Y.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 1Z (1Z) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 1Z (1Z), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 06-FEB-2021:00:00:00 AND 07-FEB-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(1Z (1Z)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (1Z.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 2A (2A) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2A (2A), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-FEB-2021:00:00:00 AND 08-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(2A (2A)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2A.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 2B (2B) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2B (2B), scheduling									Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-FEB-2021:00:00:00 AND 08-FEB-2021:00:00:00 Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(2B (2B)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2B.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									

Proposal 16394 - 2C (2C) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2C (2C), implementation Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 08-FEB-2021:00:00:00 AND 09-FEB-2021:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619									

Proposal 16394 - 2D (2D) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2D (2D), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 08-FEB-2021:00:00:00 AND 09-FEB-2021:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(2D (2D)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2D.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 2E (2E) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2E (2E), scheduling									Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 09-FEB-2021:00:00:00 AND 10-FEB-2021:00:00:00 Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED									
Diagnostics	(2E (2E)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2E.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS FLASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									

Proposal 16394 - 2F (2F) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2F (2F), scheduling										Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning										
	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 09-FEB-2021:00:00:00 AND 10-FEB-2021:00:00:00										
	Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED										
Diagnostics	(2F (2F)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (2F.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation Server Version: 20200619										

Proposal 16394 - 2G (2G) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2G (2G), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 10-FEB-2021:00:00:00 AND 11-FEB-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(2G (2G)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2G.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 2H (2H) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2H (2H), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 11-FEB-2021:00:00:00 AND 12-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(2H (2H)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2H.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 2I (2I) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2I (2I), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 11-FEB-2021:00:00:00 AND 12-FEB-2021:00:00:00 Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(2I (2I)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2I.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 2J (2J) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2J (2J), implementation Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 12-FEB-2021:00:00:00 AND 13-FEB-2021:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									


Proposal 16394 - 2K (2K) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2K (2K), scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 12-FEB-2021:00:00:00 AND 13-FEB-2021:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									Tue Oct 27 19:02:23 GMT 2020
Diagnostics	(2K (2K)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2K.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									

Proposal 16394 - 2L (2L) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2L (2L), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-FEB-2021:00:00:00 AND 14-FEB-2021:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(2L (2L)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2L.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 2M (2M) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2M (2M), scheduling										Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 13-FEB-2021:00:00:00 AND 14-FEB-2021:00:00:00										
	Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED										
Diagnostics	(2M (2M)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (2M.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 										
	Server Version: 20200619										

Proposal 16394 - 2N (2N) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2N (2N), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 14-FEB-2021:00:00:00 AND 15-FEB-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(2N (2N)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2N.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 2O (2O) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2O (2O), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 15-FEB-2021:00:00:00 AND 16-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(2O (2O)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2O.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 2P (2P) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2P (2P), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 15-FEB-2021:00:00:00 AND 16-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(2P (2P)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2P.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 2Q (2Q) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2Q (2Q), implementation Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 16-FEB-2021:00:00:00 AND 17-FEB-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 2R (2R) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2R (2R), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 16-FEB-2021:00:00:00 AND 17-FEB-2021:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(2R (2R)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2R.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 2S (2S) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2S (2S), scheduling										Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning										
	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 17-FEB-2021:00:00:00 AND 18-FEB-2021:00:00:00										
Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED											
Diagnostics	(2S (2S)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (2S.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000sec										
	Server Version: 20200619										

Proposal 16394 - 2T (2T) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2T (2T), scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 17-FEB-2021:00:00:00 AND 18-FEB-2021:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									Tue Oct 27 19:02:23 GMT 2020
Diagnostics	(2T (2T)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2T.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									

Proposal 16394 - 2U (2U) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2U (2U), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 18-FEB-2021:00:00:00 AND 19-FEB-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(2U (2U)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2U.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 2V (2V) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2V (2V), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 19-FEB-2021:00:00:00 AND 20-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(2V (2V)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2V.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									


Proposal 16394 - 2W (2W) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2W (2W), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 19-FEB-2021:00:00:00 AND 20-FEB-2021:00:00:00 Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(2W (2W)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2W.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 2X (2X) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2X (2X), implementation Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 20-FEB-2021:00:00:00 AND 21-FEB-2021:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619									


Proposal 16394 - 2Y (2Y) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2Y (2Y), scheduling									Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 20-FEB-2021:00:00:00 AND 21-FEB-2021:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(2Y (2Y)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (2Y.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation  Server Version: 20200619									

Proposal 16394 - 2Z (2Z) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 2Z (2Z), scheduling								Tue Oct 27 19:02:23 GMT 2020	
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 21-FEB-2021:00:00:00 AND 22-FEB-2021:00:00:00										
Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(2Z (2Z)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (2Z.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	050010001500200025003000350040004500500055006000sec Server Version: 20200619									

Proposal 16394 - 3A (3A) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3A (3A), scheduling										Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 21-FEB-2021:00:00:00 AND 22-FEB-2021:00:00:00										
Exposures	Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED										
	(3A (3A)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
Exposures	(2 DARKS FLASHED (3A.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation  Server Version: 20200619										

Proposal 16394 - 3B (3B) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3B (3B), scheduling									Tue Oct 27 19:02:23 GMT 2020
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 22-FEB-2021:00:00:00 AND 23-FEB-2021:00:00:00 Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED									
Diagnostics	(3B (3B)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3B.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619									

Proposal 16394 - 3C (3C) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3C (3C), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 23-FEB-2021:00:00:00 AND 24-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(3C (3C)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3C.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 3D (3D) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3D (3D), scheduling Tue Oct 27 19:02:23 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 23-FEB-2021:00:00:00 AND 24-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(3D (3D)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3D.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 3E (3E) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3E (3E), implementation Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 24-FEB-2021:00:00:00 AND 25-FEB-2021:00:00:00; PARALLEL Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 3F (3F) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3F (3F), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 24-FEB-2021:00:00:00 AND 25-FEB-2021:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(3F (3F)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3F.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 3G (3G) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3G (3G), scheduling										Tue Oct 27 19:02:24 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 25-FEB-2021:00:00:00 AND 26-FEB-2021:00:00:00										
	Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED										
Exposures	(3G (3G)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (3G.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec Server Version: 20200619										

Proposal 16394 - 3H (3H) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3H (3H), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 25-FEB-2021:00:00:00 AND 26-FEB-2021:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(3H (3H)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3H.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 3I (3I) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3I (3I), scheduling										Tue Oct 27 19:02:24 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 26-FEB-2021:00:00:00 AND 27-FEB-2021:00:00:00										
	Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED										
Exposures	(3I (3I)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (3I.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec										
	Server Version: 20200619										

Proposal 16394 - 3J (3J) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3J (3J), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 27-FEB-2021:00:00:00 AND 28-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(3J (3J)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3J.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 3K (3K) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3K (3K), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 27-FEB-2021:00:00:00 AND 28-FEB-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(3K (3K)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3K.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 3L (3L) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3L (3L), implementation Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 28-FEB-2021:00:00:00 AND 01-MAR-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Exp. 1 Unused Orbital Visibility = 3142 Exp. 2 Exp. 3 Exp. 4 Occultation Server Version: 20200619									

Proposal 16394 - 3M (3M) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3M (3M), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 28-FEB-2021:00:00:00 AND 01-MAR-2021:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(3M (3M)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3M.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 3N (3N) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3N (3N), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 01-MAR-2021:00:00:00 AND 02-MAR-2021:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(3N (3N)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3N.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 3O (3O) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3O (3O), scheduling										Tue Oct 27 19:02:24 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 01-MAR-2021:00:00:00 AND 02-MAR-2021:00:00:00										
Exposures	Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED										
	(3O (3O)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
Exposures	(2 DARKS FLASHED (3O.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec										
	Server Version: 20200619										

Proposal 16394 - 3P (3P) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3P (3P), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 02-MAR-2021:00:00:00 AND 03-MAR-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(3P (3P)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3P.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 3Q (3Q) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3Q (3Q), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 03-MAR-2021:00:00:00 AND 04-MAR-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(3Q (3Q)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3Q.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 3R (3R) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3R (3R), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 03-MAR-2021:00:00:00 AND 04-MAR-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(3R (3R)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3R.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 3S (3S) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3S (3S), implementation Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 04-MAR-2021:00:00:00 AND 05-MAR-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 3T (3T) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3T (3T), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 04-MAR-2021:00:00:00 AND 05-MAR-2021:00:00:00 Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED									
Diagnosics	(3T (3T)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3T.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation Server Version: 20200619 The diagram shows a timeline from 0 to 6000 seconds. A green bar represents the exposure period from 0 to approximately 2100 seconds. A black bar represents the occultation period from approximately 2100 to 2800 seconds. A white bar represents the remaining exposure period from approximately 2800 to 5700 seconds. Arrows point to the start of the green bar, the end of the green bar, and the start of the white bar.									

Proposal 16394 - 3U (3U) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3U (3U), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-MAR-2021:00:00:00 AND 06-MAR-2021:00:00:00 <i>Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(3U (3U)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3U.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 3V (3V) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3V (3V), scheduling										Tue Oct 27 19:02:24 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 05-MAR-2021:00:00:00 AND 06-MAR-2021:00:00:00										
	Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED										
Exposures	(3V (3V)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (3V.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F390M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Server Version: 20200619										

Proposal 16394 - 3W (3W) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3W (3W), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 06-MAR-2021:00:00:00 AND 07-MAR-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(3W (3W)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3W.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 3X (3X) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3X (3X), scheduling								Tue Oct 27 19:02:24 GMT 2020	
	Diagnostic Status: Warning									
Scientific Instruments: WFC3/UVIS										
Special Requirements: BETWEEN 07-MAR-2021:00:00:00 AND 08-MAR-2021:00:00:00										
Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED										
Diagnostics	(3X (3X)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
	(2 DARKS FLASHED (3X.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)	
									[==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation									
	050010001500200025003000350040004500500055006000sec Server Version: 20200619									

Proposal 16394 - 3Y (3Y) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3Y (3Y), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-MAR-2021:00:00:00 AND 08-MAR-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(3Y (3Y)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (3Y.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 3Z (3Z) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 3Z (3Z), implementation Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 08-MAR-2021:00:00:00 AND 09-MAR-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142									
	Server Version: 20200619									

Proposal 16394 - 4A (4A) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4A (4A), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 08-MAR-2021:00:00:00 AND 09-MAR-2021:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(4A (4A)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (4A.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F631N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 									

Proposal 16394 - 4B (4B) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4B (4B), scheduling										Tue Oct 27 19:02:24 GMT 2020
	Diagnostic Status: Warning										
Diagnostics	Scientific Instruments: WFC3/UVIS										
	Special Requirements: BETWEEN 09-MAR-2021:00:00:00 AND 10-MAR-2021:00:00:00										
	Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED										
Exposures	(4B (4B)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU										
	(2 DARKS FLASHED (4B.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F487N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs)		
									[==>(Copy 1)] [==>(Copy 2)]	[1]	
Orbit Structure	Orbit 1 Unused Orbital Visibility = 3142 Exp. 1, copy 1 Exp. 1, copy 2 Occultation 050010001500200025003000350040004500500055006000 sec										
	Server Version: 20200619										

Proposal 16394 - 4C (4C) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4C (4C), scheduling Tue Oct 27 19:02:24 GMT 2020 Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 09-MAR-2021:00:00:00 AND 10-MAR-2021:00:00:00 <i>Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED</i>									
	(4C (4C)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (4C.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F502N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619 Unused Orbital Visibility = 3142									
	Exp. 1, copy 1 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 4D (4D) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4D (4D), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 10-MAR-2021:00:00:00 AND 11-MAR-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(4D (4D)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (4D.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F469N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 4E (4E) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4E (4E), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 11-MAR-2021:00:00:00 AND 12-MAR-2021:00:00:00 <i>Comments: DAY 4 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(4E (4E)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (4E.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F343N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 4F (4F) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4F (4F), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 11-MAR-2021:00:00:00 AND 12-MAR-2021:00:00:00 <i>Comments: DAY 4 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(4F (4F)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (4F.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F280N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 4G (4G) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4G (4G), implementation Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 12-MAR-2021:00:00:00 AND 13-MAR-2021:00:00:00; PARALLEL <i>Comments: DAY 1 VISIT 1 -- BIAS ON EACH SHUTTER, AND 1 DARK, ALL FLASHED</i>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	2	TOGGLE S HUTTER	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	3	BIAS FLAS HED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	4	DARK FLA SHED	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASH=20			900.0 Secs (900 Secs) [==>]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 4H (4H) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4H (4H), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 12-MAR-2021:00:00:00 AND 13-MAR-2021:00:00:00 <i>Comments: DAY 1 VISIT 2 -- 2 DARKS FLASHED</i>									
Diagnostics	(4H (4H)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (4H.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F547M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation									

Proposal 16394 - 4I (4I) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4I (4I), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-MAR-2021:00:00:00 AND 14-MAR-2021:00:00:00 Comments: DAY 2 VISIT 1 -- 2 DARKS FLASHED									
Diagnostics	(4I (4I)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (4I.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F373N	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									

Proposal 16394 - 4J (4J) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4J (4J), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-MAR-2021:00:00:00 AND 14-MAR-2021:00:00:00 Comments: DAY 2 VISIT 2 -- 2 DARKS FLASHED									
Diagnostics	(4J (4J)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (4J.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F467M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Exp. 1, copy 1 Unused Orbital Visibility = 3142 Exp. 1, copy 2 Occultation 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 sec									

Proposal 16394 - 4K (4K) - WFC3 UVIS CCD Daily Monitor Part 1

Visit	Proposal 16394, 4K (4K), scheduling Tue Oct 27 19:02:24 GMT 2020									
	Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 14-MAR-2021:00:00:00 AND 15-MAR-2021:00:00:00 <i>Comments: DAY 3 VISIT 1 -- 2 DARKS FLASHED</i>									
Diagnostics	(4K (4K)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (2 DARKS FLASHED (4K.001)) Warning (Form): FLASH level may be too high for this exposure or a long subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	2 DARKS F LASHED	DARK-NM	WFC3/UVIS, ACCUM, UVIS	F410M	GAIN=1.5; FLASH=20			900.0 Secs X 2 (1800 Secs) [==>(Copy 1)] [==>(Copy 2)]	[1]
Orbit Structure	Orbit 1 Server Version: 20200619									
	Unused Orbital Visibility = 3142 									