



16996 - The ever-changing face of SN 1987A

Cycle: 30, Proposal Category: GO

(UV Initiative)

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Josefin Larsson (PI) (ESA Member) (Contact)	Royal Institute of Technology
Prof. Claes Fransson (CoI) (ESA Member)	Stockholm University
Prof. Robert P. Kirshner (CoI) (AdminUSPI)	Harvard University
Mr. Peter Challis (CoI)	Harvard University
Dr. Roger A. Chevalier (CoI)	The University of Virginia
Prof. Kevin France (CoI)	University of Colorado at Boulder
Prof. Kevin Heng (CoI) (ESA Member)	Ludwig Maximilian Universitat of Munich
Dr. Dennis Alp (CoI) (ESA Member)	Royal Institute of Technology
Dr. Stephen S. Lawrence (CoI)	Hofstra University
Prof. Peter Lundqvist (CoI) (ESA Member)	Stockholm University
Dr. George Sonneborn (CoI)	NASA Goddard Space Flight Center
Dr. Seppo Mattila (CoI) (ESA Member)	University of Turku
Dr. Bruno Leibundgut (CoI) (ESA Member)	European Southern Observatory - Germany
Dr. Patrice Bouchet (CoI) (ESA Member)	CEA/DSM/Irfu/Service d'Astrophysique - Laboratoire AIM
Dr. Nicholas B. Suntzeff (CoI)	Texas A & M University
Dr. Jesper Sollerman (CoI) (ESA Member)	Stockholm University
Dr. Mikako Matsuura (CoI) (ESA Member)	Cardiff University

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) SN-1987A	WFC3/UVIS	1	06-Dec-2023 16:00:22.0	yes
02	(1) SN-1987A	WFC3/UVIS	1	06-Dec-2023 16:00:22.0	yes
03	(1) SN-1987A	WFC3/UVIS	2	06-Dec-2023 16:00:23.0	yes
11	(1) SN-1987A	WFC3/UVIS	1	06-Dec-2023 16:00:24.0	yes
12	(1) SN-1987A	WFC3/UVIS	1	06-Dec-2023 16:00:24.0	yes
13	(1) SN-1987A	WFC3/UVIS	1	06-Dec-2023 16:00:25.0	yes
14	(1) SN-1987A	WFC3/UVIS	1	06-Dec-2023 16:00:25.0	yes

8 Total Orbits Used

ABSTRACT

SN 1987A is the great supernova (SN) of the HST era. An unbroken string of observations is the essential tool for detecting change and establishing a uniform legacy archive. Recent imaging has shown dramatic changes in the ejecta and the interaction with the circumstellar material. After a steady increase in flux, the inner circumstellar ring reached a maximum in 2009 and is now fading rapidly as it is destroyed by shocks. At the same time, diffuse emission and new spots outside the inner ring are becoming visible, gradually revealing previously unseen material that extends toward the outer rings. Monitoring this emission is required to understand the formation of the rings and the mass-loss history of the progenitor star. In addition, the expanding innermost ejecta reveal asymmetries and mixing in the explosion. As the ejecta expand, X-rays from the inner ring penetrate into the metal-rich core, which results in a brightening in the optical band. We request imaging in narrow and broad filters over the next three cycles to follow these developments. Annual observations are needed to monitor the rapid evolution of the shocks. Imaging in additional filters in one of the cycles will provide flux measurements crucial to estimating the energy budget of the ejecta, that, perhaps, will begin to reveal the elusive compact object. The HST observations have a unique blend of photometric fidelity and angular resolution that make them the indispensable partner to ongoing X-ray, sub-mm ALMA, and ground-based optical/NIR observations. They are also an important complement to the JWST GTO observations in 2022.

OBSERVING DESCRIPTION

We request imaging with WFC3/UVIS in Cycles 28, 29, and 30. The total time requested is $4 + 9 + 4 = 17$ orbits.

Monitoring:

Proposal 16996 (STScI Edit Number: 4, Created: Wednesday, December 6, 2023 at 4:00:26 PM Eastern Standard Time) - Overview

We request imaging with F438W, F625W, F502N, and F657N in all three cycles. With these observations, we will follow the light curve and morphology of the ejecta, the ER, and the new spots and diffuse gas outside the ER. To obtain a similar quality as the previous observations, we need half an orbit each for the broad filters, one orbit for F657N and two orbits for F502N. This amounts to $4 \times 3 = 12$ orbits over three years. Since 2003, all ACS and WFC3 imaging has used a fixed dither strategy to improve the resolution of the HST PSF. Using the same dither strategy and the empirical PSFs by Anderson (2016), we will use PSF-matched difference imaging (Sugerman 2005) across the full ACS/WFC3 dataset and search for faint changes in the rings and outer structures.

Additional filters in Cycle 29:


We request imaging with F275W, F336W, F555W, F814W and F280N in Cycle 29 only, which is expected to be close in time to the planned JWST GTO observations. In the event of a significant delay in the JWST launch, we would request the STScI Director to move these observations to Cycle 30. The HST observations in this cycle will give complete coverage of the wavelength interval between 2300Å-10000Å. The primary science objectives for the broad filters are the energy budget for the ejecta and compact object, but the observations will also measure the other emission components in the system, which can verify our models for the shock interaction. The last time that SN 1987A was observed in all these filters was in 2009. We request a full orbit each in F275W and F336W, which is a significant improvement compared to the 400 s UV-band exposures in the 2009 epoch. The longer exposures are motivated by the relatively low transmission as well as the fact that these filters are important for estimating limits on the compact object. We will need one orbit to cover F555W and F814W.

The narrow F280N filter covering the Mg II λ -2800 lines has not previously been used for SN 1987A, though it is known from STIS spectra that the ejecta are strong in Mg II (Larsson et al. 2013). As described above, these lines can also help refine the shock models for the new spots. The F280N filter will cover almost all ejecta emission inside 2500 km/s, while the highest velocities will be included in the F275W image. Given the filter throughput and the expected strength of the lines, we require two orbits for F280N.

Proposal 16996 - Visit 01 - The ever-changing face of SN 1987A

Wed Dec 06 21:00:26 GMT 2023

Visit	Proposal 16996, Visit 01, failed Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: ORIENT 78D TO 82 D; ORIENT 168D TO 172 D; ORIENT 258D TO 262 D; ORIENT 348D TO 352 D; BETWEEN 01-MAY-2023:00:00:00 AND 30-SEP-2023; SEQ 01.02.03 WITHIN 7 D									
	Patterns	#	Primary Pattern	Secondary Pattern	Exposures					
		(1)	Pattern Type=WFC3-UVIS-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.173 Line Spacing=0.112	Coordinate Frame=POS-TARG Pattern Orientation=23.884 Angle Between Sides=81.785 Center Pattern=false		(1-2)				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(1)	SN-1987A	RA: 05 35 28.0200 (83.8667500d) Dec: -69 16 11.07 (-69.26974d) Equinox: J2000	Epoch of Position: 2015.5	V=22	Reference Frame: SIMBAD				
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=EXT-STAR Description=[SUPERNOVA]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F438W	FLASH=14		Pattern 1, Exps 1-2 in Visit 01 (1)	300 Secs (1200 Secs)	
									[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]
2		(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F625W	FLASH=9		Pattern 1, Exps 1-2 in Visit 01 (1)	270 Secs (1080 Secs)		
								[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]	



Proposal 16996 - Visit 02 - The ever-changing face of SN 1987A


Wed Dec 06 21:00:26 GMT 2023

Visit	Proposal 16996, Visit 02, failed Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: ORIENT 78D TO 82 D; ORIENT 168D TO 172 D; ORIENT 258D TO 262 D; ORIENT 348D TO 352 D; SEQ 01.02.03 WITHIN 7 D		

Patterns	#	Primary Pattern	Secondary Pattern	Exposures
	(1)	Pattern Type=WFC3-UVIS-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.173 Line Spacing=0.112	Coordinate Frame=POS-TARG Pattern Orientation=23.884 Angle Between Sides=81.785 Center Pattern=false	(1)

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(1)	SN-1987A	RA: 05 35 28.0200 (83.8667500d) Dec: -69 16 11.07 (-69.26974d) Equinox: J2000	Epoch of Position: 2015.5	V=22	Reference Frame: SIMBAD
	<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=EXT-STAR Description=[SUPERNOVA]					


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F657N	CR-SPLIT=NO; FLASH=15		Pattern 1, Exps 1-1 in Visit 02 (1)	700 Secs (2800 Secs)	
									[==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)] [==>(Pattern 4)]	[1]



Proposal 16996 - Visit 03 - The ever-changing face of SN 1987A

Wed Dec 06 21:00:26 GMT 2023


Visit	Proposal 16996, Visit 03, failed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: ORIENT 78D TO 82 D; ORIENT 168D TO 172 D; ORIENT 258D TO 262 D; ORIENT 348D TO 352 D; SEQ 01.02.03 WITHIN 7 D									
	(Visit 03) Warning (Orbit Planner): ORBITAL VISIBILITY OVERRUN									
Diagnosics										
Patterns	#	Primary Pattern	Secondary Pattern			Exposures				
	(1)	Pattern Type=WFC3-UVIS-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.173 Line Spacing=0.112	Coordinate Frame=POS-TARG Pattern Orientation=23.884 Angle Between Sides=81.785 Center Pattern=false				(1-2)			
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(1)	SN-1987A	RA: 05 35 28.0200 (83.8667500d) Dec: -69 16 11.07 (-69.26974d) Equinox: J2000	Epoch of Position: 2015.5	V=22	Reference Frame: SIMBAD				
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=EXT-STAR Description=[SUPERNOVA]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F502N	CR-SPLIT=NO; FLASH=16		Pattern 1, Exps 1-2 in Visit 03 (1)	700 Secs (2800 Secs)	
									[=>(Pattern 1)]	[1]
									[=>(Pattern 2)]	[2]
									[=>(Pattern 3)]	
									[=>(Pattern 4)]	
2		(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F502N	CR-SPLIT=NO; FLASH=16		Pattern 1, Exps 1-2 in Visit 03 (1)	700 Secs (2800 Secs)		
								[=>(Pattern 1)]	[1]	
								[=>(Pattern 2)]	[2]	
								[=>(Pattern 3)]		
								[=>(Pattern 4)]		



Proposal 16996 - Visit 11 - The ever-changing face of SN 1987A

Wed Dec 06 21:00:26 GMT 2023

Visit	Proposal 16996, Visit 11, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: SCHED 70%; ORIENT 78D TO 82 D; ORIENT 168D TO 172 D; ORIENT 258D TO 262 D; ORIENT 348D TO 352 D; BEFORE 15-MAR-2024:00:00:00; SEQ 11,12,13,14 WITHIN 7 D <i>Comments: Repeat of failed visit 01</i>									
	Diagnosics (Exposure 2 (Pattern 1, Exps 1-2 in Visit 11)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Patterns	#	Primary Pattern	Secondary Pattern			Exposures				
	(1)	Pattern Type=WFC3-UVIS-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.173 Line Spacing=0.112 Coordinate Frame=POS-TARG Pattern Orientation=23.884 Angle Between Sides=81.785 Center Pattern=false				(1-2)				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(1)	SN-1987A	RA: 05 35 28.0200 (83.8667500d) Dec: -69 16 11.07 (-69.26974d) Equinox: J2000	Epoch of Position: 2015.5	V=22	Reference Frame: SIMBAD <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=EXT-STAR Description=[SUPERNOVA]				
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(1) SN-1987A	(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F438W	FLASH=14		Pattern 1, Exps 1-2 in Visit 11 (1)	300 Secs (1040 Secs) [==>260.0 Secs (Pattern 1)] [==>260.0 Secs (Pattern 2)] [==>260.0 Secs (Pattern 3)] [==>260.0 Secs (Pattern 4)]	[1]
2	(1) SN-1987A	(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F625W	FLASH=9		Pattern 1, Exps 1-2 in Visit 11 (1)	270 Secs (920 Secs) [==>230.0 Secs (Pattern 1)] [==>230.0 Secs (Pattern 2)] [==>230.0 Secs (Pattern 3)] [==>230.0 Secs (Pattern 4)]	[1]	



Proposal 16996 - Visit 12 - The ever-changing face of SN 1987A


Wed Dec 06 21:00:26 GMT 2023

Visit	Proposal 16996, Visit 12, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: SCHED 70%; ORIENT 78D TO 82 D; ORIENT 168D TO 172 D; ORIENT 258D TO 262 D; ORIENT 348D TO 352 D Comments: Repeat of failed visit 02		

Patterns	#	Primary Pattern	Secondary Pattern	Exposures
	(1)	Pattern Type=WFC3-UVIS-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.173 Line Spacing=0.112 Coordinate Frame=POS-TARG Pattern Orientation=23.884 Angle Between Sides=81.785 Center Pattern=false		(1)

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
	(1)	SN-1987A	RA: 05 35 28.0200 (83.8667500d) Dec: -69 16 11.07 (-69.26974d) Equinox: J2000	Epoch of Position: 2015.5	V=22	Reference Frame: SIMBAD
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=EXT-STAR Description=[SUPERNOVA]					


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1		(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F657N	CR-SPLIT=NO; FLASH=15		Pattern 1, Exps 1-1 in Visit 12 (1)	700 Secs (2472 Secs) [==>618.0 Secs (Pattern 1)] [==>618.0 Secs (Pattern 2)] [==>618.0 Secs (Pattern 3)] [==>618.0 Secs (Pattern 4)]	[1]



Proposal 16996 - Visit 13 - The ever-changing face of SN 1987A

Wed Dec 06 21:00:26 GMT 2023

Visit	Proposal 16996, Visit 13, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: SCHED 70%; ORIENT 78D TO 82 D; ORIENT 168D TO 172 D; ORIENT 258D TO 262 D; ORIENT 348D TO 352 D Comments: Repeat of failed visit 03										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
(1)		Pattern Type=WFC3-UVIS-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.173 Line Spacing=0.112		Coordinate Frame=POS-TARG Pattern Orientation=23.884 Angle Between Sides=81.785 Center Pattern=false					(1)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes	Miscellaneous			
	(1)	SN-1987A	RA: 05 35 28.0200 (83.8667500d) Dec: -69 16 11.07 (-69.26974d) Equinox: J2000		Epoch of Position: 2015.5		V=22	Reference Frame: SIMBAD			
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=EXT-STAR Description=[SUPERNOVA]											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
	1		(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F502N	CR-SPLIT=NO; FLASH=16		Pattern 1, Exps 1-1 in Visit 13 (1)	700 Secs (2472 Secs) [==>618.0 Secs (Pattern 1)] [==>618.0 Secs (Pattern 2)] [==>618.0 Secs (Pattern 3)] [==>618.0 Secs (Pattern 4)]		[1]



Proposal 16996 - Visit 14 - The ever-changing face of SN 1987A

Wed Dec 06 21:00:26 GMT 2023

Visit	Proposal 16996, Visit 14, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: SCHED 70%; ORIENT 78D TO 82 D; ORIENT 168D TO 172 D; ORIENT 258D TO 262 D; ORIENT 348D TO 352 D Comments: Repeat of failed visit 03										
	Patterns	#	Primary Pattern				Secondary Pattern			Exposures	
(1)		Pattern Type=WFC3-UVIS-DITHER-BOX Purpose=DITHER Number Of Points=4 Point Spacing=0.173 Line Spacing=0.112		Coordinate Frame=POS-TARG Pattern Orientation=23.884 Angle Between Sides=81.785 Center Pattern=false					(1)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes	Miscellaneous			
	(1)	SN-1987A	RA: 05 35 28.0200 (83.8667500d) Dec: -69 16 11.07 (-69.26974d) Equinox: J2000		Epoch of Position: 2015.5		V=22	Reference Frame: SIMBAD			
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=EXT-STAR Description=[SUPERNOVA]											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
	1		(1) SN-1987A	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	F502N	CR-SPLIT=NO; FLASH=16		Pattern 1, Exps 1-1 in Visit 14 (1)	700 Secs (2472 Secs)	[==>618.0 Secs (Pattern 1)] [==>618.0 Secs (Pattern 2)] [==>618.0 Secs (Pattern 3)] [==>618.0 Secs (Pattern 4)]	[1]

