17455 - A Snapshot Survey of Sub-arcsec Dual Quasars and Lenses at z>2

Cycle: 31, Proposal Category: SNAP

(Availability Mode: SUPPORTED)

INVESTIGATORS

Name	*Institution*
Prof. Yue Shen (PI) (Contact)	**University of Illinois at Urbana - Champaign**
Prof. Xin Liu (CoI)	University of Illinois at Urbana - Champaign
Dr. Yu-Ching Chen (CoI)	The Johns Hopkins University
Dr. Arran Gross (CoI)	University of Illinois at Urbana - Champaign
Dr. Junyao Li (CoI) (Contact)	University of Illinois at Urbana - Champaign

VISITS

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
01	(1) 000835.61+024014.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:03.0	yes
02	(2) 000905.74+281803.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:04.0	yes
03	(3) 001020.29-000738.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:05.0	yes
04	(4) 001306.12-025846.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:06.0	yes
05	(5) 001743.98-032525.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:07.0	yes
06	(6) 001812.07+114329.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:08.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
07	(7) 001946.60-092635.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:09.0	yes
08	(8) 002123.80-025211.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:10.0	yes
09	(9) 002210.78+100533.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:11.0	yes
10	(10) 002332.44-110820.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:12.0	yes
11	(11) 002446.53-030059.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:13.0	yes
12	(12) 003200.28+162419.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:14.0	yes
13	(13) 003715.88+205825.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:14.0	yes
14	(14) 005225.30+264844.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:15.0	yes
15	(15) DESJ0118-3115	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:16.0	yes
16	(16) 010353.72+313052.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:17.0	yes
17	(17) 011114.41+171328.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:18.0	yes
18	(18) 011233.66+285310.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:19.0	yes
19	(19) 011724.55-052025.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:20.0	yes
20	(20) 012338.36+343541.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:20.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
21	(21) 013136.44+130331.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:22.0	yes
22	(22) 013623.38+253408.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:23.0	yes
23	(23) 013844.00+302254.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:23.0	yes
24	(24) 013942.59+222558.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:24.0	yes
25	(25) 014300.76+081752.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:25.0	yes
26	(26) 014516.35+291040.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:26.0	yes
27	(27) DESJ0120-4354	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:27.0	yes
28	(28) 014626.05+295250.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:28.0	yes
29	(29) 014652.65+021540.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:28.0	yes
30	(30) 014710.23+275729.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:30.0	yes
31	(31) 014748.27+152550.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:30.0	yes
32	(32) 015049.51+105923.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:31.0	yes
33	(33) 015357.66+182213.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:32.0	yes
34	(34) 015631.78-090802.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:33.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
35	(35) 015907.33+081658.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:34.0	yes
36	(36) 020413.14+313005.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:35.0	yes
37	(37) 020626.46-002625.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:36.0	yes
38	(38) 020737.79+281935.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:37.0	yes
39	(39) 020741.29+035243.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:38.0	yes
40	(40) 021101.05+054624.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:39.0	yes
41	(41) J0221+0555	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:40.0	yes
42	(42) 021330.83+004104.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:40.0	yes
43	(43) 021827.25-045456.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:41.0	yes
44	(44) 022404.85+014942.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:42.0	yes
45	(45) 022550.32-021020.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:43.0	yes
46	(46) 023035.56-074002.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:44.0	yes
47	(47) 023200.51+043837.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:45.0	yes
48	(48) 024640.77-042039.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:46.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
49	(49) 024647.14+021935.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:47.0	yes
50	(50) 024818.27-082716.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:48.0	yes
51	(51) 025227.06+354248.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:49.0	yes
52	(52) 025526.95-035351.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:49.0	yes
53	(53) 025951.89-040430.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:50.0	yes
54	(54) 030019.09+002622.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:51.0	yes
55	(55) 030045.48+002133.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:52.0	yes
56	(56) 035154.25+001525.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:53.0	yes
57	(57) 073050.64+272109.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:54.0	yes
58	(58) 073515.60+284632.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:55.0	yes
59	(59) 073610.74+373326.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:56.0	yes
60	(60) 074105.11+182234.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:57.0	yes
61	(61) 074352.62+245743.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:58.0	yes
62	(62) 074817.13+191003.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:01:58.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
63	(63) 074839.00+192340.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:00.0	yes
64	(64) 075350.57+424744.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:01.0	yes
65	(65) 075824.27+145752.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:01.0	yes
66	(66) 080505.62+355049.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:02.0	yes
67	(67) 081115.84+265950.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:03.0	yes
68	(68) J0332-6608	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:04.0	yes
69	(69) 081636.80+323122.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:05.0	yes
70	(70) 081830.46+060138.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:06.0	yes
71	(71) 081957.39+305237.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:07.0	yes
72	(72) 082019.93+411803.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:08.0	yes
73	(73) 082155.98+340412.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:09.0	yes
74	(74) 083135.16+251509.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:10.0	yes
75	(75) 084521.55+430944.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:10.0	yes
76	(76) 090259.34+042224.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:11.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
77	(77) 090338.26+261112.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:12.0	yes
78	(78) 090404.16+151254.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:13.0	yes
79	(79) 090458.89+250138.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:14.0	yes
80	(80) 090501.12+585902.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:15.0	yes
81	(81) 091127.61+055054.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:16.0	yes
82	(82) 091523.56+015128.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:17.0	yes
83	(83) 091725.70+302413.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:18.0	yes
84	(84) 092256.20+561849.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:19.0	yes
85	(85) 093725.07+355014.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:20.0	yes
86	(86) 095422.68+524903.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:21.0	yes
87	(87) 100153.78+065122.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:22.0	yes
88	(88) 101332.33+263149.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:23.0	yes
89	(89) 101611.69-003150.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:23.0	yes
90	(90) 101942.96+052948.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:24.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
91	(91) 102159.84+454755.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:25.0	yes
92	(92) 102257.19+310537.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:26.0	yes
93	(93) 102627.88+014034.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:27.0	yes
94	(94) 102747.03+253601.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:28.0	yes
95	(95) 102801.27+115348.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:29.0	yes
96	(96) 102806.07+502126.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:30.0	yes
97	(97) 102940.56+100604.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:31.0	yes
98	(98) 103020.00+374640.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:31.0	yes
99	(99) 103139.65-010905.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:32.0	yes
0A	(100) 103927.44+195355.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:33.0	yes
0B	(101) 104039.58+280628.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:34.0	yes
0C	(102) 104340.74+111837.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:35.0	yes
0D	(103) 104406.34+295901.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:36.0	yes
0E	(104) J0346+2154	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:37.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
0F	(105) 104832.41-011854.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:38.0	yes
0G	(106) 104940.89+324653.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:38.0	yes
0H	(107) 105010.18+182627.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:39.0	yes
0I	(108) 105405.64+040252.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:40.0	yes
0J	(109) 105512.55+305222.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:41.0	yes
0K	(110) 105730.21+354042.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:42.0	yes
0L	(111) 105832.42+415221.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:43.0	yes
0M	(112) 110147.87+423547.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:44.0	yes
0N	(113) 110504.74+122230.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:45.0	yes
0O	(114) 110621.13+034342.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:46.0	yes
0P	(115) 110632.33+052852.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:47.0	yes
0Q	(116) 110939.50+080009.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:48.0	yes
0R	(117) 111234.43+301647.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:49.0	yes
0S	(118) 111316.22+302822.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:49.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
0T	(119) 111331.25+090618.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:50.0	yes
0U	(120) 111443.21+131118.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:51.0	yes
0V	(121) 111714.82+433650.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:52.0	yes
0W	(122) 111749.94+224652.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:53.0	yes
0X	(123) 112818.49+240217.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:54.0	yes
0Y	(124) 113339.50+285248.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:55.0	yes
0Z	(125) 113528.41+100609.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:56.0	yes
1A	(126) 113540.76+092459.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:57.0	yes
1B	(127) 113803.74+031457.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:58.0	yes
1C	(128) 113819.87+163520.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:02:59.0	yes
1D	(129) 113832.12+082725.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:00.0	yes
1E	(130) 113846.83+165727.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:01.0	yes
1F	(131) 113926.15+363725.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:01.0	yes
1G	(132) 113942.02+095531.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:02.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
1H	(133) 114305.56+262116.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:04.0	yes
1I	(134) 114318.57+084050.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:04.0	yes
1J	(135) 114411.74+204116.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:05.0	yes
1K	(136) 114443.77+303209.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:06.0	yes
1L	(137) 114737.78+074239.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:07.0	yes
1M	(138) 114746.07+432958.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:08.0	yes
1N	(139) 114817.87+365740.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:09.0	yes
1O	(140) 114953.77+252028.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:10.0	yes
1P	(141) 114954.42+271128.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:11.0	yes
1Q	(142) 115221.78+242547.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:12.0	yes
1R	(143) 115322.89+145107.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:13.0	yes
1S	(144) 115449.64+333602.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:14.0	yes
1T	(145) 115839.31+104611.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:15.0	yes
1U	(146) 120119.01+523022.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:16.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
1V	(147) 121354.19+035754.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:17.0	yes
1W	(148) 121720.56+224420.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:17.0	yes
1X	(149) 121740.55+293430.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:18.0	yes
1Y	(150) 123658.95+465029.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:20.0	yes
1Z	(151) 123738.45+464655.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:20.0	yes
2A	(152) 124000.94+034051.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:21.0	yes
2B	(153) 125710.24+550725.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:22.0	yes
2C	(154) 125817.47+472633.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:23.0	yes
2D	(155) 130027.03+542553.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:24.0	yes
2E	(156) 130308.19-010432.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:25.0	yes
2F	(157) 130615.92+452500.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:26.0	yes
2G	(158) 131028.34+540957.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:27.0	yes
2H	(159) 131720.61+113810.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:28.0	yes
2I	(160) 132505.16+493430.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:29.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
2J	(161) 133728.98+425400.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:30.0	yes
2K	(162) 134118.53+373017.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:31.0	yes
2L	(163) 135220.77+015411.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:32.0	yes
2M	(164) 135329.59+115813.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:32.0	yes
2N	(165) 140901.42+173404.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:33.0	yes
2O	(166) 140901.88+294633.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:34.0	yes
2P	(167) 141546.24+112943.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:35.0	yes
2Q	(168) 141838.67+040854.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:36.0	yes
2R	(169) 142422.93+080255.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:37.0	yes
2S	(170) 142749.57-012941.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:38.0	yes
2T	(171) 142849.41+085343.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:39.0	yes
2U	(172) 143116.86-004637.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:40.0	yes
2V	(173) 143313.10+141821.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:41.0	yes
2W	(174) 143628.20+054200.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:42.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
2X	(175) 144004.36+023445.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:43.0	yes
2Y	(176) 144114.80-004436.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:44.0	yes
2Z	(177) 144236.78+145344.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:45.0	yes
3A	(178) 145609.31+140357.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:45.0	yes
3B	(179) 145934.15+594258.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:46.0	yes
3C	(180) 151047.36+152403.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:48.0	yes
3D	(181) 151930.66+045552.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:48.0	yes
3E	(182) 152005.93+233953.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:49.0	yes
3F	(183) J0916-2848	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:50.0	yes
3G	(184) 152645.61+193006.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:51.0	yes
3H	(185) 152846.74+363751.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:52.0	yes
3I	(186) 152938.90+103803.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:53.0	yes
3J	(187) 153038.07+545631.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:54.0	yes
3K	(188) 155426.33+185619.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:55.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
3L	(189) 160037.58+344823.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:56.0	yes
3M	(190) 162609.95+440528.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:57.0	yes
3N	(191) 165552.10+332323.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:58.0	yes
3O	(192) 170256.01+252445.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:03:59.0	yes
3P	(193) 171128.05+370903.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:00.0	yes
3Q	(194) 171836.60+381835.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:01.0	yes
3R	(195) 212219.18+011505.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:02.0	yes
3S	(196) 212352.21+071352.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:03.0	yes
3T	(197) 215457.89+282125.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:04.0	yes
3U	(198) 215636.72+144853.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:05.0	yes
3V	(199) 220003.46+005332.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:05.0	yes
3W	(200) 220613.04+031424.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:06.0	yes
3X	(201) J2255+8009	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:08.0	yes
3Y	(202) 221243.66+021958.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:08.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
3Z	(203) 221637.19+124844.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:09.0	yes
4A	(204) 222102.78-003044.5	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:10.0	yes
4B	(205) 222120.21-072656.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:11.0	yes
4C	(206) 222233.04+142405.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:12.0	yes
4D	(207) 222242.43-020459.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:13.0	yes
4E	(208) 222533.76-022047.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:14.0	yes
4F	(209) 222540.66+005325.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:15.0	yes
4G	(210) 222726.81+275844.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:16.0	yes
4H	(211) 222830.67+184644.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:17.0	yes
4I	(212) 223226.83+204427.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:18.0	yes
4J	(213) 223348.33+195651.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:19.0	yes
4K	(214) 223930.37+061634.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:20.0	yes
4L	(215) 223947.38+130818.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:21.0	yes
4M	(216) 224011.38-012740.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:22.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
4N	(217) 224030.64-001146.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:23.0	yes
4O	(218) 224153.79+010951.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:24.0	yes
4P	(219) 224341.19+101811.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:25.0	yes
4Q	(220) 225315.02+040132.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:25.0	yes
4R	(221) 225430.98-005339.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:26.0	yes
4S	(222) 225746.94+000121.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:27.0	yes
4T	(223) 230125.66+023400.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:28.0	yes
4U	(224) 230812.15-010256.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:29.0	yes
4V	(225) 231016.36-090720.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:30.0	yes
4W	(226) 231300.60+010711.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:31.0	yes
4X	(227) 231325.86+144629.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:32.0	yes
4Y	(228) 231651.73+002314.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:33.0	yes
4Z	(229) 232120.40-014132.1	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:34.0	yes
5A	(230) 232506.71-094915.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:35.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
5B	(231) 233127.02+021100.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:36.0	yes
5C	(232) 233348.79+285412.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:37.0	yes
5D	(233) 233349.24-003355.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:38.0	yes
5E	(234) 234330.59+043557.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:39.0	yes
5F	(235) 234801.93-013456.0	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:39.0	yes
5G	(236) 234859.37-071313.7	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:40.0	yes
5H	(237) 004127.45-020332.4	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:41.0	yes
5I	(238) 010515.88+190037.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:42.0	yes
5J	(239) 014433.91+284733.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:43.0	yes
5K	(240) J2244-0550	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:44.0	yes
5L	(241) 132812.47+232744.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:45.0	yes
5M	(242) 133401.40+331534.3	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:46.0	yes
5N	(243) 163348.99+313411.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:47.0	yes
5O	(244) 230926.64+002725.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:48.0	yes

Visit	*Targets used in Visit*	*Configurations used in Visit*	*Orbits Used*	*Last Orbit Planner Run*	*OP Current with Visit?*
5P	(245) 092745.02+071057.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:49.0	yes
5Q	(246) 152902.83+384103.2	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:50.0	yes
5R	(247) 150824.22-000603.9	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:51.0	yes
5S	(248) 120012.27+160724.6	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:51.0	yes
5T	(249) 222819.72+173255.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:53.0	yes
5U	(250) 101329.42+443829.8	WFC3/IR WFC3/UVIS	1	03-Nov-2023 10:04:54.0	yes

250 Total Orbits Used

ABSTRACT

The search for and characterization of the binary supermassive black hole (SMBH) population over cosmic history is a critical pathway to understanding galaxy/SMBH assembly and predicting low-frequency gravitational waves from the mergers of these SMBHs. The high-redshift (z>2) regime (i.e., the "quasar epoch") is of particiular importance, where SMBH accretion and global star formation reached their peak activity, and galaxy mergers occur much more frequently than at lower redshifts. This is also the regime where observations of close SMBH pairs significantly lag behind theories: due to observational limitations, there are few unambiguously confirmed SMBH pairs below ~10 kpc at z>2.

Here we propose a WFC3 UVIS+IR snapshot imaging program of luminous z>2 quasars to systematically discover kpc-scale dual (unobscured) quasars and sub-arcsec lenses, using recently developed astrometric techniques with Gaia data that have been proven efficient in this redshift-separation regime. The three-band imaging (UVIS-F475W/F625W and IR-F160W) will resolve the pair at ~0.1" resolution, provide color information and detect a potential lens galaxy and/or merger features to assess the nature of the resolved pair. This program will produce an unprecedented large sample of kpc-scale quasar pairs at cosmic noon, which will not only provide the first quantitative constraints on this progenitor population of SMBH mergers, but also critical insights on the galaxy formation story.

OBSERVING DESCRIPTION

For each SNAP target, we will observe with two WFC3/UVIS filters (F475W and F625W) and one WFC3/IR filter (F160W). The UVIS observations will use the M1K1C subarray and a 3-point line dither, with a total integration time of ~450s. The IR observation will use the 512x512 subarray with a 4-step BOX dither, reaching a total integration time of ~400s. The combined orbit usage is ~40min to increase the chance of execution.

The choice of filter combination is optimized for star-QSO separation in color space. The adopted dither patterns are adquate for our primary science goals, and we will use field stars covered by our observations to model the PSF. The targets are bright (Gaia G<20) so that short UVIS exposures are adequate to detect and resolve any potential pair. For IR, the expected surface brightness depth is adequate to test the lensing hypothesis.

Visit

Proposal 17455, Visit 01, implementation Fri Nov 03 14:04:55 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(1)	000835.61+024014.5	RA: 00 08 35.6086 (2.1483692d) Dec: +02 40 14.45 (2.67068d) Equinox: J2000	Epoch of Position: 2000.0	V=19.87	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(1) 000835.61+024014.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 01 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(1) 000835.61+024014.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 01 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(1) 000835.61+024014.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 01 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 02, implementation Fri Nov 03 14:04:55 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(2)	000905.74+281803.5	RA: 00 09 5.7360 (2.2739000d) Dec: +28 18 3.51 (28.30098d) Equinox: J2000	Epoch of Position: 2000.0	V=19.8	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(2) 000905.74+281803.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 02 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(2) 000905.74+281803.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 02 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(2) 000905.74+281803.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 02 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 03, implementation Fri Nov 03 14:04:55 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(3)	001020.29-000738.9	RA: 00 10 20.2850 (2.5845208d) Dec: -00 07 38.88 (-.12747d) Equinox: J2000	Epoch of Position: 2000.0	V=19.64	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(3) 001020.29-000738.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 03 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(3) 001020.29-000738.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 03 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(3) 001020.29-000738.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 03 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 04, implementation Fri Nov 03 14:04:55 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(4)	001306.12-025846.4	RA: 00 13 6.1186 (3.2754942d) Dec: -02 58 46.42 (-2.97956d) Equinox: J2000	Epoch of Position: 2000.0	V=19.97	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(4) 001306.12-025846.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 04 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(4) 001306.12-025846.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 04 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(4) 001306.12-025846.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 04 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 05, implementation Fri Nov 03 14:04:55 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(5)	001743.98-032525.7	RA: 00 17 43.9817 (4.4332571d) Dec: -03 25 25.66 (-3.42379d) Equinox: J2000	Epoch of Position: 2000.0	V=19.45	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(5) 001743.98-032525.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 05 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(5) 001743.98-032525.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 05 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(5) 001743.98-032525.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 05 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 06, implementation Fri Nov 03 14:04:55 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(6)	001812.07+114329.3	RA: 00 18 12.0670 (4.5502792d) Dec: +11 43 29.34 (11.72482d) Equinox: J2000	Epoch of Position: 2000.0	V=19.75	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(6) 001812.07+114329.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 06 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(6) 001812.07+114329.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 06 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(6) 001812.07+114329.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 06 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 07, implementation Fri Nov 03 14:04:55 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(7)	001946.60-092635.2	RA: 00 19 46.6034 (4.9441808d) Dec: -09 26 35.19 (-9.44311d) Equinox: J2000	Epoch of Position: 2000.0	V=19.64	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(7) 001946.60-092635.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 07 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(7) 001946.60-092635.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 07 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(7) 001946.60-092635.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 07 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 08, implementation Fri Nov 03 14:04:55 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(8)	002123.80-025211.0	RA: 00 21 23.8042 (5.3491842d) Dec: -02 52 10.96 (-2.86971d) Equinox: J2000	Epoch of Position: 2000.0	V=19.5	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(8) 002123.80-025211.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 08 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(8) 002123.80-025211.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 08 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(8) 002123.80-025211.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 08 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 09, implementation Fri Nov 03 14:04:55 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(9)	002210.78+100533.0	RA: 00 22 10.7849 (5.5449371d) Dec: +10 05 32.97 (10.09249d) Equinox: J2000	Epoch of Position: 2000.0	V=18.97	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(9) 002210.78+100533.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 09 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(9) 002210.78+100533.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 09 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(9) 002210.78+100533.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 09 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 10, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(10)	002332.44-110820.0	RA: 00 23 32.4360 (5.8851500d) Dec: -11 08 20.02 (-11.13889d) Equinox: J2000	Epoch of Position: 2000.0	V=18.53	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(10) 002332.44-110820.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 10 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(10) 002332.44-110820.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 10 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(10) 002332.44-110820.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 10 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 11, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(11)	002446.53-030059.0	RA: 00 24 46.5269 (6.1938621d) Dec: -03 00 59.04 (-3.01640d) Equinox: J2000	Epoch of Position: 2000.0	V=19.95	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(11) 002446.53-030059.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 11 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(11) 002446.53-030059.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 11 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(11) 002446.53-030059.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 11 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 12, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(12)	003200.28+162419.4	RA: 00 32 0.2767 (8.0011529d) Dec: +16 24 19.38 (16.40538d) Equinox: J2000	Epoch of Position: 2000.0	V=19.88	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(12) 003200.28+162419.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 12 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(12) 003200.28+162419.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 12 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(12) 003200.28+162419.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 12 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 13, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(13)	003715.88+205825.6	RA: 00 37 15.8767 (9.3161529d) Dec: +20 58 25.60 (20.97378d) Equinox: J2000	Epoch of Position: 2000.0	V=19.46	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(13) 003715.88+205825.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 13 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(13) 003715.88+205825.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 13 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(13) 003715.88+205825.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 13 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 14, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(14)	005225.30+264844.9	RA: 00 52 25.2996 (13.1054150d) Dec: +26 48 44.88 (26.81247d) Equinox: J2000	Epoch of Position: 2000.0	V=19.24	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(14) 005225.30+264844.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 14 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(14) 005225.30+264844.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 14 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(14) 005225.30+264844.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 14 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 15, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(15)	DESJ0118-3115	RA: 01 18 40.2960 (19.6679000d) Dec: -31 15 42.84 (-31.26190d) Equinox: J2000		V=19.43	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(15) DESJ0118-3115	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 15 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(15) DESJ0118-3115	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 15 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(15) DESJ0118-3115	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 15 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 16, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(16)	010353.72+313052.9	RA: 01 03 53.7168 (15.9738200d) Dec: +31 30 52.86 (31.51468d) Equinox: J2000	Epoch of Position: 2000.0	V=19.93	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(16) 010353.72+313052.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 16 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(16) 010353.72+313052.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 16 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(16) 010353.72+313052.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 16 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 17, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(17)	011114.41+171328.6	RA: 01 11 14.4115 (17.8100479d) Dec: +17 13 28.56 (17.22460d) Equinox: J2000	Epoch of Position: 2000.0	V=19.29	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(17) 011114.41+171328.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 17 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(17) 011114.41+171328.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 17 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(17) 011114.41+171328.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 17 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 18, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(18)	011233.66+285310.3	RA: 01 12 33.6586 (18.1402442d) Dec: +28 53 10.31 (28.88620d) Equinox: J2000	Epoch of Position: 2000.0	V=19.99	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(18) 011233.66+285310.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 18 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(18) 011233.66+285310.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 18 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(18) 011233.66+285310.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 18 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 19, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(19)	011724.55-052025.1	RA: 01 17 24.5534 (19.3523058d) Dec: -05 20 25.12 (-5.34031d) Equinox: J2000	Epoch of Position: 2000.0	V=19.83	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(19) 011724.55-052025.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 19 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(19) 011724.55-052025.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 19 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(19) 011724.55-052025.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 19 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 20, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(20)	012338.36+343541.3	RA: 01 23 38.3580 (20.9098250d) Dec: +34 35 41.32 (34.59481d) Equinox: J2000	Epoch of Position: 2000.0	V=19.92	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(20) 012338.36+343541.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 20 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(20) 012338.36+343541.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 20 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(20) 012338.36+343541.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 20 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 21, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(21)	013136.44+130331.1	RA: 01 31 36.4450 (22.9018542d) Dec: +13 03 31.08 (13.05863d) Equinox: J2000	Epoch of Position: 2000.0	V=17.59	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(21) 013136.44+130331.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 21 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(21) 013136.44+130331.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 21 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(21) 013136.44+130331.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 21 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 22, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(22)	013623.38+253408.9	RA: 01 36 23.3839 (24.0974329d) Dec: +25 34 8.95 (25.56915d) Equinox: J2000	Epoch of Position: 2000.0	V=19.66	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(22) 013623.38+253408.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 22 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(22) 013623.38+253408.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 22 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(22) 013623.38+253408.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 22 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 23, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(23)	013844.00+302254.3	RA: 01 38 44.0009 (24.6833371d) Dec: +30 22 54.25 (30.38174d) Equinox: J2000	Epoch of Position: 2000.0	V=19.43	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(23) 013844.00+302254.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 23 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(23) 013844.00+302254.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 23 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(23) 013844.00+302254.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 23 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 24, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(24)	013942.59+222558.6	RA: 01 39 42.5918 (24.9274658d) Dec: +22 25 58.63 (22.43295d) Equinox: J2000	Epoch of Position: 2000.0	V=19.28	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(24) 013942.59+222558.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 24 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(24) 013942.59+222558.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 24 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(24) 013942.59+222558.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 24 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 25, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(25)	014300.76+081752.0	RA: 01 43 0.7589 (25.7531621d) Dec: +08 17 51.99 (8.29777d) Equinox: J2000	Epoch of Position: 2000.0	V=18.99	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(25) 014300.76+081752.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 25 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(25) 014300.76+081752.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 25 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(25) 014300.76+081752.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 25 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 26, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(26)	014516.35+291040.9	RA: 01 45 16.3514 (26.3181308d) Dec: +29 10 40.91 (29.17803d) Equinox: J2000	Epoch of Position: 2000.0	V=19.35	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(26) 014516.35+291040.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 26 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(26) 014516.35+291040.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 26 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(26) 014516.35+291040.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 26 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 27, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(27)	DESJ0120-4354	RA: 01 20 6.4000 (20.0266667d) Dec: -43 54 41.00 (-43.91139d) Equinox: J2000		V=19.97	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(27) DESJ0120-4354	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 27 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(27) DESJ0120-4354	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 27 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(27) DESJ0120-4354	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 27 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 28, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(28)	014626.05+295250.7	RA: 01 46 26.0498 (26.6085408d) Dec: +29 52 50.70 (29.88075d) Equinox: J2000	Epoch of Position: 2000.0	V=19.57	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(28) 014626.05+295250.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 28 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(28) 014626.05+295250.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 28 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(28) 014626.05+295250.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 28 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 29, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(29)	014652.65+021540.4	RA: 01 46 52.6457 (26.7193571d) Dec: +02 15 40.40 (2.26122d) Equinox: J2000	Epoch of Position: 2000.0	V=19.89	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(29) 014652.65+021540.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 29 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(29) 014652.65+021540.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 29 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(29) 014652.65+021540.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 29 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 30, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(30)	014710.23+275729.6	RA: 01 47 10.2300 (26.7926250d) Dec: +27 57 29.61 (27.95822d) Equinox: J2000	Epoch of Position: 2000.0	V=19.17	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(30) 014710.23+275729.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 30 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(30) 014710.23+275729.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 30 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(30) 014710.23+275729.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 30 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 31, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(31)	014748.27+152550.1	RA: 01 47 48.2669 (26.9511121d) Dec: +15 25 50.11 (15.43059d) Equinox: J2000	Epoch of Position: 2000.0	V=19.91	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(31) 014748.27+152550.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 31 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(31) 014748.27+152550.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 31 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(31) 014748.27+152550.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 31 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 32, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(32)	015049.51+105923.7	RA: 01 50 49.5094 (27.7062892d) Dec: +10 59 23.71 (10.98992d) Equinox: J2000	Epoch of Position: 2000.0	V=18.85	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(32) 015049.51+105923.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 32 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(32) 015049.51+105923.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 32 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(32) 015049.51+105923.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 32 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 33, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(33)	015357.66+182213.1	RA: 01 53 57.6638 (28.4902658d) Dec: +18 22 13.13 (18.37031d) Equinox: J2000	Epoch of Position: 2000.0	V=18.68	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(33) 015357.66+182213.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 33 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(33) 015357.66+182213.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 33 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(33) 015357.66+182213.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 33 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 34, implementation Fri Nov 03 14:04:56 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(34)	015631.78-090802.9	RA: 01 56 31.7844 (29.1324350d) Dec: -09 08 2.87 (-9.13413d) Equinox: J2000	Epoch of Position: 2000.0	V=18.62	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(34) 015631.78-090802.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 34 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(34) 015631.78-090802.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 34 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(34) 015631.78-090802.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 34 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 35, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(35)	015907.33+081658.7	RA: 01 59 7.3325 (29.7805521d) Dec: +08 16 58.68 (8.28297d) Equinox: J2000	Epoch of Position: 2000.0	V=18.98	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(35) 015907.33+081658.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 35 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(35) 015907.33+081658.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 35 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(35) 015907.33+081658.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 35 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 36, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(36)	020413.14+313005.2	RA: 02 04 13.1431 (31.0547629d) Dec: +31 30 5.22 (31.50145d) Equinox: J2000	Epoch of Position: 2000.0	V=18.76	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(36) 020413.14+313005.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 36 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(36) 020413.14+313005.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 36 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(36) 020413.14+313005.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 36 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 37, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(37)	020626.46-002625.6	RA: 02 06 26.4569 (31.6102371d) Dec: -00 26 25.58 (-.44044d) Equinox: J2000	Epoch of Position: 2000.0	V=19.47	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(37) 020626.46-002625.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 37 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(37) 020626.46-002625.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 37 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(37) 020626.46-002625.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 37 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 38, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(38)	020737.79+281935.3	RA: 02 07 37.7863 (31.9074429d) Dec: +28 19 35.27 (28.32646d) Equinox: J2000	Epoch of Position: 2000.0	V=19.86	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(38) 020737.79+281935.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 38 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(38) 020737.79+281935.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 38 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(38) 020737.79+281935.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 38 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 39, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(39)	020741.29+035243.3	RA: 02 07 41.2860 (31.9220250d) Dec: +03 52 43.29 (3.87869d) Equinox: J2000	Epoch of Position: 2000.0	V=19.94	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(39) 020741.29+035243.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 39 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(39) 020741.29+035243.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 39 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(39) 020741.29+035243.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 39 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 40, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(40)	021101.05+054624.8	RA: 02 11 1.0498 (32.7543742d) Dec: +05 46 24.83 (5.77356d) Equinox: J2000	Epoch of Position: 2000.0	V=19.91	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(40) 021101.05+054624.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 40 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(40) 021101.05+054624.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 40 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(40) 021101.05+054624.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 40 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 41, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(41)	J0221+0555	RA: 02 21 47.3760 (35.4474000d) Dec: +05 55 9.12 (5.91920d) Equinox: J2000		V=19.96	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(41) J0221+0555	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 41 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(41) J0221+0555	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 41 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(41) J0221+0555	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 41 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 42, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(42)	021330.83+004104.1	RA: 02 13 30.8345 (33.3784771d) Dec: +00 41 4.14 (.68448d) Equinox: J2000	Epoch of Position: 2000.0	V=19.84	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(42) 021330.83+004104.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 42 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(42) 021330.83+004104.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 42 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(42) 021330.83+004104.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 42 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 43, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(43)	021827.25-045456.7	RA: 02 18 27.2470 (34.6135292d) Dec: -04 54 56.71 (-4.91575d) Equinox: J2000	Epoch of Position: 2000.0	V=19.09	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(43) 021827.25-045456.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 43 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(43) 021827.25-045456.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 43 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(43) 021827.25-045456.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 43 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 44, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(44)	022404.85+014942.0	RA: 02 24 4.8502 (36.0202092d) Dec: +01 49 41.97 (1.82832d) Equinox: J2000	Epoch of Position: 2000.0	V=18.75	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(44) 022404.85+014942.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 44 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(44) 022404.85+014942.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 44 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(44) 022404.85+014942.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 44 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 45, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(45)	022550.32-021020.0	RA: 02 25 50.3232 (36.4596800d) Dec: -02 10 20.00 (-2.17222d) Equinox: J2000	Epoch of Position: 2000.0	V=19.77	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(45) 022550.32-021020.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 45 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(45) 022550.32-021020.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 45 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(45) 022550.32-021020.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 45 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 46, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(46)	023035.56-074002.8	RA: 02 30 35.5572 (37.6481550d) Dec: -07 40 2.84 (-7.66746d) Equinox: J2000	Epoch of Position: 2000.0	V=19.81	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(46) 023035.56-074002.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 46 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(46) 023035.56-074002.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 46 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(46) 023035.56-074002.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 46 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 47, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(47)	023200.51+043837.3	RA: 02 32 0.5078 (38.0021158d) Dec: +04 38 37.26 (4.64368d) Equinox: J2000	Epoch of Position: 2000.0	V=19.93	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(47) 023200.51+043837.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 47 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(47) 023200.51+043837.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 47 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(47) 023200.51+043837.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 47 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 48, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(48)	024640.77-042039.0	RA: 02 46 40.7666 (41.6698608d) Dec: -04 20 39.03 (-4.34418d) Equinox: J2000	Epoch of Position: 2000.0	V=18.87	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(48) 024640.77-042039.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 48 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(48) 024640.77-042039.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 48 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(48) 024640.77-042039.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 48 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 49, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(49)	024647.14+021935.2	RA: 02 46 47.1422 (41.6964258d) Dec: +02 19 35.25 (2.32646d) Equinox: J2000	Epoch of Position: 2000.0	V=19.43	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(49) 024647.14+021935.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 49 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(49) 024647.14+021935.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 49 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(49) 024647.14+021935.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 49 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 50, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(50)	024818.27-082716.3	RA: 02 48 18.2683 (42.0761179d) Dec: -08 27 16.25 (-8.45451d) Equinox: J2000	Epoch of Position: 2000.0	V=19.53	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(50) 024818.27-082716.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 50 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(50) 024818.27-082716.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 50 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(50) 024818.27-082716.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 50 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 51, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(51)	025227.06+354248.6	RA: 02 52 27.0552 (43.1127300d) Dec: +35 42 48.65 (35.71351d) Equinox: J2000	Epoch of Position: 2000.0	V=19.29	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(51) 025227.06+354248.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 51 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(51) 025227.06+354248.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 51 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(51) 025227.06+354248.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 51 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 52, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(52)	025526.95-035351.7	RA: 02 55 26.9513 (43.8622971d) Dec: -03 53 51.74 (-3.89771d) Equinox: J2000	Epoch of Position: 2000.0	V=19.79	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(52) 025526.95-035351.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 52 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(52) 025526.95-035351.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 52 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(52) 025526.95-035351.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 52 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 53, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(53)	025951.89-040430.0	RA: 02 59 51.8873 (44.9661971d) Dec: -04 04 29.96 (-4.07499d) Equinox: J2000	Epoch of Position: 2000.0	V=18.78	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(53) 025951.89-040430.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 53 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(53) 025951.89-040430.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 53 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(53) 025951.89-040430.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 53 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 54, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(54)	030019.09+002622.7	RA: 03 00 19.0877 (45.0795321d) Dec: +00 26 22.71 (.43964d) Equinox: J2000	Epoch of Position: 2000.0	V=19.84	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(54) 030019.09+002622.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 54 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(54) 030019.09+002622.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 54 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(54) 030019.09+002622.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 54 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 55, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(55)	030045.48+002133.0	RA: 03 00 45.4757 (45.1894821d) Dec: +00 21 33.05 (.35918d) Equinox: J2000	Epoch of Position: 2000.0	V=18.89	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(55) 030045.48+002133.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 55 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(55) 030045.48+002133.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 55 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(55) 030045.48+002133.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 55 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 56, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(56)	035154.25+001525.6	RA: 03 51 54.2458 (57.9760242d) Dec: +00 15 25.57 (.25710d) Equinox: J2000	Epoch of Position: 2000.0	V=19.55	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(56) 035154.25+001525.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 56 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(56) 035154.25+001525.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 56 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(56) 035154.25+001525.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 56 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 57, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(57)	073050.64+272109.3	RA: 07 30 50.6414 (112.7110058d) Dec: +27 21 9.27 (27.35258d) Equinox: J2000	Epoch of Position: 2000.0	V=19.95	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(57) 073050.64+272109.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 57 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(57) 073050.64+272109.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 57 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(57) 073050.64+272109.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 57 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 58, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(58)	073515.60+284632.8	RA: 07 35 15.6000 (113.8150000d) Dec: +28 46 32.76 (28.77577d) Equinox: J2000	Epoch of Position: 2000.0	V=19.93	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(58) 073515.60+284632.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 58 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(58) 073515.60+284632.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 58 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(58) 073515.60+284632.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 58 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 59, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(59)	073610.74+373326.1	RA: 07 36 10.7388 (114.0447450d) Dec: +37 33 26.08 (37.55724d) Equinox: J2000	Epoch of Position: 2000.0	V=19.95	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(59) 073610.74+373326.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 59 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(59) 073610.74+373326.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 59 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(59) 073610.74+373326.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 59 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 60, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(60)	074105.11+182234.4	RA: 07 41 5.1089 (115.2712871d) Dec: +18 22 34.40 (18.37622d) Equinox: J2000	Epoch of Position: 2000.0	V=19.6	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(60) 074105.11+182234.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 60 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(60) 074105.11+182234.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 60 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(60) 074105.11+182234.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 60 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 61, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(61)	074352.62+245743.6	RA: 07 43 52.6188 (115.9692450d) Dec: +24 57 43.65 (24.96213d) Equinox: J2000	Epoch of Position: 2000.0	V=18.99	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(61) 074352.62+245743.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 61 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(61) 074352.62+245743.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 61 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(61) 074352.62+245743.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 61 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 62, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(62)	074817.13+191003.1	RA: 07 48 17.1346 (117.0713942d) Dec: +19 10 3.09 (19.16753d) Equinox: J2000	Epoch of Position: 2000.0	V=19.0	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(62) 074817.13+191003.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 62 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(62) 074817.13+191003.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 62 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(62) 074817.13+191003.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 62 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 63, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(63)	074839.00+192340.3	RA: 07 48 38.9964 (117.1624850d) Dec: +19 23 40.32 (19.39453d) Equinox: J2000	Epoch of Position: 2000.0	V=19.48	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(63) 074839.00+192340.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 63 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(63) 074839.00+192340.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 63 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(63) 074839.00+192340.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 63 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 64, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(64)	075350.57+424744.0	RA: 07 53 50.5682 (118.4607008d) Dec: +42 47 43.98 (42.79555d) Equinox: J2000	Epoch of Position: 2000.0	V=18.27	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(64) 075350.57+424744.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 64 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(64) 075350.57+424744.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 64 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(64) 075350.57+424744.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 64 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 65, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(65)	075824.27+145752.4	RA: 07 58 24.2707 (119.6011279d) Dec: +14 57 52.42 (14.96456d) Equinox: J2000	Epoch of Position: 2000.0	V=19.27	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(65) 075824.27+145752.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 65 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(65) 075824.27+145752.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 65 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(65) 075824.27+145752.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 65 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 66, implementation Fri Nov 03 14:04:57 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(66)	080505.62+355049.5	RA: 08 05 5.6215 (121.2734229d) Dec: +35 50 49.47 (35.84708d) Equinox: J2000	Epoch of Position: 2000.0	V=19.34	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(66) 080505.62+355049.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 66 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(66) 080505.62+355049.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 66 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(66) 080505.62+355049.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 66 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 67, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(67)	081115.84+265950.4	RA: 08 11 15.8398 (122.8159992d) Dec: +26 59 50.38 (26.99733d) Equinox: J2000	Epoch of Position: 2000.0	V=18.29	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(67) 081115.84+265950.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 67 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(67) 081115.84+265950.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 67 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(67) 081115.84+265950.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 67 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 68, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(68)	J0332-6608	RA: 03 32 20.1840 (53.0841000d) Dec: -66 08 24.00 (-66.14000d) Equinox: J2000		V=19.46	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(68) J0332-6608	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 68 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(68) J0332-6608	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 68 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(68) J0332-6608	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 68 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 69, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(69)	081636.80+323122.0	RA: 08 16 36.7992 (124.1533300d) Dec: +32 31 22.04 (32.52279d) Equinox: J2000	Epoch of Position: 2000.0	V=19.8	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(69) 081636.80+323122.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 69 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(69) 081636.80+323122.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 69 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(69) 081636.80+323122.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 69 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 70, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(70)	081830.46+060138.1	RA: 08 18 30.4627 (124.6269279d) Dec: +06 01 38.06 (6.02724d) Equinox: J2000	Epoch of Position: 2000.0	V=17.8	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(70) 081830.46+060138.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 70 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(70) 081830.46+060138.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 70 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(70) 081830.46+060138.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 70 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 71, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(71)	081957.39+305237.9	RA: 08 19 57.3876 (124.9891150d) Dec: +30 52 37.91 (30.87720d) Equinox: J2000	Epoch of Position: 2000.0	V=19.69	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(71) 081957.39+305237.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 71 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(71) 081957.39+305237.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 71 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(71) 081957.39+305237.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 71 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 72, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(72)	082019.93+411803.9	RA: 08 20 19.9306 (125.0830442d) Dec: +41 18 3.86 (41.30107d) Equinox: J2000	Epoch of Position: 2000.0	V=19.83	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(72) 082019.93+411803.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 72 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(72) 082019.93+411803.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 72 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(72) 082019.93+411803.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 72 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 73, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(73)	082155.98+340412.9	RA: 08 21 55.9826 (125.4832608d) Dec: +34 04 12.93 (34.07026d) Equinox: J2000	Epoch of Position: 2000.0	V=18.25	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(73) 082155.98+340412.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 73 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(73) 082155.98+340412.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 73 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(73) 082155.98+340412.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 73 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 74, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(74)	083135.16+251509.6	RA: 08 31 35.1622 (127.8965092d) Dec: +25 15 9.59 (25.25266d) Equinox: J2000	Epoch of Position: 2000.0	V=18.56	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(74) 083135.16+251509.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 74 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(74) 083135.16+251509.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 74 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(74) 083135.16+251509.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 74 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 75, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(75)	084521.55+430944.5	RA: 08 45 21.5525 (131.3398021d) Dec: +43 09 44.54 (43.16237d) Equinox: J2000	Epoch of Position: 2000.0	V=19.61	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(75) 084521.55+430944.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 75 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(75) 084521.55+430944.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 75 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(75) 084521.55+430944.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 75 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 76, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(76)	090259.34+042224.9	RA: 09 02 59.3352 (135.7472300d) Dec: +04 22 24.92 (4.37359d) Equinox: J2000	Epoch of Position: 2000.0	V=19.83	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(76) 090259.34+042224.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 76 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(76) 090259.34+042224.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 76 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(76) 090259.34+042224.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 76 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 77, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(77)	090338.26+261112.0	RA: 09 03 38.2586 (135.9094108d) Dec: +26 11 12.02 (26.18667d) Equinox: J2000	Epoch of Position: 2000.0	V=19.56	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(77) 090338.26+261112.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 77 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(77) 090338.26+261112.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 77 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(77) 090338.26+261112.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 77 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 78, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(78)	090404.16+151254.5	RA: 09 04 4.1554 (136.0173142d) Dec: +15 12 54.54 (15.21515d) Equinox: J2000	Epoch of Position: 2000.0	V=17.65	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(78) 090404.16+151254.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 78 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(78) 090404.16+151254.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 78 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(78) 090404.16+151254.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 78 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 79, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(79)	090458.89+250138.9	RA: 09 04 58.8917 (136.2453821d) Dec: +25 01 38.89 (25.02747d) Equinox: J2000	Epoch of Position: 2000.0	V=19.9	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(79) 090458.89+250138.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 79 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(79) 090458.89+250138.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 79 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(79) 090458.89+250138.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 79 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 80, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(80)	090501.12+585902.4	RA: 09 05 1.1225 (136.2546771d) Dec: +58 59 2.40 (58.98400d) Equinox: J2000	Epoch of Position: 2000.0	V=18.63	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(80) 090501.12+585902.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 80 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(80) 090501.12+585902.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 80 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(80) 090501.12+585902.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 80 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 81, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(81)	091127.61+055054.1	RA: 09 11 27.6149 (137.8650621d) Dec: +05 50 54.10 (5.84836d) Equinox: J2000	Epoch of Position: 2000.0	V=19.51	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(81) 091127.61+055054.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 81 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(81) 091127.61+055054.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 81 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(81) 091127.61+055054.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 81 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 82, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(82)	091523.56+015128.2	RA: 09 15 23.5591 (138.8481629d) Dec: +01 51 28.22 (1.85784d) Equinox: J2000	Epoch of Position: 2000.0	V=19.82	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(82) 091523.56+015128.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 82 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(82) 091523.56+015128.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 82 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(82) 091523.56+015128.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 82 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 83, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(83)	091725.70+302413.0	RA: 09 17 25.7045 (139.3571021d) Dec: +30 24 12.96 (30.40360d) Equinox: J2000	Epoch of Position: 2000.0	V=19.99	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(83) 091725.70+302413.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 83 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(83) 091725.70+302413.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 83 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(83) 091725.70+302413.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 83 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 84, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(84)	092256.20+561849.3	RA: 09 22 56.2030 (140.7341792d) Dec: +56 18 49.33 (56.31370d) Equinox: J2000	Epoch of Position: 2000.0	V=19.71	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(84) 092256.20+561849.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 84 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(84) 092256.20+561849.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 84 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(84) 092256.20+561849.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 84 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 85, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(85)	093725.07+355014.8	RA: 09 37 25.0654 (144.3544392d) Dec: +35 50 14.76 (35.83743d) Equinox: J2000	Epoch of Position: 2000.0	V=19.28	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(85) 093725.07+355014.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 85 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(85) 093725.07+355014.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 85 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(85) 093725.07+355014.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 85 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 86, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(86)	095422.68+524903.9	RA: 09 54 22.6848 (148.5945200d) Dec: +52 49 3.87 (52.81774d) Equinox: J2000	Epoch of Position: 2000.0	V=19.33	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(86) 095422.68+524903.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 86 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(86) 095422.68+524903.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 86 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(86) 095422.68+524903.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 86 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 87, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(87)	100153.78+065122.7	RA: 10 01 53.7768 (150.4740700d) Dec: +06 51 22.72 (6.85631d) Equinox: J2000	Epoch of Position: 2000.0	V=18.25	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(87) 100153.78+065122.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 87 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(87) 100153.78+065122.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 87 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(87) 100153.78+065122.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 87 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 88, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(88)	101332.33+263149.8	RA: 10 13 32.3278 (153.3846992d) Dec: +26 31 49.81 (26.53050d) Equinox: J2000	Epoch of Position: 2000.0	V=19.44	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(88) 101332.33+263149.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 88 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(88) 101332.33+263149.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 88 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(88) 101332.33+263149.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 88 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 89, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(89)	101611.69-003150.9	RA: 10 16 11.6911 (154.0487129d) Dec: -00 31 50.94 (-.53082d) Equinox: J2000	Epoch of Position: 2000.0	V=19.77	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(89) 101611.69-003150.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 89 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(89) 101611.69-003150.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 89 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(89) 101611.69-003150.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 89 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 90, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(90)	101942.96+052948.6	RA: 10 19 42.9593 (154.9289971d) Dec: +05 29 48.57 (5.49683d) Equinox: J2000	Epoch of Position: 2000.0	V=19.71	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(90) 101942.96+052948.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 90 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(90) 101942.96+052948.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 90 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(90) 101942.96+052948.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 90 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 91, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(91)	102159.84+454755.8	RA: 10 21 59.8378 (155.4993242d) Dec: +45 47 55.83 (45.79884d) Equinox: J2000	Epoch of Position: 2000.0	V=19.3	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(91) 102159.84+454755.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 91 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(91) 102159.84+454755.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 91 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(91) 102159.84+454755.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 91 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 92, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(92)	102257.19+310537.9	RA: 10 22 57.1942 (155.7383092d) Dec: +31 05 37.93 (31.09387d) Equinox: J2000	Epoch of Position: 2000.0	V=19.51	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(92) 102257.19+310537.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 92 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(92) 102257.19+310537.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 92 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(92) 102257.19+310537.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 92 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 93, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(93)	102627.88+014034.2	RA: 10 26 27.8810 (156.6161708d) Dec: +01 40 34.24 (1.67618d) Equinox: J2000	Epoch of Position: 2000.0	V=19.63	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(93) 102627.88+014034.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 93 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(93) 102627.88+014034.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 93 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(93) 102627.88+014034.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 93 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 94, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(94)	102747.03+253601.2	RA: 10 27 47.0333 (156.9459721d) Dec: +25 36 1.18 (25.60033d) Equinox: J2000	Epoch of Position: 2000.0	V=19.02	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(94) 102747.03+253601.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 94 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(94) 102747.03+253601.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 94 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(94) 102747.03+253601.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 94 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 95, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(95)	102801.27+115348.1	RA: 10 28 1.2655 (157.0052729d) Dec: +11 53 48.14 (11.89671d) Equinox: J2000	Epoch of Position: 2000.0	V=19.8	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(95) 102801.27+115348.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 95 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(95) 102801.27+115348.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 95 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(95) 102801.27+115348.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 95 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 96, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(96)	102806.07+502126.1	RA: 10 28 6.0746 (157.0253108d) Dec: +50 21 26.13 (50.35726d) Equinox: J2000	Epoch of Position: 2000.0	V=18.95	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(96) 102806.07+502126.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 96 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(96) 102806.07+502126.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 96 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(96) 102806.07+502126.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 96 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 97, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(97)	102940.56+100604.5	RA: 10 29 40.5564 (157.4189850d) Dec: +10 06 4.54 (10.10126d) Equinox: J2000	Epoch of Position: 2000.0	V=19.58	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(97) 102940.56+100604.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 97 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(97) 102940.56+100604.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 97 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(97) 102940.56+100604.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 97 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 98, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(98)	103020.00+374640.8	RA: 10 30 20.0047 (157.5833529d) Dec: +37 46 40.77 (37.77799d) Equinox: J2000	Epoch of Position: 2000.0	V=19.75	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(98) 103020.00+374640.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 98 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(98) 103020.00+374640.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 98 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(98) 103020.00+374640.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 98 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 99, implementation Fri Nov 03 14:04:58 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(99)	103139.65-010905.9	RA: 10 31 39.6499 (157.9152079d) Dec: -01 09 5.92 (-1.15164d) Equinox: J2000	Epoch of Position: 2000.0	V=18.66	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(99) 103139.65-010905.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 99 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(99) 103139.65-010905.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 99 (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(99) 103139.65-010905.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 99 (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0A, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(100)	103927.44+195355.0	RA: 10 39 27.4414 (159.8643392d) Dec: +19 53 55.04 (19.89862d) Equinox: J2000	Epoch of Position: 2000.0	V=20.0	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(100) 103927.44+195355.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(100) 103927.44+195355.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(100) 103927.44+195355.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0A (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0B, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(101)	104039.58+280628.2	RA: 10 40 39.5813 (160.1649221d) Dec: +28 06 28.21 (28.10784d) Equinox: J2000	Epoch of Position: 2000.0	V=19.72	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(101) 104039.58+280628.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(101) 104039.58+280628.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(101) 104039.58+280628.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0B (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0C, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(102)	104340.74+111837.0	RA: 10 43 40.7446 (160.9197692d) Dec: +11 18 37.02 (11.31028d) Equinox: J2000	Epoch of Position: 2000.0	V=18.39	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(102) 104340.74+111837.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(102) 104340.74+111837.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(102) 104340.74+111837.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0C (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0D, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(103)	104406.34+295901.0	RA: 10 44 6.3382 (161.0264092d) Dec: +29 59 0.99 (29.98361d) Equinox: J2000	Epoch of Position: 2000.0	V=18.88	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(103) 104406.34+295901.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(103) 104406.34+295901.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(103) 104406.34+295901.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0D (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0E, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(104)	J0346+2154	RA: 03 46 10.9920 (56.5458000d) Dec: +21 54 44.64 (21.91240d) Equinox: J2000		V=18.98	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(104) J0346+2154	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(104) J0346+2154	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(104) J0346+2154	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0E (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0F, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(105)	104832.41-011854.7	RA: 10 48 32.4130 (162.1350542d) Dec: -01 18 54.70 (-1.31519d) Equinox: J2000	Epoch of Position: 2000.0	V=19.09	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(105) 104832.41-011854.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(105) 104832.41-011854.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(105) 104832.41-011854.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0F (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0G, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(106)	104940.89+324653.3	RA: 10 49 40.8914 (162.4203808d) Dec: +32 46 53.34 (32.78148d) Equinox: J2000	Epoch of Position: 2000.0	V=19.96	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(106) 104940.89+324653.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(106) 104940.89+324653.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(106) 104940.89+324653.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0G (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0H, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(107)	105010.18+182627.6	RA: 10 50 10.1832 (162.5424300d) Dec: +18 26 27.64 (18.44101d) Equinox: J2000	Epoch of Position: 2000.0	V=19.94	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(107) 105010.18+182627.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(107) 105010.18+182627.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(107) 105010.18+182627.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0H (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0I, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(108)	105405.64+040252.6	RA: 10 54 5.6400 (163.5235000d) Dec: +04 02 52.62 (4.04795d) Equinox: J2000	Epoch of Position: 2000.0	V=19.93	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(108) 105405.64+040252.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(108) 105405.64+040252.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(108) 105405.64+040252.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0I (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0J, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(109)	105512.55+305222.5	RA: 10 55 12.5479 (163.8022829d) Dec: +30 52 22.50 (30.87292d) Equinox: J2000	Epoch of Position: 2000.0	V=19.89	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(109) 105512.55+305222.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(109) 105512.55+305222.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(109) 105512.55+305222.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0J (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0K, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(110)	105730.21+354042.6	RA: 10 57 30.2119 (164.3758829d) Dec: +35 40 42.63 (35.67851d) Equinox: J2000	Epoch of Position: 2000.0	V=19.79	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(110) 105730.21+354042.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(110) 105730.21+354042.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(110) 105730.21+354042.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0K (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0L, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(111)	105832.42+415221.0	RA: 10 58 32.4187 (164.6350779d) Dec: +41 52 20.97 (41.87249d) Equinox: J2000	Epoch of Position: 2000.0	V=19.68	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(111) 105832.42+415221.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(111) 105832.42+415221.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(111) 105832.42+415221.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0L (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0M, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(112)	110147.87+423547.1	RA: 11 01 47.8685 (165.4494521d) Dec: +42 35 47.13 (42.59643d) Equinox: J2000	Epoch of Position: 2000.0	V=18.85	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(112) 110147.87+423547.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(112) 110147.87+423547.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(112) 110147.87+423547.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0M (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0N, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(113)	110504.74+122230.0	RA: 11 05 4.7359 (166.2697329d) Dec: +12 22 30.04 (12.37501d) Equinox: J2000	Epoch of Position: 2000.0	V=19.17	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(113) 110504.74+122230.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(113) 110504.74+122230.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(113) 110504.74+122230.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0N (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0O, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(114)	110621.13+034342.9	RA: 11 06 21.1337 (166.5880571d) Dec: +03 43 42.90 (3.72858d) Equinox: J2000	Epoch of Position: 2000.0	V=19.55	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(114) 110621.13+034342.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(114) 110621.13+034342.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(114) 110621.13+034342.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0O (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0P, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(115)	110632.33+052852.1	RA: 11 06 32.3321 (166.6347171d) Dec: +05 28 52.11 (5.48114d) Equinox: J2000	Epoch of Position: 2000.0	V=19.94	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(115) 110632.33+052852.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(115) 110632.33+052852.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(115) 110632.33+052852.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0P (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0Q, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(116)	110939.50+080009.4	RA: 11 09 39.5014 (167.4145892d) Dec: +08 00 9.45 (8.00263d) Equinox: J2000	Epoch of Position: 2000.0	V=19.84	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(116) 110939.50+080009.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(116) 110939.50+080009.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(116) 110939.50+080009.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0Q (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0R, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(117)	111234.43+301647.6	RA: 11 12 34.4275 (168.1434479d) Dec: +30 16 47.59 (30.27989d) Equinox: J2000	Epoch of Position: 2000.0	V=18.72	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(117) 111234.43+301647.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(117) 111234.43+301647.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(117) 111234.43+301647.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0R (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0S, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(118)	111316.22+302822.9	RA: 11 13 16.2228 (168.3175950d) Dec: +30 28 22.94 (30.47304d) Equinox: J2000	Epoch of Position: 2000.0	V=19.57	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(118) 111316.22+302822.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(118) 111316.22+302822.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(118) 111316.22+302822.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0S (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0T, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(119)	111331.25+090618.5	RA: 11 13 31.2521 (168.3802171d) Dec: +09 06 18.46 (9.10513d) Equinox: J2000	Epoch of Position: 2000.0	V=19.54	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(119) 111331.25+090618.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(119) 111331.25+090618.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(119) 111331.25+090618.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0T (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0U, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(120)	111443.21+131118.8	RA: 11 14 43.2050 (168.6800208d) Dec: +13 11 18.77 (13.18855d) Equinox: J2000	Epoch of Position: 2000.0	V=18.65	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(120) 111443.21+131118.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(120) 111443.21+131118.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(120) 111443.21+131118.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0U (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0V, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(121)	111714.82+433650.8	RA: 11 17 14.8178 (169.3117408d) Dec: +43 36 50.80 (43.61411d) Equinox: J2000	Epoch of Position: 2000.0	V=19.76	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(121) 111714.82+433650.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(121) 111714.82+433650.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(121) 111714.82+433650.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0V (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0W, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(122)	111749.94+224652.5	RA: 11 17 49.9361 (169.4580671d) Dec: +22 46 52.51 (22.78125d) Equinox: J2000	Epoch of Position: 2000.0	V=19.61	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(122) 111749.94+224652.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(122) 111749.94+224652.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(122) 111749.94+224652.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0W (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0X, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(123)	112818.49+240217.5	RA: 11 28 18.4906 (172.0770442d) Dec: +24 02 17.47 (24.03819d) Equinox: J2000	Epoch of Position: 2000.0	V=18.53	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(123) 112818.49+240217.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(123) 112818.49+240217.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(123) 112818.49+240217.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0X (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0Y, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(124)	113339.50+285248.9	RA: 11 33 39.4966 (173.4145692d) Dec: +28 52 48.93 (28.88026d) Equinox: J2000	Epoch of Position: 2000.0	V=19.79	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(124) 113339.50+285248.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(124) 113339.50+285248.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(124) 113339.50+285248.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0Y (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 0Z, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(125)	113528.41+100609.7	RA: 11 35 28.4059 (173.8683579d) Dec: +10 06 9.67 (10.10269d) Equinox: J2000	Epoch of Position: 2000.0	V=19.77	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(125) 113528.41+100609.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 0Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(125) 113528.41+100609.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 0Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(125) 113528.41+100609.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 0Z (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1A, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(126)	113540.76+092459.3	RA: 11 35 40.7587 (173.9198279d) Dec: +09 24 59.29 (9.41647d) Equinox: J2000	Epoch of Position: 2000.0	V=19.4	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(126) 113540.76+092459.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(126) 113540.76+092459.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(126) 113540.76+092459.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1A (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1B, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(127)	113803.74+031457.8	RA: 11 38 3.7375 (174.5155729d) Dec: +03 14 57.81 (3.24939d) Equinox: J2000	Epoch of Position: 2000.0	V=19.78	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(127) 113803.74+031457.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(127) 113803.74+031457.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(127) 113803.74+031457.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1B (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1C, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(128)	113819.87+163520.6	RA: 11 38 19.8670 (174.5827792d) Dec: +16 35 20.60 (16.58906d) Equinox: J2000	Epoch of Position: 2000.0	V=19.83	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(128) 113819.87+163520.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(128) 113819.87+163520.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(128) 113819.87+163520.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1C (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1D, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(129)	113832.12+082725.8	RA: 11 38 32.1175 (174.6338229d) Dec: +08 27 25.83 (8.45717d) Equinox: J2000	Epoch of Position: 2000.0	V=19.52	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(129) 113832.12+082725.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(129) 113832.12+082725.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(129) 113832.12+082725.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1D (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1E, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(130)	113846.83+165727.2	RA: 11 38 46.8307 (174.6951279d) Dec: +16 57 27.19 (16.95755d) Equinox: J2000	Epoch of Position: 2000.0	V=19.03	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(130) 113846.83+165727.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(130) 113846.83+165727.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(130) 113846.83+165727.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1E (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1F, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(131)	113926.15+363725.4	RA: 11 39 26.1502 (174.8589592d) Dec: +36 37 25.44 (36.62373d) Equinox: J2000	Epoch of Position: 2000.0	V=19.46	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(131) 113926.15+363725.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(131) 113926.15+363725.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(131) 113926.15+363725.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1F (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1G, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(132)	113942.02+095531.9	RA: 11 39 42.0247 (174.9251029d) Dec: +09 55 31.92 (9.92553d) Equinox: J2000	Epoch of Position: 2000.0	V=19.97	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(132) 113942.02+095531.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(132) 113942.02+095531.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(132) 113942.02+095531.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1G (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1H, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(133)	114305.56+262116.7	RA: 11 43 5.5598 (175.7731658d) Dec: +26 21 16.68 (26.35463d) Equinox: J2000	Epoch of Position: 2000.0	V=19.37	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(133) 114305.56+262116.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(133) 114305.56+262116.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(133) 114305.56+262116.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1H (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1I, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(134)	114318.57+084050.9	RA: 11 43 18.5693 (175.8273721d) Dec: +08 40 50.86 (8.68079d) Equinox: J2000	Epoch of Position: 2000.0	V=19.85	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(134) 114318.57+084050.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(134) 114318.57+084050.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(134) 114318.57+084050.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1I (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1J, implementation Fri Nov 03 14:04:59 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(135)	114411.74+204116.1	RA: 11 44 11.7446 (176.0489358d) Dec: +20 41 16.07 (20.68780d) Equinox: J2000	Epoch of Position: 2000.0	V=19.71	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(135) 114411.74+204116.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(135) 114411.74+204116.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(135) 114411.74+204116.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1J (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1K, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(136)	114443.77+303209.1	RA: 11 44 43.7750 (176.1823958d) Dec: +30 32 9.05 (30.53585d) Equinox: J2000	Epoch of Position: 2000.0	V=19.82	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(136) 114443.77+303209.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(136) 114443.77+303209.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(136) 114443.77+303209.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1K (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1L, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(137)	114737.78+074239.1	RA: 11 47 37.7825 (176.9074271d) Dec: +07 42 39.10 (7.71086d) Equinox: J2000	Epoch of Position: 2000.0	V=18.67	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(137) 114737.78+074239.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(137) 114737.78+074239.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(137) 114737.78+074239.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1L (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1M, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(138)	114746.07+432958.3	RA: 11 47 46.0718 (176.9419658d) Dec: +43 29 58.33 (43.49954d) Equinox: J2000	Epoch of Position: 2000.0	V=19.68	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(138) 114746.07+432958.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(138) 114746.07+432958.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(138) 114746.07+432958.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1M (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1N, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(139)	114817.87+365740.1	RA: 11 48 17.8726 (177.0744692d) Dec: +36 57 40.11 (36.96114d) Equinox: J2000	Epoch of Position: 2000.0	V=19.96	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(139) 114817.87+365740.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(139) 114817.87+365740.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(139) 114817.87+365740.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1N (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1O, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(140)	114953.77+252028.6	RA: 11 49 53.7650 (177.4740208d) Dec: +25 20 28.62 (25.34128d) Equinox: J2000	Epoch of Position: 2000.0	V=19.53	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(140) 114953.77+252028.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(140) 114953.77+252028.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(140) 114953.77+252028.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1O (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1P, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(141)	114954.42+271128.4	RA: 11 49 54.4248 (177.4767700d) Dec: +27 11 28.42 (27.19123d) Equinox: J2000	Epoch of Position: 2000.0	V=19.55	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(141) 114954.42+271128.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(141) 114954.42+271128.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(141) 114954.42+271128.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1P (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1Q, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(142)	115221.78+242547.9	RA: 11 52 21.7848 (178.0907700d) Dec: +24 25 47.92 (24.42998d) Equinox: J2000	Epoch of Position: 2000.0	V=19.72	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(142) 115221.78+242547.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(142) 115221.78+242547.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(142) 115221.78+242547.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1Q (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1R, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(143)	115322.89+145107.9	RA: 11 53 22.8931 (178.3453879d) Dec: +14 51 7.93 (14.85220d) Equinox: J2000	Epoch of Position: 2000.0	V=19.95	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(143) 115322.89+145107.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(143) 115322.89+145107.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(143) 115322.89+145107.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1R (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1S, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(144)	115449.64+333602.0	RA: 11 54 49.6394 (178.7068308d) Dec: +33 36 2.02 (33.60056d) Equinox: J2000	Epoch of Position: 2000.0	V=19.54	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(144) 115449.64+333602.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(144) 115449.64+333602.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(144) 115449.64+333602.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1S (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1T, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(145)	115839.31+104611.6	RA: 11 58 39.3134 (179.6638058d) Dec: +10 46 11.63 (10.76990d) Equinox: J2000	Epoch of Position: 2000.0	V=19.74	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(145) 115839.31+104611.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(145) 115839.31+104611.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(145) 115839.31+104611.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1T (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1U, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(146)	120119.01+523022.6	RA: 12 01 19.0116 (180.3292150d) Dec: +52 30 22.56 (52.50627d) Equinox: J2000	Epoch of Position: 2000.0	V=19.54	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(146) 120119.01+523022.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(146) 120119.01+523022.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(146) 120119.01+523022.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1U (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1V, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(147)	121354.19+035754.4	RA: 12 13 54.1894 (183.4757892d) Dec: +03 57 54.38 (3.96511d) Equinox: J2000	Epoch of Position: 2000.0	V=19.54	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(147) 121354.19+035754.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(147) 121354.19+035754.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(147) 121354.19+035754.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1V (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1W, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(148)	121720.56+224420.9	RA: 12 17 20.5606 (184.3356692d) Dec: +22 44 20.89 (22.73914d) Equinox: J2000	Epoch of Position: 2000.0	V=19.02	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(148) 121720.56+224420.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(148) 121720.56+224420.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(148) 121720.56+224420.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1W (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1X, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(149)	121740.55+293430.9	RA: 12 17 40.5456 (184.4189400d) Dec: +29 34 30.90 (29.57525d) Equinox: J2000	Epoch of Position: 2000.0	V=19.67	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(149) 121740.55+293430.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(149) 121740.55+293430.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(149) 121740.55+293430.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1X (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1Y, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(150)	123658.95+465029.5	RA: 12 36 58.9457 (189.2456071d) Dec: +46 50 29.51 (46.84153d) Equinox: J2000	Epoch of Position: 2000.0	V=19.84	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(150) 123658.95+465029.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(150) 123658.95+465029.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(150) 123658.95+465029.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1Y (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 1Z, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(151)	123738.45+464655.3	RA: 12 37 38.4540 (189.4102250d) Dec: +46 46 55.28 (46.78202d) Equinox: J2000	Epoch of Position: 2000.0	V=19.66	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(151) 123738.45+464655.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 1Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(151) 123738.45+464655.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 1Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(151) 123738.45+464655.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 1Z (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2A, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(152)	124000.94+034051.8	RA: 12 40 0.9355 (190.0038979d) Dec: +03 40 51.76 (3.68104d) Equinox: J2000	Epoch of Position: 2000.0	V=19.05	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(152) 124000.94+034051.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(152) 124000.94+034051.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(152) 124000.94+034051.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2A (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2B, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(153)	125710.24+550725.8	RA: 12 57 10.2410 (194.2926708d) Dec: +55 07 25.80 (55.12383d) Equinox: J2000	Epoch of Position: 2000.0	V=19.83	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(153) 125710.24+550725.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(153) 125710.24+550725.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(153) 125710.24+550725.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2B (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2C, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(154)	125817.47+472633.0	RA: 12 58 17.4710 (194.5727958d) Dec: +47 26 33.03 (47.44251d) Equinox: J2000	Epoch of Position: 2000.0	V=19.83	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(154) 125817.47+472633.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(154) 125817.47+472633.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(154) 125817.47+472633.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2C (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2D, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(155)	130027.03+542553.0	RA: 13 00 27.0338 (195.1126408d) Dec: +54 25 53.00 (54.43139d) Equinox: J2000	Epoch of Position: 2000.0	V=19.74	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(155) 130027.03+542553.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(155) 130027.03+542553.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(155) 130027.03+542553.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2D (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2E, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(156)	130308.19-010432.9	RA: 13 03 8.1907 (195.7841279d) Dec: -01 04 32.88 (-1.07580d) Equinox: J2000	Epoch of Position: 2000.0	V=19.72	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(156) 130308.19-010432.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(156) 130308.19-010432.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(156) 130308.19-010432.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2E (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2F, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(157)	130615.92+452500.1	RA: 13 06 15.9192 (196.5663300d) Dec: +45 25 0.12 (45.41670d) Equinox: J2000	Epoch of Position: 2000.0	V=19.74	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(157) 130615.92+452500.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(157) 130615.92+452500.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(157) 130615.92+452500.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2F (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2G, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(158)	131028.34+540957.2	RA: 13 10 28.3397 (197.6180821d) Dec: +54 09 57.23 (54.16590d) Equinox: J2000	Epoch of Position: 2000.0	V=18.99	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(158) 131028.34+540957.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(158) 131028.34+540957.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(158) 131028.34+540957.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2G (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2H, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(159)	131720.61+113810.0	RA: 13 17 20.6057 (199.3358571d) Dec: +11 38 9.99 (11.63611d) Equinox: J2000	Epoch of Position: 2000.0	V=19.23	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(159) 131720.61+113810.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(159) 131720.61+113810.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(159) 131720.61+113810.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2H (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2I, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(160)	132505.16+493430.6	RA: 13 25 5.1600 (201.2715000d) Dec: +49 34 30.57 (49.57516d) Equinox: J2000	Epoch of Position: 2000.0	V=19.17	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(160) 132505.16+493430.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(160) 132505.16+493430.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(160) 132505.16+493430.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2I (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2J, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(161)	133728.98+425400.6	RA: 13 37 28.9781 (204.3707421d) Dec: +42 54 0.58 (42.90016d) Equinox: J2000	Epoch of Position: 2000.0	V=19.21	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(161) 133728.98+425400.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(161) 133728.98+425400.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(161) 133728.98+425400.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2J (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2K, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(162)	134118.53+373017.9	RA: 13 41 18.5275 (205.3271979d) Dec: +37 30 17.88 (37.50497d) Equinox: J2000	Epoch of Position: 2000.0	V=18.98	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(162) 134118.53+373017.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(162) 134118.53+373017.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(162) 134118.53+373017.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2K (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2L, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(163)	135220.77+015411.9	RA: 13 52 20.7698 (208.0865408d) Dec: +01 54 11.88 (1.90330d) Equinox: J2000	Epoch of Position: 2000.0	V=19.94	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(163) 135220.77+015411.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(163) 135220.77+015411.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(163) 135220.77+015411.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2L (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2M, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(164)	135329.59+115813.9	RA: 13 53 29.5896 (208.3732900d) Dec: +11 58 13.93 (11.97054d) Equinox: J2000	Epoch of Position: 2000.0	V=19.68	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(164) 135329.59+115813.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(164) 135329.59+115813.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(164) 135329.59+115813.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2M (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2N, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(165)	140901.42+173404.6	RA: 14 09 1.4242 (212.2559342d) Dec: +17 34 4.56 (17.56793d) Equinox: J2000	Epoch of Position: 2000.0	V=19.75	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(165) 140901.42+173404.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(165) 140901.42+173404.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(165) 140901.42+173404.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2N (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2O, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(166)	140901.88+294633.6	RA: 14 09 1.8766 (212.2578192d) Dec: +29 46 33.63 (29.77601d) Equinox: J2000	Epoch of Position: 2000.0	V=18.85	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(166) 140901.88+294633.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(166) 140901.88+294633.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(166) 140901.88+294633.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2O (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2P, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(167)	141546.24+112943.4	RA: 14 15 46.2413 (213.9426721d) Dec: +11 29 43.44 (11.49540d) Equinox: J2000	Epoch of Position: 2000.0	V=17.57	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(167) 141546.24+112943.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(167) 141546.24+112943.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(167) 141546.24+112943.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2P (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2Q, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(168)	141838.67+040854.0	RA: 14 18 38.6741 (214.6611421d) Dec: +04 08 53.96 (4.14832d) Equinox: J2000	Epoch of Position: 2000.0	V=19.64	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(168) 141838.67+040854.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(168) 141838.67+040854.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(168) 141838.67+040854.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2Q (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2R, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(169)	142422.93+080255.6	RA: 14 24 22.9253 (216.0955221d) Dec: +08 02 55.63 (8.04879d) Equinox: J2000	Epoch of Position: 2000.0	V=19.72	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(169) 142422.93+080255.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(169) 142422.93+080255.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(169) 142422.93+080255.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2R (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2S, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(170)	142749.57-012941.4	RA: 14 27 49.5670 (216.9565292d) Dec: -01 29 41.39 (-1.49483d) Equinox: J2000	Epoch of Position: 2000.0	V=19.62	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(170) 142749.57-012941.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(170) 142749.57-012941.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(170) 142749.57-012941.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2S (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2T, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(171)	142849.41+085343.5	RA: 14 28 49.4078 (217.2058658d) Dec: +08 53 43.53 (8.89542d) Equinox: J2000	Epoch of Position: 2000.0	V=19.65	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(171) 142849.41+085343.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(171) 142849.41+085343.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(171) 142849.41+085343.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2T (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2U, implementation Fri Nov 03 14:05:00 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(172)	143116.86-004637.8	RA: 14 31 16.8624 (217.8202600d) Dec: -00 46 37.78 (-.77716d) Equinox: J2000	Epoch of Position: 2000.0	V=19.35	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(172) 143116.86-004637.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(172) 143116.86-004637.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(172) 143116.86-004637.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2U (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2V, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(173)	143313.10+141821.6	RA: 14 33 13.0951 (218.3045629d) Dec: +14 18 21.56 (14.30599d) Equinox: J2000	Epoch of Position: 2000.0	V=19.11	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(173) 143313.10+141821.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(173) 143313.10+141821.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(173) 143313.10+141821.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2V (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2W, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(174)	143628.20+054200.2	RA: 14 36 28.1964 (219.1174850d) Dec: +05 42 0.19 (5.70005d) Equinox: J2000	Epoch of Position: 2000.0	V=19.09	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(174) 143628.20+054200.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(174) 143628.20+054200.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(174) 143628.20+054200.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2W (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2X, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(175)	144004.36+023445.6	RA: 14 40 4.3584 (220.0181600d) Dec: +02 34 45.57 (2.57932d) Equinox: J2000	Epoch of Position: 2000.0	V=19.72	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(175) 144004.36+023445.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(175) 144004.36+023445.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(175) 144004.36+023445.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2X (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2Y, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(176)	144114.80-004436.0	RA: 14 41 14.7953 (220.3116471d) Dec: -00 44 36.02 (-.74334d) Equinox: J2000	Epoch of Position: 2000.0	V=19.95	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(176) 144114.80-004436.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(176) 144114.80-004436.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(176) 144114.80-004436.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2Y (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 2Z, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(177)	144236.78+145344.0	RA: 14 42 36.7812 (220.6532550d) Dec: +14 53 44.01 (14.89556d) Equinox: J2000	Epoch of Position: 2000.0	V=19.56	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(177) 144236.78+145344.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 2Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(177) 144236.78+145344.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 2Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(177) 144236.78+145344.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 2Z (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3A, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(178)	145609.31+140357.0	RA: 14 56 9.3103 (224.0387929d) Dec: +14 03 56.99 (14.06583d) Equinox: J2000	Epoch of Position: 2000.0	V=19.3	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(178) 145609.31+140357.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(178) 145609.31+140357.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(178) 145609.31+140357.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3A (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3B, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(179)	145934.15+594258.3	RA: 14 59 34.1484 (224.8922850d) Dec: +59 42 58.32 (59.71620d) Equinox: J2000	Epoch of Position: 2000.0	V=19.64	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(179) 145934.15+594258.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(179) 145934.15+594258.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(179) 145934.15+594258.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3B (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3C, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(180)	151047.36+152403.7	RA: 15 10 47.3647 (227.6973529d) Dec: +15 24 3.67 (15.40102d) Equinox: J2000	Epoch of Position: 2000.0	V=19.57	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(180) 151047.36+152403.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(180) 151047.36+152403.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(180) 151047.36+152403.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3C (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3D, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(181)	151930.66+045552.1	RA: 15 19 30.6593 (229.8777471d) Dec: +04 55 52.09 (4.93114d) Equinox: J2000	Epoch of Position: 2000.0	V=18.97	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(181) 151930.66+045552.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(181) 151930.66+045552.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(181) 151930.66+045552.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3D (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3E, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(182)	152005.93+233953.0	RA: 15 20 5.9287 (230.0247029d) Dec: +23 39 52.96 (23.66471d) Equinox: J2000	Epoch of Position: 2000.0	V=19.43	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(182) 152005.93+233953.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(182) 152005.93+233953.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(182) 152005.93+233953.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3E (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3F, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(183)	J0916-2848	RA: 09 16 39.5040 (139.1646000d) Dec: -28 48 51.48 (-28.81430d) Equinox: J2000		V=19.47	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(183) J0916-2848	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(183) J0916-2848	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(183) J0916-2848	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3F (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3G, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(184)	152645.61+193006.7	RA: 15 26 45.6142 (231.6900592d) Dec: +19 30 6.73 (19.50187d) Equinox: J2000	Epoch of Position: 2000.0	V=19.27	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(184) 152645.61+193006.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(184) 152645.61+193006.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(184) 152645.61+193006.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3G (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3H, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(185)	152846.74+363751.6	RA: 15 28 46.7390 (232.1947458d) Dec: +36 37 51.56 (36.63099d) Equinox: J2000	Epoch of Position: 2000.0	V=19.02	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(185) 152846.74+363751.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(185) 152846.74+363751.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(185) 152846.74+363751.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3H (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3I, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(186)	152938.90+103803.9	RA: 15 29 38.9038 (232.4120992d) Dec: +10 38 3.91 (10.63442d) Equinox: J2000	Epoch of Position: 2000.0	V=17.9	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(186) 152938.90+103803.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(186) 152938.90+103803.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(186) 152938.90+103803.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3I (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3J, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(187)	153038.07+545631.5	RA: 15 30 38.0712 (232.6586300d) Dec: +54 56 31.54 (54.94209d) Equinox: J2000	Epoch of Position: 2000.0	V=18.54	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(187) 153038.07+545631.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(187) 153038.07+545631.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(187) 153038.07+545631.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3J (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3K, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(188)	155426.33+185619.8	RA: 15 54 26.3256 (238.6096900d) Dec: +18 56 19.77 (18.93883d) Equinox: J2000	Epoch of Position: 2000.0	V=19.17	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(188) 155426.33+185619.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(188) 155426.33+185619.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(188) 155426.33+185619.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3K (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3L, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(189)	160037.58+344823.2	RA: 16 00 37.5758 (240.1565658d) Dec: +34 48 23.18 (34.80644d) Equinox: J2000	Epoch of Position: 2000.0	V=19.97	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(189) 160037.58+344823.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(189) 160037.58+344823.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(189) 160037.58+344823.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3L (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3M, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(190)	162609.95+440528.6	RA: 16 26 9.9540 (246.5414750d) Dec: +44 05 28.63 (44.09129d) Equinox: J2000	Epoch of Position: 2000.0	V=19.11	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(190) 162609.95+440528.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(190) 162609.95+440528.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(190) 162609.95+440528.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3M (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3N, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(191)	165552.10+332323.3	RA: 16 55 52.1035 (253.9670979d) Dec: +33 23 23.28 (33.38980d) Equinox: J2000	Epoch of Position: 2000.0	V=19.49	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(191) 165552.10+332323.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(191) 165552.10+332323.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(191) 165552.10+332323.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3N (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3O, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(192)	170256.01+252445.0	RA: 17 02 56.0131 (255.7333879d) Dec: +25 24 44.98 (25.41249d) Equinox: J2000	Epoch of Position: 2000.0	V=19.23	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(192) 170256.01+252445.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(192) 170256.01+252445.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(192) 170256.01+252445.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3O (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3P, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(193)	171128.05+370903.0	RA: 17 11 28.0512 (257.8668800d) Dec: +37 09 2.97 (37.15082d) Equinox: J2000	Epoch of Position: 2000.0	V=19.46	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(193) 171128.05+370903.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(193) 171128.05+370903.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(193) 171128.05+370903.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3P (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3Q, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(194)	171836.60+381835.5	RA: 17 18 36.6038 (259.6525158d) Dec: +38 18 35.47 (38.30985d) Equinox: J2000	Epoch of Position: 2000.0	V=18.74	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(194) 171836.60+381835.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(194) 171836.60+381835.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(194) 171836.60+381835.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3Q (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3R, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(195)	212219.18+011505.8	RA: 21 22 19.1782 (320.5799092d) Dec: +01 15 5.81 (1.25161d) Equinox: J2000	Epoch of Position: 2000.0	V=19.51	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(195) 212219.18+011505.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(195) 212219.18+011505.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(195) 212219.18+011505.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3R (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3S, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(196)	212352.21+071352.1	RA: 21 23 52.2130 (320.9675542d) Dec: +07 13 52.08 (7.23113d) Equinox: J2000	Epoch of Position: 2000.0	V=18.92	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(196) 212352.21+071352.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(196) 212352.21+071352.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(196) 212352.21+071352.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3S (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3T, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(197)	215457.89+282125.9	RA: 21 54 57.8899 (328.7412079d) Dec: +28 21 25.86 (28.35718d) Equinox: J2000	Epoch of Position: 2000.0	V=19.9	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(197) 215457.89+282125.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(197) 215457.89+282125.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(197) 215457.89+282125.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3T (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3U, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(198)	215636.72+144853.9	RA: 21 56 36.7171 (329.1529879d) Dec: +14 48 53.93 (14.81498d) Equinox: J2000	Epoch of Position: 2000.0	V=19.34	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(198) 215636.72+144853.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(198) 215636.72+144853.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(198) 215636.72+144853.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3U (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3V, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(199)	220003.46+005332.4	RA: 22 00 3.4625 (330.0144271d) Dec: +00 53 32.36 (.89232d) Equinox: J2000	Epoch of Position: 2000.0	V=19.6	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(199) 220003.46+005332.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(199) 220003.46+005332.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(199) 220003.46+005332.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3V (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3W, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(200)	220613.04+031424.6	RA: 22 06 13.0433 (331.5543471d) Dec: +03 14 24.60 (3.24017d) Equinox: J2000	Epoch of Position: 2000.0	V=19.86	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(200) 220613.04+031424.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(200) 220613.04+031424.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(200) 220613.04+031424.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3W (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3X, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(201)	J2255+8009	RA: 22 55 38.1120 (343.9088000d) Dec: +80 09 58.32 (80.16620d) Equinox: J2000		V=19.15	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(201) J2255+8009	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(201) J2255+8009	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(201) J2255+8009	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3X (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3Y, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(202)	221243.66+021958.0	RA: 22 12 43.6594 (333.1819142d) Dec: +02 19 58.02 (2.33278d) Equinox: J2000	Epoch of Position: 2000.0	V=19.9	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(202) 221243.66+021958.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(202) 221243.66+021958.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(202) 221243.66+021958.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3Y (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 3Z, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(203)	221637.19+124844.3	RA: 22 16 37.1870 (334.1549458d) Dec: +12 48 44.31 (12.81231d) Equinox: J2000	Epoch of Position: 2000.0	V=19.34	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(203) 221637.19+124844.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 3Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(203) 221637.19+124844.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 3Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(203) 221637.19+124844.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 3Z (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4A, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(204)	222102.78-003044.5	RA: 22 21 2.7838 (335.2615992d) Dec: -00 30 44.46 (-.51235d) Equinox: J2000	Epoch of Position: 2000.0	V=19.88	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(204) 222102.78-003044.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(204) 222102.78-003044.5	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(204) 222102.78-003044.5	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4A (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4B, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(205)	222120.21-072656.2	RA: 22 21 20.2133 (335.3342221d) Dec: -07 26 56.16 (-7.44893d) Equinox: J2000	Epoch of Position: 2000.0	V=18.85	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(205) 222120.21-072656.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(205) 222120.21-072656.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(205) 222120.21-072656.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4B (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4C, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(206)	222233.04+142405.3	RA: 22 22 33.0360 (335.6376500d) Dec: +14 24 5.34 (14.40148d) Equinox: J2000	Epoch of Position: 2000.0	V=19.22	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(206) 222233.04+142405.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(206) 222233.04+142405.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(206) 222233.04+142405.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4C (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4D, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(207)	222242.43-020459.3	RA: 22 22 42.4306 (335.6767942d) Dec: -02 04 59.28 (-2.08313d) Equinox: J2000	Epoch of Position: 2000.0	V=19.66	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(207) 222242.43-020459.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(207) 222242.43-020459.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(207) 222242.43-020459.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4D (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4E, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(208)	222533.76-022047.7	RA: 22 25 33.7582 (336.3906592d) Dec: -02 20 47.69 (-2.34658d) Equinox: J2000	Epoch of Position: 2000.0	V=19.35	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(208) 222533.76-022047.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(208) 222533.76-022047.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(208) 222533.76-022047.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4E (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4F, implementation Fri Nov 03 14:05:01 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(209)	222540.66+005325.6	RA: 22 25 40.6625 (336.4194271d) Dec: +00 53 25.65 (.89046d) Equinox: J2000	Epoch of Position: 2000.0	V=19.64	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(209) 222540.66+005325.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(209) 222540.66+005325.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(209) 222540.66+005325.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4F (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4G, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(210)	222726.81+275844.0	RA: 22 27 26.8128 (336.8617200d) Dec: +27 58 43.97 (27.97888d) Equinox: J2000	Epoch of Position: 2000.0	V=18.75	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(210) 222726.81+275844.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(210) 222726.81+275844.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(210) 222726.81+275844.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4G (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4H, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(211)	222830.67+184644.0	RA: 22 28 30.6682 (337.1277842d) Dec: +18 46 44.03 (18.77890d) Equinox: J2000	Epoch of Position: 2000.0	V=19.33	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(211) 222830.67+184644.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(211) 222830.67+184644.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(211) 222830.67+184644.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4H (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4I, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(212)	223226.83+204427.3	RA: 22 32 26.8294 (338.1117892d) Dec: +20 44 27.30 (20.74092d) Equinox: J2000	Epoch of Position: 2000.0	V=19.62	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(212) 223226.83+204427.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(212) 223226.83+204427.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(212) 223226.83+204427.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4I (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4J, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(213)	223348.33+195651.1	RA: 22 33 48.3317 (338.4513821d) Dec: +19 56 51.05 (19.94751d) Equinox: J2000	Epoch of Position: 2000.0	V=19.15	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(213) 223348.33+195651.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(213) 223348.33+195651.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(213) 223348.33+195651.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4J (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4K, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(214)	223930.37+061634.0	RA: 22 39 30.3679 (339.8765329d) Dec: +06 16 34.01 (6.27611d) Equinox: J2000	Epoch of Position: 2000.0	V=19.95	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(214) 223930.37+061634.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(214) 223930.37+061634.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(214) 223930.37+061634.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4K (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4L, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(215)	223947.38+130818.0	RA: 22 39 47.3803 (339.9474179d) Dec: +13 08 17.96 (13.13832d) Equinox: J2000	Epoch of Position: 2000.0	V=19.98	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(215) 223947.38+130818.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(215) 223947.38+130818.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(215) 223947.38+130818.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4L (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4M, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(216)	224011.38-012740.4	RA: 22 40 11.3762 (340.0474008d) Dec: -01 27 40.45 (-1.46124d) Equinox: J2000	Epoch of Position: 2000.0	V=19.62	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(216) 224011.38-012740.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(216) 224011.38-012740.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(216) 224011.38-012740.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4M (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4N, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(217)	224030.64-001146.7	RA: 22 40 30.6410 (340.1276708d) Dec: -00 11 46.71 (-.19631d) Equinox: J2000	Epoch of Position: 2000.0	V=19.97	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(217) 224030.64-001146.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(217) 224030.64-001146.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(217) 224030.64-001146.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4N (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4O, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(218)	224153.79+010951.2	RA: 22 41 53.7862 (340.4741092d) Dec: +01 09 51.18 (1.16422d) Equinox: J2000	Epoch of Position: 2000.0	V=19.72	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(218) 224153.79+010951.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(218) 224153.79+010951.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(218) 224153.79+010951.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4O (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4P, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(219)	224341.19+101811.0	RA: 22 43 41.1883 (340.9216179d) Dec: +10 18 10.95 (10.30304d) Equinox: J2000	Epoch of Position: 2000.0	V=18.95	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(219) 224341.19+101811.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(219) 224341.19+101811.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(219) 224341.19+101811.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4P (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4Q, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(220)	225315.02+040132.3	RA: 22 53 15.0154 (343.3125642d) Dec: +04 01 32.28 (4.02563d) Equinox: J2000	Epoch of Position: 2000.0	V=18.39	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(220) 225315.02+040132.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(220) 225315.02+040132.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(220) 225315.02+040132.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4Q (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4R, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(221)	225430.98-005339.6	RA: 22 54 30.9797 (343.6290821d) Dec: -00 53 39.64 (-.89434d) Equinox: J2000	Epoch of Position: 2000.0	V=19.99	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(221) 225430.98-005339.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(221) 225430.98-005339.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(221) 225430.98-005339.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4R (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4S, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(222)	225746.94+000121.4	RA: 22 57 46.9382 (344.4455758d) Dec: +00 01 21.40 (.02261d) Equinox: J2000	Epoch of Position: 2000.0	V=19.21	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(222) 225746.94+000121.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(222) 225746.94+000121.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(222) 225746.94+000121.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4S (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4T, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(223)	230125.66+023400.9	RA: 23 01 25.6646 (345.3569358d) Dec: +02 34 0.91 (2.56692d) Equinox: J2000	Epoch of Position: 2000.0	V=19.35	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(223) 230125.66+023400.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(223) 230125.66+023400.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(223) 230125.66+023400.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4T (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4U, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(224)	230812.15-010256.3	RA: 23 08 12.1517 (347.0506321d) Dec: -01 02 56.30 (-1.04897d) Equinox: J2000	Epoch of Position: 2000.0	V=19.43	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(224) 230812.15-010256.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(224) 230812.15-010256.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(224) 230812.15-010256.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4U (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4V, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(225)	231016.36-090720.1	RA: 23 10 16.3594 (347.5681642d) Dec: -09 07 20.09 (-9.12225d) Equinox: J2000	Epoch of Position: 2000.0	V=19.24	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(225) 231016.36-090720.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(225) 231016.36-090720.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4V (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(225) 231016.36-090720.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4V (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4W, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(226)	231300.60+010711.1	RA: 23 13 0.6000 (348.2525000d) Dec: +01 07 11.13 (1.11976d) Equinox: J2000	Epoch of Position: 2000.0	V=19.97	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(226) 231300.60+010711.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(226) 231300.60+010711.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4W (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(226) 231300.60+010711.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4W (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4X, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(227)	231325.86+144629.9	RA: 23 13 25.8614 (348.3577558d) Dec: +14 46 29.86 (14.77496d) Equinox: J2000	Epoch of Position: 2000.0	V=19.97	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(227) 231325.86+144629.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(227) 231325.86+144629.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4X (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(227) 231325.86+144629.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4X (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4Y, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(228)	231651.73+002314.9	RA: 23 16 51.7322 (349.2155508d) Dec: +00 23 14.85 (.38746d) Equinox: J2000	Epoch of Position: 2000.0	V=18.98	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(228) 231651.73+002314.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(228) 231651.73+002314.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4Y (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(228) 231651.73+002314.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4Y (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 4Z, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(229)	232120.40-014132.1	RA: 23 21 20.3988 (350.3349950d) Dec: -01 41 32.13 (-1.69226d) Equinox: J2000	Epoch of Position: 2000.0	V=19.6	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(229) 232120.40-014132.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 4Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(229) 232120.40-014132.1	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 4Z (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(229) 232120.40-014132.1	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 4Z (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5A, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(230)	232506.71-094915.3	RA: 23 25 6.7070 (351.2779458d) Dec: -09 49 15.32 (-9.82092d) Equinox: J2000	Epoch of Position: 2000.0	V=19.86	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(230) 232506.71-094915.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(230) 232506.71-094915.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5A (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(230) 232506.71-094915.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5A (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5B, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(231)	233127.02+021100.9	RA: 23 31 27.0166 (352.8625692d) Dec: +02 11 0.93 (2.18359d) Equinox: J2000	Epoch of Position: 2000.0	V=19.8	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(231) 233127.02+021100.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(231) 233127.02+021100.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5B (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(231) 233127.02+021100.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5B (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5C, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(232)	233348.79+285412.9	RA: 23 33 48.7894 (353.4532892d) Dec: +28 54 12.88 (28.90358d) Equinox: J2000	Epoch of Position: 2000.0	V=18.19	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(232) 233348.79+285412.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(232) 233348.79+285412.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5C (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(232) 233348.79+285412.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5C (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5D, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(233)	233349.24-003355.6	RA: 23 33 49.2444 (353.4551850d) Dec: -00 33 55.64 (-.56546d) Equinox: J2000	Epoch of Position: 2000.0	V=18.8	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(233) 233349.24-003355.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(233) 233349.24-003355.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5D (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(233) 233349.24-003355.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5D (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5E, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(234)	234330.59+043557.9	RA: 23 43 30.5878 (355.8774492d) Dec: +04 35 57.91 (4.59942d) Equinox: J2000	Epoch of Position: 2000.0	V=18.64	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(234) 234330.59+043557.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(234) 234330.59+043557.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5E (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(234) 234330.59+043557.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5E (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5F, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(235)	234801.93-013456.0	RA: 23 48 1.9306 (357.0080442d) Dec: -01 34 55.95 (-1.58221d) Equinox: J2000	Epoch of Position: 2000.0	V=19.04	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(235) 234801.93-013456.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(235) 234801.93-013456.0	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5F (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(235) 234801.93-013456.0	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5F (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5G, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(236)	234859.37-071313.7	RA: 23 48 59.3738 (357.2473908d) Dec: -07 13 13.71 (-7.22048d) Equinox: J2000	Epoch of Position: 2000.0	V=19.11	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(236) 234859.37-071313.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(236) 234859.37-071313.7	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5G (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(236) 234859.37-071313.7	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5G (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5H, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(237)	004127.45-020332.4	RA: 00 41 27.4538 (10.3643908d) Dec: -02 03 32.41 (-2.05900d) Equinox: J2000	Epoch of Position: 2000.0	V=19.18	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(237) 004127.45-020332.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(237) 004127.45-020332.4	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5H (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(237) 004127.45-020332.4	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5H (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5I, implementation Fri Nov 03 14:05:02 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(238)	010515.88+190037.3	RA: 01 05 15.8762 (16.3161508d) Dec: +19 00 37.26 (19.01035d) Equinox: J2000	Epoch of Position: 2000.0	V=19.94	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(238) 010515.88+190037.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(238) 010515.88+190037.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5I (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(238) 010515.88+190037.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5I (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5J, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(239)	014433.91+284733.3	RA: 01 44 33.9110 (26.1412958d) Dec: +28 47 33.29 (28.79258d) Equinox: J2000	Epoch of Position: 2000.0	V=19.96	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(239) 014433.91+284733.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(239) 014433.91+284733.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5J (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(239) 014433.91+284733.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5J (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5K, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(240)	J2244-0550	RA: 22 44 11.3520 (341.0473000d) Dec: -05 50 49.56 (-5.84710d) Equinox: J2000		V=18.23	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(240) J2244-0550	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(240) J2244-0550	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5K (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(240) J2244-0550	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5K (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5L, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(241)	132812.47+232744.9	RA: 13 28 12.4747 (202.0519779d) Dec: +23 27 44.88 (23.46247d) Equinox: J2000	Epoch of Position: 2000.0	V=19.9	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(241) 132812.47+232744.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(241) 132812.47+232744.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5L (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(241) 132812.47+232744.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5L (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5M, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(242)	133401.40+331534.3	RA: 13 34 1.3973 (203.5058221d) Dec: +33 15 34.34 (33.25954d) Equinox: J2000	Epoch of Position: 2000.0	V=19.6	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(242) 133401.40+331534.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(242) 133401.40+331534.3	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5M (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(242) 133401.40+331534.3	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5M (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5N, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(243)	163348.99+313411.9	RA: 16 33 48.9857 (248.4541071d) Dec: +31 34 11.94 (31.56998d) Equinox: J2000	Epoch of Position: 2000.0	V=17.43	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(243) 163348.99+313411.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(243) 163348.99+313411.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5N (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(243) 163348.99+313411.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5N (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5O, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(244)	230926.64+002725.8	RA: 23 09 26.6414 (347.3610058d) Dec: +00 27 25.78 (.45716d) Equinox: J2000	Epoch of Position: 2000.0	V=19.74	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(244) 230926.64+002725.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(244) 230926.64+002725.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5O (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(244) 230926.64+002725.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5O (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5P, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(245)	092745.02+071057.2	RA: 09 27 45.0221 (141.9375921d) Dec: +07 10 57.21 (7.18256d) Equinox: J2000	Epoch of Position: 2000.0	V=18.49	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(245) 092745.02+071057.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(245) 092745.02+071057.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5P (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(245) 092745.02+071057.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5P (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5Q, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(246)	152902.83+384103.2	RA: 15 29 2.8301 (232.2617921d) Dec: +38 41 3.18 (38.68422d) Equinox: J2000	Epoch of Position: 2000.0	V=18.81	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(246) 152902.83+384103.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(246) 152902.83+384103.2	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5Q (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(246) 152902.83+384103.2	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5Q (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5R, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(247)	150824.22-000603.9	RA: 15 08 24.2215 (227.1009229d) Dec: -00 06 3.85 (-.10107d) Equinox: J2000	Epoch of Position: 2000.0	V=19.64	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(247) 150824.22-000603.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(247) 150824.22-000603.9	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5R (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(247) 150824.22-000603.9	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5R (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5S, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(248)	120012.27+160724.6	RA: 12 00 12.2659 (180.0511079d) Dec: +16 07 24.57 (16.12349d) Equinox: J2000	Epoch of Position: 2000.0	V=18.82	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(248) 120012.27+160724.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(248) 120012.27+160724.6	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5S (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(248) 120012.27+160724.6	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5S (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5T, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(249)	222819.72+173255.8	RA: 22 28 19.7222 (337.0821758d) Dec: +17 32 55.78 (17.54883d) Equinox: J2000	Epoch of Position: 2000.0	V=18.86	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(249) 222819.72+173255.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(249) 222819.72+173255.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5T (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(249) 222819.72+173255.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5T (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure



Visit

Proposal 17455, Visit 5U, implementation Fri Nov 03 14:05:03 GMT 2023

Diagnostic Status: No Diagnostics

Scientific Instruments: WFC3/IR, WFC3/UVIS

Special Requirements: (none)

Patterns

#	Primary Pattern		Secondary Pattern	Exposures
(1)	Pattern Type=WFC3-UVIS-DITHER-LINE Purpose=DITHER Number Of Points=3 Point Spacing=0.145 Line Spacing=	Coordinate Frame=POS-TARG Pattern Orientation=46.84 Angle Between Sides= Center Pattern=false		(1), (2)
(2)	Pattern Type=WFC3-IR-DITHER-BOX-MIN Purpose=DITHER Number Of Points=4 Point Spacing=0.572 Line Spacing=0.365	Coordinate Frame=POS-TARG Pattern Orientation=18.528 Angle Between Sides=74.653 Center Pattern=false		(3)

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous
(250)	101329.42+443829.8	RA: 10 13 29.4197 (153.3725821d) Dec: +44 38 29.84 (44.64162d) Equinox: J2000	Epoch of Position: 2000.0	V=18.93	Reference Frame: ICRS

Comments:
Category=GALAXY
Description=[QSO]

Exposures

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1		(250) 101329.42+443829.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F475W	FLASH=15		Pattern 1, Exps 1-1 in Visit 5U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
2		(250) 101329.42+443829.8	WFC3/UVIS, ACCUM, UVIS2-M1K1C-SUB	F625W	FLASH=15		Pattern 1, Exps 2-2 in Visit 5U (1)	150 Secs (450 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]*	***[1]***
3		(250) 101329.42+443829.8	WFC3/IR, MULTIACCUM, IRSUB512	F160W	NSAMP=9; SAMP-SEQ=STEP25		Pattern 2, Exps 3-3 in Visit 5U (2)	105.518395 Secs (422.074 Secs) *[==>(Pattern 1)]* *[==>(Pattern 2)]* *[==>(Pattern 3)]* *[==>(Pattern 4)]*	***[1]***

Orbit Structure