



17950 - WFC3 UVIS Post-flash Monitor

Cycle: 33, Proposal Category: CAL/WFC3

(Availability Mode: RESTRICTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Aidan J Pidgeon (PI) (Contact)	Space Telescope Science Institute
Dr. Joel David Green (CoI) (Contact)	Space Telescope Science Institute
Benjamin Kuhn (CoI) (Contact)	Space Telescope Science Institute

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:33.0	yes
02	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:34.0	yes
03	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:35.0	yes
04	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:36.0	yes
05	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:36.0	yes
06	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:37.0	yes

Proposal 17950 (STScI Edit Number: 1, Created: Wednesday, October 22, 2025, 11:01:05AM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
07	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:37.0	yes
08	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:38.0	yes
09	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:39.0	yes
10	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:39.0	yes
11	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:40.0	yes
12	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:42.0	yes
13	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:42.0	yes
14	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:43.0	yes
15	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:43.0	yes
16	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:44.0	yes
17	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:44.0	yes
18	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:45.0	yes
19	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:46.0	yes
20	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:46.0	yes

Proposal 17950 (STScI Edit Number: 1, Created: Wednesday, October 22, 2025, 11:01:05AM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
21	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:47.0	yes
22	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:47.0	yes
23	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:48.0	yes
24	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:49.0	yes
25	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:50.0	yes
26	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:50.0	yes
27	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:51.0	yes
28	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:51.0	yes
29	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:52.0	yes
30	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:52.0	yes
31	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:53.0	yes
32	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:53.0	yes
33	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:54.0	yes
34	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:55.0	yes

Proposal 17950 (STScI Edit Number: 1, Created: Wednesday, October 22, 2025, 11:01:05AM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
35	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:55.0	yes
36	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:56.0	yes
37	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:57.0	yes
38	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:57.0	yes
39	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:58.0	yes
40	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:58.0	yes
41	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:59.0	yes
42	DARK	S/C WFC3/UVIS	1	22-Oct-2025 12:00:59.0	yes
43	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:00.0	yes
44	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:00.0	yes
45	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:00.0	yes
46	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:01.0	yes
47	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:01.0	yes
48	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:01.0	yes
49	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:01.0	yes
50	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:02.0	yes
51	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:02.0	yes
52	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:02.0	yes
53	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:03.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
54	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:03.0	yes
55	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:03.0	yes
56	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:04.0	yes
57	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:04.0	yes
58	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:04.0	yes
59	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:04.0	yes
60	DARK	WFC3/UVIS	1	22-Oct-2025 12:01:05.0	yes

60 Total Orbits Used

ABSTRACT

This monitor is used in order to track possible changes in the postflash light distribution or in the brightness of the LED. Further, these results are used to provide updated postflash reference files for use in the CALWF3 pipeline. These reference files are generated from the data within this monitor.

OBSERVING DESCRIPTION

The postflash monitoring consists of two primary tasks: (1) checking for change in the illumination pattern various factors such as moving or new dust spots, optical changes, degradation of the shutter blades, and (2) checking for change in the brightness of the flash due to the aforementioned effects as well as aging or degradation of the LED lamp and relevant electronics.

100s flashes using the medium current level are used to create high signal-to-noise images of the light distribution, as well as the CALWF3 reference files.

Three internal visits consisting of one orbit each are used on a monthly basis to take data. The visits are scheduled within a period lasting three weeks after each anneal. To ensure the flash is measured on both shutters a spacecraft line is used to toggle the shutter. The three visits are as follows:

(1) A 100s post-flash image at medium current to characterize the light distribution. These very bright images are taken on both shutters using a full-

frame aperture. In addition, a 1K x 1K subarray image is taken with a flash of 12 electrons (see visit 3).

(2) Duplicate of visit 1 to minimize error from cosmic rays.

(3) Postflash images at flash levels of 3, 5, 8, 10, 12, 15, 20, and 22 electrons are taken on both shutters to quantify the brightness of typical flares used by GOs. The 12 electron flash images have been moved to visits 1 and 2 to optimize visit length.

No images are taken using the bright current setting, as GO observations do not use it, and the overall illumination only increases by about 10%.

18 additional visits are used to create a new postflash reference file for both shutters. Nine visits have qesiparms set to "BLADE = A", with the other nine set to "BLADE = B" to ensure a correct reference file can be made for both shutters.


(Cycle 20: 13078, Cycle 21: 13560, Cycle 22: 14006, Cycle 23: 14372, Cycle 24: 14535, Cycle 25: 14984, Cycle 26: 15573, Cycle 27: 15718, Cycle 28: 16398, Cycle 29: 16570, Cycle 30: 16982, Cycle 31: 17351, Cycle 32: 17671)

Proposal 17950 - November (01) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, November (01), completed									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: BETWEEN 20-OCT-2025:00:00:00 AND 10-NOV-2025:00:00:00; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - November Start (02) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, November Start (02), completed									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 02,01 WITHIN 1D; PARALLEL <i>Comments: Very bright flash on each shutter</i>									


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
2		Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
3		Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
4		Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
5		Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - November Start (03) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025


Visit	Proposal 17950, November Start (03), completed									
	Diagnostic Status: No Diagnostics									
Scientific Instruments: WFC3/UVIS, S/C										
Special Requirements: GROUP 03,01 WITHIN 1D; PARALLEL										
Comments: Subarray flash brightness monitor										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]



Proposal 17950 - November Start (04) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, November Start (04), completed									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 04,01 WITHIN 1D; PARALLEL Comments: Subarray flash brightness monitor									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]
	4	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	7	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	9	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
	10	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
	11	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
	12	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]
	13	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
	14	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]	[1]
	15	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - December (05) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, December (05), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: BETWEEN 17-NOV-2025:00:00:00 AND 08-DEC-2025:00:00:00; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - December (06) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, December (06), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 06,05 WITHIN 1D; PARALLEL <i>Comments: Very bright flash on each shutter</i>									


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - December (07) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025


Visit	Proposal 17950, December (07), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 07,05 WITHIN 2D; PARALLEL Comments: Subarray flash brightness monitor									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]
2		Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
3		Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
4		Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
5		Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]	[1]
6		Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
7		Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]
8		Toggle Shutter	DARK	S/C, DATA, NONE				SPEC COM INSTR EISHUTTER	4 Secs (4 Secs) [==>]	[1]
9		Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]	[1]
10		Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
11		Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
12		Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
13		Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]	[1]
14		Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
15		Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - December (08) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, December (08), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 08,05 WITHIN 1D; PARALLEL Comments: Subarray flash brightness monitor									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]
2		Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]	[1]
3		Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]
4		Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
5		Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
6		Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
7		Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
8		Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
9		Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
10		Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
11		Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
12		Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]
13		Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
14		Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]	[1]
15		Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - December (09) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, December (09), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: BETWEEN 15-DEC-2025:00:00:00 AND 05-JAN-2026:00:00:00; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]	




Proposal 17950 - December (10) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, December (10), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: GROUP 10,09 WITHIN 1D; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]	



Proposal 17950 - December (11) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025


Visit	Proposal 17950, December (11), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 11,09 WITHIN 1D; PARALLEL Comments: Subarray flash brightness monitor									
#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
Exposures	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]



Proposal 17950 - December (12) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, December (12), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 12,09 WITHIN 1D; PARALLEL Comments: Subarray flash brightness monitor									
#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
Exposures	1	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]




Proposal 17950 - January (13) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, January (13), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 12-JAN-2026:00:00:00 AND 02-FEB-2026:00:00:00; PARALLEL Comments: Very bright flash on each shutter									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - January (14) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:05 GMT 2025

Visit	Proposal 17950, January (14), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 14,13 WITHIN 1D; PARALLEL <i>Comments: Very bright flash on each shutter</i>									


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
2		Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
3		Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
4		Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
5		Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - January (15) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, January (15), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 15,13 WITHIN 1D; PARALLEL Comments: Subarray flash brightness monitor									
#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
Exposures	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]




Proposal 17950 - February (16) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, February (16), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 09-FEB-2026:00:00:00 AND 02-MAR-2026:00:00:00; PARALLEL <i>Comments: Very bright flash on each shutter</i>									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - February (17) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, February (17), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 17,16 WITHIN 1D; PARALLEL <i>Comments: Very bright flash on each shutter</i>									


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - February (18) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, February (18), scheduling									
	Diagnostic Status: No Diagnostics									
Scientific Instruments: WFC3/UVIS, S/C										
Special Requirements: GROUP 18,16 WITHIN 1D; PARALLEL										
Comments: Subarray flash brightness monitor										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]




Proposal 17950 - March (19) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, March (19), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 09-MAR-2026:00:00:00 AND 30-MAR-2026:00:00:00; PARALLEL Comments: Very bright flash on each shutter									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - March (20) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, March (20), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 20,19 WITHIN 1D; PARALLEL <i>Comments: Very bright flash on each shutter</i>									


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - March (21) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, March (21), scheduling									
	Diagnostic Status: No Diagnostics									
Scientific Instruments: WFC3/UVIS, S/C										
Special Requirements: GROUP 21,19 WITHIN 1D; PARALLEL										
Comments: Subarray flash brightness monitor										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]




Proposal 17950 - April (22) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, April (22), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 06-APR-2026:00:00:00 AND 27-APR-2026:00:00:00; PARALLEL Comments: Very bright flash on each shutter									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - April (23) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, April (23), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 23,22 WITHIN 1D; PARALLEL <i>Comments: Very bright flash on each shutter</i>									


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - April (24) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, April (24), scheduling									
	Diagnostic Status: No Diagnostics									
Scientific Instruments: WFC3/UVIS, S/C										
Special Requirements: GROUP 24,22 WITHIN 1D; PARALLEL										
Comments: Subarray flash brightness monitor										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]




Proposal 17950 - May (25) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, May (25), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 04-MAY-2026:00:00:00 AND 25-MAY-2026:00:00:00; PARALLEL Comments: Very bright flash on each shutter									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - May (26) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, May (26), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 26,25 WITHIN 1D; PARALLEL Comments: Very bright flash on each shutter									


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4.0 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - May (27) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, May (27), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 27,25 WITHIN 1D; PARALLEL Comments: Subarray flash brightness monitor									
#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
Exposures	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]




Proposal 17950 - June (28) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, June (28), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 01-JUN-2026:00:00:00 AND 22-JUN-2026:00:00:00; PARALLEL Comments: Very bright flash on each shutter									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - June (29) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, June (29), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: GROUP 29,28 WITHIN 1D; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - June (30) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, June (30), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 30,28 WITHIN 1D; PARALLEL Comments: Subarray flash brightness monitor									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]
2		Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
3		Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
4		Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
5		Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]	[1]
6		Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
7		Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]
8		Toggle Shutter	DARK	S/C, DATA, NONE				SPEC COM INSTR EISHUTTER	4 Secs (4 Secs) [==>]	[1]
9		Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]	[1]
10		Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
11		Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
12		Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
13		Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]	[1]
14		Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
15		Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - July (31) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, July (31), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: BETWEEN 29-JUN-2026:00:00:00 AND 20-JUL-2026:00:00:00; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - July (32) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, July (32), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 32,31 WITHIN 1D; PARALLEL <i>Comments: Very bright flash on each shutter</i>									


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - July (33) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, July (33), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 33,31 WITHIN 1D; PARALLEL Comments: Subarray flash brightness monitor									
#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
Exposures	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]




Proposal 17950 - August (34) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, August (34), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: BETWEEN 27-JUL-2026:00:00:00 AND 17-AUG-2026:00:00:00; PARALLEL <i>Comments: Very bright flash on each shutter</i>									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - August (35) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, August (35), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 35,34 WITHIN 1D; PARALLEL <i>Comments: Very bright flash on each shutter</i>									


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - August (36) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, August (36), scheduling									
	Diagnostic Status: No Diagnostics									
Scientific Instruments: WFC3/UVIS, S/C										
Special Requirements: GROUP 36,34 WITHIN 1D; PARALLEL										
Comments: Subarray flash brightness monitor										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]




Proposal 17950 - September (37) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, September (37), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: BETWEEN 24-AUG-2026:00:00:00 AND 14-SEP-2026:00:00:00; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - September (38) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, September (38), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: GROUP 38,37 WITHIN 1D; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - September (39) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, September (39), scheduling									
	Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS, S/C Special Requirements: GROUP 39,37 WITHIN 1D; PARALLEL Comments: Subarray flash brightness monitor									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]
2		Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
3		Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
4		Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
5		Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]	[1]
6		Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
7		Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]
8		Toggle Shutter	DARK	S/C, DATA, NONE				SPEC COM INSTR EISHUTTER	4 Secs (4 Secs) [==>]	[1]
9		Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs) [==>]	[1]
10		Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs) [==>]	[1]
11		Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs) [==>]	[1]
12		Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs) [==>]	[1]
13		Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs) [==>]	[1]
14		Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs) [==>]	[1]
15		Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - October (40) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, October (40), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: BETWEEN 21-SEP-2026:00:00:00 AND 12-OCT-2026:00:00:00; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]




Proposal 17950 - October (41) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, October (41), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS, S/C									
	Special Requirements: GROUP 41,40 WITHIN 1D; PARALLEL									
<i>Comments: Very bright flash on each shutter</i>										


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	2	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]
	3	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs) [==>]	[1]
	4	Very Bright Flash	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100			0.5 Secs (0.5 Secs) [==>]	[1]
	5	Subarray 12 e- Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=12			0.5 Secs (0.5 Secs) [==>]	[1]



Proposal 17950 - October (42) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, October (42), scheduling									
	Diagnostic Status: No Diagnostics									
Scientific Instruments: WFC3/UVIS, S/C										
Special Requirements: GROUP 42,40 WITHIN 1D; PARALLEL										
Comments: Subarray flash brightness monitor										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	2	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	3	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	4	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	5	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	6	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	7	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]
	8	Toggle Shutter	DARK	S/C, DATA, NONE			SPEC COM INSTR EISHUTTER		4 Secs (4 Secs)	[1]
	9	Subarray 3 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=3			0.5 Secs (0.5 Secs)	[1]
	10	Subarray 5 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=5			0.5 Secs (0.5 Secs)	[1]
	11	Subarray 8 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=8			0.5 Secs (0.5 Secs)	[1]
	12	Subarray 10 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=10			0.5 Secs (0.5 Secs)	[1]
	13	Subarray 15 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=15			0.5 Secs (0.5 Secs)	[1]
	14	Subarray 20 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=20			0.5 Secs (0.5 Secs)	[1]
	15	Subarray 22 e-Flash	DARK	WFC3/UVIS, ACCUM, UVIS2-C1K1C-SUB	DEF	GAIN=1.5; FLASH=22			0.5 Secs (0.5 Secs)	[1]




Proposal 17950 - refile 1 Shutter A (43) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 1 Shutter A (43), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 28-NOV-2025:00:00:00 AND 12-FEB-2026:00:00:00; GROUP 43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60 WITHIN 14D; PARALLEL									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Low current Shutter A	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	FLASHCUR=LOW; FLASHEXP=4.7; GAIN=1.5	QESIPARM BLAD E A		.5 Secs X 3 (1.5 Secs) [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)]	[1]



Proposal 17950 - reffile 2 Shutter A (44) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025


Visit	Proposal 17950, reffile 2 Shutter A (44), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Post-Flash Shutter A	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	FLASHEXP=0.3; GAIN=1.5; FLASHCUR=MEDI UM	QESIPARM BLAD E A		100 Secs X 3 (300 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]	[1]

Orbit 1

Server Version: 20250624

Unused Orbital Visibility = 2979

Orbit Structure



Proposal 17950 - refile 3 Shutter A (45) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025


Visit	Proposal 17950, refile 3 Shutter A (45), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	High S/N Shutter A	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDI UM; FLASHEXP=100	QESIPARM BLAD E A		.5 Secs X 3 (1.5 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]	[1]
Orbit Structure	<p>Orbit 1 Server Version: 20250624</p> <p>Unused Orbital Visibility = 2979</p> <p>The diagram shows the timeline for Orbit 1. The x-axis is time in seconds, ranging from 0 to 6000. Three green bars represent the three copies of the exposure: 'Exp. 1, copy 1' (approx. 0-100s), 'Exp. 1, copy 2' (approx. 200-300s), and 'Exp. 1, copy 3' (approx. 1100-1200s). A long white bar labeled 'Occultation' starts at 3000 seconds and ends at approximately 5600 seconds. Black bars below the green bars indicate other activities or gaps in the orbit.</p>									

Proposal 17950 - refile 4 Shutter A (46) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 4 Shutter A (46), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: PARALLEL									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Low current Shutter A	DARK		WFC3/UVIS, ACCUM, UVIS	DEF	FLASHCUR=LOW; FLASHEXP=4.7; GAIN=1.5	QESIPARM BLAD E A		.5 Secs X 3 (1.5 Secs)
									[==>(Copy 1)]	[1]
									[==>(Copy 2)]	
									[==>(Copy 3)]	




Proposal 17950 - refile 5 Shutter A (47) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 5 Shutter A (47), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: PARALLEL									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Post-Flash S hutter A	DARK		WFC3/UVIS, ACCUM, UVIS	DEF	FLASHEXP=0.3; GAIN=1.5; FLASHCUR=MEDI UM	QESIPARM BLAD E A		100 Secs X 3 (300 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]



Proposal 17950 - refile 6 Shutter A (48) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025


Visit	Proposal 17950, refile 6 Shutter A (48), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	High S/N Shutter A	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDI UM; FLASHEXP=100	QESIPARM BLAD E A		.5 Secs X 3 (1.5 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]	[1]	
Orbit Structure	<div style="display: flex; justify-content: space-between;"> <div data-bbox="226 410 352 443"> <p>Orbit 1</p> <p>Exp. 1, copy 1</p> <p>Unused Orbital Visibility = 2979</p> <p>Exp. 1, copy 2</p> <p>Exp. 1, copy 3</p> <p>Occultation</p> </div> <div data-bbox="1413 410 1896 443"> <p>Server Version: 20250624</p> </div> </div> <p>The diagram illustrates the timing of exposures and occultations for Orbit 1. The x-axis shows time in seconds from 0 to 6000. Three green bars represent exposures: the first at approximately 100s, the second at 300s, and the third at 1200s. Black bars below the green bars indicate occultation periods. A long white bar starting at 3000s represents the occultation period. The total orbital visibility is 2979 seconds.</p>									

Proposal 17950 - refile 7 Shutter A (49) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 7 Shutter A (49), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: PARALLEL									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Low current Shutter A	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	FLASHCUR=LOW; FLASHEXP=4.7; GAIN=1.5	QESIPARM BLAD E A			.5 Secs X 3 (1.5 Secs) [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)]



Proposal 17950 - refile 8 Shutter A (50) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 8 Shutter A (50), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Post-Flash S hutter A	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	FLASHEXP=0.3; GAIN=1.5; FLASHCUR=MEDI UM	QESIPARM BLAD E A		100 Secs X 3 (300 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]	[1]

Orbit 1 Server Version: 20250624

Exp. 1, copy 1

Unused Orbital Visibility = 2979

Proposal 17950 - reffile 9 Shutter A (51) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025


Visit	Proposal 17950, reffile 9 Shutter A (51), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	High S/N Shutter A	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDI UM; FLASHEXP=100	QESIPARM BLAD E A		.5 Secs X 3 (1.5 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]	[1]
Orbit Structure	<p>Orbit 1 Server Version: 20250624</p> <p>Unused Orbital Visibility = 2979</p>									

Proposal 17950 - refile 1 Shutter B (52) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 1 Shutter B (52), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: PARALLEL									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Low current Shutter B	DARK		WFC3/UVIS, ACCUM, UVIS	DEF	FLASHCUR=LOW; FLASHEXP=4.7; GAIN=1.5	QESIPARM BLAD E B		.5 Secs X 3 (1.5 Secs)
									[==>(Copy 1)]	[1]
									[==>(Copy 2)]	
									[==>(Copy 3)]	




Proposal 17950 - reffile 2 Shutter B (53) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, reffile 2 Shutter B (53), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: PARALLEL									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Post-Flash Shutter B	DARK		WFC3/UVIS, ACCUM, UVIS	DEF	FLASHEXP=0.3; GAIN=1.5; FLASHCUR=MEDI UM	QESIPARM BLAD E B		100 Secs X 3 (300 Secs)
									[==>(Copy 1)]	[1]
									[==>(Copy 2)]	
									[==>(Copy 3)]	



Proposal 17950 - refile 3 Shutter B (54) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025


Visit	Proposal 17950, refile 3 Shutter B (54), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	High S/N Shutter B	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100	QESIPARM BLAD E B		.5 Secs X 3 (1.5 Secs) [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)]	[1]
Orbit Structure	<div style="display: flex; justify-content: space-between;"> <div data-bbox="226 414 352 446"> <p>Orbit 1</p> <p>Exp. 1, copy 1</p> <p>Unused Orbital Visibility = 2979</p> <p>Exp. 1, copy 2</p> <p>Exp. 1, copy 3</p> <p>Occultation</p> </div> <div data-bbox="1417 414 1890 446"> <p>Server Version: 20250624</p> </div> </div> <p>The figure shows a timeline for Orbit 1. The x-axis is time in seconds, ranging from 0 to 6000. Three green bars represent exposure times for 'Exp. 1, copy 1', 'Exp. 1, copy 2', and 'Exp. 1, copy 3'. Black bars below the green bars indicate occultation periods. A long white bar starting at 3000 seconds and ending at approximately 5600 seconds represents the occultation period. The text 'Unused Orbital Visibility = 2979' is shown at the beginning of the orbit.</p>									

Proposal 17950 - refile 4 Shutter B (55) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 4 Shutter B (55), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: PARALLEL									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Low current Shutter B	DARK		WFC3/UVIS, ACCUM, UVIS	DEF	FLASHCUR=LOW; FLASHEXP=4.7; GAIN=1.5	QESIPARM BLAD E B		.5 Secs X 3 (1.5 Secs) [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)]




Proposal 17950 - refile 5 Shutter B (56) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 5 Shutter B (56), scheduling									
	Diagnostic Status: No Diagnostics									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: PARALLEL									

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Post-Flash Shutter B	DARK		WFC3/UVIS, ACCUM, UVIS	DEF	FLASHEXP=0.3; GAIN=1.5; FLASHCUR=MEDI UM	QESIPARM BLAD E B		100 Secs X 3 (300 Secs)
									[==>(Copy 1)]	[1]
									[==>(Copy 2)]	
									[==>(Copy 3)]	



Proposal 17950 - reffile 6 Shutter B (57) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, reffile 6 Shutter B (57), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
	Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]
	1	High S/N Shutter B	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100	QESIPARM BLAD E B		.5 Secs X 3 (1.5 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]	[1]
Orbit Structure	<p>Orbit 1 Server Version: 20250624</p> <p>Unused Orbital Visibility = 2979</p> <p>The timeline shows three exposure copies (Exp. 1, copy 1, 2, and 3) as green bars between 0 and 1500 seconds. Black bars below the green bars indicate occultation periods. A long white bar starting at 3000 seconds represents the occultation period. The x-axis is labeled from 0 to 6000 seconds.</p>									

Proposal 17950 - refile 7 Shutter B (58) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 7 Shutter B (58), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Low current Shutter B	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	FLASHCUR=LOW; FLASHEXP=4.7; GAIN=1.5	QESIPARM BLAD E B		.5 Secs X 3 (1.5 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]	[1]
Orbit Structure	<p>Orbit 1 Server Version: 20250624</p> <p>Unused Orbital Visibility = 2979</p> <p>The diagram shows a horizontal timeline from 0 to 6000 seconds. Three green bars represent exposures: 'Exp. 1, copy 1' at approximately 100 seconds, 'Exp. 1, copy 2' at approximately 200 seconds, and 'Exp. 1, copy 3' at approximately 1000 seconds. Below these green bars are black bars indicating gaps in the schedule. A long white bar starting at 3000 seconds and ending at approximately 5600 seconds is labeled 'Occultation'.</p>									

Proposal 17950 - reffile 8 Shutter B (59) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025


Visit	Proposal 17950, reffile 8 Shutter B (59), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Post-Flash S hutter B	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	FLASHEXP=0.3; GAIN=1.5; FLASHCUR=MEDI UM	QESIPARM BLAD E B		100 Secs X 3 (300 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]	[1]

Orbit 1

Server Version: 20250624

Unused Orbital Visibility = 2979


Orbit Structure



Proposal 17950 - refile 9 Shutter B (60) - WFC3 UVIS Post-flash Monitor

Wed Oct 22 16:01:06 GMT 2025

Visit	Proposal 17950, refile 9 Shutter B (60), scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: PARALLEL									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	High S/N Shutter B	DARK	WFC3/UVIS, ACCUM, UVIS	DEF	GAIN=1.5; FLASHCUR=MEDIUM; FLASHEXP=100	QESIPARM BLAD E B		.5 Secs X 3 (1.5 Secs) [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)]	[1]	

Orbit Structure	<div style="display: flex; justify-content: space-between;"> <div data-bbox="226 418 352 451"> <p>Orbit 1</p> <p>Exp. 1, copy 1</p> <p>Unused Orbital Visibility = 2979</p> <p>Exp. 1, copy 2</p> <p>Exp. 1, copy 3</p> <p>Occultation</p> </div> <div data-bbox="1413 418 1892 451"> <p>Server Version: 20250624</p> </div> </div>  <p>The diagram shows the timing of three exposures (copies 1, 2, and 3) within the first orbit. Each exposure is represented by a green bar. Black bars below the green bars indicate occultation periods. A long white bar starting at 3000 seconds indicates the occultation period. The x-axis represents time in seconds from 0 to 6000. The total orbital visibility is 2979 seconds.</p>									
-----------------	--	--	--	--	--	--	--	--	--	--