



## 17959 - WFC3 UVIS Shutter Monitoring

Cycle: 33, Proposal Category: CAL/WFC3

(Availability Mode: RESTRICTED)

### INVESTIGATORS

<i>Name</i>	<i>Institution</i>
<b>Ky Huynh (PI) (Contact)</b>	<b>Space Telescope Science Institute</b>
Dr. Sylvia M. Baggett (CoI) (Contact)	Space Telescope Science Institute
Isabel Rivera (CoI) (Contact)	Space Telescope Science Institute

### VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	TUNGSTEN	WFC3/UVIS	1	16-Jul-2025 16:00:33.0	yes
02	TUNGSTEN	WFC3/UVIS	1	16-Jul-2025 16:00:34.0	yes

2 Total Orbits Used

### ABSTRACT

We monitor the WFC3 UVIS shutter performance. The exposures in F555W need to be identical to previous cycles. Images with exposure times ranging from 0.5 to 17 seconds will be used to compare the photometric behavior of each shutter blade, for short vs long exposures and check for shutter shading effects. The first exposure of 0.5sec cannot be used since the lamp would be still heating during this exposure, so we will take a set of three 0.5sec exposures. Internal flats in each of the 4 amps will be used to monitor the repeatability and shutter shading effects. We want to include some wavelength dependence, so this proposal now includes exposures in F814W filter, exposure times for which have been estimated using information from WFC3 ISR 2008-21.

**OBSERVING DESCRIPTION**

Seven Full-frame internal flat field images are collected twice in two different visits, one using F555W and another in F814W using the default tungsten lamp with exposure times of 0.5, 1.0, and 17.0 seconds in order to monitor the shutter and test wavelength dependence. Pairs of flat field images are collected for each exposure time; one using shutter A and another using shutter B. An additional 0.5 exposure is used to heat up the tungsten lamp.


Proposal 17959 - Visit 01 - WFC3 UVIS Shutter Monitoring

Wed Jul 16 20:00:34 GMT 2025

<b>Visit</b>	<b>Proposal 17959, Visit 01</b> <b>Diagnostic Status: Warning</b> Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 01-JUL-2025 AND 01-APR-2026
--------------	--

**Diagnosics**  
 (Visit 01) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT  
 (Flat0.5 (01.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser  
 (Flat1.0 (01.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser  
 (Flat17 (01.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
<b>Exposures</b>	1	Flat0.5	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F555W			0.5 Secs X 3 (1.5 Secs)	
								[==>(Copy 1)]	[1]
								[==>(Copy 2)]	
								[==>(Copy 3)]	
<i>Comments: This assumes Tungsten lamp 3. (2800 e-/sec/pix through F555W in TV3 testing)</i>									
2	Flat1.0	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F555W				1.0 Secs X 2 (2 Secs)	
								[==>(Copy 1)]	[1]
								[==>(Copy 2)]	
<i>Comments: This assumes Tungsten lamp 3. (2800 e-/sec/pix through F555W in TV3 testing)</i>									
3	Flat17	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F555W				17 Secs X 2 (34 Secs)	
								[==>(Copy 1)]	[1]
								[==>(Copy 2)]	
<i>Comments: This assumes Tungsten lamp 3. (2800 e-/sec/pix through F555W in TV3 testing)</i>									



# Proposal 17959 - Visit 02 - WFC3 UVIS Shutter Monitoring

Wed Jul 16 20:00:34 GMT 2025

<b>Visit</b>	<b>Proposal 17959, Visit 02</b> <b>Diagnostic Status: Warning</b> Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 01-MAR-2026 AND 31-DEC-2026
--------------	--

<b>Diagnostics</b>	(Visit 02) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT (Flat0.5 (02.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (Flat1.0 (02.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (Flat2.0 (02.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
--------------------	---

<b>Exposures</b>	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	Flat0.5	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W					0.5 Secs X 3 (1.5 Secs) [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)]
<i>Comments: This assumes Tungsten lamp 3. (20,000 e-/sec/pix through F814W, WFC3 ISR 2008-21)</i>										
2	Flat1.0	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W					1 Secs X 2 (2 Secs) [=>(Copy 1)] [=>(Copy 2)]	[1]
3	Flat2.0	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W					2 Secs X 2 (4 Secs) [=>(Copy 1)] [=>(Copy 2)]	[1]
<i>Comments: This assumes Tungsten lamp 3. (20,000 e-/sec/pix through F814W, WFC3 ISR 2008-21)</i>										

