



## 17962 - WFC3 UVIS Time Dependent Sensitivity

Cycle: 33, Proposal Category: CAL/WFC3

(Availability Mode: RESTRICTED)

### INVESTIGATORS

<i>Name</i>	<i>Institution</i>
<b>Mariarosa Marinelli (PI) (Contact)</b>	<b>Space Telescope Science Institute</b>
Anne O'Connor (CoI) (Contact)	Space Telescope Science Institute
Dr. Sylvia M. Baggett (CoI) (Contact)	Space Telescope Science Institute
Ms. Jennifer Mack (CoI) (Contact)	Space Telescope Science Institute

### VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(2) GD-153	WFC3/UVIS	1	19-Mar-2026 11:00:17.0	yes
02	(2) GD-153	WFC3/UVIS	1	19-Mar-2026 11:00:18.0	yes
03	(2) GD-153	WFC3/UVIS	1	19-Mar-2026 11:00:20.0	yes
04	(2) GD-153	WFC3/UVIS	1	19-Mar-2026 11:00:21.0	yes
05	(1) GRW+70D5824	WFC3/UVIS	1	19-Mar-2026 11:00:23.0	yes
06	(1) GRW+70D5824	WFC3/UVIS	1	19-Mar-2026 11:00:24.0	yes
07	(1) GRW+70D5824	WFC3/UVIS	1	19-Mar-2026 11:00:26.0	yes
08	(1) GRW+70D5824	WFC3/UVIS	1	19-Mar-2026 11:00:27.0	yes
09	(1) GRW+70D5824	WFC3/UVIS	1	19-Mar-2026 11:00:29.0	yes
10	(1) GRW+70D5824	WFC3/UVIS	1	19-Mar-2026 11:00:30.0	yes
11	(3) P330E	WFC3/UVIS	1	19-Mar-2026 11:00:31.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
12	(3) P330E	WFC3/UVIS	1	19-Mar-2026 11:00:32.0	yes

12 Total Orbits Used

## ABSTRACT

This program acquires scanned observations for monitoring the relative changes in the WFC3/UVIS photometric throughput. The spectrophotometric white dwarf standard stars GD153 and GRW70, and G-type star P330E are scanned in a subset of filters periodically over the year. Historically, this program was intended as a monitor of the UV filters as they provide a means to detect contaminants on the instrument optics, with one or two visible/red filters serving as a control. Since then, additional filters in the visible and red have been added to the program to expand the monitor to longer wavelengths. The observing cadence is roughly once a month though some exceptions are required to accommodate visibilities, especially in RGM.

## OBSERVING DESCRIPTION

Overview

-----

This Cycle 33 monitoring program uses the spatial scanning observing mode to monitor the photometric stability of the WFC3/UVIS channel. Each visit of the 12 in this program spends one orbit on a single standard star: six visits for the white dwarf GRW70, four visits for the white dwarf GD153, and two visits for the solar-type star P330E.

Changes

-----

The Cycle 32 monitoring program (17682) was designed such that P330E was allocated three orbits, GRW70 five orbits, and two orbits each for GD153 and the A-type star TYC 4212-455-1.

TYC 4212-455-1 was only scanned in Cycles 31 and 32; the observed data is a valuable resource to test the methodology of absolute photometry of spatial scans (see Analysis section below), but the target is not as useful for continued monitoring of temporal changes to detector sensitivity due to the shorter baseline of observation compared to the other targets. Therefore, with this Cycle 33 calibration program, we discontinue observing TYC 4212-455-1. We redistribute the two orbits that TYC 4212-455-1 was allotted in Cycle 32 to the white dwarf standard GD153. Additionally, we reduce the number of P330E visits of P330E from three to two, and allocate that orbit to GRW70 instead.

## Target Scheduling

-----

GD153 scan photometry has reduced scatter relative to that of GRW70 (WFC3 ISR 2022-04, Marinelli et al.) but the visibility of GD153 was significantly limited immediately after the onset of RGM operations, which is why GD153 was only observed twice in Cycle 32. To maximize the scientific utility of this calibration program, it is imperative to optimize the available window of schedulability during this cycle. Therefore, we intend to observe GD153 four times during Cycle 33.

For GRW70, we increase the number of visits from five to six, which is the same allocation as Cycle 31. In comparison to GD153, GRW70 is visible more often throughout the year in RGM; we space the visit windows to at least three weeks apart, guaranteeing at least one visit in the first, second, and final quarters. The windows for the final two visits (09 and 10) both span about three months in order to capture two smaller windows of target visibility each.

P330E was first added to the UVIS scan monitor in 2020 (Cycle 27, program 16021); in Cycle 33, two orbits are dedicated to this target. Visits are executed at least 3 months apart to ensure good temporal sampling within the cycle.

## Visit Parameters

-----

In each visit, scans alternate between "reverse" and "forward" direction to maximize "time-on-target". Scans begin on UVIS 2 with either F218W (both white dwarfs) or F225W (P330E), and are taken with increasingly red filters until reaching F814W, at which point we switch to UVIS 1 and scan in increasingly blue filters.

Each visit draws from a "core" set of commonly-used wide-band filters: F218W, F225W, F275W, F336W, F438W, F606W, and F814W. In each visit of the white dwarf standards GD153 and GRW70, we also perform scans using less commonly used wide-band filters (F390W, F475W, F555W, F625W, and F775W) on one of the two subarrays. This helps ensure the auxiliary filter coverage is as even as possible between UVIS 1 and UVIS 2.

In most cases, scans use the same parameters: 60s exposure time, 7.5" scan at 0.125"/s. However, P330E scans in the bluest filters (F225W and F275W), require several hundred seconds at 0.01"/s for scans of 3-5" in length. Consequently, the total number of scans per visit differs by target; since P330E requires longer, slower scans in the bluest filters, it has fewer scans than the white dwarf standards.

## Analysis

-----

Scan photometry is vital to the continuing photometric calibration of the WFC3/UVIS channel. Previous results have been reported in WFC3 ISR 2023-02 (Marinelli & Bajaj), WFC3 ISR 2022-04 (Marinelli et al.), WFC3 ISR 2022-02 (Medina et al.), doi 10.3847/1538-3881/ac73f0 (Calamida et al. 2022), WFC3 ISR 2021-04 (Calamida et al. 2021), WFC3 ISR 2017-21 (Shanahan et al.), WFC3 ISR 2017-15 (Shanahan et al.), and WFC3 ISR 2017-06 (McCullough).

An actively-maintained, automated monitoring pipeline (internal-only) exists to download new visits, perform data reduction, and aggregate the resulting relative photometry into catalogs and plots. The pipeline currently enables standard photometric/sky aperture sizes as well as custom apertures for optimizing analysis of scans of different lengths (i.e. the UV scans of P330E and Cycle 31/32 target TYC-4212-455-1). Results from this work, as well as updated relative photometry, will be published in Marinelli & O'Connor 2025 (in prep).

Proposal 17962 - GD153 - 1/4, extra on 2, no F775W (01) - WFC3 UVIS Time Dependent Sensitivity

Thu Mar 19 15:00:33 GMT 2026

<b>Visit</b>	<p><b>Proposal 17962, GD153 - 1/4, extra on 2, no F775W (01), implementation</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: SCHED 70%; BETWEEN 04-APR-2026:00:00:00 AND 22-APR-2026</p> <p><i>Comments: Visit 1 of 4 for GD153.</i></p>						
	<b>Diagnostics</b>	<p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 1/4, extra on 2, no F775W (01)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p>					
<b>Fixed Targets</b>		<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>
		(2)	GD-153	RA: 12 57 2.3225 (194.2596771d) Dec: +22 01 52.63 (22.03129d) Equinox: J2000	Proper Motion RA: -38.402 mas/yr Proper Motion Dec: -202.9900000025009 mas/yr Epoch of Position: 2000	V=13.349	Reference Frame: SIMBAD
<p><i>Comments: Coordinates copied from GD-153 generated from SIMBAD database with proper motion applied to give coordinates with epoch of 2000 (proper motion corrects to 2025).</i></p> <p>Category=CALIBRATION</p> <p>Description=[PHOTOMETRIC]</p> <p>Extended=NO</p>							

Proposal 17962 - GD153 - 1/4, extra on 2, no F775W (01) - WFC3 UVIS Time Dependent Sensitivity


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward; GS ACQ SCENARIO ONEB1OR	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01) Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01) Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01) Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01) Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F438W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01) Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F475W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F475W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01) Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F555W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F555W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01) Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GD153 - 1/4, extra on 2, no F775W (01) - WFC3 UVIS Time Dependent Sensitivity

8	F606W UVI (2) GD-153 S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)  Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F625W UVI (2) GD-153 S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)  Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F814W UVI (2) GD-153 S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)  Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F814W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)  Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F606W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)  Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F438W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)  Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F336W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)  Same Obset in Sequence 1-17 Non-Int in GD153 - 1/4, extra on 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GD153 - 1/4, extra on 2, no F775W (01) - WFC3 UVIS Time Dependent Sensitivity

15	F275W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,For ward	Sequence 1-17 Non-Int in GD153 - 1/4, ex tra on 2, no F775W (01)  Same Obset in Seque nce 1-17 Non-Int in GD153 - 1/4, extra o n 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F225W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Rev erse	Sequence 1-17 Non-Int in GD153 - 1/4, ex tra on 2, no F775W (01)  Same Obset in Seque nce 1-17 Non-Int in GD153 - 1/4, extra o n 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F218W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,For ward	Sequence 1-17 Non-Int in GD153 - 1/4, ex tra on 2, no F775W (01)  Same Obset in Seque nce 1-17 Non-Int in GD153 - 1/4, extra o n 2, no F775W (01)	59.9 Secs (59.9 Secs) [==>]	[1]





Proposal 17962 - GD153 - 2/4, extra on 1, no F775W (02) - WFC3 UVIS Time Dependent Sensitivity

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F438W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F606W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F814W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]


Proposal 17962 - GD153 - 2/4, extra on 1, no F775W (02) - WFC3 UVIS Time Dependent Sensitivity

8	F814W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F625W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F606W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F555W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F555W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F475W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F475W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F438W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F336W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GD153 - 2/4, extra on 1, no F775W (02) - WFC3 UVIS Time Dependent Sensitivity

15	F275W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,For ward	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra o n 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F225W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Rev erse	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra o n 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F218W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,For ward	Sequence 1-17 Non-Int in GD153 - 2/4, extra on 1, no F775W (02)  Same Obset in Sequence 1-17 Non-Int in GD153 - 2/4, extra o n 1, no F775W (02)	59.9 Secs (59.9 Secs) [==>]	[1]

Orbit Structure



Proposal 17962 - GD153 - 3/4, extra on 2, no F555W (03) - WFC3 UVIS Time Dependent Sensitivity

Thu Mar 19 15:00:33 GMT 2026

<b>Visit</b>	<p><b>Proposal 17962, GD153 - 3/4, extra on 2, no F555W (03), scheduling</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: SCHED 70%; BETWEEN 05-APR-2026:00:00:00 AND 22-APR-2026:00:00:00</p> <p><i>Comments: Visit 3 of 4 for GD153.</i></p>																	
	<b>Diagnostics</b>	<p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GD153 - 3/4, extra on 2, no F555W (03)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p>																
<b>Fixed Targets</b>		<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(2)</td> <td>GD-153</td> <td>RA: 12 57 2.3225 (194.2596771d) Dec: +22 01 52.63 (22.03129d) Equinox: J2000</td> <td>Proper Motion RA: -38.402 mas/yr Proper Motion Dec: -202.9900000025009 mas/yr Epoch of Position: 2000</td> <td>V=13.349</td> <td>Reference Frame: SIMBAD</td> </tr> </tbody> </table> <p><i>Comments: Coordinates copied from GD-153 generated from SIMBAD database with proper motion applied to give coordinates with epoch of 2000 (proper motion corrects to 2025). Category=CALIBRATION Description=[PHOTOMETRIC] Extended=NO</i></p>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(2)	GD-153	RA: 12 57 2.3225 (194.2596771d) Dec: +22 01 52.63 (22.03129d) Equinox: J2000	Proper Motion RA: -38.402 mas/yr Proper Motion Dec: -202.9900000025009 mas/yr Epoch of Position: 2000	V=13.349	Reference Frame: SIMBAD
		#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous											
(2)		GD-153	RA: 12 57 2.3225 (194.2596771d) Dec: +22 01 52.63 (22.03129d) Equinox: J2000	Proper Motion RA: -38.402 mas/yr Proper Motion Dec: -202.9900000025009 mas/yr Epoch of Position: 2000	V=13.349	Reference Frame: SIMBAD												

Proposal 17962 - GD153 - 3/4, extra on 2, no F555W (03) - WFC3 UVIS Time Dependent Sensitivity


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward; GS ACQ SCENARIO ONEB103	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03) Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03) Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03) Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03) Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F438W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03) Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F475W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F475W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03) Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F606W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03) Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GD153 - 3/4, extra on 2, no F555W (03) - WFC3 UVIS Time Dependent Sensitivity

8	F625W UVI (2) GD-153 S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F775W UVI (2) GD-153 S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F775W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F814W UVI (2) GD-153 S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F814W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F606W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F438W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F336W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GD153 - 3/4, extra on 2, no F555W (03) - WFC3 UVIS Time Dependent Sensitivity

15	F275W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,For ward	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F225W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Rev erse	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F218W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,For ward	Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)  Same Obset in Sequence 1-17 Non-Int in GD153 - 3/4, extra on 2, no F555W (03)	59.9 Secs (59.9 Secs) [==>]	[1]





Proposal 17962 - GD153 - 4/4, extra on 1, no F555W (04) - WFC3 UVIS Time Dependent Sensitivity


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward; GS ACQ SCENARIO ONEB103	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04) Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04) Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04) Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04) Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F438W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04) Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F606W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04) Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F814W UVI S2	(2) GD-153	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04) Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GD153 - 4/4, extra on 1, no F555W (04) - WFC3 UVIS Time Dependent Sensitivity

8	F814W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F775W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F775W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F625W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F606W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F475W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F475W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F438W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F336W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GD153 - 4/4, extra on 1, no F555W (04) - WFC3 UVIS Time Dependent Sensitivity

15	F275W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,For ward	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F225W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Rev erse	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F218W UVI (2) GD-153 S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,For ward	Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)  Same Obset in Sequence 1-17 Non-Int in GD153 - 4/4, extra on 1, no F555W (04)	59.9 Secs (59.9 Secs) [==>]	[1]



Proposal 17962 - GRW70 - 1/6, extra on 2, no F775W (05) - WFC3 UVIS Time Dependent Sensitivity

Thu Mar 19 15:00:33 GMT 2026

<b>Visit</b>	<p><b>Proposal 17962, GRW70 - 1/6, extra on 2, no F775W (05), completed</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: SCHED 70%; BETWEEN 27-SEP-2025:00:00:00 AND 29-NOV-2025:00:00:00</p> <p><i>Comments: Visit 1 of 6 for GRW70.</i></p>																													
	<b>Diagnostics</b>	<p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 1/6, extra on 2, no F775W (05)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p>																												
<b>Fixed Targets</b>		<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>GRW+70D5824</td> <td>RA: 13 38 50.4781 (204.7103254d)</td> <td>Proper Motion RA: -402.079 mas/yr</td> <td>V=12.6</td> <td>Reference Frame: SIMBAD</td> </tr> <tr> <td></td> <td>Alt Name1: LAWD-52</td> <td>Dec: +70 17 7.64 (70.28546d)</td> <td>Proper Motion Dec: -24.556000062148087 mas/yr</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>Equinox: J2000</td> <td>Epoch of Position: 2000</td> <td></td> <td></td> </tr> </tbody> </table> <p><i>Comments: Coordinates copied from LAWD-52 generated from SIMBAD database with proper motion applied to give coordinates with epoch of 2000 (proper motion corrects to 2025).</i></p> <p>Category=CALIBRATION</p> <p>Description=[PHOTOMETRIC]</p> <p>Extended=NO</p>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(1)	GRW+70D5824	RA: 13 38 50.4781 (204.7103254d)	Proper Motion RA: -402.079 mas/yr	V=12.6	Reference Frame: SIMBAD		Alt Name1: LAWD-52	Dec: +70 17 7.64 (70.28546d)	Proper Motion Dec: -24.556000062148087 mas/yr					Equinox: J2000	Epoch of Position: 2000		
		#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous																							
(1)		GRW+70D5824	RA: 13 38 50.4781 (204.7103254d)	Proper Motion RA: -402.079 mas/yr	V=12.6	Reference Frame: SIMBAD																								
		Alt Name1: LAWD-52	Dec: +70 17 7.64 (70.28546d)	Proper Motion Dec: -24.556000062148087 mas/yr																										
			Equinox: J2000	Epoch of Position: 2000																										

Proposal 17962 - GRW70 - 1/6, extra on 2, no F775W (05) - WFC3 UVIS Time Dependent Sensitivity


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F390W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F390W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F438W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F475W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F475W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 1/6, extra on 2, no F775W (05) - WFC3 UVIS Time Dependent Sensitivity

8	F555W UVI S2 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F555W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F606W UVI S2 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F625W UVI S2 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F814W UVI S2 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F814W UVI S1 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F606W UVI S1 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F438W UVI S1 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 1/6, extra on 2, no F775W (05) - WFC3 UVIS Time Dependent Sensitivity

15	F336W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F275W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F225W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]
18	F218W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 1/6, extra on 2, no F775W (05)	59.9 Secs (59.9 Secs) [==>]	[1]



Proposal 17962 - GRW70 - 2/6, extra on 1, no F775W (06) - WFC3 UVIS Time Dependent Sensitivity

Thu Mar 19 15:00:33 GMT 2026

<b>Visit</b>	<p><b>Proposal 17962, GRW70 - 2/6, extra on 1, no F775W (06), completed</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: SCHED 70%; BETWEEN 13-DEC-2025:00:00:00 AND 11-JAN-2026:00:00:00</p> <p><i>Comments: Visit 2 of 6 for GRW70.</i></p>						
	<b>Diagnostics</b>	<p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 2/6, extra on 1, no F775W (06)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p>					
<b>Fixed Targets</b>		<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>
		(1)	GRW+70D5824 Alt Name1: LAWD-52	RA: 13 38 50.4781 (204.7103254d) Dec: +70 17 7.64 (70.28546d) Equinox: J2000	Proper Motion RA: -402.079 mas/yr Proper Motion Dec: -24.556000062148087 mas/yr Epoch of Position: 2000	V=12.6	Reference Frame: SIMBAD
<p><i>Comments: Coordinates copied from LAWD-52 generated from SIMBAD database with proper motion applied to give coordinates with epoch of 2000 (proper motion corrects to 2025).</i></p> <p>Category=CALIBRATION Description=[PHOTOMETRIC] Extended=NO</p>							

Proposal 17962 - GRW70 - 2/6, extra on 1, no F775W (06) - WFC3 UVIS Time Dependent Sensitivity


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward; GS ACQ SCENARIO ONEB103	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06) Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06) Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06) Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06) Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F438W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06) Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F606W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06) Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F814W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06) Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 2/6, extra on 1, no F775W (06) - WFC3 UVIS Time Dependent Sensitivity

8	F814W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F625W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F606W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F555W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F555W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F475W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F475W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F438W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F390W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F390W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 2/6, extra on 1, no F775W (06) - WFC3 UVIS Time Dependent Sensitivity

15	F336W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F275W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F225W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]
18	F218W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 2/6, extra on 1, no F775W (06)	59.9 Secs (59.9 Secs) [==>]	[1]



Proposal 17962 - GRW70 - 3/6, extra on 2, no F555W (07) - WFC3 UVIS Time Dependent Sensitivity

Thu Mar 19 15:00:33 GMT 2026

<b>Visit</b>	<p><b>Proposal 17962, GRW70 - 3/6, extra on 2, no F555W (07), implementation</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: SCHED 70%; BETWEEN 12-MAY-2026:00:00:00 AND 22-MAY-2026:00:00:00</p> <p><i>Comments: Visit 3 of 6 for GRW70.</i></p>																													
	<b>Diagnostics</b>	<p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 3/6, extra on 2, no F555W (07)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p>																												
<b>Fixed Targets</b>		<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>GRW+70D5824</td> <td>RA: 13 38 50.4781 (204.7103254d)</td> <td>Proper Motion RA: -402.079 mas/yr</td> <td>V=12.6</td> <td>Reference Frame: SIMBAD</td> </tr> <tr> <td></td> <td>Alt Name1: LAWD-52</td> <td>Dec: +70 17 7.64 (70.28546d)</td> <td>Proper Motion Dec: -24.556000062148087 mas/yr</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>Equinox: J2000</td> <td>Epoch of Position: 2000</td> <td></td> <td></td> </tr> </tbody> </table> <p><i>Comments: Coordinates copied from LAWD-52 generated from SIMBAD database with proper motion applied to give coordinates with epoch of 2000 (proper motion corrects to 2025).</i></p> <p>Category=CALIBRATION</p> <p>Description=[PHOTOMETRIC]</p> <p>Extended=NO</p>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(1)	GRW+70D5824	RA: 13 38 50.4781 (204.7103254d)	Proper Motion RA: -402.079 mas/yr	V=12.6	Reference Frame: SIMBAD		Alt Name1: LAWD-52	Dec: +70 17 7.64 (70.28546d)	Proper Motion Dec: -24.556000062148087 mas/yr					Equinox: J2000	Epoch of Position: 2000		
		#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous																							
(1)		GRW+70D5824	RA: 13 38 50.4781 (204.7103254d)	Proper Motion RA: -402.079 mas/yr	V=12.6	Reference Frame: SIMBAD																								
		Alt Name1: LAWD-52	Dec: +70 17 7.64 (70.28546d)	Proper Motion Dec: -24.556000062148087 mas/yr																										
			Equinox: J2000	Epoch of Position: 2000																										

Proposal 17962 - GRW70 - 3/6, extra on 2, no F555W (07) - WFC3 UVIS Time Dependent Sensitivity


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward; GS ACQ SCENARIO ONEB103	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07) Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07) Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07) Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07) Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F390W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F390W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07) Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F438W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07) Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F475W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F475W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07) Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 3/6, extra on 2, no F555W (07) - WFC3 UVIS Time Dependent Sensitivity

8	F606W UVI S2 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F625W UVI S2 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F775W UVI S2 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F775W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F814W UVI S2 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F814W UVI S1 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F606W UVI S1 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F438W UVI S1 (1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 3/6, extra on 2, no F555W (07) - WFC3 UVIS Time Dependent Sensitivity

15	F336W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F275W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F225W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]
18	F218W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 3/6, extra on 2, no F555W (07)	59.9 Secs (59.9 Secs) [==>]	[1]





Proposal 17962 - GRW70 - 4/6, extra on 1, no F555W (08) - WFC3 UVIS Time Dependent Sensitivity


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F438W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F606W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F814W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 4/6, extra on 1, no F555W (08) - WFC3 UVIS Time Dependent Sensitivity

8	F814W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F775W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F775W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F625W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F606W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F475W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F475W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F438W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F390W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F390W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 4/6, extra on 1, no F555W (08) - WFC3 UVIS Time Dependent Sensitivity

15	F336W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F275W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F225W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]
18	F218W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 4/6, extra on 1, no F555W (08)	59.9 Secs (59.9 Secs) [==>]	[1]



Proposal 17962 - GRW70 - 5/6, extra on 2, no F475W (09) - WFC3 UVIS Time Dependent Sensitivity

Thu Mar 19 15:00:33 GMT 2026

<b>Visit</b>	<p><b>Proposal 17962, GRW70 - 5/6, extra on 2, no F475W (09), scheduling</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: SCHED 70%; BETWEEN 12-MAY-2026:00:00:00 AND 10-JUL-2026:00:00:00</p> <p><i>Comments: Visit 5 of 6 for GRW70.</i></p>																													
	<b>Diagnostics</b>	<p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 5/6, extra on 2, no F475W (09)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p>																												
<b>Fixed Targets</b>		<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>GRW+70D5824</td> <td>RA: 13 38 50.4781 (204.7103254d)</td> <td>Proper Motion RA: -402.079 mas/yr</td> <td>V=12.6</td> <td>Reference Frame: SIMBAD</td> </tr> <tr> <td></td> <td>Alt Name1: LAWD-52</td> <td>Dec: +70 17 7.64 (70.28546d)</td> <td>Proper Motion Dec: -24.556000062148087 mas/yr</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>Equinox: J2000</td> <td>Epoch of Position: 2000</td> <td></td> <td></td> </tr> </tbody> </table> <p><i>Comments: Coordinates copied from LAWD-52 generated from SIMBAD database with proper motion applied to give coordinates with epoch of 2000 (proper motion corrects to 2025).</i></p> <p>Category=CALIBRATION</p> <p>Description=[PHOTOMETRIC]</p> <p>Extended=NO</p>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(1)	GRW+70D5824	RA: 13 38 50.4781 (204.7103254d)	Proper Motion RA: -402.079 mas/yr	V=12.6	Reference Frame: SIMBAD		Alt Name1: LAWD-52	Dec: +70 17 7.64 (70.28546d)	Proper Motion Dec: -24.556000062148087 mas/yr					Equinox: J2000	Epoch of Position: 2000		
		#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous																							
(1)		GRW+70D5824	RA: 13 38 50.4781 (204.7103254d)	Proper Motion RA: -402.079 mas/yr	V=12.6	Reference Frame: SIMBAD																								
		Alt Name1: LAWD-52	Dec: +70 17 7.64 (70.28546d)	Proper Motion Dec: -24.556000062148087 mas/yr																										
			Equinox: J2000	Epoch of Position: 2000																										

Proposal 17962 - GRW70 - 5/6, extra on 2, no F475W (09) - WFC3 UVIS Time Dependent Sensitivity


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F390W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F390W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F438W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F555W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F555W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 5/6, extra on 2, no F475W (09) - WFC3 UVIS Time Dependent Sensitivity

8	F606W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F625W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F775W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F775W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F814W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F814W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F606W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F438W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 5/6, extra on 2, no F475W (09) - WFC3 UVIS Time Dependent Sensitivity

15	F336W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F275W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F225W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]
18	F218W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 5/6, extra on 2, no F475W (09)	59.9 Secs (59.9 Secs) [==>]	[1]



Proposal 17962 - GRW70 - 6/6, extra on 1, no F475W (10) - WFC3 UVIS Time Dependent Sensitivity

Thu Mar 19 15:00:33 GMT 2026

<b>Visit</b>	<p><b>Proposal 17962, GRW70 - 6/6, extra on 1, no F475W (10), scheduling</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: SCHED 70%; BETWEEN 19-AUG-2026:00:00:00 AND 17-OCT-2026:00:00:00</p> <p><i>Comments: Visit 6 of 6 for GRW70.</i></p>																													
	<b>Diagnostics</b>	<p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(GRW70 - 6/6, extra on 1, no F475W (10)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p>																												
<b>Fixed Targets</b>		<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>GRW+70D5824</td> <td>RA: 13 38 50.4781 (204.7103254d)</td> <td>Proper Motion RA: -402.079 mas/yr</td> <td>V=12.6</td> <td>Reference Frame: SIMBAD</td> </tr> <tr> <td></td> <td>Alt Name1: LAWD-52</td> <td>Dec: +70 17 7.64 (70.28546d)</td> <td>Proper Motion Dec: -24.556000062148087 mas/yr</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>Equinox: J2000</td> <td>Epoch of Position: 2000</td> <td></td> <td></td> </tr> </tbody> </table> <p><i>Comments: Coordinates copied from LAWD-52 generated from SIMBAD database with proper motion applied to give coordinates with epoch of 2000 (proper motion corrects to 2025).</i></p> <p>Category=CALIBRATION</p> <p>Description=[PHOTOMETRIC]</p> <p>Extended=NO</p>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(1)	GRW+70D5824	RA: 13 38 50.4781 (204.7103254d)	Proper Motion RA: -402.079 mas/yr	V=12.6	Reference Frame: SIMBAD		Alt Name1: LAWD-52	Dec: +70 17 7.64 (70.28546d)	Proper Motion Dec: -24.556000062148087 mas/yr					Equinox: J2000	Epoch of Position: 2000		
		#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous																							
(1)		GRW+70D5824	RA: 13 38 50.4781 (204.7103254d)	Proper Motion RA: -402.079 mas/yr	V=12.6	Reference Frame: SIMBAD																								
		Alt Name1: LAWD-52	Dec: +70 17 7.64 (70.28546d)	Proper Motion Dec: -24.556000062148087 mas/yr																										
			Equinox: J2000	Epoch of Position: 2000																										

Proposal 17962 - GRW70 - 6/6, extra on 1, no F475W (10) - WFC3 UVIS Time Dependent Sensitivity


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
Exposures	1	F218W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
	2	F225W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
	3	F275W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
	4	F336W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
	5	F438W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
	6	F606W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
	7	F814W UVI S2	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 6/6, extra on 1, no F475W (10) - WFC3 UVIS Time Dependent Sensitivity

8	F814W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
9	F775W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F775W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
10	F625W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F625W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
11	F606W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
12	F555W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F555W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
13	F438W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
14	F390W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F390W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - GRW70 - 6/6, extra on 1, no F475W (10) - WFC3 UVIS Time Dependent Sensitivity

15	F336W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
16	F275W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
17	F225W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]
18	F218W UVI S1	(1) GRW+70D5824	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F218W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)  Same Obset in Sequence 1-18 Non-Int in GRW70 - 6/6, extra on 1, no F475W (10)	59.9 Secs (59.9 Secs) [==>]	[1]



Proposal 17962 - P330E - 1/2 (no F606W on 1) (11) - WFC3 UVIS Time Dependent Sensitivity

Thu Mar 19 15:00:33 GMT 2026


<b>Visit</b>	<p><b>Proposal 17962, P330E - 1/2 (no F606W on 1) (11), completed</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: SCHED 70%; BETWEEN 28-DEC-2025:00:00:00 AND 09-MAR-2026:00:00:00</p> <p><i>Comments: Visit 1 of 2 for P330E.</i></p>						
	<b>Diagnostics</b>	<p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 1/2 (no F606W on 1) (11)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p>					
<b>Fixed Targets</b>		<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>
		(3)	P330E	RA: 16 31 33.8124 (247.8908850d)	Proper Motion RA: -8.882 mas/yr	V=12.92	Reference Frame: SIMBAD
		Alt Name1: GSC-02581-02323	Dec: +30 08 46.40 (30.14622d)	Proper Motion Dec: -38.705 mas/yr			
			Equinox: J2000	Epoch of Position: 2000			
		<p><i>Comments: Coordinates copied from GSC 02581-02323 generated from SIMBAD database with proper motion applied to give coordinates with epoch of 2000 (proper motion corrects to 2025).</i></p> <p><i>Category=CALIBRATION</i></p> <p><i>Description=[PHOTOMETRIC]</i></p> <p><i>Extended=NO</i></p>					

Proposal 17962 - P330E - 1/2 (no F606W on 1) (11) - WFC3 UVIS Time Dependent Sensitivity

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
Exposures	1	F225W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.0 1,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	325 Secs (325 Secs) [==>]	[1]
	2	F275W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.0 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	225 Secs (225 Secs) [==>]	[1]
	3	F336W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	4	F438W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	5	F606W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	6	F814W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	7	F814W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	8	F438W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - P330E - 1/2 (no F606W on 1) (11) - WFC3 UVIS Time Dependent Sensitivity

9	F336W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	59.9 Secs (59.9 Secs) [=>59.9 Secs ]	[1]
10	F275W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.0 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	160 Secs (160 Secs) [=>160 Secs ]	[1]
11	F225W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.0 1,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11) Same Obset in Sequence 1-11 Non-Int in P330E - 1/2 (no F606W on 1) (11)	300 Secs (300 Secs) [=>300.0 Secs ]	[1]



Proposal 17962 - P330E - 2/2 (no F606W on 1) (12) - WFC3 UVIS Time Dependent Sensitivity

Thu Mar 19 15:00:33 GMT 2026

<b>Visit</b>	<p><b>Proposal 17962, P330E - 2/2 (no F606W on 1) (12), scheduling</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: SCHED 70%; BETWEEN 20-MAY-2026:00:00:00 AND 19-JUL-2026:00:00:00</p> <p><i>Comments: Visit 2 of 2 for P330E.</i></p>						
	<b>Diagnostics</b>	<p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): MERGING RULE VIOLATED DURING AUTOMATIC MERGING</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p> <p>(P330E - 2/2 (no F606W on 1) (12)) Warning (Orbit Planner): WFC3 EXPOSURE TIME ADJUSTED</p>					
<b>Fixed Targets</b>		<b>#</b>	<b>Name</b>	<b>Target Coordinates</b>	<b>Targ. Coord. Corrections</b>	<b>Fluxes</b>	<b>Miscellaneous</b>
		(3)	P330E	RA: 16 31 33.8124 (247.8908850d)	Proper Motion RA: -8.882 mas/yr	V=12.92	Reference Frame: SIMBAD
			Alt Name1: GSC-02581-02323	Dec: +30 08 46.40 (30.14622d)	Proper Motion Dec: -38.705 mas/yr		
				Equinox: J2000	Epoch of Position: 2000		
		<p><i>Comments: Coordinates copied from GSC 02581-02323 generated from SIMBAD database with proper motion applied to give coordinates with epoch of 2000 (proper motion corrects to 2025).</i></p> <p><i>Category=CALIBRATION</i></p> <p><i>Description=[PHOTOMETRIC]</i></p> <p><i>Extended=NO</i></p>					

Proposal 17962 - P330E - 2/2 (no F606W on 1) (12) - WFC3 UVIS Time Dependent Sensitivity

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
Exposures	1	F225W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F225W	CR-SPLIT=NO; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.0 1,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	325 Secs (325 Secs) [==>]	[1]
	2	F275W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F275W	CR-SPLIT=NO; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.0 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	225 Secs (225 Secs) [==>]	[1]
	3	F336W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	4	F438W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	5	F606W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F606W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	6	F814W UVI (3) P330E S2	WFC3/UVIS, ACCUM, UVIS2-C512C-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	7	F814W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F814W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
	8	F438W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F438W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	59.9 Secs (59.9 Secs) [==>]	[1]

Proposal 17962 - P330E - 2/2 (no F606W on 1) (12) - WFC3 UVIS Time Dependent Sensitivity

9	F336W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F336W	CR-SPLIT=NO; BLADE=A; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.1 25,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	59.9 Secs (59.9 Secs) [==>59.9 Secs ]	[1]
10	F275W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F275W	CR-SPLIT=NO; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.0 25,90.3 Degrees,Forward	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	160 Secs (160 Secs) [==>160.0 Secs ]	[1]
11	F225W UVI (3) P330E S1	WFC3/UVIS, ACCUM, UVIS1-C512A-SUB	F225W	CR-SPLIT=NO; FLASH=20	POS TARG 0,-3.75; SPATIAL SCAN 0.0 1,90.3 Degrees,Reverse	Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12) Same Obset in Sequence 1-11 Non-Int in P330E - 2/2 (no F606W on 1) (12)	300 Secs (300 Secs) [==>300.0 Secs ]	[1]

