



18452 - Requiem's Return: Precision cosmology from a decade-delayed, strongly-lensed supernova and its new sibling

Cycle: 34, Proposal Category: GO

(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Justin Pierel (PI) (Contact)	The Johns Hopkins University
Prof. Sherry H. Suyu (CoI) (ESA Member) (CoPI)	Technical University of Munich
Conor Larison (CoI)	Space Telescope Science Institute
Dr. Jose M. Diego (CoI) (ESA Member)	Instituto de Fisica de Cantabria
Dr. Anton M. Koekemoer (CoI) (Contact)	Space Telescope Science Institute
Dr. Stefan Schuldt (CoI) (ESA Member)	University of Turku
Dr. Andrew B. Newman (CoI)	Carnegie Institution of Washington
Prof. Masamune Oguri (CoI)	Chiba University
Prof. Adi Zitrin (CoI)	Ben-Gurion University of the Negev
Dr. Patrick S. Kamienieski (CoI) (ESA Member)	Chalmers University of Technology
Dr. Martin Millon (CoI) (ESA Member)	University of Geneva, Department of Astronomy
Ana Acebron (CoI) (ESA Member)	Instituto de Fisica de Cantabria
Dr. Piero Rosati (CoI) (ESA Member)	Universita degli studi di Ferrara
Dr. Pietro Bergamini (CoI) (ESA Member)	INAF - Osservatorio di Astrofisica e Scienza dello Spazio
Dr. Stefan Taubenberger (CoI) (ESA Member)	Max Planck Institute for Astrophysics
Sebastian Ertl (CoI) (ESA Member)	Max Planck Institute for Astrophysics
Dr. Suhail Dhawan (CoI) (ESA Member)	University of Birmingham
Dr. Louis-Gregory Strolger (CoI)	Space Telescope Science Institute
Dr. Wenlei Chen (CoI)	Oklahoma State University Main Campus
Dr. Leonidas A Moustakas (CoI)	Jet Propulsion Laboratory

<i>Name</i>	<i>Institution</i>
Elias Mamuzic (CoI) (ESA Member)	Max Planck Institute for Astrophysics
Dr. Massimo Pascale (CoI)	University of California - Los Angeles
Prof. Myungkook J. Jee (CoI)	Yonsei University
Mr. Sangjun Cha (CoI)	Yonsei University
Dr. Anowar J Shajib (CoI)	University of Chicago
Dr. Raoul Canameras (CoI) (ESA Member)	CNRS, Laboratoire d'Astrophysique de Marseille
Prof. Claudio Grillo (CoI) (ESA Member)	Universita di Milano
Dr. Ismael Perez-Fournon (CoI) (ESA Member)	Instituto de Astrofisica de Canarias
Dr. Saurabh W. Jha (CoI)	Rutgers the State University of New Jersey
Prof. Xiaosheng Huang (CoI)	University of San Francisco
Giovanni Granata (CoI) (ESA Member)	Portsmouth University/ICG
Prof. Brenda Louise Frye (CoI)	University of Arizona
Aadya Agrawal (CoI)	University of Illinois at Urbana - Champaign

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) SN-R4	WFC3/IR	2	27-Aug-2026 11:02:47.0	yes
02	(1) SN-R4	WFC3/IR	2	27-Aug-2026 11:02:48.0	yes
03	(1) SN-R4	WFC3/IR	2	27-Aug-2026 11:02:49.0	yes
04	(1) SN-R4	WFC3/IR	2	27-Aug-2026 11:02:50.0	yes
05	(1) SN-R4	WFC3/IR	2	27-Aug-2026 11:02:51.0	yes
06	(1) SN-R4	WFC3/IR	2	27-Aug-2026 11:02:51.0	yes

12 Total Orbits Used

ABSTRACT

This program will capture the reappearance of a strongly lensed Type Ia supernova (SN Ia), SN Requiem, a decade after its initial discovery. Lensed by the galaxy cluster MACS J0138-2155, the first three images of SN Requiem at $z=1.95$ were seen in a 2016 HST visit; the fourth is predicted to appear a decade later. In 2023, this system became even more remarkable with JWST's discovery of a second lensed SN Ia in the same host galaxy, named SN Encore. Detecting SN Requiem's fourth image enables the first joint Hubble constant (H_0) measurement from two lensed SNe in one

Proposal 18452 (STScI Edit Number: 0, Created: Thursday, August 27, 2026, 10:02:52AM Eastern Standard Time) - Overview


system. Using archival JWST, HST, and MUSE data, we built seven lens mass models of the cluster, incorporating both statistical and systematic uncertainties, to predict SN Requiem's reappearance. If $H_0 = 73$ km/s/Mpc, the fourth image is expected in June-Nov 2026; if $H_0 = 67.4$ km/s/Mpc, then Apr-Sept 2027. We propose two HST cycles to monitor the cluster and catch the reappearance, triggering JWST ToO imaging and spectroscopy upon detection to measure the longest-ever lensing time delay (~ 10 years). This allows a Requiem+Encore H_0 measurement with $<3\%$ uncertainty -- the most precise from lensed SNe to date -- and directly addresses the Hubble tension between early- and late-Universe values. Our program leverages HST WFC3/IR as the most efficient tool to monitor the system and detect SN Requiem, and JWST to capture the full UV-NIR photometric and spectroscopic evolution of this rare event.

OBSERVING DESCRIPTION

We have used the existing HST detections of SN Requiem, in conjunction with our mass models and microlensing simulations, to predict the SN-R4 reappearance brightness range in HST F110W/F160W filters. These filters are the optimal choice as they are the most efficient means of sampling the rest-frame UV+optical SED of a $z = 2$ SN with HST, providing roughly rest-frame $u + B$ and V band, respectively. These filters were used to detect SN Requiem in 2016, enabling immediate difference imaging at SN-R4 and a direct comparison to SN-R1,2,3. We choose 3σ limiting magnitudes for both filters that enable a 2-filter detection for $\sim 90\%$ of the detection range. Reaching these depths requires 2 orbits (1.5 F160W, 0.5 F110W) per visit. If the SN is only detected in F160W, we will require detections in all (6) exposures across both orbits. We will monitor with $\sim$ monthly cadence during the HST visibility windows, corresponding to a ~ 10 rest-frame day cadence. This is designed such that during the monitoring windows we guarantee a pre-peak detection and near-peak JWST follow-up, as the rise time for SNe Ia is generally 15-20 rest-frame days. We require 7 visits in Cycle 33 and 6 in Cycle 34 considering a ~ 5 month gap when SN Requiem is behind the sun. The total HST request is therefore $2 \times 7 + 2 \times 6 = 26$ orbits. Only one observing gap is filled with a JWST visit.


Proposal 18452 - Visit 01 - Requiem's Return: Precision cosmology from a decade-delayed, strongly-lensed supernova and its new si...

Visit	Proposal 18452, Visit 01, implementation										Thu Aug 27 15:02:52 GMT 2026
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: WFC3/IR										
	Special Requirements: BETWEEN 29-MAY-2027:00:00:00 AND 03-JUN-2027:00:00:00										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=			Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false						(7)
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(1)	SN-R4	RA: 01 38 2.1602 (24.5090008d) Dec: -21 55 22.41 (-21.92289d) Equinox: J2000				V=26+/-1		Reference Frame: ICRS		
Comments: Category=EXT-STAR Description=[SUPERNOVA TYPE IA]											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
	1	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0,0	Sequence 1-6 Non-Int in Visit 01	349.232932 Secs (349.233 Secs) [==>]		[1]
	2	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0.451,0.403	Sequence 1-6 Non-Int in Visit 01	349.232932 Secs (349.233 Secs) [==>]		[1]
	3	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG .474,.424	Sequence 1-6 Non-Int in Visit 01	349.232932 Secs (349.233 Secs) [==>]		[1]
	4	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG .925,.827	Sequence 1-6 Non-Int in Visit 01	399.233383 Secs (399.233 Secs) [==>]		[1]
	5	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 1.376,1.230	Sequence 1-6 Non-Int in Visit 01	399.233383 Secs (399.233 Secs) [==>]		[1]
	6	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 0.902,0.806	Sequence 1-6 Non-Int in Visit 01	399.233383 Secs (399.233 Secs) [==>]		[1]
	7		(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=9; SAMP-SEQ=SPARS100		Pattern 1, Exps 7-7 in Visit 01 (1)	802.934875 Secs (2408.805 Secs) [==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]		[2]




Proposal 18452 - Visit 02 - Requiem's Return: Precision cosmology from a decade-delayed, strongly-lensed supernova and its new si...

Visit	Proposal 18452, Visit 02										Thu Aug 27 15:02:52 GMT 2026	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: WFC3/IR											
	Special Requirements: AFTER 01 BY 27 D TO 33 D											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false				(7)		
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous			
	(1)	SN-R4	RA: 01 38 2.1602 (24.5090008d) Dec: -21 55 22.41 (-21.92289d) Equinox: J2000				V=26+/-1		Reference Frame: ICRS			
Comments: Category=EXT-STAR Description=[SUPERNOVA TYPE IA]												
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit	
	1	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0,0	Sequence 1-6 Non-Int in Visit 02	349.232932 Secs (349.233 Secs) [==>]		[1]	
	2	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0.451,0.403	Sequence 1-6 Non-Int in Visit 02	349.232932 Secs (349.233 Secs) [==>]		[1]	
	3	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG .474,.424	Sequence 1-6 Non-Int in Visit 02	399.233383 Secs (399.233 Secs) [==>]		[1]	
	4	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG .925,.827	Sequence 1-6 Non-Int in Visit 02	349.232932 Secs (349.233 Secs) [==>]		[1]	
	5	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 1.376,1.230	Sequence 1-6 Non-Int in Visit 02	399.233383 Secs (399.233 Secs) [==>]		[1]	
	6	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 0.902,0.806	Sequence 1-6 Non-Int in Visit 02	399.233383 Secs (399.233 Secs) [==>]		[1]	
	7		(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=9; SAMP-SEQ=SPARS100		Pattern 1, Exps 7-7 in Visit 02 (1)	802.934875 Secs (2408.805 Secs) [==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]		[2]	




Proposal 18452 - Visit 03 - Requiem's Return: Precision cosmology from a decade-delayed, strongly-lensed supernova and its new si...

Visit	Proposal 18452, Visit 03										Thu Aug 27 15:02:52 GMT 2026
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: WFC3/IR										
	Special Requirements: BETWEEN 01-AUG-2027:00:00:00 AND 09-AUG-2027:00:00:00										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false						(7)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(1)	SN-R4	RA: 01 38 2.1602 (24.5090008d) Dec: -21 55 22.41 (-21.92289d) Equinox: J2000				V=26+/-1		Reference Frame: ICRS		
	Comments: Category=EXT-STAR Description=[SUPERNOVA TYPE IA]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
	1	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0,0	Sequence 1-6 Non-Int in Visit 03	349.232932 Secs (349.233 Secs) [==>]		[1]
	2	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0.451,0.403	Sequence 1-6 Non-Int in Visit 03	349.232932 Secs (349.233 Secs) [==>]		[1]
	3	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG .474,.424	Sequence 1-6 Non-Int in Visit 03	399.233383 Secs (399.233 Secs) [==>]		[1]
	4	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG .925,.827	Sequence 1-6 Non-Int in Visit 03	349.232932 Secs (349.233 Secs) [==>]		[1]
	5	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 1.376,1.230	Sequence 1-6 Non-Int in Visit 03	399.233383 Secs (399.233 Secs) [==>]		[1]
	6	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 0.902,0.806	Sequence 1-6 Non-Int in Visit 03	399.233383 Secs (399.233 Secs) [==>]		[1]
	7		(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=9; SAMP-SEQ=SPARS100		Pattern 1, Exps 7-7 in Visit 03 (1)	802.934875 Secs (2408.805 Secs) [==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]		[2]



Proposal 18452 - Visit 04 - Requiem's Return: Precision cosmology from a decade-delayed, strongly-lensed supernova and its new si...

Visit	Proposal 18452, Visit 04										Thu Aug 27 15:02:52 GMT 2026
	Diagnostic Status: No Diagnostics										
	Scientific Instruments: WFC3/IR										
	Special Requirements: AFTER 03 BY 27 D TO 33 D										
Patterns	#	Primary Pattern				Secondary Pattern				Exposures	
	(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false				(7)	
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(1)	SN-R4	RA: 01 38 2.1602 (24.5090008d) Dec: -21 55 22.41 (-21.92289d) Equinox: J2000				V=26+/-1		Reference Frame: ICRS		
Comments: Category=EXT-STAR Description=[SUPERNOVA TYPE IA]											
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
	1	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0,0	Sequence 1-6 Non-Int in Visit 04	349.232932 Secs (349.233 Secs) [==>]		[1]
	2	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0.451,0.403	Sequence 1-6 Non-Int in Visit 04	349.232932 Secs (349.233 Secs) [==>]		[1]
	3	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG .474,.424	Sequence 1-6 Non-Int in Visit 04	399.233383 Secs (399.233 Secs) [==>]		[1]
	4	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG .925,.827	Sequence 1-6 Non-Int in Visit 04	349.232932 Secs (349.233 Secs) [==>]		[1]
	5	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 1.376,1.230	Sequence 1-6 Non-Int in Visit 04	399.233383 Secs (399.233 Secs) [==>]		[1]
	6	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 0.902,0.806	Sequence 1-6 Non-Int in Visit 04	399.233383 Secs (399.233 Secs) [==>]		[1]
	7		(1) SN-R4	WFC3/IR, MULTIACCUM, IR	F160W	NSAMP=9; SAMP-SEQ=SPARS100		Pattern 1, Exps 7-7 in Visit 04 (1)	802.934875 Secs (2408.805 Secs) [==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]		[2]




Proposal 18452 - Visit 05 - Requiem's Return: Precision cosmology from a decade-delayed, strongly-lensed supernova and its new si...

Visit	Proposal 18452, Visit 05										Thu Aug 27 15:02:52 GMT 2026	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: WFC3/IR											
	Special Requirements: AFTER 04 BY 27 D TO 33 D											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=				Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false				(7)		
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(1)	SN-R4		RA: 01 38 2.1602 (24.5090008d) Dec: -21 55 22.41 (-21.92289d) Equinox: J2000				V=26+/-1		Reference Frame: ICRS		
	Comments: Category=EXT-STAR Description=[SUPERNOVA TYPE IA]											
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
	1	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0,0	Sequence 1-6 Non-Int in Visit 05	349.232932 Secs (349.233 Secs) [==>]		[1]
	2	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0.451,0.403	Sequence 1-6 Non-Int in Visit 05	349.232932 Secs (349.233 Secs) [==>]		[1]
	3	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F110W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG .474,.424	Sequence 1-6 Non-Int in Visit 05	349.232932 Secs (349.233 Secs) [==>]		[1]
	4	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG .925,.827	Sequence 1-6 Non-Int in Visit 05	399.233383 Secs (399.233 Secs) [==>]		[1]
	5	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 1.376,1.230	Sequence 1-6 Non-Int in Visit 05	399.233383 Secs (399.233 Secs) [==>]		[1]
	6	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F160W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 0.902,0.806	Sequence 1-6 Non-Int in Visit 05	399.233383 Secs (399.233 Secs) [==>]		[1]
	7		(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F160W	NSAMP=9; SAMP-SEQ=SPARS100		Pattern 1, Exps 7-7 in Visit 05 (1)	802.934875 Secs (2408.805 Secs) [==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]		[2]


Orbit 1

Server Version: 20260618



Orbit 2

Server Version: 20260618




Proposal 18452 - Visit 06 - Requiem's Return: Precision cosmology from a decade-delayed, strongly-lensed supernova and its new si...

Visit	Proposal 18452, Visit 06										Thu Aug 27 15:02:52 GMT 2026	
	Diagnostic Status: No Diagnostics											
	Scientific Instruments: WFC3/IR											
	Special Requirements: BETWEEN 07-NOV-2027:00:00:00 AND 17-NOV-2027:00:00:00											
Patterns	#	Primary Pattern				Secondary Pattern				Exposures		
	(1)	Pattern Type=WFC3-IR-DITHER-LINE-3PT Purpose=DITHER Number Of Points=3 Point Spacing=0.605 Line Spacing=		Coordinate Frame=POS-TARG Pattern Orientation=41.788 Angle Between Sides= Center Pattern=false						(7)		
Fixed Targets	#	Name		Target Coordinates		Targ. Coord. Corrections		Fluxes		Miscellaneous		
	(1)	SN-R4		RA: 01 38 2.1602 (24.5090008d) Dec: -21 55 22.41 (-21.92289d) Equinox: J2000				V=26+/-1		Reference Frame: ICRS		
	Comments: Category=EXT-STAR Description=[SUPERNOVA TYPE IA]											
Exposures	#	Label	Target	Config,Mode,Aperture		Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]		Orbit
	1	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0,0	Sequence 1-6 Non-Int in Visit 06	349.232932 Secs (349.233 Secs) [==>]		[1]
	2	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F160W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG 0.451,0.403	Sequence 1-6 Non-Int in Visit 06	349.232932 Secs (349.233 Secs) [==>]		[1]
	3	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG .474,.424	Sequence 1-6 Non-Int in Visit 06	399.233383 Secs (399.233 Secs) [==>]		[1]
	4	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F110W	NSAMP=12; SAMP-SEQ=STEP50	POS TARG .925,.827	Sequence 1-6 Non-Int in Visit 06	349.232932 Secs (349.233 Secs) [==>]		[1]
	5	F110W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F110W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 1.376,1.230	Sequence 1-6 Non-Int in Visit 06	399.233383 Secs (399.233 Secs) [==>]		[1]
	6	F160W	(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F160W	NSAMP=13; SAMP-SEQ=STEP50	POS TARG 0.902,0.806	Sequence 1-6 Non-Int in Visit 06	399.233383 Secs (399.233 Secs) [==>]		[1]
	7		(1) SN-R4	WFC3/IR, MULTIACCUM, IR		F160W	NSAMP=9; SAMP-SEQ=SPARS100		Pattern 1, Exps 7-7 in Visit 06 (1)	802.934875 Secs (2408.805 Secs) [==>(Pattern 1)] [==>(Pattern 2)] [==>(Pattern 3)]		[2]

Orbit 1

Server Version: 20260618



Orbit 2

Server Version: 20260618

