



11808 - WFC3 UVIS Bowtie Monitor

Cycle: 17, Proposal Category: SM4/WFC3

(Availability Mode: RESTRICTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. John W. MacKenty (PI)	Space Telescope Science Institute	

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:16:50.0	yes
02	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:16:53.0	yes
03	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:16:55.0	yes
04	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:16:57.0	yes
05	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:16:58.0	yes
06	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:00.0	yes
07	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:02.0	yes
08	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:04.0	yes
09	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:05.0	yes
10	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:07.0	yes
11	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:09.0	yes
12	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:10.0	yes

Proposal 11808 (STScI Edit Number: 1, Created: Wednesday, September 10, 2008 8:19:15 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
13	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:12.0	yes
14	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:14.0	yes
15	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:15.0	yes
16	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:17.0	yes
17	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:18.0	yes
18	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:20.0	yes
19	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:22.0	yes
20	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:24.0	yes
21	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:26.0	yes
22	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:27.0	yes
23	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:29.0	yes
24	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:30.0	yes
25	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:32.0	yes
26	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:33.0	yes
27	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:34.0	yes
28	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:36.0	yes
29	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:37.0	yes
30	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:39.0	yes
31	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:40.0	yes
32	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:42.0	yes
33	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:43.0	yes
34	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:45.0	yes

Proposal 11808 (STScI Edit Number: 1, Created: Wednesday, September 10, 2008 8:19:15 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
35	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:46.0	yes
36	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:47.0	yes
37	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:49.0	yes
38	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:50.0	yes
39	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:52.0	yes
40	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:53.0	yes
41	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:54.0	yes
42	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:56.0	yes
43	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:57.0	yes
44	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:17:59.0	yes
45	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:00.0	yes
46	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:01.0	yes
47	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:03.0	yes
48	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:04.0	yes
49	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:05.0	yes
50	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:07.0	yes
51	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:08.0	yes
52	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:09.0	yes
53	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:11.0	yes
54	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:12.0	yes
55	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:13.0	yes
56	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:15.0	yes

Proposal 11808 (STScI Edit Number: 1, Created: Wednesday, September 10, 2008 8:19:15 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
57	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:16.0	yes
58	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:17.0	yes
59	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:19.0	yes
60	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:20.0	yes
61	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:21.0	yes
62	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:23.0	yes
63	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:24.0	yes
64	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:25.0	yes
65	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:27.0	yes
66	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:28.0	yes
67	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:29.0	yes
68	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:30.0	yes
69	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:32.0	yes
70	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:33.0	yes
71	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:34.0	yes
72	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:36.0	yes
73	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:37.0	yes
74	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:38.0	yes
75	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:40.0	yes
76	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:41.0	yes
77	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:42.0	yes
78	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:43.0	yes

Proposal 11808 (STScI Edit Number: 1, Created: Wednesday, September 10, 2008 8:19:15 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
79	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:45.0	yes
80	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:46.0	yes
81	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:47.0	yes
82	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:48.0	yes
83	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:50.0	yes
84	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:51.0	yes
85	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:52.0	yes
86	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:54.0	yes
87	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:55.0	yes
88	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:56.0	yes
89	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:58.0	yes
90	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:18:59.0	yes
91	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:00.0	yes
92	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:01.0	yes
93	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:03.0	yes
94	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:04.0	yes
95	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:05.0	yes
96	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:07.0	yes
97	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:08.0	yes
98	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:09.0	yes
99	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:10.0	yes
0A	TUNGSTEN	WFC3/UVIS	1	10-Sep-2008 21:19:12.0	yes

100 Total Orbits Used

ABSTRACT

The UVIS detector was observed during ground testing to occasionally exhibit flat field and dark variations with a bowtie pattern. These variations are most significant as ~1% flat field (gain) variations across the field of view. It is believed that this represents a state or condition into which the detector can transition for reasons and under circumstances which are not currently understood. It is also very unlikely that most science observations will determine the state (bowtie or no-bowtie) of the detector. Ground test data indicates that this state is long lived (many hours to ~one day). Hysteresis or memory of past light exposure is also associated with this state.

Recent evidence suggests that exposing the detector to ~200k to 500k electrons may quench this state. This proposal obtains an internal flat field sequence of three exposures: one at 10x full well with two at 0.5x full well immediately before and after. Each exposure is 3x3 binned to reduce the data volume required.

These visits should be scheduled 2x per day until further direction is provided.

OBSERVING DESCRIPTION

Three internal (Tungsten) flats are obtained with the UVIS channel in the F475X filter. This filter was selected to provide high throughput, limit the bandpass to wavelengths known to correct the bowtie effect (i.e. <700nm), and use a SOFA wheel with relatively lower priority (hence lower usage frequency) filters.

CALIBRATION JUSTIFICATION


Monitor and attempt to correct flat field non-uniformity.

ADDITIONAL COMMENTS

Obtain exposures twice per day separated by at least 4 orbits. It is expected that the WFC3 team will provide direction during SMOV to reduce the frequency of these flats.


Visit	Proposal 11808, Visit 01, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 02, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 03, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 04, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 05, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
		1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
	2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
	3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 06, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 07, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 08, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 09, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>							
--------------	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 10, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 11, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 12, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 13, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>									
	Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]
	1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]
	2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
	3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 14, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 15, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 16, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 17, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 18, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 19, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 20, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 21, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 22, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>									
	Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]
	1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]
	2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
	3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 23, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 24, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 25, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 26, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 27, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 28, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 29, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 30, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 31, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 32, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 33, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.										
	Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
		1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs	
										[==>]	[1]
2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs			
								[==>]	[1]		
3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs			
								[==>]	[1]		




Visit	Proposal 11808, Visit 34, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 35, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 36, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 37, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 38, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 39, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 40, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 41, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 42, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 43, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 44, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 45, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.										
	Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
		1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]
		2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]		




Visit	Proposal 11808, Visit 46, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 47, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 48, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 49, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 50, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 51, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 52, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 53, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 54, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 55, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 56, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 57, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
		1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
	2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
	3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 58, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 59, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 60, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 61, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 62, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 63, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 64, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 65, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 66, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 67, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 68, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 69, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.										
	Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
		1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]
		2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]		




Visit	Proposal 11808, Visit 70, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 71, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 72, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.									
	Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]
	1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]
	2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
	3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 73, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 74, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 75, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 76, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 77, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 78, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 79, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 80, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 81, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 82, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 83, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 84, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 85, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 86, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.									
	Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]
	1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]
	2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
	3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 87, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 88, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 89, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 90, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 91, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 92, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 93, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 94, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 95, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 96, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3				1.0 Secs [==>]
2		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3				200.0 Secs [==>]	[1]
3		TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3				1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 97, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]




Visit	Proposal 11808, Visit 98, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]



Visit	Proposal 11808, Visit 99, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) <i>Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.</i>								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]



Visit	Proposal 11808, Visit 0A, scheduling Diagnostic Status: No Diagnostics Scientific Instruments: WFC3/UVIS Special Requirements: (none) Comments: Execute approximately twice per day. There is no known benefit in running within 4 orbits of the prior iteration. Therefore, although a AFTER requirement is not specified, it may be treated as after 5 to 10 orbits.								
--------------	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]
2		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			200.0 Secs [==>]	[1]
3		TUNGSTEN		WFC3/UVIS, ACCUM, UVIS	F475X	BIN=3			1.0 Secs [==>]	[1]

