



13072 - UVIS Bowtie Monitor

Cycle: 20, Proposal Category: CAL/WFC3

(Availability Mode: RESTRICTED)

INVESTIGATORS

| <i>Name</i> | <i>Institution</i> | <i>E-Mail</i> |
|--|--|--------------------------|
| Matthew K. Bourque (PI) (Contact) | Space Telescope Science Institute | bourque@stsci.edu |
| Dr. Sylvia M. Baggett (CoI) (Contact) | Space Telescope Science Institute | sbaggett@stsci.edu |

VISITS

| <i>Visit</i> | <i>Targets used in Visit</i> | <i>Configurations used in Visit</i> | <i>Orbits Used</i> | <i>Last Orbit Planner Run</i> | <i>OP Current with Visit?</i> |
|--------------|------------------------------|-------------------------------------|--------------------|-------------------------------|-------------------------------|
| 01 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:09.0 | yes |
| 02 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:15.0 | yes |
| 03 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:19.0 | yes |
| 04 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:22.0 | yes |
| 05 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:26.0 | yes |
| 06 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:29.0 | yes |
| 07 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:33.0 | yes |
| 08 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:37.0 | yes |
| 09 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:40.0 | yes |
| 10 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:44.0 | yes |
| 11 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:47.0 | yes |
| 12 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:51.0 | yes |
| 13 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:54.0 | yes |

Proposal 13072 (STScI Edit Number: 0, Created: Tuesday, November 13, 2012 9:39:24 PM EST) - Overview

| <i>Visit</i> | <i>Targets used in Visit</i> | <i>Configurations used in Visit</i> | <i>Orbits Used</i> | <i>Last Orbit Planner Run</i> | <i>OP Current with Visit?</i> |
|--------------|------------------------------|-------------------------------------|--------------------|-------------------------------|-------------------------------|
| 14 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:32:57.0 | yes |
| 15 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:00.0 | yes |
| 16 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:04.0 | yes |
| 17 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:07.0 | yes |
| 18 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:10.0 | yes |
| 19 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:14.0 | yes |
| 20 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:17.0 | yes |
| 21 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:20.0 | yes |
| 22 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:23.0 | yes |
| 23 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:26.0 | yes |
| 24 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:30.0 | yes |
| 25 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:33.0 | yes |
| 26 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:36.0 | yes |
| 27 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:40.0 | yes |
| 28 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:43.0 | yes |
| 29 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:46.0 | yes |
| 30 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:49.0 | yes |
| 31 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:52.0 | yes |
| 32 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:55.0 | yes |
| 33 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:33:58.0 | yes |
| 34 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:01.0 | yes |
| 35 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:05.0 | yes |
| 36 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:08.0 | yes |
| 37 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:12.0 | yes |
| 38 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:15.0 | yes |

Proposal 13072 (STScI Edit Number: 0, Created: Tuesday, November 13, 2012 9:39:24 PM EST) - Overview

| <i>Visit</i> | <i>Targets used in Visit</i> | <i>Configurations used in Visit</i> | <i>Orbits Used</i> | <i>Last Orbit Planner Run</i> | <i>OP Current with Visit?</i> |
|--------------|------------------------------|-------------------------------------|--------------------|-------------------------------|-------------------------------|
| 39 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:18.0 | yes |
| 40 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:21.0 | yes |
| 41 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:24.0 | yes |
| 42 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:27.0 | yes |
| 43 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:30.0 | yes |
| 44 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:33.0 | yes |
| 45 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:36.0 | yes |
| 46 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:39.0 | yes |
| 47 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:42.0 | yes |
| 48 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:45.0 | yes |
| 49 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:48.0 | yes |
| 50 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:51.0 | yes |
| 51 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:55.0 | yes |
| 52 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:34:58.0 | yes |
| 53 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:01.0 | yes |
| 54 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:04.0 | yes |
| 55 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:07.0 | yes |
| 56 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:10.0 | yes |
| 57 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:13.0 | yes |
| 58 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:16.0 | yes |
| 59 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:19.0 | yes |
| 60 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:23.0 | yes |
| 61 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:26.0 | yes |
| 62 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:29.0 | yes |
| 63 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:32.0 | yes |

Proposal 13072 (STScI Edit Number: 0, Created: Tuesday, November 13, 2012 9:39:24 PM EST) - Overview

| <i>Visit</i> | <i>Targets used in Visit</i> | <i>Configurations used in Visit</i> | <i>Orbits Used</i> | <i>Last Orbit Planner Run</i> | <i>OP Current with Visit?</i> |
|--------------|------------------------------|-------------------------------------|--------------------|-------------------------------|-------------------------------|
| 64 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:35.0 | yes |
| 65 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:38.0 | yes |
| 66 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:41.0 | yes |
| 67 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:44.0 | yes |
| 68 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:47.0 | yes |
| 69 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:50.0 | yes |
| 70 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:53.0 | yes |
| 71 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:55.0 | yes |
| 72 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:35:59.0 | yes |
| 73 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:02.0 | yes |
| 74 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:05.0 | yes |
| 75 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:08.0 | yes |
| 76 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:11.0 | yes |
| 77 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:14.0 | yes |
| 78 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:16.0 | yes |
| 79 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:20.0 | yes |
| 80 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:23.0 | yes |
| 81 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:26.0 | yes |
| 82 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:28.0 | yes |
| 83 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:31.0 | yes |
| 84 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:35.0 | yes |
| 85 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:38.0 | yes |
| 86 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:40.0 | yes |
| 87 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:43.0 | yes |
| 88 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:47.0 | yes |

Proposal 13072 (STScI Edit Number: 0, Created: Tuesday, November 13, 2012 9:39:24 PM EST) - Overview

| <i>Visit</i> | <i>Targets used in Visit</i> | <i>Configurations used in Visit</i> | <i>Orbits Used</i> | <i>Last Orbit Planner Run</i> | <i>OP Current with Visit?</i> |
|--------------|------------------------------|-------------------------------------|--------------------|-------------------------------|-------------------------------|
| 89 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:49.0 | yes |
| 90 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:53.0 | yes |
| 91 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:56.0 | yes |
| 92 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:36:59.0 | yes |
| 93 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:01.0 | yes |
| 94 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:04.0 | yes |
| 95 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:07.0 | yes |
| 96 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:10.0 | yes |
| 97 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:13.0 | yes |
| 98 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:16.0 | yes |
| 99 | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:19.0 | yes |
| 0A | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:23.0 | yes |
| 0B | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:25.0 | yes |
| 0C | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:29.0 | yes |
| 0D | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:32.0 | yes |
| 0E | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:35.0 | yes |
| 0F | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:38.0 | yes |
| 0G | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:41.0 | yes |
| 0H | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:44.0 | yes |
| 0I | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:47.0 | yes |
| 0J | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:50.0 | yes |
| 0K | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:53.0 | yes |
| 0L | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:56.0 | yes |
| 0M | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:37:59.0 | yes |
| 0N | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:03.0 | yes |

Proposal 13072 (STScI Edit Number: 0, Created: Tuesday, November 13, 2012 9:39:24 PM EST) - Overview

| <i>Visit</i> | <i>Targets used in Visit</i> | <i>Configurations used in Visit</i> | <i>Orbits Used</i> | <i>Last Orbit Planner Run</i> | <i>OP Current with Visit?</i> |
|--------------|------------------------------|-------------------------------------|--------------------|-------------------------------|-------------------------------|
| 0O | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:06.0 | yes |
| 0P | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:10.0 | yes |
| 0Q | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:13.0 | yes |
| 0R | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:16.0 | yes |
| 0S | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:19.0 | yes |
| 0T | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:22.0 | yes |
| 0U | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:26.0 | yes |
| 0V | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:29.0 | yes |
| 0W | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:32.0 | yes |
| 0X | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:35.0 | yes |
| 0Y | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:38.0 | yes |
| 0Z | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:41.0 | yes |
| 1A | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:44.0 | yes |
| 1B | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:47.0 | yes |
| 1C | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:50.0 | yes |
| 1D | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:53.0 | yes |
| 1E | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:38:57.0 | yes |
| 1F | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:39:00.0 | yes |
| 1G | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:39:03.0 | yes |
| 1H | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:39:06.0 | yes |
| 1I | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:39:09.0 | yes |
| 1J | TUNGSTEN | WFC3/UVIS | 1 | 13-Nov-2012 21:39:12.0 | yes |

135 Total Orbits Used

ABSTRACT

Ground testing of the UVIS detector uncovered sporadic flat field and dark variations on the order of 1% in a bowtie-shaped pattern. It was later determined through lab testing that such features are also present on similar e2v devices and represent an overall QE offset across the entire CCD. Through these tests, it was found that the bowtie effects could be neutralized by overexposing the detector by several times the full well amount. In this proposal, each visit acquires a triplet of 3x3 binned internal flatfields; the first image is unsaturated in order to identify bowtie features, the second image is overexposed to neutralize the bowtie effect, and the third image is unsaturated to allow an estimate of the bowtie removal efficiency.

OBSERVING DESCRIPTION

Three UVIS channel (internal Tungsten) flat field images are obtained using the F475X filter. This filter is utilized for three reasons; (1) its high throughput, (2) its bandpass (<700nm), which is known to correct the bowtie effect and (3) the use of lower priority filters. The three images are assembled into a single visit that is to be executed every 3rd day. The initial image is unsaturated to provide a check for the presence of bowtie features, the second image is saturated in order to fill traps and remove bowtie effects, and the last image is unsaturated, used as an attempt to neutralize bowtie effects and yield an evaluation of the bowtie removal efficiency.


Data analysis will include visually inspecting unsaturated frames and image ratios, identifying trends in image ratios over time, and quantifying the efficiency of the neutralizing exposure.

Proposal 13072 - Visit 01 - UVIS Bowtie Monitor

Wed Nov 14 02:39:26 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 01, completed | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 09-NOV-2012:00:00:00 AND 10-NOV-2012:00:00:00 | | | | | | | | |


| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 01 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 01 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 01 | 1.0 Secs [==>] | [1] |



Proposal 13072 - Visit 02 - UVIS Bowtie Monitor

Wed Nov 14 02:39:28 GMT 2012

| # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | | Orbit |
|---|---------------|----------|------------------------|---------------|--------------|---------------|----------------------------------|-------------------------|-------|-------|
| | | | | | | | | | | |
| 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 02 | 1.0 Secs | [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 02 | 200.0 Secs | [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 02 | 1.0 Secs | [==>] | [1] |




Proposal 13072 - Visit 03 - UVIS Bowtie Monitor

Wed Nov 14 02:39:29 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 03, scheduled | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 15-NOV-2012:00:00:00 AND 16-NOV-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 03 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 03 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 03 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 04 - UVIS Bowtie Monitor

Wed Nov 14 02:39:30 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 04, scheduled | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 18-NOV-2012:00:00:00 AND 19-NOV-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 04 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 04 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 04 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 05, scheduled | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 21-NOV-2012:00:00:00 AND 22-NOV-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 05 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 05 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 05 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 06 - UVIS Bowtie Monitor

Wed Nov 14 02:39:31 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 06, scheduled | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 24-NOV-2012:00:00:00 AND 25-NOV-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 06 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 06 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 06 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 07, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 27-NOV-2012:00:00:00 AND 28-NOV-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 07 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 07 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 07 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 08, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 30-NOV-2012:00:00:00 AND 01-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 08 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 08 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 08 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 09 - UVIS Bowtie Monitor

Wed Nov 14 02:39:33 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 09, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 03-DEC-2012:00:00:00 AND 04-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 09 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 09 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 09 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 10, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 06-DEC-2012:00:00:00 AND 07-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 10 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 10 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 10 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 11 - UVIS Bowtie Monitor

Wed Nov 14 02:39:35 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 11, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 09-DEC-2012:00:00:00 AND 10-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 11 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 11 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 11 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 12, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 12-DEC-2012:00:00:00 AND 13-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 12 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 12 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 12 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 13, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 15-DEC-2012:00:00:00 AND 16-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 13 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 13 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 13 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 14 - UVIS Bowtie Monitor

Wed Nov 14 02:39:37 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 14, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 18-DEC-2012:00:00:00 AND 19-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 14 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 14 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 14 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 15, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 21-DEC-2012:00:00:00 AND 22-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 15 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 15 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 15 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 16, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 24-DEC-2012:00:00:00 AND 25-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 16 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 16 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 16 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 17, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 27-DEC-2012:00:00:00 AND 28-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 17 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 17 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 17 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 18 - UVIS Bowtie Monitor

Wed Nov 14 02:39:39 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 18, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 30-DEC-2012:00:00:00 AND 31-DEC-2012:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 18 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 18 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 18 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 19 - UVIS Bowtie Monitor

Wed Nov 14 02:39:40 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 19, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 02-JAN-2013:00:00:00 AND 03-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 19 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 19 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 19 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 20, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 05-JAN-2013:00:00:00 AND 06-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 20 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 20 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 20 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 21, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 08-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 21 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 21 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 21 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 22, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 11-JAN-2013:00:00:00 AND 12-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 22 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 22 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 22 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 23, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 14-JAN-2013:00:00:00 AND 15-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 23 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 23 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 23 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 24, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 17-JAN-2013:00:00:00 AND 18-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 24 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 24 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 24 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 25, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 20-JAN-2013:00:00:00 AND 21-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 25 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 25 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 25 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 26, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 23-JAN-2013:00:00:00 AND 24-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 26 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 26 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 26 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 27, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 26-JAN-2013:00:00:00 AND 27-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 27 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 27 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 27 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 28, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 29-JAN-2013:00:00:00 AND 30-JAN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 28 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 28 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 28 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 29, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 01-FEB-2013:00:00:00 AND 02-FEB-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 29 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 29 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 29 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 30, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 04-FEB-2013:00:00:00 AND 05-FEB-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 30 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 30 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 30 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 31, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 07-FEB-2013:00:00:00 AND 08-FEB-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 31 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 31 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 31 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 32, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 10-FEB-2013:00:00:00 AND 11-FEB-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 32 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 32 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 32 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 33 - UVIS Bowtie Monitor

Wed Nov 14 02:39:49 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 33, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 13-FEB-2013:00:00:00 AND 14-FEB-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 33 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 33 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 33 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 34, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 16-FEB-2013:00:00:00 AND 17-FEB-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 34 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 34 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 34 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 35, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 19-FEB-2013:00:00:00 AND 20-FEB-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 35 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 35 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 35 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 36, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 22-FEB-2013:00:00:00 AND 23-FEB-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 36 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 36 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 36 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 37, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 25-FEB-2013:00:00:00 AND 26-FEB-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 37 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 37 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 37 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 38, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 28-FEB-2013:00:00:00 AND 01-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 38 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 38 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 38 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 39, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 03-MAR-2013:00:00:00 AND 04-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 39 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 39 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 39 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 40, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 06-MAR-2013:00:00:00 AND 07-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 40 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 40 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 40 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 41 - UVIS Bowtie Monitor

Wed Nov 14 02:39:54 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 41, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 09-MAR-2013:00:00:00 AND 10-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 41 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 41 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 41 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 42, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 12-MAR-2013:00:00:00 AND 13-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 42 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 42 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 42 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 43, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 15-MAR-2013:00:00:00 AND 16-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 43 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 43 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 43 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 44, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 18-MAR-2013:00:00:00 AND 19-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 44 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 44 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 44 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 45, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 21-MAR-2013:00:00:00 AND 22-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|-----------------------------|----------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 45 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 45 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 45 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 46, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 24-MAR-2013:00:00:00 AND 25-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 46 | 1.0 Secs [==>] |
| 2 | | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 46 | 200.0 Secs [==>] | [1] |
| 3 | | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 46 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 47, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 27-MAR-2013:00:00:00 AND 28-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 47 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 47 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 47 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 48, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 30-MAR-2013:00:00:00 AND 31-MAR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 48 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 48 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 48 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 49, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 02-APR-2013:00:00:00 AND 03-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 49 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 49 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 49 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 50, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 05-APR-2013:00:00:00 AND 06-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 50 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 50 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 50 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 51 - UVIS Bowtie Monitor

Wed Nov 14 02:40:01 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 51, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 08-APR-2013:00:00:00 AND 09-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 51 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 51 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 51 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 52, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 11-APR-2013:00:00:00 AND 12-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 52 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 52 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 52 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 53 - UVIS Bowtie Monitor

Wed Nov 14 02:40:02 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 53, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 14-APR-2013:00:00:00 AND 15-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 53 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 53 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 53 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 54 - UVIS Bowtie Monitor

Wed Nov 14 02:40:03 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 54, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 17-APR-2013:00:00:00 AND 18-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 54 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 54 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 54 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 55 - UVIS Bowtie Monitor

Wed Nov 14 02:40:03 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 55, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 20-APR-2013:00:00:00 AND 21-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 55 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 55 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 55 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 56 - UVIS Bowtie Monitor

Wed Nov 14 02:40:04 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 56, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 23-APR-2013:00:00:00 AND 24-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 56 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 56 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 56 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 57 - UVIS Bowtie Monitor

Wed Nov 14 02:40:05 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 57, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 26-APR-2013:00:00:00 AND 27-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 57 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 57 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 57 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 58, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 29-APR-2013:00:00:00 AND 30-APR-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 58 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 58 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 58 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 59, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 02-MAY-2013:00:00:00 AND 03-MAY-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 59 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 59 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 59 | 1.0 Secs [==>] | [1] |




| # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | | Orbit |
|---|---------------|----------|------------------------|---------------|--------------|---------------|----------------------------------|-------------------------|-------|-------|
| | | | | | | | | | | |
| 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 60 | 1.0 Secs | [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 60 | 200.0 Secs | [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 60 | 1.0 Secs | [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 61, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 08-MAY-2013:00:00:00 AND 09-MAY-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 61 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 61 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 61 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 62, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 11-MAY-2013:00:00:00 AND 12-MAY-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 62 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 62 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 62 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 63 - UVIS Bowtie Monitor

Wed Nov 14 02:40:08 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 63, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 14-MAY-2013:00:00:00 AND 15-MAY-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 63 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 63 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 63 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 64, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 17-MAY-2013:00:00:00 AND 18-MAY-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 64 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 64 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 64 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 65, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 20-MAY-2013:00:00:00 AND 21-MAY-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|----------------------------------|----------------------------------|-------------------------|-------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 65 | 1.0 Secs [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 65 | 200.0 Secs [==>] | [1] | |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 65 | 1.0 Secs [==>] | [1] | |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 66, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 23-MAY-2013:00:00:00 AND 24-MAY-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 66 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 66 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 66 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 67 - UVIS Bowtie Monitor

Wed Nov 14 02:40:11 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 67, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 26-MAY-2013:00:00:00 AND 27-MAY-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 67 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 67 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 67 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 68, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 29-MAY-2013:00:00:00 AND 30-MAY-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 68 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 68 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 68 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 69, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 01-JUN-2013:00:00:00 AND 02-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 69 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 69 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 69 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 70, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 04-JUN-2013:00:00:00 AND 05-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 70 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 70 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 70 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 71, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 07-JUN-2013:00:00:00 AND 08-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 71 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 71 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 71 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 72, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 10-JUN-2013:00:00:00 AND 11-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 72 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 72 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 72 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 73, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 13-JUN-2013:00:00:00 AND 14-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 73 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 73 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 73 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 74 - UVIS Bowtie Monitor

Wed Nov 14 02:40:15 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 74, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 16-JUN-2013:00:00:00 AND 17-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 74 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 74 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 74 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 75, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 19-JUN-2013:00:00:00 AND 20-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|-----------------------------|----------------------|---------------------|----------------------------------|----------------------------------|--------------------------------|--------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 75 | 1.0 Secs [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 75 | 200.0 Secs [==>] | [1] | |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 75 | 1.0 Secs [==>] | [1] | |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 76, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 22-JUN-2013:00:00:00 AND 23-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 76 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 76 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 76 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 77 - UVIS Bowtie Monitor

Wed Nov 14 02:40:17 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 77, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 25-JUN-2013:00:00:00 AND 26-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 77 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 77 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 77 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 78 - UVIS Bowtie Monitor

Wed Nov 14 02:40:18 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 78, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 28-JUN-2013:00:00:00 AND 29-JUN-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 78 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 78 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 78 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 79 - UVIS Bowtie Monitor

Wed Nov 14 02:40:18 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 79, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 01-JUL-2013:00:00:00 AND 02-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 79 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 79 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 79 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 80, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 04-JUL-2013:00:00:00 AND 05-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 80 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 80 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 80 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 81, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 07-JUL-2013:00:00:00 AND 08-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 81 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 81 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 81 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 82, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 10-JUL-2013:00:00:00 AND 11-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 82 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 82 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 82 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 83, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 13-JUL-2013:00:00:00 AND 14-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 83 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 83 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 83 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 84 - UVIS Bowtie Monitor

Wed Nov 14 02:40:21 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 84, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 16-JUL-2013:00:00:00 AND 17-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 84 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 84 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 84 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 85, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 19-JUL-2013:00:00:00 AND 20-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 85 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 85 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 85 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 86, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 22-JUL-2013:00:00:00 AND 23-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 86 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 86 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 86 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 87, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 25-JUL-2013:00:00:00 AND 26-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 87 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 87 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 87 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 88, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 28-JUL-2013:00:00:00 AND 29-JUL-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 88 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 88 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 88 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 89, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 31-JUL-2013:00:00:00 AND 01-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|-----------------------------|----------------------|---------------------|----------------------------------|----------------------------------|--------------------------------|--------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 89 | 1.0 Secs [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 89 | 200.0 Secs [==>] | [1] | |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 89 | 1.0 Secs [==>] | [1] | |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 90, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 03-AUG-2013:00:00:00 AND 04-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|-----------------------------|----------------------|---------------------|----------------------------------|----------------------------------|--------------------------------|--------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 90 | 1.0 Secs [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 90 | 200.0 Secs [==>] | [1] | |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 90 | 1.0 Secs [==>] | [1] | |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 91, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 06-AUG-2013:00:00:00 AND 07-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 91 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 91 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 91 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 92, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 09-AUG-2013:00:00:00 AND 10-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 92 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 92 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 92 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 93, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 12-AUG-2013:00:00:00 AND 13-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|----------------------------------|----------------------------------|-------------------------|-------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 93 | 1.0 Secs [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 93 | 200.0 Secs [==>] | [1] | |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 93 | 1.0 Secs [==>] | [1] | |




Proposal 13072 - Visit 94 - UVIS Bowtie Monitor

Wed Nov 14 02:40:28 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 94, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 15-AUG-2013:00:00:00 AND 16-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 94 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 94 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 94 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 95, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 18-AUG-2013:00:00:00 AND 19-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 95 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 95 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 95 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 96, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 21-AUG-2013:00:00:00 AND 22-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 96 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 96 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 96 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 97, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 24-AUG-2013:00:00:00 AND 25-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 97 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 97 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 97 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 98, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 27-AUG-2013:00:00:00 AND 28-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 98 | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 98 | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 98 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 99, implementation | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 30-AUG-2013:00:00:00 AND 31-AUG-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 99 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 99 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 99 | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0A, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 02-SEP-2013:00:00:00 AND 03-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|-----------------------------|----------------------|---------------------|----------------------------------|----------------------------------|--------------------------------|--------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0A | 1.0 Secs [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0A | 200.0 Secs [==>] | [1] | |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0A | 1.0 Secs [==>] | [1] | |




Proposal 13072 - Visit 0B - UVIS Bowtie Monitor

Wed Nov 14 02:40:32 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0B, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 05-SEP-2013:00:00:00 AND 06-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0B | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0B | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0B | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0C - UVIS Bowtie Monitor

Wed Nov 14 02:40:32 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0C, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 08-SEP-2013:00:00:00 AND 09-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|-----------------------------|----------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0C | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0C | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0C | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0D, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 11-SEP-2013:00:00:00 AND 12-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0D | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0D | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0D | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0E - UVIS Bowtie Monitor

Wed Nov 14 02:40:34 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0E, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 14-SEP-2013:00:00:00 AND 15-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0E | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0E | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0E | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0F, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 17-SEP-2013:00:00:00 AND 18-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0F | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0F | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0F | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0G - UVIS Bowtie Monitor

Wed Nov 14 02:40:35 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0G, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 20-SEP-2013:00:00:00 AND 21-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0G | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0G | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0G | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0H, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 23-SEP-2013:00:00:00 AND 24-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0H | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0H | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0H | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 01 - UVIS Bowtie Monitor

Wed Nov 14 02:40:36 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 01, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 26-SEP-2013:00:00:00 AND 27-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 01 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 01 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 01 | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0J, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 29-SEP-2013:00:00:00 AND 30-SEP-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|----------------------------------|----------------------------------|-------------------------|-------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0J | 1.0 Secs [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0J | 200.0 Secs [==>] | [1] | |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0J | 1.0 Secs [==>] | [1] | |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0K, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 02-OCT-2013:00:00:00 AND 03-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0K | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0K | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0K | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0L, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 05-OCT-2013:00:00:00 AND 06-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0L | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0L | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0L | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0M - UVIS Bowtie Monitor

Wed Nov 14 02:40:38 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0M, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 08-OCT-2013:00:00:00 AND 09-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0M | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0M | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0M | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0N - UVIS Bowtie Monitor

Wed Nov 14 02:40:39 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0N, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 11-OCT-2013:00:00:00 AND 12-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0N | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0N | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0N | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 00, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 14-OCT-2013:00:00:00 AND 15-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 00 | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 00 | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 00 | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0P - UVIS Bowtie Monitor

Wed Nov 14 02:40:40 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0P, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 17-OCT-2013:00:00:00 AND 18-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|---|-------------|---------------|------------------------|------------------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0P | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0P | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0P | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0Q - UVIS Bowtie Monitor

Wed Nov 14 02:40:41 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0Q, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 20-OCT-2013:00:00:00 AND 21-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0Q | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0Q | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0Q | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0R - UVIS Bowtie Monitor

Wed Nov 14 02:40:41 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0R, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 23-OCT-2013:00:00:00 AND 24-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0R | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0R | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0R | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0S - UVIS Bowtie Monitor

Wed Nov 14 02:40:42 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0S, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 26-OCT-2013:00:00:00 AND 27-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0S | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0S | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0S | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0T, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 29-OCT-2013:00:00:00 AND 30-OCT-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0T | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0T | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0T | 1.0 Secs [==>] | [1] |




| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0U, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 01-NOV-2013:00:00:00 AND 02-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0U | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0U | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0U | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0V, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 04-NOV-2013:00:00:00 AND 05-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0V | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0V | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0V | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0W - UVIS Bowtie Monitor

Wed Nov 14 02:40:44 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0W, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 07-NOV-2013:00:00:00 AND 08-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0W | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0W | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 0W | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0X, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 10-NOV-2013:00:00:00 AND 11-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0X | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0X | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0X | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0Y - UVIS Bowtie Monitor

Wed Nov 14 02:40:45 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0Y, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 13-NOV-2013:00:00:00 AND 14-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0Y | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0Y | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0Y | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 0Z - UVIS Bowtie Monitor

Wed Nov 14 02:40:46 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 0Z, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 16-NOV-2013:00:00:00 AND 17-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0Z | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0Z | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 0Z | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 1A - UVIS Bowtie Monitor

Wed Nov 14 02:40:47 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1A, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 19-NOV-2013:00:00:00 AND 20-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 1A | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 1A | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 1A | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 1B - UVIS Bowtie Monitor

Wed Nov 14 02:40:47 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1B, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 22-NOV-2013:00:00:00 AND 23-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|-----------------------------|----------------------|---------------------|----------------------------------|----------------------------------|--------------------------------|--------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1B | 1.0 Secs [==>] | [1] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1B | 200.0 Secs [==>] | [1] | |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1B | 1.0 Secs [==>] | [1] | |




Proposal 13072 - Visit 1C - UVIS Bowtie Monitor

Wed Nov 14 02:40:48 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1C, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 25-NOV-2013:00:00:00 AND 26-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1C | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1C | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1C | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 1D - UVIS Bowtie Monitor

Wed Nov 14 02:40:48 GMT 2012

| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1D, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 28-NOV-2013:00:00:00 AND 29-NOV-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1D | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1D | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1D | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 1E - UVIS Bowtie Monitor

Wed Nov 14 02:40:49 GMT 2012


| | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1E, scheduling | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: BETWEEN 01-DEC-2013:00:00:00 AND 02-DEC-2013:00:00:00 | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1E | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1E | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1E | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1F | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: ON HOLD | | | | | | | | |
| <i>On Hold Comments: For contingency use only.</i> | | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1F | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1F | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1F | 1.0 Secs [==>] | [1] |




Proposal 13072 - Visit 1G - UVIS Bowtie Monitor

Wed Nov 14 02:40:50 GMT 2012


| | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1G | | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | | |
| | Special Requirements: ON HOLD | | | | | | | | | |
| <i>On Hold Comments: For contingency use only.</i> | | | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|-------------|---------------|------------------------|------------------------|---------------|--------------|---------------|----------------------------------|----------------------------------|-------------------|
| | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 1G | 1.0 Secs [==>] |
| 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 1G | 200.0 Secs [==>] | [1] |
| 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | | Sequence 1-3 Non-Int in Visit 1G | 1.0 Secs [==>] | [1] |




| | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1H | | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | | |
| | Special Requirements: ON HOLD | | | | | | | | | |
| <i>On Hold Comments: For contingency use only.</i> | | | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1H | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1H | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1H | 1.0 Secs [==>] | [1] |



| | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1I | | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | | |
| | Special Requirements: ON HOLD | | | | | | | | | |
| <i>On Hold Comments: For contingency use only.</i> | | | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1I | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1I | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1I | 1.0 Secs [==>] | [1] |



| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| Visit | Proposal 13072, Visit 1J | | | | | | | | |
| | Diagnostic Status: No Diagnostics | | | | | | | | |
| | Scientific Instruments: WFC3/UVIS | | | | | | | | |
| | Special Requirements: ON HOLD | | | | | | | | |
| <i>On Hold Comments: For contingency use only.</i> | | | | | | | | | |

| Exposures | # | Label | Target | Config,Mode,Aperture | Spectral Els. | Opt. Params. | Special Reqs. | Groups | Exp. Time/[Actual Dur.] | Orbit |
|------------------|----------|--------------|---------------|-----------------------------|------------------------|---------------------|----------------------|----------------------------------|----------------------------------|-------------------|
| | | 1 | initial check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1J | 1.0 Secs [==>] |
| | 2 | neutralizer | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1J | 200.0 Secs [==>] | [1] |
| | 3 | final check | TUNGSTEN | WFC3/UVIS, ACCUM, UVIS | F475X | BIN=3 | | Sequence 1-3 Non-Int in Visit 1J | 1.0 Secs [==>] | [1] |

