



13085 - Line10 Charge Injection Biases

Cycle: 20, Proposal Category: CAL/WFC3

(Availability Mode: RESTRICTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Sylvia M. Baggett (PI) (Contact)	Space Telescope Science Institute	sbaggett@stsci.edu
Dr. Elena Sabbi (CoI) (ESA Member)	Space Telescope Science Institute - ESA	sabbi@stsci.edu
Dr. Jay Anderson (CoI)	Space Telescope Science Institute	jayander@stsci.edu
Dr. Kai G. Noeske (CoI)	Space Telescope Science Institute	noeske@stsci.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	BIAS	WFC3/UVIS	1	21-Feb-2013 03:42:59.0	yes
02	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:05.0	yes
03	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:09.0	yes
04	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:12.0	yes
05	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:16.0	yes
06	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:20.0	yes
07	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:24.0	yes
08	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:28.0	yes
09	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:32.0	yes
10	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:35.0	yes
11	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:39.0	yes

Proposal 13085 (STScI Edit Number: 1, Created: Wednesday, February 20, 2013 10:45:40 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
12	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:42.0	yes
13	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:46.0	yes
14	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:49.0	yes
15	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:53.0	yes
16	BIAS	WFC3/UVIS	1	21-Feb-2013 03:43:56.0	yes
17	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:00.0	yes
18	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:03.0	yes
19	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:07.0	yes
20	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:10.0	yes
21	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:14.0	yes
22	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:17.0	yes
23	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:21.0	yes
24	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:24.0	yes
25	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:28.0	yes
26	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:31.0	yes
27	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:35.0	yes
28	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:38.0	yes
41	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:42.0	yes
42	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:45.0	yes
43	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:48.0	yes
44	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:52.0	yes
45	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:56.0	yes
46	BIAS	WFC3/UVIS	1	21-Feb-2013 03:44:59.0	yes
47	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:03.0	yes
48	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:06.0	yes

Proposal 13085 (STScI Edit Number: 1, Created: Wednesday, February 20, 2013 10:45:40 PM EST) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
49	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:10.0	yes
50	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:13.0	yes
51	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:17.0	yes
52	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:20.0	yes
53	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:23.0	yes
54	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:27.0	yes
55	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:30.0	yes
56	BIAS	WFC3/UVIS	1	21-Feb-2013 03:45:33.0	yes

44 Total Orbits Used

ABSTRACT

Radiation damage on-orbit, in the form of charge traps, gradually reduces the charge transfer efficiency (CTE) of CCDs over time. In WFC3, one option for mitigating CTE losses is charge injection i.e. electronically inserting charge every Nth row. The benefit of this method is the significantly lower noise penalty, much less than the traditional Poissonian noise imparted by a pre- or post-flash of the same charge level. This program acquires the calibration data necessary to support science observations using charge injection.

OBSERVING DESCRIPTION

Line10 charge-injected (CI) biases are acquired during the observing windows of science programs using CI mode. Currently, those windows are Nov 10-21, 2012;
 Dec24,2012 - Jan 4,2013;
 Dec 25-Dec 31, 2012; and
 Dec 27,2012 - Jan 9, 2013.

Each visit acquires a set of four individual biases; APT shows the visits taking ~1850 sec, just slightly over the nominal 1800 sec duration for internals.

10/08/12 - visits 41-56 added to support GO science during windows of:

Feb 13-18, 2013

Feb 17-28, 2013

ADDITIONAL COMMENTS

If CI science orbits are added outside the windows listed, additional CI bias visits will be needed; as of Oct 2012, about two-thirds of the allocated internal orbits have been used.


Proposal 13085 - Visit 01 - Line10 Charge Injection Biases

Thu Feb 21 03:45:41 GMT 2013

Visit	Proposal 13085, Visit 01, withdrawn Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 08-NOV-2012:00:00:00 AND 09-NOV-2012:00:00:00

Diagnostics	(Visit 01) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 02 - Line10 Charge Injection Biases

Thu Feb 21 03:45:42 GMT 2013

Visit	Proposal 13085, Visit 02, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 10-NOV-2012:00:00:00 AND 12-NOV-2012:00:00:00
	(Visit 02) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 02) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 03 - Line10 Charge Injection Biases

Thu Feb 21 03:45:43 GMT 2013

Visit	Proposal 13085, Visit 03, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 10-NOV-2012:00:00:00 AND 12-NOV-2012:00:00:00

Diagnostics	(Visit 03) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 04 - Line10 Charge Injection Biases

Thu Feb 21 03:45:44 GMT 2013

Visit	Proposal 13085, Visit 04, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 10-NOV-2012:00:00:00 AND 12-NOV-2012:00:00:00
	(Visit 04) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 04) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)]	[1]




Proposal 13085 - Visit 05 - Line10 Charge Injection Biases

Thu Feb 21 03:45:45 GMT 2013

Visit	Proposal 13085, Visit 05, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-NOV-2012:00:00:00 AND 15-NOV-2012:00:00:00

Diagnostics	(Visit 05) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 06 - Line10 Charge Injection Biases

Thu Feb 21 03:45:46 GMT 2013

Visit	Proposal 13085, Visit 06, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-NOV-2012:00:00:00 AND 15-NOV-2012:00:00:00

Diagnostics	(Visit 06) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 07 - Line10 Charge Injection Biases

Thu Feb 21 03:45:47 GMT 2013

Visit	Proposal 13085, Visit 07, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 16-NOV-2012:00:00:00 AND 18-NOV-2012:00:00:00

Diagnostics	(Visit 07) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 08 - Line10 Charge Injection Biases

Thu Feb 21 03:45:47 GMT 2013

Visit	Proposal 13085, Visit 08, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 16-NOV-2012:00:00:00 AND 18-NOV-2012:00:00:00
	(Visit 08) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 08) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 09 - Line10 Charge Injection Biases

Thu Feb 21 03:45:48 GMT 2013

Visit	Proposal 13085, Visit 09, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 19-NOV-2012:00:00:00 AND 21-NOV-2012:00:00:00
	(Visit 09) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 09) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 10 - Line10 Charge Injection Biases

Thu Feb 21 03:45:49 GMT 2013

Visit	Proposal 13085, Visit 10, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 19-NOV-2012:00:00:00 AND 21-NOV-2012:00:00:00

Diagnostics	(Visit 10) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 11 - Line10 Charge Injection Biases

Thu Feb 21 03:45:50 GMT 2013

Visit	Proposal 13085, Visit 11, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 19-NOV-2012:00:00:00 AND 21-NOV-2012:00:00:00

Diagnostics	(Visit 11) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)]	[1]




Proposal 13085 - Visit 12 - Line10 Charge Injection Biases

Thu Feb 21 03:45:51 GMT 2013

Visit	Proposal 13085, Visit 12, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 22-NOV-2012:00:00:00 AND 23-NOV-2012:00:00:00
	(Visit 12) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 12) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 13 - Line10 Charge Injection Biases

Thu Feb 21 03:45:51 GMT 2013

Visit	Proposal 13085, Visit 13, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 22-DEC-2012:00:00:00 AND 23-DEC-2012:00:00:00

Diagnostics	(Visit 13) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 14 - Line10 Charge Injection Biases

Thu Feb 21 03:45:52 GMT 2013

Visit	Proposal 13085, Visit 14, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 24-DEC-2012:00:00:00 AND 26-DEC-2012:00:00:00

Diagnostics	(Visit 14) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 15 - Line10 Charge Injection Biases

Thu Feb 21 03:45:53 GMT 2013

Visit	Proposal 13085, Visit 15, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 24-DEC-2012:00:00:00 AND 26-DEC-2012:00:00:00
	(Visit 15) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 15) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)]	[1]




Proposal 13085 - Visit 16 - Line10 Charge Injection Biases

Thu Feb 21 03:45:54 GMT 2013

Visit	Proposal 13085, Visit 16, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 24-DEC-2012:00:00:00 AND 26-DEC-2012:00:00:00
	(Visit 16) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnosics	(Visit 16) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
-------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 17 - Line10 Charge Injection Biases

Thu Feb 21 03:45:54 GMT 2013

Visit	Proposal 13085, Visit 17, withdrawn Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 27-DEC-2012:00:00:00 AND 29-DEC-2012:00:00:00

Diagnostics	(Visit 17) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 18 - Line10 Charge Injection Biases

Thu Feb 21 03:45:55 GMT 2013

Visit	Proposal 13085, Visit 18, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 27-DEC-2012:00:00:00 AND 29-DEC-2012:00:00:00

Diagnostics	(Visit 18) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 19 - Line10 Charge Injection Biases

Thu Feb 21 03:45:56 GMT 2013

Visit	Proposal 13085, Visit 19, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 30-DEC-2012:00:00:00 AND 01-JAN-2013:00:00:00

Diagnostics	(Visit 19) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 20 - Line10 Charge Injection Biases

Thu Feb 21 03:45:57 GMT 2013

Visit	Proposal 13085, Visit 20, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 30-DEC-2012:00:00:00 AND 01-JAN-2013:00:00:00
	(Visit 20) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 20) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 21 - Line10 Charge Injection Biases

Thu Feb 21 03:45:57 GMT 2013

Visit	Proposal 13085, Visit 21, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 02-JAN-2013:00:00:00 AND 04-JAN-2013:00:00:00
	(Visit 21) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 21) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 22 - Line10 Charge Injection Biases

Thu Feb 21 03:45:58 GMT 2013

Visit	Proposal 13085, Visit 22, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 02-JAN-2013:00:00:00 AND 04-JAN-2013:00:00:00
--------------	--

Diagnostics	(Visit 22) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 23 - Line10 Charge Injection Biases

Thu Feb 21 03:45:59 GMT 2013

Visit	Proposal 13085, Visit 23, withdrawn Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-JAN-2013:00:00:00 AND 07-JAN-2013:00:00:00
	(Visit 23) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 23) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)]	[1]




Proposal 13085 - Visit 24 - Line10 Charge Injection Biases

Thu Feb 21 03:45:59 GMT 2013

Visit	Proposal 13085, Visit 24, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-JAN-2013:00:00:00 AND 07-JAN-2013:00:00:00
	(Visit 24) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 24) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 25 - Line10 Charge Injection Biases

Thu Feb 21 03:46:00 GMT 2013

Visit	Proposal 13085, Visit 25, withdrawn Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-JAN-2013:00:00:00 AND 07-JAN-2013:00:00:00
	(Visit 25) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 25) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 26 - Line10 Charge Injection Biases

Thu Feb 21 03:46:01 GMT 2013

Visit	Proposal 13085, Visit 26, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 08-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00
	(Visit 26) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 26) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 27 - Line10 Charge Injection Biases

Thu Feb 21 03:46:01 GMT 2013

Visit	Proposal 13085, Visit 27, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 10-JAN-2013:00:00:00 AND 11-JAN-2013:00:00:00

Diagnostics	(Visit 27) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 28 - Line10 Charge Injection Biases

Thu Feb 21 03:46:02 GMT 2013

Visit	Proposal 13085, Visit 28, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 08-JAN-2013:00:00:00 AND 09-JAN-2013:00:00:00

Diagnostics	(Visit 28) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 41 - Line10 Charge Injection Biases

Thu Feb 21 03:46:03 GMT 2013

Visit	Proposal 13085, Visit 41, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 13-FEB-2013:00:00:00 AND 14-FEB-2013:00:00:00

Diagnostics	(Visit 41) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 42 - Line10 Charge Injection Biases

Thu Feb 21 03:46:03 GMT 2013

Visit	Proposal 13085, Visit 42, completed Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 15-FEB-2013:00:00:00 AND 16-FEB-2013:00:00:00

Diagnostics	(Visit 42) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 43 - Line10 Charge Injection Biases

Thu Feb 21 03:46:04 GMT 2013

Visit	Proposal 13085, Visit 43, implementation Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 04-MAR-2013:00:00:00 AND 05-MAR-2013:00:00:00
	(Visit 43) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 43) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [==>(Copy 1)] [==>(Copy 2)] [==>(Copy 3)] [==>(Copy 4)]	[1]




Proposal 13085 - Visit 44 - Line10 Charge Injection Biases

Thu Feb 21 03:46:05 GMT 2013

Visit	Proposal 13085, Visit 44, implementation Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 05-MAR-2013:00:00:00 AND 06-MAR-2013:00:00:00

Diagnostics	(Visit 44) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 45 - Line10 Charge Injection Biases

Thu Feb 21 03:46:06 GMT 2013

Visit	Proposal 13085, Visit 45, implementation Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 06-MAR-2013:00:00:00 AND 07-MAR-2013:00:00:00

Diagnostics	(Visit 45) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 46 - Line10 Charge Injection Biases

Thu Feb 21 03:46:06 GMT 2013

Visit	Proposal 13085, Visit 46, implementation Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-MAR-2013:00:00:00 AND 08-MAR-2013:00:00:00

Diagnostics	(Visit 46) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 47 - Line10 Charge Injection Biases

Thu Feb 21 03:46:07 GMT 2013

Visit	Proposal 13085, Visit 47, implementation Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-MAR-2013:00:00:00 AND 09-MAR-2013:00:00:00
	(Visit 47) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU

Diagnostics	(Visit 47) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 48 - Line10 Charge Injection Biases

Thu Feb 21 03:46:08 GMT 2013

Visit	Proposal 13085, Visit 48, implementation Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-MAR-2013:00:00:00 AND 10-MAR-2013:00:00:00

Diagnostics	(Visit 48) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 49 - Line10 Charge Injection Biases

Thu Feb 21 03:46:09 GMT 2013

Visit	Proposal 13085, Visit 49, scheduled Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 21-FEB-2013:00:00:00 AND 22-FEB-2013:00:00:00

Diagnostics	(Visit 49) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 50 - Line10 Charge Injection Biases

Thu Feb 21 03:46:09 GMT 2013

Visit	Proposal 13085, Visit 50, scheduled									
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 21-FEB-2013:00:00:00 AND 22-FEB-2013:00:00:00									

Diagnostics	(Visit 50) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
--------------------	--	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5				0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]




Proposal 13085 - Visit 51 - Line10 Charge Injection Biases

Thu Feb 21 03:46:10 GMT 2013

Visit	Proposal 13085, Visit 51, scheduled									
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 23-FEB-2013:00:00:00 AND 24-FEB-2013:00:00:00									

Diagnostics	(Visit 51) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
--------------------	--	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5				0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]




Proposal 13085 - Visit 52 - Line10 Charge Injection Biases

Thu Feb 21 03:46:11 GMT 2013

Visit	Proposal 13085, Visit 52, scheduled									
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 23-FEB-2013:00:00:00 AND 24-FEB-2013:00:00:00									

Diagnostics	(Visit 52) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
--------------------	--	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5				0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]




Proposal 13085 - Visit 53 - Line10 Charge Injection Biases

Thu Feb 21 03:46:12 GMT 2013

Visit	Proposal 13085, Visit 53, scheduled Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 25-FEB-2013:00:00:00 AND 26-FEB-2013:00:00:00

Diagnostics	(Visit 53) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 54 - Line10 Charge Injection Biases

Thu Feb 21 03:46:12 GMT 2013

Visit	Proposal 13085, Visit 54, scheduled Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 25-FEB-2013:00:00:00 AND 26-FEB-2013:00:00:00

Diagnostics	(Visit 54) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]




Proposal 13085 - Visit 55 - Line10 Charge Injection Biases

Thu Feb 21 03:46:13 GMT 2013

Visit	Proposal 13085, Visit 55, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 27-FEB-2013:00:00:00 AND 28-FEB-2013:00:00:00

Diagnostics	(Visit 55) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
--------------------	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5			0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]	[1]



Proposal 13085 - Visit 56 - Line10 Charge Injection Biases

Thu Feb 21 03:46:14 GMT 2013

Visit	Proposal 13085, Visit 56, scheduled									
	Diagnostic Status: Warning									
	Scientific Instruments: WFC3/UVIS									
	Special Requirements: BETWEEN 27-FEB-2013:00:00:00 AND 28-FEB-2013:00:00:00									

Diagnostics	(Visit 56) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU									
--------------------	--	--	--	--	--	--	--	--	--	--

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time/[Actual Dur.]	Orbit
	1	CI-line10	BIAS	WFC3/UVIS, ACCUM, UVIS	DEF	INJECT=LINE10; GAIN=1.5				0 Secs X 4 [=>(Copy 1)] [=>(Copy 2)] [=>(Copy 3)] [=>(Copy 4)]

