



15141 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Cycle: 25, Proposal Category: GO
(Availability Mode: SUPPORTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Tom Megeath (PI) (Contact)	University of Toledo	tommegeath@gmail.com
Dr. Hector G. Arce (CoI)	Yale University	hector.arce@yale.edu
Prof. Amelia Marie Stutz (CoI)	Universidad de Concepcion	amelia.stutz@gmail.com
Dr. John Tobin (CoI)	Associated Universities, Inc.	jjtobin@gmail.com
Dr. William J. Fischer (CoI)	Space Telescope Science Institute	wfischer@stsci.edu
Dr. Nuria Calvet (CoI)	University of Michigan	ncalvet@umich.edu
Dr. Lori E. Allen (CoI)	National Optical Astronomy Observatory, AURA	lallen@noao.edu
Dr. Stella Offner (CoI)	Department of Astronomy, University of Texas	soffner@astro.as.utexas.edu
Nicole Karnath (CoI)	University of Toledo	nicole.karnath@rockets.utoledo.edu
Guillem Anglada (CoI) (ESA Member)	Instituto de Astrofisica de Andalucia (IAA)	guillem@iaa.es
Dr. Mayra Osorio (CoI) (ESA Member)	Instituto de Astrofisica de Andalucia (IAA)	osorio@iaa.es
Nolan Habel (CoI)	University of Toledo	nolan.habel@rockets.utoledo.edu
Dr. Henrik Beuther (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	beuther@mpia.de
Ana Karla Diaz Rodriguez (CoI) (ESA Member)	Instituto de Astrofisica de Andalucia (IAA)	akdiaz@iaa.es
Dr. Hendrik Linz (CoI) (ESA Member)	Max-Planck-Institut fur Astronomie, Heidelberg	linz@mpia.de
Brian Mazur (CoI)	University of Toledo	brian.mazur@rockets.utoledo.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) ISF1	WFC3/IR	1	08-Nov-2018 10:00:24.0	yes
02	(2) ISF2	WFC3/IR	1	08-Nov-2018 10:00:25.0	yes
03	(3) ISF3	WFC3/IR	1	08-Nov-2018 10:00:27.0	yes
04	(4) ISF4	WFC3/IR	1	08-Nov-2018 10:00:28.0	yes
05	(5) ISF5	WFC3/IR	1	08-Nov-2018 10:00:29.0	yes
06	(6) ISF6	WFC3/IR	1	08-Nov-2018 10:00:31.0	yes
07	(7) ISF7	WFC3/IR	1	08-Nov-2018 10:00:32.0	yes
08	(8) ISF8	WFC3/IR	1	08-Nov-2018 10:00:33.0	yes
09	(9) ISF9	WFC3/IR	1	08-Nov-2018 10:00:35.0	yes
10	(10) ISF10	WFC3/IR	1	08-Nov-2018 10:00:36.0	yes
11	(11) ISF11	WFC3/IR	1	08-Nov-2018 10:00:38.0	yes
12	(12) ISF12	WFC3/IR	1	08-Nov-2018 10:00:39.0	yes
13	(13) ISF13	WFC3/IR	1	08-Nov-2018 10:00:40.0	yes
14	(14) ISF14	WFC3/IR	1	08-Nov-2018 10:00:42.0	yes

14 Total Orbits Used

ABSTRACT

We propose a 1.6 micron WFC3 survey of the 6 pc long integral shaped filament (ISF) in the Orion A cloud using the DASH (drift and shift) method. At a distance of 388 pc, the 6000 solar mass ISF is the nearest region of massive star formation, sits directly behind the Orion Nebula, and hosts the Orion Nebula Cluster with over 2000 low mass stars. It is the best laboratory for understanding the network of processes, such as gas fragmentation and collapse, feedback from outflows and radiation, and dynamical interactions, found in massive filamentary clouds. Using the DASH method, we will efficiently map a 6 x 0.9 pc strip along the length the ISF with 80 AU resolution in the F160W band. With these data we will search for multiple systems, obtaining excellent statistics on multiplicity as a function of environment, resolve protostellar envelopes and edge-on disks, and comparing to previous HST data, measure proper motions of stars and search for time variable scattered light nebulae. These observations will build on a long legacy of ISF observations, and they will set the stage for observations with JWST and WFIRST.


OBSERVING DESCRIPTION

We will use the new technique for wide-field NIR imaging with HST described by Momcheva et al. (2016), which became available for general use in Cycle 25. With this method one can observe eight adjacent pointings (each covering the 2' x 2' field of view of the WFC3/IR camera) in a single orbit. We will map an area of about 4' x 8' (or 2 by 4 pointings) per orbit, and will use 14 orbits in order to cover the ISF. These will be done in the F160W filter. The SPARS25 sampling is used with 11 samples in the first exposure and 12 samples in the remaining exposures. The number of guide stars is set to single.

Proposal 15141 - Visit 01 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:42 GMT 2018


Visit	Proposal 15141, Visit 01, completed Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D									
	(Visit 01) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 01) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 01) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 01) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(1)	ISF1	RA: 05 35 28.7405 (83.8697521d) Dec: -04 56 30.01 (-4.94167d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(1) ISF1	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 01	252.937441 Secs (252.937 Secs)	[==>]	[1]
	2	(1) ISF1	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 01	277.937956 Secs (277.938 Secs)	[==>]	[1]
	3	(1) ISF1	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 01	277.937956 Secs (277.938 Secs)	[==>]	[1]
	4	(1) ISF1	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 01	277.937956 Secs (277.938 Secs)	[==>]	[1]
	5	(1) ISF1	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 01	277.937956 Secs (277.938 Secs)	[==>]	[1]
	6	(1) ISF1	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 01	277.937956 Secs (277.938 Secs)	[==>]	[1]
	7	(1) ISF1	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 01	277.937956 Secs (277.938 Secs)	[==>]	[1]
	8	(1) ISF1	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 01	277.937956 Secs (277.938 Secs)	[==>]	[1]



Proposal 15141 - Visit 02 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:42 GMT 2018


Visit	Proposal 15141, Visit 02, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D									
	(Visit 02) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 02) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 02) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 02) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(2)	ISF2	RA: 05 35 13.5406 (83.8064192d) Dec: -04 56 30.01 (-4.94167d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(2) ISF2	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 02	252.937441 Secs (252.937 Secs)	[==>]	[1]
	2	(2) ISF2	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 02	277.937956 Secs (277.938 Secs)	[==>]	[1]
	3	(2) ISF2	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 02	277.937956 Secs (277.938 Secs)	[==>]	[1]
	4	(2) ISF2	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 02	277.937956 Secs (277.938 Secs)	[==>]	[1]
	5	(2) ISF2	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 02	277.937956 Secs (277.938 Secs)	[==>]	[1]
	6	(2) ISF2	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 02	277.937956 Secs (277.938 Secs)	[==>]	[1]
	7	(2) ISF2	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 02	277.937956 Secs (277.938 Secs)	[==>]	[1]
	8	(2) ISF2	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 02	277.937956 Secs (277.938 Secs)	[==>]	[1]



Proposal 15141 - Visit 03 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:42 GMT 2018


Visit	Proposal 15141, Visit 03, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D									
	(Visit 03) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 03) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 03) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 03) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(3)	ISF3	RA: 05 35 31.8406 (83.8826692d) Dec: -05 04 23.99 (-5.07333d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(3) ISF3		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 03	252.937441 Secs (252.937 Secs) [==>]	[1]
	2	(3) ISF3		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 03	277.937956 Secs (277.938 Secs) [==>]	[1]
	3	(3) ISF3		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 03	277.937956 Secs (277.938 Secs) [==>]	[1]
	4	(3) ISF3		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 03	277.937956 Secs (277.938 Secs) [==>]	[1]
	5	(3) ISF3		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 03	277.937956 Secs (277.938 Secs) [==>]	[1]
	6	(3) ISF3		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 03	277.937956 Secs (277.938 Secs) [==>]	[1]
	7	(3) ISF3		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 03	277.937956 Secs (277.938 Secs) [==>]	[1]
	8	(3) ISF3		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 03	277.937956 Secs (277.938 Secs) [==>]	[1]



Proposal 15141 - Visit 04 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018


Visit	Proposal 15141, Visit 04, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D									
	(Visit 04) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 04) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 04) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 04) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(4)	ISF4	RA: 05 35 16.6406 (83.8193358d) Dec: -05 04 23.99 (-5.07333d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(4) ISF4	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 04	252.937441 Secs (252.937 Secs) [==>]	[1]
	2	(4) ISF4	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 04	277.937956 Secs (277.938 Secs) [==>]	[1]
	3	(4) ISF4	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 04	277.937956 Secs (277.938 Secs) [==>]	[1]
	4	(4) ISF4	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 04	277.937956 Secs (277.938 Secs) [==>]	[1]
	5	(4) ISF4	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 04	277.937956 Secs (277.938 Secs) [==>]	[1]
	6	(4) ISF4	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 04	277.937956 Secs (277.938 Secs) [==>]	[1]
	7	(4) ISF4	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 04	277.937956 Secs (277.938 Secs) [==>]	[1]
	8	(4) ISF4	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 04	277.937956 Secs (277.938 Secs) [==>]	[1]



Proposal 15141 - Visit 05 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018


Visit	Proposal 15141, Visit 05, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D									
	(Visit 05) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 05) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 05) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 05) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(5)	ISF5	RA: 05 35 28.8406 (83.8701692d) Dec: -05 12 18.00 (-5.20500d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(5) ISF5		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -189,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 05	252.937441 Secs (252.937 Secs) [==>]	[1]
	2	(5) ISF5		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 05	277.937956 Secs (277.938 Secs) [==>]	[1]
	3	(5) ISF5		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 05	277.937956 Secs (277.938 Secs) [==>]	[1]
	4	(5) ISF5		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 05	277.937956 Secs (277.938 Secs) [==>]	[1]
	5	(5) ISF5		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 05	277.937956 Secs (277.938 Secs) [==>]	[1]
	6	(5) ISF5		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 05	277.937956 Secs (277.938 Secs) [==>]	[1]
	7	(5) ISF5		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 05	277.937956 Secs (277.938 Secs) [==>]	[1]
	8	(5) ISF5		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 05	277.937956 Secs (277.938 Secs) [==>]	[1]



Proposal 15141 - Visit 06 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018


Visit	Proposal 15141, Visit 06, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D									
	(Visit 06) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 06) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 06) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 06) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(6)	ISF6	RA: 05 35 13.6406 (83.8068358d) Dec: -05 12 18.00 (-5.20500d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(6) ISF6	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 06	252.937441 Secs (252.937 Secs) [==>]	[1]
	2	(6) ISF6	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 06	277.937956 Secs (277.938 Secs) [==>]	[1]
	3	(6) ISF6	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 06	277.937956 Secs (277.938 Secs) [==>]	[1]
	4	(6) ISF6	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 06	277.937956 Secs (277.938 Secs) [==>]	[1]
	5	(6) ISF6	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 06	277.937956 Secs (277.938 Secs) [==>]	[1]
	6	(6) ISF6	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 06	277.937956 Secs (277.938 Secs) [==>]	[1]
	7	(6) ISF6	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 06	277.937956 Secs (277.938 Secs) [==>]	[1]
	8	(6) ISF6	F160W	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 06	277.937956 Secs (277.938 Secs) [==>]	[1]



Proposal 15141 - Visit 07 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018


Visit	Proposal 15141, Visit 07, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D				
	(Visit 07) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 07) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 07) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 07) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE				
Diagnosics					
Fixed Targets	# Name Target Coordinates Targ. Coord. Corrections Fluxes Miscellaneous				
	(7) ISF7 RA: 05 35 24.8405 (83.8535021d) Dec: -05 20 12.01 (-5.33667d) Equinox: J2000 <i>Comments:</i> Category=STELLAR CLUSTER Description=[STAR FORMING REGION]				
Exposures	# Label Target Config,Mode,Aperture Spectral Els. Opt. Params. Special Reqs. Groups Exp. Time (Total)/[Actual Dur.] Orbit				
	1 (7) ISF7 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=11 POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE Sequence 1-8 Non-Int in Visit 07 252.937441 Secs (252.937 Secs) [==>] [1]				
	2 (7) ISF7 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG -189,-56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 07 277.937956 Secs (277.938 Secs) [==>] [1]				
	3 (7) ISF7 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG -189,56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 07 277.937956 Secs (277.938 Secs) [==>] [1]				
	4 (7) ISF7 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG -63,56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 07 277.937956 Secs (277.938 Secs) [==>] [1]				
	5 (7) ISF7 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG 63,56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 07 277.937956 Secs (277.938 Secs) [==>] [1]				
	6 (7) ISF7 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG 63,-56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 07 277.937956 Secs (277.938 Secs) [==>] [1]				
	7 (7) ISF7 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG 189,56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 07 277.937956 Secs (277.938 Secs) [==>] [1]				
	8 (7) ISF7 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG 189,-56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 07 277.937956 Secs (277.938 Secs) [==>] [1]				



Proposal 15141 - Visit 08 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018


Visit	Proposal 15141, Visit 08, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D									
	(Visit 08) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 08) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 08) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 08) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(8)	ISF8	RA: 05 35 9.6406 (83.7901692d) Dec: -05 20 12.01 (-5.33667d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(8) ISF8		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56. 5; EXP PCS MODE FI NE; GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int in Visit 08	252.937441 Secs (252.937 Secs) [==>]	[1]
	2	(8) ISF8		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56. .5; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 08	277.937956 Secs (277.938 Secs) [==>]	[1]
	3	(8) ISF8		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56. 5; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 08	277.937956 Secs (277.938 Secs) [==>]	[1]
	4	(8) ISF8		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5 ; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 08	277.937956 Secs (277.938 Secs) [==>]	[1]
	5	(8) ISF8		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 08	277.937956 Secs (277.938 Secs) [==>]	[1]
	6	(8) ISF8		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5 ; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 08	277.937956 Secs (277.938 Secs) [==>]	[1]
	7	(8) ISF8		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5 ; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 08	277.937956 Secs (277.938 Secs) [==>]	[1]
	8	(8) ISF8		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56. 5; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 08	277.937956 Secs (277.938 Secs) [==>]	[1]



Proposal 15141 - Visit 09 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018


Visit	Proposal 15141, Visit 09, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D									
	(Visit 09) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 09) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 09) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 09) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(9)	ISF9	RA: 05 35 21.6406 (83.8401692d) Dec: -05 28 5.99 (-5.46833d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(9) ISF9		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 09	252.937441 Secs (252.937 Secs) [==>]	[1]
	2	(9) ISF9		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 09	277.937956 Secs (277.938 Secs) [==>]	[1]
	3	(9) ISF9		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 09	277.937956 Secs (277.938 Secs) [==>]	[1]
	4	(9) ISF9		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 09	277.937956 Secs (277.938 Secs) [==>]	[1]
	5	(9) ISF9		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 09	277.937956 Secs (277.938 Secs) [==>]	[1]
	6	(9) ISF9		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 09	277.937956 Secs (277.938 Secs) [==>]	[1]
	7	(9) ISF9		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 09	277.937956 Secs (277.938 Secs) [==>]	[1]
	8	(9) ISF9		WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 09	277.937956 Secs (277.938 Secs) [==>]	[1]



Proposal 15141 - Visit 10 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018


Visit	Proposal 15141, Visit 10, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D																																																																																						
	(Visit 10) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 10) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 10) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 10) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE																																																																																						
Diagnosics																																																																																							
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(10)</td> <td>ISF10</td> <td>RA: 05 35 6.4406 (83.7768358d) Dec: -05 28 5.99 (-5.46833d) Equinox: J2000</td> <td></td> <td>V=25</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table>	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(10)	ISF10	RA: 05 35 6.4406 (83.7768358d) Dec: -05 28 5.99 (-5.46833d) Equinox: J2000		V=25	Reference Frame: ICRS																																																																										
	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous																																																																																	
(10)	ISF10	RA: 05 35 6.4406 (83.7768358d) Dec: -05 28 5.99 (-5.46833d) Equinox: J2000		V=25	Reference Frame: ICRS																																																																																		
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]																																																																																							
Exposures	<table border="1"> <thead> <tr> <th>#</th> <th>Label</th> <th>Target</th> <th>Config,Mode,Aperture</th> <th>Spectral Els.</th> <th>Opt. Params.</th> <th>Special Reqs.</th> <th>Groups</th> <th>Exp. Time (Total)/[Actual Dur.]</th> <th>Orbit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>(10) ISF10</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=11</td> <td>POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE</td> <td>Sequence 1-8 Non-Int in Visit 10</td> <td>252.937441 Secs (252.937 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>2</td> <td>(10) ISF10</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG -189,-56.5; EXP PCS MODE GYRO</td> <td>Sequence 1-8 Non-Int in Visit 10</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>3</td> <td>(10) ISF10</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG -189,56.5; EXP PCS MODE GYRO</td> <td>Sequence 1-8 Non-Int in Visit 10</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>4</td> <td>(10) ISF10</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG -63,56.5; EXP PCS MODE GYRO</td> <td>Sequence 1-8 Non-Int in Visit 10</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>5</td> <td>(10) ISF10</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG 63,56.5; EXP PCS MODE GYRO</td> <td>Sequence 1-8 Non-Int in Visit 10</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>6</td> <td>(10) ISF10</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG 63,-56.5; EXP PCS MODE GYRO</td> <td>Sequence 1-8 Non-Int in Visit 10</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>7</td> <td>(10) ISF10</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG 189,56.5; EXP PCS MODE GYRO</td> <td>Sequence 1-8 Non-Int in Visit 10</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>8</td> <td>(10) ISF10</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG 189,-56.5; EXP PCS MODE GYRO</td> <td>Sequence 1-8 Non-Int in Visit 10</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> </tbody> </table>	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	1	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 10	252.937441 Secs (252.937 Secs) [==>]	[1]	2	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]	3	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]	4	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]	5	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]	6	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]	7	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]	8	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]				
	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit																																																																													
	1	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 10	252.937441 Secs (252.937 Secs) [==>]	[1]																																																																														
	2	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																														
	3	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																														
	4	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																														
	5	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																														
	6	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																														
	7	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																														
8	(10) ISF10	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 10	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																															



Proposal 15141 - Visit 11 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018


Visit	Proposal 15141, Visit 11, implementation Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 315D TO 315 D																																																																																																		
Diagnostics	(Visit 11) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 11) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 11) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 11) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 11) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 11) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE																																																																																																		
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(11)</td> <td>ISF11</td> <td>RA: 05 35 13.8406 (83.8076692d) Dec: -05 36 0.00 (-5.60000d) Equinox: J2000</td> <td></td> <td>V=25</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table> <p><i>Comments:</i> Category=STELLAR CLUSTER Description=[STAR FORMING REGION]</p>					#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(11)	ISF11	RA: 05 35 13.8406 (83.8076692d) Dec: -05 36 0.00 (-5.60000d) Equinox: J2000		V=25	Reference Frame: ICRS																																																																																		
#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous																																																																																														
(11)	ISF11	RA: 05 35 13.8406 (83.8076692d) Dec: -05 36 0.00 (-5.60000d) Equinox: J2000		V=25	Reference Frame: ICRS																																																																																														
Exposures	<table border="1"> <thead> <tr> <th>#</th> <th>Label</th> <th>Target</th> <th>Config,Mode,Aperture</th> <th>Spectral Els.</th> <th>Opt. Params.</th> <th>Special Reqs.</th> <th>Groups</th> <th>Exp. Time (Total)/[Actual Dur.]</th> <th>Orbit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>(11) ISF11</td> <td>(11) ISF11</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=10</td> <td>POS TARG 65,-185; EXP PCS MODE FI NE; GS ACQ SCENARI O SINGLE</td> <td>Sequence 1-8 Non-Int in Visit 11</td> <td>277.936926 Secs (227.937 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>2</td> <td>(11) ISF11</td> <td>(11) ISF11</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG -65,-185 ; EXP PCS MODE G YRO</td> <td>Sequence 1-8 Non-Int in Visit 11</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>3</td> <td>(11) ISF11</td> <td>(11) ISF11</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG -65,-65. 5; EXP PCS MODE G YRO</td> <td>Sequence 1-8 Non-Int in Visit 11</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>4</td> <td>(11) ISF11</td> <td>(11) ISF11</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG 65,-65.5 ; EXP PCS MODE G YRO</td> <td>Sequence 1-8 Non-Int in Visit 11</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>5</td> <td>(11) ISF11</td> <td>(11) ISF11</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG 63,56.5; EXP PCS MODE G YRO</td> <td>Sequence 1-8 Non-Int in Visit 11</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>6</td> <td>(11) ISF11</td> <td>(11) ISF11</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG -65,60; EXP PCS MODE G YRO</td> <td>Sequence 1-8 Non-Int in Visit 11</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>7</td> <td>(11) ISF11</td> <td>(11) ISF11</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=12</td> <td>POS TARG -65,180; EXP PCS MODE G YRO</td> <td>Sequence 1-8 Non-Int in Visit 11</td> <td>277.937956 Secs (277.938 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>8</td> <td>(11) ISF11</td> <td>(11) ISF11</td> <td>WFC3/IR, MULTIACCUM, IR-FIX</td> <td>F160W</td> <td>SAMP-SEQ=SPARS 25; NSAMP=9</td> <td>POS TARG 65,180; EXP PCS MODE G YRO</td> <td>Sequence 1-8 Non-Int in Visit 11</td> <td>202.936411 Secs (202.936 Secs) [==>]</td> <td>[1]</td> </tr> </tbody> </table>									#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	1	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=10	POS TARG 65,-185; EXP PCS MODE FI NE; GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int in Visit 11	277.936926 Secs (227.937 Secs) [==>]	[1]	2	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -65,-185 ; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]	3	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -65,-65. 5; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]	4	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 65,-65.5 ; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]	5	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]	6	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -65,60; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]	7	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -65,180; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]	8	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=9	POS TARG 65,180; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	202.936411 Secs (202.936 Secs) [==>]	[1]
#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit																																																																																										
1	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=10	POS TARG 65,-185; EXP PCS MODE FI NE; GS ACQ SCENARI O SINGLE	Sequence 1-8 Non-Int in Visit 11	277.936926 Secs (227.937 Secs) [==>]	[1]																																																																																										
2	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -65,-185 ; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																																										
3	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -65,-65. 5; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																																										
4	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 65,-65.5 ; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																																										
5	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																																										
6	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -65,60; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																																										
7	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -65,180; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	277.937956 Secs (277.938 Secs) [==>]	[1]																																																																																										
8	(11) ISF11	(11) ISF11	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=9	POS TARG 65,180; EXP PCS MODE G YRO	Sequence 1-8 Non-Int in Visit 11	202.936411 Secs (202.936 Secs) [==>]	[1]																																																																																										



Proposal 15141 - Visit 12 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018


Visit	Proposal 15141, Visit 12, implementation Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 315D TO 315 D									
	(Visit 12) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 12) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 12) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 12) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(12)	ISF12	RA: 05 34 58.6406 (83.7443358d) Dec: -05 36 0.00 (-5.60000d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(12) ISF12	WFC3/IR, MULTIACCUM, IR-FIX F160W	SAMP-SEQ=SPARS 25; NSAMP=10	F160W	SAMP-SEQ=SPARS 25; NSAMP=10	POS TARG -60,-180; ; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 12	227.936926 Secs (227.937 Secs) [==>]	[1]
	2	(12) ISF12	WFC3/IR, MULTIACCUM, IR-FIX F160W	SAMP-SEQ=SPARS 25; NSAMP=12	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 60,-180; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 12	277.937956 Secs (277.938 Secs) [==>]	[1]
	3	(12) ISF12	WFC3/IR, MULTIACCUM, IR-FIX F160W	SAMP-SEQ=SPARS 25; NSAMP=12	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 60,-60; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 12	277.937956 Secs (277.938 Secs) [==>]	[1]
	4	(12) ISF12	WFC3/IR, MULTIACCUM, IR-FIX F160W	SAMP-SEQ=SPARS 25; NSAMP=12	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -60,-60; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 12	277.937956 Secs (277.938 Secs) [==>]	[1]
	5	(12) ISF12	WFC3/IR, MULTIACCUM, IR-FIX F160W	SAMP-SEQ=SPARS 25; NSAMP=12	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -60,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 12	277.937956 Secs (277.938 Secs) [==>]	[1]
	6	(12) ISF12	WFC3/IR, MULTIACCUM, IR-FIX F160W	SAMP-SEQ=SPARS 25; NSAMP=12	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 60,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 12	277.937956 Secs (277.938 Secs) [==>]	[1]
	7	(12) ISF12	WFC3/IR, MULTIACCUM, IR-FIX F160W	SAMP-SEQ=SPARS 25; NSAMP=12	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 60,180; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 12	277.937956 Secs (277.938 Secs) [==>]	[1]
	8	(12) ISF12	WFC3/IR, MULTIACCUM, IR-FIX F160W	SAMP-SEQ=SPARS 25; NSAMP=9	F160W	SAMP-SEQ=SPARS 25; NSAMP=9	POS TARG -60,180; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 12	202.936411 Secs (202.936 Secs) [==>]	[1]



Proposal 15141 - Visit 13 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018

Visit	Proposal 15141, Visit 13, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D									
	(Visit 13) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 13) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 13) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 13) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE									
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous				
	(13)	ISF13	RA: 05 35 2.8406 (83.7618358d) Dec: -05 43 54.01 (-5.73167d) Equinox: J2000		V=25	Reference Frame: ICRS				
Comments: Category=STELLAR CLUSTER Description=[STAR FORMING REGION]										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	(13) ISF13	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=11	POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE	Sequence 1-8 Non-Int in Visit 13	252.937441 Secs (252.937 Secs)	[==>]	[1]
	2	(13) ISF13	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 13	277.937956 Secs (277.938 Secs)	[==>]	[1]
	3	(13) ISF13	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 13	277.937956 Secs (277.938 Secs)	[==>]	[1]
	4	(13) ISF13	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG -63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 13	277.937956 Secs (277.938 Secs)	[==>]	[1]
	5	(13) ISF13	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 13	277.937956 Secs (277.938 Secs)	[==>]	[1]
	6	(13) ISF13	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 63,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 13	277.937956 Secs (277.938 Secs)	[==>]	[1]
	7	(13) ISF13	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 13	277.937956 Secs (277.938 Secs)	[==>]	[1]
	8	(13) ISF13	WFC3/IR, MULTIACCUM, IR-FIX	F160W	SAMP-SEQ=SPARS 25; NSAMP=12	POS TARG 189,-56.5; EXP PCS MODE GYRO	Sequence 1-8 Non-Int in Visit 13	277.937956 Secs (277.938 Secs)	[==>]	[1]



Proposal 15141 - Visit 14 - The 6 pc DASH: A WFC3 1.6 micron Survey of the Orion Integral Shaped Filament

Thu Nov 08 15:00:43 GMT 2018

Visit	Proposal 15141, Visit 14, scheduling Diagnostic Status: Warning Scientific Instruments: WFC3/IR Special Requirements: PCS MODE GYRO; ORIENT 50D TO 50 D				
	(Visit 14) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 14) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 14) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE (Visit 14) Warning (Orbit Planner): POS TARG OUTSIDE OF APERTURE				
Diagnosics					
Fixed Targets	# Name Target Coordinates Targ. Coord. Corrections Fluxes Miscellaneous				
	(14) ISF14 RA: 05 34 47.6405 (83.6985021d) Dec: -05 43 54.01 (-5.73167d) Equinox: J2000 <i>Comments:</i> Category=STELLAR CLUSTER Description=[STAR FORMING REGION]				
Exposures	# Label Target Config,Mode,Aperture Spectral Els. Opt. Params. Special Reqs. Groups Exp. Time (Total)/[Actual Dur.] Orbit				
	1 (14) ISF14 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=11 POS TARG -63,-56.5; EXP PCS MODE FINE; GS ACQ SCENARIO SINGLE Sequence 1-8 Non-Int in Visit 14 252.937441 Secs (252.937 Secs) [==>] [1]				
	2 (14) ISF14 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG -189,-56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 14 277.937956 Secs (277.938 Secs) [==>] [1]				
	3 (14) ISF14 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG -189,56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 14 277.937956 Secs (277.938 Secs) [==>] [1]				
	4 (14) ISF14 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG -63,56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 14 277.937956 Secs (277.938 Secs) [==>] [1]				
	5 (14) ISF14 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG 63,56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 14 277.937956 Secs (277.938 Secs) [==>] [1]				
	6 (14) ISF14 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG 63,-56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 14 277.937956 Secs (277.938 Secs) [==>] [1]				
	7 (14) ISF14 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG 189,56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 14 277.937956 Secs (277.938 Secs) [==>] [1]				
	8 (14) ISF14 WFC3/IR, MULTIACCUM, IR-FIX F160W SAMP-SEQ=SPARS 25; NSAMP=12 POS TARG 189,-56.5; EXP PCS MODE GYRO Sequence 1-8 Non-Int in Visit 14 277.937956 Secs (277.938 Secs) [==>] [1]				

