



16325 - Cycle 28 COS FUV Wavelength Scale Monitor

Cycle: 28, Proposal Category: CAL/COS

(Availability Mode: RESTRICTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Travis Fischer (PI) (Contact)	Space Telescope Science Institute	tfischer@stsci.edu
Dr. William J. Fischer (CoI)	Space Telescope Science Institute	wfischer@stsci.edu
Elaine M Frazer (CoI)	Space Telescope Science Institute	efrazer@stsci.edu
Kate Rowlands (CoI)	Space Telescope Science Institute	krowlands@stsci.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	(1) AV75	COS/FUV COS/NUV	3	15-Mar-2021 12:01:32.0	yes

3 Total Orbits Used

ABSTRACT

This program monitors the stability of the constant terms in the FUV dispersion solutions. To monitor for any changes, the program observes AV 75 at selected cenwaves at multiple FP-POS positions for all FUV gratings. Via cross-correlation, spectra are compared to those obtained in previous iterations of the program, to STIS spectra obtained in-orbit, and to a model.

OBSERVING DESCRIPTION

To monitor the constant terms in the COS/FUV dispersion solutions at lifetime position 4 in Cycle 28, we continue the approach of Cycle 26 program 15536. This includes taking spectra with the cenwaves 1096, 1222, 1291, and 1327 in G130M, cenwaves 1577 and 1623 in G160M, and cenwaves 1105 and 1280 in G140L. In accordance with the COS 2025 rules, changes were made for Cycle 25 and going forward: FP-POS 2 of cenwave 1291

Proposal 16325 (STScI Edit Number: 1, Created: Monday, March 15, 2021 at 11:01:33 AM Eastern Standard Time) - Overview

was changed to 3, segment B of cenwave 1327 is not observed, and exposures were rearranged due to the overhead associated with turning a segment off. With the M gratings, FP-POS are alternated between exposures to fulfill our S/N requirements and mitigate the effects of gain sag. Orients have been put in place to avoid field objects that are too bright for the PSA/MIRRORA when performing the TA with the BOA. The detailed clearance of the target and crowded field was done in the CS review of calibration program 13070. Due to past GS acquisition issues (e.g., Visit 01 of Cycle 23 program 14437; see HOPR 83980), there is an ACQ/SEARCH in the TA sequence. Data from previous iterations of this program were used to update the ETC calculations for Cycle 25; exposure times were left the same for Cycle 27. To maintain a regular interval of about 12 months between visits, the program will ideally be carried out in March 2021. The schedulability is set to 80% to fit all the observations in three orbits.

Proposal 16325 - Visit 01 - Cycle 28 COS FUV Wavelength Scale Monitor

Mon Mar 15 16:01:33 GMT 2021

Visit	Proposal 16325, Visit 01, implementation Diagnostic Status: No Diagnostics Scientific Instruments: COS/FUV, COS/NUV Special Requirements: SCHED 80%; ORIENT 275D TO 60 D; ORIENT 160D TO 165 D; BETWEEN 01-MAR-2021:00:00:00 AND 20-JUL-2021:00:00:00 Comments: An ACQ/SEARCH was added to the TA sequence in Cycle 23 and should be carried over each cycle to avoid GS issues. This is a crowded field. The window in March 2021 is preferred to maintain a pattern of about 12 months between visits. The schedulability is set to 80% to fit all the observations in one orbit.												
	Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Fluxes</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>AV75</td> <td>RA: 00 50 32.3900 (12.6349583d) Dec: -72 52 36.48 (-72.87680d) Equinox: J2000</td> <td></td> <td>V=12.79</td> <td>Reference Frame: ICRS</td> </tr> </tbody> </table> <p>Comments: This object was generated by the target selector and retrieved from the SIMBAD database. Category=STAR Description=[SUPERGIANT O] Extended=NO</p>	#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous	(1)	AV75	RA: 00 50 32.3900 (12.6349583d) Dec: -72 52 36.48 (-72.87680d) Equinox: J2000		V=12.79
#	Name	Target Coordinates	Targ. Coord. Corrections	Fluxes	Miscellaneous								
(1)	AV75	RA: 00 50 32.3900 (12.6349583d) Dec: -72 52 36.48 (-72.87680d) Equinox: J2000		V=12.79	Reference Frame: ICRS								

Proposal 16325 - Visit 01 - Cycle 28 COS FUV Wavelength Scale Monitor

#	Label (ETC Run)	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
Exposures	1	(COS.ta.102 (1) AV75 5824)	COS/NUV, ACQ/SEARCH, BOA	MIRRORA	STEP-SIZE=1.767; SCAN-SIZE=2; CENTER=FLUX-W T			7.3 Secs (7.3 Secs) [==>]	[1]
	2	(COS.ta.102 (1) AV75 5825)	COS/NUV, ACQ/IMAGE, BOA	MIRRORA				13.0 Secs (13 Secs) [==>]	[1]
	3	(COS.sp.102 (1) AV75 5732)	COS/FUV, TIME-TAG, PSA	G130M 1096 A	BUFFER-TIME=29 0; FP-POS=2; LIFETIME-POS=L P2			620 Secs (637 Secs) [==>637.0 Secs]	[1]
	4	(COS.sp.102 (1) AV75 5732)	COS/FUV, TIME-TAG, PSA	G130M 1096 A	BUFFER-TIME=29 0; FP-POS=4; LIFETIME-POS=L P2			620 Secs (637 Secs) [==>637.0 Secs]	[1]
	5	(COS.sp.102 (1) AV75 5737)	COS/FUV, TIME-TAG, PSA	G160M 1577 A	BUFFER-TIME=12 4; FP-POS=2			305 Secs (322 Secs) [==>322.0 Secs]	[1]
	6	(COS.sp.102 (1) AV75 5737)	COS/FUV, TIME-TAG, PSA	G160M 1577 A	BUFFER-TIME=12 4; FP-POS=4			305 Secs (323 Secs) [==>323.0 Secs]	[2]
	7	(COS.sp.102 (1) AV75 5738)	COS/FUV, TIME-TAG, PSA	G160M 1623 A	BUFFER-TIME=15 4; FP-POS=1			369 Secs (387 Secs) [==>387.0 Secs]	[2]
	8	(COS.sp.102 (1) AV75 5738)	COS/FUV, TIME-TAG, PSA	G160M 1623 A	BUFFER-TIME=15 4; FP-POS=3			369 Secs (387 Secs) [==>387.0 Secs]	[2]
	9	(COS.sp.102 (1) AV75 5734)	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=12 0; FP-POS=1; LIFETIME-POS=L P4			226 Secs (244 Secs) [==>244.0 Secs]	[2]
	10	(COS.sp.102 (1) AV75 5734)	COS/FUV, TIME-TAG, PSA	G130M 1222 A	BUFFER-TIME=12 0; FP-POS=3; LIFETIME-POS=L P4			226 Secs (244 Secs) [==>244.0 Secs]	[2]
	11	(COS.sp.102 (1) AV75 5735)	COS/FUV, TIME-TAG, PSA	G130M 1291 A	BUFFER-TIME=12 0; FP-POS=3; LIFETIME-POS=L P4			191 Secs (188 Secs) [==>188.0 Secs]	[3]
	12	(COS.sp.102 (1) AV75 5735)	COS/FUV, TIME-TAG, PSA	G130M 1291 A	BUFFER-TIME=12 0; FP-POS=4; LIFETIME-POS=L P4			191 Secs (188 Secs) [==>188.0 Secs]	[3]

Proposal 16325 - Visit 01 - Cycle 28 COS FUV Wavelength Scale Monitor

13	(COS.sp.102 (1) AV75 5740)	COS/FUV, TIME-TAG, PSA	G140L 1280 A	BUFFER-TIME=80; FP-POS=3	80 Secs (77 Secs)	[3]
					[==>77.0 Secs]	
14	(COS.sp.102 (1) AV75 5741)	COS/FUV, TIME-TAG, PSA	G140L 1105 A	BUFFER-TIME=80; FP-POS=3	80 Secs (77 Secs)	[3]
					[==>77.0 Secs]	
15	(COS.sp.102 (1) AV75 5736)	COS/FUV, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=12 0; FP-POS=1; LIFETIME-POS=L P4; SEGMENT=A	192 Secs (189 Secs)	[3]
					[==>189.0 Secs]	
16	(COS.sp.102 (1) AV75 5736)	COS/FUV, TIME-TAG, PSA	G130M 1327 A	BUFFER-TIME=12 0; FP-POS=3; LIFETIME-POS=L P4; SEGMENT=A	192 Secs (189 Secs)	[3]
					[==>189.0 Secs]	



