



17019 - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Cycle: 30, Proposal Category: CAL/WFC3

(Availability Mode: RESTRICTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Benjamin Kuhn (PI) (Contact)	Space Telescope Science Institute	bkuhn@stsci.edu
Frederick Dauphin (CoI) (Contact)	Space Telescope Science Institute	fdauphin@stsci.edu
Ms. Jennifer Mack (CoI) (Contact)	Space Telescope Science Institute	mack@stsci.edu
Ms. Catherine A Martlin (CoI) (Contact)	Space Telescope Science Institute	cmartlin@stsci.edu

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	DEUTERIUM	WFC3/UVIS	1	15-Jul-2022 11:00:53.0	yes
02	DEUTERIUM	WFC3/UVIS	1	15-Jul-2022 11:00:54.0	yes
03	DEUTERIUM	WFC3/UVIS	1	15-Jul-2022 11:00:55.0	yes
04	DEUTERIUM	WFC3/UVIS	1	15-Jul-2022 11:00:56.0	yes
05	DEUTERIUM	WFC3/UVIS	1	15-Jul-2022 11:00:56.0	yes
06	DEUTERIUM	WFC3/UVIS	1	15-Jul-2022 11:00:57.0	yes
07	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:00:58.0	yes
08	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:00:59.0	yes
09	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:00.0	yes
10	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:01.0	yes
11	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:01.0	yes

Proposal 17019 (STScI Edit Number: 0, Created: Friday, July 15, 2022 at 10:01:32 AM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
12	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:02.0	yes
13	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:03.0	yes
14	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:04.0	yes
15	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:05.0	yes
16	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:06.0	yes
17	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:07.0	yes
18	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:08.0	yes
19	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:09.0	yes
20	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:10.0	yes
21	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:11.0	yes
22	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:12.0	yes
23	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:12.0	yes
24	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:13.0	yes
25	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:14.0	yes
26	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:15.0	yes
27	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:16.0	yes
28	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:17.0	yes
29	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:18.0	yes
30	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:18.0	yes
31	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:19.0	yes
32	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:20.0	yes
33	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:21.0	yes
34	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:22.0	yes
35	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:23.0	yes
36	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:24.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
37	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:25.0	yes
38	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:26.0	yes
39	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:27.0	yes
40	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:28.0	yes
41	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:28.0	yes
42	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:29.0	yes
43	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:30.0	yes
44	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:31.0	yes
45	TUNGSTEN	WFC3/UVIS	1	15-Jul-2022 11:01:32.0	yes

45 Total Orbits Used

ABSTRACT

This calibration program takes a series of ultraviolet and visible wavelength internal flat images throughout the year, which allows us to track the randomly distributed population of pixels that exhibit anomalous Quantum Efficiency variations between anneals. The anomalous pixels are distinguished by a sensitivity loss that is more pronounced in blue wavelengths than in red wavelengths. The population of pixels is unique for each anneal cycle and has clustering in the UV range.


OBSERVING DESCRIPTION

6 orbits with the D2 lamp are taken in F225W and F336W, for the UV wavelengths; 1 orbit every other month in the week before the anneal. UV orbits require non-int sequences to minimize cycling of the D2 lamp. 3 orbits each anneal cycle (a week before the anneal, midway between the anneals, and just after the anneal) are taken with the Tungsten lamp in F438W, F645N and F814W, for the visible wavelengths. Previous UVIS pixel-to-pixel QE variation calibration proposals include 13169, 13585, 14027, 14389, 14546, 14996, 15589, 15729, 16409, and 16584.

Proposal 17019 - UV before Nov 21 - Nov 28 anneal (01) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:32 GMT 2022


Visit	Proposal 17019, UV before Nov 21 - Nov 28 anneal (01) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 14-NOV-2022:00:00:00 AND 21-NOV-2022:00:00:00 <i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Nov 21 - Nov 28 anneal.</i>									
	Diagnostics	(UV before Nov 21 - Nov 28 anneal (01)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (F225W exp1 (01.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp2 (01.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp3 (01.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp4 (01.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp1 (01.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp2 (01.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp3 (01.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser								
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]
	1	F225W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Nov 21 - Nov 28 anneal (01)	18.0 Secs (18 Secs) [==>]	[1]
	2	F225W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Nov 21 - Nov 28 anneal (01)	18.0 Secs (18 Secs) [==>]	[1]
	3	F225W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Nov 21 - Nov 28 anneal (01)	18.0 Secs (18 Secs) [==>]	[1]
	4	F225W exp4	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Nov 21 - Nov 28 anneal (01)	18.0 Secs (18 Secs) [==>]	[1]
	5	F336W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Nov 21 - Nov 28 anneal (01)	58.0 Secs (58 Secs) [==>]	[1]
	6	F336W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Nov 21 - Nov 28 anneal (01)	58.0 Secs (58 Secs) [==>]	[1]
	7	F336W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Nov 21 - Nov 28 anneal (01)	58.0 Secs (58 Secs) [==>]	[1]



Proposal 17019 - UV before Jan 16 - Jan 23 anneal (02) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022


Visit	Proposal 17019, UV before Jan 16 - Jan 23 anneal (02) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 09-JAN-2023:00:00:00 AND 16-JAN-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Jan 16 - Jan 23 anneal</i>									
	Diagnostics	(UV before Jan 16 - Jan 23 anneal (02)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (F225W exp1 (02.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp2 (02.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp3 (02.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp4 (02.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp1 (02.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp2 (02.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp3 (02.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser								
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]
	1	F225W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jan 16 - Jan 23 anneal (02)	18.0 Secs (18 Secs) [==>]	[1]
	2	F225W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jan 16 - Jan 23 anneal (02)	18.0 Secs (18 Secs) [==>]	[1]
	3	F225W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jan 16 - Jan 23 anneal (02)	18.0 Secs (18 Secs) [==>]	[1]
	4	F225W exp4	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jan 16 - Jan 23 anneal (02)	18.0 Secs (18 Secs) [==>]	[1]
	5	F336W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jan 16 - Jan 23 anneal (02)	58.0 Secs (58 Secs) [==>]	[1]
	6	F336W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jan 16 - Jan 23 anneal (02)	58.0 Secs (58 Secs) [==>]	[1]
	7	F336W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jan 16 - Jan 23 anneal (02)	58.0 Secs (58 Secs) [==>]	[1]



Proposal 17019 - UV before Mar 13 - Mar 20 anneal (03) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022


Visit	Proposal 17019, UV before Mar 13 - Mar 20 anneal (03) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 06-MAR-2023:00:00:00 AND 13-MAR-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Mar 13 - Mar 20 anneal.</i>									
	Diagnostics	(UV before Mar 13 - Mar 20 anneal (03)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (F225W exp1 (03.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp2 (03.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp3 (03.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp4 (03.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp1 (03.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp2 (03.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp3 (03.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser								
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]
	1	F225W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Mar 13 - Mar 20 anneal (03)	18.0 Secs (18 Secs) [==>]	[1]
	2	F225W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Mar 13 - Mar 20 anneal (03)	18.0 Secs (18 Secs) [==>]	[1]
	3	F225W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Mar 13 - Mar 20 anneal (03)	18.0 Secs (18 Secs) [==>]	[1]
	4	F225W exp4	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Mar 13 - Mar 20 anneal (03)	18.0 Secs (18 Secs) [==>]	[1]
	5	F336W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Mar 13 - Mar 20 anneal (03)	58.0 Secs (58 Secs) [==>]	[1]
	6	F336W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Mar 13 - Mar 20 anneal (03)	58.0 Secs (58 Secs) [==>]	[1]
	7	F336W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Mar 13 - Mar 20 anneal (03)	58.0 Secs (58 Secs) [==>]	[1]



Proposal 17019 - UV before May 08 - May 15 anneal (04) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	Proposal 17019, UV before May 08 - May 15 anneal (04) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 01-MAY-2023:00:00:00 AND 08-MAY-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of May 08 - May 15 anneal.</i>									
	Diagnostics	(UV before May 08 - May 15 anneal (04)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (F225W exp1 (04.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp2 (04.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp3 (04.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp4 (04.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp1 (04.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp2 (04.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp3 (04.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser								
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]
	1	F225W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before May 08 - May 15 anneal (04)	18.0 Secs (18 Secs) [==>]	[1]
	2	F225W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before May 08 - May 15 anneal (04)	18.0 Secs (18 Secs) [==>]	[1]
	3	F225W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before May 08 - May 15 anneal (04)	18.0 Secs (18 Secs) [==>]	[1]
	4	F225W exp4	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before May 08 - May 15 anneal (04)	18.0 Secs (18 Secs) [==>]	[1]
	5	F336W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before May 08 - May 15 anneal (04)	58.0 Secs (58 Secs) [==>]	[1]
	6	F336W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before May 08 - May 15 anneal (04)	58.0 Secs (58 Secs) [==>]	[1]
	7	F336W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before May 08 - May 15 anneal (04)	58.0 Secs (58 Secs) [==>]	[1]




Proposal 17019 - UV before Jul 03 - Jul 10 anneal (05) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, UV before Jul 03 - Jul 10 anneal (05)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 26-JUN-2023:00:00:00 AND 03-JUL-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Jul 03 - Jul 10 anneal.</i></p>
--------------	--

Diagnostics	(UV before Jul 03 - Jul 10 anneal (05)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
	(F225W exp1 (05.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F225W exp2 (05.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F225W exp3 (05.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F225W exp4 (05.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F336W exp1 (05.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F336W exp2 (05.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	F225W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jul 03 - Jul 10 anneal (05)	18.0 Secs (18 Secs) [==>]	[1]
	2	F225W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jul 03 - Jul 10 anneal (05)	18.0 Secs (18 Secs) [==>]	[1]
	3	F225W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jul 03 - Jul 10 anneal (05)	18.0 Secs (18 Secs) [==>]	[1]
	4	F225W exp4	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jul 03 - Jul 10 anneal (05)	18.0 Secs (18 Secs) [==>]	[1]
	5	F336W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jul 03 - Jul 10 anneal (05)	58.0 Secs (58 Secs) [==>]	[1]
	6	F336W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jul 03 - Jul 10 anneal (05)	58.0 Secs (58 Secs) [==>]	[1]
	7	F336W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Jul 03 - Jul 10 anneal (05)	58.0 Secs (58 Secs) [==>]	[1]



Proposal 17019 - UV before Aug 28 - Sept 04 anneal (06) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	Proposal 17019, UV before Aug 28 - Sept 04 anneal (06) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 21-AUG-2023:00:00:00 AND 28-AUG-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Aug 28 - Sept 04 anneal.</i>									
	Diagnostics	(UV before Aug 28 - Sept 04 anneal (06)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (F225W exp1 (06.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp2 (06.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp3 (06.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F225W exp4 (06.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp1 (06.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp2 (06.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F336W exp3 (06.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser								
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]
	1	F225W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Aug 28 - Sept 04 anneal (06)	18.0 Secs (18 Secs) [==>]	[1]
	2	F225W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Aug 28 - Sept 04 anneal (06)	18.0 Secs (18 Secs) [==>]	[1]
	3	F225W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Aug 28 - Sept 04 anneal (06)	18.0 Secs (18 Secs) [==>]	[1]
	4	F225W exp4	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F225W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Aug 28 - Sept 04 anneal (06)	18.0 Secs (18 Secs) [==>]	[1]
	5	F336W exp1	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Aug 28 - Sept 04 anneal (06)	58.0 Secs (58 Secs) [==>]	[1]
	6	F336W exp2	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Aug 28 - Sept 04 anneal (06)	58.0 Secs (58 Secs) [==>]	[1]
	7	F336W exp3	DEUTERIUM	WFC3/UVIS, ACCUM, UVIS	F336W	CURRENT=MEDIUM		Sequence 1-7 Non-Int in UV before Aug 28 - Sept 04 anneal (06)	58.0 Secs (58 Secs) [==>]	[1]




Proposal 17019 - F814W & F438W mid Nov cycle (07) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W mid Nov cycle (07)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 07-NOV-2022:00:00:00 AND 14-NOV-2022:00:00:00</p> <p><i>Comments: Data halfway between anneals</i></p>
--------------	--

Diagnostics	(F814W & F438W mid Nov cycle (07)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU
	(subarray for lamp warm up (07.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (07.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (07.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (07.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (07.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (07.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (07.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Nov cycle (07)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Nov cycle (07)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Nov cycle (07)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Nov cycle (07)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Nov cycle (07)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Nov cycle (07)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Nov cycle (07)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Nov cycle (07)	2.0 Secs (2 Secs) [==>]	[1]
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Nov cycle (07)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W before Nov 21 - Nov 28 anneal (08) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022


Visit	Proposal 17019, F814W & F438W before Nov 21 - Nov 28 anneal (08) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 14-NOV-2022:00:00:00 AND 21-NOV-2022:00:00:00 <i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Nov 21 - Nov 28</i>										
	Diagnostics	(F814W & F438W before Nov 21 - Nov 28 anneal (08)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (08.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (08.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (08.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (08.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (08.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (08.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (08.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (08.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (08.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Nov 21 - Nov 28 anneal (08)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Nov 21 - Nov 28 anneal (08)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Nov 21 - Nov 28 anneal (08)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Nov 21 - Nov 28 anneal (08)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Nov 21 - Nov 28 anneal (08)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Nov 21 - Nov 28 anneal (08)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Nov 21 - Nov 28 anneal (08)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Nov 21 - Nov 28 anneal (08)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Nov 21 - Nov 28 anneal (08)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W after Nov 21 - Nov 28 anneal (09) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W after Nov 21 - Nov 28 anneal (09)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 28-NOV-2022:00:00:00 AND 05-DEC-2022:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Nov 21 - Nov 28 anneal</i></p>										
Diagnostics	<p>(F814W & F438W after Nov 21 - Nov 28 anneal (09)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (09.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp1 (09.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp1 (09.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp2 (09.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp3 (09.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp4 (09.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp2 (09.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp3 (09.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp4 (09.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p>										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N	Sequence 1-9 Non-Int in F814W & F438W after Nov 21 - Nov 28 anneal (09)	60.0 Secs (60 Secs)	[==>]	[1]			
2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W	Sequence 1-9 Non-Int in F814W & F438W after Nov 21 - Nov 28 anneal (09)	2.0 Secs (2 Secs)	[==>]	[1]			
3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W	Sequence 1-9 Non-Int in F814W & F438W after Nov 21 - Nov 28 anneal (09)	360.0 Secs (360 Secs)	[==>]	[1]			
4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W	Sequence 1-9 Non-Int in F814W & F438W after Nov 21 - Nov 28 anneal (09)	360.0 Secs (360 Secs)	[==>]	[1]			
5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W	Sequence 1-9 Non-Int in F814W & F438W after Nov 21 - Nov 28 anneal (09)	360.0 Secs (360 Secs)	[==>]	[1]			
6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W	Sequence 1-9 Non-Int in F814W & F438W after Nov 21 - Nov 28 anneal (09)	360.0 Secs (360 Secs)	[==>]	[1]			
7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W	Sequence 1-9 Non-Int in F814W & F438W after Nov 21 - Nov 28 anneal (09)	2.0 Secs (2 Secs)	[==>]	[1]			
8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W	Sequence 1-9 Non-Int in F814W & F438W after Nov 21 - Nov 28 anneal (09)	2.0 Secs (2 Secs)	[==>]	[1]			
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W	Sequence 1-9 Non-Int in F814W & F438W after Nov 21 - Nov 28 anneal (09)	2.0 Secs (2 Secs)	[==>]	[1]			




Proposal 17019 - F814W & F438W mid Nov-Dec cycle (10) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W mid Nov-Dec cycle (10)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 05-DEC-2022:00:00:00 AND 12-DEC-2022:00:00:00</p> <p><i>Comments: Data halfway between anneals</i></p>
--------------	--

Diagnostics	(F814W & F438W mid Nov-Dec cycle (10)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (10.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (10.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (10.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (10.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (10.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (10.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (10.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (10.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Nov-Dec cycle (10)	60.0 Secs (60 Secs) [==>]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Nov-Dec cycle (10)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Nov-Dec cycle (10)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Nov-Dec cycle (10)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Nov-Dec cycle (10)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Nov-Dec cycle (10)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Nov-Dec cycle (10)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Nov-Dec cycle (10)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Nov-Dec cycle (10)	2.0 Secs (2 Secs) [==>]	[1]




Proposal 17019 - F814W & F438W before Dec 19 - Dec 26 anneal (11) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W before Dec 19 - Dec 26 anneal (11)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 12-DEC-2022:00:00:00 AND 19-DEC-2022:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Dec 19 - Dec 26</i></p>

Diagnostics	(F814W & F438W before Dec 19 - Dec 26 anneal (11)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (11.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (11.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (11.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (11.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (11.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (11.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (11.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (11.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Dec 19 - Dec 26 anneal (11)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Dec 19 - Dec 26 anneal (11)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Dec 19 - Dec 26 anneal (11)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Dec 19 - Dec 26 anneal (11)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Dec 19 - Dec 26 anneal (11)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Dec 19 - Dec 26 anneal (11)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Dec 19 - Dec 26 anneal (11)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Dec 19 - Dec 26 anneal (11)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Dec 19 - Dec 26 anneal (11)	2.0 Secs (2 Secs) [==>]	[1]



Proposal 17019 - F814W & F438W after Dec 19 - Dec 26 anneal (12) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	Proposal 17019, F814W & F438W after Dec 19 - Dec 26 anneal (12) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 26-DEC-2022:00:00:00 AND 02-JAN-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Dec 19 - Dec 26 anneal</i>										
	Diagnostics	(F814W & F438W after Dec 19 - Dec 26 anneal (12)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (12.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (12.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (12.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (12.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (12.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (12.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (12.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (12.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (12.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Dec 19 - Dec 26 anneal (12)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Dec 19 - Dec 26 anneal (12)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Dec 19 - Dec 26 anneal (12)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Dec 19 - Dec 26 anneal (12)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Dec 19 - Dec 26 anneal (12)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Dec 19 - Dec 26 anneal (12)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Dec 19 - Dec 26 anneal (12)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Dec 19 - Dec 26 anneal (12)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Dec 19 - Dec 26 anneal (12)	2.0 Secs (2 Secs) [==>]	[1]	




Proposal 17019 - F814W & F438W mid Dec - Jan cycle (13) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W mid Dec - Jan cycle (13)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 02-JAN-2023:00:00:00 AND 09-JAN-2023:00:00:00</p> <p><i>Comments: Data halfway between anneals</i></p>
--------------	--

Diagnostics	(F814W & F438W mid Dec - Jan cycle (13)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (13.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (13.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (13.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (13.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (13.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (13.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (13.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (13.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Dec - Jan cycle (13)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Dec - Jan cycle (13)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Dec - Jan cycle (13)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Dec - Jan cycle (13)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Dec - Jan cycle (13)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Dec - Jan cycle (13)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Dec - Jan cycle (13)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Dec - Jan cycle (13)	2.0 Secs (2 Secs) [==>]	[1]
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Dec - Jan cycle (13)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W before Jan 16 - Jan 23 anneal (14) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W before Jan 16 - Jan 23 anneal (14)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 09-JAN-2023:00:00:00 AND 16-JAN-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Jan 16 - Jan 23</i></p>										
Diagnostics	<p>(F814W & F438W before Jan 16 - Jan 23 anneal (14)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (14.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp1 (14.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp1 (14.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp2 (14.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp3 (14.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp4 (14.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp2 (14.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp3 (14.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp4 (14.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p>										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Jan 16 - Jan 23 anneal (14)	60.0 Secs (60 Secs) [==>]	[1]		
2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jan 16 - Jan 23 anneal (14)	2.0 Secs (2 Secs) [==>]	[1]		
3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jan 16 - Jan 23 anneal (14)	360.0 Secs (360 Secs) [==>]	[1]		
4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jan 16 - Jan 23 anneal (14)	360.0 Secs (360 Secs) [==>]	[1]		
5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jan 16 - Jan 23 anneal (14)	360.0 Secs (360 Secs) [==>]	[1]		
6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jan 16 - Jan 23 anneal (14)	360.0 Secs (360 Secs) [==>]	[1]		
7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jan 16 - Jan 23 anneal (14)	2.0 Secs (2 Secs) [==>]	[1]		
8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jan 16 - Jan 23 anneal (14)	2.0 Secs (2 Secs) [==>]	[1]		
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jan 16 - Jan 23 anneal (14)	2.0 Secs (2 Secs) [==>]	[1]		




Proposal 17019 - F814W & F438W after Jan 16 - Jan 23 anneal (15) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W after Jan 16 - Jan 23 anneal (15)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 23-JAN-2023:00:00:00 AND 30-JAN-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Jan 16 - Jan 23 anneal</i></p>

Diagnostics	(F814W & F438W after Jan 16 - Jan 23 anneal (15)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (15.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (15.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (15.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (15.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (15.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (15.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (15.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (15.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Jan 16 - Jan 23 anneal (15)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jan 16 - Jan 23 anneal (15)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jan 16 - Jan 23 anneal (15)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jan 16 - Jan 23 anneal (15)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jan 16 - Jan 23 anneal (15)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jan 16 - Jan 23 anneal (15)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jan 16 - Jan 23 anneal (15)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jan 16 - Jan 23 anneal (15)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jan 16 - Jan 23 anneal (15)	2.0 Secs (2 Secs) [==>]	[1]



Proposal 17019 - F814W & F438W mid Jan - Feb cycle (16) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022


Visit	Proposal 17019, F814W & F438W mid Jan - Feb cycle (16) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 30-JAN-2023:00:00:00 AND 06-FEB-2023:00:00:00 <i>Comments: Data halfway between anneals</i>										
	Diagnostics	(F814W & F438W mid Jan - Feb cycle (16)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (16.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (16.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (16.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (16.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (16.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (16.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (16.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (16.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (16.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Jan - Feb cycle (16)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jan - Feb cycle (16)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jan - Feb cycle (16)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jan - Feb cycle (16)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jan - Feb cycle (16)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jan - Feb cycle (16)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jan - Feb cycle (16)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jan - Feb cycle (16)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jan - Feb cycle (16)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W before Feb 13 - Feb 20 anneal (17) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W before Feb 13 - Feb 20 anneal (17)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 06-FEB-2023:00:00:00 AND 13-FEB-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Feb 13 - Feb 20</i></p>																																																																																																														
Diagnostics	<p>(F814W & F438W before Feb 13 - Feb 20 anneal (17)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (17.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp1 (17.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp1 (17.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp2 (17.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp3 (17.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp4 (17.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp2 (17.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp3 (17.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp4 (17.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p>																																																																																																														
Exposures	<table border="1"> <thead> <tr> <th>#</th> <th>Label</th> <th>Target</th> <th>Config,Mode,Aperture</th> <th>Spectral Els.</th> <th>Opt. Params.</th> <th>Special Reqs.</th> <th>Groups</th> <th>Exp. Time (Total)/[Actual Dur.]</th> <th>Orbit</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>subarray for lamp warm up</td> <td>TUNGSTEN</td> <td>WFC3/UVIS, ACCUM, UVIS1-M512-SUB</td> <td>F645N</td> <td></td> <td></td> <td>Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)</td> <td>60.0 Secs (60 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>2</td> <td>F814W exp1</td> <td>TUNGSTEN</td> <td>WFC3/UVIS, ACCUM, UVIS</td> <td>F814W</td> <td></td> <td></td> <td>Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)</td> <td>2.0 Secs (2 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>3</td> <td>F438W exp1</td> <td>TUNGSTEN</td> <td>WFC3/UVIS, ACCUM, UVIS</td> <td>F438W</td> <td></td> <td></td> <td>Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)</td> <td>360.0 Secs (360 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>4</td> <td>F438W exp2</td> <td>TUNGSTEN</td> <td>WFC3/UVIS, ACCUM, UVIS</td> <td>F438W</td> <td></td> <td></td> <td>Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)</td> <td>360.0 Secs (360 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>5</td> <td>F438W exp3</td> <td>TUNGSTEN</td> <td>WFC3/UVIS, ACCUM, UVIS</td> <td>F438W</td> <td></td> <td></td> <td>Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)</td> <td>360.0 Secs (360 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>6</td> <td>F438W exp4</td> <td>TUNGSTEN</td> <td>WFC3/UVIS, ACCUM, UVIS</td> <td>F438W</td> <td></td> <td></td> <td>Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)</td> <td>360.0 Secs (360 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>7</td> <td>F814W exp2</td> <td>TUNGSTEN</td> <td>WFC3/UVIS, ACCUM, UVIS</td> <td>F814W</td> <td></td> <td></td> <td>Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)</td> <td>2.0 Secs (2 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>8</td> <td>F814W exp3</td> <td>TUNGSTEN</td> <td>WFC3/UVIS, ACCUM, UVIS</td> <td>F814W</td> <td></td> <td></td> <td>Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)</td> <td>2.0 Secs (2 Secs) [==>]</td> <td>[1]</td> </tr> <tr> <td>9</td> <td>F814W exp4</td> <td>TUNGSTEN</td> <td>WFC3/UVIS, ACCUM, UVIS</td> <td>F814W</td> <td></td> <td></td> <td>Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)</td> <td>2.0 Secs (2 Secs) [==>]</td> <td>[1]</td> </tr> </tbody> </table>											#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	60.0 Secs (60 Secs) [==>]	[1]	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	2.0 Secs (2 Secs) [==>]	[1]	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	360.0 Secs (360 Secs) [==>]	[1]	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	360.0 Secs (360 Secs) [==>]	[1]	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	360.0 Secs (360 Secs) [==>]	[1]	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	360.0 Secs (360 Secs) [==>]	[1]	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	2.0 Secs (2 Secs) [==>]	[1]	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	2.0 Secs (2 Secs) [==>]	[1]	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	2.0 Secs (2 Secs) [==>]	[1]
#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit																																																																																																						
1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	60.0 Secs (60 Secs) [==>]	[1]																																																																																																						
2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	2.0 Secs (2 Secs) [==>]	[1]																																																																																																						
3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	360.0 Secs (360 Secs) [==>]	[1]																																																																																																						
4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	360.0 Secs (360 Secs) [==>]	[1]																																																																																																						
5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	360.0 Secs (360 Secs) [==>]	[1]																																																																																																						
6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	360.0 Secs (360 Secs) [==>]	[1]																																																																																																						
7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	2.0 Secs (2 Secs) [==>]	[1]																																																																																																						
8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	2.0 Secs (2 Secs) [==>]	[1]																																																																																																						
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Feb 13 - Feb 20 anneal (17)	2.0 Secs (2 Secs) [==>]	[1]																																																																																																						




Proposal 17019 - F814W & F438W after Feb 13 - Feb 20 anneal (18) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W after Feb 13 - Feb 20 anneal (18)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 20-FEB-2023:00:00:00 AND 27-FEB-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Feb 13 - Feb 20 anneal</i></p>

Diagnostics	(F814W & F438W after Feb 13 - Feb 20 anneal (18)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (18.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (18.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (18.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (18.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (18.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (18.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (18.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (18.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Feb 13 - Feb 20 anneal (18)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Feb 13 - Feb 20 anneal (18)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Feb 13 - Feb 20 anneal (18)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Feb 13 - Feb 20 anneal (18)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Feb 13 - Feb 20 anneal (18)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Feb 13 - Feb 20 anneal (18)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Feb 13 - Feb 20 anneal (18)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Feb 13 - Feb 20 anneal (18)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Feb 13 - Feb 20 anneal (18)	2.0 Secs (2 Secs) [==>]	[1]



Proposal 17019 - F814W & F438W mid Feb - Mar cycle (19) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022


Visit	Proposal 17019, F814W & F438W mid Feb - Mar cycle (19) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 27-FEB-2023:00:00:00 AND 06-MAR-2023:00:00:00 <i>Comments: Data halfway between anneals</i>										
	Diagnostics	(F814W & F438W mid Feb - Mar cycle (19)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (19.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (19.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (19.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (19.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (19.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (19.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (19.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (19.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (19.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Feb - Mar cycle (19)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Feb - Mar cycle (19)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Feb - Mar cycle (19)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Feb - Mar cycle (19)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Feb - Mar cycle (19)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Feb - Mar cycle (19)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Feb - Mar cycle (19)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Feb - Mar cycle (19)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Feb - Mar cycle (19)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W before Mar 13 - Mar 20 anneal (20) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022


Visit	<p>Proposal 17019, F814W & F438W before Mar 13 - Mar 20 anneal (20)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 06-MAR-2023:00:00:00 AND 13-MAR-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Mar 14 - Mar 21</i></p>										
Diagnostics	<p>(F814W & F438W before Mar 13 - Mar 20 anneal (20)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (20.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp1 (20.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp1 (20.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp2 (20.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp3 (20.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp4 (20.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp2 (20.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp3 (20.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp4 (20.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p>										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N				Sequence 1-9 Non-Int in F814W & F438W before Mar 13 - Mar 20 anneal (20)	60.0 Secs (60 Secs) [==>]	[1]	
2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W				Sequence 1-9 Non-Int in F814W & F438W before Mar 13 - Mar 20 anneal (20)	2.0 Secs (2 Secs) [==>]	[1]	
3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W				Sequence 1-9 Non-Int in F814W & F438W before Mar 13 - Mar 20 anneal (20)	360.0 Secs (360 Secs) [==>]	[1]	
4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W				Sequence 1-9 Non-Int in F814W & F438W before Mar 13 - Mar 20 anneal (20)	360.0 Secs (360 Secs) [==>]	[1]	
5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W				Sequence 1-9 Non-Int in F814W & F438W before Mar 13 - Mar 20 anneal (20)	360.0 Secs (360 Secs) [==>]	[1]	
6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W				Sequence 1-9 Non-Int in F814W & F438W before Mar 13 - Mar 20 anneal (20)	360.0 Secs (360 Secs) [==>]	[1]	
7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W				Sequence 1-9 Non-Int in F814W & F438W before Mar 13 - Mar 20 anneal (20)	2.0 Secs (2 Secs) [==>]	[1]	
8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W				Sequence 1-9 Non-Int in F814W & F438W before Mar 13 - Mar 20 anneal (20)	2.0 Secs (2 Secs) [==>]	[1]	
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W				Sequence 1-9 Non-Int in F814W & F438W before Mar 13 - Mar 20 anneal (20)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W after Mar 13 - Mar 20 anneal (21) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:33 GMT 2022


Visit	Proposal 17019, F814W & F438W after Mar 13 - Mar 20 anneal (21) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 20-MAR-2023:00:00:00 AND 27-MAR-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately after the UVIS anneal for the week of Mar 13 - Mar 20 anneal</i>										
	Diagnostics	(F814W & F438W after Mar 13 - Mar 20 anneal (21)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (21.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (21.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (21.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (21.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (21.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (21.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (21.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (21.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (21.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Mar 13 - Mar 20 anneal (21)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Mar 13 - Mar 20 anneal (21)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Mar 13 - Mar 20 anneal (21)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Mar 13 - Mar 20 anneal (21)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Mar 13 - Mar 20 anneal (21)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Mar 13 - Mar 20 anneal (21)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Mar 13 - Mar 20 anneal (21)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Mar 13 - Mar 20 anneal (21)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Mar 13 - Mar 20 anneal (21)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W mid Mar - Apr cycle (22) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W mid Mar - Apr cycle (22)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 27-MAR-2023:00:00:00 AND 03-APR-2023:00:00:00</p> <p><i>Comments: Data halfway between anneals</i></p>									
	<p>(F814W & F438W mid Mar - Apr cycle (22)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (22.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp1 (22.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp1 (22.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp2 (22.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp3 (22.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp4 (22.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp2 (22.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp3 (22.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp4 (22.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Mar - Apr cycle (22)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Mar - Apr cycle (22)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Mar - Apr cycle (22)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Mar - Apr cycle (22)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Mar - Apr cycle (22)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Mar - Apr cycle (22)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Mar - Apr cycle (22)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Mar - Apr cycle (22)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Mar - Apr cycle (22)	2.0 Secs (2 Secs) [==>]	[1]




Proposal 17019 - F814W & F438W before Apr 10 - Apr 17 anneal (23) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W before Apr 10 - Apr 17 anneal (23)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 03-APR-2023:00:00:00 AND 10-APR-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Apr 10 - Apr 17</i></p>
--------------	---

Diagnostics	(F814W & F438W before Apr 10 - Apr 17 anneal (23)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (23.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (23.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (23.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (23.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (23.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (23.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (23.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (23.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Apr 10 - Apr 17 anneal (23)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Apr 10 - Apr 17 anneal (23)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Apr 10 - Apr 17 anneal (23)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Apr 10 - Apr 17 anneal (23)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Apr 10 - Apr 17 anneal (23)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Apr 10 - Apr 17 anneal (23)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Apr 10 - Apr 17 anneal (23)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Apr 10 - Apr 17 anneal (23)	2.0 Secs (2 Secs) [==>]	[1]
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Apr 10 - Apr 17 anneal (23)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W after Apr 10 - Apr 17 anneal (24) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022


Visit	<p>Proposal 17019, F814W & F438W after Apr 10 - Apr 17 anneal (24)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 17-APR-2023:00:00:00 AND 24-APR-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Apr 10 - Apr 17 anneal</i></p>										
Diagnostics	<p>(F814W & F438W after Apr 10 - Apr 17 anneal (24)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (24.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp1 (24.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp1 (24.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp2 (24.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp3 (24.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp4 (24.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp2 (24.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp3 (24.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp4 (24.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p>										
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N	Sequence 1-9 Non-Int in F814W & F438W after Apr 10 - Apr 17 anneal (24)	60.0 Secs (60 Secs)	[==>]		[1]		
2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W	Sequence 1-9 Non-Int in F814W & F438W after Apr 10 - Apr 17 anneal (24)	2.0 Secs (2 Secs)	[==>]		[1]		
3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W	Sequence 1-9 Non-Int in F814W & F438W after Apr 10 - Apr 17 anneal (24)	360.0 Secs (360 Secs)	[==>]		[1]		
4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W	Sequence 1-9 Non-Int in F814W & F438W after Apr 10 - Apr 17 anneal (24)	360.0 Secs (360 Secs)	[==>]		[1]		
5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W	Sequence 1-9 Non-Int in F814W & F438W after Apr 10 - Apr 17 anneal (24)	360.0 Secs (360 Secs)	[==>]		[1]		
6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W	Sequence 1-9 Non-Int in F814W & F438W after Apr 10 - Apr 17 anneal (24)	360.0 Secs (360 Secs)	[==>]		[1]		
7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W	Sequence 1-9 Non-Int in F814W & F438W after Apr 10 - Apr 17 anneal (24)	2.0 Secs (2 Secs)	[==>]		[1]		
8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W	Sequence 1-9 Non-Int in F814W & F438W after Apr 10 - Apr 17 anneal (24)	2.0 Secs (2 Secs)	[==>]		[1]		
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W	Sequence 1-9 Non-Int in F814W & F438W after Apr 10 - Apr 17 anneal (24)	2.0 Secs (2 Secs)	[==>]		[1]		



Proposal 17019 - F814W & F438W mid Apr - May cycle (25) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022


Visit	<p>Proposal 17019, F814W & F438W mid Apr - May cycle (25)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 24-APR-2023:00:00:00 AND 01-MAY-2023:00:00:00</p> <p><i>Comments: Data halfway between anneals</i></p>									
	<p>(F814W & F438W mid Apr - May cycle (25)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (25.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp1 (25.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp1 (25.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp2 (25.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp3 (25.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp4 (25.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp2 (25.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp3 (25.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp4 (25.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p>									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Apr - May cycle (25)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Apr - May cycle (25)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Apr - May cycle (25)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Apr - May cycle (25)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Apr - May cycle (25)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Apr - May cycle (25)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Apr - May cycle (25)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Apr - May cycle (25)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Apr - May cycle (25)	2.0 Secs (2 Secs) [==>]	[1]



Proposal 17019 - F814W & F438W before May 08 - May 15 anneal (26) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	Proposal 17019, F814W & F438W before May 08 - May 15 anneal (26) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 01-MAY-2023:00:00:00 AND 08-MAY-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of May 08 - May 15</i>										
	Diagnostics	(F814W & F438W before May 08 - May 15 anneal (26)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (26.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (26.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (26.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (26.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (26.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (26.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (26.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (26.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (26.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before May 08 - May 15 anneal (26)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before May 08 - May 15 anneal (26)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before May 08 - May 15 anneal (26)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before May 08 - May 15 anneal (26)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before May 08 - May 15 anneal (26)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before May 08 - May 15 anneal (26)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before May 08 - May 15 anneal (26)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before May 08 - May 15 anneal (26)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before May 08 - May 15 anneal (26)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W after May 08 - May 15 anneal (27) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W after May 08 - May 15 anneal (27)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 15-MAY-2023:00:00:00 AND 22-MAY-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of May 08 - May 15 anneal</i></p>
--------------	---


Diagnostics	(F814W & F438W after May 08 - May 15 anneal (27)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (27.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (27.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (27.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (27.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (27.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (27.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (27.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (27.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after May 08 - May 15 anneal (27)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after May 08 - May 15 anneal (27)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after May 08 - May 15 anneal (27)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after May 08 - May 15 anneal (27)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after May 08 - May 15 anneal (27)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after May 08 - May 15 anneal (27)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after May 08 - May 15 anneal (27)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after May 08 - May 15 anneal (27)	2.0 Secs (2 Secs) [==>]	[1]
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after May 08 - May 15 anneal (27)	2.0 Secs (2 Secs) [==>]	[1]	

Proposal 17019 - F814W & F438W mid May - Jun cycle (28) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	Proposal 17019, F814W & F438W mid May - Jun cycle (28) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 22-MAY-2023:00:00:00 AND 29-MAY-2023:00:00:00 <i>Comments: Data halfway between anneals</i>										
	Diagnostics	(F814W & F438W mid May - Jun cycle (28)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (28.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (28.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (28.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (28.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (28.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (28.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (28.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (28.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (28.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid May - Jun cycle (28)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid May - Jun cycle (28)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid May - Jun cycle (28)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid May - Jun cycle (28)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid May - Jun cycle (28)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid May - Jun cycle (28)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid May - Jun cycle (28)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid May - Jun cycle (28)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid May - Jun cycle (28)	2.0 Secs (2 Secs) [==>]	[1]	




Proposal 17019 - F814W & F438W before Jun 05 - Jun 12 anneal (29) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W before Jun 05 - Jun 12 anneal (29)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 29-MAY-2023:00:00:00 AND 05-JUN-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Jun 05 - Jun 12</i></p>
--------------	---

Diagnostics	(F814W & F438W before Jun 05 - Jun 12 anneal (29)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (29.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (29.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (29.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (29.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (29.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (29.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (29.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (29.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Jun 05 - Jun 12 anneal (29)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jun 05 - Jun 12 anneal (29)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jun 05 - Jun 12 anneal (29)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jun 05 - Jun 12 anneal (29)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jun 05 - Jun 12 anneal (29)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jun 05 - Jun 12 anneal (29)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jun 05 - Jun 12 anneal (29)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jun 05 - Jun 12 anneal (29)	2.0 Secs (2 Secs) [==>]	[1]
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jun 05 - Jun 12 anneal (29)	2.0 Secs (2 Secs) [==>]	[1]	




Proposal 17019 - F814W & F438W after Jun 05 - Jun 12 anneal (30) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W after Jun 05 - Jun 12 anneal (30)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 12-JUN-2023:00:00:00 AND 19-JUN-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Jun 05 - Jun 12 anneal</i></p>
--------------	---

Diagnostics	(F814W & F438W after Jun 05 - Jun 12 anneal (30)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (30.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (30.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (30.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (30.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (30.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (30.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (30.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (30.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Jun 05 - Jun 12 anneal (30)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jun 05 - Jun 12 anneal (30)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jun 05 - Jun 12 anneal (30)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jun 05 - Jun 12 anneal (30)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jun 05 - Jun 12 anneal (30)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jun 05 - Jun 12 anneal (30)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jun 05 - Jun 12 anneal (30)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jun 05 - Jun 12 anneal (30)	2.0 Secs (2 Secs) [==>]	[1]
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jun 05 - Jun 12 anneal (30)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W mid Jun -Jul cycle (31) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	Proposal 17019, F814W & F438W mid Jun -Jul cycle (31) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 19-JUN-2023:00:00:00 AND 26-JUN-2023:00:00:00 <i>Comments: Data halfway between anneals</i>										
	Diagnostics	(F814W & F438W mid Jun -Jul cycle (31)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (31.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (31.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (31.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (31.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (31.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (31.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (31.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (31.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (31.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Jun -Jul cycle (31)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jun -Jul cycle (31)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jun -Jul cycle (31)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jun -Jul cycle (31)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jun -Jul cycle (31)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jun -Jul cycle (31)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jun -Jul cycle (31)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jun -Jul cycle (31)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jun -Jul cycle (31)	2.0 Secs (2 Secs) [==>]	[1]	




Proposal 17019 - F814W & F438W before Jul 03 - Jul 10 anneal (32) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W before Jul 03 - Jul 10 anneal (32)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 26-JUN-2023:00:00:00 AND 03-JUL-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Jul 03 - Jul 10</i></p>

Diagnostics	(F814W & F438W before Jul 03 - Jul 10 anneal (32)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (32.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (32.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (32.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (32.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (32.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (32.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (32.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (32.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Jul 03 - Jul 10 anneal (32)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jul 03 - Jul 10 anneal (32)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jul 03 - Jul 10 anneal (32)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jul 03 - Jul 10 anneal (32)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jul 03 - Jul 10 anneal (32)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jul 03 - Jul 10 anneal (32)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jul 03 - Jul 10 anneal (32)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jul 03 - Jul 10 anneal (32)	2.0 Secs (2 Secs) [==>]	[1]
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jul 03 - Jul 10 anneal (32)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W after Jul 03 - Jul 10 anneal (33) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022


Visit	Proposal 17019, F814W & F438W after Jul 03 - Jul 10 anneal (33) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 10-JUL-2023:00:00:00 AND 17-JUL-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Jul 03 - Jul 10 anneal</i>										
	Diagnostics	(F814W & F438W after Jul 03 - Jul 10 anneal (33)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (33.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (33.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (33.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (33.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (33.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (33.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (33.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (33.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (33.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Jul 03 - Jul 10 anneal (33)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jul 03 - Jul 10 anneal (33)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jul 03 - Jul 10 anneal (33)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jul 03 - Jul 10 anneal (33)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jul 03 - Jul 10 anneal (33)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jul 03 - Jul 10 anneal (33)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jul 03 - Jul 10 anneal (33)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jul 03 - Jul 10 anneal (33)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jul 03 - Jul 10 anneal (33)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W mid Jul - Aug cycle (34) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022


Visit	Proposal 17019, F814W & F438W mid Jul - Aug cycle (34) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 17-JUL-2023:00:00:00 AND 24-JUL-2023:00:00:00 <i>Comments: Data halfway between anneals</i>										
	Diagnostics	(F814W & F438W mid Jul - Aug cycle (34)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (34.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (34.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (34.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (34.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (34.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (34.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (34.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (34.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (34.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Jul - Aug cycle (34)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jul - Aug cycle (34)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jul - Aug cycle (34)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jul - Aug cycle (34)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jul - Aug cycle (34)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Jul - Aug cycle (34)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jul - Aug cycle (34)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jul - Aug cycle (34)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Jul - Aug cycle (34)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W before Jul 31 - Aug 07 anneal (35) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022


Visit	Proposal 17019, F814W & F438W before Jul 31 - Aug 07 anneal (35) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 24-JUL-2023:00:00:00 AND 31-JUL-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Jul 31 - Aug 07</i>										
	Diagnostics	(F814W & F438W before Jul 31 - Aug 07 anneal (35)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (35.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (35.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (35.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (35.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (35.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (35.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (35.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (35.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (35.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Jul 31 - Aug 07 anneal (35)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jul 31 - Aug 07 anneal (35)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jul 31 - Aug 07 anneal (35)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jul 31 - Aug 07 anneal (35)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jul 31 - Aug 07 anneal (35)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Jul 31 - Aug 07 anneal (35)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jul 31 - Aug 07 anneal (35)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jul 31 - Aug 07 anneal (35)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Jul 31 - Aug 07 anneal (35)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W after Jul 31 - Aug 07 anneal (36) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022


Visit	Proposal 17019, F814W & F438W after Jul 31 - Aug 07 anneal (36) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 07-AUG-2023:00:00:00 AND 14-AUG-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Jul 31 - Aug 07 anneal</i>										
	Diagnostics	(F814W & F438W after Jul 31 - Aug 07 anneal (36)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (36.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (36.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (36.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (36.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (36.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (36.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (36.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (36.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (36.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Jul 31 - Aug 07 anneal (36)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jul 31 - Aug 07 anneal (36)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jul 31 - Aug 07 anneal (36)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jul 31 - Aug 07 anneal (36)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jul 31 - Aug 07 anneal (36)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Jul 31 - Aug 07 anneal (36)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jul 31 - Aug 07 anneal (36)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jul 31 - Aug 07 anneal (36)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Jul 31 - Aug 07 anneal (36)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W mid Aug - Sep cycle (37) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	Proposal 17019, F814W & F438W mid Aug - Sep cycle (37) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 14-AUG-2023:00:00:00 AND 21-AUG-2023:00:00:00 <i>Comments: Data halfway between anneals</i>									
	Diagnosics (F814W & F438W mid Aug - Sep cycle (37)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (37.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (37.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (37.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (37.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (37.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (37.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (37.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (37.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (37.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Aug - Sep cycle (37)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Aug - Sep cycle (37)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Aug - Sep cycle (37)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Aug - Sep cycle (37)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Aug - Sep cycle (37)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Aug - Sep cycle (37)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Aug - Sep cycle (37)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Aug - Sep cycle (37)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Aug - Sep cycle (37)	2.0 Secs (2 Secs) [==>]	[1]




Proposal 17019 - F814W & F438W before Aug 28 - Sep 04 anneal (38) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W before Aug 28 - Sep 04 anneal (38)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 21-AUG-2023:00:00:00 AND 28-AUG-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Aug 28 - Sep 04</i></p>

Diagnostics	(F814W & F438W before Aug 28 - Sep 04 anneal (38)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (38.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (38.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (38.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (38.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (38.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (38.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (38.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (38.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Aug 28 - Sep 04 anneal (38)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Aug 28 - Sep 04 anneal (38)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Aug 28 - Sep 04 anneal (38)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Aug 28 - Sep 04 anneal (38)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Aug 28 - Sep 04 anneal (38)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Aug 28 - Sep 04 anneal (38)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Aug 28 - Sep 04 anneal (38)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Aug 28 - Sep 04 anneal (38)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Aug 28 - Sep 04 anneal (38)	2.0 Secs (2 Secs) [==>]	[1]




Proposal 17019 - F814W & F438W after Aug 28 - Sep 04 anneal (39) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W after Aug 28 - Sep 04 anneal (39)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 04-SEP-2023:00:00:00 AND 11-SEP-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Aug 28 - Sep 04 anneal</i></p>
--------------	---

Diagnostics	(F814W & F438W after Aug 28 - Sep 04 anneal (39)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (39.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (39.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (39.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (39.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (39.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (39.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (39.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (39.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Aug 28 - Sep 04 anneal (39)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Aug 28 - Sep 04 anneal (39)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Aug 28 - Sep 04 anneal (39)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Aug 28 - Sep 04 anneal (39)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Aug 28 - Sep 04 anneal (39)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Aug 28 - Sep 04 anneal (39)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Aug 28 - Sep 04 anneal (39)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Aug 28 - Sep 04 anneal (39)	2.0 Secs (2 Secs) [==>]	[1]
9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Aug 28 - Sep 04 anneal (39)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W mid Sep - Oct cycle (40) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	Proposal 17019, F814W & F438W mid Sep - Oct cycle (40) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 11-SEP-2023:00:00:00 AND 18-SEP-2023:00:00:00 <i>Comments: Data halfway between anneals</i>									
	Diagnostics	(F814W & F438W mid Sep - Oct cycle (40)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (40.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (40.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (40.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (40.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (40.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (40.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (40.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (40.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (40.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser								
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Sep - Oct cycle (40)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Sep - Oct cycle (40)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Sep - Oct cycle (40)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Sep - Oct cycle (40)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Sep - Oct cycle (40)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Sep - Oct cycle (40)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Sep - Oct cycle (40)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Sep - Oct cycle (40)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Sep - Oct cycle (40)	2.0 Secs (2 Secs) [==>]	[1]




Proposal 17019 - F814W & F438W before Sep 25 - Oct 02 anneal (41) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W before Sep 25 - Oct 02 anneal (41)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 18-SEP-2023:00:00:00 AND 25-SEP-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Sep 25 - Oct 02</i></p>
--------------	---

Diagnostics	(F814W & F438W before Sep 25 - Oct 02 anneal (41)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (41.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (41.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (41.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (41.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (41.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (41.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (41.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (41.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W before Sep 25 - Oct 02 anneal (41)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Sep 25 - Oct 02 anneal (41)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Sep 25 - Oct 02 anneal (41)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Sep 25 - Oct 02 anneal (41)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Sep 25 - Oct 02 anneal (41)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W before Sep 25 - Oct 02 anneal (41)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Sep 25 - Oct 02 anneal (41)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Sep 25 - Oct 02 anneal (41)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W before Sep 25 - Oct 02 anneal (41)	2.0 Secs (2 Secs) [==>]	[1]



Proposal 17019 - F814W & F438W after Sep 25 - Oct 02 anneal (42) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	Proposal 17019, F814W & F438W after Sep 25 - Oct 02 anneal (42) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 02-OCT-2023:00:00:00 AND 09-OCT-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Sep 25 - Oct 02 anneal</i>										
	Diagnostics	(F814W & F438W after Sep 25 - Oct 02 anneal (42)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (42.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (42.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (42.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (42.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (42.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (42.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (42.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (42.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (42.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Sep 25 - Oct 02 anneal (42)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Sep 25 - Oct 02 anneal (42)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Sep 25 - Oct 02 anneal (42)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Sep 25 - Oct 02 anneal (42)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Sep 25 - Oct 02 anneal (42)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Sep 25 - Oct 02 anneal (42)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Sep 25 - Oct 02 anneal (42)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Sep 25 - Oct 02 anneal (42)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Sep 25 - Oct 02 anneal (42)	2.0 Secs (2 Secs) [==>]	[1]	




Proposal 17019 - F814W & F438W mid Oct -Nov cycle (43) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W mid Oct -Nov cycle (43)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 09-OCT-2023:00:00:00 AND 16-OCT-2023:00:00:00</p> <p><i>Comments: Data halfway between anneals</i></p>
	<p>(F814W & F438W mid Oct -Nov cycle (43)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (43.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp1 (43.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp1 (43.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp2 (43.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp3 (43.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F438W exp4 (43.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp2 (43.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp3 (43.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p> <p>(F814W exp4 (43.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser</p>


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
		1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W mid Oct -Nov cycle (43)	60.0 Secs (60 Secs) [==>]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Oct -Nov cycle (43)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Oct -Nov cycle (43)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Oct -Nov cycle (43)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Oct -Nov cycle (43)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W mid Oct -Nov cycle (43)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Oct -Nov cycle (43)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Oct -Nov cycle (43)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W mid Oct -Nov cycle (43)	2.0 Secs (2 Secs) [==>]	[1]



Proposal 17019 - 3F814W & F438W before Oct 23 - Oct 30 anneal (44) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	Proposal 17019, 3F814W & F438W before Oct 23 - Oct 30 anneal (44) Diagnostic Status: Warning Scientific Instruments: WFC3/UVIS Special Requirements: BETWEEN 16-OCT-2023:00:00:00 AND 23-OCT-2023:00:00:00 <i>Comments: This visit needs to be scheduled immediately prior to the UVIS anneal for the week of Oct 23 - Oct 30</i>										
	Diagnostics	(3F814W & F438W before Oct 23 - Oct 30 anneal (44)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (44.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp1 (44.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp1 (44.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp2 (44.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp3 (44.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F438W exp4 (44.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp2 (44.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp3 (44.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser (F814W exp4 (44.009)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in 3F814W & F438W before Oct 23 - Oct 30 anneal (44)	60.0 Secs (60 Secs) [==>]	[1]	
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in 3F814W & F438W before Oct 23 - Oct 30 anneal (44)	2.0 Secs (2 Secs) [==>]	[1]	
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in 3F814W & F438W before Oct 23 - Oct 30 anneal (44)	360.0 Secs (360 Secs) [==>]	[1]	
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in 3F814W & F438W before Oct 23 - Oct 30 anneal (44)	360.0 Secs (360 Secs) [==>]	[1]	
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in 3F814W & F438W before Oct 23 - Oct 30 anneal (44)	360.0 Secs (360 Secs) [==>]	[1]	
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in 3F814W & F438W before Oct 23 - Oct 30 anneal (44)	360.0 Secs (360 Secs) [==>]	[1]	
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in 3F814W & F438W before Oct 23 - Oct 30 anneal (44)	2.0 Secs (2 Secs) [==>]	[1]	
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in 3F814W & F438W before Oct 23 - Oct 30 anneal (44)	2.0 Secs (2 Secs) [==>]	[1]	
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in 3F814W & F438W before Oct 23 - Oct 30 anneal (44)	2.0 Secs (2 Secs) [==>]	[1]	



Proposal 17019 - F814W & F438W after Oct 23 - Oct 30 anneal (45) - WFC3 UVIS Pixel-to-Pixel QE Variations via Internal Flats

Fri Jul 15 15:01:34 GMT 2022

Visit	<p>Proposal 17019, F814W & F438W after Oct 23 - Oct 30 anneal (45)</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/UVIS</p> <p>Special Requirements: BETWEEN 30-OCT-2023:00:00:00 AND 06-NOV-2023:00:00:00</p> <p><i>Comments: This visit needs to be scheduled immediately after to the UVIS anneal for the week of Oct 23 - Oct 30 anneal</i></p>

Diagnostics	(F814W & F438W after Oct 23 - Oct 30 anneal (45)) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB SU (subarray for lamp warm up (45.001)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp1 (45.002)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp1 (45.003)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp2 (45.004)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp3 (45.005)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F438W exp4 (45.006)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp2 (45.007)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser
	(F814W exp3 (45.008)) Warning (Form): FLASH level may be too low for this exposure or a short subexposure. See extended explanation in the diagnostic browser

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	subarray for lamp warm up	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS1-M512-SUB	F645N			Sequence 1-9 Non-Int in F814W & F438W after Oct 23 - Oct 30 anneal (45)	60.0 Secs (60 Secs) [==>]	[1]
	2	F814W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Oct 23 - Oct 30 anneal (45)	2.0 Secs (2 Secs) [==>]	[1]
	3	F438W exp1	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Oct 23 - Oct 30 anneal (45)	360.0 Secs (360 Secs) [==>]	[1]
	4	F438W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Oct 23 - Oct 30 anneal (45)	360.0 Secs (360 Secs) [==>]	[1]
	5	F438W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Oct 23 - Oct 30 anneal (45)	360.0 Secs (360 Secs) [==>]	[1]
	6	F438W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F438W			Sequence 1-9 Non-Int in F814W & F438W after Oct 23 - Oct 30 anneal (45)	360.0 Secs (360 Secs) [==>]	[1]
	7	F814W exp2	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Oct 23 - Oct 30 anneal (45)	2.0 Secs (2 Secs) [==>]	[1]
	8	F814W exp3	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Oct 23 - Oct 30 anneal (45)	2.0 Secs (2 Secs) [==>]	[1]
	9	F814W exp4	TUNGSTEN	WFC3/UVIS, ACCUM, UVIS	F814W			Sequence 1-9 Non-Int in F814W & F438W after Oct 23 - Oct 30 anneal (45)	2.0 Secs (2 Secs) [==>]	[1]

