



12518 - Confirmation of a new outer planet orbiting beta Pictoris A

Cycle: 4, Proposal Category: DD

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Aidan Gibbs (PI)	University of California - San Diego
Dr. Jean-Baptiste Ruffio (CoI) (CoPI)	University of California - San Diego
Prof. Quinn Konopacky (CoI)	University of California - San Diego
Alexis Bidot (CoI)	Space Telescope Science Institute
Dr. Jerry Xuan (CoI)	University of California - Los Angeles
Dr. Aneesh Baburaj (CoI)	Northwestern University
Beck Dacus (CoI)	University of California - San Diego
Dr. Travis Stuart Barman (CoI)	University of Arizona
Dr. Marshall Perrin (CoI)	Space Telescope Science Institute
Dr. Bruce A. Macintosh (CoI)	University of California - Santa Cruz
Ms. Clarissa Rizzo Credidio Do O (CoI)	University of California - San Diego
Dr. Alexander Bogdan Madurowicz (CoI)	Space Telescope Science Institute

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
NIRSpec observations				
	1	bet Pic NIRSpec roll 1	NIRSpec IFU Spectroscopy	(1) bet-Pic
	2	bet Pic NIRSpec roll 2	NIRSpec IFU Spectroscopy	(1) bet-Pic
Observation Folder				
	3	bet Pic MRS	MIRI Medium Resolution Spectroscopy	(1) bet-Pic
	4	ref star MRS	MIRI Medium Resolution Spectroscopy	(2) N-CAR

ABSTRACT

We propose NIRSpec IFU and MIRI MRS observations of a newly discovered third planet candidate orbiting beta Pictoris A to confirm its proper motion and determine its fundamental properties. The new outer planet (<600 K; <2 MJup) was serendipitously discovered in the plane of the debris disk from NIRSpec IFU observations ($R\sim 2,700$; 4-5 μm). The existence of a third outer planet in the system was already postulated and has strong and immediate implications for the interpretation of on-going JWST programs due to its impact on the dynamics of both the other planets and the disk. We propose an additional NIRSpec IFU observation in late March 2026 to resolve the projected orbital motion and proper motion of the planet since the discovery epoch in Nov. 2025. We also propose follow-up MIRI MRS observations of bet Pic d in sub-band B to better determine its temperature and mass.

OBSERVING DESCRIPTION

We aim to measure the orbital motion of bet Pic d and its effective temperature (to constrain mass) using respectively the NIRSpec IFU (G395H/F290LP; $R\sim 2,700$; 3--5 μm) and MIRI MRS ($R\sim 3,700$; subband B). respectively.

The JWST observing window for bet Pic closes March 31 2026.

NIRSpec IFU observations:

The host star is $K=3.5$ and will saturate in less than two groups.

The V3PA constraints ($99 \text{ deg} < V3PA < 106 \text{ deg}$) is designed to ensure that the planet stays clear of diffraction spikes and the charge transfer on the NIRSpec detector. The saturation does not impact the planet detections as long as the planets are not in the same IFU slice as saturated pixels.

Between 4-5 μm , the planet is $\sim 1e-5$ fainter than the host star and separated by ~ 1.1 arcsec.

Two observatory rolls (>4 deg) are implemented to avoid chance alignment between the planet and the speckles, as well as for improving systematics by sampling the NIRSpec point cloud differently.

The two rolls cannot be interrupted to ensure consistency of the NIRSpec wavelength solution and wavefront errors.

A small cycling dither pattern with 16 dithers/roll is used to mitigate NIRSpec spatial undersampling.

The data will be acquired in G395H/F290LP, NRSIRS2RAPID, 4 groups, and 3 integrations.

No target acquisition is required.

MIRI MRS observations:

The host star bet Pic needs to be offset from the field of view to avoid as much stray light as possible.

The V3PA constraints for MRS ($83 \text{ deg} < \text{V3PA} < 88 \text{ deg}$) is to make sure the candidate is away from diffraction spikes and that the star can be shifted out of the field of view for all the dithers. We require a reference star observation with the same offsets to help with fringes calibration during the post-processing.

The two MRS observation cannot be interrupted to maximize consistency between the target and the reference observation.

The data will be acquired in the medium (B) sub band of MRS, with FAST ramps, 120 groups, and 4 integrations.

Target acquisition is required on both observations to enhance pointing accuracy and reproductibility of the fringes on the reference star.

Proposal 12518 - Targets - Confirmation of a new outer planet orbiting beta Pictoris A

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	bet-Pic	RA: 05 47 17.0877 (86.8211988d) Dec: -51 03 59.44 (-51.06651d) Equinox: J2000	Proper Motion RA: 5.16 mas/yr Proper Motion Dec: 84.041 mas/yr Parallax: 0.0509307" Epoch of Position: 2000	
Fixed Targets	<p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i></p> <p><i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i></p> <p><i>Category=Star</i> <i>Description=[A stars]</i> <i>Extended=NO</i></p>			
	(2)	N-CAR	RA: 06 34 58.5668 (98.7440283d) Dec: -52 58 32.03 (-52.97556d) Equinox: J2000	Proper Motion RA: -8.469571867308019E-4 sec of time/yr Proper Motion Dec: 0.010539999999999999 arcsec/yr Epoch of Position: 2015.5
Fixed Targets	<p><i>Comments:</i> <i>Category=Star</i> <i>Description=[A stars]</i> <i>Extended=NO</i></p>			

Proposal 12518 - Observation 1 - Confirmation of a new outer planet orbiting beta Pictoris A

Fri Mar 06 22:00:18 GMT 2026

Observation	<p>Proposal 12518, Observation 1: bet Pic NIRSpec roll 1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec IFU Spectroscopy</p>											
	<p>(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p> <p>(bet Pic NIRSpec roll 1 (Obs 1)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.</p>											
Diagnosics												
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous			
	(1)	bet-Pic	RA: 05 47 17.0877 (86.8211988d) Dec: -51 03 59.44 (-51.06651d) Equinox: J2000			Proper Motion RA: 5.16 mas/yr Proper Motion Dec: 84.041 mas/yr Parallax: 0.0509307" Epoch of Position: 2000						
<p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i></p> <p><i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i></p> <p><i>Category=Star</i> <i>Description=[A stars]</i> <i>Extended=NO</i></p>												
Template	TA Method						HFF Readout Mode					
	NONE						false					
Dithers	#	Dither Type		Size	Starting Point		Number of Points		Points			
	1	CYCLING		SMALL	1		16					
Spectral Elements	#	Grating/Filter	Readout Pattern	Groups/Int	Integrations/Exp	Leakcal	Dither	Autocal	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	G395H/F290LP	NRSRAPID	4	3	false	true	NONE	16	48	2576.825	

Proposal 12518 - Observation 1 - Confirmation of a new outer planet orbiting beta Pictoris A

Special Requirements

Aperture PA Range 237.97164917 to 244.97164917 Degrees (V3 99.0 to 106.0)

Group Observations 1, 2, Non-interruptible

Aperture PA Offset 1 from 2 by 4 to 20 Degrees (Same offsets in V3)

Proposal 12518 - Observation 2 - Confirmation of a new outer planet orbiting beta Pictoris A

Fri Mar 06 22:00:18 GMT 2026

Observation	<p>Proposal 12518, Observation 2: bet Pic NIRSpec roll 2</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec IFU Spectroscopy</p>											
	<p>(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (bet Pic NIRSpec roll 2 (Obs 2)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.</p>											
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous			
	(1)	bet-Pic	RA: 05 47 17.0877 (86.8211988d) Dec: -51 03 59.44 (-51.06651d) Equinox: J2000			Proper Motion RA: 5.16 mas/yr Proper Motion Dec: 84.041 mas/yr Parallax: 0.0509307" Epoch of Position: 2000						
<p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i></p> <p><i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i></p> <p><i>Category=Star</i> <i>Description=[A stars]</i> <i>Extended=NO</i></p>												
Template	TA Method					HFF Readout Mode						
	NONE					false						
Dithers	#	Dither Type		Size	Starting Point		Number of Points		Points			
	1	CYCLING		SMALL	1		16					
Spectral Elements	#	Grating/Filter	Readout Pattern	Groups/Int	Integrations/Exp	Leakcal	Dither	Autocal	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	G395H/F290LP	NRSRAPID	4	3	false	true	NONE	16	48	2576.825	

Proposal 12518 - Observation 2 - Confirmation of a new outer planet orbiting beta Pictoris A

Special Requirements

Aperture PA Range 237.97164917 to 244.97164917 Degrees (V3 99.0 to 106.0)

Group Observations 1, 2, Non-interruptible

Aperture PA Offset 1 from 2 by 4 to 20 Degrees (Same offsets in V3)

Proposal 12518 - Observation 3 - Confirmation of a new outer planet orbiting beta Pictoris A

Fri Mar 06 22:00:18 GMT 2026

Observation	Proposal 12518, Observation 3: bet Pic MRS Diagnostic Status: Warning Observing Template: MIRI Medium Resolution Spectroscopy																																																		
	(Visit 3:1) Warning (Form): Data Excess over lower threshold (Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																																																		
Diagnosics																																																			
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>bet-Pic</td> <td>RA: 05 47 17.0877 (86.8211988d) Dec: -51 03 59.44 (-51.06651d) Equinox: J2000</td> <td>Proper Motion RA: 5.16 mas/yr Proper Motion Dec: 84.041 mas/yr Parallax: 0.0509307" Epoch of Position: 2000</td> <td></td> </tr> </tbody> </table>	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous	(1)	bet-Pic	RA: 05 47 17.0877 (86.8211988d) Dec: -51 03 59.44 (-51.06651d) Equinox: J2000	Proper Motion RA: 5.16 mas/yr Proper Motion Dec: 84.041 mas/yr Parallax: 0.0509307" Epoch of Position: 2000		<p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i></p> <p><i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i></p> <p><i>Category=Star</i> <i>Description=[A stars]</i> <i>Extended=NO</i></p>																																							
	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous																																														
(1)	bet-Pic	RA: 05 47 17.0877 (86.8211988d) Dec: -51 03 59.44 (-51.06651d) Equinox: J2000	Proper Motion RA: 5.16 mas/yr Proper Motion Dec: 84.041 mas/yr Parallax: 0.0509307" Epoch of Position: 2000																																																
Acquisition	<table border="1"> <thead> <tr> <th>#</th> <th>Target</th> <th>Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>Optional ETC ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SAME</td> <td>FND</td> <td>FAST</td> <td>4</td> <td>1</td> <td>1</td> <td>11.1</td> <td>291450.4</td> </tr> </tbody> </table>	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	1	SAME	FND	FAST	4	1	1	11.1	291450.4																																
	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID																																										
1	SAME	FND	FAST	4	1	1	11.1	291450.4																																											
Template	<table border="1"> <thead> <tr> <th>Primary Channel</th> <th>Simultaneous Imaging</th> <th>Imager Subarray</th> <th>Grating Wheel Direction</th> </tr> </thead> <tbody> <tr> <td>All MRS</td> <td>NO</td> <td>FULL</td> <td>Allow Auto Reorder</td> </tr> </tbody> </table>		Primary Channel	Simultaneous Imaging	Imager Subarray	Grating Wheel Direction	All MRS	NO	FULL	Allow Auto Reorder																																									
	Primary Channel	Simultaneous Imaging	Imager Subarray	Grating Wheel Direction																																															
All MRS	NO	FULL	Allow Auto Reorder																																																
Mosaic	<table border="1"> <thead> <tr> <th>Rows</th> <th>Columns</th> <th>Row Overlap %</th> <th>Column Overlap %</th> <th>Row shift (deg)</th> <th>Column shift (deg)</th> <th>Tile Order</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>2</td> <td>98.0</td> <td>98.0</td> <td>0.0</td> <td>0.0</td> <td>DEFAULT</td> </tr> </tbody> </table>												Rows	Columns	Row Overlap %	Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order	2	2	98.0	98.0	0.0	0.0	DEFAULT																									
	Rows	Columns	Row Overlap %	Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order																																												
2	2	98.0	98.0	0.0	0.0	DEFAULT																																													
Dithers	<table border="1"> <thead> <tr> <th>#</th> <th>Dither Type</th> <th>Optimized For</th> <th>Direction</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2-Point</td> <td>EXTENDED SOURCE</td> <td>NEGATIVE</td> </tr> </tbody> </table>												#	Dither Type	Optimized For	Direction	1	2-Point	EXTENDED SOURCE	NEGATIVE																															
	#	Dither Type	Optimized For	Direction																																															
1	2-Point	EXTENDED SOURCE	NEGATIVE																																																
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Wavelength Range</th> <th>Detector</th> <th>Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Dither</th> <th>Total Dithers</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>Optional ETC ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>MEDIUM(B)</td> <td>MRSLONG</td> <td></td> <td>FASTR1</td> <td>120</td> <td>4</td> <td>1</td> <td>Dither 1</td> <td>2</td> <td>8</td> <td>2680.689</td> <td></td> </tr> <tr> <td>1</td> <td>MEDIUM(B)</td> <td>MRSSHORT</td> <td></td> <td>FASTR1</td> <td>120</td> <td>4</td> <td>1</td> <td>Dither 1</td> <td>2</td> <td>8</td> <td>2680.689</td> <td></td> </tr> </tbody> </table>												#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	1	MEDIUM(B)	MRSLONG		FASTR1	120	4	1	Dither 1	2	8	2680.689		1	MEDIUM(B)	MRSSHORT		FASTR1	120	4	1	Dither 1	2	8	2680.689	
	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID																																						
	1	MEDIUM(B)	MRSLONG		FASTR1	120	4	1	Dither 1	2	8	2680.689																																							
1	MEDIUM(B)	MRSSHORT		FASTR1	120	4	1	Dither 1	2	8	2680.689																																								

Proposal 12518 - Observation 3 - Confirmation of a new outer planet orbiting beta Pictoris A

Special Requirements

Aperture PA Range 83.0 to 88.0 Degrees (V3 83.0 to 88.0)

Offset 2.0 arcsec, 1.75 arcsec

Group Observations 3, 4, Non-interruptible

Proposal 12518 - Observation 4 - Confirmation of a new outer planet orbiting beta Pictoris A

Fri Mar 06 22:00:18 GMT 2026

Observation	Proposal 12518, Observation 4: ref star MRS Diagnostic Status: Warning Observing Template: MIRI Medium Resolution Spectroscopy												
	(Visit 4:1) Warning (Form): Data Excess over lower threshold (Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous				
	(2)	N-CAR	RA: 06 34 58.5668 (98.7440283d) Dec: -52 58 32.03 (-52.97556d) Equinox: J2000			Proper Motion RA: -8.469571867308019E-4 sec of time/yr Proper Motion Dec: 0.010539999999999999 arcsec/yr Epoch of Position: 2015.5							
Comments: Category=Star Description=[A stars] Extended=NO													
Acquisition	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID				
	1	SAME	FND	FAST	4	1	1	11.1	291450.5				
Template	Primary Channel			Simultaneous Imaging			Imager Subarray			Grating Wheel Direction			
	All MRS			NO			FULL			Allow Auto Reorder			
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)		Column shift (deg)		Tile Order		
	2	2	98.0		98.0		0.0		0.0		DEFAULT		
Dithers	#	Dither Type			Optimized For			Direction					
	1	2-Point			EXTENDED SOURCE			NEGATIVE					
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	MEDIUM(B)	MRSLONG		FASTR1	120	4	1	Dither 1	2	8	2680.689	
	1	MEDIUM(B)	MRSSHORT		FASTR1	120	4	1	Dither 1	2	8	2680.689	

Proposal 12518 - Observation 4 - Confirmation of a new outer planet orbiting beta Pictoris A

Special Requirements

Aperture PA Range 83.0 to 88.0 Degrees (V3 83.0 to 88.0)

Offset 2.0 arcsec, 1.75 arcsec

Group Observations 3, 4, Non-interruptible