



1483 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Cycle: 1, Proposal Category: CAL/NIRCAM

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Alicia Canipe (PI)	Space Telescope Science Institute
Dr. Martha L. Boyer (CoI) (Contact)	Space Telescope Science Institute
Dr. Karl Misselt (CoI)	University of Arizona
Dr. Marcia J. Rieke (CoI)	University of Arizona
Dr. John A. Stansberry (CoI)	Space Telescope Science Institute

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Module A - Epoch 1				
	38	SUB640-210R	NIRCcam Dark	NONE
	58	SUB640-SWB	NIRCcam Dark	NONE
	39	SUB320-335R	NIRCcam Dark	NONE
	59	SUB320-430R	NIRCcam Dark	NONE
	60	SUB320-LWB	NIRCcam Dark	NONE
	41	SUB400P	NIRCcam Dark	NONE
	42	SUB160P	NIRCcam Dark	NONE
	261	SUB160P	NIRCcam Dark	NONE
	63	SUB64P	NIRCcam Dark	NONE
	262	SUB64P	NIRCcam Dark	NONE
	64	SUBGRISM256 Nout=1	NIRCcam Dark	NONE
	65	SUBGRISM128 Nout=1	NIRCcam Dark	NONE

JWST Proposal 1483 (Created: Thursday, March 21, 2024 at 4:00:40 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	263	SUBGRISM128 Nout=1	NIRCam Dark	NONE
	231	SUBGRISM128 Nout=1	NIRCam Dark	NONE
	264	SUBGRISM128 Nout=1	NIRCam Dark	NONE
	66	SUBGRISM64 Nout=1	NIRCam Dark	NONE
	265	SUBGRISM64 Nout=1	NIRCam Dark	NONE
	241	SUBGRISM64 Nout=1	NIRCam Dark	NONE
	266	SUBGRISM64 Nout=1	NIRCam Dark	NONE
	153	SUB160	NIRCam Dark	NONE
	260	SUB160	NIRCam Dark	NONE
	154	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	155	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	267	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	236	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	268	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	156	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	269	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	246	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	270	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module A - Epoch 2				
	70	SUB640-210R	NIRCam Dark	NONE
	71	SUB640-SWB	NIRCam Dark	NONE
	72	SUB320-335R	NIRCam Dark	NONE
	73	SUB320-430R	NIRCam Dark	NONE
	74	SUB320-LWB	NIRCam Dark	NONE
	75	SUB400P	NIRCam Dark	NONE
	76	SUB160P	NIRCam Dark	NONE

JWST Proposal 1483 (Created: Thursday, March 21, 2024 at 4:00:40 PM Eastern Standard Time) - Overview

Folder	Observation	Label	Observing Template	Science Target
	203	SUB160P	NIRCam Dark	NONE
	77	SUB64P	NIRCam Dark	NONE
	251	SUB64P	NIRCam Dark	NONE
	78	SUBGRISM256	NIRCam Dark	NONE
	79	SUBGRISM128	NIRCam Dark	NONE
	271	SUBGRISM128	NIRCam Dark	NONE
	232	SUBGRISM128	NIRCam Dark	NONE
	272	SUBGRISM128	NIRCam Dark	NONE
	80	SUBGRISM64	NIRCam Dark	NONE
	273	SUBGRISM64	NIRCam Dark	NONE
	242	SUBGRISM64	NIRCam Dark	NONE
	274	SUBGRISM64	NIRCam Dark	NONE
	157	SUB160	NIRCam Dark	NONE
	212	SUB160	NIRCam Dark	NONE
	158	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	159	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	275	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	237	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	276	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	160	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	277	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	247	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	278	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module A - Epoch 3				
	83	SUB640-210R	NIRCam Dark	NONE
	84	SUB640-SWB	NIRCam Dark	NONE
	85	SUB320-335R	NIRCam Dark	NONE
	86	SUB320-430R	NIRCam Dark	NONE
	87	SUB320-LWB	NIRCam Dark	NONE

JWST Proposal 1483 (Created: Thursday, March 21, 2024 at 4:00:40 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	88	SUB400P	NIRCam Dark	NONE
	89	SUB160P	NIRCam Dark	NONE
	204	SUB160P	NIRCam Dark	NONE
	90	SUB64P	NIRCam Dark	NONE
	252	SUB64P	NIRCam Dark	NONE
	91	SUBGRISM256	NIRCam Dark	NONE
	92	SUBGRISM128	NIRCam Dark	NONE
	279	SUBGRISM128	NIRCam Dark	NONE
	233	SUBGRISM128	NIRCam Dark	NONE
	280	SUBGRISM128	NIRCam Dark	NONE
	93	SUBGRISM64	NIRCam Dark	NONE
	281	SUBGRISM64	NIRCam Dark	NONE
	243	SUBGRISM64	NIRCam Dark	NONE
	282	SUBGRISM64	NIRCam Dark	NONE
	161	SUB160	NIRCam Dark	NONE
	213	SUB160	NIRCam Dark	NONE
	162	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	163	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	283	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	238	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	284	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	164	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	285	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	248	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	286	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module A - Epoch 4				
	96	SUB640-210R	NIRCam Dark	NONE
	97	SUB640-SWB	NIRCam Dark	NONE
	98	SUB320-335R	NIRCam Dark	NONE

JWST Proposal 1483 (Created: Thursday, March 21, 2024 at 4:00:40 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	99	SUB320-430R	NIRCam Dark	NONE
	100	SUB320-LWB	NIRCam Dark	NONE
	101	SUB400P	NIRCam Dark	NONE
	102	SUB160P	NIRCam Dark	NONE
	205	SUB160P	NIRCam Dark	NONE
	103	SUB64P	NIRCam Dark	NONE
	253	SUB64P	NIRCam Dark	NONE
	104	SUBGRISM256	NIRCam Dark	NONE
	105	SUBGRISM128	NIRCam Dark	NONE
	106	SUBGRISM64	NIRCam Dark	NONE
	165	SUB160	NIRCam Dark	NONE
	214	SUB160	NIRCam Dark	NONE
	166	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	167	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	291	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	239	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	292	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	168	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	293	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	249	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	294	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module A - Epoch 5				
	109	SUB640-210R	NIRCam Dark	NONE
	110	SUB640-SWB	NIRCam Dark	NONE
	111	SUB320-335R	NIRCam Dark	NONE
	112	SUB320-430R	NIRCam Dark	NONE
	113	SUB320-LWB	NIRCam Dark	NONE
	114	SUB400P	NIRCam Dark	NONE
	115	SUB160P	NIRCam Dark	NONE

JWST Proposal 1483 (Created: Thursday, March 21, 2024 at 4:00:40 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	206	SUB160P	NIRCam Dark	NONE
	116	SUB64P	NIRCam Dark	NONE
	254	SUB64P	NIRCam Dark	NONE
	117	SUBGRISM256	NIRCam Dark	NONE
	118	SUBGRISM128	NIRCam Dark	NONE
	119	SUBGRISM64	NIRCam Dark	NONE
	169	SUB160	NIRCam Dark	NONE
	215	SUB160	NIRCam Dark	NONE
	170	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	171	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	299	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	240	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	300	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	172	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	301	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	250	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	302	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module B - Epoch 1				
	48	SUB640	NIRCam Dark	NONE
	183	SUB640	NIRCam Dark	NONE
	49	SUB320	NIRCam Dark	NONE
	188	SUB320	NIRCam Dark	NONE
	50	SUB160	NIRCam Dark	NONE
	216	SUB160	NIRCam Dark	NONE
	67	SUB400P	NIRCam Dark	NONE
	68	SUB160P	NIRCam Dark	NONE
	207	SUB160P	NIRCam Dark	NONE
	69	SUB64P	NIRCam Dark	NONE
	255	SUB64P	NIRCam Dark	NONE

JWST Proposal 1483 (Created: Thursday, March 21, 2024 at 4:00:40 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Module B - Epoch 2				
	122	SUB640	NIRCam Dark	NONE
	184	SUB640	NIRCam Dark	NONE
	123	SUB320	NIRCam Dark	NONE
	189	SUB320	NIRCam Dark	NONE
	124	SUB160	NIRCam Dark	NONE
	217	SUB160	NIRCam Dark	NONE
	125	SUB400P	NIRCam Dark	NONE
	126	SUB160P	NIRCam Dark	NONE
	208	SUB160P	NIRCam Dark	NONE
	127	SUB64P	NIRCam Dark	NONE
	256	SUB64P	NIRCam Dark	NONE
Module B - Epoch 3				
	130	SUB640	NIRCam Dark	NONE
	185	SUB640	NIRCam Dark	NONE
	131	SUB320	NIRCam Dark	NONE
	190	SUB320	NIRCam Dark	NONE
	132	SUB160	NIRCam Dark	NONE
	218	SUB160	NIRCam Dark	NONE
	133	SUB400P	NIRCam Dark	NONE
	134	SUB160P	NIRCam Dark	NONE
	209	SUB160P	NIRCam Dark	NONE
	135	SUB64P	NIRCam Dark	NONE
	257	SUB64P	NIRCam Dark	NONE
Module B - Epoch 4				
	138	SUB640	NIRCam Dark	NONE
	186	SUB640	NIRCam Dark	NONE
	139	SUB320	NIRCam Dark	NONE
	191	SUB320	NIRCam Dark	NONE
	140	SUB160	NIRCam Dark	NONE
	219	SUB160	NIRCam Dark	NONE
	141	SUB400P	NIRCam Dark	NONE

JWST Proposal 1483 (Created: Thursday, March 21, 2024 at 4:00:40 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	142	SUB160P	NIRCam Dark	NONE
	210	SUB160P	NIRCam Dark	NONE
	143	SUB64P	NIRCam Dark	NONE
	258	SUB64P	NIRCam Dark	NONE
Module B - Epoch 5				
	146	SUB640	NIRCam Dark	NONE
	187	SUB640	NIRCam Dark	NONE
	147	SUB320	NIRCam Dark	NONE
	192	SUB320	NIRCam Dark	NONE
	148	SUB160	NIRCam Dark	NONE
	220	SUB160	NIRCam Dark	NONE
	149	SUB400P	NIRCam Dark	NONE
	150	SUB160P	NIRCam Dark	NONE
	211	SUB160P	NIRCam Dark	NONE
	151	SUB64P	NIRCam Dark	NONE
	259	SUB64P	NIRCam Dark	NONE

ABSTRACT

This program takes Dark frames for the NIRCam subarrays using the equivalent of every readout pattern. For this activity, the pupil wheels will be set to the “Dark” position. The data will be used to further characterize readnoise, 1/f noise, IPC, cross-talk, and superbias. Dark frames are particularly important for subarrays because of ‘glow’ from the amplifiers, which accumulates each time a pixel is read out. Since subarrays have short frametimes, the glow accumulates much faster than it does in the full frame images. The glow may produce significant structure across subarrays, and is also expected to change if the ASICs are re-tuned. Note that at the time of submission, APT does not include the SUB96DHSPIL subarray in the Dark template. Engineering mode is used here to obtain darks in that subarray, but the time estimates are inflated (they include slews). We will obtain 5 epochs of darks, with a similar cadence to the full-frame darks program.

This calibration program is provisional and may change in response to system developments and the final science program.

OBSERVING DESCRIPTION

March 2024 ACanipe: Updated timing SR links to BETWEENs due to issues with AFTERs

July 2022: Updated subarray darks plan to more accurately reflect Cycle 1 program usage.

Canipe / Misselt / Boyer resubmitted with APT 2022.3.1

Jan 2022 MBoyer

Resubmitted with APT2022.1

Changed timing constraints for Dec 25, 2021 launch.

Added SUBGRISM* Nout=4 darks for module A (all 5 epochs)

Added SUB160 darks for module A (all 5 epochs)

Removed DHSPIL darks

Sep 2020 MBoyer

Resubmitted with APT 2020.4

Added timing constraints for an Oct 31, 2020 launch.

JWST Proposal 1483 (Created: Thursday, March 21, 2024 at 4:00:40 PM Eastern Standard Time) - Overview

The DHSPIL observations use a generic DARK target, and cannot be given timing constraints of a specific date or be linked to observations that don't have generic targets. Timing constraints will need to be added in future iterations of this program.

March 2020 MBoyer

APT 2020.2 now enables most subarrays in the Darks template.

Changes

- All observations now switched to the Darks template except for SUB96DHSPIL.
- Removed SUB64MIMF observations
- Added additional epochs
- Added timing constraints

The DHSPIL observations are listed as placeholders because these subarrays are not yet in the Darks template. We can take darks with the Engineering template, but this adds significant overheads. We may remove these from the program altogether.

Nov 2019 MBoyer

The RAPID readout pattern with NGROUP=400 will be used to reconstruct all readout patterns. Unlike for NIRCam-001 (Full-frame darks), the subarrays do not produce too much data volume to preclude using NGROUP=400. The largest subarray produces only 4.4 GB per module/epoch, the smallest only 64 MB.

To construct a superbias, we use 10 total integrations to decrease the noise by a factor of ~ 3 . These will be obtained in 5 epochs with NINT = 2. By distributing these epochs throughout Cycle 1, we can monitor changes over time.

APT/OSS only includes 3 subarrays in the DARK template: SUB640, SUB320, SUB160, and only for Module B. Some additional subarray darks can be done with the Engineering template by setting the pupil wheel to FLAT in both channels. However, using the Engineering template inflates

JWST Proposal 1483 (Created: Thursday, March 21, 2024 at 4:00:40 PM Eastern Standard Time) - Overview

the time significantly because it includes slews. In addition, the Coronagraphy subarrays and the MIMF subarrays are not included even in the Engineering template. The total time below therefore includes estimates for all subarrays potentially used for science, calibration, or wavefront sensing (WFS) on both modules, though some darks can be dropped if they are not employed by users in Cycle 1.

For module A, we include subarrays for: SUBBP, Grism TSO, Coronagraphy, and Engineering/WFS

For module B, we include subarrays for: SUBBP, SUBX (extended src), and Engineering/WFS

Additional redundant subarrays (e.g., Grism subarrays on module B) exist, but won't be implemented unless there is a problem with the primary module. We do not include those here.

Since darks for all of the subarrays included here will also be observed in Commissioning, we could reduce the time required for this program by including only those subarrays which are found to be the most utilized by GTO, GO, and ERS programs in Cycle 1.

TIMING CONSTRAINTS: Darks should be repeated in order to see how the bias, dark current, and other parameters depend on telescope temperature, attitude, downlink activity, cross-talk during parallels, etc. We will obtain 5 epochs, with a cadence that mimics NIRCcam-001 (FULL Frame Darks). Additional epochs will be added if the darks do not prove to be stable.

Proposal 1483 - Targets - NIRCcam Subarray Dark Current and Read-Noise Monitor

Generic Targets	#	Name	Criteria	Description
	(1)	NRCDARK	No light will be collected, can point anywhere	

Proposal 1483 - Observation 38 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 38: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 01-MAY-2022:00:00:00 and 20-AUG-2022:00:00:00</p> <p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 58 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 58: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUB640ASWB	Coronagraphy	MASKSWB	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	108	7	1	7	3193.939																	
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 39 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 39: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A335R	Coronagraphy	MASK335R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>400</td> <td>2</td> <td>1</td> <td>2</td> <td>857.411</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	400	2	1	2	857.411								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	400	2	1	2	857.411																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 59 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 59: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>400</td> <td>2</td> <td>1</td> <td>2</td> <td>857.411</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	400	2	1	2	857.411								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	400	2	1	2	857.411																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 60 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 60: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	751.656																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 41 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 41: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 42 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 42: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>400</td> <td>2</td> <td>1</td> <td>2</td> <td>223.48</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	400	2	1	2	223.48								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	400	2	1	2	223.48																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 261 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 261: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 261:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 63 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 63: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUB64P	TimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	400	2	1	2	40.233	
Special Requirements	Parallel							

Proposal 1483 - Observation 262 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 262: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 262:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUB64P	TimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	10	1	10	50.687																	
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 64 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 64: SUBGRISM256 Nout=1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 65 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 65: SUBGRISM128 Nout=1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 263 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 263: SUBGRISM128 Nout=1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 263:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	562.431																	
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 231 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 231: SUBGRISM128 Nout=1 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 231:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	562.431																	
Special Requirements	<p>Parallel Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 264 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 264: SUBGRISM128 Nout=1 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 264:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	562.431																	
Special Requirements	<p>Parallel Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 66 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 66: SUBGRISM64 Nout=1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 66:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 265 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 265: SUBGRISM64 Nout=1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 265:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM64	GrismTimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	285.567																	
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 241 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 241: SUBGRISM64 Nout=1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 241:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM64	GrismTimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	285.567																	
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 266 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 266: SUBGRISM64 Nout=1 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 266:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1											
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																		
A	SUBGRISM64	GrismTimeSeries		1																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	20	10	1	10	285.567																
Special Requirements	<p>Parallel Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																					

Proposal 1483 - Observation 153 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 153: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 153:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>400</td> <td>2</td> <td>1</td> <td>2</td> <td>223.48</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	400	2	1	2	223.48								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	400	2	1	2	223.48																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 260 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 260: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 260:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 154 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 154: SUBGRISM256 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 154:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Parallel Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 155 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 155: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 155:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	142.005																	
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 267 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 267: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 267:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	142.005																	
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 236 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 236: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 236:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	142.005																	
Special Requirements	<p>Parallel Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 268 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 268: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 268:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 156 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 156: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 156:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM64	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	71.579																	
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 269 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 269: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 269:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 246 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 246: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 246:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 270 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 270: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 270:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 70 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 70: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 70:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 2022.328:11:47:33 and 2022.358:11:47:33 Parallel</p> <p>83 After 70 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 71 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 71: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 71:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640ASWB	Coronagraphy	MASKSWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 2022.348:23:20:12 and 2023.013:23:20:12 Parallel</p> <p>84 After 71 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 72 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 72: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 72:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A335R	Coronagraphy	MASK335R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Between Dates 2022.303:06:27:16 and 2022.333:06:27:16 Parallel</p> <p>85 After 72 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 73 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 73: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 73:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Between Dates 2022.302:08:57:18 and 2022.332:08:57:18 Parallel</p> <p>86 After 73 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 74 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 74: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 74:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	751.656																		
Special Requirements	<p>Between Dates 2022.329:13:43:39 and 2022.359:13:43:39 Parallel</p> <p>87 After 74 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 75 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 75: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 75:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 2022.327:14:58:32 and 2022.357:14:58:32 Parallel</p> <p>88 After 75 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 76 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 76: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 76:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 2022.303:00:47:53 and 2022.333:00:47:53 Parallel</p> <p>89 After 76 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 203 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 203: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 203:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 2022.333:06:08:30 and 2022.363:06:08:30 Parallel</p> <p>204 After 203 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 77 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 77: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 77:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 2022.302:10:37:10 and 2022.332:10:37:10 Parallel</p> <p>90 After 77 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 251 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 251: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 251:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 2022.333:08:16:55 and 2022.363:08:16:55 Parallel</p> <p>252 After 251 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 78 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 78: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 78:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	Parallel																							

Proposal 1483 - Observation 79 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 79: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 79:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Between Dates 2022.327:06:42:35 and 2022.357:06:42:35 Parallel</p> <p>92 After 79 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 271 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 271: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 271:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Between Dates 2022.345:19:49:29 and 2023.010:19:49:29 Parallel</p> <p>279 After 271 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 232 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 232: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 232:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Between Dates 2022.342:23:45:18 and 2023.007:23:45:18 Parallel</p> <p>233 After 232 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 272 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 272: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 272:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Between Dates 2022.345:23:50:15 and 2023.010:23:50:15 Parallel</p> <p>280 After 272 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 80 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 80: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 80:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 2022.329:15:46:39 and 2022.359:15:46:39 Parallel</p> <p>93 After 80 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 273 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 273: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 273:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 2022.343:19:58:39 and 2023.008:19:58:39 Parallel</p> <p>281 After 273 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 242 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 242: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 242:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 2022.343:18:53:18 and 2023.008:18:53:18 Parallel</p> <p>243 After 242 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 274 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 274: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 274:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 2022.345:13:39:30 and 2023.010:13:39:30 Parallel</p> <p>282 After 274 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 157 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 157: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 157:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 2022.302:17:22:06 and 2022.332:17:22:06 Parallel</p> <p>161 After 157 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 212 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 212: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 212:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 2022.335:05:52:26 and 2022.365:05:52:26 Parallel</p> <p>213 After 212 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 158 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 158: SUBGRISM256 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 158:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Between Dates 2022.343:17:43:21 and 2023.008:17:43:21 Parallel</p> <p>162 After 158 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 159 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 159: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 159:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Between Dates 2022.348:05:28:54 and 2023.013:05:28:54 Parallel</p> <p>163 After 159 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 275 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 275: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 275:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Between Dates 2022.345:14:24:47 and 2023.010:14:24:47 Parallel</p> <p>283 After 275 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 237 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 237: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 237:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Between Dates 2022.347:14:45:03 and 2023.012:14:45:03</p> <p>Parallel</p> <p>238 After 237 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 276 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 276: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 276:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Between Dates 2022.345:15:18:57 and 2023.010:15:18:57 Parallel 284 After 276 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 160 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 160: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 160:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Between Dates 2022.348:02:01:53 and 2023.013:02:01:53 Parallel 164 After 160 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 277 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 277: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 277:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUBGRISM64	GrismTimeSeries		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	20	10	1	10	71.579	
Special Requirements	<p>Between Dates 2022.347:18:30:40 and 2023.012:18:30:40</p> <p>Parallel</p> <p>285 After 277 by 120 Days to 150 Days</p>							

Proposal 1483 - Observation 247 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 247: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 247:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Between Dates 2022.337:06:25:13 and 2023.002:06:25:13</p> <p>Parallel</p> <p>248 After 247 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 278 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 278: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 278:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Between Dates 2022.345:16:03:59 and 2023.010:16:03:59 Parallel</p> <p>286 After 278 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 83 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 83: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 83:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Parallel</p> <p>83 After 70 by 120 Days to 150 Days</p> <p>96 After 83 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 84 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 84: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																						
Diagnostics	<p>(Visit 84:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUB640ASWB	Coronagraphy	MASKSWB	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	108	7	1	7	3193.939																	
Special Requirements	<p>Parallel</p> <p>84 After 71 by 120 Days to 150 Days</p> <p>97 After 84 by 120 Days to 150 Days</p>																						

Proposal 1483 - Observation 85 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 85: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 85:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A335R	Coronagraphy	MASK335R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p> <p>85 After 72 by 120 Days to 150 Days</p> <p>98 After 85 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 86 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 86: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 86:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUB320A430R	Coronagraphy	MASK430R	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	7	1	7	755.955																	
Special Requirements	<p>Parallel</p> <p>86 After 73 by 120 Days to 150 Days</p> <p>99 After 86 by 120 Days to 150 Days</p>																						

Proposal 1483 - Observation 87 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 87: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 87:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	751.656																		
Special Requirements	<p>Parallel</p> <p>87 After 74 by 120 Days to 150 Days</p> <p>100 After 87 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 88 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 88: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 88:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUB400P	TimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	7	1	7	1171.105	
Special Requirements	<p>Parallel</p> <p>88 After 75 by 120 Days to 150 Days</p>							

Proposal 1483 - Observation 89 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 89: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 89:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>89 After 76 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 204 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 204: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 204:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>204 After 203 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 90 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 90: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 90:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>90 After 77 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 252 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 252: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 252:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>252 After 251 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 91 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 91: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 91:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 92 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 92: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 92:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>92 After 79 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 279 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 279: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 279:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>279 After 271 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 233 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 233: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 233:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>233 After 232 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 280 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 280: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 280:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>280 After 272 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 93 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 93: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 93:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>93 After 80 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 281 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 281: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 281:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>281 After 273 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 243 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 243: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 243:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>243 After 242 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 282 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 282: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 282:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>282 After 274 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 161 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 161: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 161:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>161 After 157 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 213 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 213: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 213:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>213 After 212 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 162 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 162: SUBGRISM256 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 162:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Parallel</p> <p>162 After 158 by 120 Days to 150 Days</p> <p>166 After 162 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 163 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 163: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 163:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel</p> <p>163 After 159 by 120 Days to 150 Days</p> <p>167 After 163 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 283 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 283: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 283:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel 283 After 275 by 120 Days to 150 Days 291 After 283 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 238 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 238: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 238:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel 238 After 237 by 120 Days to 150 Days 239 After 238 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 284 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 284: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 284:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel</p> <p>284 After 276 by 120 Days to 150 Days</p> <p>292 After 284 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 164 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 164: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 164:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>164 After 160 by 120 Days to 150 Days</p> <p>168 After 164 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 285 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 285: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 285:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>285 After 277 by 120 Days to 150 Days</p> <p>293 After 285 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 248 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 248: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 248:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>248 After 247 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 286 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 286: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 286:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4											
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																		
A	SUBGRISM64	GrismTimeSeries		4																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	20	10	1	10	71.579																
Special Requirements	<p>Parallel</p> <p>286 After 278 by 120 Days to 150 Days</p> <p>294 After 286 by 120 Days to 150 Days</p>																					

Proposal 1483 - Observation 96 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 96: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 96:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Parallel</p> <p>96 After 83 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 97 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 97: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 97:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640ASWB	Coronagraphy	MASKSWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Parallel</p> <p>97 After 84 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 98 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 98: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 98:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A335R	Coronagraphy	MASK335R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p> <p>98 After 85 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 99 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 99: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 99:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p> <p>99 After 86 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 100 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 100: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 100:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	751.656																		
Special Requirements	<p>Parallel</p> <p>100 After 87 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 101 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 101: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 101:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 102 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 102: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 102:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 205 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 205: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 205:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 103 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 103: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 103:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 253 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 253: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 253:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 104 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 104: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 104:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 105 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 105: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 105:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 106 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 106: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 106:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 165 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 165: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 165:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 214 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 214: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 214:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUB160	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	281.478	
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>							

Proposal 1483 - Observation 166 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 166: SUBGRISM256 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 166:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Parallel 166 After 162 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 167 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 167: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 167:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel</p> <p>167 After 163 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 291 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 291: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 291:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	142.005																	
Special Requirements	<p>Parallel 291 After 283 by 120 Days to 150 Days</p>																						

Proposal 1483 - Observation 239 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 239: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 239:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel 239 After 238 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 292 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 292: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 292:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel 292 After 284 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 168 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 168: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 168:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel 168 After 164 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 293 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 293: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 293:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM64	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	71.579																	
Special Requirements	<p>Parallel</p> <p>293 After 285 by 120 Days to 150 Days</p>																						

Proposal 1483 - Observation 249 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 249: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 249:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 294 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 294: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 294:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4											
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																		
A	SUBGRISM64	GrismTimeSeries		4																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	20	10	1	10	71.579																
Special Requirements	<p>Parallel</p> <p>294 After 286 by 120 Days to 150 Days</p>																					

Proposal 1483 - Observation 109 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 109: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 109:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 110 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 110: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 110:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640ASWB	Coronagraphy	MASKSWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	Parallel																							

Proposal 1483 - Observation 111 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 111: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 111:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A335R	Coronagraphy	MASK335R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	Parallel																							

Proposal 1483 - Observation 112 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 112: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 112:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 113 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 113: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 113:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	751.656																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 114 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 114: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 114:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 115 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 115: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 115:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 206 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 206: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 206:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 116 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 116: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 116:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 254 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 254: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 254:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 117 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 117: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 117:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 118 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 118: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 118:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 119 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 119: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 119:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUBGRISM64	GrismTimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	20	10	1	10	285.567	
Special Requirements	Parallel							

Proposal 1483 - Observation 169 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 169: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 169:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUB160	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	281.478	
Special Requirements	Parallel							

Proposal 1483 - Observation 215 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 215: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 215:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUB160	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	281.478	
Special Requirements	Parallel							

Proposal 1483 - Observation 170 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 170: SUBGRISM256 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 170:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	Parallel																							

Proposal 1483 - Observation 171 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 171: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 171:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	Parallel																							

Proposal 1483 - Observation 299 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 299: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 299:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	Parallel																							

Proposal 1483 - Observation 240 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 240: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 240:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUBGRISM128	GrismTimeSeries		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	20	10	1	10	142.005	
Special Requirements	Parallel							

Proposal 1483 - Observation 300 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 300: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 300:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 172 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 172: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 172:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUBGRISM64	GrismTimeSeries		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	20	10	1	10	71.579	
Special Requirements	Parallel							

Proposal 1483 - Observation 301 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 301: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 301:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 250 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 250: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 250:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUBGRISM64	GrismTimeSeries		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	20	10	1	10	71.579	
Special Requirements	Parallel							

Proposal 1483 - Observation 302 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	Proposal 1483, Observation 302: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark																							
Diagnostics	(Visit 302:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	Parallel																							

Proposal 1483 - Observation 48 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 48: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 183 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 183: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 183:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 49 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 49: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 188 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 188: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 188:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 50 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 50: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 216 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 216: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 216:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 67 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 67: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 67:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 68 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 68: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 68:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 207 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 207: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 207:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
B	SUB160P	TimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	40	10	1	10	114.294																	
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																						

Proposal 1483 - Observation 69 - NIRCam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 69: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 69:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 255 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 255: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 255:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>Group Observations 38, 41, 48, 49, 50, 58, 60, 64, 65, 66, 67, 68, 69, 154, 155, 156, 183, 188, 207, 216, 231, 236, 241, 246, 255, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270 within 30 Days</p>																							

Proposal 1483 - Observation 122 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 122: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 122:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	<p>Between Dates 2022.327:17:28:59 and 2022.357:17:28:59</p> <p>Parallel</p> <p>130 After 122 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 184 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 184: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 184:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB640	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	1716.399	
Special Requirements	Parallel							

Proposal 1483 - Observation 123 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 123: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 123:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Between Dates 2022.328:15:28:26 and 2022.358:15:28:26 Parallel</p> <p>131 After 123 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 189 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 189: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 189:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB320	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	1079.935	
Special Requirements	<p>Between Dates 2022.345:06:46:27 and 2023.010:06:46:27 Parallel</p> <p>190 After 189 by 120 Days to 150 Days</p>							

Proposal 1483 - Observation 124 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 124: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 124:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 2022.327:13:58:00 and 2022.357:13:58:00 Parallel</p> <p>132 After 124 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 217 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 217: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 217:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 2022.348:00:06:17 and 2023.013:00:06:17 Parallel</p> <p>218 After 217 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 125 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 125: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 125:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 2022.329:17:23:24 and 2022.359:17:23:24 Parallel</p> <p>133 After 125 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 126 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 126: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 126:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 2022.329:08:13:44 and 2022.359:08:13:44 Parallel</p> <p>134 After 126 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 208 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 208: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 208:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 2022.337:09:13:33 and 2023.002:09:13:33 Parallel</p> <p>209 After 208 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 127 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 127: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 127:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 2022.337:07:46:35 and 2023.002:07:46:35 Parallel</p> <p>135 After 127 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 256 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 256: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 256:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 2022.347:22:12:18 and 2023.012:22:12:18</p> <p>Parallel</p> <p>257 After 256 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 130 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 130: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 130:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	<p>Parallel</p> <p>130 After 122 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 185 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 185: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 185:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 131 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 131: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 131:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p> <p>131 After 123 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 190 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 190: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 190:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p> <p>190 After 189 by 120 Days to 150 Days</p> <p>191 After 190 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 132 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 132: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 132:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>132 After 124 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 218 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 218: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 218:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>								Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1						
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>								#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478	
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>218 After 217 by 120 Days to 150 Days</p> <p>219 After 218 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 133 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 133: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 133:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>133 After 125 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 134 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 134: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 134:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>134 After 126 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 209 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 209: SUB160P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 209:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel 209 After 208 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 135 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 135: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 135:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>135 After 127 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 257 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 257: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 257:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>257 After 256 by 120 Days to 150 Days</p> <p>258 After 257 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 138 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 138: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 138:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB640	Imaging		1											
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																		
B	SUB640	Imaging		1																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	40	10	1	10	1716.399																
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																					

Proposal 1483 - Observation 186 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 186: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 186:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	Parallel																							

Proposal 1483 - Observation 139 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 139: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 139:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 191 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 191: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 191:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p> <p>191 After 190 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 140 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 140: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 140:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB160	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	281.478	
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>							

Proposal 1483 - Observation 219 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 219: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 219:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>219 After 218 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 141 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 141: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 141:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 142 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 142: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 142:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 210 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 210: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 210:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB160P	TimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	114.294	
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>							

Proposal 1483 - Observation 143 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 143: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 143:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 1483 - Observation 258 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 258: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 258:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>258 After 257 by 120 Days to 150 Days</p>																							

Proposal 1483 - Observation 146 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 146: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 146:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB640	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	1716.399	
Special Requirements	Parallel							

Proposal 1483 - Observation 187 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 187: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 187:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 147 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 147: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 147:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 192 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 192: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 192:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 148 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 148: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 148:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB160	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	281.478	
Special Requirements	Parallel							

Proposal 1483 - Observation 220 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 220: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 220:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 149 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 149: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 149:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 150 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 150: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 150:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB160P	TimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	114.294	
Special Requirements	Parallel							

Proposal 1483 - Observation 211 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 211: SUB160P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 211:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p>																							

Proposal 1483 - Observation 151 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 151: SUB64P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 151:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB64P	TimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	50.687	
Special Requirements	Parallel							

Proposal 1483 - Observation 259 - NIRCcam Subarray Dark Current and Read-Noise Monitor

Thu Mar 21 21:00:41 GMT 2024

Observation	<p>Proposal 1483, Observation 259: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 259:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p>																							