



# 1495 - Dark Monitor Subarray

Cycle: 1, Proposal Category: CAL/NIRSPEC

## INVESTIGATORS

<i>Name</i>	<i>Institution</i>
<b>Dr. Stephan Birkmann (PI) (ESA Member)</b>	<b>Space Telescope Science Institute - ESA</b>
Dr. Charles R. Proffitt (CoI) (Contact)	Space Telescope Science Institute
Dr. James Muzerolle (CoI) (Contact)	Space Telescope Science Institute

## OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
allslits subarray monitor epoch 1				
	1	epoch 1 obs 1	NIRSpec Dark	NONE
	2	epoch 1 obs 2	NIRSpec Dark	NONE
	3	epoch 1 obs 3	NIRSpec Dark	NONE
	4	epoch 1 obs 4	NIRSpec Dark	NONE
	5	epoch 1 obs 5	NIRSpec Dark	NONE
	6	epoch 1 obs 6	NIRSpec Dark	NONE
	7	epoch 1 obs 7	NIRSpec Dark	NONE
	8	epoch 1 obs 8	NIRSpec Dark	NONE
	9	epoch 1 obs 9	NIRSpec Dark	NONE
	10	epoch 1 obs 10	NIRSpec Dark	NONE
	11	epoch 1 obs 11	NIRSpec Dark	NONE
	12	epoch 1 obs 12	NIRSpec Dark	NONE
allslits subarray monitor epoch 2				
	13	epoch 2 obs 1	NIRSpec Dark	NONE
	14	epoch 2 obs 2	NIRSpec Dark	NONE
	15	epoch 2 obs 3	NIRSpec Dark	NONE

JWST Proposal 1495 (Created: Friday, April 14, 2023 at 11:00:58 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	16	epoch 2 obs 4	NIRSpec Dark	NONE
	17	epoch 2 obs 5	NIRSpec Dark	NONE
	18	epoch 2 obs 6	NIRSpec Dark	NONE
	19	epoch 2 obs 7	NIRSpec Dark	NONE
	20	epoch 2 obs 8	NIRSpec Dark	NONE
	21	epoch 2 obs 9	NIRSpec Dark	NONE
	22	epoch 2 obs 10	NIRSpec Dark	NONE
	23	epoch 2 obs 11	NIRSpec Dark	NONE
	24	epoch 2 obs 12	NIRSpec Dark	NONE
allslits subarray monitor epoch 3				
	25	epoch 3 obs 1	NIRSpec Dark	NONE
	26	epoch 3 obs 2	NIRSpec Dark	NONE
	27	epoch 3 obs 3	NIRSpec Dark	NONE
	28	epoch 3 obs 4	NIRSpec Dark	NONE
	29	epoch 3 obs 5	NIRSpec Dark	NONE
	30	epoch 3 obs 6	NIRSpec Dark	NONE
	31	epoch 3 obs 7	NIRSpec Dark	NONE
	32	epoch 3 obs 8	NIRSpec Dark	NONE
	33	epoch 3 obs 9	NIRSpec Dark	NONE
	34	epoch 3 obs 10	NIRSpec Dark	NONE
	35	epoch 3 obs 11	NIRSpec Dark	NONE
	36	epoch 3 obs 12	NIRSpec Dark	NONE
allslits subarray monitor epoch 4				
	37	epoch 4 obs 1	NIRSpec Dark	NONE
	38	epoch 4 obs 2	NIRSpec Dark	NONE
	39	epoch 4 obs 3	NIRSpec Dark	NONE
	40	epoch 4 obs 4	NIRSpec Dark	NONE
	41	epoch 4 obs 5	NIRSpec Dark	NONE
	42	epoch 4 obs 6	NIRSpec Dark	NONE
	43	epoch 4 obs 7	NIRSpec Dark	NONE
	44	epoch 4 obs 8	NIRSpec Dark	NONE
	45	epoch 4 obs 9	NIRSpec Dark	NONE

JWST Proposal 1495 (Created: Friday, April 14, 2023 at 11:00:58 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	46	epoch 4 obs 10	NIRSpec Dark	NONE
	47	epoch 4 obs 11	NIRSpec Dark	NONE
	48	epoch 4 obs 12	NIRSpec Dark	NONE
allslits subarray monitor epoch 5				
	49	epoch 5 obs 1	NIRSpec Dark	NONE
	50	epoch 5 obs 2	NIRSpec Dark	NONE
	51	epoch 5 obs 3	NIRSpec Dark	NONE
	52	epoch 5 obs 4	NIRSpec Dark	NONE
	53	epoch 5 obs 5	NIRSpec Dark	NONE
	54	epoch 5 obs 6	NIRSpec Dark	NONE
	55	epoch 5 obs 7	NIRSpec Dark	NONE
	56	epoch 5 obs 8	NIRSpec Dark	NONE
	57	epoch 5 obs 9	NIRSpec Dark	NONE
	58	epoch 5 obs 10	NIRSpec Dark	NONE
	59	epoch 5 obs 11	NIRSpec Dark	NONE
	60	epoch 5 obs 12	NIRSpec Dark	NONE
allslits subarray monitor epoch 6				
	61	epoch 6 obs 1	NIRSpec Dark	NONE
	62	epoch 6 obs 2	NIRSpec Dark	NONE
	63	epoch 6 obs 3	NIRSpec Dark	NONE
	64	epoch 6 obs 4	NIRSpec Dark	NONE
	65	epoch 6 obs 5	NIRSpec Dark	NONE
	66	epoch 6 obs 6	NIRSpec Dark	NONE
	67	epoch 6 obs 7	NIRSpec Dark	NONE
	68	epoch 6 obs 8	NIRSpec Dark	NONE
	69	epoch 6 obs 9	NIRSpec Dark	NONE
	70	epoch 6 obs 10	NIRSpec Dark	NONE
	71	epoch 6 obs 11	NIRSpec Dark	NONE
	72	epoch 6 obs 12	NIRSpec Dark	NONE
SUB2048 G395H				
	81	SUB2048 G395H 1/10	NIRSpec Dark	NONE
	82	SUB2048 G395H 2/10	NIRSpec Dark	NONE

JWST Proposal 1495 (Created: Friday, April 14, 2023 at 11:00:58 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	83	SUB2048 G395H 3/10	NIRSpec Dark	NONE
	84	SUB2048 G395H 4/10	NIRSpec Dark	NONE
	85	SUB2048 G395H 5/10	NIRSpec Dark	NONE
	86	SUB2048 G395H 6/10	NIRSpec Dark	NONE
	87	SUB2048 G395H 7/10	NIRSpec Dark	NONE
	88	SUB2048 G395H 8/10	NIRSpec Dark	NONE
	89	SUB2048 G395H 9/10	NIRSpec Dark	NONE
	90	SUB2048 G395H 10/10	NIRSpec Dark	NONE
SUB400A1 PRISM				
	91	SUB400A1 PRISM 1/5	NIRSpec Dark	NONE
	92	SUB400A1 PRISM 2/5	NIRSpec Dark	NONE
	93	SUB400A1 PRISM 3/5	NIRSpec Dark	NONE
	94	SUB400A1 PRISM 4/5	NIRSpec Dark	NONE
	95	SUB400A1 PRISM 5/5	NIRSpec Dark	NONE
	96	SUB400A1 PRISM 6/5	NIRSpec Dark	NONE
	97	SUB400A1 PRISM 7/5	NIRSpec Dark	NONE
	98	SUB400A1 PRISM 8/5	NIRSpec Dark	NONE
	99	SUB400A1 PRISM 9/5	NIRSpec Dark	NONE
	100	SUB400A1 PRISM 10/15	NIRSpec Dark	NONE
	101	SUB400A1 PRISM 11/15	NIRSpec Dark	NONE
	102	SUB400A1 PRISM 12/15	NIRSpec Dark	NONE
	103	SUB400A1 PRISM 13/15	NIRSpec Dark	NONE

JWST Proposal 1495 (Created: Friday, April 14, 2023 at 11:00:58 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	104	SUB400A1 PRISM 14/15	NIRSpec Dark	NONE
	105	SUB400A1 PRISM 15/15	NIRSpec Dark	NONE
S200A1 G395M				
	110	S200A1 G395M 1/10	NIRSpec Dark	NONE
	111	S200A1 G395M 2/10	NIRSpec Dark	NONE
	112	S200A1 G395M 3/10	NIRSpec Dark	NONE
	113	S200A1 G395M 4/10	NIRSpec Dark	NONE
	114	S200A1 G395M 5/10	NIRSpec Dark	NONE
	115	S200A1 G395M 6/10	NIRSpec Dark	NONE
	116	S200A1 G395M 7/10	NIRSpec Dark	NONE
	117	S200A1 G395M 8/10	NIRSpec Dark	NONE
	118	S200A1 G395M 9/10	NIRSpec Dark	NONE
	119	S200A1 G395M 10/10	NIRSpec Dark	NONE
SUB2048 G235H				
	120	SUB2048 G235H 1/10	NIRSpec Dark	NONE
	121	SUB2048 G235H 2/10	NIRSpec Dark	NONE
	122	SUB2048 G235H 3/10	NIRSpec Dark	NONE
	123	SUB2048 G235H 4/10	NIRSpec Dark	NONE
	124	SUB2048 G235H 5/10	NIRSpec Dark	NONE
	125	SUB2048 G235H 6/10	NIRSpec Dark	NONE
	126	SUB2048 G235H 7/10	NIRSpec Dark	NONE
	127	SUB2048 G235H 8/10	NIRSpec Dark	NONE
	128	SUB2048 G235H 9/10	NIRSpec Dark	NONE
	129	SUB2048 G235H 10/10	NIRSpec Dark	NONE

**ABSTRACT**

This activity will obtain dark exposures for constructing the dark current, “master bias” and readnoise reference files for the supported subarrays used in Cycle 1. For each subarray, we will obtain one NRSRAPID dark exposure with nInt=100 and nGroups set such that each ramp is ~100s long. The first frame of each integration will be used to create the master bias reference file. For some subarray names, the subarray location depends on the

grating in use; separate observations are obtained for these combinations.

This calibration program is provisional and may change in response to system developments and final science program.

## **OBSERVING DESCRIPTION**

After the Cycle 1 science program was available it was noticed that nirspec users were using many more of the subarrays available and for longer durations than was expected. Analysis of ground data shows that the dark signal observed in our H2RG detectors is multiplexer glow, not dark current (for most pixels) and therefore it is a measured signal per frame not unit time. Accordingly, it can be decomposed with at least two measures of dark signal with a different number of reads per unit time but the same tuning. We can approximate this with the ALLSLITS subarray and full frame data using NRSRAPID readout. This method is being tested in commissioning and this program is updated to reflect an expected positive outcome from commissioning.

In cycle 1, we will use the ALLSLITS subarray and the G140M grating to monitor the dark current bimonthly over Cycle 1 (2 observations of 265 groups, 6 integrations). This data will be used to monitor the trending bias level, dark current, and readnoise and overall pixel behavior. Two thirds of the time in the program is allotted to the monitor, the other third takes traditional darks long enough to cover the longest duration science subarrays in cycle 1. The G140M grating is used as the generic case and normally this observation will be the one appropriate for the gratings not used explicitly.

This program contains no specific observations for the TA and confirmation image subarrays.

The same data will be used to derive the master bias reference files using the 1st frame of each integration.

For the ALLSLITS subarray, the extra deep exposures are included to support long observations of faint objects.

### Contingencies:

For some subarray names, the subarray location depends on the grating in use, and so for these settings multiple observations will be needed.

The exact subarrays included and the time required for this proposal may be adjusted based on the results of CAR NRS-039 and 21. The relative grating alignment may change after launch and the initial cool-down and this may require unique subarray locations for a different subset of the gratings. Also subarrays not expected to be used for science or calibration observations may not be observed, even if they are supported by OSS software.

## JWST Proposal 1495 (Created: Friday, April 14, 2023 at 11:00:58 AM Eastern Standard Time) - Overview

This program will also need to be updated after grating wheel only moves using the internal lamp template is allowed during parallels (this is a wheel move only and has 0.0sec exposure time).

### TIMING CONSTRAINTS

Dark visits should be scheduled at least 12 hours after the last exposures with bright illumination in order to avoid persistence.

Timing constraints assume a launch of 25 Dec 2021 and a start for Cycle 1 on 23 Jun 2022.

The program consists of a 6 epoch monitor using ALLSLITS subarray. The cadence should be 1 epoch every 2 months. And 6 additional observations for the longest duration subarrays used in the cycle 1 science program.

The first epoch of the monitor should occur in the first month of Cycle 1. Each epoch consists of 2 observations. This timing is critical to establishing baseline data for all future calibration comparisons as soon as science observations begin.

Epochs are then scheduled every 60 days. The 30-day windows for each epoch are meant to give schedulers some flexibility, but the closer to a regular cadence we can achieve, the better for monitoring.

Observations 7,8,9,10,26 and 25 are standalone and can be scheduled anytime in Cycle 1.

In the event of a change in launch date and/or a change in the start of Cycle 1, the time constraints on the monitor will need to be adjusted by that number of days.

Proposal 1495 - Observation 1 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 1: epoch 1 obs 1</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 2 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 2: epoch 1 obs 2</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p>Comments: SUB200A1 G395M</p>																		
<b>Diagnostics</b>	<p>(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 3 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 3: epoch 1 obs 3</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G395M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 4 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 4: epoch 1 obs 4</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G395M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 5 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 5: epoch 1 obs 5</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p>Comments: SUB200A1 G395M</p>																		
<b>Diagnostics</b>	<p>(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 6 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 6: epoch 1 obs 6</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G395M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 7 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 7: epoch 1 obs 7</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p>Comments: SUB200A1 G395M</p>																		
<b>Diagnostics</b>	<p>(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 8 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 8: epoch 1 obs 8</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G395M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 9 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 9: epoch 1 obs 9</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G395M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 10 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 10: epoch 1 obs 10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G395M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 11 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 11: epoch 1 obs 11</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G395M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 12 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 12: epoch 1 obs 12</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G395M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-JUN-2022:00:00:00 and 23-SEP-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 13 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 13: epoch 2 obs 1</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 14 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 14: epoch 2 obs 2</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 15 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 15: epoch 2 obs 3</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 16 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 16: epoch 2 obs 4</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 17 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 17: epoch 2 obs 5</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 18 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 18: epoch 2 obs 6</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 19 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 19: epoch 2 obs 7</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 20 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 20: epoch 2 obs 8</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 21 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 21: epoch 2 obs 9</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 22 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 22: epoch 2 obs 10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 23 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 23: epoch 2 obs 11</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 24 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 24: epoch 2 obs 12</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-AUG-2022:00:00:00 and 23-OCT-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 25 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 25: epoch 3 obs 1</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 26 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 26: epoch 3 obs 2</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p>Comments: SUB200A1 G140M</p>																		
<b>Diagnostics</b>	<p>(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 27 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 27: epoch 3 obs 3</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 28 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 28: epoch 3 obs 4</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 29 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 29: epoch 3 obs 5</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 30 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 30: epoch 3 obs 6</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 31 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 31: epoch 3 obs 7</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p>Comments: SUB200A1 G140M</p>																		
<b>Diagnostics</b>	<p>(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 32 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 32: epoch 3 obs 8</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 33 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 33: epoch 3 obs 9</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 34 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 34: epoch 3 obs 10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 35 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 35: epoch 3 obs 11</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 36 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 36: epoch 3 obs 12 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span>  <b>Diagnostic Status: Warning</b>                  Observing Template: NIRSpec Dark  <i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray                  ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-OCT-2022:00:00:00 and 23-DEC-2022:00:00:00                  Parallel</p>																		

Proposal 1495 - Observation 37 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 37: epoch 4 obs 1</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 38 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 38: epoch 4 obs 2</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 39 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 39: epoch 4 obs 3</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 40 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 40: epoch 4 obs 4</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 41 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 41: epoch 4 obs 5</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 42 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 42: epoch 4 obs 6</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 43 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 43: epoch 4 obs 7</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 44 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 44: epoch 4 obs 8</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 45 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 45: epoch 4 obs 9</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 46 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 46: epoch 4 obs 10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 47 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 47: epoch 4 obs 11</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 48 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 48: epoch 4 obs 12</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-DEC-2022:00:00:00 and 23-FEB-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 49 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 49: epoch 5 obs 1 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span>  <b>Diagnostic Status: Warning</b>                  Observing Template: NIRSpec Dark  <i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray                  ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00                  Parallel</p>																		

Proposal 1495 - Observation 50 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 50: epoch 5 obs 2</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 51 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 51: epoch 5 obs 3</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 51:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 52 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 52: epoch 5 obs 4</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 52:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 53 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 53: epoch 5 obs 5</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 53:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 54 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 54: epoch 5 obs 6</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 54:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 55 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 55: epoch 5 obs 7</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p>Comments: SUB200A1 G140M</p>																		
<b>Diagnostics</b>	<p>(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 56 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 56: epoch 5 obs 8</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 57 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 57: epoch 5 obs 9</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 58 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 58: epoch 5 obs 10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 59 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 59: epoch 5 obs 11</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 60 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 60: epoch 5 obs 12</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-FEB-2023:00:00:00 and 23-APR-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 61 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 61: epoch 6 obs 1</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 61:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 62 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 62: epoch 6 obs 2</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 62:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 63 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 63: epoch 6 obs 3</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 64 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 64: epoch 6 obs 4</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 65 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 65: epoch 6 obs 5</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 66 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 66: epoch 6 obs 6</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 66:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 67 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 67: epoch 6 obs 7</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 67:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 68 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 68: epoch 6 obs 8</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 68:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 69 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 69: epoch 6 obs 9</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 69:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 70 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 70: epoch 6 obs 10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 70:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 71 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 71: epoch 6 obs 11</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 71:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 72 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 72: epoch 6 obs 12</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB200A1 G140M</i></p>																		
<b>Diagnostics</b>	<p>(Visit 72:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>ALLSLITS</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G140M</td> <td>265</td> <td>1</td> <td>1</td> <td>1</td> <td>1461.424</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G140M	265	1	1	1	1461.424	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G140M	265	1	1	1	1461.424												
<b>Special Requirements</b>	<p>Between Dates 23-APR-2023:00:00:00 and 23-JUN-2023:00:00:00</p> <p>Parallel</p>																		

Proposal 1495 - Observation 81 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 81: SUB2048 G395H 1/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																		
<b>Diagnostics</b>	<p>(Visit 81:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395H	70	8	1	8	512.5												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 82 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 82: SUB2048 G395H 2/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																				
<b>Diagnostics</b>	<p>(Visit 82:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																				
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID	G395H	70	8	1	8	512.5														
<b>Special Requirements</b>	<p>Parallel</p>																				

Proposal 1495 - Observation 83 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 83: SUB2048 G395H 3/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																				
<b>Diagnostics</b>	<p>(Visit 83:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																				
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID	G395H	70	8	1	8	512.5														
<b>Special Requirements</b>	<p>Parallel</p>																				

Proposal 1495 - Observation 84 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 84: SUB2048 G395H 4/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																		
<b>Diagnostics</b>	<p>(Visit 84:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395H	70	8	1	8	512.5												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 85 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 85: SUB2048 G395H 5/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																		
<b>Diagnostics</b>	<p>(Visit 85:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395H	70	8	1	8	512.5												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 86 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 86: SUB2048 G395H 6/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																				
<b>Diagnostics</b>	<p>(Visit 86:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																				
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID	G395H	70	8	1	8	512.5														
<b>Special Requirements</b>	<p>Parallel</p>																				

Proposal 1495 - Observation 87 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 87: SUB2048 G395H 7/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																		
<b>Diagnostics</b>	<p>(Visit 87:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395H	70	8	1	8	512.5												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 88 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 88: SUB2048 G395H 8/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																		
<b>Diagnostics</b>	<p>(Visit 88:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395H	70	8	1	8	512.5												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 89 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 89: SUB2048 G395H 9/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																		
<b>Diagnostics</b>	<p>(Visit 89:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395H	70	8	1	8	512.5												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 90 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 90: SUB2048 G395H 10/10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB2048 / G395H : needed as we changed subarray position was obs 7</i></p>																		
<b>Diagnostics</b>	<p>(Visit 90:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395H</td> <td>70</td> <td>8</td> <td>1</td> <td>8</td> <td>512.5</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395H	70	8	1	8	512.5	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395H	70	8	1	8	512.5												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 91 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 91: SUB400A1 PRISM 1/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 8</i></p>																		
<b>Diagnostics</b>	<p>(Visit 91:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 92 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 92: SUB400A1 PRISM 2/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 92:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 93 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 93: SUB400A1 PRISM 3/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 93:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 94 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 94: SUB400A1 PRISM 4/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 94:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 95 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 95: SUB400A1 PRISM 5/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 95:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 96 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 96: SUB400A1 PRISM 6/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 96:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 97 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 97: SUB400A1 PRISM 7/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 97:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 98 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 98: SUB400A1 PRISM 8/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 98:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 99 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 99: SUB400A1 PRISM 9/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 99:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 100 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 100: SUB400A1 PRISM 10/15 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																									
	<p>(Visit 100:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																									
<b>Diagnosics</b>																										
<b>Template</b>	Subarray																									
	SUBS400A1																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>								#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	NRSRAPID	PRISM	808	1	1	1	1260.442																			
<b>Special Requirements</b>	Parallel																									

Proposal 1495 - Observation 101 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 101: SUB400A1 PRISM 11/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																				
<b>Diagnostics</b>	<p>(Visit 101:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																				
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID	PRISM	808	1	1	1	1260.442														
<b>Special Requirements</b>	<p>Parallel</p>																				

Proposal 1495 - Observation 102 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 102: SUB400A1 PRISM 12/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 102:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 103 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 103: SUB400A1 PRISM 13/15 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																											
	<p>(Visit 103:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																											
<b>Diagnosics</b>																												
<b>Template</b>	Subarray																											
	SUBS400A1																											
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> <td></td> </tr> </tbody> </table>								#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442		
	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																		
1	NRSRAPID	PRISM	808	1	1	1	1260.442																					
<b>Special Requirements</b>	Parallel																											

Proposal 1495 - Observation 104 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 104: SUB400A1 PRISM 14/15 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>								
	<p>(Visit 104:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
<b>Diagnosics</b>									
<b>Template</b>	Subarray								
	SUBS400A1								
<b>Spectral Elements</b>	<b>#</b>	<b>Readout Pattern</b>	<b>Grating</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
<b>Special Requirements</b>	Parallel								

Proposal 1495 - Observation 105 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p><b>Proposal 1495, Observation 105: SUB400A1 PRISM 15/15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p> <p><i>Comments: SUB400A1 / PRISM: needed as well already took cycle 1 data with this config was obs 9</i></p>																		
<b>Diagnostics</b>	<p>(Visit 105:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS400A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>PRISM</td> <td>808</td> <td>1</td> <td>1</td> <td>1</td> <td>1260.442</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	PRISM	808	1	1	1	1260.442	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	PRISM	808	1	1	1	1260.442												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 110 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 110: S200A1 G395M 1/10</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>	<p>Fri Apr 14 16:00:58 GMT 2023</p>																								
<b>Diagnostics</b>	<p>(Visit 110:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																									
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUBS200A1</p>																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> </tr> </tbody> </table>								#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																		
1	NRSRAPID	G395M	840	1	1	1	1310.298																			
<b>Special Requirements</b>	<p>Parallel</p>																									

Proposal 1495 - Observation 111 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 111: S200A1 G395M 2/10</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>	<p>Fri Apr 14 16:00:58 GMT 2023</p>																								
<b>Diagnostics</b>	<p>(Visit 111:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																									
<b>Template</b>	<p>Subarray</p> <p>SUBS200A1</p>																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> </tr> </tbody> </table>								#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																		
1	NRSRAPID	G395M	840	1	1	1	1310.298																			
<b>Special Requirements</b>	<p>Parallel</p>																									

Proposal 1495 - Observation 112 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 112: S200A1 G395M 3/10</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSspec Dark</p>	<p>Fri Apr 14 16:00:58 GMT 2023</p>																								
<b>Diagnostics</b>	<p>(Visit 112:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																									
<b>Template</b>	<p>Subarray</p> <p>SUBS200A1</p>																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> </tr> </tbody> </table>								#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																		
1	NRSRAPID	G395M	840	1	1	1	1310.298																			
<b>Special Requirements</b>	<p>Parallel</p>																									

Proposal 1495 - Observation 113 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 113: S200A1 G395M 4/10 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span>  <b>Diagnostic Status: Warning</b>                  Observing Template: NIRSspec Dark</p>																				
<b>Diagnostics</b>	<p>(Visit 113:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
<b>Template</b>	<p>Subarray                  SUBS200A1</p>																				
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID	G395M	840	1	1	1	1310.298														
<b>Special Requirements</b>	<p>Parallel</p>																				

Proposal 1495 - Observation 114 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 114: S200A1 G395M 5/10 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span>  <b>Diagnostic Status: Warning</b>                  Observing Template: NIRSpec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 114:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray                  SUBS200A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395M	840	1	1	1	1310.298												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 115 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 115: S200A1 G395M 6/10 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span>  <b>Diagnostic Status: Warning</b>                  Observing Template: NIRSspec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 115:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray                  SUBS200A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395M	840	1	1	1	1310.298												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 116 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 116: S200A1 G395M 7/10</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSspec Dark</p>	<p>Fri Apr 14 16:00:58 GMT 2023</p>																								
<b>Diagnostics</b>	<p>(Visit 116:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																									
<b>Template</b>	<p>Subarray</p> <p>SUBS200A1</p>																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> </tr> </tbody> </table>								#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																		
1	NRSRAPID	G395M	840	1	1	1	1310.298																			
<b>Special Requirements</b>	<p>Parallel</p>																									

Proposal 1495 - Observation 117 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 117: S200A1 G395M 8/10 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span>  <b>Diagnostic Status: Warning</b>                  Observing Template: NIRSspec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 117:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray                  SUBS200A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395M	840	1	1	1	1310.298												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 118 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 118: S200A1 G395M 9/10 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span>  <b>Diagnostic Status: Warning</b>                  Observing Template: NIRSspec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 118:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray                  SUBS200A1</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G395M	840	1	1	1	1310.298												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 119 - Dark Monitor Subarray

<b>Observation</b>	<p>Proposal 1495, Observation 119: S200A1 G395M 10/10 <span style="float: right;">Fri Apr 14 16:00:58 GMT 2023</span>  <b>Diagnostic Status: Warning</b>                  Observing Template: NIRSspec Dark</p>																				
<b>Diagnostics</b>	<p>(Visit 119:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
<b>Template</b>	<p>Subarray                  SUBS200A1</p>																				
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G395M</td> <td>840</td> <td>1</td> <td>1</td> <td>1</td> <td>1310.298</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID	G395M	840	1	1	1	1310.298		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID	G395M	840	1	1	1	1310.298														
<b>Special Requirements</b>	<p>Parallel</p>																				

Proposal 1495 - Observation 120 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 120: SUB2048 G235H 1/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 120:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G235H</td> <td>480</td> <td>2</td> <td>1</td> <td>2</td> <td>867.765</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G235H	480	2	1	2	867.765	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G235H	480	2	1	2	867.765												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 121 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 121: SUB2048 G235H 2/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 121:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G235H</td> <td>480</td> <td>2</td> <td>1</td> <td>2</td> <td>867.765</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G235H	480	2	1	2	867.765	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G235H	480	2	1	2	867.765												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 122 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 122: SUB2048 G235H 3/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 122:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G235H</td> <td>480</td> <td>2</td> <td>1</td> <td>2</td> <td>867.765</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G235H	480	2	1	2	867.765	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G235H	480	2	1	2	867.765												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 123 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 123: SUB2048 G235H 4/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>								
<b>Diagnostics</b>	(Visit 123:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>								
<b>Spectral Elements</b>	<b>#</b>	<b>Readout Pattern</b>	<b>Grating</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	NRSRAPID	G235H	480	2	1	2	867.765	
<b>Special Requirements</b>	Parallel								

Proposal 1495 - Observation 124 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 124: SUB2048 G235H 5/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>								
<b>Diagnostics</b>	<p>(Visit 124:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>								
<b>Spectral Elements</b>	<b>#</b>	<b>Readout Pattern</b>	<b>Grating</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	NRSRAPID	G235H	480	2	1	2	867.765	
<b>Special Requirements</b>	<p>Parallel</p>								

Proposal 1495 - Observation 125 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 125: SUB2048 G235H 6/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 125:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G235H</td> <td>480</td> <td>2</td> <td>1</td> <td>2</td> <td>867.765</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G235H	480	2	1	2	867.765	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G235H	480	2	1	2	867.765												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 126 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 126: SUB2048 G235H 7/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 126:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G235H</td> <td>480</td> <td>2</td> <td>1</td> <td>2</td> <td>867.765</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G235H	480	2	1	2	867.765	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G235H	480	2	1	2	867.765												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 127 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 127: SUB2048 G235H 8/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>																		
<b>Diagnostics</b>	<p>(Visit 127:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>																		
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>G235H</td> <td>480</td> <td>2</td> <td>1</td> <td>2</td> <td>867.765</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	G235H	480	2	1	2	867.765	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	G235H	480	2	1	2	867.765												
<b>Special Requirements</b>	<p>Parallel</p>																		

Proposal 1495 - Observation 128 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 128: SUB2048 G235H 9/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>								
<b>Diagnostics</b>	<p>(Visit 128:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>								
<b>Spectral Elements</b>	<b>#</b>	<b>Readout Pattern</b>	<b>Grating</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	NRSRAPID	G235H	480	2	1	2	867.765	
<b>Special Requirements</b>	<p>Parallel</p>								

Proposal 1495 - Observation 129 - Dark Monitor Subarray

Fri Apr 14 16:00:58 GMT 2023

<b>Observation</b>	<p>Proposal 1495, Observation 129: SUB2048 G235H 10/10</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Dark</p>								
<b>Diagnostics</b>	(Visit 129:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
<b>Template</b>	<p>Subarray</p> <hr/> <p>SUB2048</p>								
<b>Spectral Elements</b>	<b>#</b>	<b>Readout Pattern</b>	<b>Grating</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	NRSRAPID	G235H	480	2	1	2	867.765	
<b>Special Requirements</b>	Parallel								