



1517 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Cycle: 1, Proposal Category: CAL/MIRI

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Jane Morrison (PI)	University of Arizona	jmorrison@as.arizona.edu
Macarena Garcia Marin (CoI) (CoPI)	Space Telescope Science Institute - ESA - JWST	maca@stsci.edu

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Initial Darks, CCC Open, Brightsky, Reset Anomaly				
	1	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE
	2	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE
	3	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE
	4	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE
	5	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE
	6	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE
	7	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE
	8	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE
	9	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE
	10	Initial Darks, CCC Open, Brightsky	MIRI Dark	NONE

JWST Proposal 1517 (Created: Monday, December 5, 2022 at 2:00:29 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Initial Darks, CCC Open, SUB256, Reset Anomaly				
	19	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
	20	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
	21	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
	22	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
	23	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
	24	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
	25	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
	26	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
	27	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
	28	Initial Darks, CCC Open, SUB256	MIRI Dark	NONE
Initial Darks, CCC Open, SUB128, Reset Anomaly				
	37	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	38	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	39	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	40	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	41	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	42	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	43	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE

JWST Proposal 1517 (Created: Monday, December 5, 2022 at 2:00:29 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	44	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	45	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	46	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
Initial Darks, CCC Open, SUB64, Reset Anomaly				
	55	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	56	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	57	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	58	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	59	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	60	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	61	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	62	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	63	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	64	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
	65	Initial Darks, CCC Open, SUB64	MIRI Dark	NONE
Initial Darks, CCC Open, MASK1550, Reset Anomaly				
	91	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE
	92	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE
	93	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE

JWST Proposal 1517 (Created: Monday, December 5, 2022 at 2:00:29 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	94	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE
	95	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE
	96	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE
	97	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE
	98	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE
	99	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE
	100	Initial Darks, CCC Open, MASK1550	MIRI Dark	NONE
Initial Darks, CCC Open, SLITLESSPRISM, Reset Anomaly				
	145	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
	146	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
	147	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
	148	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
	149	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
	150	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
	151	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
	152	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
	153	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
	154	Initial Darks, CCC Open, Slitless	MIRI Dark	NONE
Trending darks				

JWST Proposal 1517 (Created: Monday, December 5, 2022 at 2:00:29 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	155	CCC open FULL FAST R1	MIRI Dark	NONE
	156	CCC open FULL FAST R1	MIRI Dark	NONE
	157	CCC open FULL FAST R1	MIRI Dark	NONE
	158	CCC open FULL FAST R1	MIRI Dark	NONE
	159	CCC open FULL FAST R1	MIRI Dark	NONE
	160	CCC open FULL FAST R1	MIRI Dark	NONE
	161	CCC open FULL FAST R1	MIRI Dark	NONE
	162	CCC open FULL FAST R1	MIRI Dark	NONE
	163	CCC open FULL FAST R1	MIRI Dark	NONE
	164	CCC open FULL FAST R1	MIRI Dark	NONE
	165	CCC open FULL FAST R1	MIRI Dark	NONE
	166	CCC open FULL FAST R1	MIRI Dark	NONE
	167	CCC open FULL FAST R1	MIRI Dark	NONE
	168	CCC open FULL FAST R1	MIRI Dark	NONE
	169	CCC open FULL FAST R1	MIRI Dark	NONE
	170	CCC open FULL FAST R1	MIRI Dark	NONE
	171	CCC open FULL FAST R1	MIRI Dark	NONE
	172	CCC open FULL FAST R1	MIRI Dark	NONE

JWST Proposal 1517 (Created: Monday, December 5, 2022 at 2:00:29 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	173	CCC open FULL FAST R1	MIRI Dark	NONE
	174	CCC open FULL FAST R1	MIRI Dark	NONE
	175	CCC open FULL FAST R1	MIRI Dark	NONE
	176	CCC open FULL FAST R1	MIRI Dark	NONE
	177	CCC open FULL FAST R1	MIRI Dark	NONE
	178	CCC open FULL FAST R1	MIRI Dark	NONE
	179	CCC open FULL FAST R1	MIRI Dark	NONE
	180	CCC open FULL FAST R1	MIRI Dark	NONE
	181	CCC open FULL FAST R1	MIRI Dark	NONE
	182	CCC open FULL FAST R1	MIRI Dark	NONE
	183	CCC open FULL FAST R1	MIRI Dark	NONE
	184	CCC open FULL FAST R1	MIRI Dark	NONE
	185	CCC open FULL FAST R1	MIRI Dark	NONE
	186	CCC open FULL FAST R1	MIRI Dark	NONE
	187	CCC open FULL FAST R1	MIRI Dark	NONE
	188	CCC open FULL FAST R1	MIRI Dark	NONE

ABSTRACT

CAL-MIRI-001

JWST Proposal 1517 (Created: Monday, December 5, 2022 at 2:00:29 PM Eastern Standard Time) - Overview

This activity will obtain calibration data for all three MIRI detectors early in Cycle 1 to address three issues that will set the ultimate sensitivity limit for MIRI: read noise, dark current, and the reset anomaly, including the non-ideal behavior of individual integration ramps caused by the reset. All three effects require reference files for each detector in the JWST calibration pipeline. The data will also be used to flag hot, dead, and high-noise pixels for the bad-pixel mask. The activity will produce a full suite of data including simultaneous data from the full imager detector and the two MRS detectors with the contamination control cover (CCC) closed and data in all of the available subarrays except SLITLESSPRISM with the CCC open.

This APT file includes the CCC-open darks from CAL-MIRI-001 as well as those from CAL-MIRI-003 (reset switch charge decay calibration). The observations from CAL-MIRI-001 with the CCC closed are now in the APT file for PID 1519.

This calibration program is provisional and may change in response to system developments and the final science program.

OBSERVING DESCRIPTION

CAL-MIRI-001 MIRI Read Noise and Dark Current Monitoring

CAL-MIRI-003 MIRI Reset Switch Charge Decay

The Initial suite of darks for CAL-MIRI-001 with the CCC closed can be found in the APT file for PID 1519.

This APT file includes the darks obtained with the CCC open for both CAL-MIRI-001 and CAL-MIRI-003

For all observations:

The CCC should be open

The filter wheel should be set to OPAQUE

They should be obtained as parallels

Individual observations can be executed separately

Group 1 - CAL-MIRI-001 - Initial darks - Obs 1-174

Group 2 - CAL-MIRI-003 - RSCD darks - Obs 175-179

Group 3 - CAL-MIRI-001 - Dark monitor - Obs 180-184

TIMING CONSTRAINTS

Times are based on:

- 1) a launch date of 25 Dec 2021
- 2) an assumed start of Cycle 1 on 1 Jul 2022.

Observations in Group 1 (initial darks) should be executed as early as possible in Month 1 of Cycle 1.

We have constrained them to be observed anytime in Month 1 to provide some flexibility, but the earlier, the better.

Observations in Group 2 (RSCD darks) should be executed sometime during Months 1-2 of Cycle 1.

Observations in Group 3 (dark monitor) should be executed in Months 3, 5, 7, 9, and 11 of Cycle 1.

These dates have some limited flexibility, provided they can be executed roughly every other month.

Failed or missed observations should be obtained at the first opportunity.

Proposal 1517 - Observation 1 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 1: Initial Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>BRIGHTSKY</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	BRIGHTSKY																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	BRIGHTSKY																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>150</td> <td>3</td> <td>1</td> <td>3</td> <td>391.107</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	150	3	1	3	391.107		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	150	3	1	3	391.107																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 2 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 2: Initial Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>BRIGHTSKY</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	BRIGHTSKY																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	BRIGHTSKY																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>150</td> <td>3</td> <td>1</td> <td>3</td> <td>391.107</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	150	3	1	3	391.107		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	150	3	1	3	391.107																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 3 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 3: Initial Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>BRIGHTSKY</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	BRIGHTSKY																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	BRIGHTSKY																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>150</td> <td>3</td> <td>1</td> <td>3</td> <td>391.107</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	150	3	1	3	391.107		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	150	3	1	3	391.107																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 4 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 4: Initial Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	3	1	3	391.107	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 5 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 5: Initial Darks, CCC Open, Brightsky Diagnostic Status: Warning Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	3	1	3	391.107	
Special Requirements	Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00 Parallel								

Proposal 1517 - Observation 6 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 6: Initial Darks, CCC Open, Brightsky Diagnostic Status: Warning Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	3	1	3	391.107	
Special Requirements	Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00 Parallel								

Proposal 1517 - Observation 7 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 7: Initial Darks, CCC Open, Brightsky Diagnostic Status: Warning Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	3	1	3	391.107	
Special Requirements	Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00 Parallel								

Proposal 1517 - Observation 8 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 8: Initial Darks, CCC Open, Brightsky Diagnostic Status: Warning Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	3	1	3	391.107	
Special Requirements	Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00 Parallel								

Proposal 1517 - Observation 9 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 9: Initial Darks, CCC Open, Brightsky Diagnostic Status: Warning Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	3	1	3	391.107	
Special Requirements	Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00 Parallel								

Proposal 1517 - Observation 10 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 10: Initial Darks, CCC Open, Brightsky Diagnostic Status: Warning Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	3	1	3	391.107	
Special Requirements	Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00 Parallel								

Proposal 1517 - Observation 19 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 19: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB256</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>100</p>	<p>Integrations/Exp</p> <p>3</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>3</p>	<p>Total Exposure Time</p> <p>90.455</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 20 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 20: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB256</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB256																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB256																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>90.455</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	90.455	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	100	3	1	3	90.455																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 21 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 21: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB256</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB256																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB256																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>90.455</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	90.455		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	100	3	1	3	90.455																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 22 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 22: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB256</p>		
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	100	3	1	3	90.455	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 23 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 23: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB256			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	100	3	1	3	90.455	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 24 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 24: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB256</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>100</p>	<p>Integrations/Exp</p> <p>3</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>3</p>	<p>Total Exposure Time</p> <p>90.455</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 25 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 25: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB256</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB256																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB256																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>90.455</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	90.455	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	100	3	1	3	90.455																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 26 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 26: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB256</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB256																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB256																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>90.455</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	90.455	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	100	3	1	3	90.455																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 27 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 27: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB256			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	100	3	1	3	90.455	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 28 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 28: Initial Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB256</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB256																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB256																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>90.455</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	90.455	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	100	3	1	3	90.455																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 37 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 37: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB128</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>100</p>	<p>Integrations/Exp</p> <p>3</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>3</p>	<p>Total Exposure Time</p> <p>35.95</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 38 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 38: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB128																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>35.95</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	35.95	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	100	3	1	3	35.95																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 39 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 39: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	<p>(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB128																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>35.95</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	35.95	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	100	3	1	3	35.95																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 40 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 40: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB128</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>100</p>	<p>Integrations/Exp</p> <p>3</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>3</p>	<p>Total Exposure Time</p> <p>35.95</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 41 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 41: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	<p>(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB128																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>35.95</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	35.95	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	100	3	1	3	35.95																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 42 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 42: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB128																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>35.95</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	35.95		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	100	3	1	3	35.95																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 43 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 43: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	<p>(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB128																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>35.95</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	35.95	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	100	3	1	3	35.95																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 44 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 44: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	<p>(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB128																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>35.95</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	35.95		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	100	3	1	3	35.95																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 31-DEC-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 45 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 45: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB128																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>100</td> <td>3</td> <td>1</td> <td>3</td> <td>35.95</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	100	3	1	3	35.95		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	100	3	1	3	35.95																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 46 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 46: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB128</p>		
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	100	3	1	3	35.95	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 55 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 55: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB64</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>600</p>	<p>Integrations/Exp</p> <p>3</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>3</p>	<p>Total Exposure Time</p> <p>153.386</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 56 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 56: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	3	1	3	153.386	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 57 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 57: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB64</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB64																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB64																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>600</td> <td>3</td> <td>1</td> <td>3</td> <td>153.386</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	600	3	1	3	153.386	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	600	3	1	3	153.386																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 58 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 58: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	3	1	3	153.386	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 59 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 59: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB64</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>600</p>	<p>Integrations/Exp</p> <p>3</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>3</p>	<p>Total Exposure Time</p> <p>153.386</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 60 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 60: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB64</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB64																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB64																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>600</td> <td>3</td> <td>1</td> <td>3</td> <td>153.386</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	600	3	1	3	153.386		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	600	3	1	3	153.386																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 61 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 61: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 61:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	3	1	3	153.386	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 62 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 62: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 62:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB64</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB64																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB64																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>600</td> <td>3</td> <td>1</td> <td>3</td> <td>153.386</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	600	3	1	3	153.386	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	600	3	1	3	153.386																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 63 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 63: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB64</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB64																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB64																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>600</td> <td>3</td> <td>1</td> <td>3</td> <td>153.386</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	600	3	1	3	153.386		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	600	3	1	3	153.386																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 64 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 64: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	3	1	3	153.386	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 65 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 65: Initial Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	3	1	3	153.386	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 91 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 91: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 91:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASK1550</p>		
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	5000	3	1	3	3595.679	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 92 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 92: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 92:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1550</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1550																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	MASK1550																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>5000</td> <td>3</td> <td>1</td> <td>3</td> <td>3595.679</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	5000	3	1	3	3595.679		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	5000	3	1	3	3595.679																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 93 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 93: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 93:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASK1550</p>		
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	5000	3	1	3	3595.679	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 94 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 94: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 94:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	5000	3	1	3	3595.679	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 95 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 95: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 95:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASK1550</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>5000</p>	<p>Integrations/Exp</p> <p>3</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>3</p>	<p>Total Exposure Time</p> <p>3595.679</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 96 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 96: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 96:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1550</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1550																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1550																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>5000</td> <td>3</td> <td>1</td> <td>3</td> <td>3595.679</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	5000	3	1	3	3595.679	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	5000	3	1	3	3595.679																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 97 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 97: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 97:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	5000	3	1	3	3595.679	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 98 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 98: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 98:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	5000	3	1	3	3595.679	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 99 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 99: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 99:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1550</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1550																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	MASK1550																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>5000</td> <td>3</td> <td>1</td> <td>3</td> <td>3595.679</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	5000	3	1	3	3595.679		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	5000	3	1	3	3595.679																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 100 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 100: Initial Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 100:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1550</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1550																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1550																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>5000</td> <td>3</td> <td>1</td> <td>3</td> <td>3595.679</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	5000	3	1	3	3595.679	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	5000	3	1	3	3595.679																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 145 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 145: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 145:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SLITLESSPRISM</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SLITLESSPRISM																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SLITLESSPRISM																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>3</td> <td>1</td> <td>3</td> <td>119.598</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	3	1	3	119.598	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	3	1	3	119.598																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 146 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 146: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 146:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	3	1	3	119.598	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 147 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 147: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 147:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SLITLESSPRISM</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SLITLESSPRISM																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SLITLESSPRISM																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>3</td> <td>1</td> <td>3</td> <td>119.598</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	3	1	3	119.598		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	3	1	3	119.598																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 148 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 148: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 148:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	3	1	3	119.598	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 149 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 149: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 149:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	3	1	3	119.598	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 150 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 150: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 150:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SLITLESSPRISM</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SLITLESSPRISM																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SLITLESSPRISM																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>3</td> <td>1</td> <td>3</td> <td>119.598</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	3	1	3	119.598		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	3	1	3	119.598																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 151 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 151: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 151:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SLITLESSPRISM</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SLITLESSPRISM																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SLITLESSPRISM																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>3</td> <td>1</td> <td>3</td> <td>119.598</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	3	1	3	119.598		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	3	1	3	119.598																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 152 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 152: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 152:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	3	1	3	119.598	
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>								

Proposal 1517 - Observation 153 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 153: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 153:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SLITLESSPRISM</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SLITLESSPRISM																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SLITLESSPRISM																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>3</td> <td>1</td> <td>3</td> <td>119.598</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	3	1	3	119.598	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	3	1	3	119.598																				
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																										

Proposal 1517 - Observation 154 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 154: Initial Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 154:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SLITLESSPRISM</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SLITLESSPRISM																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SLITLESSPRISM																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>3</td> <td>1</td> <td>3</td> <td>119.598</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	3	1	3	119.598		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	3	1	3	119.598																						
Special Requirements	<p>Between Dates 26-JUN-2022:00:00:00 and 30-SEP-2022:00:00:00</p> <p>Parallel</p>																												

Proposal 1517 - Observation 155 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 155: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	<p>(Visit 155:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>156 After 155 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 156 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 156: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 156:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>156 After 155 by 2 Hours to 5 Days</p> <p>157 After 156 by 2 Hours to 5 Days</p>								

Proposal 1517 - Observation 157 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 157: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 157:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern			Imager Subarray				
	IMAGER	NONE			FULL				
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>157 After 156 by 2 Hours to 5 Days</p> <p>158 After 157 by 2 Hours to 5 Days</p>								

Proposal 1517 - Observation 158 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 158: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 158:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>158 After 157 by 2 Hours to 5 Days</p> <p>159 After 158 by 2 Hours to 5 Days</p>								

Proposal 1517 - Observation 159 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 159: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 159:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>159 After 158 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 160 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 160: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	<p>(Visit 160:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:09:00:00</p> <p>Parallel</p> <p>161 After 160 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 161 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 161: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 161:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>161 After 160 by 2 Hours to 5 Days</p> <p>162 After 161 by 2 Hours to 5 Days</p>								

Proposal 1517 - Observation 162 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 162: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 162:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>162 After 161 by 2 Hours to 5 Days</p> <p>163 After 162 by 2 Hours to 5 Days</p>																										

Proposal 1517 - Observation 163 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 163: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 163:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>163 After 162 by 2 Hours to 5 Days</p> <p>164 After 163 by 2 Hours to 5 Days</p>								

Proposal 1517 - Observation 164 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 164: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 164:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>164 After 163 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 165 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 165: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 165:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 07-NOV-2022:00:00:00 and 10-NOV-2022:10:00:00</p> <p>Parallel</p> <p>166 After 165 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 166 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 166: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 166:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>166 After 165 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 167 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 167: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 167:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>168 After 167 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 168 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 168: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 168:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>FULL</p>		
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>168 After 167 by 2 Hours to 5 Days</p>								

Proposal 1517 - Observation 169 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 169: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 169:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>170 After 169 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 170 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 170: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 170:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>170 After 169 by 2 Hours to 5 Days</p> <p>171 After 170 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 171 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 171: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 171:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>171 After 170 by 2 Hours to 5 Days</p> <p>172 After 171 by 2 Hours to 5 Days</p>																										

Proposal 1517 - Observation 172 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 172: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 172:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>172 After 171 by 2 Hours to 5 Days</p> <p>173 After 172 by 2 Hours to 5 Days</p>																										

Proposal 1517 - Observation 173 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 173: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 173:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>173 After 172 by 2 Hours to 5 Days</p> <p>174 After 173 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 174 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 174: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 174:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 02-OCT-2022:00:00:00 and 30-NOV-2022:00:00:00</p> <p>Parallel</p> <p>174 After 173 by 2 Hours to 5 Days</p>																												

Proposal 1517 - Observation 175 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 175: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 175:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 11-DEC-2022:00:00:00 and 25-DEC-2022:00:00:00</p> <p>Parallel</p> <p>176 After 175 by 14 Days to 21 Days</p>																												

Proposal 1517 - Observation 176 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 176: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 176:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>FULL</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>250</p>	<p>Integrations/Exp</p> <p>2</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>2</p>	<p>Total Exposure Time</p> <p>1390.295</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Parallel</p> <p>176 After 175 by 14 Days to 21 Days</p> <p>177 After 176 by 14 Days to 21 Days</p>								

Proposal 1517 - Observation 177 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 177: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 177:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Parallel</p> <p>177 After 176 by 14 Days to 21 Days</p> <p>178 After 177 by 14 Days to 21 Days</p>																												

Proposal 1517 - Observation 178 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 178: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 178:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Parallel</p> <p>178 After 177 by 14 Days to 21 Days</p> <p>179 After 178 by 14 Days to 21 Days</p>								

Proposal 1517 - Observation 179 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 179: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 179:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Parallel</p> <p>179 After 178 by 14 Days to 21 Days</p> <p>180 After 179 by 14 Days to 21 Days</p>								

Proposal 1517 - Observation 180 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 180: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 180:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>	<p>Test Pattern</p> <p>NONE</p>						<p>Imager Subarray</p> <p>FULL</p>	
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>250</p>	<p>Integrations/Exp</p> <p>2</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>2</p>	<p>Total Exposure Time</p> <p>1390.295</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Parallel</p> <p>180 After 179 by 14 Days to 21 Days</p> <p>181 After 180 by 14 Days to 21 Days</p>								

Proposal 1517 - Observation 181 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 181: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 181:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>FULL</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>250</p>	<p>Integrations/Exp</p> <p>2</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>2</p>	<p>Total Exposure Time</p> <p>1390.295</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Parallel</p> <p>181 After 180 by 14 Days to 21 Days</p> <p>182 After 181 by 14 Days to 21 Days</p>								

Proposal 1517 - Observation 182 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 182: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 182:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Parallel</p> <p>182 After 181 by 14 Days to 21 Days</p> <p>183 After 182 by 14 Days to 21 Days</p>								

Proposal 1517 - Observation 183 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 183: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 183:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Parallel</p> <p>183 After 182 by 14 Days to 21 Days</p> <p>184 After 183 by 14 Days to 21 Days</p>																												

Proposal 1517 - Observation 184 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 184: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 184:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
Special Requirements	<p>Parallel</p> <p>184 After 183 by 14 Days to 21 Days</p> <p>185 After 184 by 14 Days to 21 Days</p>																										

Proposal 1517 - Observation 185 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 185: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 185:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Parallel</p> <p>185 After 184 by 14 Days to 21 Days</p> <p>186 After 185 by 14 Days to 21 Days</p>																												

Proposal 1517 - Observation 186 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 186: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 186:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
Special Requirements	<p>Parallel</p> <p>186 After 185 by 14 Days to 21 Days</p> <p>187 After 186 by 14 Days to 21 Days</p>																										

Proposal 1517 - Observation 187 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 187: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 187:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>		<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>FULL</p>			
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>250</p>	<p>Integrations/Exp</p> <p>2</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>2</p>	<p>Total Exposure Time</p> <p>1390.295</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Parallel</p> <p>187 After 186 by 14 Days to 21 Days</p> <p>188 After 187 by 14 Days to 21 Days</p>								

Proposal 1517 - Observation 188 - CAL-MIRI-001 Read Noise and Dark Current Monitoring

Mon Dec 05 19:00:29 GMT 2022

Observation	<p>Proposal 1517, Observation 188: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 188:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Parallel</p> <p>188 After 187 by 14 Days to 21 Days</p>																												