



# 1547 - Station Keeping Program

Cycle: 4, Proposal Category: CAL/SC

## INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Ms. Beth Perriello (PI)	Space Telescope Science Institute

## OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Observation Folder				
	1		Station Keeping	SK_TARGET
	2		Station Keeping	SK_TARGET
	3		Station Keeping	SK_TARGET
	4		Station Keeping	SK_TARGET
	5		Station Keeping	SK_TARGET
	6		Station Keeping	SK_TARGET
	7		Station Keeping	SK_TARGET
	8		Station Keeping	SK_TARGET
	9		Station Keeping	SK_TARGET
	10		Station Keeping	SK_TARGET
	11		Station Keeping	SK_TARGET
	12		Station Keeping	SK_TARGET
	13		Station Keeping	SK_TARGET
	14		Station Keeping	SK_TARGET
	15		Station Keeping	SK_TARGET
	16		Station Keeping	SK_TARGET
	17		Station Keeping	SK_TARGET
	18		Station Keeping	SK_TARGET

JWST Proposal 1547 (Created: Friday, November 1, 2024, 5:00:09PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	19		Station Keeping	SK_TARGET
	20		Station Keeping	SK_TARGET
	21		Station Keeping	SK_TARGET
	22		Station Keeping	SK_TARGET
	23		Station Keeping	SK_TARGET
	24		Station Keeping	SK_TARGET
	25		Station Keeping	SK_TARGET
	26		Station Keeping	SK_TARGET
	27		Station Keeping	SK_TARGET
	28		Station Keeping	SK_TARGET
	29		Station Keeping	SK_TARGET
	30		Station Keeping	SK_TARGET
	31		Station Keeping	SK_TARGET
	32		Station Keeping	SK_TARGET
	33		Station Keeping	SK_TARGET
	34		Station Keeping	SK_TARGET
	35		Station Keeping	SK_TARGET
	36		Station Keeping	SK_TARGET
	37		Station Keeping	SK_TARGET
	38		Station Keeping	SK_TARGET
	39		Station Keeping	SK_TARGET
	40		Station Keeping	SK_TARGET
	41		Station Keeping	SK_TARGET
	42		Station Keeping	SK_TARGET
	43		Station Keeping	SK_TARGET
	44		Station Keeping	SK_TARGET
	45		Station Keeping	SK_TARGET
	46		Station Keeping	SK_TARGET
	47		Station Keeping	SK_TARGET
	48		Station Keeping	SK_TARGET
	49		Station Keeping	SK_TARGET
	50		Station Keeping	SK_TARGET

JWST Proposal 1547 (Created: Friday, November 1, 2024, 5:00:09PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
51			Station Keeping	SK_TARGET
52			Station Keeping	SK_TARGET
53			Station Keeping	SK_TARGET
54			Station Keeping	SK_TARGET
55			Station Keeping	SK_TARGET
56			Station Keeping	SK_TARGET
57			Station Keeping	SK_TARGET
58			Station Keeping	SK_TARGET
59			Station Keeping	SK_TARGET
60			Station Keeping	SK_TARGET
61			Station Keeping	SK_TARGET
62			Station Keeping	SK_TARGET
63			Station Keeping	SK_TARGET
64			Station Keeping	SK_TARGET
65			Station Keeping	SK_TARGET
66			Station Keeping	SK_TARGET
67			Station Keeping	SK_TARGET
68			Station Keeping	SK_TARGET
69			Station Keeping	SK_TARGET

**ABSTRACT**

This is a station keeping program.

**OBSERVING DESCRIPTION**

This is a station keeping program to be used for SOR-2.

Proposal 1547 - Observation 1 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 1</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 1:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 24900.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> 21600	<p><b>Handoff Window Duration (Seconds)</b></p> 21600	<p><b>Initial Setup Duration (Seconds)</b></p> 3300	<p><b>Cleanup Duration (Seconds)</b></p> 0	<p><b>Stored Command Sequence ID</b></p> 387
<b>Spectral Elements</b>	<p># 1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 2 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 2</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 2:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 23400.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>9000</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 3 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 3</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 3:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 17640.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14340</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14340</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3300</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 4 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 4</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 4:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 5 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 5</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 5:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 6 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 6</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 6:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 7 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 7</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 7:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 8 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 8</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 8:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 9 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 9</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 9:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 10 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 10</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 10:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 11 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 11</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 11:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 12 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 12</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 12:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 13 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 13</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 13:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 25200.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>10800</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 14 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 14</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 14:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 15 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 15</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 15:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 16 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 16</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 16:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 17 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 17</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 17:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 18 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 18</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 18:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 19 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 19</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 19:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 20 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 20</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 20:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 21 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 21</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 21:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 22 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 22</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 22:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<b>Realtime Duration (Seconds)</b>	<b>Handoff Window Duration (Seconds)</b>	<b>Initial Setup Duration (Seconds)</b>	<b>Cleanup Duration (Seconds)</b>	<b>Stored Command Sequence ID</b>
	14400	14400	3600	0	387
<b>Spectral Elements</b>	<p># 1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 23 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 23</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 23:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 24 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 24</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p> <p>(Visit 24:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE</p> <p>No Parallel Attachments</p> <p>Realtime Required</p> <p>Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 25 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 25</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 25:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 26 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 26</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 26:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 27 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 27</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p> <p>(Visit 27:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE</p> <p>No Parallel Attachments</p> <p>Realtime Required</p> <p>Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 28 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 28</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 28:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 29 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 29</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p> <p>(Visit 29:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE</p> <p>No Parallel Attachments</p> <p>Realtime Required</p> <p>Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 30 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 30</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 30:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 31 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 31</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 31:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 32 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 32</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 32:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 33 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 33</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 33:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 34 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 34</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 34:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 35 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 35</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 35:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 36 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 36</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 36:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 37 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 37</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p> <p>(Visit 37:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE</p> <p>No Parallel Attachments</p> <p>Realtime Required</p> <p>Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 38 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 38</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 38:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 39 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 39</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 39:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 40 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 40</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 40:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 41 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 41</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 41:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 42 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 42</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 42:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 43 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 43</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 43:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 44 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 44</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p> <p>(Visit 44:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE</p> <p>No Parallel Attachments</p> <p>Realtime Required</p> <p>Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 45 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 45</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 45:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 46 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 46</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p> <p>(Visit 46:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE</p> <p>No Parallel Attachments</p> <p>Realtime Required</p> <p>Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 47 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 47</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p> <p>(Visit 47:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE</p> <p>No Parallel Attachments</p> <p>Realtime Required</p> <p>Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 48 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 48</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p> <p>(Visit 48:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE</p> <p>No Parallel Attachments</p> <p>Realtime Required</p> <p>Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 49 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 49</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 49:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 50 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 50</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 50:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 51 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 51</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 51:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 51:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 52 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 52</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 52:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 52:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 53 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 53</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 53:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 53:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 54 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 54</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 54:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 54:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 55 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 55</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 55:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 56 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 56</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 56:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 57 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 57</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 57:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 58 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 58</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 58:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 59 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 59</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 59:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 60 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 60</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 60:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 61 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 61</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 61:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 61:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 62 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 62</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 62:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 62:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 63 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 63</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 63:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 64 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 64</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 64:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 65 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 65</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 65:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 66 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 66</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 66:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 66:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 67 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 67</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 67:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 67:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 68 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 68</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 68:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 68:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				

Proposal 1547 - Observation 69 - Station Keeping Program

Fri Nov 01 22:00:09 GMT 2024

<b>Observation</b>	<p><b>Proposal 1547, Observation 69</b>  <b>Diagnostic Status: Warning</b>                  Observing Template: Station Keeping</p>				
<b>Diagnostics</b>	<p>(Visit 69:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.                  (Visit 69:1) Warning (Form): Visit duration exceeds normal realtime contact duration. It is 18000.0 seconds, but should be less than or equal to 12600.0 seconds unless special contact is requested.</p>				
<b>Template</b>	<p><b>Realtime Duration (Seconds)</b></p> <p>14400</p>	<p><b>Handoff Window Duration (Seconds)</b></p> <p>14400</p>	<p><b>Initial Setup Duration (Seconds)</b></p> <p>3600</p>	<p><b>Cleanup Duration (Seconds)</b></p> <p>0</p>	<p><b>Stored Command Sequence ID</b></p> <p>387</p>
<b>Spectral Elements</b>	<p>#</p> <p>1</p>				
<b>Special Requirements</b>	<p>PCS Mode COARSE                  No Parallel Attachments                  Realtime                  Required                  Special Commanding Station Keeping</p>				