



## 2741 - MIRI set to FULL

Cycle: 1, Proposal Category: CAL/MIRI

### INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Macarena Garcia Marin (PI)	Space Telescope Science Institute - ESA - JWST	maca@stsci.edu

### OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Observation Folder				
	1		MIRI External Flat	NONE
	2		MIRI External Flat	NONE
	3		MIRI External Flat	NONE
	4		MIRI External Flat	NONE
	5		MIRI External Flat	NONE
	6		MIRI External Flat	NONE
	7		MIRI External Flat	NONE
	8		MIRI External Flat	NONE
	9		MIRI External Flat	NONE
	10		MIRI External Flat	NONE
	11		MIRI External Flat	NONE
	12		MIRI External Flat	NONE
	13		MIRI External Flat	NONE
	14		MIRI External Flat	NONE
	15		MIRI External Flat	NONE
	16		MIRI External Flat	NONE
	17		MIRI External Flat	NONE
	18		MIRI External Flat	NONE

JWST Proposal 2741 (Created: Wednesday, June 22, 2022 at 12:00:12 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	19		MIRI External Flat	NONE
	20		MIRI External Flat	NONE
	21		MIRI External Flat	NONE
	22		MIRI External Flat	NONE
	23		MIRI External Flat	NONE
	24		MIRI External Flat	NONE
	25		MIRI External Flat	NONE
	26		MIRI External Flat	NONE
	27		MIRI External Flat	NONE
	28		MIRI External Flat	NONE
	29		MIRI External Flat	NONE
	30		MIRI External Flat	NONE
	31		MIRI External Flat	NONE
	32		MIRI External Flat	NONE
	33		MIRI External Flat	NONE
	34		MIRI External Flat	NONE
	35		MIRI External Flat	NONE
	36		MIRI External Flat	NONE
	37		MIRI External Flat	NONE
	38		MIRI External Flat	NONE
	39		MIRI External Flat	NONE
	40		MIRI External Flat	NONE
	41		MIRI External Flat	NONE
	42		MIRI External Flat	NONE
	43		MIRI External Flat	NONE
	44		MIRI External Flat	NONE
	45		MIRI External Flat	NONE
	46		MIRI External Flat	NONE
	47		MIRI External Flat	NONE
	48		MIRI External Flat	NONE
	49		MIRI External Flat	NONE
	50		MIRI External Flat	NONE

**ABSTRACT**

MIRI set to full

**OBSERVING DESCRIPTION**

To be scheduled after MIRI imaging visits that use subarrays.

Proposal 2741 - Observation 1 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 1</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 1) Warning (Form): NO SLEW Risk</p> <p>(Observation 1) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 2 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p>Proposal 2741, Observation 2</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 2) Warning (Form): NO SLEW Risk</p> <p>(Observation 2) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 3 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 3</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 3) Warning (Form): NO SLEW Risk</p> <p>(Observation 3) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 4 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 4</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 4) Warning (Form): NO SLEW Risk</p> <p>(Observation 4) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 5 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 5</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 5) Warning (Form): NO SLEW Risk</p> <p>(Observation 5) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 6 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 6</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 6) Warning (Form): NO SLEW Risk</p> <p>(Observation 6) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 7 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 7</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 7) Warning (Form): NO SLEW Risk</p> <p>(Observation 7) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 8 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 8</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 8) Warning (Form): NO SLEW Risk</p> <p>(Observation 8) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 9 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 9</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 9) Warning (Form): NO SLEW Risk</p> <p>(Observation 9) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 10 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 10</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 10) Warning (Form): NO SLEW Risk</p> <p>(Observation 10) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 11 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 11</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 11) Warning (Form): NO SLEW Risk</p> <p>(Observation 11) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 12 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 12</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 12) Warning (Form): NO SLEW Risk</p> <p>(Observation 12) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 13 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 13</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 13) Warning (Form): NO SLEW Risk</p> <p>(Observation 13) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 14 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 14</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 14) Warning (Form): NO SLEW Risk</p> <p>(Observation 14) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 15 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 15</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 15) Warning (Form): NO SLEW Risk</p> <p>(Observation 15) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 16 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 16</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 16) Warning (Form): NO SLEW Risk</p> <p>(Observation 16) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 17 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 17</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 17) Warning (Form): NO SLEW Risk</p> <p>(Observation 17) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 18 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 18</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 18) Warning (Form): NO SLEW Risk</p> <p>(Observation 18) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 19 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 19</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 19) Warning (Form): NO SLEW Risk</p> <p>(Observation 19) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 20 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 20</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 20) Warning (Form): NO SLEW Risk</p> <p>(Observation 20) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 21 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 21</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 21) Warning (Form): NO SLEW Risk</p> <p>(Observation 21) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 22 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 22</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 22) Warning (Form): NO SLEW Risk</p> <p>(Observation 22) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 23 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 23</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 23) Warning (Form): NO SLEW Risk</p> <p>(Observation 23) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 24 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 24</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 24) Warning (Form): NO SLEW Risk</p> <p>(Observation 24) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 25 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 25</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 25) Warning (Form): NO SLEW Risk</p> <p>(Observation 25) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 26 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 26</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 26) Warning (Form): NO SLEW Risk</p> <p>(Observation 26) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 27 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 27</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 27) Warning (Form): NO SLEW Risk</p> <p>(Observation 27) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 28 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 28</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 28) Warning (Form): NO SLEW Risk</p> <p>(Observation 28) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 29 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 29</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 29) Warning (Form): NO SLEW Risk</p> <p>(Observation 29) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 30 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 30</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 30) Warning (Form): NO SLEW Risk</p> <p>(Observation 30) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 31 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 31</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 31) Warning (Form): NO SLEW Risk</p> <p>(Observation 31) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 32 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p>Proposal 2741, Observation 32</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 32) Warning (Form): NO SLEW Risk</p> <p>(Observation 32) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew</p> <p>No Parallel</p> <p>Expose Only - No Mechanism Commanding</p> <p>Special Commanding No slew</p>												

Proposal 2741 - Observation 33 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 33</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 33) Warning (Form): NO SLEW Risk</p> <p>(Observation 33) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 34 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 34</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
	<p>(Observation 34) Warning (Form): NO SLEW Risk</p> <p>(Observation 34) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Diagnosics</b>													
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew</p> <p>No Parallel</p> <p>Expose Only - No Mechanism Commanding</p> <p>Special Commanding No slew</p>												

Proposal 2741 - Observation 35 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 35</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 35) Warning (Form): NO SLEW Risk</p> <p>(Observation 35) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 36 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 36</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 36) Warning (Form): NO SLEW Risk</p> <p>(Observation 36) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 37 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 37</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 37) Warning (Form): NO SLEW Risk</p> <p>(Observation 37) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 38 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 38</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 38) Warning (Form): NO SLEW Risk</p> <p>(Observation 38) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 39 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 39</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 39) Warning (Form): NO SLEW Risk</p> <p>(Observation 39) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 40 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 40</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 40) Warning (Form): NO SLEW Risk</p> <p>(Observation 40) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 41 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 41</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 41) Warning (Form): NO SLEW Risk</p> <p>(Observation 41) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 42 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 42</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 42) Warning (Form): NO SLEW Risk</p> <p>(Observation 42) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 43 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 43</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 43) Warning (Form): NO SLEW Risk</p> <p>(Observation 43) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 44 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 44</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 44) Warning (Form): NO SLEW Risk</p> <p>(Observation 44) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 45 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 45</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 45) Warning (Form): NO SLEW Risk</p> <p>(Observation 45) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 46 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 46</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 46) Warning (Form): NO SLEW Risk</p> <p>(Observation 46) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 47 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 47</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 47) Warning (Form): NO SLEW Risk</p> <p>(Observation 47) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 48 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 48</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 48) Warning (Form): NO SLEW Risk</p> <p>(Observation 48) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 49 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 49</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 49) Warning (Form): NO SLEW Risk</p> <p>(Observation 49) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												

Proposal 2741 - Observation 50 - MIRI set to FULL

Wed Jun 22 05:00:12 GMT 2022

<b>Observation</b>	<p><b>Proposal 2741, Observation 50</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI External Flat</p>												
<b>Diagnostics</b>	<p>(Observation 50) Warning (Form): NO SLEW Risk</p> <p>(Observation 50) Warning (Form): The minimum recommended number of imager groups is 4 for this template.</p> <p>(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>												
<b>Template</b>	<b>Pointing Type</b>	<b>Detector</b>	<b>Dither</b>			<b>Lamp Use</b>			<b>Lamp On Time</b>		<b>Imager Subarray</b>		
	PRIME	IMAGER	false			OFF ONLY			0		FULL		
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Filter</b>	<b>Wavelength 1 &amp; 4</b>	<b>Wavelength 2 &amp; 3</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Dithers</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	F560W			FASTR1	2	1	1	1	1	5.55	
<b>Special Requirements</b>	<p>No Slew                  No Parallel                  Expose Only - No Mechanism Commanding                  Special Commanding No slew</p>												