



2742 - NIRSpec darks for detector reconfiguration

Cycle: 1, Proposal Category: CAL/NIRSPEC

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. James Muzerolle (PI)	Space Telescope Science Institute	muzerol@stsci.edu

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
IRS2				
	1	IRS2	NIRSpec Dark	NONE
	2	IRS2	NIRSpec Dark	NONE
	3	IRS2	NIRSpec Dark	NONE
	4	IRS2	NIRSpec Dark	NONE
	5	IRS2	NIRSpec Dark	NONE
	6	IRS2	NIRSpec Dark	NONE
	7	IRS2	NIRSpec Dark	NONE
	8	IRS2	NIRSpec Dark	NONE
	9	IRS2	NIRSpec Dark	NONE
	10	IRS2	NIRSpec Dark	NONE
	11	IRS2	NIRSpec Dark	NONE
	12	IRS2	NIRSpec Dark	NONE
	13	IRS2	NIRSpec Dark	NONE
	14	IRS2	NIRSpec Dark	NONE
	15	IRS2	NIRSpec Dark	NONE
	16	IRS2	NIRSpec Dark	NONE
	17	IRS2	NIRSpec Dark	NONE
	18	IRS2	NIRSpec Dark	NONE

JWST Proposal 2742 (Created: Wednesday, September 7, 2022 at 4:02:53 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	19	IRS2	NIRSpec Dark	NONE
	20	IRS2	NIRSpec Dark	NONE
full frame traditional				
	21	full frame traditional	NIRSpec Dark	NONE
	22	full frame traditional	NIRSpec Dark	NONE
	23	full frame traditional	NIRSpec Dark	NONE
	24	full frame traditional	NIRSpec Dark	NONE
	25	full frame traditional	NIRSpec Dark	NONE
	26	full frame traditional	NIRSpec Dark	NONE
	27	full frame traditional	NIRSpec Dark	NONE
	28	full frame traditional	NIRSpec Dark	NONE
	29	full frame traditional	NIRSpec Dark	NONE
	30	full frame traditional	NIRSpec Dark	NONE
	31	full frame traditional	NIRSpec Dark	NONE
	32	full frame traditional	NIRSpec Dark	NONE
	33	full frame traditional	NIRSpec Dark	NONE
	34	full frame traditional	NIRSpec Dark	NONE
	35	full frame traditional	NIRSpec Dark	NONE
	36	full frame traditional	NIRSpec Dark	NONE
	37	full frame traditional	NIRSpec Dark	NONE
	38	full frame traditional	NIRSpec Dark	NONE
	39	full frame traditional	NIRSpec Dark	NONE
	40	full frame traditional	NIRSpec Dark	NONE
subarray				
	41	subarray	NIRSpec Dark	NONE
	42	subarray	NIRSpec Dark	NONE
	43	subarray	NIRSpec Dark	NONE
	44	subarray	NIRSpec Dark	NONE
	45	subarray	NIRSpec Dark	NONE
	46	subarray	NIRSpec Dark	NONE
	47	subarray	NIRSpec Dark	NONE
	48	subarray	NIRSpec Dark	NONE

JWST Proposal 2742 (Created: Wednesday, September 7, 2022 at 4:02:53 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	49	subarray	NIRSpec Dark	NONE
	50	subarray	NIRSpec Dark	NONE
	51	subarray	NIRSpec Dark	NONE
	52	subarray	NIRSpec Dark	NONE
	53	subarray	NIRSpec Dark	NONE
	54	subarray	NIRSpec Dark	NONE
	55	subarray	NIRSpec Dark	NONE
	56	subarray	NIRSpec Dark	NONE
	57	subarray	NIRSpec Dark	NONE
	58	subarray	NIRSpec Dark	NONE
	59	subarray	NIRSpec Dark	NONE
	60	subarray	NIRSpec Dark	NONE
	61	subarray	NIRSpec Dark	NONE
	62	subarray	NIRSpec Dark	NONE
	63	subarray	NIRSpec Dark	NONE
	64	subarray	NIRSpec Dark	NONE
	65	subarray	NIRSpec Dark	NONE
	66	subarray	NIRSpec Dark	NONE
	67	subarray	NIRSpec Dark	NONE
	68	subarray	NIRSpec Dark	NONE
	69	subarray	NIRSpec Dark	NONE
	70	subarray	NIRSpec Dark	NONE
	71	subarray	NIRSpec Dark	NONE
	72	subarray	NIRSpec Dark	NONE
	73	subarray	NIRSpec Dark	NONE
	74	subarray	NIRSpec Dark	NONE
	75	subarray	NIRSpec Dark	NONE
	76	subarray	NIRSpec Dark	NONE
	77	subarray	NIRSpec Dark	NONE
	78	subarray	NIRSpec Dark	NONE
	79	subarray	NIRSpec Dark	NONE
	80	subarray	NIRSpec Dark	NONE

JWST Proposal 2742 (Created: Wednesday, September 7, 2022 at 4:02:53 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	81	subarray	NIRSpec Dark	NONE
	82	subarray	NIRSpec Dark	NONE
	83	subarray	NIRSpec Dark	NONE
	84	subarray	NIRSpec Dark	NONE
	85	subarray	NIRSpec Dark	NONE
	86	subarray	NIRSpec Dark	NONE
	87	subarray	NIRSpec Dark	NONE
	88	subarray	NIRSpec Dark	NONE
	89	subarray	NIRSpec Dark	NONE
	90	subarray	NIRSpec Dark	NONE
	91	subarray	NIRSpec Dark	NONE
	92	subarray	NIRSpec Dark	NONE
	93	subarray	NIRSpec Dark	NONE
	94	subarray	NIRSpec Dark	NONE
	95	subarray	NIRSpec Dark	NONE
	96	subarray	NIRSpec Dark	NONE
	97	subarray	NIRSpec Dark	NONE
	98	subarray	NIRSpec Dark	NONE
	99	subarray	NIRSpec Dark	NONE
	100	subarray	NIRSpec Dark	NONE
	101	subarray	NIRSpec Dark	NONE
	102	subarray	NIRSpec Dark	NONE
	103	subarray	NIRSpec Dark	NONE
	104	subarray	NIRSpec Dark	NONE
	105	subarray	NIRSpec Dark	NONE
	106	subarray	NIRSpec Dark	NONE
	107	subarray	NIRSpec Dark	NONE
	108	subarray	NIRSpec Dark	NONE
	109	subarray	NIRSpec Dark	NONE
	110	subarray	NIRSpec Dark	NONE
	111	subarray	NIRSpec Dark	NONE
	112	subarray	NIRSpec Dark	NONE

JWST Proposal 2742 (Created: Wednesday, September 7, 2022 at 4:02:53 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	113	subarray	NIRSpec Dark	NONE
	114	subarray	NIRSpec Dark	NONE
	115	subarray	NIRSpec Dark	NONE
	116	subarray	NIRSpec Dark	NONE
	117	subarray	NIRSpec Dark	NONE
	118	subarray	NIRSpec Dark	NONE
	119	subarray	NIRSpec Dark	NONE
	120	subarray	NIRSpec Dark	NONE
	121	subarray	NIRSpec Dark	NONE
	122	subarray	NIRSpec Dark	NONE
	123	subarray	NIRSpec Dark	NONE
	124	subarray	NIRSpec Dark	NONE
	125	subarray	NIRSpec Dark	NONE
	126	subarray	NIRSpec Dark	NONE
	127	subarray	NIRSpec Dark	NONE
	128	subarray	NIRSpec Dark	NONE
	129	subarray	NIRSpec Dark	NONE
	130	subarray	NIRSpec Dark	NONE
	131	subarray	NIRSpec Dark	NONE
	132	subarray	NIRSpec Dark	NONE
	133	subarray	NIRSpec Dark	NONE
	134	subarray	NIRSpec Dark	NONE
	135	subarray	NIRSpec Dark	NONE
	136	subarray	NIRSpec Dark	NONE
	137	subarray	NIRSpec Dark	NONE
	138	subarray	NIRSpec Dark	NONE
	139	subarray	NIRSpec Dark	NONE
	140	subarray	NIRSpec Dark	NONE
	141	subarray	NIRSpec Dark	NONE
	142	subarray	NIRSpec Dark	NONE
	143	subarray	NIRSpec Dark	NONE
	144	subarray	NIRSpec Dark	NONE

JWST Proposal 2742 (Created: Wednesday, September 7, 2022 at 4:02:53 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	145	subarray	NIRSpec Dark	NONE
	146	subarray	NIRSpec Dark	NONE
	147	subarray	NIRSpec Dark	NONE
	148	subarray	NIRSpec Dark	NONE
	149	subarray	NIRSpec Dark	NONE
	150	subarray	NIRSpec Dark	NONE
	151	subarray	NIRSpec Dark	NONE
	152	subarray	NIRSpec Dark	NONE
	153	subarray	NIRSpec Dark	NONE
	154	subarray	NIRSpec Dark	NONE
	155	subarray	NIRSpec Dark	NONE
	156	subarray	NIRSpec Dark	NONE
	157	subarray	NIRSpec Dark	NONE
	158	subarray	NIRSpec Dark	NONE
	159	subarray	NIRSpec Dark	NONE
	160	subarray	NIRSpec Dark	NONE
	161	subarray	NIRSpec Dark	NONE
	162	subarray	NIRSpec Dark	NONE
	163	subarray	NIRSpec Dark	NONE
	164	subarray	NIRSpec Dark	NONE
	165	subarray	NIRSpec Dark	NONE
	166	subarray	NIRSpec Dark	NONE
	167	subarray	NIRSpec Dark	NONE
	168	subarray	NIRSpec Dark	NONE
	169	subarray	NIRSpec Dark	NONE
	170	subarray	NIRSpec Dark	NONE
	171	subarray	NIRSpec Dark	NONE
	172	subarray	NIRSpec Dark	NONE
	173	subarray	NIRSpec Dark	NONE
	174	subarray	NIRSpec Dark	NONE
	175	subarray	NIRSpec Dark	NONE
	176	subarray	NIRSpec Dark	NONE

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	177	subarray	NIRSpec Dark	NONE
	178	subarray	NIRSpec Dark	NONE
	179	subarray	NIRSpec Dark	NONE
	180	subarray	NIRSpec Dark	NONE
	181	subarray	NIRSpec Dark	NONE
	182	subarray	NIRSpec Dark	NONE
	183	subarray	NIRSpec Dark	NONE
	184	subarray	NIRSpec Dark	NONE
	185	subarray	NIRSpec Dark	NONE
	186	subarray	NIRSpec Dark	NONE
	187	subarray	NIRSpec Dark	NONE
	188	subarray	NIRSpec Dark	NONE
	189	subarray	NIRSpec Dark	NONE
	190	subarray	NIRSpec Dark	NONE
	191	subarray	NIRSpec Dark	NONE
	192	subarray	NIRSpec Dark	NONE
	193	subarray	NIRSpec Dark	NONE
	194	subarray	NIRSpec Dark	NONE
	195	subarray	NIRSpec Dark	NONE
	196	subarray	NIRSpec Dark	NONE
	197	subarray	NIRSpec Dark	NONE
	198	subarray	NIRSpec Dark	NONE
	199	subarray	NIRSpec Dark	NONE
	200	subarray	NIRSpec Dark	NONE

ABSTRACT

These are for the workaround to be used with visits containing WATA.

OBSERVING DESCRIPTION

Contains three example dark visits, one of which should be inserted immediately following an isolated science visit containing WATA.

Proposal 2742 - Observation 1 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 1: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 1)) Warning (Form): NO SLEW Risk (IRS2 (Obs 1)) Warning (Form): PARALLEL requirement expected. (Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 2 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 2: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 2)) Warning (Form): NO SLEW Risk (IRS2 (Obs 2)) Warning (Form): PARALLEL requirement expected. (Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 3 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 3: IRS2</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																				
Diagnostics	<p>(IRS2 (Obs 3)) Warning (Form): NO SLEW Risk</p> <p>(IRS2 (Obs 3)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
Template	<p>Subarray</p> <hr/> <p>FULL</p>																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSIRS2RAPID		2	1	1	1	43.767														
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																				

Proposal 2742 - Observation 4 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 4: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 4)) Warning (Form): NO SLEW Risk (IRS2 (Obs 4)) Warning (Form): PARALLEL requirement expected. (Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 5 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 5: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 5)) Warning (Form): NO SLEW Risk (IRS2 (Obs 5)) Warning (Form): PARALLEL requirement expected. (Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 6 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 6: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 6)) Warning (Form): NO SLEW Risk (IRS2 (Obs 6)) Warning (Form): PARALLEL requirement expected. (Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 7 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 7: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 7)) Warning (Form): NO SLEW Risk (IRS2 (Obs 7)) Warning (Form): PARALLEL requirement expected. (Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 8 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 8: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 8)) Warning (Form): NO SLEW Risk (IRS2 (Obs 8)) Warning (Form): PARALLEL requirement expected. (Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 9 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 9: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 9)) Warning (Form): NO SLEW Risk (IRS2 (Obs 9)) Warning (Form): PARALLEL requirement expected. (Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 10 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 10: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 10)) Warning (Form): NO SLEW Risk (IRS2 (Obs 10)) Warning (Form): PARALLEL requirement expected. (Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 11 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 11: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 11)) Warning (Form): NO SLEW Risk (IRS2 (Obs 11)) Warning (Form): PARALLEL requirement expected. (Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 12 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 12: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 12)) Warning (Form): NO SLEW Risk (IRS2 (Obs 12)) Warning (Form): PARALLEL requirement expected. (Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 13 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 13: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																				
Diagnostics	<p>(IRS2 (Obs 13)) Warning (Form): NO SLEW Risk (IRS2 (Obs 13)) Warning (Form): PARALLEL requirement expected. (Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
Template	<p>Subarray FULL</p>																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSIRS2RAPID		2	1	1	1	43.767														
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																				

Proposal 2742 - Observation 14 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 14: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 14)) Warning (Form): NO SLEW Risk (IRS2 (Obs 14)) Warning (Form): PARALLEL requirement expected. (Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 15 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 15: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 15)) Warning (Form): NO SLEW Risk (IRS2 (Obs 15)) Warning (Form): PARALLEL requirement expected. (Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 16 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 16: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 16)) Warning (Form): NO SLEW Risk (IRS2 (Obs 16)) Warning (Form): PARALLEL requirement expected. (Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 17 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 17: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 17)) Warning (Form): NO SLEW Risk (IRS2 (Obs 17)) Warning (Form): PARALLEL requirement expected. (Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 18 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 18: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 18)) Warning (Form): NO SLEW Risk (IRS2 (Obs 18)) Warning (Form): PARALLEL requirement expected. (Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 19 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 19: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 19)) Warning (Form): NO SLEW Risk (IRS2 (Obs 19)) Warning (Form): PARALLEL requirement expected. (Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 20 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 20: IRS2 Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(IRS2 (Obs 20)) Warning (Form): NO SLEW Risk (IRS2 (Obs 20)) Warning (Form): PARALLEL requirement expected. (Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSIRS2RAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>43.767</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSIRS2RAPID		2	1	1	1	43.767	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSIRS2RAPID		2	1	1	1	43.767												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 21 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 21: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 21)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 21)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 22 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 22: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(full frame traditional (Obs 22)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 22)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray</p> <hr/> <p>FULL</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID		2	1	1	1	32.21	
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>								

Proposal 2742 - Observation 23 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 23: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 23)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 23)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 24 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 24: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 24)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 24)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 25 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 25: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																				
Diagnostics	<p>(full frame traditional (Obs 25)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 25)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
Template	<p>Subarray</p> <hr/> <p>FULL</p>																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID		2	1	1	1	32.21														
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																				

Proposal 2742 - Observation 26 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 26: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 26)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 26)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 27 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 27: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 27)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 27)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 28 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 28: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																				
Diagnostics	<p>(full frame traditional (Obs 28)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 28)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
Template	<p>Subarray</p> <hr/> <p>FULL</p>																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID		2	1	1	1	32.21														
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																				

Proposal 2742 - Observation 29 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 29: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																				
Diagnostics	<p>(full frame traditional (Obs 29)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 29)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
Template	<p>Subarray</p> <hr/> <p>FULL</p>																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID		2	1	1	1	32.21														
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																				

Proposal 2742 - Observation 30 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 30: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 30)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 30)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 31 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 31: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 31)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 31)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 32 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 32: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																				
Diagnostics	<p>(full frame traditional (Obs 32)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 32)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																				
Template	<p>Subarray</p> <hr/> <p>FULL</p>																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21		
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID												
1	NRSRAPID		2	1	1	1	32.21														
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																				

Proposal 2742 - Observation 33 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 33: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 33)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 33)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 34 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 34: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 34)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 34)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 35 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 35: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 35)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 35)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 36 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 36: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 36)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 36)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 37 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 37: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 37)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 37)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 38 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 38: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 38)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 38)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 39 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 39: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 39)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 39)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 40 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 40: full frame traditional</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(full frame traditional (Obs 40)) Warning (Form): NO SLEW Risk</p> <p>(full frame traditional (Obs 40)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>FULL</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td></td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>32.21</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID		2	1	1	1	32.21	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID		2	1	1	1	32.21												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 41 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 41: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 41)) Warning (Form): NO SLEW Risk (subarray (Obs 41)) Warning (Form): PARALLEL requirement expected. (Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 42 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 42: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 42)) Warning (Form): NO SLEW Risk (subarray (Obs 42)) Warning (Form): PARALLEL requirement expected. (Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 43 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 43: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 43)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 43)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 44 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 44: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 44)) Warning (Form): NO SLEW Risk (subarray (Obs 44)) Warning (Form): PARALLEL requirement expected. (Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 45 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 45: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 45)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 45)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 46 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 46: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 46)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 46)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 47 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 47: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 47)) Warning (Form): NO SLEW Risk (subarray (Obs 47)) Warning (Form): PARALLEL requirement expected. (Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 48 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 48: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 48)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 48)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 49 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 49: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 49)) Warning (Form): NO SLEW Risk (subarray (Obs 49)) Warning (Form): PARALLEL requirement expected. (Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 50 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 50: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 50)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 50)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 51 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 51: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 51)) Warning (Form): NO SLEW Risk (subarray (Obs 51)) Warning (Form): PARALLEL requirement expected. (Visit 51:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 52 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 52: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 52)) Warning (Form): NO SLEW Risk (subarray (Obs 52)) Warning (Form): PARALLEL requirement expected. (Visit 52:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 53 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 53: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 53)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 53)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 53:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 54 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 54: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 54)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 54)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 54:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 55 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 55: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 55)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 55)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 56 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 56: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 56)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 56)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 57 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 57: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 57)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 57)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray</p> <hr/> <p>SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>								

Proposal 2742 - Observation 58 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 58: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 58)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 58)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 59 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 59: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 59)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 59)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 60 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 60: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 60)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 60)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 61 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 61: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 61)) Warning (Form): NO SLEW Risk (subarray (Obs 61)) Warning (Form): PARALLEL requirement expected. (Visit 61:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 62 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 62: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 62)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 62)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 62:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 63 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 63: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 63)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 63)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 64 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 64: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 64)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 64)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 65 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 65: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 65)) Warning (Form): NO SLEW Risk (subarray (Obs 65)) Warning (Form): PARALLEL requirement expected. (Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 66 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 66: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 66)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 66)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 66:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 67 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 67: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 67)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 67)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 67:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 68 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 68: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 68)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 68)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 68:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 69 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 69: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 69)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 69)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 69:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 70 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 70: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 70)) Warning (Form): NO SLEW Risk (subarray (Obs 70)) Warning (Form): PARALLEL requirement expected. (Visit 70:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 71 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 71: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 71)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 71)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 71:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 72 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 72: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 72)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 72)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 72:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 73 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 73: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 73)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 73)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 73:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 74 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 74: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 74)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 74)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 74:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 75 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 75: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 75)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 75)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 75:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 76 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 76: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 76)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 76)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 76:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 77 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 77: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 77)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 77)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 77:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 78 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 78: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 78)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 78)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 78:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 79 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 79: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 79)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 79)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 79:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 80 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 80: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 80)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 80)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 80:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 81 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 81: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 81)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 81)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 81:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 82 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 82: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 82)) Warning (Form): NO SLEW Risk (subarray (Obs 82)) Warning (Form): PARALLEL requirement expected. (Visit 82:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 83 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 83: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 83)) Warning (Form): NO SLEW Risk (subarray (Obs 83)) Warning (Form): PARALLEL requirement expected. (Visit 83:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 84 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 84: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 84)) Warning (Form): NO SLEW Risk (subarray (Obs 84)) Warning (Form): PARALLEL requirement expected. (Visit 84:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 85 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 85: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 85)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 85)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 85:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 86 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 86: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 86)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 86)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 86:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 87 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 87: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 87)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 87)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 87:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 88 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 88: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 88)) Warning (Form): NO SLEW Risk (subarray (Obs 88)) Warning (Form): PARALLEL requirement expected. (Visit 88:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 89 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 89: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 89)) Warning (Form): NO SLEW Risk (subarray (Obs 89)) Warning (Form): PARALLEL requirement expected. (Visit 89:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 90 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 90: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 90)) Warning (Form): NO SLEW Risk (subarray (Obs 90)) Warning (Form): PARALLEL requirement expected. (Visit 90:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 91 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 91: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 91)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 91)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 91:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 92 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 92: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 92)) Warning (Form): NO SLEW Risk (subarray (Obs 92)) Warning (Form): PARALLEL requirement expected. (Visit 92:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 93 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 93: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 93)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 93)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 93:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 94 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 94: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 94)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 94)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 94:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 95 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 95: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 95)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 95)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 95:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 96 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 96: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 96)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 96)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 96:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 97 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 97: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 97)) Warning (Form): NO SLEW Risk (subarray (Obs 97)) Warning (Form): PARALLEL requirement expected. (Visit 97:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 98 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 98: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 98)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 98)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 98:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 99 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 99: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 99)) Warning (Form): NO SLEW Risk (subarray (Obs 99)) Warning (Form): PARALLEL requirement expected. (Visit 99:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 100 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 100: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 100)) Warning (Form): NO SLEW Risk (subarray (Obs 100)) Warning (Form): PARALLEL requirement expected. (Visit 100:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 101 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 101: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 101)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 101)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 101:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 102 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 102: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 102)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 102)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 102:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 103 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 103: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 103)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 103)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 103:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 104 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 104: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 104)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 104)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 104:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 105 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 105: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 105)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 105)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 105:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 106 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 106: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 106)) Warning (Form): NO SLEW Risk (subarray (Obs 106)) Warning (Form): PARALLEL requirement expected. (Visit 106:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 107 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 107: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 107)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 107)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 107:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 108 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 108: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 108)) Warning (Form): NO SLEW Risk (subarray (Obs 108)) Warning (Form): PARALLEL requirement expected. (Visit 108:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 109 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 109: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 109)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 109)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 109:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 110 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 110: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 110)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 110)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 110:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 111 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 111: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 111)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 111)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 111:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 112 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 112: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 112)) Warning (Form): NO SLEW Risk (subarray (Obs 112)) Warning (Form): PARALLEL requirement expected. (Visit 112:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 113 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 113: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 113)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 113)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 113:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 114 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 114: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 114)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 114)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 114:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 115 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 115: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 115)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 115)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 115:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 116 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 116: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 116)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 116)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 116:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 117 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 117: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 117)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 117)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 117:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 118 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 118: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 118)) Warning (Form): NO SLEW Risk (subarray (Obs 118)) Warning (Form): PARALLEL requirement expected. (Visit 118:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 119 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 119: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 119)) Warning (Form): NO SLEW Risk (subarray (Obs 119)) Warning (Form): PARALLEL requirement expected. (Visit 119:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 120 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 120: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 120)) Warning (Form): NO SLEW Risk (subarray (Obs 120)) Warning (Form): PARALLEL requirement expected. (Visit 120:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 121 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 121: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 121)) Warning (Form): NO SLEW Risk (subarray (Obs 121)) Warning (Form): PARALLEL requirement expected. (Visit 121:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 122 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 122: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 122)) Warning (Form): NO SLEW Risk (subarray (Obs 122)) Warning (Form): PARALLEL requirement expected. (Visit 122:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 123 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 123: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 123)) Warning (Form): NO SLEW Risk (subarray (Obs 123)) Warning (Form): PARALLEL requirement expected. (Visit 123:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 124 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 124: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 124)) Warning (Form): NO SLEW Risk (subarray (Obs 124)) Warning (Form): PARALLEL requirement expected. (Visit 124:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 125 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 125: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 125)) Warning (Form): NO SLEW Risk (subarray (Obs 125)) Warning (Form): PARALLEL requirement expected. (Visit 125:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 126 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 126: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 126)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 126)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 126:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 127 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 127: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 127)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 127)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 127:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 128 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 128: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 128)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 128)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 128:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 129 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 129: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 129)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 129)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 129:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 130 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 130: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 130)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 130)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 130:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 131 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 131: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 131)) Warning (Form): NO SLEW Risk (subarray (Obs 131)) Warning (Form): PARALLEL requirement expected. (Visit 131:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 132 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 132: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 132)) Warning (Form): NO SLEW Risk (subarray (Obs 132)) Warning (Form): PARALLEL requirement expected. (Visit 132:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 133 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 133: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 133)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 133)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 133:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 134 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 134: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 134)) Warning (Form): NO SLEW Risk (subarray (Obs 134)) Warning (Form): PARALLEL requirement expected. (Visit 134:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 135 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 135: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 135)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 135)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 135:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 136 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 136: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 136)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 136)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 136:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 137 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 137: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 137)) Warning (Form): NO SLEW Risk (subarray (Obs 137)) Warning (Form): PARALLEL requirement expected. (Visit 137:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 138 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 138: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 138)) Warning (Form): NO SLEW Risk (subarray (Obs 138)) Warning (Form): PARALLEL requirement expected. (Visit 138:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 139 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 139: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 139)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 139)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 139:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 140 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 140: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 140)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 140)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 140:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 141 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 141: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 141)) Warning (Form): NO SLEW Risk (subarray (Obs 141)) Warning (Form): PARALLEL requirement expected. (Visit 141:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 142 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 142: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 142)) Warning (Form): NO SLEW Risk (subarray (Obs 142)) Warning (Form): PARALLEL requirement expected. (Visit 142:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 143 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 143: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 143)) Warning (Form): NO SLEW Risk (subarray (Obs 143)) Warning (Form): PARALLEL requirement expected. (Visit 143:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 144 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 144: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 144)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 144)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 144:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 145 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 145: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 145)) Warning (Form): NO SLEW Risk (subarray (Obs 145)) Warning (Form): PARALLEL requirement expected. (Visit 145:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 146 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 146: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 146)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 146)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 146:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 147 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 147: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 147)) Warning (Form): NO SLEW Risk (subarray (Obs 147)) Warning (Form): PARALLEL requirement expected. (Visit 147:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 148 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 148: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 148)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 148)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 148:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 149 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 149: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 149)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 149)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 149:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 150 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 150: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 150)) Warning (Form): NO SLEW Risk (subarray (Obs 150)) Warning (Form): PARALLEL requirement expected. (Visit 150:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 151 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 151: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 151)) Warning (Form): NO SLEW Risk (subarray (Obs 151)) Warning (Form): PARALLEL requirement expected. (Visit 151:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 152 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 152: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 152)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 152)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 152:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 153 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 153: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 153)) Warning (Form): NO SLEW Risk (subarray (Obs 153)) Warning (Form): PARALLEL requirement expected. (Visit 153:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 154 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 154: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 154)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 154)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 154:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 155 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 155: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 155)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 155)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 155:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 156 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 156: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 156)) Warning (Form): NO SLEW Risk (subarray (Obs 156)) Warning (Form): PARALLEL requirement expected. (Visit 156:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 157 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 157: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 157)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 157)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 157:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 158 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 158: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 158)) Warning (Form): NO SLEW Risk (subarray (Obs 158)) Warning (Form): PARALLEL requirement expected. (Visit 158:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 159 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 159: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 159)) Warning (Form): NO SLEW Risk (subarray (Obs 159)) Warning (Form): PARALLEL requirement expected. (Visit 159:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 160 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 160: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 160)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 160)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 160:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 161 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 161: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 161)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 161)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 161:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 162 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 162: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 162)) Warning (Form): NO SLEW Risk (subarray (Obs 162)) Warning (Form): PARALLEL requirement expected. (Visit 162:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 163 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 163: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 163)) Warning (Form): NO SLEW Risk (subarray (Obs 163)) Warning (Form): PARALLEL requirement expected. (Visit 163:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 164 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 164: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 164)) Warning (Form): NO SLEW Risk (subarray (Obs 164)) Warning (Form): PARALLEL requirement expected. (Visit 164:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 165 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 165: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 165)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 165)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 165:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 166 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 166: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 166)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 166)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 166:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 167 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 167: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 167)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 167)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 167:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 168 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 168: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 168)) Warning (Form): NO SLEW Risk (subarray (Obs 168)) Warning (Form): PARALLEL requirement expected. (Visit 168:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 169 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 169: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 169)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 169)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 169:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 170 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 170: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 170)) Warning (Form): NO SLEW Risk (subarray (Obs 170)) Warning (Form): PARALLEL requirement expected. (Visit 170:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 171 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 171: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 171)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 171)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 171:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 172 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 172: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 172)) Warning (Form): NO SLEW Risk (subarray (Obs 172)) Warning (Form): PARALLEL requirement expected. (Visit 172:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 173 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 173: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 173)) Warning (Form): NO SLEW Risk (subarray (Obs 173)) Warning (Form): PARALLEL requirement expected. (Visit 173:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 174 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 174: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 174)) Warning (Form): NO SLEW Risk (subarray (Obs 174)) Warning (Form): PARALLEL requirement expected. (Visit 174:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 175 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 175: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 175)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 175)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 175:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 176 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 176: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 176)) Warning (Form): NO SLEW Risk (subarray (Obs 176)) Warning (Form): PARALLEL requirement expected. (Visit 176:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 177 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 177: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 177)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 177)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 177:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 178 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 178: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 178)) Warning (Form): NO SLEW Risk (subarray (Obs 178)) Warning (Form): PARALLEL requirement expected. (Visit 178:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 179 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 179: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 179)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 179)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 179:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 180 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 180: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 180)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 180)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 180:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 181 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 181: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 181)) Warning (Form): NO SLEW Risk (subarray (Obs 181)) Warning (Form): PARALLEL requirement expected. (Visit 181:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 182 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 182: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 182)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 182)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 182:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 183 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 183: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 183)) Warning (Form): NO SLEW Risk (subarray (Obs 183)) Warning (Form): PARALLEL requirement expected. (Visit 183:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 184 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 184: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 184)) Warning (Form): NO SLEW Risk (subarray (Obs 184)) Warning (Form): PARALLEL requirement expected. (Visit 184:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 185 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 185: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 185)) Warning (Form): NO SLEW Risk (subarray (Obs 185)) Warning (Form): PARALLEL requirement expected. (Visit 185:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 186 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 186: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 186)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 186)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 186:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 187 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 187: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 187)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 187)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 187:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 188 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 188: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 188)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 188)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 188:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 189 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 189: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 189)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 189)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 189:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 190 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 190: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 190)) Warning (Form): NO SLEW Risk (subarray (Obs 190)) Warning (Form): PARALLEL requirement expected. (Visit 190:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 191 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 191: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 191)) Warning (Form): NO SLEW Risk (subarray (Obs 191)) Warning (Form): PARALLEL requirement expected. (Visit 191:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 192 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 192: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 192)) Warning (Form): NO SLEW Risk (subarray (Obs 192)) Warning (Form): PARALLEL requirement expected. (Visit 192:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 193 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 193: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 193)) Warning (Form): NO SLEW Risk (subarray (Obs 193)) Warning (Form): PARALLEL requirement expected. (Visit 193:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 194 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 194: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 194)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 194)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 194:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 195 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 195: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 195)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 195)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 195:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 196 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 196: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 196)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 196)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 196:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 197 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 197: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 197)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 197)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 197:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew</p> <p>No Parallel</p> <p>Special Commanding No slew</p>																		

Proposal 2742 - Observation 198 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 198: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 198)) Warning (Form): NO SLEW Risk (subarray (Obs 198)) Warning (Form): PARALLEL requirement expected. (Visit 198:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								

Proposal 2742 - Observation 199 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 199: subarray</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRSpec Dark</p>																		
Diagnostics	<p>(subarray (Obs 199)) Warning (Form): NO SLEW Risk</p> <p>(subarray (Obs 199)) Warning (Form): PARALLEL requirement expected.</p> <p>(Visit 199:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																		
Template	<p>Subarray</p> <hr/> <p>SUB32</p>																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Grating</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NRSRAPID</td> <td>MIRROR</td> <td>2</td> <td>1</td> <td>1</td> <td>1</td> <td>0.065</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID											
1	NRSRAPID	MIRROR	2	1	1	1	0.065												
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>																		

Proposal 2742 - Observation 200 - NIRSpec darks for detector reconfiguration

Wed Sep 07 21:02:54 GMT 2022

Observation	<p>Proposal 2742, Observation 200: subarray Diagnostic Status: Warning Observing Template: NIRSpec Dark</p>								
Diagnostics	<p>(subarray (Obs 200)) Warning (Form): NO SLEW Risk (subarray (Obs 200)) Warning (Form): PARALLEL requirement expected. (Visit 200:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Subarray SUB32</p>								
Spectral Elements	#	Readout Pattern	Grating	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	NRSRAPID	MIRROR	2	1	1	1	0.065	
Special Requirements	<p>No Slew No Parallel Special Commanding No slew</p>								