



4442 - NIRCам Dark Current and Read-Noise Monitor

Cycle: 2, Proposal Category: CAL/NIRCAM

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Alicia Canipe (PI)	Space Telescope Science Institute
Dr. Martha L. Boyer (CoI)	Space Telescope Science Institute

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
initial FULL - Epoch 1				
	1	A	NIRCам Dark	NONE
	2	B	NIRCам Dark	NONE
FULL monitor - Epoch 2				
	3	A	NIRCам Dark	NONE
	4	B	NIRCам Dark	NONE
FULL monitor - Epoch 3				
	5	A	NIRCам Dark	NONE
	6	B	NIRCам Dark	NONE
FULL monitor - Epoch 4				
	7	A	NIRCам Dark	NONE
	8	B	NIRCам Dark	NONE
FULL monitor - Epoch 5				
	9	A	NIRCам Dark	NONE
	10	B	NIRCам Dark	NONE
Module A subarrays - Epoch 1				
	11	SUB640-210R	NIRCам Dark	NONE
	12	SUB640-SWB	NIRCам Dark	NONE

JWST Proposal 4442 (Created: Wednesday, June 12, 2024 at 4:00:30 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	13	SUB320-335R	NIRCam Dark	NONE
	14	SUB320-430R	NIRCam Dark	NONE
	15	SUB320-LWB	NIRCam Dark	NONE
	16	SUB400P	NIRCam Dark	NONE
	17	SUB160P	NIRCam Dark	NONE
	18	SUB64P	NIRCam Dark	NONE
	19	SUBGRISM256	NIRCam Dark	NONE
	20	SUBGRISM128	NIRCam Dark	NONE
	21	SUBGRISM128	NIRCam Dark	NONE
	22	SUBGRISM64	NIRCam Dark	NONE
	23	SUBGRISM64	NIRCam Dark	NONE
	24	SUB160	NIRCam Dark	NONE
	25	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	26	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	27	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	28	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	29	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module A subarrays - Epoch 2				
	30	SUB640-210R	NIRCam Dark	NONE
	31	SUB640-SWB	NIRCam Dark	NONE
	32	SUB320-335R	NIRCam Dark	NONE
	33	SUB320-430R	NIRCam Dark	NONE
	34	SUB320-LWB	NIRCam Dark	NONE
	35	SUB400P	NIRCam Dark	NONE
	36	SUB160P	NIRCam Dark	NONE
	37	SUB64P	NIRCam Dark	NONE
	38	SUBGRISM256	NIRCam Dark	NONE
	39	SUBGRISM128	NIRCam Dark	NONE
	40	SUBGRISM128	NIRCam Dark	NONE
	41	SUBGRISM64	NIRCam Dark	NONE

JWST Proposal 4442 (Created: Wednesday, June 12, 2024 at 4:00:30 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	42	SUBGRISM64	NIRCam Dark	NONE
	43	SUB160	NIRCam Dark	NONE
	44	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	45	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	46	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	47	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	48	SUBGRISM64 Nout=4	NIRCam Dark	NONE

Module A subarrays - Epoch 3

	49	SUB640-210R	NIRCam Dark	NONE
	50	SUB640-SWB	NIRCam Dark	NONE
	51	SUB320-335R	NIRCam Dark	NONE
	52	SUB320-430R	NIRCam Dark	NONE
	53	SUB320-LWB	NIRCam Dark	NONE
	54	SUB400P	NIRCam Dark	NONE
	55	SUB160P	NIRCam Dark	NONE
	56	SUB64P	NIRCam Dark	NONE
	57	SUBGRISM256	NIRCam Dark	NONE
	58	SUBGRISM128	NIRCam Dark	NONE
	59	SUBGRISM128	NIRCam Dark	NONE
	60	SUBGRISM64	NIRCam Dark	NONE
	61	SUBGRISM64	NIRCam Dark	NONE
	62	SUB160	NIRCam Dark	NONE
	63	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	64	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	65	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	66	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	67	SUBGRISM64 Nout=4	NIRCam Dark	NONE

Module A subarrays - Epoch 4

JWST Proposal 4442 (Created: Wednesday, June 12, 2024 at 4:00:30 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	68	SUB640-210R	NIRCam Dark	NONE
	69	SUB640-SWB	NIRCam Dark	NONE
	70	SUB320-335R	NIRCam Dark	NONE
	71	SUB320-430R	NIRCam Dark	NONE
	72	SUB320-LWB	NIRCam Dark	NONE
	73	SUB400P	NIRCam Dark	NONE
	74	SUB160P	NIRCam Dark	NONE
	75	SUB64P	NIRCam Dark	NONE
	76	SUBGRISM256	NIRCam Dark	NONE
	77	SUBGRISM128	NIRCam Dark	NONE
	78	SUBGRISM128	NIRCam Dark	NONE
	79	SUBGRISM64	NIRCam Dark	NONE
	80	SUBGRISM64	NIRCam Dark	NONE
	81	SUB160	NIRCam Dark	NONE
	82	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	83	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	84	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	85	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	86	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module A subarrays - Epoch 5				
	87	SUB640-210R	NIRCam Dark	NONE
	88	SUB640-SWB	NIRCam Dark	NONE
	89	SUB320-335R	NIRCam Dark	NONE
	90	SUB320-430R	NIRCam Dark	NONE
	91	SUB320-LWB	NIRCam Dark	NONE
	92	SUB400P	NIRCam Dark	NONE
	93	SUB160P	NIRCam Dark	NONE
	94	SUB64P	NIRCam Dark	NONE
	95	SUBGRISM256	NIRCam Dark	NONE
	96	SUBGRISM128	NIRCam Dark	NONE

JWST Proposal 4442 (Created: Wednesday, June 12, 2024 at 4:00:30 PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	97	SUBGRISM128	NIRCam Dark	NONE
	98	SUBGRISM64	NIRCam Dark	NONE
	99	SUBGRISM64	NIRCam Dark	NONE
	100	SUB160	NIRCam Dark	NONE
	101	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	102	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	103	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	104	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	105	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module B subarrays - Epoch 1				
	106	SUB640	NIRCam Dark	NONE
	107	SUB320	NIRCam Dark	NONE
	108	SUB160	NIRCam Dark	NONE
	109	SUB400P	NIRCam Dark	NONE
	110	SUB160P	NIRCam Dark	NONE
	111	SUB64P	NIRCam Dark	NONE
Module B subarrays - Epoch 2				
	112	SUB640	NIRCam Dark	NONE
	113	SUB320	NIRCam Dark	NONE
	114	SUB160	NIRCam Dark	NONE
	115	SUB400P	NIRCam Dark	NONE
	116	SUB160P	NIRCam Dark	NONE
	117	SUB64P	NIRCam Dark	NONE
Module B subarrays - Epoch 3				
	118	SUB640	NIRCam Dark	NONE
	119	SUB320	NIRCam Dark	NONE
	120	SUB160	NIRCam Dark	NONE
	121	SUB400P	NIRCam Dark	NONE
	122	SUB160P	NIRCam Dark	NONE
	123	SUB64P	NIRCam Dark	NONE

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Module B subarrays - Epoch 4				
	124	SUB640	NIRCam Dark	NONE
	125	SUB320	NIRCam Dark	NONE
	126	SUB160	NIRCam Dark	NONE
	127	SUB400P	NIRCam Dark	NONE
	128	SUB160P	NIRCam Dark	NONE
	129	SUB64P	NIRCam Dark	NONE
Module B subarrays - Epoch 5				
	130	SUB640	NIRCam Dark	NONE
	131	SUB320	NIRCam Dark	NONE
	132	SUB160	NIRCam Dark	NONE
	133	SUB400P	NIRCam Dark	NONE
	134	SUB160P	NIRCam Dark	NONE
	135	SUB64P	NIRCam Dark	NONE

ABSTRACT

This program monitors the full-frame and subarray noise properties by taking dark observations throughout Cycle 2 using the equivalent of every readout pattern. The Darks are set up to characterize the dark current, 1/f noise, IPC, cross-talk, and superbias. We note that the dark current itself is so low (1.9/27 e-/ks for the shortwave/longwave channel) that achieving a good S/N per pixel is prohibitive for the shortwave channel. However, hot pixels are still characterized, and the overall temporal evolution of the dark current can be monitored with the median of the full frame. Dark frames are particularly important for subarrays because of ‘glow’ from the amplifiers, which accumulates each time a pixel is read out. Since subarrays have short frametimes, the glow accumulates much faster than it does in the full frame images. The glow may produce significant structure across subarrays, and is also expected to change if the ASICs are re-tuned. For this activity, the pupil wheels will be set to the “Dark” position. We will obtain 5 epochs of darks, with a similar cadence for the full-frame and subarray darks.

This calibration program is provisional and may change in response to system developments and the final Cycle 2 science program.

OBSERVING DESCRIPTION

3/21/2024 A Canipe:

Updated timing SR links to BETWEENs due to issues with AFTERs

May 2023 A. Canipe

APT allows ramps as long as 4152s, but this program restricts the full-frame Darks to 150 frames/ramp (1605s) since we generally recommend keeping ramps $\sim < 1500$ s. This will be revisited later if approved science programs in Cycle 2 require longer ramps. For FULL darks, the RAPID pattern with 108 groups (to be consistent with CV3) can be used to reconstruct the BRIGHT1, BRIGHT2, SHALLOW2, SHALLOW4, MEDIUM2, and MEDIUM8 readout patterns since they all require < 100 frames. To reconstruct the DEEP patterns, we have two options: (1) use RAPID with $NGROUP=150$ (to achieve DEEP2/8 with $NGROUP=8$, or 1520s/1583s), or (2) use DEEP2/8 with $NGROUP=8$ in addition to the RAPID-108 observations. The first option uses less time, the second option uses less data volume. This program is designed following the first option because, at the time of writing, the JWST pipeline requires dark reference files to be in RAPID. The large data volume in RAPID mode requires the modules (5 detectors each) to be observed separately. The DEEP patterns (if used) can be observed using both modules simultaneously. To construct a superbias, we require multiple integrations that we will build up over Cycle 2, while also monitoring read noise. We will aim for 10 full-frame ramps in each module to decrease the noise by including 5 sets throughout Cycle 2, each with 2 integrations.

For subarrays, we use the RAPID readout pattern with enough groups to reconstruct all readout patterns in a way that reflects the science usage for the subarray. The subarrays do not produce too much data volume to preclude using larger numbers of groups (e.g., $NGROUP=100$). The largest subarray produces only 4.4 GB per module/epoch, the smallest only 64 MB. To construct a superbias for subarrays, we use 7 to 10 total integrations that will be obtained in 5 epochs. By distributing these epochs throughout Cycle 2, we can monitor changes over time. For module A, we include subarrays for: SUBP, Grism TSO, and Coronagraphy. For module B, we include subarrays for: SUBP, SUBX (extended src), and Coronagraphy. Additional redundant subarrays (e.g., Grism subarrays on module B) exist, but won't be implemented unless there is a problem with the primary module. We do not include those here.

TIMING CONSTRAINTS: Darks should be repeated in order to see how the noise properties depend on telescope temperature, attitude, downlink activity, cross-talk during parallels, etc. The read noise was stable over 4 months between CV2 and CV3, so we require monitoring on a 4 month

JWST Proposal 4442 (Created: Wednesday, June 12, 2024 at 4:00:30 PM Eastern Standard Time) - Overview

timescale to check stability. We are obtaining Darks in 5 epochs total to avoid issues with data volume – one epoch should be taken roughly during months 1, 4, 8, and 12. The fifth epoch can be taken at any time. Additional epochs will be added if the darks do not prove to be stable.

Proposal 4442 - Targets - NIRCcam Dark Current and Read-Noise Monitor

Generic Targets	#	Name	Criteria	Description
	(1)	NRCDARK	No light will be collected, can point anywhere	

Proposal 4442 - Observation 1 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 1: A</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 1:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	150	2	1	2	3231.768	
Special Requirements	<p>Between Dates 01-NOV-2023:00:00:00 and 01-FEB-2024:00:00:00</p> <p>Parallel</p> <p>3 After 1 by 50 Days to 70 Days</p>							

Proposal 4442 - Observation 2 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 2: B</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 2:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	150	2	1	2	3231.768	
Special Requirements	<p>Between Dates 01-NOV-2023:00:00:00 and 01-FEB-2024:00:00:00</p> <p>Parallel</p> <p>4 After 2 by 50 Days to 70 Days</p>							

Proposal 4442 - Observation 3 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 3: A Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 3:1) Warning (Form): Data Excess over lower threshold (Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	150	2	1	2	3231.768	
Special Requirements	<p>Parallel 3 After 1 by 50 Days to 70 Days 5 After 3 by 50 Days to 70 Days</p>							

Proposal 4442 - Observation 4 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 4: B</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 4:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	150	2	1	2	3231.768	
Special Requirements	<p>Parallel</p> <p>4 After 2 by 50 Days to 70 Days</p>							

Proposal 4442 - Observation 5 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 5: A</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 5:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	FULL	Imaging		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>150</td> <td>2</td> <td>1</td> <td>2</td> <td>3231.768</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	150	2	1	2	3231.768								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	150	2	1	2	3231.768																		
Special Requirements	<p>Parallel</p> <p>5 After 3 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 6 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 6: B</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 6:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	FULL	Imaging		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>150</td> <td>2</td> <td>1</td> <td>2</td> <td>3231.768</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	150	2	1	2	3231.768								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	150	2	1	2	3231.768																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 15-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 7 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 7: A</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 7:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	150	2	1	2	3231.768	
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 15-JUN-2024:00:00:00</p> <p>Parallel</p>							

Proposal 4442 - Observation 8 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 8: B</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 8:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	FULL	Imaging		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>150</td> <td>2</td> <td>1</td> <td>2</td> <td>3231.768</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	150	2	1	2	3231.768								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	150	2	1	2	3231.768																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 15-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 9 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 9: A</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 9:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	150	2	1	2	3231.768	
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 01-AUG-2024:00:00:00</p> <p>Parallel</p>							

Proposal 4442 - Observation 10 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 10: B Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 10:1) Warning (Form): Data Excess over lower threshold (Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	FULL	Imaging		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>150</td> <td>2</td> <td>1</td> <td>2</td> <td>3231.768</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	150	2	1	2	3231.768								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	150	2	1	2	3231.768																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 01-AUG-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 11 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 11: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 01-NOV-2023:00:00:00 and 01-FEB-2024:00:00:00</p> <p>Parallel</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 12 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 12: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640ASWB	Coronagraphy	MASKSWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Parallel</p> <p>31 After 12 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 13 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 13: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUB320A335R	Coronagraphy	MASK335R	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	7	1	7	755.955																	
Special Requirements	<p>Parallel</p> <p>32 After 13 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																						

Proposal 4442 - Observation 14 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 14: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUB320A430R	Coronagraphy	MASK430R	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	7	1	7	755.955																	
Special Requirements	<p>Parallel</p> <p>33 After 14 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																						

Proposal 4442 - Observation 15 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 15: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	751.656																		
Special Requirements	<p>Parallel</p> <p>34 After 15 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 16 - NIRCam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 16: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>35 After 16 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 17 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 17: SUB160P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel 36 After 17 by 50 Days to 70 Days Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 18 - NIRCam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 18: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>37 After 18 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 19 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 19: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Parallel</p> <p>38 After 19 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 20 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 20: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>39 After 20 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 21 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 21: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>40 After 21 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 22 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 22: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 23 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 23: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 24 - NIRCam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 24: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 25 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 25: SUBGRISM256 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Parallel 44 After 25 by 50 Days to 70 Days Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 26 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 26: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel 45 After 26 by 50 Days to 70 Days Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 27 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 27: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel 46 After 27 by 50 Days to 70 Days Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 28 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 28: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel 47 After 28 by 50 Days to 70 Days Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 29 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 29: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>48 After 29 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 30 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 30: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 15-APR-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 31 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 31: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640ASWB	Coronagraphy	MASKSWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Parallel</p> <p>31 After 12 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 32 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 32: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUB320A335R	Coronagraphy	MASK335R	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	7	1	7	755.955																	
Special Requirements	<p>Parallel</p> <p>32 After 13 by 50 Days to 70 Days</p>																						

Proposal 4442 - Observation 33 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 33: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p> <p>33 After 14 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 34 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 34: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	7	1	7	751.656																	
Special Requirements	<p>Parallel</p> <p>34 After 15 by 50 Days to 70 Days</p>																						

Proposal 4442 - Observation 35 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 35: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>35 After 16 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 36 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 36: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>36 After 17 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 37 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 37: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>37 After 18 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 38 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 38: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Parallel</p> <p>38 After 19 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 39 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 39: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>39 After 20 by 50 Days to 70 Days</p> <p>58 After 39 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 40 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 40: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>40 After 21 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 41 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 41: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 15-APR-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 42 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 42: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 15-APR-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 43 - NIRCam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 43: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 21-MAR-2024:00:00:00 and 15-APR-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 44 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 44: SUBGRISM256 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Parallel</p> <p>44 After 25 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 45 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 45: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel 45 After 26 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 46 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 46: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel 46 After 27 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 47 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 47: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>47 After 28 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 48 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 48: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>48 After 29 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 49 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 49: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 50 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 50: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640ASWB	Coronagraphy	MASKSWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 51 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 51: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 51:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A335R	Coronagraphy	MASK335R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 52 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 52: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 52:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 53 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 53: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 53:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	751.656																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 54 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 54: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 54:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 55 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 55: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUB160P	TimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	40	10	1	10	114.294																	
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																						

Proposal 4442 - Observation 56 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 56: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 57 - NIRCam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 57: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 58 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 58: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	562.431																	
Special Requirements	<p>Parallel</p> <p>58 After 39 by 50 Days to 70 Days</p> <p>77 After 58 by 50 Days to 70 Days</p>																						

Proposal 4442 - Observation 59 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 59: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 60 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 60: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 61 - NIRCam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 61: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 61:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 62 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 62: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 62:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 63 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 63: SUBGRISM256 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 64 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 64: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 65 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 65: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 66 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 66: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 66:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 67 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 67: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 67:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 68 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 68: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 68:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 69 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 69: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 69:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640ASWB	Coronagraphy	MASKSWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 70 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 70: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 70:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUB320A335R	Coronagraphy	MASK335R	1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	7	1	7	755.955	
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>							

Proposal 4442 - Observation 71 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 71: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 71:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 72 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 72: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 72:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	751.656																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 73 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 73: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 73:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 74 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 74: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 74:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 75 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 75: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 75:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 76 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 76: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 76:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 77 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 77: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 77:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>77 After 58 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 78 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 78: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 78:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 79 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 79: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 79:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 80 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 80: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 80:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 81 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 81: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 81:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 82 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 82: SUBGRISM256 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 82:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 83 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 83: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 83:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 84 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 84: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 84:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUBGRISM128	GrismTimeSeries		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	20	10	1	10	142.005	
Special Requirements	Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00 Parallel							

Proposal 4442 - Observation 85 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 85: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 85:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 86 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 86: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 86:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 87 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 87: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 87:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 88 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 88: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 88:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB640ASWB	Coronagraphy	MASKSWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 89 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 89: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 89:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A335R	Coronagraphy	MASK335R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 90 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 90: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 90:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 91 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 91: SUB320-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 91:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	7	1	7	751.656	
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>							

Proposal 4442 - Observation 92 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 92: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 92:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 93 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 93: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 93:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 94 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 94: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 94:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 95 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 95: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 95:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 96 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 96: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 96:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 97 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 97: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 97:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 98 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 98: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 98:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 99 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 99: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 99:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 100 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 100: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 100:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 101 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 101: SUBGRISM256 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 101:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 102 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 102: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 102:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 103 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 103: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 103:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 104 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 104: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 104:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	A	SUBGRISM64	GrismTimeSeries		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	20	10	1	10	71.579	
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>							

Proposal 4442 - Observation 105 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 105: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 105:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 106 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 106: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 106:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB640	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	1716.399	
Special Requirements	<p>Parallel</p> <p>112 After 106 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>							

Proposal 4442 - Observation 107 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 107: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 107:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p> <p>113 After 107 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 108 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 108: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 108:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB160	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	281.478	
Special Requirements	<p>Parallel</p> <p>114 After 108 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>							

Proposal 4442 - Observation 109 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 109: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 109:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1											
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																		
B	SUB400P	TimeSeries		1																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	100	7	1	7	1171.105																
Special Requirements	<p>Parallel</p> <p>115 After 109 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																					

Proposal 4442 - Observation 110 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 110: SUB160P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 110:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel 116 After 110 by 50 Days to 70 Days Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 111 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 111: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 111:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>117 After 111 by 50 Days to 70 Days</p> <p>Group Observations 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 106, 107, 108, 109, 110, 111 within 50 Days</p>																							

Proposal 4442 - Observation 112 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 112: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 112:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	<p>Parallel</p> <p>112 After 106 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 113 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 113: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 113:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p> <p>113 After 107 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 114 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 114: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 114:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>114 After 108 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 115 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 115: SUB400P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 115:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel 115 After 109 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 116 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 116: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 116:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
B	SUB160P	TimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	40	10	1	10	114.294																	
Special Requirements	<p>Parallel</p> <p>116 After 110 by 50 Days to 70 Days</p>																						

Proposal 4442 - Observation 117 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 117: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 117:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>117 After 111 by 50 Days to 70 Days</p>																							

Proposal 4442 - Observation 118 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 118: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 118:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB640	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	1716.399	
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>							

Proposal 4442 - Observation 119 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 119: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 119:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1												
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																			
B	SUB320	Imaging		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	10	1	10	1079.935																	
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																						

Proposal 4442 - Observation 120 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 120: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 120:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB160	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	281.478	
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>							

Proposal 4442 - Observation 121 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 121: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 121:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 122 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 122: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 122:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 123 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 123: SUB64P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 123:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 30-APR-2024:00:00:00 and 31-MAY-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 124 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 124: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 124:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB640	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	1716.399	
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>							

Proposal 4442 - Observation 125 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 125: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 125:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 126 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 126: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 126:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB160	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	281.478	
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>							

Proposal 4442 - Observation 127 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 127: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 127:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 128 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 128: SUB160P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 128:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 129 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 129: SUB64P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 129:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 31-MAY-2024:00:00:00 and 30-JUN-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 130 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 130: SUB640 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 130:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels			
	B	SUB640	Imaging		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	1716.399	
Special Requirements	Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00 Parallel							

Proposal 4442 - Observation 131 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 131: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 131:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 132 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 132: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 132:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							

Proposal 4442 - Observation 133 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 133: SUB400P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 133:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 134 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 134: SUB160P Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 134:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00 Parallel</p>																							

Proposal 4442 - Observation 135 - NIRCcam Dark Current and Read-Noise Monitor

Wed Jun 12 21:00:30 GMT 2024

Observation	<p>Proposal 4442, Observation 135: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 135:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Coronagraphic Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Coronagraphic Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Between Dates 30-JUN-2024:00:00:00 and 31-JUL-2024:00:00:00</p> <p>Parallel</p>																							