



4483 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Cycle: 2, Proposal Category: CAL/MIRI

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Michael W. Regan (PI)	Space Telescope Science Institute
Mike Engesser (CoI)	Space Telescope Science Institute
Dr. Jane Morrison (CoI)	University of Arizona
Dr. Stacey N Bright (CoI) (Contact)	Space Telescope Science Institute

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Darks, CCC Open, Brightsky				
	1	Darks, CCC Open, Brightsky	MIRI Dark	NONE
	2	Darks, CCC Open, Brightsky	MIRI Dark	NONE
	3	Darks, CCC Open, Brightsky	MIRI Dark	NONE
	4	Darks, CCC Open, Brightsky	MIRI Dark	NONE
	5	Darks, CCC Open, Brightsky	MIRI Dark	NONE
	6	Darks, CCC Open, Brightsky	MIRI Dark	NONE
	7	Darks, CCC Open, Brightsky	MIRI Dark	NONE
	8	Darks, CCC Open, Brightsky	MIRI Dark	NONE

JWST Proposal 4483 (Created: Wednesday, August 30, 2023 at 11:00:20 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	9	Darks, CCC Open, Brightsky	MIRI Dark	NONE
	10	Darks, CCC Open, Brightsky	MIRI Dark	NONE
Darks, CCC Open, SUB256				
	11	Darks, CCC Open, SUB256	MIRI Dark	NONE
	12	Darks, CCC Open, SUB256	MIRI Dark	NONE
	13	Darks, CCC Open, SUB256	MIRI Dark	NONE
	14	Darks, CCC Open, SUB256	MIRI Dark	NONE
	15	Darks, CCC Open, SUB256	MIRI Dark	NONE
	16	Darks, CCC Open, SUB256	MIRI Dark	NONE
	17	Darks, CCC Open, SUB256	MIRI Dark	NONE
	18	Darks, CCC Open, SUB256	MIRI Dark	NONE
	19	Darks, CCC Open, SUB256	MIRI Dark	NONE
	20	Darks, CCC Open, SUB256	MIRI Dark	NONE
Darks, CCC Open, SUB128				
	21	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	22	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	23	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	24	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	25	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE

JWST Proposal 4483 (Created: Wednesday, August 30, 2023 at 11:00:20 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	26	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	27	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	28	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	29	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	129	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
	30	Initial Darks, CCC Open, SUB128	MIRI Dark	NONE
Darks, CCC Open, SUB64				
	31	Darks, CCC Open, SUB64	MIRI Dark	NONE
	32	Darks, CCC Open, SUB64	MIRI Dark	NONE
	33	Darks, CCC Open, SUB64	MIRI Dark	NONE
	34	Darks, CCC Open, SUB64	MIRI Dark	NONE
	35	Darks, CCC Open, SUB64	MIRI Dark	NONE
	36	Darks, CCC Open, SUB64	MIRI Dark	NONE
	37	Darks, CCC Open, SUB64	MIRI Dark	NONE
	38	Darks, CCC Open, SUB64	MIRI Dark	NONE
	39	Darks, CCC Open, SUB64	MIRI Dark	NONE
	40	Darks, CCC Open, SUB64	MIRI Dark	NONE
Darks, CCC Open, MASK1550				
	41	Darks, CCC Open, MASK1550	MIRI Dark	NONE

JWST Proposal 4483 (Created: Wednesday, August 30, 2023 at 11:00:20 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	42	Darks, CCC Open, MA SK1550	MIRI Dark	NONE
	43	Darks, CCC Open, MA SK1550	MIRI Dark	NONE
	44	Darks, CCC Open, MA SK1550	MIRI Dark	NONE
	45	Darks, CCC Open, MA SK1550	MIRI Dark	NONE
	46	Darks, CCC Open, MA SK1550	MIRI Dark	NONE
	47	Darks, CCC Open, MA SK1550	MIRI Dark	NONE
	48	Darks, CCC Open, MA SK1550	MIRI Dark	NONE
	49	Darks, CCC Open, MA SK1550	MIRI Dark	NONE
	50	Darks, CCC Open, MA SK1550	MIRI Dark	NONE
Darks, CCC Open, MASK1140				
	51	Darks, CCC Open, MA SK1140	MIRI Dark	NONE
	52	Darks, CCC Open, MA SK1140	MIRI Dark	NONE
	53	Darks, CCC Open, MA SK1140	MIRI Dark	NONE
	54	Darks, CCC Open, MA SK1140	MIRI Dark	NONE
	55	Darks, CCC Open, MA SK1140	MIRI Dark	NONE
	56	Darks, CCC Open, MA SK1140	MIRI Dark	NONE
	57	Darks, CCC Open, MA SK1140	MIRI Dark	NONE
	58	Darks, CCC Open, MA SK1140	MIRI Dark	NONE
	59	Darks, CCC Open, MA SK1140	MIRI Dark	NONE

JWST Proposal 4483 (Created: Wednesday, August 30, 2023 at 11:00:20 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	60	Darks, CCC Open, MA SK1140	MIRI Dark	NONE
Darks, CCC Open, MASK1065				
	61	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
	62	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
	63	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
	64	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
	65	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
	66	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
	67	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
	68	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
	69	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
	70	Darks, CCC Open, MA SK1065	MIRI Dark	NONE
Darks, CCC Open, MASKLYOT				
	71	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE
	72	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE
	73	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE
	74	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE
	75	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE
	76	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE

JWST Proposal 4483 (Created: Wednesday, August 30, 2023 at 11:00:20 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	77	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE
	78	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE
	79	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE
	80	Darks, CCC Open, MA SKLYOT	MIRI Dark	NONE
Darks, CCC Open, SLITLESSPRISM				
	81	Darks, CCC Open, Slitless	MIRI Dark	NONE
	82	Darks, CCC Open, Slitless	MIRI Dark	NONE
	83	Darks, CCC Open, Slitless	MIRI Dark	NONE
	84	Darks, CCC Open, Slitless	MIRI Dark	NONE
	85	Darks, CCC Open, Slitless	MIRI Dark	NONE
	86	Darks, CCC Open, Slitless	MIRI Dark	NONE
	87	Darks, CCC Open, Slitless	MIRI Dark	NONE
	88	Darks, CCC Open, Slitless	MIRI Dark	NONE
	89	Darks, CCC Open, Slitless	MIRI Dark	NONE
	90	Darks, CCC Open, Slitless	MIRI Dark	NONE
Trending darks				
	91	CCC open FULL FAST R1	MIRI Dark	NONE
	92	CCC open FULL FAST R1	MIRI Dark	NONE
	93	CCC open FULL FAST R1	MIRI Dark	NONE

JWST Proposal 4483 (Created: Wednesday, August 30, 2023 at 11:00:20 AM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	94	CCC open FULL FAST R1	MIRI Dark	NONE
	95	CCC open FULL FAST R1	MIRI Dark	NONE
	96	CCC open FULL FAST R1	MIRI Dark	NONE
	97	CCC open FULL FAST R1	MIRI Dark	NONE
	98	CCC open FULL FAST R1	MIRI Dark	NONE
	99	CCC open FULL FAST R1	MIRI Dark	NONE
	100	CCC open FULL FAST R1	MIRI Dark	NONE
	101	CCC open FULL FAST R1	MIRI Dark	NONE
	102	CCC open FULL FAST R1	MIRI Dark	NONE
	103	CCC open FULL FAST R1	MIRI Dark	NONE
	104	CCC open FULL FAST R1	MIRI Dark	NONE
	105	CCC open FULL FAST R1	MIRI Dark	NONE
	106	CCC open FULL FAST R1	MIRI Dark	NONE
	107	CCC open FULL FAST R1	MIRI Dark	NONE
	108	CCC open FULL FAST R1	MIRI Dark	NONE
	109	CCC open FULL FAST R1	MIRI Dark	NONE
	110	CCC open FULL FAST R1	MIRI Dark	NONE

ABSTRACT

This activity will obtain calibration data for all three MIRI detectors during Cycle 2 to address known issues in the calibration of the dark current. Cycle 1 revealed that the dark rate varied on inconsistent timescales and amplitudes. Our current understanding indicates that this is due to persistence from sky and telescope background when the instrument is left in a configuration with one of the longer wavelength filters in the pupil. These data will also serve to monitor any temporal changes in the dark current, and be used to flag new hot, dead, and high-noise pixels for the bad-pixel mask. The activity will produce a full suite of data for all subarrays and the full array for the imaging detector with the CCC open.

This APT file includes the CCC-open darks for Cycle 2. CAL-MIRI-200 contains the CCC-closed darks.

This calibration program may change in response to system developments and the final Cycle 2 science program.

OBSERVING DESCRIPTION

All observations are to be obtained in parallel.

Observations are organized in two groups. Obs. 1-90 are to be obtained between 1 Jul and 1 Sep 2023. The trending darks group (Obs. 91-110) are to be obtained in 5-day periods spaced evenly over the first 200 days of Cycle 2.

Additional parallel observations may be planned based on knowledge gained from the current program.

Proposal 4483 - Observation 1 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 1: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	5	1	5	652.421	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 2 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 2: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	5	1	5	652.421	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 3 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 3: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	5	1	5	652.421	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 4 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 4: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern			Imager Subarray				
	IMAGER	NONE			BRIGHTSKY				
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	5	1	5	652.421	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 5 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 5: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	5	1	5	652.421	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 6 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 6: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	5	1	5	652.421	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 7 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 7: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	5	1	5	652.421	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 8 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 8: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	5	1	5	652.421	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 9 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 9: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>BRIGHTSKY</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	BRIGHTSKY																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	BRIGHTSKY																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>150</td> <td>5</td> <td>1</td> <td>5</td> <td>652.421</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	150	5	1	5	652.421		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	150	5	1	5	652.421																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 10 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 10: Darks, CCC Open, Brightsky</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				BRIGHTSKY			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	150	5	1	5	652.421	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 11 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 11: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB256			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	400	5	1	5	600.238	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 12 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 12: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>	<p>Test Pattern</p> <p>NONE</p>						<p>Imager Subarray</p> <p>SUB256</p>	
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>400</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>600.238</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 13 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 13: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB256			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	400	5	1	5	600.238	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 14 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 14: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB256			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	400	5	1	5	600.238	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 15 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 15: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB256</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB256																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB256																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>400</td> <td>5</td> <td>1</td> <td>5</td> <td>600.238</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	400	5	1	5	600.238	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	400	5	1	5	600.238																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 16 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 16: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB256</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>400</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>600.238</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 17 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 17: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB256</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB256																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB256																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>400</td> <td>5</td> <td>1</td> <td>5</td> <td>600.238</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	400	5	1	5	600.238	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	400	5	1	5	600.238																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 18 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 18: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB256</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>400</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>600.238</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 19 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 19: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB256</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB256																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB256																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>400</td> <td>5</td> <td>1</td> <td>5</td> <td>600.238</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	400	5	1	5	600.238		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	400	5	1	5	600.238																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 20 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 20: Darks, CCC Open, SUB256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB256</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB256																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB256																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>400</td> <td>5</td> <td>1</td> <td>5</td> <td>600.238</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	400	5	1	5	600.238		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	400	5	1	5	600.238																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 21 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 21: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB128																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>450</td> <td>5</td> <td>1</td> <td>5</td> <td>268.316</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	450	5	1	5	268.316		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	450	5	1	5	268.316																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 22 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 22: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB128			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	450	5	1	5	268.316	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 23 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 23: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB128																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>450</td> <td>5</td> <td>1</td> <td>5</td> <td>268.316</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	450	5	1	5	268.316		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	450	5	1	5	268.316																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 24 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 24: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB128			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	450	5	1	5	268.316	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 25 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 25: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB128			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	450	5	1	5	268.316	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 26 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 26: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB128																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>450</td> <td>5</td> <td>1</td> <td>5</td> <td>268.316</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	450	5	1	5	268.316		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	450	5	1	5	268.316																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 27 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 27: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB128			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	450	5	1	5	268.316	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 28 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 28: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SUB128																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>450</td> <td>5</td> <td>1</td> <td>5</td> <td>268.316</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	450	5	1	5	268.316	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	450	5	1	5	268.316																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 29 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 29: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB128</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB128																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB128																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>450</td> <td>5</td> <td>1</td> <td>5</td> <td>268.316</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	450	5	1	5	268.316		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	450	5	1	5	268.316																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 129 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 129: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 129:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB128</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>450</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>268.316</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 30 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 30: Initial Darks, CCC Open, SUB128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB128</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>450</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>268.316</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 31 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 31: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB64</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>600</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>255.7</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 32 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 32: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	5	1	5	255.7	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 33 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 33: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	5	1	5	255.7	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 34 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 34: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB64</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB64																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB64																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>600</td> <td>5</td> <td>1</td> <td>5</td> <td>255.7</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	600	5	1	5	255.7		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	600	5	1	5	255.7																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 35 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 35: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>SUB64</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>600</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>255.7</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 36 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 36: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	5	1	5	255.7	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 37 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 37: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	5	1	5	255.7	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 38 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 38: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	5	1	5	255.7	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 39 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 39: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SUB64			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	600	5	1	5	255.7	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 40 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 40: Darks, CCC Open, SUB64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SUB64</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SUB64																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	SUB64																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>600</td> <td>5</td> <td>1</td> <td>5</td> <td>255.7</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	600	5	1	5	255.7		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	600	5	1	5	255.7																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 41 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 41: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 42 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 42: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1550</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1550																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1550																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	1250	5	1	5	1498.959																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 43 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 43: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1550</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1550																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1550																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	1250	5	1	5	1498.959																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 44 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 44: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 45 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 45: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 46 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 46: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 47 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 47: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 48 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 48: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 49 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 49: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 50 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 50: Darks, CCC Open, MASK1550</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1550			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 51 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 51: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 51:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1140			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 52 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 52: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 52:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1140</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1140																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1140																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	1250	5	1	5	1498.959																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 53 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 53: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 53:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASK1140</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>1250</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>1498.959</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 54 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 54: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 54:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASK1140</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>1250</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>1498.959</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 55 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 55: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1140			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 56 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 56: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1140			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 57 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 57: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1140			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 58 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 58: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASK1140</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>1250</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>1498.959</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 59 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 59: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASK1140</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>1250</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>1498.959</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 60 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 60: Darks, CCC Open, MASK1140</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1140</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1140																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1140																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	1250	5	1	5	1498.959																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 61 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 61: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 61:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASK1065</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>1250</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>1498.959</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 62 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 62: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 62:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1065</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1065																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1065																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	1250	5	1	5	1498.959																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 63 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 63: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1065</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1065																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	MASK1065																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	1250	5	1	5	1498.959																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 64 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 64: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1065</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1065																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	MASK1065																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	1250	5	1	5	1498.959																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 65 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 65: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1065</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1065																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1065																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	1250	5	1	5	1498.959																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 66 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 66: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 66:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASK1065</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>1250</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>1498.959</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 67 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 67: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 67:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1065</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1065																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1065																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	1250	5	1	5	1498.959																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 68 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 68: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 68:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1065</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1065																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1065																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	1250	5	1	5	1498.959																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 69 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 69: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 69:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASK1065			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 70 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 70: Darks, CCC Open, MASK1065</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 70:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASK1065</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASK1065																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	MASK1065																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>1498.959</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	1498.959	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	1250	5	1	5	1498.959																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 71 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 71: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 71:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASKLYOT			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	2026.296	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 72 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 72: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 72:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASKLYOT			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	2026.296	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 73 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 73: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 73:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASKLYOT			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	2026.296	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 74 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 74: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 74:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASKLYOT</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>1250</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>2026.296</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 75 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 75: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 75:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>MASKLYOT</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	MASKLYOT																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	MASKLYOT																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>1250</td> <td>5</td> <td>1</td> <td>5</td> <td>2026.296</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	1250	5	1	5	2026.296		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	1250	5	1	5	2026.296																						
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 76 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 76: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 76:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>MASKLYOT</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>1250</p>	<p>Integrations/Exp</p> <p>5</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>5</p>	<p>Total Exposure Time</p> <p>2026.296</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 77 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 77: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 77:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASKLYOT			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	2026.296	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 78 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 78: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 78:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASKLYOT			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	2026.296	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 79 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 79: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 79:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASKLYOT			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	2026.296	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 80 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 80: Darks, CCC Open, MASKLYOT</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 80:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				MASKLYOT			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	1250	5	1	5	2026.296	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 81 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 81: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 81:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>SLITLESSPRISM</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	SLITLESSPRISM																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	SLITLESSPRISM																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>350</td> <td>5</td> <td>1</td> <td>5</td> <td>278.956</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	350	5	1	5	278.956	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	350	5	1	5	278.956																				
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 82 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 82: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 82:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	350	5	1	5	278.956	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 83 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 83: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 83:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	350	5	1	5	278.956	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 84 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 84: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 84:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	350	5	1	5	278.956	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 85 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 85: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 85:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	350	5	1	5	278.956	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 86 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 86: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 86:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	350	5	1	5	278.956	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 87 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 87: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 87:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	350	5	1	5	278.956	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 88 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 88: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 88:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	350	5	1	5	278.956	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 89 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 89: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 89:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	350	5	1	5	278.956	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 90 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 90: Darks, CCC Open, Slitless</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 90:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				SLITLESSPRISM			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	350	5	1	5	278.956	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 01-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 91 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 91: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 91:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 01-JUL-2023:00:00:00 and 05-JUL-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 92 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 92: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 92:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>FULL</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>250</p>	<p>Integrations/Exp</p> <p>2</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>2</p>	<p>Total Exposure Time</p> <p>1390.295</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 10-JUL-2023:00:00:00 and 15-JUL-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 93 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 93: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 93:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
Special Requirements	<p>Between Dates 20-JUL-2023:00:00:00 and 25-JUL-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 94 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 94: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 94:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 30-JUL-2023:00:00:00 and 04-AUG-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 95 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 95: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																										
Diagnostics	(Visit 95:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
Special Requirements	<p>Between Dates 09-AUG-2023:00:00:00 and 14-AUG-2023:00:00:00</p> <p>Parallel</p>																										

Proposal 4483 - Observation 96 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 96: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	<p>(Visit 96:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
Template	<p>Detector</p> <p>IMAGER</p>			<p>Test Pattern</p> <p>NONE</p>			<p>Imager Subarray</p> <p>FULL</p>		
Spectral Elements	<p>#</p> <p>1</p>	<p>Detector</p> <p>IMAGER</p>	<p>Readout Pattern</p> <p>FASTR1</p>	<p>Groups/Int</p> <p>250</p>	<p>Integrations/Exp</p> <p>2</p>	<p>Exposures/Dith</p> <p>1</p>	<p>Total Integrations</p> <p>2</p>	<p>Total Exposure Time</p> <p>1390.295</p>	<p>ETC Wkbk.Calc ID</p>
Special Requirements	<p>Between Dates 19-AUG-2023:00:00:00 and 24-AUG-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 97 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 97: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 97:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 29-AUG-2023:00:00:00 and 03-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 98 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 98: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 98:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 08-SEP-2023:00:00:00 and 13-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 99 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 99: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 99:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern			Imager Subarray				
	IMAGER	NONE			FULL				
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 18-SEP-2023:00:00:00 and 23-SEP-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 100 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 100: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 100:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 28-SEP-2023:00:00:00 and 03-OCT-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 101 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 101: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 101:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 08-OCT-2023:00:00:00 and 13-OCT-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 102 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 102: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 102:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 18-OCT-2023:00:00:00 and 23-OCT-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 103 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 103: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 103:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 28-OCT-2023:00:00:00 and 02-NOV-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 104 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 104: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 104:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 07-NOV-2023:00:00:00 and 12-NOV-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 105 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 105: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 105:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 17-NOV-2023:00:00:00 and 22-NOV-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 106 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 106: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 106:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 27-NOV-2023:00:00:00 and 02-DEC-2023:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 107 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 107: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 107:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 07-DEC-2023:00:00:00 and 12-DEC-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 108 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 108: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 108:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 17-DEC-2023:00:00:00 and 22-DEC-2023:00:00:00</p> <p>Parallel</p>																												

Proposal 4483 - Observation 109 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 109: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
Diagnostics	(Visit 109:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Template	Detector	Test Pattern				Imager Subarray			
	IMAGER	NONE				FULL			
Spectral Elements	#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
Special Requirements	<p>Between Dates 27-DEC-2023:00:00:00 and 01-JAN-2024:00:00:00</p> <p>Parallel</p>								

Proposal 4483 - Observation 110 - CAL-MIRI-201 MIRI Dark Current (CCC-open)

Wed Aug 30 16:00:21 GMT 2023

Observation	<p>Proposal 4483, Observation 110: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
Diagnostics	(Visit 110:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
Template	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
Special Requirements	<p>Between Dates 05-JAN-2024:00:00:00 and 10-JAN-2024:00:00:00</p> <p>Parallel</p>																												