



## 6611 - CAL-MIRI-301 MIRI CCC-Open

Cycle: 3, Proposal Category: CAL/MIRI

### INVESTIGATORS

<i>Name</i>	<i>Institution</i>
<b>Mike Engesser (PI)</b>	<b>Space Telescope Science Institute</b>
Dr. Michael W. Regan (CoI) (CoPI)	Space Telescope Science Institute
Dr. Alberto Noriega-Crespo (CoI)	Space Telescope Science Institute
Dr. Greg Sloan (CoI)	Space Telescope Science Institute

### OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Trending darks				
	21	CCC open FULL FAST R1	MIRI Dark	NONE
	22	CCC open FULL FAST R1	MIRI Dark	NONE
	23	CCC open FULL FAST R1	MIRI Dark	NONE
	24	CCC open FULL FAST R1	MIRI Dark	NONE
	25	CCC open FULL FAST R1	MIRI Dark	NONE
	26	CCC open FULL FAST R1	MIRI Dark	NONE
	27	CCC open FULL FAST R1	MIRI Dark	NONE
	28	CCC open FULL FAST R1	MIRI Dark	NONE

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	29	CCC open FULL FAST R1	MIRI Dark	NONE
	30	CCC open FULL FAST R1	MIRI Dark	NONE
	31	CCC open FULL FAST R1	MIRI Dark	NONE
	32	CCC open FULL FAST R1	MIRI Dark	NONE
	33	CCC open FULL FAST R1	MIRI Dark	NONE
	34	CCC open FULL FAST R1	MIRI Dark	NONE
	35	CCC open FULL FAST R1	MIRI Dark	NONE
	36	CCC open FULL FAST R1	MIRI Dark	NONE
	37	CCC open FULL FAST R1	MIRI Dark	NONE
	38	CCC open FULL FAST R1	MIRI Dark	NONE
	39	CCC open FULL FAST R1	MIRI Dark	NONE
	40	CCC open FULL FAST R1	MIRI Dark	NONE

**ABSTRACT**

The number of bad pixels on the MIRI detectors is growing with time. We require a series of trending darks to continue to monitor this growth and create new reference files. These darks also serve the purpose of continuing to give the same value to the persistence study as they did in Cycle 2. The additional data might also prove useful for a synthetic correction of the dark rate in the future.

This calibration program may change in response to system developments and the final Cycle 3 science program.

**OBSERVING DESCRIPTION**

## JWST Proposal 6611 (Created: Friday, May 17, 2024 at 3:00:15 AM Eastern Standard Time) - Overview

We will continue the same trending darks as obtained in Cycle 2. They will be taken with the same exposure parameters and with the same timing relative to each other. All observations are parallels.

### TIMING CONSTRAINTS

The observations are constrained to be obtained in a six-day window every ten days, with 20 observations total.

This APT file will carry the trending darks through late January 2025.

Proposal 6611 - Observation 21 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 21: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>								
<b>Diagnostics</b>	<p>(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
<b>Template</b>	<p><b>Detector</b></p> <p>IMAGER</p>			<p><b>Test Pattern</b></p> <p>NONE</p>			<p><b>Imager Subarray</b></p> <p>FULL</p>		
<b>Spectral Elements</b>	<p>#</p> <p>1</p>	<p><b>Detector</b></p> <p>IMAGER</p>	<p><b>Readout Pattern</b></p> <p>FASTR1</p>	<p><b>Groups/Int</b></p> <p>250</p>	<p><b>Integrations/Exp</b></p> <p>2</p>	<p><b>Exposures/Dith</b></p> <p>1</p>	<p><b>Total Integrations</b></p> <p>2</p>	<p><b>Total Exposure Time</b></p> <p>1390.295</p>	<p><b>ETC Wkbk.Calc ID</b></p>
<b>Special Requirements</b>	<p>Between Dates 01-JUL-2024:00:00:00 and 05-JUL-2024:00:00:00</p> <p>Parallel</p>								

Proposal 6611 - Observation 22 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p><b>Proposal 6611, Observation 22: CCC open FULL FASTR1</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>								
<b>Diagnostics</b>	(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
<b>Template</b>	<b>Detector</b>	<b>Test Pattern</b>				<b>Imager Subarray</b>			
	IMAGER	NONE				FULL			
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
<b>Special Requirements</b>	<p>Between Dates 10-JUL-2024:00:00:00 and 15-JUL-2024:00:00:00</p> <p>Parallel</p>								

Proposal 6611 - Observation 23 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 23: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																										
<b>Diagnostics</b>	(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
<b>Special Requirements</b>	<p>Between Dates 20-JUL-2024:00:00:00 and 25-JUL-2024:00:00:00</p> <p>Parallel</p>																										

Proposal 6611 - Observation 24 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 24: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																												
<b>Diagnostics</b>	(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
<b>Special Requirements</b>	<p>Between Dates 30-JUL-2024:00:00:00 and 04-AUG-2024:00:00:00</p> <p>Parallel</p>																												

Proposal 6611 - Observation 25 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 25: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																												
<b>Diagnostics</b>	(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
<b>Special Requirements</b>	<p>Between Dates 09-AUG-2024:00:00:00 and 14-AUG-2024:00:00:00</p> <p>Parallel</p>																												

Proposal 6611 - Observation 26 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 26: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																										
<b>Diagnostics</b>	(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
<b>Special Requirements</b>	<p>Between Dates 19-AUG-2024:00:00:00 and 24-AUG-2024:00:00:00</p> <p>Parallel</p>																										

Proposal 6611 - Observation 27 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 27: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>																												
<b>Diagnostics</b>	(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
<b>Special Requirements</b>	<p>Between Dates 29-AUG-2024:00:00:00 and 03-SEP-2024:00:00:00</p> <p>Parallel</p>																												

Proposal 6611 - Observation 28 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 28: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																												
<b>Diagnostics</b>	(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
<b>Special Requirements</b>	<p>Between Dates 08-SEP-2024:00:00:00 and 13-SEP-2024:00:00:00</p> <p>Parallel</p>																												

Proposal 6611 - Observation 29 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 29: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>								
<b>Diagnostics</b>	(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
<b>Template</b>	<b>Detector</b>		<b>Test Pattern</b>			<b>Imager Subarray</b>			
	IMAGER		NONE			FULL			
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
<b>Special Requirements</b>	<p>Between Dates 18-SEP-2024:00:00:00 and 23-SEP-2024:00:00:00</p> <p>Parallel</p>								

Proposal 6611 - Observation 30 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 30: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																										
<b>Diagnostics</b>	(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
<b>Special Requirements</b>	<p>Between Dates 28-SEP-2024:00:00:00 and 03-OCT-2024:00:00:00</p> <p>Parallel</p>																										

Proposal 6611 - Observation 31 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 31: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																										
<b>Diagnostics</b>	(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
<b>Special Requirements</b>	<p>Between Dates 08-OCT-2024:00:00:00 and 13-OCT-2024:00:00:00</p> <p>Parallel</p>																										

Proposal 6611 - Observation 32 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 32: CCC open FULL FASTR1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: MIRI Dark</p>								
<b>Diagnostics</b>	(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
<b>Template</b>	<b>Detector</b>	<b>Test Pattern</b>			<b>Imager Subarray</b>				
	IMAGER	NONE			FULL				
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
<b>Special Requirements</b>	<p>Between Dates 18-OCT-2024:00:00:00 and 23-OCT-2024:00:00:00</p> <p>Parallel</p>								

Proposal 6611 - Observation 33 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 33: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>								
<b>Diagnostics</b>	(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
<b>Template</b>	<b>Detector</b>		<b>Test Pattern</b>			<b>Imager Subarray</b>			
	IMAGER		NONE			FULL			
<b>Spectral Elements</b>	<b>#</b>	<b>Detector</b>	<b>Readout Pattern</b>	<b>Groups/Int</b>	<b>Integrations/Exp</b>	<b>Exposures/Dith</b>	<b>Total Integrations</b>	<b>Total Exposure Time</b>	<b>ETC Wkbk.Calc ID</b>
	1	IMAGER	FASTR1	250	2	1	2	1390.295	
<b>Special Requirements</b>	<p>Between Dates 28-OCT-2024:00:00:00 and 02-NOV-2024:00:00:00</p> <p>Parallel</p>								

Proposal 6611 - Observation 34 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 34: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																										
<b>Diagnostics</b>	(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
<b>Special Requirements</b>	<p>Between Dates 07-NOV-2024:00:00:00 and 12-NOV-2024:00:00:00</p> <p>Parallel</p>																										

Proposal 6611 - Observation 35 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 35: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																										
<b>Diagnostics</b>	(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
<b>Special Requirements</b>	<p>Between Dates 17-NOV-2024:00:00:00 and 22-NOV-2024:00:00:00</p> <p>Parallel</p>																										

Proposal 6611 - Observation 36 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 36: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																												
<b>Diagnostics</b>	(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
<b>Special Requirements</b>	<p>Between Dates 27-NOV-2024:00:00:00 and 02-DEC-2024:00:00:00</p> <p>Parallel</p>																												

Proposal 6611 - Observation 37 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 37: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																												
<b>Diagnostics</b>	(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																												
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																				
Detector	Test Pattern	Imager Subarray																											
IMAGER	NONE	FULL																											
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC</th> <th>Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295		
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC	Wkbk.Calc ID																				
1	IMAGER	FASTR1	250	2	1	2	1390.295																						
<b>Special Requirements</b>	<p>Between Dates 07-DEC-2024:00:00:00 and 12-DEC-2024:00:00:00</p> <p>Parallel</p>																												

Proposal 6611 - Observation 38 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 38: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>								
<b>Diagnostics</b>	<p>(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>								
<b>Template</b>	<p><b>Detector</b></p> <p>IMAGER</p>			<p><b>Test Pattern</b></p> <p>NONE</p>			<p><b>Imager Subarray</b></p> <p>FULL</p>		
<b>Spectral Elements</b>	<p>#</p> <p>1</p>	<p><b>Detector</b></p> <p>IMAGER</p>	<p><b>Readout Pattern</b></p> <p>FASTR1</p>	<p><b>Groups/Int</b></p> <p>250</p>	<p><b>Integrations/Exp</b></p> <p>2</p>	<p><b>Exposures/Dith</b></p> <p>1</p>	<p><b>Total Integrations</b></p> <p>2</p>	<p><b>Total Exposure Time</b></p> <p>1390.295</p>	<p><b>ETC Wkbk.Calc ID</b></p>
<b>Special Requirements</b>	<p>Between Dates 17-DEC-2024:00:00:00 and 22-DEC-2024:00:00:00</p> <p>Parallel</p>								

Proposal 6611 - Observation 39 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 39: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																										
<b>Diagnostics</b>	(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
<b>Special Requirements</b>	<p>Between Dates 27-DEC-2024:00:00:00 and 01-JAN-2025:00:00:00</p> <p>Parallel</p>																										

Proposal 6611 - Observation 40 - CAL-MIRI-301 MIRI CCC-Open

Fri May 17 08:00:15 GMT 2024

<b>Observation</b>	<p>Proposal 6611, Observation 40: CCC open FULL FASTR1</p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: MIRI Dark</p>																										
<b>Diagnostics</b>	(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
<b>Template</b>	<table border="1"> <thead> <tr> <th>Detector</th> <th>Test Pattern</th> <th>Imager Subarray</th> </tr> </thead> <tbody> <tr> <td>IMAGER</td> <td>NONE</td> <td>FULL</td> </tr> </tbody> </table>			Detector	Test Pattern	Imager Subarray	IMAGER	NONE	FULL																		
Detector	Test Pattern	Imager Subarray																									
IMAGER	NONE	FULL																									
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Detector</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>IMAGER</td> <td>FASTR1</td> <td>250</td> <td>2</td> <td>1</td> <td>2</td> <td>1390.295</td> <td></td> </tr> </tbody> </table>									#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	IMAGER	FASTR1	250	2	1	2	1390.295	
#	Detector	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																			
1	IMAGER	FASTR1	250	2	1	2	1390.295																				
<b>Special Requirements</b>	<p>Between Dates 05-JAN-2025:00:00:00 and 10-JAN-2025:00:00:00</p> <p>Parallel</p>																										