

7052 - JWST Routine Wavefront Sensing and Control for Cycle 4

Cycle: 4, Proposal Category: CAL/OTE

INVESTIGATORS

Name	*Institution*
Dr. Tracy Beck (PI)	**Space Telescope Science Institute**
Dr. Marcio Melendez (CoI)	Space Telescope Science Institute
Dr. Nicolas Flagey (CoI)	Space Telescope Science Institute
Thomas M Comeau Jr. (CoI)	Space Telescope Science Institute
Mr. Matthew D. Lallo (CoI)	Space Telescope Science Institute

OBSERVATIONS

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
Observation Folder				
	1		WFSC NIRCam Fine Phasing	(1) 2MASS-03452754+2840073
	2		WFSC NIRCam Fine Phasing	(1) 2MASS-03452754+2840073
	3		WFSC NIRCam Fine Phasing	(1) 2MASS-03452754+2840073
	4		WFSC NIRCam Fine Phasing	(2) 2MASS-03523930+7542118
	5		WFSC NIRCam Fine Phasing	(2) 2MASS-03523930+7542118
	6		WFSC NIRCam Fine Phasing	(2) 2MASS-03523930+7542118
	7		WFSC NIRCam Fine Phasing	(3) 2MASS-03480568-0802436
	8		WFSC NIRCam Fine Phasing	(3) 2MASS-03480568-0802436
	9		WFSC NIRCam Fine Phasing	(3) 2MASS-03480568-0802436
	10		WFSC NIRCam Fine Phasing	(4) 2MASS-03553851-4617453
	11		WFSC NIRCam Fine Phasing	(4) 2MASS-03553851-4617453
	12		WFSC NIRCam Fine Phasing	(4) 2MASS-03553851-4617453
	13		WFSC NIRCam Fine Phasing	(5) 2MASS-04082154+1824061
	14		WFSC NIRCam Fine Phasing	(5) 2MASS-04082154+1824061

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	15		WFSC NIRCam Fine Phasing	(5) 2MASS-04082154+1824061
	16		WFSC NIRCam Fine Phasing	(6) 2MASS-04101477+0652472
	17		WFSC NIRCam Fine Phasing	(6) 2MASS-04101477+0652472
	18		WFSC NIRCam Fine Phasing	(6) 2MASS-04101477+0652472
	19		WFSC NIRCam Fine Phasing	(7) 2MASS-04182439+3958099
	20		WFSC NIRCam Fine Phasing	(7) 2MASS-04182439+3958099
	21		WFSC NIRCam Fine Phasing	(7) 2MASS-04182439+3958099
	22		WFSC NIRCam Fine Phasing	(8) 2MASS-04191957-0212388
	23		WFSC NIRCam Fine Phasing	(8) 2MASS-04191957-0212388
	24		WFSC NIRCam Fine Phasing	(8) 2MASS-04191957-0212388
	25		WFSC NIRCam Fine Phasing	(9) 2MASS-04242181-3535516
	26		WFSC NIRCam Fine Phasing	(9) 2MASS-04242181-3535516
	27		WFSC NIRCam Fine Phasing	(9) 2MASS-04242181-3535516
	28		WFSC NIRCam Fine Phasing	(10) 2MASS-04244197-7918550
	29		WFSC NIRCam Fine Phasing	(10) 2MASS-04244197-7918550
	30		WFSC NIRCam Fine Phasing	(10) 2MASS-04244197-7918550
	31		WFSC NIRCam Fine Phasing	(11) 2MASS-04304770-2526566
	32		WFSC NIRCam Fine Phasing	(11) 2MASS-04304770-2526566
	33		WFSC NIRCam Fine Phasing	(11) 2MASS-04304770-2526566
	34		WFSC NIRCam Fine Phasing	(12) 2MASS-04303601+2929257
	35		WFSC NIRCam Fine Phasing	(12) 2MASS-04303601+2929257
	36		WFSC NIRCam Fine Phasing	(12) 2MASS-04303601+2929257
	37		WFSC NIRCam Fine Phasing	(13) 2MASS-04340704-1555061
	38		WFSC NIRCam Fine Phasing	(13) 2MASS-04340704-1555061
	39		WFSC NIRCam Fine Phasing	(13) 2MASS-04340704-1555061
	40		WFSC NIRCam Fine Phasing	(14) 2MASS-04364040-5732404
	41		WFSC NIRCam Fine Phasing	(14) 2MASS-04364040-5732404
	42		WFSC NIRCam Fine Phasing	(14) 2MASS-04364040-5732404
	43		WFSC NIRCam Fine Phasing	(15) 2MASS-04365862-6904162
	44		WFSC NIRCam Fine Phasing	(15) 2MASS-04365862-6904162
	45		WFSC NIRCam Fine Phasing	(15) 2MASS-04365862-6904162
	46		WFSC NIRCam Fine Phasing	(16) 2MASS-04365862-6904162-2

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	47		WFSC NIRCam Fine Phasing	(16) 2MASS-04365862-6904162-2
	48		WFSC NIRCam Fine Phasing	(16) 2MASS-04365862-6904162-2
	49		WFSC NIRCam Fine Phasing	(17) 2MASS-04383929+1724291
	50		WFSC NIRCam Fine Phasing	(17) 2MASS-04383929+1724291
	51		WFSC NIRCam Fine Phasing	(17) 2MASS-04383929+1724291
	52		WFSC NIRCam Fine Phasing	(18) 2MASS-04500360+0824281
	53		WFSC NIRCam Fine Phasing	(18) 2MASS-04500360+0824281
	54		WFSC NIRCam Fine Phasing	(18) 2MASS-04500360+0824281
	55		WFSC NIRCam Fine Phasing	(19) 2MASS-04512948+5811318
	56		WFSC NIRCam Fine Phasing	(19) 2MASS-04512948+5811318
	57		WFSC NIRCam Fine Phasing	(19) 2MASS-04512948+5811318
	58		WFSC NIRCam Fine Phasing	(20) 2MASS-04553252-4328082
	59		WFSC NIRCam Fine Phasing	(20) 2MASS-04553252-4328082
	60		WFSC NIRCam Fine Phasing	(20) 2MASS-04553252-4328082
	61		WFSC NIRCam Fine Phasing	(21) 2MASS-04563327-0751077
	62		WFSC NIRCam Fine Phasing	(21) 2MASS-04563327-0751077
	63		WFSC NIRCam Fine Phasing	(21) 2MASS-04563327-0751077
	64		WFSC NIRCam Fine Phasing	(22) 2MASS-04580471-2011085
	65		WFSC NIRCam Fine Phasing	(22) 2MASS-04580471-2011085
	66		WFSC NIRCam Fine Phasing	(22) 2MASS-04580471-2011085
	67		WFSC NIRCam Fine Phasing	(23) 2MASS-05033168-2854392
	68		WFSC NIRCam Fine Phasing	(23) 2MASS-05033168-2854392
	69		WFSC NIRCam Fine Phasing	(23) 2MASS-05033168-2854392
	70		WFSC NIRCam Fine Phasing	(24) 2MASS-05114928-8851452
	71		WFSC NIRCam Fine Phasing	(24) 2MASS-05114928-8851452
	72		WFSC NIRCam Fine Phasing	(24) 2MASS-05114928-8851452
	73		WFSC NIRCam Fine Phasing	(25) 2MASS-05120103+0037335
	74		WFSC NIRCam Fine Phasing	(25) 2MASS-05120103+0037335
	75		WFSC NIRCam Fine Phasing	(25) 2MASS-05120103+0037335
	76		WFSC NIRCam Fine Phasing	(26) 2MASS-05174804+2700307
	77		WFSC NIRCam Fine Phasing	(26) 2MASS-05174804+2700307
	78		WFSC NIRCam Fine Phasing	(26) 2MASS-05174804+2700307

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	79		WFSC NIRCam Fine Phasing	(27) 2MASS-05230435-5119006
	80		WFSC NIRCam Fine Phasing	(27) 2MASS-05230435-5119006
	81		WFSC NIRCam Fine Phasing	(27) 2MASS-05230435-5119006
	82		WFSC NIRCam Fine Phasing	(28) 2MASS-05232210-3653314
	83		WFSC NIRCam Fine Phasing	(28) 2MASS-05232210-3653314
	84		WFSC NIRCam Fine Phasing	(28) 2MASS-05232210-3653314
	85		WFSC NIRCam Fine Phasing	(29) 2MASS-05322940+1204475
	86		WFSC NIRCam Fine Phasing	(29) 2MASS-05322940+1204475
	87		WFSC NIRCam Fine Phasing	(29) 2MASS-05322940+1204475
	88		WFSC NIRCam Fine Phasing	(30) 2MASS-05314068-0753023
	89		WFSC NIRCam Fine Phasing	(30) 2MASS-05314068-0753023
	90		WFSC NIRCam Fine Phasing	(30) 2MASS-05314068-0753023
	91		WFSC NIRCam Fine Phasing	(31) 2MASS-05352161+6715458
	92		WFSC NIRCam Fine Phasing	(31) 2MASS-05352161+6715458
	93		WFSC NIRCam Fine Phasing	(31) 2MASS-05352161+6715458
	94		WFSC NIRCam Fine Phasing	(32) 2MASS-05371849-1452351
	95		WFSC NIRCam Fine Phasing	(32) 2MASS-05371849-1452351
	96		WFSC NIRCam Fine Phasing	(32) 2MASS-05371849-1452351
	97		WFSC NIRCam Fine Phasing	(33) 2MASS-05304485+4833544
	98		WFSC NIRCam Fine Phasing	(33) 2MASS-05304485+4833544
	99		WFSC NIRCam Fine Phasing	(33) 2MASS-05304485+4833544
	100		WFSC NIRCam Fine Phasing	(34) 2MASS-05553010-2644527
	101		WFSC NIRCam Fine Phasing	(34) 2MASS-05553010-2644527
	102		WFSC NIRCam Fine Phasing	(34) 2MASS-05553010-2644527
	103		WFSC NIRCam Fine Phasing	(35) 2MASS-05560955+0828210
	104		WFSC NIRCam Fine Phasing	(35) 2MASS-05560955+0828210
	105		WFSC NIRCam Fine Phasing	(35) 2MASS-05560955+0828210
	106		WFSC NIRCam Fine Phasing	(36) 2MASS-05562621-6359103
	107		WFSC NIRCam Fine Phasing	(36) 2MASS-05562621-6359103
	108		WFSC NIRCam Fine Phasing	(36) 2MASS-05562621-6359103
	109		WFSC NIRCam Fine Phasing	(37) 2MASS-05590957-4540213
	110		WFSC NIRCam Fine Phasing	(37) 2MASS-05590957-4540213

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	111		WFSC NIRCam Fine Phasing	(37) 2MASS-05590957-4540213
	112		WFSC NIRCam Fine Phasing	(38) 2MASS-06132294-0130292
	113		WFSC NIRCam Fine Phasing	(38) 2MASS-06132294-0130292
	114		WFSC NIRCam Fine Phasing	(38) 2MASS-06132294-0130292
	115		WFSC NIRCam Fine Phasing	(39) 2MASS-06165603+5504418
	116		WFSC NIRCam Fine Phasing	(39) 2MASS-06165603+5504418
	117		WFSC NIRCam Fine Phasing	(39) 2MASS-06165603+5504418
	118		WFSC NIRCam Fine Phasing	(40) 2MASS-06173851-3254188
	119		WFSC NIRCam Fine Phasing	(40) 2MASS-06173851-3254188
	120		WFSC NIRCam Fine Phasing	(40) 2MASS-06173851-3254188
	121		WFSC NIRCam Fine Phasing	(41) 2MASS-06173483-2143028
	122		WFSC NIRCam Fine Phasing	(41) 2MASS-06173483-2143028
	123		WFSC NIRCam Fine Phasing	(41) 2MASS-06173483-2143028
	124		WFSC NIRCam Fine Phasing	(42) 2MASS-06183816+2710416
	125		WFSC NIRCam Fine Phasing	(42) 2MASS-06183816+2710416
	126		WFSC NIRCam Fine Phasing	(42) 2MASS-06183816+2710416
	127		WFSC NIRCam Fine Phasing	(43) 2MASS-06193839-0810380
	128		WFSC NIRCam Fine Phasing	(43) 2MASS-06193839-0810380
	129		WFSC NIRCam Fine Phasing	(43) 2MASS-06193839-0810380
	130		WFSC NIRCam Fine Phasing	(44) 2MASS-06280686+4157532
	131		WFSC NIRCam Fine Phasing	(44) 2MASS-06280686+4157532
	132		WFSC NIRCam Fine Phasing	(44) 2MASS-06280686+4157532
	133		WFSC NIRCam Fine Phasing	(45) 2MASS-06332446-5604541
	134		WFSC NIRCam Fine Phasing	(45) 2MASS-06332446-5604541
	135		WFSC NIRCam Fine Phasing	(45) 2MASS-06332446-5604541
	136		WFSC NIRCam Fine Phasing	(46) 2MASS-06554599-4735034
	137		WFSC NIRCam Fine Phasing	(46) 2MASS-06554599-4735034
	138		WFSC NIRCam Fine Phasing	(46) 2MASS-06554599-4735034
	139		WFSC NIRCam Fine Phasing	(47) 2MASS-06571552-7342325
	140		WFSC NIRCam Fine Phasing	(47) 2MASS-06571552-7342325
	141		WFSC NIRCam Fine Phasing	(47) 2MASS-06571552-7342325
	142		WFSC NIRCam Fine Phasing	(48) 2MASS-06580554-2553540

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	143		WFSC NIRCam Fine Phasing	(48) 2MASS-06580554-2553540
	144		WFSC NIRCam Fine Phasing	(48) 2MASS-06580554-2553540
	145		WFSC NIRCam Fine Phasing	(49) 2MASS-06582040+3451376
	146		WFSC NIRCam Fine Phasing	(49) 2MASS-06582040+3451376
	147		WFSC NIRCam Fine Phasing	(49) 2MASS-06582040+3451376
	148		WFSC NIRCam Fine Phasing	(50) 2MASS-07113903+2531201
	149		WFSC NIRCam Fine Phasing	(50) 2MASS-07113903+2531201
	150		WFSC NIRCam Fine Phasing	(50) 2MASS-07113903+2531201
	151		WFSC NIRCam Fine Phasing	(51) 2MASS-07121892+8359589
	152		WFSC NIRCam Fine Phasing	(51) 2MASS-07121892+8359589
	153		WFSC NIRCam Fine Phasing	(51) 2MASS-07121892+8359589
	154		WFSC NIRCam Fine Phasing	(52) 2MASS-07123530-3739152
	155		WFSC NIRCam Fine Phasing	(52) 2MASS-07123530-3739152
	156		WFSC NIRCam Fine Phasing	(52) 2MASS-07123530-3739152
	157		WFSC NIRCam Fine Phasing	(53) 2MASS-07160530+6249228
	158		WFSC NIRCam Fine Phasing	(53) 2MASS-07160530+6249228
	159		WFSC NIRCam Fine Phasing	(53) 2MASS-07160530+6249228
	160		WFSC NIRCam Fine Phasing	(54) 2MASS-07172051+1603446
	161		WFSC NIRCam Fine Phasing	(54) 2MASS-07172051+1603446
	162		WFSC NIRCam Fine Phasing	(54) 2MASS-07172051+1603446
	163		WFSC NIRCam Fine Phasing	(55) 2MASS-07194846+0243153
	164		WFSC NIRCam Fine Phasing	(55) 2MASS-07194846+0243153
	165		WFSC NIRCam Fine Phasing	(55) 2MASS-07194846+0243153
	166		WFSC NIRCam Fine Phasing	(56) 2MASS-07212434+7108544
	167		WFSC NIRCam Fine Phasing	(56) 2MASS-07212434+7108544
	168		WFSC NIRCam Fine Phasing	(56) 2MASS-07212434+7108544
	169		WFSC NIRCam Fine Phasing	(57) 2MASS-07223682+4756072
	170		WFSC NIRCam Fine Phasing	(57) 2MASS-07223682+4756072
	171		WFSC NIRCam Fine Phasing	(57) 2MASS-07223682+4756072
	172		WFSC NIRCam Fine Phasing	(58) 2MASS-07352172-6514296
	173		WFSC NIRCam Fine Phasing	(58) 2MASS-07352172-6514296
	174		WFSC NIRCam Fine Phasing	(58) 2MASS-07352172-6514296

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	175		WFSC NIRCam Fine Phasing	(59) 2MASS-07383881-0325477
	176		WFSC NIRCam Fine Phasing	(59) 2MASS-07383881-0325477
	177		WFSC NIRCam Fine Phasing	(59) 2MASS-07383881-0325477
	178		WFSC NIRCam Fine Phasing	(60) 2MASS-07452791+3842507
	179		WFSC NIRCam Fine Phasing	(60) 2MASS-07452791+3842507
	180		WFSC NIRCam Fine Phasing	(60) 2MASS-07452791+3842507
	181		WFSC NIRCam Fine Phasing	(61) 2MASS-07480811+1016525
	182		WFSC NIRCam Fine Phasing	(61) 2MASS-07480811+1016525
	183		WFSC NIRCam Fine Phasing	(61) 2MASS-07480811+1016525
	184		WFSC NIRCam Fine Phasing	(62) 2MASS-07512543-1552327
	185		WFSC NIRCam Fine Phasing	(62) 2MASS-07512543-1552327
	186		WFSC NIRCam Fine Phasing	(62) 2MASS-07512543-1552327

ABSTRACT

The routine wavefront sensing and control (WFS&C) maintenance calibration program is necessary to fulfill a Level 1 Mission requirement on image quality. These routine WFS&C measurements will execute every ~4 days. The nominal plan is that the majority of observations will be sensing measurements only, wavefront control visits will execute only as needed. The science cycle WFS&C maintenance observations are fashioned following the similar program that will be executed every 2 days during the latter half of JWST commissioning (OTE-26; APT PID 1163).

OBSERVING DESCRIPTION

The Routine Calibration for WFS&C uses the Fine Phasing (FP) template with observations defined for:

-FP using the NIRCam weak lenses
And
-LOS Jitter using a small subarray in NIRCam.
These are the base observations for monitoring the JWST image quality.

The overall program is set up with the grid of four hundred stars (Kmag=7.0+/-0.1) and 5 copies of each observation. For APT performance reasons, the total of 2000 visits are split across 10 APT programs, which jointly make up the entire Cycle calibration program. The PIDs are 4500-4509.

One visit from any of these 10 programs should be scheduled every two days, selecting from any target which is conveniently close to the current observatory pointing at that time. The monitoring cadence has a loose tolerance, notionally 48 hours plus or minus 12 hours between successive visits; this provides flexibility to schedule wavefront monitoring with minimal constraints to the timing of science visits.

We expect only ~182 of the total 2000 visits to be executed in 1 year. The remaining >90% will not be executed. This is intentional to provide a grid of WF sensing targets across the entire sky and then only use ones that minimize slew times based on the targets in the science plan. With 400 targets the average spacing between targets is ~10 degrees; from any point on the sky JWST can slew ~5 deg or less to a nearby WFS target.

The operations concept for wavefront monitoring is that we have a continuous stream of WFSC routine monitoring and maintenance visits every two days, drawn from these APT programs. These visits are by design interchangeable and all identical except for choice of target star.
The JWST WF maintenance plan is to correct the mirrors using a wavefront control file as needed, only when needed. This, by design, is expected to be no more often than once every 14 days. Corrections will not be made every 14 days if the mirrors haven't drifted out of alignment; conversely if monitoring visits show significant misalignments on shorter timescales we will not wait the 14 days to issue a control - we'd issue a control in the next WFS visit two days later. The observatory was designed to be stable enough to need corrections no more often than every couple of weeks. Based on current modeling, observatory stability may substantially exceed this requirement and corrections may be much less frequent than the 14 day cadence.

When a correction is needed (based on the analysis of some observation N), it can be attached to the next observation N+1 in the sequence. This is done by the OTE/WFSC team delivering a wavefront control file to PPS, and requires no changes in APT.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	2MASS-03452754+2840073	RA: 03 45 27.5636 (56.3648483d) Dec: +28 40 6.57 (28.66849d) Equinox: J2000	Proper Motion RA: 19.9933211028206 mas/yr Proper Motion Dec: -49.1414609793956 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(2)	2MASS-03523930+7542118	RA: 03 52 39.3624 (58.1640100d) Dec: +75 42 11.81 (75.70328d) Equinox: J2000	Proper Motion RA: 7.093289058156113 mas/yr Proper Motion Dec: -8.018302246536047 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(3)	2MASS-03480568-0802436	RA: 03 48 5.6855 (57.0236896d) Dec: -08 02 44.58 (-8.04572d) Equinox: J2000	Proper Motion RA: 1.1109288364871168 mas/yr Proper Motion Dec: -61.277062579269035 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(4)	2MASS-03553851-4617453	RA: 03 55 38.5561 (58.9106504d) Dec: -46 17 44.71 (-46.29575d) Equinox: J2000	Proper Motion RA: 27.8615099942593 mas/yr Proper Motion Dec: 39.516433459522 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(5)	2MASS-04082154+1824061	RA: 04 08 21.5513 (62.0897971d) Dec: +18 24 6.20 (18.40172d) Equinox: J2000	Proper Motion RA: 0.139607472287801 mas/yr Proper Motion Dec: -1.09423311296753 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(6)	2MASS-04101477+0652472	RA: 04 10 14.7972 (62.5616550d) Dec: +06 52 47.35 (6.87982d) Equinox: J2000	Proper Motion RA: 25.13833872293614 mas/yr Proper Motion Dec: 5.811487758493457 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(7)	2MASS-04182439+3958099	RA: 04 18 24.4178 (64.6017408d) Dec: +39 58 9.62 (39.96934d) Equinox: J2000	Proper Motion RA: 6.081744936776603 mas/yr Proper Motion Dec: -22.200568651990594 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(8)	2MASS-04191957-0212388	RA: 04 19 19.6037 (64.8316821d) Dec: -02 12 38.70 (-2.21075d) Equinox: J2000	Proper Motion RA: 25.073441691221273 mas/yr Proper Motion Dec: 5.585105568956489 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				

(9)	2MASS-04242181-3535516	RA: 04 24 21.8238 (66.0909325d) Dec: -35 35 52.17 (-35.59783d) Equinox: J2000	Proper Motion RA: 6.784865131178485 mas/yr Proper Motion Dec: -4.175478827070954 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(10)	2MASS-04244197-7918550	RA: 04 24 41.9872 (66.1749467d) Dec: -79 18 55.17 (-79.31533d) Equinox: J2000	Proper Motion RA: 4.53755314958625 mas/yr Proper Motion Dec: 9.25316210945036 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(11)	2MASS-04304770-2526566	RA: 04 30 47.7106 (67.6987942d) Dec: -25 26 56.82 (-25.44912d) Equinox: J2000	Proper Motion RA: 6.673748385619455 mas/yr Proper Motion Dec: -5.846955089611002 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(12)	2MASS-04303601+2929257	RA: 04 30 36.0500 (67.6502083d) Dec: +29 29 25.12 (29.49031d) Equinox: J2000	Proper Motion RA: 30.6355135750561 mas/yr Proper Motion Dec: -41.8012732333538 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(13)	2MASS-04340704-1555061	RA: 04 34 7.0412 (68.5293383d) Dec: -15 55 5.86 (-15.91829d) Equinox: J2000	Proper Motion RA: 1.2325654020605339 mas/yr Proper Motion Dec: 4.3866915351872 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(14)	2MASS-04364040-5732404	RA: 04 36 40.4510 (69.1685458d) Dec: -57 32 40.35 (-57.54454d) Equinox: J2000	Proper Motion RA: 30.5946090608994 mas/yr Proper Motion Dec: 13.2500914157187 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(15)	2MASS-04365862-6904162	RA: 04 36 58.6210 (69.2442542d) Dec: -69 04 16.26 (-69.07118d) Equinox: J2000	Proper Motion RA: 2.7345319675505 mas/yr Proper Motion Dec: 5.3058725164618 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(16)	2MASS-04365862-6904162-2	RA: 04 36 58.6210 (69.2442542d) Dec: -69 04 16.26 (-69.07118d) Equinox: J2000	Proper Motion RA: 2.7345319675505 mas/yr Proper Motion Dec: 5.3058725164618 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(17)	2MASS-04383929+1724291	RA: 04 38 39.3088 (69.6637867d) Dec: +17 24 28.95 (17.40804d) Equinox: J2000	Proper Motion RA: 13.159235738553082 mas/yr Proper Motion Dec: -11.87707333 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(18)	2MASS-04500360+0824281	RA: 04 50 3.6109 (72.5150454d) Dec: +08 24 28.18 (8.40783d) Equinox: J2000	Proper Motion RA: -3.0276874258035713 mas/yr Proper Motion Dec: -4.331789749411461 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(19)	2MASS-04512948+5811318	RA: 04 51 29.4664 (72.8727767d) Dec: +58 11 31.75 (58.19215d) Equinox: J2000	Proper Motion RA: 0.361401995256486 mas/yr Proper Motion Dec: -1.05101626250049 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(20)	2MASS-04553252-4328082	RA: 04 55 32.5378 (73.8855742d) Dec: -43 28 8.07 (-43.46891d) Equinox: J2000	Proper Motion RA: 19.71044266303094 mas/yr Proper Motion Dec: 13.253099894640822 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(21)	2MASS-04563327-0751077	RA: 04 56 33.2867 (74.1386946d) Dec: -07 51 7.81 (-7.85217d) Equinox: J2000	Proper Motion RA: 8.996647513905703 mas/yr Proper Motion Dec: -5.063132142551483 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(22)	2MASS-04580471-2011085	RA: 04 58 4.7393 (74.5197471d) Dec: -20 11 8.45 (-20.18568d) Equinox: J2000	Proper Motion RA: 24.622871382610185 mas/yr Proper Motion Dec: 1.2370732666643212 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(23)	2MASS-05033168-2854392	RA: 05 03 31.6882 (75.8820342d) Dec: -28 54 39.29 (-28.91091d) Equinox: J2000	Proper Motion RA: -4.161685611951397 mas/yr Proper Motion Dec: -7.260901138173791 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(24)	2MASS-05114928-8851452	RA: 05 11 49.2507 (77.9552113d) Dec: -88 51 45.00 (-88.86250d) Equinox: J2000	Proper Motion RA: -0.0926037249504845 mas/yr Proper Motion Dec: 14.1943596025599 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(25)	2MASS-05120103+0037335	RA: 05 12 1.0539 (78.0043912d) Dec: +00 37 33.38 (.62594d) Equinox: J2000	Proper Motion RA: 12.4291607609686 mas/yr Proper Motion Dec: -8.16568224977833 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(26)	2MASS-05174804+2700307	RA: 05 17 48.0420 (79.4501750d) Dec: +27 00 30.66 (27.00852d) Equinox: J2000	Proper Motion RA: 0.014380693881293372 mas/yr Proper Motion Dec: -8.27097396656329 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(27)	2MASS-05230435-5119006	RA: 05 23 4.3645 (80.7681854d) Dec: -51 19 0.89 (-51.31691d) Equinox: J2000	Proper Motion RA: -0.7720424326679819 mas/yr Proper Motion Dec: -6.541726171586742 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(28)	2MASS-05232210-3653314	RA: 05 23 22.1145 (80.8421438d) Dec: -36 53 31.43 (-36.89206d) Equinox: J2000	Proper Motion RA: 3.3652980217655086 mas/yr Proper Motion Dec: 10.544849773402827 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(29)	2MASS-05322940+1204475	RA: 05 32 29.4026 (83.1225108d) Dec: +12 04 47.43 (12.07984d) Equinox: J2000	Proper Motion RA: -0.20673877798710566 mas/yr Proper Motion Dec: -5.289440486812001 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(30)	2MASS-05314068-0753023	RA: 05 31 40.6789 (82.9194954d) Dec: -07 53 2.06 (-7.88391d) Equinox: J2000	Proper Motion RA: -4.833006607 mas/yr Proper Motion Dec: 7.276473644001953 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(31)	2MASS-05352161+6715458	RA: 05 35 21.6071 (83.8400296d) Dec: +67 15 45.88 (67.26274d) Equinox: J2000	Proper Motion RA: -0.0467462023619711 mas/yr Proper Motion Dec: 4.14922684477143 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(32)	2MASS-05371849-1452351	RA: 05 37 18.5095 (84.3271229d) Dec: -14 52 35.02 (-14.87639d) Equinox: J2000	Proper Motion RA: 3.78239437992082 mas/yr Proper Motion Dec: 0.386561628635726 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(33)	2MASS-05304485+4833544	RA: 05 30 44.8493 (82.6868721d) Dec: +48 33 54.39 (48.56511d) Equinox: J2000	Proper Motion RA: -1.6767720981009226 mas/yr Proper Motion Dec: -3.978915073978934 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(34)	2MASS-05553010-2644527	RA: 05 55 30.1014 (88.8754225d) Dec: -26 44 52.66 (-26.74796d) Equinox: J2000	Proper Motion RA: -5.652176992389779 mas/yr Proper Motion Dec: -0.5382428379373984 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(35)	2MASS-05560955+0828210	RA: 05 56 9.5637 (89.0398488d) Dec: +08 28 20.98 (8.47249d) Equinox: J2000	Proper Motion RA: 3.532166537026646 mas/yr Proper Motion Dec: -3.5914081905377295 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(36)	2MASS-05562621-6359103	RA: 05 56 26.1833 (89.1090971d) Dec: -63 59 10.34 (-63.98621d) Equinox: J2000	Proper Motion RA: -1.579730908999 mas/yr Proper Motion Dec: 4.98007058177817 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(37)	2MASS-05590957-4540213	RA: 05 59 9.5528 (89.7898033d) Dec: -45 40 21.06 (-45.67252d) Equinox: J2000	Proper Motion RA: -9.305142472 mas/yr Proper Motion Dec: 13.063015785567108 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(38)	2MASS-06132294-0130292	RA: 06 13 22.9568 (93.3456533d) Dec: -01 30 29.31 (-1.50814d) Equinox: J2000	Proper Motion RA: 0.30566384688703 mas/yr Proper Motion Dec: -1.5603489835506545 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(39)	2MASS-06165603+5504418	RA: 06 16 56.0239 (94.2334329d) Dec: +55 04 41.62 (55.07823d) Equinox: J2000	Proper Motion RA: -5.873145425531215 mas/yr Proper Motion Dec: -9.660125785828301 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(40)	2MASS-06173851-3254188	RA: 06 17 38.5093 (94.4104554d) Dec: -32 54 18.99 (-32.90528d) Equinox: J2000	Proper Motion RA: -1.9479869544796418 mas/yr Proper Motion Dec: -9.088547900697382 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(41)	2MASS-06173483-2143028	RA: 06 17 34.8265 (94.3951104d) Dec: -21 43 2.76 (-21.71743d) Equinox: J2000	Proper Motion RA: 0.3640776227747875 mas/yr Proper Motion Dec: 6.337567921498414 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(42)	2MASS-06183816+2710416	RA: 06 18 38.1648 (94.6590200d) Dec: +27 10 41.61 (27.17823d) Equinox: J2000	Proper Motion RA: 0.32885406416069 mas/yr Proper Motion Dec: -2.1238674673801086 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(43)	2MASS-06193839-0810380	RA: 06 19 38.3964 (94.9099850d) Dec: -08 10 38.12 (-8.17726d) Equinox: J2000	Proper Motion RA: 1.7055534791808271 mas/yr Proper Motion Dec: 0.05691267023753518 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(44)	2MASS-06280686+4157532	RA: 06 28 6.8724 (97.0286350d) Dec: +41 57 53.08 (41.96474d) Equinox: J2000	Proper Motion RA: 4.545665023063398 mas/yr Proper Motion Dec: -7.375919093024869 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(45)	2MASS-06332446-5604541	RA: 06 33 24.4657 (98.3519404d) Dec: -56 04 53.78 (-56.08161d) Equinox: J2000	Proper Motion RA: 0.7608737521623943 mas/yr Proper Motion Dec: 20.078922093887837 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(46)	2MASS-06554599-4735034	RA: 06 55 45.9792 (103.9415800d) Dec: -47 35 3.31 (-47.58425d) Equinox: J2000	Proper Motion RA: -0.07852632549993771 mas/yr Proper Motion Dec: 2.937222195329755 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(47)	2MASS-06571552-7342325	RA: 06 57 15.5028 (104.3145950d) Dec: -73 42 32.77 (-73.70910d) Equinox: J2000	Proper Motion RA: -1.35536295654123 mas/yr Proper Motion Dec: -10.3749407692089 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(48)	2MASS-06580554-2553540	RA: 06 58 5.5380 (104.5230750d) Dec: -25 53 54.03 (-25.89834d) Equinox: J2000	Proper Motion RA: -1.3940809393579732 mas/yr Proper Motion Dec: 2.159237023740892 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(49)	2MASS-06582040+3451376	RA: 06 58 20.4533 (104.5852221d) Dec: +34 51 37.50 (34.86042d) Equinox: J2000	Proper Motion RA: 37.15327152218954 mas/yr Proper Motion Dec: -10.350129248155978 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(50)	2MASS-07113903+2531201	RA: 07 11 39.0370 (107.9126542d) Dec: +25 31 20.10 (25.52225d) Equinox: J2000	Proper Motion RA: -0.5642462013779466 mas/yr Proper Motion Dec: -4.820765061176373 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(51)	2MASS-07121892+8359589	RA: 07 12 19.1242 (108.0796842d) Dec: +83 59 59.13 (83.99976d) Equinox: J2000	Proper Motion RA: 6.1051229512752965 mas/yr Proper Motion Dec: 5.92618649762488 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(52)	2MASS-07123530-3739152	RA: 07 12 35.2940 (108.1470583d) Dec: -37 39 15.42 (-37.65428d) Equinox: J2000	Proper Motion RA: -1.1956854737791518 mas/yr Proper Motion Dec: 2.7703841241247282 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(53)	2MASS-07160530+6249228	RA: 07 16 5.3334 (109.0222225d) Dec: +62 49 22.95 (62.82304d) Equinox: J2000	Proper Motion RA: 6.382801858807305 mas/yr Proper Motion Dec: 9.2856080801914 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(54)	2MASS-07172051+1603446	RA: 07 17 20.5246 (109.3355192d) Dec: +16 03 44.54 (16.06237d) Equinox: J2000	Proper Motion RA: 2.8271867215964015 mas/yr Proper Motion Dec: -8.136878360849213 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(55)	2MASS-07194846+0243153	RA: 07 19 48.4614 (109.9519225d) Dec: +02 43 15.55 (2.72099d) Equinox: J2000	Proper Motion RA: 3.7253135969602256 mas/yr Proper Motion Dec: -6.409109221670377 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(56)	2MASS-07212434+7108544	RA: 07 21 24.3419 (110.3514246d) Dec: +71 08 54.34 (71.14843d) Equinox: J2000	Proper Motion RA: 3.12943022835579 mas/yr Proper Motion Dec: -1.86730452776101 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(57)	2MASS-07223682+4756072	RA: 07 22 36.8389 (110.6534954d) Dec: +47 56 6.95 (47.93526d) Equinox: J2000	Proper Motion RA: 2.977792556662787 mas/yr Proper Motion Dec: -17.76440807037647 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(58)	2MASS-07352172-6514296	RA: 07 35 21.7292 (113.8405383d) Dec: -65 14 29.69 (-65.24158d) Equinox: J2000	Proper Motion RA: 0.951952789034621 mas/yr Proper Motion Dec: 2.26540015949902 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(59)	2MASS-07383881-0325477	RA: 07 38 38.8182 (114.6617425d) Dec: -03 25 47.63 (-3.42990d) Equinox: J2000	Proper Motion RA: -0.0521629822548172 mas/yr Proper Motion Dec: 0.5550949643651666 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(60)	2MASS-07452791+3842507	RA: 07 45 27.9081 (116.3662838d) Dec: +38 42 50.48 (38.71402d) Equinox: J2000	Proper Motion RA: -1.2114206769393145 mas/yr Proper Motion Dec: -11.714123049201397 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(61)	2MASS-07480811+1016525	RA: 07 48 8.1219 (117.0338412d) Dec: +10 16 52.76 (10.28132d) Equinox: J2000	Proper Motion RA: -2.0192788785868663 mas/yr Proper Motion Dec: 1.3729537186783347 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(62)	2MASS-07512543-1552327	RA: 07 51 25.4946 (117.8562275d) Dec: -15 52 32.87 (-15.87580d) Equinox: J2000	Proper Motion RA: 52.072917387782 mas/yr Proper Motion Dec: -10.1679717423378 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				

Observation

Proposal 7052, Observation 1

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 1) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	2MASS-03452754+2840073	RA: 03 45 27.5636 (56.3648483d) Dec: +28 40 6.57 (28.66849d) Equinox: J2000	Proper Motion RA: 19.9933211028206 mas/yr Proper Motion Dec: -49.1414609793956 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 2

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 2) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	2MASS-03452754+2840073	RA: 03 45 27.5636 (56.3648483d) Dec: +28 40 6.57 (28.66849d) Equinox: J2000	Proper Motion RA: 19.9933211028206 mas/yr Proper Motion Dec: -49.1414609793956 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 3

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 3) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	2MASS-03452754+2840073	RA: 03 45 27.5636 (56.3648483d) Dec: +28 40 6.57 (28.66849d) Equinox: J2000	Proper Motion RA: 19.9933211028206 mas/yr Proper Motion Dec: -49.1414609793956 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 4

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 4) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(2)	2MASS-03523930+7542118	RA: 03 52 39.3624 (58.1640100d) Dec: +75 42 11.81 (75.70328d) Equinox: J2000	Proper Motion RA: 7.093289058156113 mas/yr Proper Motion Dec: -8.018302246536047 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 5

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 5) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(2)	2MASS-03523930+7542118	RA: 03 52 39.3624 (58.1640100d) Dec: +75 42 11.81 (75.70328d) Equinox: J2000	Proper Motion RA: 7.093289058156113 mas/yr Proper Motion Dec: -8.018302246536047 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 6

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 6) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(2)	2MASS-03523930+7542118	RA: 03 52 39.3624 (58.1640100d) Dec: +75 42 11.81 (75.70328d) Equinox: J2000	Proper Motion RA: 7.093289058156113 mas/yr Proper Motion Dec: -8.018302246536047 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 7

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 7) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(3)	2MASS-03480568-0802436	RA: 03 48 5.6855 (57.0236896d) Dec: -08 02 44.58 (-8.04572d) Equinox: J2000	Proper Motion RA: 1.1109288364871168 mas/yr Proper Motion Dec: -61.277062579269035 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 8

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 8) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(3)	2MASS-03480568-0802436	RA: 03 48 5.6855 (57.0236896d) Dec: -08 02 44.58 (-8.04572d) Equinox: J2000	Proper Motion RA: 1.1109288364871168 mas/yr Proper Motion Dec: -61.277062579269035 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 9

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 9) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(3)	2MASS-03480568-0802436	RA: 03 48 5.6855 (57.0236896d) Dec: -08 02 44.58 (-8.04572d) Equinox: J2000	Proper Motion RA: 1.1109288364871168 mas/yr Proper Motion Dec: -61.277062579269035 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 10

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 10) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(4)	2MASS-03553851-4617453	RA: 03 55 38.5561 (58.9106504d) Dec: -46 17 44.71 (-46.29575d) Equinox: J2000	Proper Motion RA: 27.8615099942593 mas/yr Proper Motion Dec: 39.516433459522 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 11

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 11) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(4)	2MASS-03553851-4617453	RA: 03 55 38.5561 (58.9106504d) Dec: -46 17 44.71 (-46.29575d) Equinox: J2000	Proper Motion RA: 27.8615099942593 mas/yr Proper Motion Dec: 39.516433459522 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 12

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 12) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(4)	2MASS-03553851-4617453	RA: 03 55 38.5561 (58.9106504d) Dec: -46 17 44.71 (-46.29575d) Equinox: J2000	Proper Motion RA: 27.8615099942593 mas/yr Proper Motion Dec: 39.516433459522 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 13

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 13) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(5)	2MASS-04082154+1824061	RA: 04 08 21.5513 (62.0897971d) Dec: +18 24 6.20 (18.40172d) Equinox: J2000	Proper Motion RA: 0.139607472287801 mas/yr Proper Motion Dec: -1.09423311296753 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 14

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 14) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(5)	2MASS-04082154+1824061	RA: 04 08 21.5513 (62.0897971d) Dec: +18 24 6.20 (18.40172d) Equinox: J2000	Proper Motion RA: 0.139607472287801 mas/yr Proper Motion Dec: -1.09423311296753 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 15

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 15) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(5)	2MASS-04082154+1824061	RA: 04 08 21.5513 (62.0897971d)	Proper Motion RA: 0.139607472287801 mas/yr	
		Dec: +18 24 6.20 (18.40172d)	Proper Motion Dec: -1.09423311296753 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 16

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 16) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(6)	2MASS-04101477+0652472	RA: 04 10 14.7972 (62.5616550d)	Proper Motion RA: 25.13833872293614 mas/yr	
		Dec: +06 52 47.35 (6.87982d)	Proper Motion Dec: 5.811487758493457 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 17

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 17) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(6)	2MASS-04101477+0652472	RA: 04 10 14.7972 (62.5616550d) Dec: +06 52 47.35 (6.87982d) Equinox: J2000	Proper Motion RA: 25.13833872293614 mas/yr Proper Motion Dec: 5.811487758493457 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 18

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 18) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(6)	2MASS-04101477+0652472	RA: 04 10 14.7972 (62.5616550d) Dec: +06 52 47.35 (6.87982d) Equinox: J2000	Proper Motion RA: 25.13833872293614 mas/yr Proper Motion Dec: 5.811487758493457 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 19

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 19) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(7)	2MASS-04182439+3958099	RA: 04 18 24.4178 (64.6017408d) Dec: +39 58 9.62 (39.96934d) Equinox: J2000	Proper Motion RA: 6.081744936776603 mas/yr Proper Motion Dec: -22.200568651990594 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 20 Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 20) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(7)	2MASS-04182439+3958099	RA: 04 18 24.4178 (64.6017408d) Dec: +39 58 9.62 (39.96934d) Equinox: J2000	Proper Motion RA: 6.081744936776603 mas/yr Proper Motion Dec: -22.200568651990594 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 21 Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 21) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(7)	2MASS-04182439+3958099	RA: 04 18 24.4178 (64.6017408d) Dec: +39 58 9.62 (39.96934d) Equinox: J2000	Proper Motion RA: 6.081744936776603 mas/yr Proper Motion Dec: -22.200568651990594 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 22

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 22) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(8)	2MASS-04191957-0212388	RA: 04 19 19.6037 (64.8316821d) Dec: -02 12 38.70 (-2.21075d) Equinox: J2000	Proper Motion RA: 25.073441691221273 mas/yr Proper Motion Dec: 5.585105568956489 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 23

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 23) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(8)	2MASS-04191957-0212388	RA: 04 19 19.6037 (64.8316821d) Dec: -02 12 38.70 (-2.21075d) Equinox: J2000	Proper Motion RA: 25.073441691221273 mas/yr Proper Motion Dec: 5.585105568956489 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 24

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 24) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(8)	2MASS-04191957-0212388	RA: 04 19 19.6037 (64.8316821d) Dec: -02 12 38.70 (-2.21075d) Equinox: J2000	Proper Motion RA: 25.073441691221273 mas/yr Proper Motion Dec: 5.585105568956489 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 25 Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 25) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(9)	2MASS-04242181-3535516	RA: 04 24 21.8238 (66.0909325d) Dec: -35 35 52.17 (-35.59783d) Equinox: J2000	Proper Motion RA: 6.784865131178485 mas/yr Proper Motion Dec: -4.175478827070954 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 26

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 26) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(9)	2MASS-04242181-3535516	RA: 04 24 21.8238 (66.0909325d) Dec: -35 35 52.17 (-35.59783d) Equinox: J2000	Proper Motion RA: 6.784865131178485 mas/yr Proper Motion Dec: -4.175478827070954 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 27

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 27) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(9)	2MASS-04242181-3535516	RA: 04 24 21.8238 (66.0909325d) Dec: -35 35 52.17 (-35.59783d) Equinox: J2000	Proper Motion RA: 6.784865131178485 mas/yr Proper Motion Dec: -4.175478827070954 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 28

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 28) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(10)	2MASS-04244197-7918550	RA: 04 24 41.9872 (66.1749467d) Dec: -79 18 55.17 (-79.31533d) Equinox: J2000	Proper Motion RA: 4.53755314958625 mas/yr Proper Motion Dec: 9.25316210945036 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 29

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 29) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(10)	2MASS-04244197-7918550	RA: 04 24 41.9872 (66.1749467d) Dec: -79 18 55.17 (-79.31533d) Equinox: J2000	Proper Motion RA: 4.53755314958625 mas/yr Proper Motion Dec: 9.25316210945036 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 30

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 30) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(10)	2MASS-04244197-7918550	RA: 04 24 41.9872 (66.1749467d) Dec: -79 18 55.17 (-79.31533d) Equinox: J2000	Proper Motion RA: 4.53755314958625 mas/yr Proper Motion Dec: 9.25316210945036 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 31

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 31) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(11)	2MASS-04304770-2526566	RA: 04 30 47.7106 (67.6987942d) Dec: -25 26 56.82 (-25.44912d) Equinox: J2000	Proper Motion RA: 6.673748385619455 mas/yr Proper Motion Dec: -5.846955089611002 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 32

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 32) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(11)	2MASS-04304770-2526566	RA: 04 30 47.7106 (67.6987942d) Dec: -25 26 56.82 (-25.44912d) Equinox: J2000	Proper Motion RA: 6.673748385619455 mas/yr Proper Motion Dec: -5.846955089611002 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 33

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 33) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(11)	2MASS-04304770-2526566	RA: 04 30 47.7106 (67.6987942d) Dec: -25 26 56.82 (-25.44912d) Equinox: J2000	Proper Motion RA: 6.673748385619455 mas/yr Proper Motion Dec: -5.846955089611002 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 34

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 34) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(12)	2MASS-04303601+2929257	RA: 04 30 36.0500 (67.6502083d) Dec: +29 29 25.12 (29.49031d) Equinox: J2000	Proper Motion RA: 30.6355135750561 mas/yr Proper Motion Dec: -41.8012732333538 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 35

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 35) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(12)	2MASS-04303601+2929257	RA: 04 30 36.0500 (67.6502083d) Dec: +29 29 25.12 (29.49031d) Equinox: J2000	Proper Motion RA: 30.6355135750561 mas/yr Proper Motion Dec: -41.8012732333538 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 36 Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 36) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(12)	2MASS-04303601+2929257	RA: 04 30 36.0500 (67.6502083d) Dec: +29 29 25.12 (29.49031d) Equinox: J2000	Proper Motion RA: 30.6355135750561 mas/yr Proper Motion Dec: -41.8012732333538 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 37

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 37) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(13)	2MASS-04340704-1555061	RA: 04 34 7.0412 (68.5293383d) Dec: -15 55 5.86 (-15.91829d) Equinox: J2000	Proper Motion RA: 1.2325654020605339 mas/yr Proper Motion Dec: 4.3866915351872 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 38

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 38) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(13)	2MASS-04340704-1555061	RA: 04 34 7.0412 (68.5293383d) Dec: -15 55 5.86 (-15.91829d) Equinox: J2000	Proper Motion RA: 1.2325654020605339 mas/yr Proper Motion Dec: 4.3866915351872 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 39

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 39) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(13)	2MASS-04340704-1555061	RA: 04 34 7.0412 (68.5293383d) Dec: -15 55 5.86 (-15.91829d) Equinox: J2000	Proper Motion RA: 1.2325654020605339 mas/yr Proper Motion Dec: 4.3866915351872 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 40

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 40) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(14)	2MASS-04364040-5732404	RA: 04 36 40.4510 (69.1685458d)	Proper Motion RA: 30.5946090608994 mas/yr	
		Dec: -57 32 40.35 (-57.54454d)	Proper Motion Dec: 13.2500914157187 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 41

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 41) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(14)	2MASS-04364040-5732404	RA: 04 36 40.4510 (69.1685458d) Dec: -57 32 40.35 (-57.54454d) Equinox: J2000	Proper Motion RA: 30.5946090608994 mas/yr Proper Motion Dec: 13.2500914157187 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 42

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 42) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(14)	2MASS-04364040-5732404	RA: 04 36 40.4510 (69.1685458d)	Proper Motion RA: 30.5946090608994 mas/yr	
		Dec: -57 32 40.35 (-57.54454d)	Proper Motion Dec: 13.2500914157187 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 43

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 43) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(15)	2MASS-04365862-6904162	RA: 04 36 58.6210 (69.2442542d) Dec: -69 04 16.26 (-69.07118d) Equinox: J2000	Proper Motion RA: 2.7345319675505 mas/yr Proper Motion Dec: 5.3058725164618 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 44

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 44) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(15)	2MASS-04365862-6904162	RA: 04 36 58.6210 (69.2442542d) Dec: -69 04 16.26 (-69.07118d) Equinox: J2000	Proper Motion RA: 2.7345319675505 mas/yr Proper Motion Dec: 5.3058725164618 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 45

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 45) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(15)	2MASS-04365862-6904162	RA: 04 36 58.6210 (69.2442542d) Dec: -69 04 16.26 (-69.07118d) Equinox: J2000	Proper Motion RA: 2.7345319675505 mas/yr Proper Motion Dec: 5.3058725164618 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 46

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 46) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(16)	2MASS-04365862-6904162-2	RA: 04 36 58.6210 (69.2442542d)	Proper Motion RA: 2.7345319675505 mas/yr	
		Dec: -69 04 16.26 (-69.07118d)	Proper Motion Dec: 5.3058725164618 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 47

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 47) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(16)	2MASS-04365862-6904162-2	RA: 04 36 58.6210 (69.2442542d) Dec: -69 04 16.26 (-69.07118d) Equinox: J2000	Proper Motion RA: 2.7345319675505 mas/yr Proper Motion Dec: 5.3058725164618 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 48

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 48) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(16)	2MASS-04365862-6904162-2	RA: 04 36 58.6210 (69.2442542d)	Proper Motion RA: 2.7345319675505 mas/yr	
		Dec: -69 04 16.26 (-69.07118d)	Proper Motion Dec: 5.3058725164618 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 49

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 49) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(17)	2MASS-04383929+1724291	RA: 04 38 39.3088 (69.6637867d) Dec: +17 24 28.95 (17.40804d) Equinox: J2000	Proper Motion RA: 13.159235738553082 mas/yr Proper Motion Dec: -11.87707333 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 50

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 50) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(17)	2MASS-04383929+1724291	RA: 04 38 39.3088 (69.6637867d) Dec: +17 24 28.95 (17.40804d) Equinox: J2000	Proper Motion RA: 13.159235738553082 mas/yr Proper Motion Dec: -11.87707333 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 51

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 51) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 51:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(17)	2MASS-04383929+1724291	RA: 04 38 39.3088 (69.6637867d) Dec: +17 24 28.95 (17.40804d) Equinox: J2000	Proper Motion RA: 13.159235738553082 mas/yr Proper Motion Dec: -11.87707333 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 52

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 52) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 52:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(18)	2MASS-04500360+0824281	RA: 04 50 3.6109 (72.5150454d) Dec: +08 24 28.18 (8.40783d) Equinox: J2000	Proper Motion RA: -3.0276874258035713 mas/yr Proper Motion Dec: -4.331789749411461 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 53

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 53) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 53:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(18)	2MASS-04500360+0824281	RA: 04 50 3.6109 (72.5150454d) Dec: +08 24 28.18 (8.40783d) Equinox: J2000	Proper Motion RA: -3.0276874258035713 mas/yr Proper Motion Dec: -4.331789749411461 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 54

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 54) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 54:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(18)	2MASS-04500360+0824281	RA: 04 50 3.6109 (72.5150454d) Dec: +08 24 28.18 (8.40783d) Equinox: J2000	Proper Motion RA: -3.0276874258035713 mas/yr Proper Motion Dec: -4.331789749411461 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 55

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 55) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(19)	2MASS-04512948+5811318	RA: 04 51 29.4664 (72.8727767d) Dec: +58 11 31.75 (58.19215d) Equinox: J2000	Proper Motion RA: 0.361401995256486 mas/yr Proper Motion Dec: -1.05101626250049 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 56

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 56) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(19)	2MASS-04512948+5811318	RA: 04 51 29.4664 (72.8727767d) Dec: +58 11 31.75 (58.19215d) Equinox: J2000	Proper Motion RA: 0.361401995256486 mas/yr Proper Motion Dec: -1.05101626250049 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 57

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 57) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(19)	2MASS-04512948+5811318	RA: 04 51 29.4664 (72.8727767d) Dec: +58 11 31.75 (58.19215d) Equinox: J2000	Proper Motion RA: 0.361401995256486 mas/yr Proper Motion Dec: -1.05101626250049 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 58

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 58) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(20)	2MASS-04553252-4328082	RA: 04 55 32.5378 (73.8855742d) Dec: -43 28 8.07 (-43.46891d) Equinox: J2000	Proper Motion RA: 19.71044266303094 mas/yr Proper Motion Dec: 13.253099894640822 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 59

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 59) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(20)	2MASS-04553252-4328082	RA: 04 55 32.5378 (73.8855742d) Dec: -43 28 8.07 (-43.46891d) Equinox: J2000	Proper Motion RA: 19.71044266303094 mas/yr Proper Motion Dec: 13.253099894640822 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 60

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 60) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(20)	2MASS-04553252-4328082	RA: 04 55 32.5378 (73.8855742d) Dec: -43 28 8.07 (-43.46891d) Equinox: J2000	Proper Motion RA: 19.71044266303094 mas/yr Proper Motion Dec: 13.253099894640822 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 61

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 61) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 61:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(21)	2MASS-04563327-0751077	RA: 04 56 33.2867 (74.1386946d) Dec: -07 51 7.81 (-7.85217d) Equinox: J2000	Proper Motion RA: 8.996647513905703 mas/yr Proper Motion Dec: -5.063132142551483 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 62

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 62) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 62:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(21)	2MASS-04563327-0751077	RA: 04 56 33.2867 (74.1386946d) Dec: -07 51 7.81 (-7.85217d) Equinox: J2000	Proper Motion RA: 8.996647513905703 mas/yr Proper Motion Dec: -5.063132142551483 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 63

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 63) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(21)	2MASS-04563327-0751077	RA: 04 56 33.2867 (74.1386946d) Dec: -07 51 7.81 (-7.85217d) Equinox: J2000	Proper Motion RA: 8.996647513905703 mas/yr Proper Motion Dec: -5.063132142551483 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 64

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 64) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(22)	2MASS-04580471-2011085	RA: 04 58 4.7393 (74.5197471d) Dec: -20 11 8.45 (-20.18568d) Equinox: J2000	Proper Motion RA: 24.622871382610185 mas/yr Proper Motion Dec: 1.2370732666643212 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 65

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 65) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(22)	2MASS-04580471-2011085	RA: 04 58 4.7393 (74.5197471d) Dec: -20 11 8.45 (-20.18568d) Equinox: J2000	Proper Motion RA: 24.622871382610185 mas/yr Proper Motion Dec: 1.2370732666643212 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 66

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 66) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 66:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(22)	2MASS-04580471-2011085	RA: 04 58 4.7393 (74.5197471d) Dec: -20 11 8.45 (-20.18568d) Equinox: J2000	Proper Motion RA: 24.622871382610185 mas/yr Proper Motion Dec: 1.2370732666643212 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 67

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 67) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 67:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(23)	2MASS-05033168-2854392	RA: 05 03 31.6882 (75.8820342d) Dec: -28 54 39.29 (-28.91091d) Equinox: J2000	Proper Motion RA: -4.161685611951397 mas/yr Proper Motion Dec: -7.260901138173791 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 68

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 68) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 68:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(23)	2MASS-05033168-2854392	RA: 05 03 31.6882 (75.8820342d) Dec: -28 54 39.29 (-28.91091d) Equinox: J2000	Proper Motion RA: -4.161685611951397 mas/yr Proper Motion Dec: -7.260901138173791 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 69

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 69) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 69:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(23)	2MASS-05033168-2854392	RA: 05 03 31.6882 (75.8820342d) Dec: -28 54 39.29 (-28.91091d) Equinox: J2000	Proper Motion RA: -4.161685611951397 mas/yr Proper Motion Dec: -7.260901138173791 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 70

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 70) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 70:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(24)	2MASS-05114928-8851452	RA: 05 11 49.2507 (77.9552113d) Dec: -88 51 45.00 (-88.86250d) Equinox: J2000	Proper Motion RA: -0.0926037249504845 mas/yr Proper Motion Dec: 14.1943596025599 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 71

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 71) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 71:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(24)	2MASS-05114928-8851452	RA: 05 11 49.2507 (77.9552113d) Dec: -88 51 45.00 (-88.86250d) Equinox: J2000	Proper Motion RA: -0.0926037249504845 mas/yr Proper Motion Dec: 14.1943596025599 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 72

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 72) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 72:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(24)	2MASS-05114928-8851452	RA: 05 11 49.2507 (77.9552113d) Dec: -88 51 45.00 (-88.86250d) Equinox: J2000	Proper Motion RA: -0.0926037249504845 mas/yr Proper Motion Dec: 14.1943596025599 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 73

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 73) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 73:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(25)	2MASS-05120103+0037335	RA: 05 12 1.0539 (78.0043912d) Dec: +00 37 33.38 (.62594d) Equinox: J2000	Proper Motion RA: 12.4291607609686 mas/yr Proper Motion Dec: -8.16568224977833 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 74

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 74) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 74:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(25)	2MASS-05120103+0037335	RA: 05 12 1.0539 (78.0043912d) Dec: +00 37 33.38 (.62594d) Equinox: J2000	Proper Motion RA: 12.4291607609686 mas/yr Proper Motion Dec: -8.16568224977833 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 75 Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 75) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 75:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(25)	2MASS-05120103+0037335	RA: 05 12 1.0539 (78.0043912d) Dec: +00 37 33.38 (.62594d) Equinox: J2000	Proper Motion RA: 12.4291607609686 mas/yr Proper Motion Dec: -8.16568224977833 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 76

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 76) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 76:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(26)	2MASS-05174804+2700307	RA: 05 17 48.0420 (79.4501750d) Dec: +27 00 30.66 (27.00852d) Equinox: J2000	Proper Motion RA: 0.014380693881293372 mas/yr Proper Motion Dec: -8.27097396656329 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 77

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 77) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 77:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(26)	2MASS-05174804+2700307	RA: 05 17 48.0420 (79.4501750d) Dec: +27 00 30.66 (27.00852d) Equinox: J2000	Proper Motion RA: 0.014380693881293372 mas/yr Proper Motion Dec: -8.27097396656329 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 78

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 78) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 78:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(26)	2MASS-05174804+2700307	RA: 05 17 48.0420 (79.4501750d) Dec: +27 00 30.66 (27.00852d) Equinox: J2000	Proper Motion RA: 0.014380693881293372 mas/yr Proper Motion Dec: -8.27097396656329 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 79

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 79) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 79:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(27)	2MASS-05230435-5119006	RA: 05 23 4.3645 (80.7681854d) Dec: -51 19 0.89 (-51.31691d) Equinox: J2000	Proper Motion RA: -0.7720424326679819 mas/yr Proper Motion Dec: -6.541726171586742 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 80

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 80) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 80:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(27)	2MASS-05230435-5119006	RA: 05 23 4.3645 (80.7681854d) Dec: -51 19 0.89 (-51.31691d) Equinox: J2000	Proper Motion RA: -0.7720424326679819 mas/yr Proper Motion Dec: -6.541726171586742 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 81

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 81) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 81:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(27)	2MASS-05230435-5119006	RA: 05 23 4.3645 (80.7681854d) Dec: -51 19 0.89 (-51.31691d) Equinox: J2000	Proper Motion RA: -0.7720424326679819 mas/yr Proper Motion Dec: -6.541726171586742 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 82

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 82) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 82:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(28)	2MASS-05232210-3653314	RA: 05 23 22.1145 (80.8421438d) Dec: -36 53 31.43 (-36.89206d) Equinox: J2000	Proper Motion RA: 3.3652980217655086 mas/yr Proper Motion Dec: 10.544849773402827 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 83

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 83) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 83:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(28)	2MASS-05232210-3653314	RA: 05 23 22.1145 (80.8421438d) Dec: -36 53 31.43 (-36.89206d) Equinox: J2000	Proper Motion RA: 3.3652980217655086 mas/yr Proper Motion Dec: 10.544849773402827 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 84

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 84) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 84:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(28)	2MASS-05232210-3653314	RA: 05 23 22.1145 (80.8421438d) Dec: -36 53 31.43 (-36.89206d) Equinox: J2000	Proper Motion RA: 3.3652980217655086 mas/yr Proper Motion Dec: 10.544849773402827 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 85

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 85) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 85:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(29)	2MASS-05322940+1204475	RA: 05 32 29.4026 (83.1225108d) Dec: +12 04 47.43 (12.07984d) Equinox: J2000	Proper Motion RA: -0.20673877798710566 mas/yr Proper Motion Dec: -5.289440486812001 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 86

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 86) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 86:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(29)	2MASS-05322940+1204475	RA: 05 32 29.4026 (83.1225108d) Dec: +12 04 47.43 (12.07984d) Equinox: J2000	Proper Motion RA: -0.20673877798710566 mas/yr Proper Motion Dec: -5.289440486812001 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 87

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 87) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 87:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(29)	2MASS-05322940+1204475	RA: 05 32 29.4026 (83.1225108d) Dec: +12 04 47.43 (12.07984d) Equinox: J2000	Proper Motion RA: -0.20673877798710566 mas/yr Proper Motion Dec: -5.289440486812001 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 88

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 88) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 88:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(30)	2MASS-05314068-0753023	RA: 05 31 40.6789 (82.9194954d) Dec: -07 53 2.06 (-7.88391d) Equinox: J2000	Proper Motion RA: -4.833006607 mas/yr Proper Motion Dec: 7.276473644001953 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 89

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 89) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 89:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(30)	2MASS-05314068-0753023	RA: 05 31 40.6789 (82.9194954d) Dec: -07 53 2.06 (-7.88391d) Equinox: J2000	Proper Motion RA: -4.833006607 mas/yr Proper Motion Dec: 7.276473644001953 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 90

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 90) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 90:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(30)	2MASS-05314068-0753023	RA: 05 31 40.6789 (82.9194954d) Dec: -07 53 2.06 (-7.88391d) Equinox: J2000	Proper Motion RA: -4.833006607 mas/yr Proper Motion Dec: 7.276473644001953 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 91

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 91) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 91:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(31)	2MASS-05352161+6715458	RA: 05 35 21.6071 (83.8400296d) Dec: +67 15 45.88 (67.26274d) Equinox: J2000	Proper Motion RA: -0.0467462023619711 mas/yr Proper Motion Dec: 4.14922684477143 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 92

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 92) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 92:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(31)	2MASS-05352161+6715458	RA: 05 35 21.6071 (83.8400296d) Dec: +67 15 45.88 (67.26274d) Equinox: J2000	Proper Motion RA: -0.0467462023619711 mas/yr Proper Motion Dec: 4.14922684477143 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 93

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 93) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 93:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(31)	2MASS-05352161+6715458	RA: 05 35 21.6071 (83.8400296d) Dec: +67 15 45.88 (67.26274d) Equinox: J2000	Proper Motion RA: -0.0467462023619711 mas/yr Proper Motion Dec: 4.14922684477143 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 94

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 94) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 94:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(32)	2MASS-05371849-1452351	RA: 05 37 18.5095 (84.3271229d) Dec: -14 52 35.02 (-14.87639d) Equinox: J2000	Proper Motion RA: 3.78239437992082 mas/yr Proper Motion Dec: 0.386561628635726 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 95

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 95) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 95:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(32)	2MASS-05371849-1452351	RA: 05 37 18.5095 (84.3271229d) Dec: -14 52 35.02 (-14.87639d) Equinox: J2000	Proper Motion RA: 3.78239437992082 mas/yr Proper Motion Dec: 0.386561628635726 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 96

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 96) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 96:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(32)	2MASS-05371849-1452351	RA: 05 37 18.5095 (84.3271229d) Dec: -14 52 35.02 (-14.87639d) Equinox: J2000	Proper Motion RA: 3.78239437992082 mas/yr Proper Motion Dec: 0.386561628635726 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 97

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 97) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 97:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(33)	2MASS-05304485+4833544	RA: 05 30 44.8493 (82.6868721d) Dec: +48 33 54.39 (48.56511d) Equinox: J2000	Proper Motion RA: -1.6767720981009226 mas/yr Proper Motion Dec: -3.978915073978934 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 98

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 98) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 98:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(33)	2MASS-05304485+4833544	RA: 05 30 44.8493 (82.6868721d) Dec: +48 33 54.39 (48.56511d) Equinox: J2000	Proper Motion RA: -1.6767720981009226 mas/yr Proper Motion Dec: -3.978915073978934 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 99

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 99) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 99:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(33)	2MASS-05304485+4833544	RA: 05 30 44.8493 (82.6868721d) Dec: +48 33 54.39 (48.56511d) Equinox: J2000	Proper Motion RA: -1.6767720981009226 mas/yr Proper Motion Dec: -3.978915073978934 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 100

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 100) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 100:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(34)	2MASS-05553010-2644527	RA: 05 55 30.1014 (88.8754225d) Dec: -26 44 52.66 (-26.74796d) Equinox: J2000	Proper Motion RA: -5.652176992389779 mas/yr Proper Motion Dec: -0.5382428379373984 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 101

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 101) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 101:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(34)	2MASS-05553010-2644527	RA: 05 55 30.1014 (88.8754225d) Dec: -26 44 52.66 (-26.74796d) Equinox: J2000	Proper Motion RA: -5.652176992389779 mas/yr Proper Motion Dec: -0.5382428379373984 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 102

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 102) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 102:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(34)	2MASS-05553010-2644527	RA: 05 55 30.1014 (88.8754225d) Dec: -26 44 52.66 (-26.74796d) Equinox: J2000	Proper Motion RA: -5.652176992389779 mas/yr Proper Motion Dec: -0.5382428379373984 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 103

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 103) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 103:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(35)	2MASS-05560955+0828210	RA: 05 56 9.5637 (89.0398488d) Dec: +08 28 20.98 (8.47249d) Equinox: J2000	Proper Motion RA: 3.532166537026646 mas/yr Proper Motion Dec: -3.5914081905377295 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 104

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 104) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 104:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(35)	2MASS-05560955+0828210	RA: 05 56 9.5637 (89.0398488d) Dec: +08 28 20.98 (8.47249d) Equinox: J2000	Proper Motion RA: 3.532166537026646 mas/yr Proper Motion Dec: -3.5914081905377295 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 105

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 105) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 105:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(35)	2MASS-05560955+0828210	RA: 05 56 9.5637 (89.0398488d) Dec: +08 28 20.98 (8.47249d) Equinox: J2000	Proper Motion RA: 3.532166537026646 mas/yr Proper Motion Dec: -3.5914081905377295 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 106

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 106) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 106:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(36)	2MASS-05562621-6359103	RA: 05 56 26.1833 (89.1090971d) Dec: -63 59 10.34 (-63.98621d) Equinox: J2000	Proper Motion RA: -1.579730908999 mas/yr Proper Motion Dec: 4.98007058177817 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 107

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 107) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 107:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(36)	2MASS-05562621-6359103	RA: 05 56 26.1833 (89.1090971d) Dec: -63 59 10.34 (-63.98621d) Equinox: J2000	Proper Motion RA: -1.579730908999 mas/yr Proper Motion Dec: 4.98007058177817 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 108

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 108) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 108:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(36)	2MASS-05562621-6359103	RA: 05 56 26.1833 (89.1090971d) Dec: -63 59 10.34 (-63.98621d) Equinox: J2000	Proper Motion RA: -1.579730908999 mas/yr Proper Motion Dec: 4.98007058177817 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 109

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 109) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 109:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(37)	2MASS-05590957-4540213	RA: 05 59 9.5528 (89.7898033d) Dec: -45 40 21.06 (-45.67252d) Equinox: J2000	Proper Motion RA: -9.305142472 mas/yr Proper Motion Dec: 13.063015785567108 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 110

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 110) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 110:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(37)	2MASS-05590957-4540213	RA: 05 59 9.5528 (89.7898033d) Dec: -45 40 21.06 (-45.67252d) Equinox: J2000	Proper Motion RA: -9.305142472 mas/yr Proper Motion Dec: 13.063015785567108 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 111

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 111) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 111:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(37)	2MASS-05590957-4540213	RA: 05 59 9.5528 (89.7898033d) Dec: -45 40 21.06 (-45.67252d) Equinox: J2000	Proper Motion RA: -9.305142472 mas/yr Proper Motion Dec: 13.063015785567108 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 112

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 112) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 112:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(38)	2MASS-06132294-0130292	RA: 06 13 22.9568 (93.3456533d) Dec: -01 30 29.31 (-1.50814d) Equinox: J2000	Proper Motion RA: 0.30566384688703 mas/yr Proper Motion Dec: -1.5603489835506545 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 113

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 113) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 113:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(38)	2MASS-06132294-0130292	RA: 06 13 22.9568 (93.3456533d) Dec: -01 30 29.31 (-1.50814d) Equinox: J2000	Proper Motion RA: 0.30566384688703 mas/yr Proper Motion Dec: -1.5603489835506545 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 114

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 114) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 114:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(38)	2MASS-06132294-0130292	RA: 06 13 22.9568 (93.3456533d) Dec: -01 30 29.31 (-1.50814d) Equinox: J2000	Proper Motion RA: 0.30566384688703 mas/yr Proper Motion Dec: -1.5603489835506545 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 115

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 115) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 115:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(39)	2MASS-06165603+5504418	RA: 06 16 56.0239 (94.2334329d) Dec: +55 04 41.62 (55.07823d) Equinox: J2000	Proper Motion RA: -5.873145425531215 mas/yr Proper Motion Dec: -9.660125785828301 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 116

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 116) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 116:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(39)	2MASS-06165603+5504418	RA: 06 16 56.0239 (94.2334329d) Dec: +55 04 41.62 (55.07823d) Equinox: J2000	Proper Motion RA: -5.873145425531215 mas/yr Proper Motion Dec: -9.660125785828301 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 117

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 117) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 117:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(39)	2MASS-06165603+5504418	RA: 06 16 56.0239 (94.2334329d) Dec: +55 04 41.62 (55.07823d) Equinox: J2000	Proper Motion RA: -5.873145425531215 mas/yr Proper Motion Dec: -9.660125785828301 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 118

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 118) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 118:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(40)	2MASS-06173851-3254188	RA: 06 17 38.5093 (94.4104554d) Dec: -32 54 18.99 (-32.90528d) Equinox: J2000	Proper Motion RA: -1.9479869544796418 mas/yr Proper Motion Dec: -9.088547900697382 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 119

Thu Jul 10 19:00:42 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 119) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 119:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(40)	2MASS-06173851-3254188	RA: 06 17 38.5093 (94.4104554d) Dec: -32 54 18.99 (-32.90528d) Equinox: J2000	Proper Motion RA: -1.9479869544796418 mas/yr Proper Motion Dec: -9.088547900697382 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 120

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 120) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 120:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(40)	2MASS-06173851-3254188	RA: 06 17 38.5093 (94.4104554d) Dec: -32 54 18.99 (-32.90528d) Equinox: J2000	Proper Motion RA: -1.9479869544796418 mas/yr Proper Motion Dec: -9.088547900697382 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 121

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 121) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 121:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(41)	2MASS-06173483-2143028	RA: 06 17 34.8265 (94.3951104d) Dec: -21 43 2.76 (-21.71743d) Equinox: J2000	Proper Motion RA: 0.3640776227747875 mas/yr Proper Motion Dec: 6.337567921498414 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 122

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 122) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 122:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(41)	2MASS-06173483-2143028	RA: 06 17 34.8265 (94.3951104d) Dec: -21 43 2.76 (-21.71743d) Equinox: J2000	Proper Motion RA: 0.3640776227747875 mas/yr Proper Motion Dec: 6.337567921498414 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 123

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 123) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 123:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(41)	2MASS-06173483-2143028	RA: 06 17 34.8265 (94.3951104d) Dec: -21 43 2.76 (-21.71743d) Equinox: J2000	Proper Motion RA: 0.3640776227747875 mas/yr Proper Motion Dec: 6.337567921498414 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 124

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 124) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 124:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(42)	2MASS-06183816+2710416	RA: 06 18 38.1648 (94.6590200d) Dec: +27 10 41.61 (27.17823d) Equinox: J2000	Proper Motion RA: 0.32885406416069 mas/yr Proper Motion Dec: -2.1238674673801086 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 125

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 125) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 125:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(42)	2MASS-06183816+2710416	RA: 06 18 38.1648 (94.6590200d) Dec: +27 10 41.61 (27.17823d) Equinox: J2000	Proper Motion RA: 0.32885406416069 mas/yr Proper Motion Dec: -2.1238674673801086 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 126

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 126) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 126:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(42)	2MASS-06183816+2710416	RA: 06 18 38.1648 (94.6590200d)	Proper Motion RA: 0.32885406416069 mas/yr	
		Dec: +27 10 41.61 (27.17823d)	Proper Motion Dec: -2.1238674673801086 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 127

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 127) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 127:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(43)	2MASS-06193839-0810380	RA: 06 19 38.3964 (94.9099850d) Dec: -08 10 38.12 (-8.17726d) Equinox: J2000	Proper Motion RA: 1.7055534791808271 mas/yr Proper Motion Dec: 0.05691267023753518 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 128

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 128) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 128:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(43)	2MASS-06193839-0810380	RA: 06 19 38.3964 (94.9099850d) Dec: -08 10 38.12 (-8.17726d) Equinox: J2000	Proper Motion RA: 1.7055534791808271 mas/yr Proper Motion Dec: 0.05691267023753518 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 129

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 129) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 129:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(43)	2MASS-06193839-0810380	RA: 06 19 38.3964 (94.9099850d) Dec: -08 10 38.12 (-8.17726d) Equinox: J2000	Proper Motion RA: 1.7055534791808271 mas/yr Proper Motion Dec: 0.05691267023753518 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 130

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 130) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 130:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(44)	2MASS-06280686+4157532	RA: 06 28 6.8724 (97.0286350d) Dec: +41 57 53.08 (41.96474d) Equinox: J2000	Proper Motion RA: 4.545665023063398 mas/yr Proper Motion Dec: -7.375919093024869 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 131

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 131) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 131:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(44)	2MASS-06280686+4157532	RA: 06 28 6.8724 (97.0286350d) Dec: +41 57 53.08 (41.96474d) Equinox: J2000	Proper Motion RA: 4.545665023063398 mas/yr Proper Motion Dec: -7.375919093024869 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 132

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 132) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 132:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(44)	2MASS-06280686+4157532	RA: 06 28 6.8724 (97.0286350d) Dec: +41 57 53.08 (41.96474d) Equinox: J2000	Proper Motion RA: 4.545665023063398 mas/yr Proper Motion Dec: -7.375919093024869 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 133

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 133) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 133:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(45)	2MASS-06332446-5604541	RA: 06 33 24.4657 (98.3519404d) Dec: -56 04 53.78 (-56.08161d) Equinox: J2000	Proper Motion RA: 0.7608737521623943 mas/yr Proper Motion Dec: 20.078922093887837 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 134

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 134) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 134:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(45)	2MASS-06332446-5604541	RA: 06 33 24.4657 (98.3519404d) Dec: -56 04 53.78 (-56.08161d) Equinox: J2000	Proper Motion RA: 0.7608737521623943 mas/yr Proper Motion Dec: 20.078922093887837 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 135

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 135) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 135:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(45)	2MASS-06332446-5604541	RA: 06 33 24.4657 (98.3519404d) Dec: -56 04 53.78 (-56.08161d) Equinox: J2000	Proper Motion RA: 0.7608737521623943 mas/yr Proper Motion Dec: 20.078922093887837 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 136

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 136) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 136:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(46)	2MASS-06554599-4735034	RA: 06 55 45.9792 (103.9415800d) Dec: -47 35 3.31 (-47.58425d) Equinox: J2000	Proper Motion RA: -0.07852632549993771 mas/yr Proper Motion Dec: 2.937222195329755 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 137

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 137) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 137:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(46)	2MASS-06554599-4735034	RA: 06 55 45.9792 (103.9415800d) Dec: -47 35 3.31 (-47.58425d) Equinox: J2000	Proper Motion RA: -0.07852632549993771 mas/yr Proper Motion Dec: 2.937222195329755 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 138

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 138) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 138:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(46)	2MASS-06554599-4735034	RA: 06 55 45.9792 (103.9415800d) Dec: -47 35 3.31 (-47.58425d) Equinox: J2000	Proper Motion RA: -0.07852632549993771 mas/yr Proper Motion Dec: 2.937222195329755 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 139

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 139) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 139:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(47)	2MASS-06571552-7342325	RA: 06 57 15.5028 (104.3145950d) Dec: -73 42 32.77 (-73.70910d) Equinox: J2000	Proper Motion RA: -1.35536295654123 mas/yr Proper Motion Dec: -10.3749407692089 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 140

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 140) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 140:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(47)	2MASS-06571552-7342325	RA: 06 57 15.5028 (104.3145950d) Dec: -73 42 32.77 (-73.70910d) Equinox: J2000	Proper Motion RA: -1.35536295654123 mas/yr Proper Motion Dec: -10.3749407692089 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 141

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 141) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 141:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(47)	2MASS-06571552-7342325	RA: 06 57 15.5028 (104.3145950d) Dec: -73 42 32.77 (-73.70910d) Equinox: J2000	Proper Motion RA: -1.35536295654123 mas/yr Proper Motion Dec: -10.3749407692089 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 142

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 142) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 142:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(48)	2MASS-06580554-2553540	RA: 06 58 5.5380 (104.5230750d) Dec: -25 53 54.03 (-25.89834d) Equinox: J2000	Proper Motion RA: -1.3940809393579732 mas/yr Proper Motion Dec: 2.159237023740892 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 143

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 143) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 143:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(48)	2MASS-06580554-2553540	RA: 06 58 5.5380 (104.5230750d) Dec: -25 53 54.03 (-25.89834d) Equinox: J2000	Proper Motion RA: -1.3940809393579732 mas/yr Proper Motion Dec: 2.159237023740892 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 144

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 144) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 144:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(48)	2MASS-06580554-2553540	RA: 06 58 5.5380 (104.5230750d) Dec: -25 53 54.03 (-25.89834d) Equinox: J2000	Proper Motion RA: -1.3940809393579732 mas/yr Proper Motion Dec: 2.159237023740892 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 145

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 145) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 145:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(49)	2MASS-06582040+3451376	RA: 06 58 20.4533 (104.5852221d) Dec: +34 51 37.50 (34.86042d) Equinox: J2000	Proper Motion RA: 37.15327152218954 mas/yr Proper Motion Dec: -10.350129248155978 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 146

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 146) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 146:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(49)	2MASS-06582040+3451376	RA: 06 58 20.4533 (104.5852221d) Dec: +34 51 37.50 (34.86042d) Equinox: J2000	Proper Motion RA: 37.15327152218954 mas/yr Proper Motion Dec: -10.350129248155978 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 147

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 147) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 147:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(49)	2MASS-06582040+3451376	RA: 06 58 20.4533 (104.5852221d) Dec: +34 51 37.50 (34.86042d) Equinox: J2000	Proper Motion RA: 37.15327152218954 mas/yr Proper Motion Dec: -10.350129248155978 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 148

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 148) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 148:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(50)	2MASS-07113903+2531201	RA: 07 11 39.0370 (107.9126542d) Dec: +25 31 20.10 (25.52225d) Equinox: J2000	Proper Motion RA: -0.5642462013779466 mas/yr Proper Motion Dec: -4.820765061176373 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 149

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 149) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 149:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(50)	2MASS-07113903+2531201	RA: 07 11 39.0370 (107.9126542d) Dec: +25 31 20.10 (25.52225d) Equinox: J2000	Proper Motion RA: -0.5642462013779466 mas/yr Proper Motion Dec: -4.820765061176373 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 150

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 150) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 150:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(50)	2MASS-07113903+2531201	RA: 07 11 39.0370 (107.9126542d) Dec: +25 31 20.10 (25.52225d) Equinox: J2000	Proper Motion RA: -0.5642462013779466 mas/yr Proper Motion Dec: -4.820765061176373 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 151

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 151) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 151:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(51)	2MASS-07121892+8359589	RA: 07 12 19.1242 (108.0796842d) Dec: +83 59 59.13 (83.99976d) Equinox: J2000	Proper Motion RA: 6.1051229512752965 mas/yr Proper Motion Dec: 5.92618649762488 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 152

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 152) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 152:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(51)	2MASS-07121892+8359589	RA: 07 12 19.1242 (108.0796842d) Dec: +83 59 59.13 (83.99976d) Equinox: J2000	Proper Motion RA: 6.1051229512752965 mas/yr Proper Motion Dec: 5.92618649762488 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 153

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 153) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 153:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(51)	2MASS-07121892+8359589	RA: 07 12 19.1242 (108.0796842d) Dec: +83 59 59.13 (83.99976d) Equinox: J2000	Proper Motion RA: 6.1051229512752965 mas/yr Proper Motion Dec: 5.92618649762488 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 154

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 154) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 154:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(52)	2MASS-07123530-3739152	RA: 07 12 35.2940 (108.1470583d) Dec: -37 39 15.42 (-37.65428d) Equinox: J2000	Proper Motion RA: -1.1956854737791518 mas/yr Proper Motion Dec: 2.7703841241247282 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 155

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 155) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 155:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(52)	2MASS-07123530-3739152	RA: 07 12 35.2940 (108.1470583d) Dec: -37 39 15.42 (-37.65428d) Equinox: J2000	Proper Motion RA: -1.1956854737791518 mas/yr Proper Motion Dec: 2.7703841241247282 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 156

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 156) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 156:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(52)	2MASS-07123530-3739152	RA: 07 12 35.2940 (108.1470583d) Dec: -37 39 15.42 (-37.65428d) Equinox: J2000	Proper Motion RA: -1.1956854737791518 mas/yr Proper Motion Dec: 2.7703841241247282 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 157

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 157) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 157:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(53)	2MASS-07160530+6249228	RA: 07 16 5.3334 (109.0222225d) Dec: +62 49 22.95 (62.82304d) Equinox: J2000	Proper Motion RA: 6.382801858807305 mas/yr Proper Motion Dec: 9.2856080801914 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 158

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 158) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 158:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(53)	2MASS-07160530+6249228	RA: 07 16 5.3334 (109.0222225d) Dec: +62 49 22.95 (62.82304d) Equinox: J2000	Proper Motion RA: 6.382801858807305 mas/yr Proper Motion Dec: 9.2856080801914 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 159

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 159) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 159:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(53)	2MASS-07160530+6249228	RA: 07 16 5.3334 (109.0222225d) Dec: +62 49 22.95 (62.82304d) Equinox: J2000	Proper Motion RA: 6.382801858807305 mas/yr Proper Motion Dec: 9.2856080801914 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 160

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 160) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 160:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(54)	2MASS-07172051+1603446	RA: 07 17 20.5246 (109.3355192d) Dec: +16 03 44.54 (16.06237d) Equinox: J2000	Proper Motion RA: 2.8271867215964015 mas/yr Proper Motion Dec: -8.136878360849213 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 161

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 161) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 161:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(54)	2MASS-07172051+1603446	RA: 07 17 20.5246 (109.3355192d) Dec: +16 03 44.54 (16.06237d) Equinox: J2000	Proper Motion RA: 2.8271867215964015 mas/yr Proper Motion Dec: -8.136878360849213 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 162

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 162) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 162:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(54)	2MASS-07172051+1603446	RA: 07 17 20.5246 (109.3355192d) Dec: +16 03 44.54 (16.06237d) Equinox: J2000	Proper Motion RA: 2.8271867215964015 mas/yr Proper Motion Dec: -8.136878360849213 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 163

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 163) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 163:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(55)	2MASS-07194846+0243153	RA: 07 19 48.4614 (109.9519225d) Dec: +02 43 15.55 (2.72099d) Equinox: J2000	Proper Motion RA: 3.7253135969602256 mas/yr Proper Motion Dec: -6.409109221670377 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 164

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 164) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 164:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(55)	2MASS-07194846+0243153	RA: 07 19 48.4614 (109.9519225d) Dec: +02 43 15.55 (2.72099d) Equinox: J2000	Proper Motion RA: 3.7253135969602256 mas/yr Proper Motion Dec: -6.409109221670377 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 165

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 165) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 165:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(55)	2MASS-07194846+0243153	RA: 07 19 48.4614 (109.9519225d) Dec: +02 43 15.55 (2.72099d) Equinox: J2000	Proper Motion RA: 3.7253135969602256 mas/yr Proper Motion Dec: -6.409109221670377 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 166

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 166) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 166:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(56)	2MASS-07212434+7108544	RA: 07 21 24.3419 (110.3514246d) Dec: +71 08 54.34 (71.14843d) Equinox: J2000	Proper Motion RA: 3.12943022835579 mas/yr Proper Motion Dec: -1.86730452776101 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 167

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 167) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 167:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(56)	2MASS-07212434+7108544	RA: 07 21 24.3419 (110.3514246d) Dec: +71 08 54.34 (71.14843d) Equinox: J2000	Proper Motion RA: 3.12943022835579 mas/yr Proper Motion Dec: -1.86730452776101 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 168

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 168) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 168:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(56)	2MASS-07212434+7108544	RA: 07 21 24.3419 (110.3514246d) Dec: +71 08 54.34 (71.14843d) Equinox: J2000	Proper Motion RA: 3.12943022835579 mas/yr Proper Motion Dec: -1.86730452776101 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 169

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 169) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 169:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(57)	2MASS-07223682+4756072	RA: 07 22 36.8389 (110.6534954d) Dec: +47 56 6.95 (47.93526d) Equinox: J2000	Proper Motion RA: 2.977792556662787 mas/yr Proper Motion Dec: -17.76440807037647 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 170

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 170) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 170:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(57)	2MASS-07223682+4756072	RA: 07 22 36.8389 (110.6534954d) Dec: +47 56 6.95 (47.93526d) Equinox: J2000	Proper Motion RA: 2.977792556662787 mas/yr Proper Motion Dec: -17.76440807037647 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 171

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 171) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 171:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(57)	2MASS-07223682+4756072	RA: 07 22 36.8389 (110.6534954d) Dec: +47 56 6.95 (47.93526d) Equinox: J2000	Proper Motion RA: 2.977792556662787 mas/yr Proper Motion Dec: -17.76440807037647 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 172

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 172) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 172:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(58)	2MASS-07352172-6514296	RA: 07 35 21.7292 (113.8405383d)	Proper Motion RA: 0.951952789034621 mas/yr	
		Dec: -65 14 29.69 (-65.24158d)	Proper Motion Dec: 2.26540015949902 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 173

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 173) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 173:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(58)	2MASS-07352172-6514296	RA: 07 35 21.7292 (113.8405383d) Dec: -65 14 29.69 (-65.24158d) Equinox: J2000	Proper Motion RA: 0.951952789034621 mas/yr Proper Motion Dec: 2.26540015949902 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 174

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 174) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 174:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(58)	2MASS-07352172-6514296	RA: 07 35 21.7292 (113.8405383d) Dec: -65 14 29.69 (-65.24158d) Equinox: J2000	Proper Motion RA: 0.951952789034621 mas/yr Proper Motion Dec: 2.26540015949902 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 175

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 175) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 175:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(59)	2MASS-07383881-0325477	RA: 07 38 38.8182 (114.6617425d) Dec: -03 25 47.63 (-3.42990d) Equinox: J2000	Proper Motion RA: -0.0521629822548172 mas/yr Proper Motion Dec: 0.5550949643651666 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 176

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 176) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 176:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(59)	2MASS-07383881-0325477	RA: 07 38 38.8182 (114.6617425d) Dec: -03 25 47.63 (-3.42990d) Equinox: J2000	Proper Motion RA: -0.0521629822548172 mas/yr Proper Motion Dec: 0.5550949643651666 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 177

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 177) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 177:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(59)	2MASS-07383881-0325477	RA: 07 38 38.8182 (114.6617425d) Dec: -03 25 47.63 (-3.42990d) Equinox: J2000	Proper Motion RA: -0.0521629822548172 mas/yr Proper Motion Dec: 0.5550949643651666 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 178

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 178) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 178:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(60)	2MASS-07452791+3842507	RA: 07 45 27.9081 (116.3662838d) Dec: +38 42 50.48 (38.71402d) Equinox: J2000	Proper Motion RA: -1.2114206769393145 mas/yr Proper Motion Dec: -11.714123049201397 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 179

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 179) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 179:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(60)	2MASS-07452791+3842507	RA: 07 45 27.9081 (116.3662838d) Dec: +38 42 50.48 (38.71402d) Equinox: J2000	Proper Motion RA: -1.2114206769393145 mas/yr Proper Motion Dec: -11.714123049201397 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 180

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 180) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 180:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(60)	2MASS-07452791+3842507	RA: 07 45 27.9081 (116.3662838d) Dec: +38 42 50.48 (38.71402d) Equinox: J2000	Proper Motion RA: -1.2114206769393145 mas/yr Proper Motion Dec: -11.714123049201397 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 181

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 181) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 181:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(61)	2MASS-07480811+1016525	RA: 07 48 8.1219 (117.0338412d) Dec: +10 16 52.76 (10.28132d) Equinox: J2000	Proper Motion RA: -2.0192788785868663 mas/yr Proper Motion Dec: 1.3729537186783347 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 182

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 182) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 182:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(61)	2MASS-07480811+1016525	RA: 07 48 8.1219 (117.0338412d) Dec: +10 16 52.76 (10.28132d) Equinox: J2000	Proper Motion RA: -2.0192788785868663 mas/yr Proper Motion Dec: 1.3729537186783347 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 183

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 183) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 183:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(61)	2MASS-07480811+1016525	RA: 07 48 8.1219 (117.0338412d) Dec: +10 16 52.76 (10.28132d) Equinox: J2000	Proper Motion RA: -2.0192788785868663 mas/yr Proper Motion Dec: 1.3729537186783347 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 184

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 184) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 184:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(62)	2MASS-07512543-1552327	RA: 07 51 25.4946 (117.8562275d) Dec: -15 52 32.87 (-15.87580d) Equinox: J2000	Proper Motion RA: 52.072917387782 mas/yr Proper Motion Dec: -10.1679717423378 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 185

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 185) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 185:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(62)	2MASS-07512543-1552327	RA: 07 51 25.4946 (117.8562275d) Dec: -15 52 32.87 (-15.87580d) Equinox: J2000	Proper Motion RA: 52.072917387782 mas/yr Proper Motion Dec: -10.1679717423378 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7052, Observation 186

Thu Jul 10 19:00:43 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 186) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 186:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(62)	2MASS-07512543-1552327	RA: 07 51 25.4946 (117.8562275d) Dec: -15 52 32.87 (-15.87580d) Equinox: J2000	Proper Motion RA: 52.072917387782 mas/yr Proper Motion Dec: -10.1679717423378 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED