

7127 - JWST Routine Wavefront Sensing and Control for Cycle 4

Cycle: 4, Proposal Category: CAL/OTE

INVESTIGATORS

Name	*Institution*
Dr. Tracy Beck (PI)	**Space Telescope Science Institute**
Dr. Marcio Melendez (CoI)	Space Telescope Science Institute
Dr. Nicolas Flagey (CoI)	Space Telescope Science Institute
Thomas M Comeau Jr. (CoI)	Space Telescope Science Institute
Mr. Matthew D. Lallo (CoI)	Space Telescope Science Institute

OBSERVATIONS

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
Observation Folder				
	1		WFSC NIRCam Fine Phasing	(1) 2MASS-12055096+0521265
	2		WFSC NIRCam Fine Phasing	(1) 2MASS-12055096+0521265
	3		WFSC NIRCam Fine Phasing	(1) 2MASS-12055096+0521265
	4		WFSC NIRCam Fine Phasing	(2) 2MASS-12114924+5856270
	5		WFSC NIRCam Fine Phasing	(2) 2MASS-12114924+5856270
	6		WFSC NIRCam Fine Phasing	(2) 2MASS-12114924+5856270
	7		WFSC NIRCam Fine Phasing	(3) 2MASS-12134107-2458333
	8		WFSC NIRCam Fine Phasing	(3) 2MASS-12134107-2458333
	9		WFSC NIRCam Fine Phasing	(3) 2MASS-12134107-2458333
	10		WFSC NIRCam Fine Phasing	(4) 2MASS-12155447-7736333
	11		WFSC NIRCam Fine Phasing	(4) 2MASS-12155447-7736333
	12		WFSC NIRCam Fine Phasing	(4) 2MASS-12155447-7736333
	13		WFSC NIRCam Fine Phasing	(5) 2MASS-12182590-4553569
	14		WFSC NIRCam Fine Phasing	(5) 2MASS-12182590-4553569

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	15		WFSC NIRCam Fine Phasing	(5) 2MASS-12182590-4553569
	16		WFSC NIRCam Fine Phasing	(6) 2MASS-12194708-1234012
	17		WFSC NIRCam Fine Phasing	(6) 2MASS-12194708-1234012
	18		WFSC NIRCam Fine Phasing	(6) 2MASS-12194708-1234012
	19		WFSC NIRCam Fine Phasing	(7) 2MASS-12271821+2004420
	20		WFSC NIRCam Fine Phasing	(7) 2MASS-12271821+2004420
	21		WFSC NIRCam Fine Phasing	(7) 2MASS-12271821+2004420
	22		WFSC NIRCam Fine Phasing	(8) 2MASS-12302862+0034278
	23		WFSC NIRCam Fine Phasing	(8) 2MASS-12302862+0034278
	24		WFSC NIRCam Fine Phasing	(8) 2MASS-12302862+0034278
	25		WFSC NIRCam Fine Phasing	(9) 2MASS-12314110-3228328
	26		WFSC NIRCam Fine Phasing	(9) 2MASS-12314110-3228328
	27		WFSC NIRCam Fine Phasing	(9) 2MASS-12314110-3228328
	28		WFSC NIRCam Fine Phasing	(10) 2MASS-12394655+3158428
	29		WFSC NIRCam Fine Phasing	(10) 2MASS-12394655+3158428
	30		WFSC NIRCam Fine Phasing	(10) 2MASS-12394655+3158428
	31		WFSC NIRCam Fine Phasing	(11) 2MASS-12461528-2019471
	32		WFSC NIRCam Fine Phasing	(11) 2MASS-12461528-2019471
	33		WFSC NIRCam Fine Phasing	(11) 2MASS-12461528-2019471
	34		WFSC NIRCam Fine Phasing	(12) 2MASS-12494253+5132129
	35		WFSC NIRCam Fine Phasing	(12) 2MASS-12494253+5132129
	36		WFSC NIRCam Fine Phasing	(12) 2MASS-12494253+5132129
	37		WFSC NIRCam Fine Phasing	(13) 2MASS-12535230-5152504
	38		WFSC NIRCam Fine Phasing	(13) 2MASS-12535230-5152504
	39		WFSC NIRCam Fine Phasing	(13) 2MASS-12535230-5152504
	40		WFSC NIRCam Fine Phasing	(14) 2MASS-12583195+1223422
	41		WFSC NIRCam Fine Phasing	(14) 2MASS-12583195+1223422
	42		WFSC NIRCam Fine Phasing	(14) 2MASS-12583195+1223422
	43		WFSC NIRCam Fine Phasing	(15) 2MASS-12591067-0833303
	44		WFSC NIRCam Fine Phasing	(15) 2MASS-12591067-0833303
	45		WFSC NIRCam Fine Phasing	(15) 2MASS-12591067-0833303
	46		WFSC NIRCam Fine Phasing	(16) 2MASS-12594296-3816123

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	47		WFSC NIRCam Fine Phasing	(16) 2MASS-12594296-3816123
	48		WFSC NIRCam Fine Phasing	(16) 2MASS-12594296-3816123
	49		WFSC NIRCam Fine Phasing	(17) 2MASS-13103189+2329172
	50		WFSC NIRCam Fine Phasing	(17) 2MASS-13103189+2329172
	51		WFSC NIRCam Fine Phasing	(17) 2MASS-13103189+2329172
	52		WFSC NIRCam Fine Phasing	(18) 2MASS-13115089+7120371
	53		WFSC NIRCam Fine Phasing	(18) 2MASS-13115089+7120371
	54		WFSC NIRCam Fine Phasing	(18) 2MASS-13115089+7120371
	55		WFSC NIRCam Fine Phasing	(19) 2MASS-13161715-2715263
	56		WFSC NIRCam Fine Phasing	(19) 2MASS-13161715-2715263
	57		WFSC NIRCam Fine Phasing	(19) 2MASS-13161715-2715263
	58		WFSC NIRCam Fine Phasing	(20) 2MASS-13162865+4315531
	59		WFSC NIRCam Fine Phasing	(20) 2MASS-13162865+4315531
	60		WFSC NIRCam Fine Phasing	(20) 2MASS-13162865+4315531
	61		WFSC NIRCam Fine Phasing	(21) 2MASS-13200288+0416181
	62		WFSC NIRCam Fine Phasing	(21) 2MASS-13200288+0416181
	63		WFSC NIRCam Fine Phasing	(21) 2MASS-13200288+0416181
	64		WFSC NIRCam Fine Phasing	(22) 2MASS-13334633+1432589
	65		WFSC NIRCam Fine Phasing	(22) 2MASS-13334633+1432589
	66		WFSC NIRCam Fine Phasing	(22) 2MASS-13334633+1432589
	67		WFSC NIRCam Fine Phasing	(23) 2MASS-13342817-1320490
	68		WFSC NIRCam Fine Phasing	(23) 2MASS-13342817-1320490
	69		WFSC NIRCam Fine Phasing	(23) 2MASS-13342817-1320490
	70		WFSC NIRCam Fine Phasing	(24) 2MASS-13361031-0329039
	71		WFSC NIRCam Fine Phasing	(24) 2MASS-13361031-0329039
	72		WFSC NIRCam Fine Phasing	(24) 2MASS-13361031-0329039
	73		WFSC NIRCam Fine Phasing	(25) 2MASS-13373970+3608486
	74		WFSC NIRCam Fine Phasing	(25) 2MASS-13373970+3608486
	75		WFSC NIRCam Fine Phasing	(25) 2MASS-13373970+3608486
	76		WFSC NIRCam Fine Phasing	(26) 2MASS-13440628+6355228
	77		WFSC NIRCam Fine Phasing	(26) 2MASS-13440628+6355228
	78		WFSC NIRCam Fine Phasing	(26) 2MASS-13440628+6355228

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	79		WFSC NIRCam Fine Phasing	(27) 2MASS-13461108-5641348
	80		WFSC NIRCam Fine Phasing	(27) 2MASS-13461108-5641348
	81		WFSC NIRCam Fine Phasing	(27) 2MASS-13461108-5641348
	82		WFSC NIRCam Fine Phasing	(28) 2MASS-13520897-3320086
	83		WFSC NIRCam Fine Phasing	(28) 2MASS-13520897-3320086
	84		WFSC NIRCam Fine Phasing	(28) 2MASS-13520897-3320086
	85		WFSC NIRCam Fine Phasing	(29) 2MASS-13523978-2052265
	86		WFSC NIRCam Fine Phasing	(29) 2MASS-13523978-2052265
	87		WFSC NIRCam Fine Phasing	(29) 2MASS-13523978-2052265
	88		WFSC NIRCam Fine Phasing	(30) 2MASS-13542147-4443484
	89		WFSC NIRCam Fine Phasing	(30) 2MASS-13542147-4443484
	90		WFSC NIRCam Fine Phasing	(30) 2MASS-13542147-4443484
	91		WFSC NIRCam Fine Phasing	(31) 2MASS-13521312+0713096
	92		WFSC NIRCam Fine Phasing	(31) 2MASS-13521312+0713096
	93		WFSC NIRCam Fine Phasing	(31) 2MASS-13521312+0713096
	94		WFSC NIRCam Fine Phasing	(32) 2MASS-14134924-7004492
	95		WFSC NIRCam Fine Phasing	(32) 2MASS-14134924-7004492
	96		WFSC NIRCam Fine Phasing	(32) 2MASS-14134924-7004492
	97		WFSC NIRCam Fine Phasing	(33) 2MASS-14042301+5449011
	98		WFSC NIRCam Fine Phasing	(33) 2MASS-14042301+5449011
	99		WFSC NIRCam Fine Phasing	(33) 2MASS-14042301+5449011
	100		WFSC NIRCam Fine Phasing	(34) 2MASS-14042301+5449011-2
	101		WFSC NIRCam Fine Phasing	(34) 2MASS-14042301+5449011-2
	102		WFSC NIRCam Fine Phasing	(34) 2MASS-14042301+5449011-2
	103		WFSC NIRCam Fine Phasing	(35) 2MASS-14044975+2550262
	104		WFSC NIRCam Fine Phasing	(35) 2MASS-14044975+2550262
	105		WFSC NIRCam Fine Phasing	(35) 2MASS-14044975+2550262
	106		WFSC NIRCam Fine Phasing	(36) 2MASS-14131806-0942384
	107		WFSC NIRCam Fine Phasing	(36) 2MASS-14131806-0942384
	108		WFSC NIRCam Fine Phasing	(36) 2MASS-14131806-0942384
	109		WFSC NIRCam Fine Phasing	(37) 2MASS-14234177+1745599
	110		WFSC NIRCam Fine Phasing	(37) 2MASS-14234177+1745599

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	111		WFSC NIRCam Fine Phasing	(37) 2MASS-14234177+1745599
	112		WFSC NIRCam Fine Phasing	(38) 2MASS-14310310+0116209
	113		WFSC NIRCam Fine Phasing	(38) 2MASS-14310310+0116209
	114		WFSC NIRCam Fine Phasing	(38) 2MASS-14310310+0116209
	115		WFSC NIRCam Fine Phasing	(39) 2MASS-14335586-3728306
	116		WFSC NIRCam Fine Phasing	(39) 2MASS-14335586-3728306
	117		WFSC NIRCam Fine Phasing	(39) 2MASS-14335586-3728306
	118		WFSC NIRCam Fine Phasing	(40) 2MASS-14351200-2546184
	119		WFSC NIRCam Fine Phasing	(40) 2MASS-14351200-2546184
	120		WFSC NIRCam Fine Phasing	(40) 2MASS-14351200-2546184
	121		WFSC NIRCam Fine Phasing	(41) 2MASS-14362359-4841220
	122		WFSC NIRCam Fine Phasing	(41) 2MASS-14362359-4841220
	123		WFSC NIRCam Fine Phasing	(41) 2MASS-14362359-4841220
	124		WFSC NIRCam Fine Phasing	(42) 2MASS-14391776-1440187
	125		WFSC NIRCam Fine Phasing	(42) 2MASS-14391776-1440187
	126		WFSC NIRCam Fine Phasing	(42) 2MASS-14391776-1440187
	127		WFSC NIRCam Fine Phasing	(43) 2MASS-14403982+3511569
	128		WFSC NIRCam Fine Phasing	(43) 2MASS-14403982+3511569
	129		WFSC NIRCam Fine Phasing	(43) 2MASS-14403982+3511569
	130		WFSC NIRCam Fine Phasing	(44) 2MASS-14435935+1002224
	131		WFSC NIRCam Fine Phasing	(44) 2MASS-14435935+1002224
	132		WFSC NIRCam Fine Phasing	(44) 2MASS-14435935+1002224
	133		WFSC NIRCam Fine Phasing	(45) 2MASS-14525302+2627541
	134		WFSC NIRCam Fine Phasing	(45) 2MASS-14525302+2627541
	135		WFSC NIRCam Fine Phasing	(45) 2MASS-14525302+2627541
	136		WFSC NIRCam Fine Phasing	(46) 2MASS-14583629-0349393
	137		WFSC NIRCam Fine Phasing	(46) 2MASS-14583629-0349393
	138		WFSC NIRCam Fine Phasing	(46) 2MASS-14583629-0349393
	139		WFSC NIRCam Fine Phasing	(47) 2MASS-15131974+6055542
	140		WFSC NIRCam Fine Phasing	(47) 2MASS-15131974+6055542
	141		WFSC NIRCam Fine Phasing	(47) 2MASS-15131974+6055542
	142		WFSC NIRCam Fine Phasing	(48) 2MASS-15155292+4109085

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	143		WFSC NIRCam Fine Phasing	(48) 2MASS-15155292+4109085
	144		WFSC NIRCam Fine Phasing	(48) 2MASS-15155292+4109085
	145		WFSC NIRCam Fine Phasing	(49) 2MASS-15184249-3854265
	146		WFSC NIRCam Fine Phasing	(49) 2MASS-15184249-3854265
	147		WFSC NIRCam Fine Phasing	(49) 2MASS-15184249-3854265
	148		WFSC NIRCam Fine Phasing	(50) 2MASS-15184594-8125146
	149		WFSC NIRCam Fine Phasing	(50) 2MASS-15184594-8125146
	150		WFSC NIRCam Fine Phasing	(50) 2MASS-15184594-8125146
	151		WFSC NIRCam Fine Phasing	(51) 2MASS-15185799+5000308
	152		WFSC NIRCam Fine Phasing	(51) 2MASS-15185799+5000308
	153		WFSC NIRCam Fine Phasing	(51) 2MASS-15185799+5000308
	154		WFSC NIRCam Fine Phasing	(52) 2MASS-15190384-2835483
	155		WFSC NIRCam Fine Phasing	(52) 2MASS-15190384-2835483
	156		WFSC NIRCam Fine Phasing	(52) 2MASS-15190384-2835483
	157		WFSC NIRCam Fine Phasing	(53) 2MASS-15221130+0416117
	158		WFSC NIRCam Fine Phasing	(53) 2MASS-15221130+0416117
	159		WFSC NIRCam Fine Phasing	(53) 2MASS-15221130+0416117
	160		WFSC NIRCam Fine Phasing	(54) 2MASS-15234152+1752010
	161		WFSC NIRCam Fine Phasing	(54) 2MASS-15234152+1752010
	162		WFSC NIRCam Fine Phasing	(54) 2MASS-15234152+1752010
	163		WFSC NIRCam Fine Phasing	(55) 2MASS-15264695-1759566
	164		WFSC NIRCam Fine Phasing	(55) 2MASS-15264695-1759566
	165		WFSC NIRCam Fine Phasing	(55) 2MASS-15264695-1759566
	166		WFSC NIRCam Fine Phasing	(56) 2MASS-15355578+7027193
	167		WFSC NIRCam Fine Phasing	(56) 2MASS-15355578+7027193
	168		WFSC NIRCam Fine Phasing	(56) 2MASS-15355578+7027193
	169		WFSC NIRCam Fine Phasing	(57) 2MASS-15280703-4844433
	170		WFSC NIRCam Fine Phasing	(57) 2MASS-15280703-4844433
	171		WFSC NIRCam Fine Phasing	(57) 2MASS-15280703-4844433
	172		WFSC NIRCam Fine Phasing	(58) 2MASS-15384280-0907093
	173		WFSC NIRCam Fine Phasing	(58) 2MASS-15384280-0907093
	174		WFSC NIRCam Fine Phasing	(58) 2MASS-15384280-0907093

Folder	*Observation*	*Label*	*Observing Template*	*Science Target*
	175		WFSC NIRCam Fine Phasing	(59) 2MASS-15391359+3141165
	176		WFSC NIRCam Fine Phasing	(59) 2MASS-15391359+3141165
	177		WFSC NIRCam Fine Phasing	(59) 2MASS-15391359+3141165
	178		WFSC NIRCam Fine Phasing	(60) 2MASS-15501738+0952319
	179		WFSC NIRCam Fine Phasing	(60) 2MASS-15501738+0952319
	180		WFSC NIRCam Fine Phasing	(60) 2MASS-15501738+0952319
	181		WFSC NIRCam Fine Phasing	(61) 2MASS-15581025-7036476
	182		WFSC NIRCam Fine Phasing	(61) 2MASS-15581025-7036476
	183		WFSC NIRCam Fine Phasing	(61) 2MASS-15581025-7036476
	184		WFSC NIRCam Fine Phasing	(62) 2MASS-15585297+2239240
	185		WFSC NIRCam Fine Phasing	(62) 2MASS-15585297+2239240
	186		WFSC NIRCam Fine Phasing	(62) 2MASS-15585297+2239240

ABSTRACT

The routine wavefront sensing and control (WFS&C) maintenance calibration program is necessary to fulfill a Level 1 Mission requirement on image quality. These routine WFS&C measurements will execute every ~4 days. The nominal plan is that the majority of observations will be sensing measurements only, wavefront control visits will execute only as needed. The science cycle WFS&C maintenance observations are fashioned following the similar program that will be executed every 2 days during the latter half of JWST commissioning (OTE-26; APT PID 1163).

OBSERVING DESCRIPTION

The Routine Calibration for WFS&C uses the Fine Phasing (FP) template with observations defined for:

-FP using the NIRCam weak lenses
And
-LOS Jitter using a small subarray in NIRCam.
These are the base observations for monitoring the JWST image quality.

The overall program is set up with the grid of four hundred stars (Kmag=7.0+/-0.1) and 5 copies of each observation. For APT performance reasons, the total of 2000 visits are split across 10 APT programs, which jointly make up the entire Cycle calibration program. The PIDs are 4500-4509.

One visit from any of these 10 programs should be scheduled every two days, selecting from any target which is conveniently close to the current observatory pointing at that time. The monitoring cadence has a loose tolerance, notionally 48 hours plus or minus 12 hours between successive visits; this provides flexibility to schedule wavefront monitoring with minimal constraints to the timing of science visits.

We expect only ~182 of the total 2000 visits to be executed in 1 year. The remaining >90% will not be executed. This is intentional to provide a grid of WF sensing targets across the entire sky and then only use ones that minimize slew times based on the targets in the science plan. With 400 targets the average spacing between targets is ~10 degrees; from any point on the sky JWST can slew ~5 deg or less to a nearby WFS target.

The operations concept for wavefront monitoring is that we have a continuous stream of WFSC routine monitoring and maintenance visits every two days, drawn from these APT programs. These visits are by design interchangeable and all identical except for choice of target star.
The JWST WF maintenance plan is to correct the mirrors using a wavefront control file as needed, only when needed. This, by design, is expected to be no more often than once every 14 days. Corrections will not be made every 14 days if the mirrors haven't drifted out of alignment; conversely if monitoring visits show significant misalignments on shorter timescales we will not wait the 14 days to issue a control - we'd issue a control in the next WFS visit two days later. The observatory was designed to be stable enough to need corrections no more often than every couple of weeks. Based on current modeling, observatory stability may substantially exceed this requirement and corrections may be much less frequent than the 14 day cadence.

When a correction is needed (based on the analysis of some observation N), it can be attached to the next observation N+1 in the sequence. This is done by the OTE/WFSC team delivering a wavefront control file to PPS, and requires no changes in APT.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	2MASS-12055096+0521265	RA: 12 05 50.9761 (181.4624004d) Dec: +05 21 26.30 (5.35731d) Equinox: J2000	Proper Motion RA: 12.864659537399437 mas/yr Proper Motion Dec: -16.713463671259817 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(2)	2MASS-12114924+5856270	RA: 12 11 49.2336 (182.9551400d) Dec: +58 56 26.76 (58.94077d) Equinox: J2000	Proper Motion RA: -3.28379858989447 mas/yr Proper Motion Dec: -22.6564743575196 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(3)	2MASS-12134107-2458333	RA: 12 13 41.0652 (183.4211050d) Dec: -24 58 33.28 (-24.97591d) Equinox: J2000	Proper Motion RA: -12.149344851960098 mas/yr Proper Motion Dec: -6.665371920139181 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(4)	2MASS-12155447-7736333	RA: 12 15 54.4467 (183.9768613d) Dec: -77 36 33.53 (-77.60931d) Equinox: J2000	Proper Motion RA: -8.65967052890074 mas/yr Proper Motion Dec: 1.49596367963366 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(5)	2MASS-12182590-4553569	RA: 12 18 25.8821 (184.6078421d) Dec: -45 53 56.82 (-45.89912d) Equinox: J2000	Proper Motion RA: -12.908961548461338 mas/yr Proper Motion Dec: 0.6877832500348511 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(6)	2MASS-12194708-1234012	RA: 12 19 47.0938 (184.9462242d) Dec: -12 34 1.47 (-12.56707d) Equinox: J2000	Proper Motion RA: -1.24479469622244 mas/yr Proper Motion Dec: -3.42995452011998 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(7)	2MASS-12271821+2004420	RA: 12 27 18.1830 (186.8257625d) Dec: +20 04 41.91 (20.07831d) Equinox: J2000	Proper Motion RA: -23.613283000576473 mas/yr Proper Motion Dec: -15.077365279591831 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				
(8)	2MASS-12302862+0034278	RA: 12 30 28.6167 (187.6192363d) Dec: +00 34 27.86 (.57441d) Equinox: J2000	Proper Motion RA: -2.2297275074291663 mas/yr Proper Motion Dec: -0.8690041682173426 mas/yr Epoch of Position: 2015.5	
Comments: *Category=Calibration* *Description=[Focus test]*				

(9)	2MASS-12314110-3228328	RA: 12 31 41.0796 (187.9211650d) Dec: -32 28 32.86 (-32.47579d) Equinox: J2000	Proper Motion RA: -16.836934094400448 mas/yr Proper Motion Dec: -3.935754404482127 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(10)	2MASS-12394655+3158428	RA: 12 39 46.5185 (189.9438271d) Dec: +31 58 42.82 (31.97856d) Equinox: J2000	Proper Motion RA: -27.419237303754173 mas/yr Proper Motion Dec: -3.5669485898558024 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(11)	2MASS-12461528-2019471	RA: 12 46 15.2902 (191.5637092d) Dec: -20 19 47.33 (-20.32981d) Equinox: J2000	Proper Motion RA: -3.4418962745816994 mas/yr Proper Motion Dec: -4.125665233251497 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(12)	2MASS-12494253+5132129	RA: 12 49 42.4856 (192.4270233d) Dec: +51 32 13.19 (51.53700d) Equinox: J2000	Proper Motion RA: -26.476482164877506 mas/yr Proper Motion Dec: 16.716492913422226 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(13)	2MASS-12535230-5152504	RA: 12 53 52.2953 (193.4678971d) Dec: -51 52 50.62 (-51.88073d) Equinox: J2000	Proper Motion RA: -7.943506182074884 mas/yr Proper Motion Dec: -10.802216368808939 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(14)	2MASS-12583195+1223422	RA: 12 58 31.9567 (194.6331529d) Dec: +12 23 42.34 (12.39509d) Equinox: J2000	Proper Motion RA: -0.842727106352063 mas/yr Proper Motion Dec: 3.83410058771808 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(15)	2MASS-12591067-0833303	RA: 12 59 10.6683 (194.7944512d) Dec: -08 33 30.57 (-8.55849d) Equinox: J2000	Proper Motion RA: -4.125727394122321 mas/yr Proper Motion Dec: -18.369280323166006 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(16)	2MASS-12594296-3816123	RA: 12 59 42.9125 (194.9288021d) Dec: -38 16 12.38 (-38.27011d) Equinox: J2000	Proper Motion RA: -30.213566198298704 mas/yr Proper Motion Dec: 1.0458658339994364 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(17)	2MASS-13103189+2329172	RA: 13 10 31.8911 (197.6328796d) Dec: +23 29 16.60 (23.48794d) Equinox: J2000	Proper Motion RA: 2.7205675260474385 mas/yr Proper Motion Dec: -41.78975766876188 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(18)	2MASS-13115089+7120371	RA: 13 11 50.9558 (197.9623158d) Dec: +71 20 37.09 (71.34364d) Equinox: J2000	Proper Motion RA: 25.092546724173943 mas/yr Proper Motion Dec: -9.587546978951135 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(19)	2MASS-13161715-2715263	RA: 13 16 17.1348 (199.0713950d) Dec: -27 15 26.25 (-27.25729d) Equinox: J2000	Proper Motion RA: -20.5573932842697 mas/yr Proper Motion Dec: 6.48486698371575 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(20)	2MASS-13162865+4315531	RA: 13 16 28.6740 (199.1194750d) Dec: +43 15 52.88 (43.26469d) Equinox: J2000	Proper Motion RA: 10.270438436272403 mas/yr Proper Motion Dec: -11.64236109882615 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(21)	2MASS-13200288+0416181	RA: 13 20 2.8946 (200.0120608d) Dec: +04 16 18.08 (4.27169d) Equinox: J2000	Proper Motion RA: 5.294926936171954 mas/yr Proper Motion Dec: -5.624424081794626 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(22)	2MASS-13334633+1432589	RA: 13 33 46.3301 (203.4430421d) Dec: +14 32 58.76 (14.54966d) Equinox: J2000	Proper Motion RA: -0.7756244897090416 mas/yr Proper Motion Dec: -8.971834232947637 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(23)	2MASS-13342817-1320490	RA: 13 34 28.1482 (203.6172842d) Dec: -13 20 49.36 (-13.34704d) Equinox: J2000	Proper Motion RA: -15.94847144938816 mas/yr Proper Motion Dec: -11.077538056574246 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(24)	2MASS-13361031-0329039	RA: 13 36 10.3315 (204.0430479d) Dec: -03 29 3.90 (-3.48442d) Equinox: J2000	Proper Motion RA: 10.541388204100405 mas/yr Proper Motion Dec: -7.584402398811518 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(25)	2MASS-13373970+3608486	RA: 13 37 39.6901 (204.4153754d) Dec: +36 08 48.46 (36.14679d) Equinox: J2000	Proper Motion RA: -14.329136372143923 mas/yr Proper Motion Dec: -2.0242228797322195 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(26)	2MASS-13440628+6355228	RA: 13 44 6.2606 (206.0260858d) Dec: +63 55 22.75 (63.92299d) Equinox: J2000	Proper Motion RA: -12.119238052358611 mas/yr Proper Motion Dec: -2.914083498678198 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(27)	2MASS-13461108-5641348	RA: 13 46 11.0563 (206.5460679d) Dec: -56 41 34.89 (-56.69302d) Equinox: J2000	Proper Motion RA: -13.291137323809687 mas/yr Proper Motion Dec: -4.357470132326087 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(28)	2MASS-13520897-3320086	RA: 13 52 8.9939 (208.0374746d) Dec: -33 20 8.96 (-33.33582d) Equinox: J2000	Proper Motion RA: 10.262421367259332 mas/yr Proper Motion Dec: -11.608573761815528 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(29)	2MASS-13523978-2052265	RA: 13 52 39.7701 (208.1657088d) Dec: -20 52 26.70 (-20.87408d) Equinox: J2000	Proper Motion RA: -7.58286883853718 mas/yr Proper Motion Dec: -4.788822985209944 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(30)	2MASS-13542147-4443484	RA: 13 54 21.4524 (208.5893850d) Dec: -44 43 48.57 (-44.73016d) Equinox: J2000	Proper Motion RA: -13.5622594542791 mas/yr Proper Motion Dec: -3.55251919366969 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(31)	2MASS-13521312+0713096	RA: 13 52 13.1209 (208.0546704d) Dec: +07 13 9.57 (7.21933d) Equinox: J2000	Proper Motion RA: -8.000999345017732 mas/yr Proper Motion Dec: -6.745770536629634 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(32)	2MASS-14134924-7004492	RA: 14 13 49.2287 (213.4551196d) Dec: -70 04 49.27 (-70.08035d) Equinox: J2000	Proper Motion RA: -5.55551155854876 mas/yr Proper Motion Dec: -3.3123462251478935 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(33)	2MASS-14042301+5449011	RA: 14 04 23.0159 (211.0958996d) Dec: +54 49 1.04 (54.81696d) Equinox: J2000	Proper Motion RA: -4.49146815313051 mas/yr Proper Motion Dec: -4.71374917991087 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(34)	2MASS-14042301+5449011-2	RA: 14 04 23.0159 (211.0958996d) Dec: +54 49 1.04 (54.81696d) Equinox: J2000	Proper Motion RA: -4.49146815313051 mas/yr Proper Motion Dec: -4.71374917991087 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(35)	2MASS-14044975+2550262	RA: 14 04 49.7667 (211.2073612d) Dec: +25 50 24.36 (25.84010d) Equinox: J2000	Proper Motion RA: 9.0371345861581 mas/yr Proper Motion Dec: -108.77390258663 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(36)	2MASS-14131806-0942384	RA: 14 13 18.0527 (213.3252196d) Dec: -09 42 38.81 (-9.71078d) Equinox: J2000	Proper Motion RA: -6.47106310783174 mas/yr Proper Motion Dec: -20.6095774325194 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(37)	2MASS-14234177+1745599	RA: 14 23 41.8112 (215.9242133d) Dec: +17 45 59.33 (17.76648d) Equinox: J2000	Proper Motion RA: 27.356230742571114 mas/yr Proper Motion Dec: -36.70629816884162 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(38)	2MASS-14310310+0116209	RA: 14 31 3.0455 (217.7626896d) Dec: +01 16 20.81 (1.27245d) Equinox: J2000	Proper Motion RA: -61.1975929827325 mas/yr Proper Motion Dec: -11.8014854278402 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(39)	2MASS-14335586-3728306	RA: 14 33 55.8478 (218.4826992d) Dec: -37 28 30.71 (-37.47520d) Equinox: J2000	Proper Motion RA: -6.129168344934311 mas/yr Proper Motion Dec: -0.25585207456754633 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(40)	2MASS-14351200-2546184	RA: 14 35 11.9982 (218.7999925d) Dec: -25 46 18.46 (-25.77179d) Equinox: J2000	Proper Motion RA: -13.7728342435744 mas/yr Proper Motion Dec: -1.82392691790905 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(41)	2MASS-14362359-4841220	RA: 14 36 23.5950 (219.0983125d) Dec: -48 41 22.08 (-48.68947d) Equinox: J2000	Proper Motion RA: -1.3215568712700705 mas/yr Proper Motion Dec: 0.2557825476126452 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(42)	2MASS-14391776-1440187	RA: 14 39 17.7576 (219.8239900d) Dec: -14 40 18.70 (-14.67186d) Equinox: J2000	Proper Motion RA: -5.642999937105976 mas/yr Proper Motion Dec: 9.400894832320287 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(43)	2MASS-14403982+3511569	RA: 14 40 39.8360 (220.1659833d) Dec: +35 11 56.64 (35.19907d) Equinox: J2000	Proper Motion RA: 11.865702070563039 mas/yr Proper Motion Dec: -13.63200262846106 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(44)	2MASS-14435935+1002224	RA: 14 43 59.3426 (220.9972608d) Dec: +10 02 22.40 (10.03956d) Equinox: J2000	Proper Motion RA: -17.657505592858808 mas/yr Proper Motion Dec: -14.218365228819158 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(45)	2MASS-14525302+2627541	RA: 14 52 52.9737 (223.2207237d) Dec: +26 27 54.09 (26.46503d) Equinox: J2000	Proper Motion RA: -30.650221116425957 mas/yr Proper Motion Dec: -0.5911292723909072 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(46)	2MASS-14583629-0349393	RA: 14 58 36.2987 (224.6512446d) Dec: -03 49 39.40 (-3.82761d) Equinox: J2000	Proper Motion RA: 2.66588688328399 mas/yr Proper Motion Dec: -18.2481254816746 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(47)	2MASS-15131974+6055542	RA: 15 13 19.7109 (228.3321288d) Dec: +60 55 54.21 (60.93173d) Equinox: J2000	Proper Motion RA: -14.353525855082848 mas/yr Proper Motion Dec: -2.9807977662911176 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(48)	2MASS-15155292+4109085	RA: 15 15 52.9158 (228.9704825d) Dec: +41 09 8.07 (41.15224d) Equinox: J2000	Proper Motion RA: -7.227769682937303 mas/yr Proper Motion Dec: -27.999761813562934 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(49)	2MASS-15184249-3854265	RA: 15 18 42.4878 (229.6770325d) Dec: -38 54 26.72 (-38.90742d) Equinox: J2000	Proper Motion RA: -3.0853407016096273 mas/yr Proper Motion Dec: -4.83032186145715 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(50)	2MASS-15184594-8125146	RA: 15 18 45.9131 (229.6913046d) Dec: -81 25 14.72 (-81.42076d) Equinox: J2000	Proper Motion RA: -1.562337516049444 mas/yr Proper Motion Dec: -6.434850679176767 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(51)	2MASS-15185799+5000308	RA: 15 18 58.0234 (229.7417642d) Dec: +50 00 30.53 (50.00848d) Equinox: J2000	Proper Motion RA: 2.2270418416906805 mas/yr Proper Motion Dec: -14.309384920000639 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(52)	2MASS-15190384-2835483	RA: 15 19 3.8437 (229.7660154d) Dec: -28 35 48.50 (-28.59681d) Equinox: J2000	Proper Motion RA: 6.43178265081398 mas/yr Proper Motion Dec: -13.1337574049779 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(53)	2MASS-15221130+0416117	RA: 15 22 11.3096 (230.5471233d) Dec: +04 16 11.71 (4.26992d) Equinox: J2000	Proper Motion RA: 4.10480606967465 mas/yr Proper Motion Dec: -1.819283677364799 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(54)	2MASS-15234152+1752010	RA: 15 23 41.5070 (230.9229458d) Dec: +17 52 0.83 (17.86690d) Equinox: J2000	Proper Motion RA: -22.74946441324053 mas/yr Proper Motion Dec: -14.013797266055596 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(55)	2MASS-15264695-1759566	RA: 15 26 46.9528 (231.6956367d) Dec: -17 59 56.74 (-17.99909d) Equinox: J2000	Proper Motion RA: -2.9404040755667378 mas/yr Proper Motion Dec: -10.650636212810692 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(56)	2MASS-15355578+7027193	RA: 15 35 55.8409 (233.9826704d) Dec: +70 27 19.10 (70.45531d) Equinox: J2000	Proper Motion RA: 11.497525789191142 mas/yr Proper Motion Dec: -16.970032401074864 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

(57)	2MASS-15280703-4844433	RA: 15 28 7.0242 (232.0292675d) Dec: -48 44 43.43 (-48.74540d) Equinox: J2000	Proper Motion RA: 2.4815435122565184 mas/yr Proper Motion Dec: -1.1526024834365063 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(58)	2MASS-15384280-0907093	RA: 15 38 42.8102 (234.6783758d) Dec: -09 07 9.45 (-9.11929d) Equinox: J2000	Proper Motion RA: 0.2790079475727532 mas/yr Proper Motion Dec: -0.6383631509235429 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(59)	2MASS-15391359+3141165	RA: 15 39 13.5825 (234.8065937d) Dec: +31 41 16.82 (31.68801d) Equinox: J2000	Proper Motion RA: -10.31608027030003 mas/yr Proper Motion Dec: 19.417771339188263 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(60)	2MASS-15501738+0952319	RA: 15 50 17.3943 (237.5724762d) Dec: +09 52 32.05 (9.87557d) Equinox: J2000	Proper Motion RA: 2.92482043106073 mas/yr Proper Motion Dec: -1.77617392552974 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(61)	2MASS-15581025-7036476	RA: 15 58 10.2395 (239.5426646d) Dec: -70 36 47.84 (-70.61329d) Equinox: J2000	Proper Motion RA: -3.811852132268179 mas/yr Proper Motion Dec: -1.5792127489289554 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			
(62)	2MASS-15585297+2239240	RA: 15 58 52.9692 (239.7207050d) Dec: +22 39 23.88 (22.65663d) Equinox: J2000	Proper Motion RA: -6.73258572356414 mas/yr Proper Motion Dec: -4.70699280089038 mas/yr Epoch of Position: 2015.5
Comments: *Category=Calibration* *Description=[Focus test]*			

Observation

Proposal 7127, Observation 1 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 1) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	2MASS-12055096+0521265	RA: 12 05 50.9761 (181.4624004d) Dec: +05 21 26.30 (5.35731d) Equinox: J2000	Proper Motion RA: 12.864659537399437 mas/yr Proper Motion Dec: -16.713463671259817 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 2

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 2) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	2MASS-12055096+0521265	RA: 12 05 50.9761 (181.4624004d) Dec: +05 21 26.30 (5.35731d) Equinox: J2000	Proper Motion RA: 12.864659537399437 mas/yr Proper Motion Dec: -16.713463671259817 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 3 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 3) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	2MASS-12055096+0521265	RA: 12 05 50.9761 (181.4624004d) Dec: +05 21 26.30 (5.35731d) Equinox: J2000	Proper Motion RA: 12.864659537399437 mas/yr Proper Motion Dec: -16.713463671259817 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 4

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 4) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(2)	2MASS-12114924+5856270	RA: 12 11 49.2336 (182.9551400d) Dec: +58 56 26.76 (58.94077d) Equinox: J2000	Proper Motion RA: -3.28379858989447 mas/yr Proper Motion Dec: -22.6564743575196 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 5 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 5) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(2)	2MASS-12114924+5856270	RA: 12 11 49.2336 (182.9551400d) Dec: +58 56 26.76 (58.94077d) Equinox: J2000	Proper Motion RA: -3.28379858989447 mas/yr Proper Motion Dec: -22.6564743575196 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 6

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 6) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(2)	2MASS-12114924+5856270	RA: 12 11 49.2336 (182.9551400d) Dec: +58 56 26.76 (58.94077d) Equinox: J2000	Proper Motion RA: -3.28379858989447 mas/yr Proper Motion Dec: -22.6564743575196 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 7

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 7) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(3)	2MASS-12134107-2458333	RA: 12 13 41.0652 (183.4211050d) Dec: -24 58 33.28 (-24.97591d) Equinox: J2000	Proper Motion RA: -12.149344851960098 mas/yr Proper Motion Dec: -6.665371920139181 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	170

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 8

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 8) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(3)	2MASS-12134107-2458333	RA: 12 13 41.0652 (183.4211050d) Dec: -24 58 33.28 (-24.97591d) Equinox: J2000	Proper Motion RA: -12.149344851960098 mas/yr Proper Motion Dec: -6.665371920139181 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 9

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 9) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(3)	2MASS-12134107-2458333	RA: 12 13 41.0652 (183.4211050d) Dec: -24 58 33.28 (-24.97591d) Equinox: J2000	Proper Motion RA: -12.149344851960098 mas/yr Proper Motion Dec: -6.665371920139181 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 10 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 10) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(4)	2MASS-12155447-7736333	RA: 12 15 54.4467 (183.9768613d)	Proper Motion RA: -8.65967052890074 mas/yr	
		Dec: -77 36 33.53 (-77.60931d)	Proper Motion Dec: 1.49596367963366 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 11

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 11) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(4)	2MASS-12155447-7736333	RA: 12 15 54.4467 (183.9768613d)	Proper Motion RA: -8.65967052890074 mas/yr	
		Dec: -77 36 33.53 (-77.60931d)	Proper Motion Dec: 1.49596367963366 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 12

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 12) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(4)	2MASS-12155447-7736333	RA: 12 15 54.4467 (183.9768613d) Dec: -77 36 33.53 (-77.60931d) Equinox: J2000	Proper Motion RA: -8.65967052890074 mas/yr Proper Motion Dec: 1.49596367963366 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 13

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 13) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(5)	2MASS-12182590-4553569	RA: 12 18 25.8821 (184.6078421d) Dec: -45 53 56.82 (-45.89912d) Equinox: J2000	Proper Motion RA: -12.908961548461338 mas/yr Proper Motion Dec: 0.6877832500348511 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 14

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 14) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(5)	2MASS-12182590-4553569	RA: 12 18 25.8821 (184.6078421d) Dec: -45 53 56.82 (-45.89912d) Equinox: J2000	Proper Motion RA: -12.908961548461338 mas/yr Proper Motion Dec: 0.6877832500348511 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 15

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 15) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(5)	2MASS-12182590-4553569	RA: 12 18 25.8821 (184.6078421d) Dec: -45 53 56.82 (-45.89912d) Equinox: J2000	Proper Motion RA: -12.908961548461338 mas/yr Proper Motion Dec: 0.6877832500348511 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 16

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 16) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(6)	2MASS-12194708-1234012	RA: 12 19 47.0938 (184.9462242d) Dec: -12 34 1.47 (-12.56707d) Equinox: J2000	Proper Motion RA: -1.24479469622244 mas/yr Proper Motion Dec: -3.42995452011998 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 17

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 17) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(6)	2MASS-12194708-1234012	RA: 12 19 47.0938 (184.9462242d) Dec: -12 34 1.47 (-12.56707d) Equinox: J2000	Proper Motion RA: -1.24479469622244 mas/yr Proper Motion Dec: -3.42995452011998 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 18

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 18) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(6)	2MASS-12194708-1234012	RA: 12 19 47.0938 (184.9462242d) Dec: -12 34 1.47 (-12.56707d) Equinox: J2000	Proper Motion RA: -1.24479469622244 mas/yr Proper Motion Dec: -3.42995452011998 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 19

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 19) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(7)	2MASS-12271821+2004420	RA: 12 27 18.1830 (186.8257625d) Dec: +20 04 41.91 (20.07831d) Equinox: J2000	Proper Motion RA: -23.613283000576473 mas/yr Proper Motion Dec: -15.077365279591831 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 20

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 20) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(7)	2MASS-12271821+2004420	RA: 12 27 18.1830 (186.8257625d) Dec: +20 04 41.91 (20.07831d) Equinox: J2000	Proper Motion RA: -23.613283000576473 mas/yr Proper Motion Dec: -15.077365279591831 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 21

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 21) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(7)	2MASS-12271821+2004420	RA: 12 27 18.1830 (186.8257625d) Dec: +20 04 41.91 (20.07831d) Equinox: J2000	Proper Motion RA: -23.613283000576473 mas/yr Proper Motion Dec: -15.077365279591831 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 22

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 22) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(8)	2MASS-12302862+0034278	RA: 12 30 28.6167 (187.6192363d) Dec: +00 34 27.86 (.57441d) Equinox: J2000	Proper Motion RA: -2.2297275074291663 mas/yr Proper Motion Dec: -0.8690041682173426 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 23 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 23) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(8)	2MASS-12302862+0034278	RA: 12 30 28.6167 (187.6192363d) Dec: +00 34 27.86 (.57441d) Equinox: J2000	Proper Motion RA: -2.2297275074291663 mas/yr Proper Motion Dec: -0.8690041682173426 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 24

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 24) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(8)	2MASS-12302862+0034278	RA: 12 30 28.6167 (187.6192363d) Dec: +00 34 27.86 (.57441d) Equinox: J2000	Proper Motion RA: -2.2297275074291663 mas/yr Proper Motion Dec: -0.8690041682173426 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 25

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 25) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(9)	2MASS-12314110-3228328	RA: 12 31 41.0796 (187.9211650d) Dec: -32 28 32.86 (-32.47579d) Equinox: J2000	Proper Motion RA: -16.836934094400448 mas/yr Proper Motion Dec: -3.935754404482127 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 26

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 26) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(9)	2MASS-12314110-3228328	RA: 12 31 41.0796 (187.9211650d) Dec: -32 28 32.86 (-32.47579d) Equinox: J2000	Proper Motion RA: -16.836934094400448 mas/yr Proper Motion Dec: -3.935754404482127 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 27

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 27) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(9)	2MASS-12314110-3228328	RA: 12 31 41.0796 (187.9211650d) Dec: -32 28 32.86 (-32.47579d) Equinox: J2000	Proper Motion RA: -16.836934094400448 mas/yr Proper Motion Dec: -3.935754404482127 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 28

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 28) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(10)	2MASS-12394655+3158428	RA: 12 39 46.5185 (189.9438271d) Dec: +31 58 42.82 (31.97856d) Equinox: J2000	Proper Motion RA: -27.419237303754173 mas/yr Proper Motion Dec: -3.5669485898558024 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 29 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 29) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(10)	2MASS-12394655+3158428	RA: 12 39 46.5185 (189.9438271d) Dec: +31 58 42.82 (31.97856d) Equinox: J2000	Proper Motion RA: -27.419237303754173 mas/yr Proper Motion Dec: -3.5669485898558024 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 30

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 30) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(10)	2MASS-12394655+3158428	RA: 12 39 46.5185 (189.9438271d) Dec: +31 58 42.82 (31.97856d) Equinox: J2000	Proper Motion RA: -27.419237303754173 mas/yr Proper Motion Dec: -3.5669485898558024 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 31 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 31) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(11)	2MASS-12461528-2019471	RA: 12 46 15.2902 (191.5637092d) Dec: -20 19 47.33 (-20.32981d) Equinox: J2000	Proper Motion RA: -3.4418962745816994 mas/yr Proper Motion Dec: -4.125665233251497 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 32 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 32) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(11)	2MASS-12461528-2019471	RA: 12 46 15.2902 (191.5637092d) Dec: -20 19 47.33 (-20.32981d) Equinox: J2000	Proper Motion RA: -3.4418962745816994 mas/yr Proper Motion Dec: -4.125665233251497 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 33 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 33) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(11)	2MASS-12461528-2019471	RA: 12 46 15.2902 (191.5637092d) Dec: -20 19 47.33 (-20.32981d) Equinox: J2000	Proper Motion RA: -3.4418962745816994 mas/yr Proper Motion Dec: -4.125665233251497 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 34

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 34) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(12)	2MASS-12494253+5132129	RA: 12 49 42.4856 (192.4270233d) Dec: +51 32 13.19 (51.53700d) Equinox: J2000	Proper Motion RA: -26.476482164877506 mas/yr Proper Motion Dec: 16.716492913422226 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 35 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 35) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(12)	2MASS-12494253+5132129	RA: 12 49 42.4856 (192.4270233d)	Proper Motion RA: -26.476482164877506 mas/yr	
		Dec: +51 32 13.19 (51.53700d)	Proper Motion Dec: 16.716492913422226 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 36

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 36) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(12)	2MASS-12494253+5132129	RA: 12 49 42.4856 (192.4270233d) Dec: +51 32 13.19 (51.53700d) Equinox: J2000	Proper Motion RA: -26.476482164877506 mas/yr Proper Motion Dec: 16.716492913422226 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 37 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 37) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(13)	2MASS-12535230-5152504	RA: 12 53 52.2953 (193.4678971d) Dec: -51 52 50.62 (-51.88073d) Equinox: J2000	Proper Motion RA: -7.943506182074884 mas/yr Proper Motion Dec: -10.802216368808939 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 38

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 38) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(13)	2MASS-12535230-5152504	RA: 12 53 52.2953 (193.4678971d) Dec: -51 52 50.62 (-51.88073d) Equinox: J2000	Proper Motion RA: -7.943506182074884 mas/yr Proper Motion Dec: -10.802216368808939 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 39 Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 39) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(13)	2MASS-12535230-5152504	RA: 12 53 52.2953 (193.4678971d) Dec: -51 52 50.62 (-51.88073d) Equinox: J2000	Proper Motion RA: -7.943506182074884 mas/yr Proper Motion Dec: -10.802216368808939 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 40

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 40) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(14)	2MASS-12583195+1223422	RA: 12 58 31.9567 (194.6331529d) Dec: +12 23 42.34 (12.39509d) Equinox: J2000	Proper Motion RA: -0.842727106352063 mas/yr Proper Motion Dec: 3.83410058771808 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 41

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 41) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(14)	2MASS-12583195+1223422	RA: 12 58 31.9567 (194.6331529d) Dec: +12 23 42.34 (12.39509d) Equinox: J2000	Proper Motion RA: -0.842727106352063 mas/yr Proper Motion Dec: 3.83410058771808 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 42

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 42) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(14)	2MASS-12583195+1223422	RA: 12 58 31.9567 (194.6331529d) Dec: +12 23 42.34 (12.39509d) Equinox: J2000	Proper Motion RA: -0.842727106352063 mas/yr Proper Motion Dec: 3.83410058771808 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 43

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 43) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(15)	2MASS-12591067-0833303	RA: 12 59 10.6683 (194.7944512d) Dec: -08 33 30.57 (-8.55849d) Equinox: J2000	Proper Motion RA: -4.125727394122321 mas/yr Proper Motion Dec: -18.369280323166006 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 44

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 44) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(15)	2MASS-12591067-0833303	RA: 12 59 10.6683 (194.7944512d) Dec: -08 33 30.57 (-8.55849d) Equinox: J2000	Proper Motion RA: -4.125727394122321 mas/yr Proper Motion Dec: -18.369280323166006 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 45

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 45) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(15)	2MASS-12591067-0833303	RA: 12 59 10.6683 (194.7944512d) Dec: -08 33 30.57 (-8.55849d) Equinox: J2000	Proper Motion RA: -4.125727394122321 mas/yr Proper Motion Dec: -18.369280323166006 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 46

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 46) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(16)	2MASS-12594296-3816123	RA: 12 59 42.9125 (194.9288021d) Dec: -38 16 12.38 (-38.27011d) Equinox: J2000	Proper Motion RA: -30.213566198298704 mas/yr Proper Motion Dec: 1.0458658339994364 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 47

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 47) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(16)	2MASS-12594296-3816123	RA: 12 59 42.9125 (194.9288021d) Dec: -38 16 12.38 (-38.27011d) Equinox: J2000	Proper Motion RA: -30.213566198298704 mas/yr Proper Motion Dec: 1.0458658339994364 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 48

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 48) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(16)	2MASS-12594296-3816123	RA: 12 59 42.9125 (194.9288021d) Dec: -38 16 12.38 (-38.27011d) Equinox: J2000	Proper Motion RA: -30.213566198298704 mas/yr Proper Motion Dec: 1.0458658339994364 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 49

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 49) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(17)	2MASS-13103189+2329172	RA: 13 10 31.8911 (197.6328796d) Dec: +23 29 16.60 (23.48794d) Equinox: J2000	Proper Motion RA: 2.7205675260474385 mas/yr Proper Motion Dec: -41.78975766876188 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 50

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 50) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(17)	2MASS-13103189+2329172	RA: 13 10 31.8911 (197.6328796d) Dec: +23 29 16.60 (23.48794d) Equinox: J2000	Proper Motion RA: 2.7205675260474385 mas/yr Proper Motion Dec: -41.78975766876188 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 51

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 51) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 51:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(17)	2MASS-13103189+2329172	RA: 13 10 31.8911 (197.6328796d) Dec: +23 29 16.60 (23.48794d) Equinox: J2000	Proper Motion RA: 2.7205675260474385 mas/yr Proper Motion Dec: -41.78975766876188 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 52

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 52) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 52:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(18)	2MASS-13115089+7120371	RA: 13 11 50.9558 (197.9623158d) Dec: +71 20 37.09 (71.34364d) Equinox: J2000	Proper Motion RA: 25.092546724173943 mas/yr Proper Motion Dec: -9.587546978951135 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 53

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 53) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 53:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(18)	2MASS-13115089+7120371	RA: 13 11 50.9558 (197.9623158d) Dec: +71 20 37.09 (71.34364d) Equinox: J2000	Proper Motion RA: 25.092546724173943 mas/yr Proper Motion Dec: -9.587546978951135 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 54

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 54) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 54:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(18)	2MASS-13115089+7120371	RA: 13 11 50.9558 (197.9623158d) Dec: +71 20 37.09 (71.34364d) Equinox: J2000	Proper Motion RA: 25.092546724173943 mas/yr Proper Motion Dec: -9.587546978951135 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 55

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 55) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(19)	2MASS-13161715-2715263	RA: 13 16 17.1348 (199.0713950d) Dec: -27 15 26.25 (-27.25729d) Equinox: J2000	Proper Motion RA: -20.5573932842697 mas/yr Proper Motion Dec: 6.48486698371575 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 56

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 56) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(19)	2MASS-13161715-2715263	RA: 13 16 17.1348 (199.0713950d) Dec: -27 15 26.25 (-27.25729d) Equinox: J2000	Proper Motion RA: -20.5573932842697 mas/yr Proper Motion Dec: 6.48486698371575 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 57

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 57) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(19)	2MASS-13161715-2715263	RA: 13 16 17.1348 (199.0713950d) Dec: -27 15 26.25 (-27.25729d) Equinox: J2000	Proper Motion RA: -20.5573932842697 mas/yr Proper Motion Dec: 6.48486698371575 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 58

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 58) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(20)	2MASS-13162865+4315531	RA: 13 16 28.6740 (199.1194750d) Dec: +43 15 52.88 (43.26469d) Equinox: J2000	Proper Motion RA: 10.270438436272403 mas/yr Proper Motion Dec: -11.64236109882615 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 59

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 59) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(20)	2MASS-13162865+4315531	RA: 13 16 28.6740 (199.1194750d) Dec: +43 15 52.88 (43.26469d) Equinox: J2000	Proper Motion RA: 10.270438436272403 mas/yr Proper Motion Dec: -11.64236109882615 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 60

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 60) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(20)	2MASS-13162865+4315531	RA: 13 16 28.6740 (199.1194750d)	Proper Motion RA: 10.270438436272403 mas/yr	
		Dec: +43 15 52.88 (43.26469d)	Proper Motion Dec: -11.64236109882615 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 61

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 61) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 61:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(21)	2MASS-13200288+0416181	RA: 13 20 2.8946 (200.0120608d) Dec: +04 16 18.08 (4.27169d) Equinox: J2000	Proper Motion RA: 5.294926936171954 mas/yr Proper Motion Dec: -5.624424081794626 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 62

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 62) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 62:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(21)	2MASS-13200288+0416181	RA: 13 20 2.8946 (200.0120608d) Dec: +04 16 18.08 (4.27169d) Equinox: J2000	Proper Motion RA: 5.294926936171954 mas/yr Proper Motion Dec: -5.624424081794626 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 63

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 63) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(21)	2MASS-13200288+0416181	RA: 13 20 2.8946 (200.0120608d) Dec: +04 16 18.08 (4.27169d) Equinox: J2000	Proper Motion RA: 5.294926936171954 mas/yr Proper Motion Dec: -5.624424081794626 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 64

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 64) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(22)	2MASS-13334633+1432589	RA: 13 33 46.3301 (203.4430421d) Dec: +14 32 58.76 (14.54966d) Equinox: J2000	Proper Motion RA: -0.7756244897090416 mas/yr Proper Motion Dec: -8.971834232947637 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 65

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 65) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(22)	2MASS-13334633+1432589	RA: 13 33 46.3301 (203.4430421d) Dec: +14 32 58.76 (14.54966d) Equinox: J2000	Proper Motion RA: -0.7756244897090416 mas/yr Proper Motion Dec: -8.971834232947637 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 66

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 66) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 66:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(22)	2MASS-13334633+1432589	RA: 13 33 46.3301 (203.4430421d) Dec: +14 32 58.76 (14.54966d) Equinox: J2000	Proper Motion RA: -0.7756244897090416 mas/yr Proper Motion Dec: -8.971834232947637 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 67

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 67) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 67:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(23)	2MASS-13342817-1320490	RA: 13 34 28.1482 (203.6172842d) Dec: -13 20 49.36 (-13.34704d) Equinox: J2000	Proper Motion RA: -15.94847144938816 mas/yr Proper Motion Dec: -11.077538056574246 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 68

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 68) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 68:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(23)	2MASS-13342817-1320490	RA: 13 34 28.1482 (203.6172842d) Dec: -13 20 49.36 (-13.34704d) Equinox: J2000	Proper Motion RA: -15.94847144938816 mas/yr Proper Motion Dec: -11.077538056574246 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 69

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 69) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 69:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(23)	2MASS-13342817-1320490	RA: 13 34 28.1482 (203.6172842d) Dec: -13 20 49.36 (-13.34704d) Equinox: J2000	Proper Motion RA: -15.94847144938816 mas/yr Proper Motion Dec: -11.077538056574246 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 70

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 70) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 70:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(24)	2MASS-13361031-0329039	RA: 13 36 10.3315 (204.0430479d) Dec: -03 29 3.90 (-3.48442d) Equinox: J2000	Proper Motion RA: 10.541388204100405 mas/yr Proper Motion Dec: -7.584402398811518 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 71

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 71) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 71:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(24)	2MASS-13361031-0329039	RA: 13 36 10.3315 (204.0430479d) Dec: -03 29 3.90 (-3.48442d) Equinox: J2000	Proper Motion RA: 10.541388204100405 mas/yr Proper Motion Dec: -7.584402398811518 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 72

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 72) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 72:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(24)	2MASS-13361031-0329039	RA: 13 36 10.3315 (204.0430479d) Dec: -03 29 3.90 (-3.48442d) Equinox: J2000	Proper Motion RA: 10.541388204100405 mas/yr Proper Motion Dec: -7.584402398811518 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 73

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 73) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 73:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(25)	2MASS-13373970+3608486	RA: 13 37 39.6901 (204.4153754d) Dec: +36 08 48.46 (36.14679d) Equinox: J2000	Proper Motion RA: -14.329136372143923 mas/yr Proper Motion Dec: -2.0242228797322195 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 74

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 74) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 74:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(25)	2MASS-13373970+3608486	RA: 13 37 39.6901 (204.4153754d) Dec: +36 08 48.46 (36.14679d) Equinox: J2000	Proper Motion RA: -14.329136372143923 mas/yr Proper Motion Dec: -2.0242228797322195 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 75

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 75) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 75:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(25)	2MASS-13373970+3608486	RA: 13 37 39.6901 (204.4153754d) Dec: +36 08 48.46 (36.14679d) Equinox: J2000	Proper Motion RA: -14.329136372143923 mas/yr Proper Motion Dec: -2.0242228797322195 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 76

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 76) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 76:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(26)	2MASS-13440628+6355228	RA: 13 44 6.2606 (206.0260858d) Dec: +63 55 22.75 (63.92299d) Equinox: J2000	Proper Motion RA: -12.119238052358611 mas/yr Proper Motion Dec: -2.914083498678198 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 77

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 77) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 77:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(26)	2MASS-13440628+6355228	RA: 13 44 6.2606 (206.0260858d) Dec: +63 55 22.75 (63.92299d) Equinox: J2000	Proper Motion RA: -12.119238052358611 mas/yr Proper Motion Dec: -2.914083498678198 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 78

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 78) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 78:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(26)	2MASS-13440628+6355228	RA: 13 44 6.2606 (206.0260858d) Dec: +63 55 22.75 (63.92299d) Equinox: J2000	Proper Motion RA: -12.119238052358611 mas/yr Proper Motion Dec: -2.914083498678198 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 79

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 79) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 79:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(27)	2MASS-13461108-5641348	RA: 13 46 11.0563 (206.5460679d) Dec: -56 41 34.89 (-56.69302d) Equinox: J2000	Proper Motion RA: -13.291137323809687 mas/yr Proper Motion Dec: -4.357470132326087 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 80

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 80) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 80:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(27)	2MASS-13461108-5641348	RA: 13 46 11.0563 (206.5460679d) Dec: -56 41 34.89 (-56.69302d) Equinox: J2000	Proper Motion RA: -13.291137323809687 mas/yr Proper Motion Dec: -4.357470132326087 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 81

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 81) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 81:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(27)	2MASS-13461108-5641348	RA: 13 46 11.0563 (206.5460679d) Dec: -56 41 34.89 (-56.69302d) Equinox: J2000	Proper Motion RA: -13.291137323809687 mas/yr Proper Motion Dec: -4.357470132326087 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 82

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 82) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 82:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(28)	2MASS-13520897-3320086	RA: 13 52 8.9939 (208.0374746d) Dec: -33 20 8.96 (-33.33582d) Equinox: J2000	Proper Motion RA: 10.262421367259332 mas/yr Proper Motion Dec: -11.608573761815528 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 83

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 83) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 83:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(28)	2MASS-13520897-3320086	RA: 13 52 8.9939 (208.0374746d) Dec: -33 20 8.96 (-33.33582d) Equinox: J2000	Proper Motion RA: 10.262421367259332 mas/yr Proper Motion Dec: -11.608573761815528 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 84

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 84) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 84:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(28)	2MASS-13520897-3320086	RA: 13 52 8.9939 (208.0374746d) Dec: -33 20 8.96 (-33.33582d) Equinox: J2000	Proper Motion RA: 10.262421367259332 mas/yr Proper Motion Dec: -11.608573761815528 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 85

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 85) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 85:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(29)	2MASS-13523978-2052265	RA: 13 52 39.7701 (208.1657088d) Dec: -20 52 26.70 (-20.87408d) Equinox: J2000	Proper Motion RA: -7.58286883853718 mas/yr Proper Motion Dec: -4.788822985209944 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 86

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 86) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 86:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(29)	2MASS-13523978-2052265	RA: 13 52 39.7701 (208.1657088d) Dec: -20 52 26.70 (-20.87408d) Equinox: J2000	Proper Motion RA: -7.58286883853718 mas/yr Proper Motion Dec: -4.788822985209944 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 87

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 87) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 87:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(29)	2MASS-13523978-2052265	RA: 13 52 39.7701 (208.1657088d) Dec: -20 52 26.70 (-20.87408d) Equinox: J2000	Proper Motion RA: -7.58286883853718 mas/yr Proper Motion Dec: -4.788822985209944 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 88

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 88) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 88:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(30)	2MASS-13542147-4443484	RA: 13 54 21.4524 (208.5893850d) Dec: -44 43 48.57 (-44.73016d) Equinox: J2000	Proper Motion RA: -13.5622594542791 mas/yr Proper Motion Dec: -3.55251919366969 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 89

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 89) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 89:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(30)	2MASS-13542147-4443484	RA: 13 54 21.4524 (208.5893850d) Dec: -44 43 48.57 (-44.73016d) Equinox: J2000	Proper Motion RA: -13.5622594542791 mas/yr Proper Motion Dec: -3.55251919366969 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 90

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 90) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 90:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(30)	2MASS-13542147-4443484	RA: 13 54 21.4524 (208.5893850d) Dec: -44 43 48.57 (-44.73016d) Equinox: J2000	Proper Motion RA: -13.5622594542791 mas/yr Proper Motion Dec: -3.55251919366969 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 91

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 91) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 91:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(31)	2MASS-13521312+0713096	RA: 13 52 13.1209 (208.0546704d) Dec: +07 13 9.57 (7.21933d) Equinox: J2000	Proper Motion RA: -8.000999345017732 mas/yr Proper Motion Dec: -6.745770536629634 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 92

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 92) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 92:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(31)	2MASS-13521312+0713096	RA: 13 52 13.1209 (208.0546704d) Dec: +07 13 9.57 (7.21933d) Equinox: J2000	Proper Motion RA: -8.000999345017732 mas/yr Proper Motion Dec: -6.745770536629634 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 93

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 93) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 93:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(31)	2MASS-13521312+0713096	RA: 13 52 13.1209 (208.0546704d)	Proper Motion RA: -8.000999345017732 mas/yr	
		Dec: +07 13 9.57 (7.21933d)	Proper Motion Dec: -6.745770536629634 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 94

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 94) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 94:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(32)	2MASS-14134924-7004492	RA: 14 13 49.2287 (213.4551196d) Dec: -70 04 49.27 (-70.08035d) Equinox: J2000	Proper Motion RA: -5.55551155854876 mas/yr Proper Motion Dec: -3.3123462251478935 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 95

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 95) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 95:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(32)	2MASS-14134924-7004492	RA: 14 13 49.2287 (213.4551196d) Dec: -70 04 49.27 (-70.08035d) Equinox: J2000	Proper Motion RA: -5.55551155854876 mas/yr Proper Motion Dec: -3.3123462251478935 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 96

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 96) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 96:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(32)	2MASS-14134924-7004492	RA: 14 13 49.2287 (213.4551196d) Dec: -70 04 49.27 (-70.08035d) Equinox: J2000	Proper Motion RA: -5.55551155854876 mas/yr Proper Motion Dec: -3.3123462251478935 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 97

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 97) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 97:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(33)	2MASS-14042301+5449011	RA: 14 04 23.0159 (211.0958996d) Dec: +54 49 1.04 (54.81696d) Equinox: J2000	Proper Motion RA: -4.49146815313051 mas/yr Proper Motion Dec: -4.71374917991087 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 98

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 98) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 98:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(33)	2MASS-14042301+5449011	RA: 14 04 23.0159 (211.0958996d) Dec: +54 49 1.04 (54.81696d) Equinox: J2000	Proper Motion RA: -4.49146815313051 mas/yr Proper Motion Dec: -4.71374917991087 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 99

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 99) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 99:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(33)	2MASS-14042301+5449011	RA: 14 04 23.0159 (211.0958996d) Dec: +54 49 1.04 (54.81696d) Equinox: J2000	Proper Motion RA: -4.49146815313051 mas/yr Proper Motion Dec: -4.71374917991087 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 100

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 100) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 100:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(34)	2MASS-14042301+5449011-2	RA: 14 04 23.0159 (211.0958996d) Dec: +54 49 1.04 (54.81696d) Equinox: J2000	Proper Motion RA: -4.49146815313051 mas/yr Proper Motion Dec: -4.71374917991087 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 101

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 101) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 101:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(34)	2MASS-14042301+5449011-2	RA: 14 04 23.0159 (211.0958996d) Dec: +54 49 1.04 (54.81696d) Equinox: J2000	Proper Motion RA: -4.49146815313051 mas/yr Proper Motion Dec: -4.71374917991087 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 102

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 102) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 102:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(34)	2MASS-14042301+5449011-2	RA: 14 04 23.0159 (211.0958996d) Dec: +54 49 1.04 (54.81696d) Equinox: J2000	Proper Motion RA: -4.49146815313051 mas/yr Proper Motion Dec: -4.71374917991087 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 103

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 103) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 103:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(35)	2MASS-14044975+2550262	RA: 14 04 49.7667 (211.2073612d) Dec: +25 50 24.36 (25.84010d) Equinox: J2000	Proper Motion RA: 9.0371345861581 mas/yr Proper Motion Dec: -108.77390258663 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 104

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 104) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 104:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(35)	2MASS-14044975+2550262	RA: 14 04 49.7667 (211.2073612d) Dec: +25 50 24.36 (25.84010d) Equinox: J2000	Proper Motion RA: 9.0371345861581 mas/yr Proper Motion Dec: -108.77390258663 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 105

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 105) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 105:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(35)	2MASS-14044975+2550262	RA: 14 04 49.7667 (211.2073612d) Dec: +25 50 24.36 (25.84010d) Equinox: J2000	Proper Motion RA: 9.0371345861581 mas/yr Proper Motion Dec: -108.77390258663 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 106

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 106) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 106:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(36)	2MASS-14131806-0942384	RA: 14 13 18.0527 (213.3252196d) Dec: -09 42 38.81 (-9.71078d) Equinox: J2000	Proper Motion RA: -6.47106310783174 mas/yr Proper Motion Dec: -20.6095774325194 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 107

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 107) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 107:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(36)	2MASS-14131806-0942384	RA: 14 13 18.0527 (213.3252196d) Dec: -09 42 38.81 (-9.71078d) Equinox: J2000	Proper Motion RA: -6.47106310783174 mas/yr Proper Motion Dec: -20.6095774325194 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 108

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 108) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 108:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(36)	2MASS-14131806-0942384	RA: 14 13 18.0527 (213.3252196d) Dec: -09 42 38.81 (-9.71078d) Equinox: J2000	Proper Motion RA: -6.47106310783174 mas/yr Proper Motion Dec: -20.6095774325194 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 109

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 109) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 109:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(37)	2MASS-14234177+1745599	RA: 14 23 41.8112 (215.9242133d) Dec: +17 45 59.33 (17.76648d) Equinox: J2000	Proper Motion RA: 27.356230742571114 mas/yr Proper Motion Dec: -36.70629816884162 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 110

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 110) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 110:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(37)	2MASS-14234177+1745599	RA: 14 23 41.8112 (215.9242133d) Dec: +17 45 59.33 (17.76648d) Equinox: J2000	Proper Motion RA: 27.356230742571114 mas/yr Proper Motion Dec: -36.70629816884162 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 111

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 111) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 111:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(37)	2MASS-14234177+1745599	RA: 14 23 41.8112 (215.9242133d) Dec: +17 45 59.33 (17.76648d) Equinox: J2000	Proper Motion RA: 27.356230742571114 mas/yr Proper Motion Dec: -36.70629816884162 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 112

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 112) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 112:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(38)	2MASS-14310310+0116209	RA: 14 31 3.0455 (217.7626896d) Dec: +01 16 20.81 (1.27245d) Equinox: J2000	Proper Motion RA: -61.1975929827325 mas/yr Proper Motion Dec: -11.8014854278402 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 113

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 113) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 113:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(38)	2MASS-14310310+0116209	RA: 14 31 3.0455 (217.7626896d) Dec: +01 16 20.81 (1.27245d) Equinox: J2000	Proper Motion RA: -61.1975929827325 mas/yr Proper Motion Dec: -11.8014854278402 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 114

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 114) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 114:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(38)	2MASS-14310310+0116209	RA: 14 31 3.0455 (217.7626896d) Dec: +01 16 20.81 (1.27245d) Equinox: J2000	Proper Motion RA: -61.1975929827325 mas/yr Proper Motion Dec: -11.8014854278402 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 115

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 115) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 115:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(39)	2MASS-14335586-3728306	RA: 14 33 55.8478 (218.4826992d) Dec: -37 28 30.71 (-37.47520d) Equinox: J2000	Proper Motion RA: -6.129168344934311 mas/yr Proper Motion Dec: -0.25585207456754633 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 116

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 116) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 116:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(39)	2MASS-14335586-3728306	RA: 14 33 55.8478 (218.4826992d) Dec: -37 28 30.71 (-37.47520d) Equinox: J2000	Proper Motion RA: -6.129168344934311 mas/yr Proper Motion Dec: -0.25585207456754633 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 117

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 117) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 117:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(39)	2MASS-14335586-3728306	RA: 14 33 55.8478 (218.4826992d) Dec: -37 28 30.71 (-37.47520d) Equinox: J2000	Proper Motion RA: -6.129168344934311 mas/yr Proper Motion Dec: -0.25585207456754633 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 118

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 118) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 118:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(40)	2MASS-14351200-2546184	RA: 14 35 11.9982 (218.7999925d) Dec: -25 46 18.46 (-25.77179d) Equinox: J2000	Proper Motion RA: -13.7728342435744 mas/yr Proper Motion Dec: -1.82392691790905 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 119

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 119) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 119:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(40)	2MASS-14351200-2546184	RA: 14 35 11.9982 (218.7999925d) Dec: -25 46 18.46 (-25.77179d) Equinox: J2000	Proper Motion RA: -13.7728342435744 mas/yr Proper Motion Dec: -1.82392691790905 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 120

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 120) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 120:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(40)	2MASS-14351200-2546184	RA: 14 35 11.9982 (218.7999925d) Dec: -25 46 18.46 (-25.77179d) Equinox: J2000	Proper Motion RA: -13.7728342435744 mas/yr Proper Motion Dec: -1.82392691790905 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 121

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 121) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 121:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(41)	2MASS-14362359-4841220	RA: 14 36 23.5950 (219.0983125d) Dec: -48 41 22.08 (-48.68947d) Equinox: J2000	Proper Motion RA: -1.3215568712700705 mas/yr Proper Motion Dec: 0.2557825476126452 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 122

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 122) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 122:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(41)	2MASS-14362359-4841220	RA: 14 36 23.5950 (219.0983125d) Dec: -48 41 22.08 (-48.68947d) Equinox: J2000	Proper Motion RA: -1.3215568712700705 mas/yr Proper Motion Dec: 0.2557825476126452 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 123

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 123) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 123:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(41)	2MASS-14362359-4841220	RA: 14 36 23.5950 (219.0983125d) Dec: -48 41 22.08 (-48.68947d) Equinox: J2000	Proper Motion RA: -1.3215568712700705 mas/yr Proper Motion Dec: 0.2557825476126452 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 124

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 124) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 124:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(42)	2MASS-14391776-1440187	RA: 14 39 17.7576 (219.8239900d) Dec: -14 40 18.70 (-14.67186d) Equinox: J2000	Proper Motion RA: -5.642999937105976 mas/yr Proper Motion Dec: 9.400894832320287 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 125

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 125) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 125:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(42)	2MASS-14391776-1440187	RA: 14 39 17.7576 (219.8239900d) Dec: -14 40 18.70 (-14.67186d) Equinox: J2000	Proper Motion RA: -5.642999937105976 mas/yr Proper Motion Dec: 9.400894832320287 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 126

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 126) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 126:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(42)	2MASS-14391776-1440187	RA: 14 39 17.7576 (219.8239900d) Dec: -14 40 18.70 (-14.67186d) Equinox: J2000	Proper Motion RA: -5.642999937105976 mas/yr Proper Motion Dec: 9.400894832320287 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 127

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 127) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 127:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(43)	2MASS-14403982+3511569	RA: 14 40 39.8360 (220.1659833d)	Proper Motion RA: 11.865702070563039 mas/yr	
		Dec: +35 11 56.64 (35.19907d)	Proper Motion Dec: -13.63200262846106 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 128

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 128) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 128:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(43)	2MASS-14403982+3511569	RA: 14 40 39.8360 (220.1659833d) Dec: +35 11 56.64 (35.19907d) Equinox: J2000	Proper Motion RA: 11.865702070563039 mas/yr Proper Motion Dec: -13.63200262846106 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 129

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 129) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 129:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(43)	2MASS-14403982+3511569	RA: 14 40 39.8360 (220.1659833d)	Proper Motion RA: 11.865702070563039 mas/yr	
		Dec: +35 11 56.64 (35.19907d)	Proper Motion Dec: -13.63200262846106 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 130

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 130) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 130:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(44)	2MASS-14435935+1002224	RA: 14 43 59.3426 (220.9972608d) Dec: +10 02 22.40 (10.03956d) Equinox: J2000	Proper Motion RA: -17.657505592858808 mas/yr Proper Motion Dec: -14.218365228819158 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 131

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 131) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 131:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(44)	2MASS-14435935+1002224	RA: 14 43 59.3426 (220.9972608d) Dec: +10 02 22.40 (10.03956d) Equinox: J2000	Proper Motion RA: -17.657505592858808 mas/yr Proper Motion Dec: -14.218365228819158 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 132

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 132) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 132:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(44)	2MASS-14435935+1002224	RA: 14 43 59.3426 (220.9972608d) Dec: +10 02 22.40 (10.03956d) Equinox: J2000	Proper Motion RA: -17.657505592858808 mas/yr Proper Motion Dec: -14.218365228819158 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 133

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 133) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 133:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(45)	2MASS-14525302+2627541	RA: 14 52 52.9737 (223.2207237d) Dec: +26 27 54.09 (26.46503d) Equinox: J2000	Proper Motion RA: -30.650221116425957 mas/yr Proper Motion Dec: -0.5911292723909072 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 134

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 134) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 134:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(45)	2MASS-14525302+2627541	RA: 14 52 52.9737 (223.2207237d) Dec: +26 27 54.09 (26.46503d) Equinox: J2000	Proper Motion RA: -30.650221116425957 mas/yr Proper Motion Dec: -0.5911292723909072 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 135

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 135) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 135:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(45)	2MASS-14525302+2627541	RA: 14 52 52.9737 (223.2207237d) Dec: +26 27 54.09 (26.46503d) Equinox: J2000	Proper Motion RA: -30.650221116425957 mas/yr Proper Motion Dec: -0.5911292723909072 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 136

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 136) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 136:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(46)	2MASS-14583629-0349393	RA: 14 58 36.2987 (224.6512446d) Dec: -03 49 39.40 (-3.82761d) Equinox: J2000	Proper Motion RA: 2.66588688328399 mas/yr Proper Motion Dec: -18.2481254816746 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 137

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 137) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 137:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(46)	2MASS-14583629-0349393	RA: 14 58 36.2987 (224.6512446d) Dec: -03 49 39.40 (-3.82761d) Equinox: J2000	Proper Motion RA: 2.66588688328399 mas/yr Proper Motion Dec: -18.2481254816746 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 138

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 138) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 138:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(46)	2MASS-14583629-0349393	RA: 14 58 36.2987 (224.6512446d) Dec: -03 49 39.40 (-3.82761d) Equinox: J2000	Proper Motion RA: 2.66588688328399 mas/yr Proper Motion Dec: -18.2481254816746 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 139

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 139) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 139:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(47)	2MASS-15131974+6055542	RA: 15 13 19.7109 (228.3321288d) Dec: +60 55 54.21 (60.93173d) Equinox: J2000	Proper Motion RA: -14.353525855082848 mas/yr Proper Motion Dec: -2.9807977662911176 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 140

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 140) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 140:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(47)	2MASS-15131974+6055542	RA: 15 13 19.7109 (228.3321288d) Dec: +60 55 54.21 (60.93173d) Equinox: J2000	Proper Motion RA: -14.353525855082848 mas/yr Proper Motion Dec: -2.9807977662911176 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 141

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 141) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 141:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(47)	2MASS-15131974+6055542	RA: 15 13 19.7109 (228.3321288d) Dec: +60 55 54.21 (60.93173d) Equinox: J2000	Proper Motion RA: -14.353525855082848 mas/yr Proper Motion Dec: -2.9807977662911176 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 142

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 142) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 142:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(48)	2MASS-15155292+4109085	RA: 15 15 52.9158 (228.9704825d) Dec: +41 09 8.07 (41.15224d) Equinox: J2000	Proper Motion RA: -7.227769682937303 mas/yr Proper Motion Dec: -27.999761813562934 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 143

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 143) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 143:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(48)	2MASS-15155292+4109085	RA: 15 15 52.9158 (228.9704825d) Dec: +41 09 8.07 (41.15224d) Equinox: J2000	Proper Motion RA: -7.227769682937303 mas/yr Proper Motion Dec: -27.999761813562934 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 144

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 144) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 144:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(48)	2MASS-15155292+4109085	RA: 15 15 52.9158 (228.9704825d) Dec: +41 09 8.07 (41.15224d) Equinox: J2000	Proper Motion RA: -7.227769682937303 mas/yr Proper Motion Dec: -27.999761813562934 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 145

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 145) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 145:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(49)	2MASS-15184249-3854265	RA: 15 18 42.4878 (229.6770325d) Dec: -38 54 26.72 (-38.90742d) Equinox: J2000	Proper Motion RA: -3.0853407016096273 mas/yr Proper Motion Dec: -4.83032186145715 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 146

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 146) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 146:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(49)	2MASS-15184249-3854265	RA: 15 18 42.4878 (229.6770325d) Dec: -38 54 26.72 (-38.90742d) Equinox: J2000	Proper Motion RA: -3.0853407016096273 mas/yr Proper Motion Dec: -4.83032186145715 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 147

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 147) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 147:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(49)	2MASS-15184249-3854265	RA: 15 18 42.4878 (229.6770325d) Dec: -38 54 26.72 (-38.90742d) Equinox: J2000	Proper Motion RA: -3.0853407016096273 mas/yr Proper Motion Dec: -4.83032186145715 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 148

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 148) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 148:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(50)	2MASS-15184594-8125146	RA: 15 18 45.9131 (229.6913046d) Dec: -81 25 14.72 (-81.42076d) Equinox: J2000	Proper Motion RA: -1.562337516049444 mas/yr Proper Motion Dec: -6.434850679176767 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 149

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 149) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 149:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(50)	2MASS-15184594-8125146	RA: 15 18 45.9131 (229.6913046d) Dec: -81 25 14.72 (-81.42076d) Equinox: J2000	Proper Motion RA: -1.562337516049444 mas/yr Proper Motion Dec: -6.434850679176767 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 150

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 150) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 150:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(50)	2MASS-15184594-8125146	RA: 15 18 45.9131 (229.6913046d) Dec: -81 25 14.72 (-81.42076d) Equinox: J2000	Proper Motion RA: -1.562337516049444 mas/yr Proper Motion Dec: -6.434850679176767 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 151

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 151) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 151:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(51)	2MASS-15185799+5000308	RA: 15 18 58.0234 (229.7417642d) Dec: +50 00 30.53 (50.00848d) Equinox: J2000	Proper Motion RA: 2.2270418416906805 mas/yr Proper Motion Dec: -14.309384920000639 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 152

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 152) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 152:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(51)	2MASS-15185799+5000308	RA: 15 18 58.0234 (229.7417642d) Dec: +50 00 30.53 (50.00848d) Equinox: J2000	Proper Motion RA: 2.2270418416906805 mas/yr Proper Motion Dec: -14.309384920000639 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 153

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 153) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 153:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(51)	2MASS-15185799+5000308	RA: 15 18 58.0234 (229.7417642d) Dec: +50 00 30.53 (50.00848d) Equinox: J2000	Proper Motion RA: 2.2270418416906805 mas/yr Proper Motion Dec: -14.309384920000639 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 154

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 154) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 154:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(52)	2MASS-15190384-2835483	RA: 15 19 3.8437 (229.7660154d)	Proper Motion RA: 6.43178265081398 mas/yr	
		Dec: -28 35 48.50 (-28.59681d)	Proper Motion Dec: -13.1337574049779 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 155

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 155) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 155:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(52)	2MASS-15190384-2835483	RA: 15 19 3.8437 (229.7660154d)	Proper Motion RA: 6.43178265081398 mas/yr	
		Dec: -28 35 48.50 (-28.59681d)	Proper Motion Dec: -13.1337574049779 mas/yr	
		Equinox: J2000	Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 156

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 156) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 156:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(52)	2MASS-15190384-2835483	RA: 15 19 3.8437 (229.7660154d) Dec: -28 35 48.50 (-28.59681d) Equinox: J2000	Proper Motion RA: 6.43178265081398 mas/yr Proper Motion Dec: -13.1337574049779 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 157

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 157) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 157:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(53)	2MASS-15221130+0416117	RA: 15 22 11.3096 (230.5471233d) Dec: +04 16 11.71 (4.26992d) Equinox: J2000	Proper Motion RA: 4.10480606967465 mas/yr Proper Motion Dec: -1.819283677364799 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 158

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 158) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 158:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(53)	2MASS-15221130+0416117	RA: 15 22 11.3096 (230.5471233d) Dec: +04 16 11.71 (4.26992d) Equinox: J2000	Proper Motion RA: 4.10480606967465 mas/yr Proper Motion Dec: -1.819283677364799 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 159

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 159) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 159:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(53)	2MASS-15221130+0416117	RA: 15 22 11.3096 (230.5471233d) Dec: +04 16 11.71 (4.26992d) Equinox: J2000	Proper Motion RA: 4.10480606967465 mas/yr Proper Motion Dec: -1.819283677364799 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 160

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 160) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 160:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(54)	2MASS-15234152+1752010	RA: 15 23 41.5070 (230.9229458d) Dec: +17 52 0.83 (17.86690d) Equinox: J2000	Proper Motion RA: -22.74946441324053 mas/yr Proper Motion Dec: -14.013797266055596 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 161

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 161) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 161:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(54)	2MASS-15234152+1752010	RA: 15 23 41.5070 (230.9229458d) Dec: +17 52 0.83 (17.86690d) Equinox: J2000	Proper Motion RA: -22.74946441324053 mas/yr Proper Motion Dec: -14.013797266055596 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 162

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 162) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 162:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(54)	2MASS-15234152+1752010	RA: 15 23 41.5070 (230.9229458d) Dec: +17 52 0.83 (17.86690d) Equinox: J2000	Proper Motion RA: -22.74946441324053 mas/yr Proper Motion Dec: -14.013797266055596 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 163

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 163) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 163:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(55)	2MASS-15264695-1759566	RA: 15 26 46.9528 (231.6956367d) Dec: -17 59 56.74 (-17.99909d) Equinox: J2000	Proper Motion RA: -2.9404040755667378 mas/yr Proper Motion Dec: -10.650636212810692 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 164

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 164) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 164:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(55)	2MASS-15264695-1759566	RA: 15 26 46.9528 (231.6956367d) Dec: -17 59 56.74 (-17.99909d) Equinox: J2000	Proper Motion RA: -2.9404040755667378 mas/yr Proper Motion Dec: -10.650636212810692 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 165

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 165) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 165:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(55)	2MASS-15264695-1759566	RA: 15 26 46.9528 (231.6956367d) Dec: -17 59 56.74 (-17.99909d) Equinox: J2000	Proper Motion RA: -2.9404040755667378 mas/yr Proper Motion Dec: -10.650636212810692 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 166

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 166) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 166:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(56)	2MASS-15355578+7027193	RA: 15 35 55.8409 (233.9826704d) Dec: +70 27 19.10 (70.45531d) Equinox: J2000	Proper Motion RA: 11.497525789191142 mas/yr Proper Motion Dec: -16.970032401074864 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 167

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 167) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 167:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(56)	2MASS-15355578+7027193	RA: 15 35 55.8409 (233.9826704d) Dec: +70 27 19.10 (70.45531d) Equinox: J2000	Proper Motion RA: 11.497525789191142 mas/yr Proper Motion Dec: -16.970032401074864 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 168

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 168) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 168:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(56)	2MASS-15355578+7027193	RA: 15 35 55.8409 (233.9826704d) Dec: +70 27 19.10 (70.45531d) Equinox: J2000	Proper Motion RA: 11.497525789191142 mas/yr Proper Motion Dec: -16.970032401074864 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 169

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 169) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 169:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(57)	2MASS-15280703-4844433	RA: 15 28 7.0242 (232.0292675d) Dec: -48 44 43.43 (-48.74540d) Equinox: J2000	Proper Motion RA: 2.4815435122565184 mas/yr Proper Motion Dec: -1.1526024834365063 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 170

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 170) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 170:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(57)	2MASS-15280703-4844433	RA: 15 28 7.0242 (232.0292675d) Dec: -48 44 43.43 (-48.74540d) Equinox: J2000	Proper Motion RA: 2.4815435122565184 mas/yr Proper Motion Dec: -1.1526024834365063 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 171

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 171) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 171:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(57)	2MASS-15280703-4844433	RA: 15 28 7.0242 (232.0292675d) Dec: -48 44 43.43 (-48.74540d) Equinox: J2000	Proper Motion RA: 2.4815435122565184 mas/yr Proper Motion Dec: -1.1526024834365063 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 172

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 172) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 172:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(58)	2MASS-15384280-0907093	RA: 15 38 42.8102 (234.6783758d) Dec: -09 07 9.45 (-9.11929d) Equinox: J2000	Proper Motion RA: 0.2790079475727532 mas/yr Proper Motion Dec: -0.6383631509235429 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 173

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 173) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 173:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(58)	2MASS-15384280-0907093	RA: 15 38 42.8102 (234.6783758d) Dec: -09 07 9.45 (-9.11929d) Equinox: J2000	Proper Motion RA: 0.2790079475727532 mas/yr Proper Motion Dec: -0.6383631509235429 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 174

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 174) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 174:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(58)	2MASS-15384280-0907093	RA: 15 38 42.8102 (234.6783758d) Dec: -09 07 9.45 (-9.11929d) Equinox: J2000	Proper Motion RA: 0.2790079475727532 mas/yr Proper Motion Dec: -0.6383631509235429 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 175

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 175) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 175:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(59)	2MASS-15391359+3141165	RA: 15 39 13.5825 (234.8065937d) Dec: +31 41 16.82 (31.68801d) Equinox: J2000	Proper Motion RA: -10.31608027030003 mas/yr Proper Motion Dec: 19.417771339188263 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 176

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 176) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 176:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(59)	2MASS-15391359+3141165	RA: 15 39 13.5825 (234.8065937d) Dec: +31 41 16.82 (31.68801d) Equinox: J2000	Proper Motion RA: -10.31608027030003 mas/yr Proper Motion Dec: 19.417771339188263 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 177

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 177) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 177:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(59)	2MASS-15391359+3141165	RA: 15 39 13.5825 (234.8065937d) Dec: +31 41 16.82 (31.68801d) Equinox: J2000	Proper Motion RA: -10.31608027030003 mas/yr Proper Motion Dec: 19.417771339188263 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 178

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 178) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 178:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(60)	2MASS-15501738+0952319	RA: 15 50 17.3943 (237.5724762d) Dec: +09 52 32.05 (9.87557d) Equinox: J2000	Proper Motion RA: 2.92482043106073 mas/yr Proper Motion Dec: -1.77617392552974 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 179

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 179) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 179:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(60)	2MASS-15501738+0952319	RA: 15 50 17.3943 (237.5724762d) Dec: +09 52 32.05 (9.87557d) Equinox: J2000	Proper Motion RA: 2.92482043106073 mas/yr Proper Motion Dec: -1.77617392552974 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 180

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 180) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 180:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(60)	2MASS-15501738+0952319	RA: 15 50 17.3943 (237.5724762d) Dec: +09 52 32.05 (9.87557d) Equinox: J2000	Proper Motion RA: 2.92482043106073 mas/yr Proper Motion Dec: -1.77617392552974 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 181

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 181) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 181:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(61)	2MASS-15581025-7036476	RA: 15 58 10.2395 (239.5426646d) Dec: -70 36 47.84 (-70.61329d) Equinox: J2000	Proper Motion RA: -3.811852132268179 mas/yr Proper Motion Dec: -1.5792127489289554 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 182

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 182) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 182:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(61)	2MASS-15581025-7036476	RA: 15 58 10.2395 (239.5426646d) Dec: -70 36 47.84 (-70.61329d) Equinox: J2000	Proper Motion RA: -3.811852132268179 mas/yr Proper Motion Dec: -1.5792127489289554 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 183

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 183) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 183:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(61)	2MASS-15581025-7036476	RA: 15 58 10.2395 (239.5426646d) Dec: -70 36 47.84 (-70.61329d) Equinox: J2000	Proper Motion RA: -3.811852132268179 mas/yr Proper Motion Dec: -1.5792127489289554 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 184

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 184) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 184:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(62)	2MASS-15585297+2239240	RA: 15 58 52.9692 (239.7207050d) Dec: +22 39 23.88 (22.65663d) Equinox: J2000	Proper Motion RA: -6.73258572356414 mas/yr Proper Motion Dec: -4.70699280089038 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 185

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 185) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 185:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(62)	2MASS-15585297+2239240	RA: 15 58 52.9692 (239.7207050d) Dec: +22 39 23.88 (22.65663d) Equinox: J2000	Proper Motion RA: -6.73258572356414 mas/yr Proper Motion Dec: -4.70699280089038 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED

Observation

Proposal 7127, Observation 186

Thu Jul 10 20:00:36 GMT 2025

Diagnostic Status: Warning

Observing Template: WFSC NIRCam Fine Phasing

Diagnostics

(Observation 186) Warning (Form): Record ETC Wkbk.Calc ID used to verify target acquisition.

(Visit 186:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(62)	2MASS-15585297+2239240	RA: 15 58 52.9692 (239.7207050d) Dec: +22 39 23.88 (22.65663d) Equinox: J2000	Proper Motion RA: -6.73258572356414 mas/yr Proper Motion Dec: -4.70699280089038 mas/yr Epoch of Position: 2015.5	

Comments:
Category=Calibration
Description=[Focus test]

Acquisition

#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SAME	SUB64FP6A	F212N	RAPID	3	1	1	0.203	

Template

Module	Sensing type	Diversity	Expected No. of WFC Commands
A	Both	PM8	0

Dithers

#	Primary Dither Type
1	NONE

Spectral Elements

#	Subarray	Short Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	SUB8FP6A	F212N	RAPID	72	750	1	750	120.57	

Spectral Elements

#	Short Pupil	Short Filter	Long Pupil	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
1	WLM8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	
2	WLP8	F212N	CLEAR	F356W	RAPID	4	2	2	96.631	

Special Requirements	
	No Parallel Attachments Wavefront Sensing ROUTINE OTE Temperature Monitoring DMS Priority ELEVATED