



8758 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Cycle: 4, Proposal Category: CAL/NIRCAM

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Alicia Canipe (PI)	Space Telescope Science Institute
Dr. Martha L. Boyer (CoI)	Space Telescope Science Institute
Dr. David A. Golimowski (CoI)	Space Telescope Science Institute
Mr. Bryan Hilbert (CoI)	Space Telescope Science Institute
Dr. Armin Rest (CoI)	Space Telescope Science Institute
Dr. Karl Misselt (CoI)	University of Arizona
Dr. Anton M. Koekemoer (CoI) (Contact)	Space Telescope Science Institute
Dr. John A. Stansberry (CoI)	Space Telescope Science Institute

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
FULL monitor - Epoch 1				
	1	A	NIRCcam Dark	NONE
	2	B	NIRCcam Dark	NONE
FULL monitor - Epoch 2				
	3	A	NIRCcam Dark	NONE
	4	B	NIRCcam Dark	NONE
FULL monitor - Epoch 3				
	5	A	NIRCcam Dark	NONE
	6	B	NIRCcam Dark	NONE
Module A subarrays - Epoch 1				
	7	SUB640-210R	NIRCcam Dark	NONE
	8	SUB640-SWB	NIRCcam Dark	NONE

JWST Proposal 8758 (Created: Wednesday, March 19, 2025, 4:00:43PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	9	SUB320-335R	NIRCam Dark	NONE
	10	SUB320-430R	NIRCam Dark	NONE
	11	SUB400X256-LWB	NIRCam Dark	NONE
	12	SUB400P	NIRCam Dark	NONE
	13	SUB160P	NIRCam Dark	NONE
	14	SUB64P	NIRCam Dark	NONE
	15	SUBGRISM256	NIRCam Dark	NONE
	16	SUBGRISM128	NIRCam Dark	NONE
	17	SUBGRISM128	NIRCam Dark	NONE
	18	SUBGRISM64	NIRCam Dark	NONE
	19	SUBGRISM64	NIRCam Dark	NONE
	20	SUB160	NIRCam Dark	NONE
	21	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	22	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	23	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	24	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	25	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module A subarrays - Epoch 2				
	26	SUB640-210R	NIRCam Dark	NONE
	27	SUB640-SWB	NIRCam Dark	NONE
	28	SUB320-335R	NIRCam Dark	NONE
	29	SUB320-430R	NIRCam Dark	NONE
	30	SUB400X256-LWB	NIRCam Dark	NONE
	31	SUB400P	NIRCam Dark	NONE
	32	SUB160P	NIRCam Dark	NONE
	33	SUB64P	NIRCam Dark	NONE
	34	SUBGRISM256	NIRCam Dark	NONE
	35	SUBGRISM128	NIRCam Dark	NONE
	36	SUBGRISM128	NIRCam Dark	NONE
	37	SUBGRISM64	NIRCam Dark	NONE

JWST Proposal 8758 (Created: Wednesday, March 19, 2025, 4:00:43PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	38	SUBGRISM64	NIRCam Dark	NONE
	39	SUB160	NIRCam Dark	NONE
	40	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	41	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	42	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	43	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	44	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module A subarrays - Epoch 3				
	45	SUB640-210R	NIRCam Dark	NONE
	46	SUB640-SWB	NIRCam Dark	NONE
	47	SUB320-335R	NIRCam Dark	NONE
	48	SUB320-430R	NIRCam Dark	NONE
	49	SUB400X256-LWB	NIRCam Dark	NONE
	50	SUB400P	NIRCam Dark	NONE
	51	SUB160P	NIRCam Dark	NONE
	52	SUB64P	NIRCam Dark	NONE
	53	SUBGRISM256	NIRCam Dark	NONE
	54	SUBGRISM128	NIRCam Dark	NONE
	55	SUBGRISM128	NIRCam Dark	NONE
	56	SUBGRISM64	NIRCam Dark	NONE
	57	SUBGRISM64	NIRCam Dark	NONE
	58	SUB160	NIRCam Dark	NONE
	59	SUBGRISM256 Nout=4	NIRCam Dark	NONE
	60	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	61	SUBGRISM128 Nout=4	NIRCam Dark	NONE
	62	SUBGRISM64 Nout=4	NIRCam Dark	NONE
	63	SUBGRISM64 Nout=4	NIRCam Dark	NONE
Module B subarrays - Epoch 1				

JWST Proposal 8758 (Created: Wednesday, March 19, 2025, 4:00:43PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	64	SUB640	NIRCam Dark	NONE
	65	SUB320	NIRCam Dark	NONE
	66	SUB160	NIRCam Dark	NONE
	67	SUB400P	NIRCam Dark	NONE
	68	SUB160P	NIRCam Dark	NONE
	69	SUB64P	NIRCam Dark	NONE
Module B subarrays - Epoch 2				
	70	SUB640	NIRCam Dark	NONE
	71	SUB320	NIRCam Dark	NONE
	72	SUB160	NIRCam Dark	NONE
	73	SUB400P	NIRCam Dark	NONE
	74	SUB160P	NIRCam Dark	NONE
	75	SUB64P	NIRCam Dark	NONE
Module B subarrays - Epoch 3				
	76	SUB640	NIRCam Dark	NONE
	77	SUB320	NIRCam Dark	NONE
	78	SUB160	NIRCam Dark	NONE
	79	SUB400P	NIRCam Dark	NONE
	80	SUB160P	NIRCam Dark	NONE
	81	SUB64P	NIRCam Dark	NONE
Bad pixel monitor - Epoch 1				
	82	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 2				
	83	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 3				
	84	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 4				
	85	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 5				
	86	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 6				
	87	ALL	NIRCam Dark	NONE

JWST Proposal 8758 (Created: Wednesday, March 19, 2025, 4:00:43PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Bad pixel monitor - Epoch 7				
	88	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 8				
	89	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 9				
	90	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 10				
	91	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 11				
	92	ALL	NIRCam Dark	NONE
Bad pixel monitor - Epoch 12				
	93	ALL	NIRCam Dark	NONE
DHS Multistripe subarrays - Schedule 1st				
	94	SUB41S1 long	NIRCam Dark	NONE
	96	SUB164S4 long	NIRCam Dark	NONE
DHS Multistripe subarrays - Epoch 2				
	98	SUB41S1 long	NIRCam Dark	NONE
	100	SUB164S4 long	NIRCam Dark	NONE
DHS Multistripe subarrays - Epoch 3				
	102	SUB41S1	NIRCam Dark	NONE
	104	SUB164S4	NIRCam Dark	NONE
DHS Multistripe subarrays - Epoch 4				
	106	SUB41S1	NIRCam Dark	NONE
	107	SUB82S2	NIRCam Dark	NONE
	108	SUB164S4	NIRCam Dark	NONE
	109	SUB260S4	NIRCam Dark	NONE
DHS Multistripe subarrays - Epoch 5				
	110	SUB41S1	NIRCam Dark	NONE
	111	SUB82S2	NIRCam Dark	NONE
	112	SUB164S4	NIRCam Dark	NONE
	113	SUB260S4	NIRCam Dark	NONE
DHS Multistripe subarrays - Epoch 6				

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	114	SUB41S1	NIRCam Dark	NONE
	115	SUB82S2	NIRCam Dark	NONE
	116	SUB164S4	NIRCam Dark	NONE
	117	SUB260S4	NIRCam Dark	NONE

ABSTRACT

This program monitors the full-frame and subarray noise properties by taking dark observations throughout Cycle 4 using the equivalent of every readout pattern. The darks are set up to characterize the dark current, 1/f noise, IPC, cross-talk, and superbias. We note that the dark current itself is so low (1.9/27 e-/ks for the shortwave/longwave channel) that achieving a good S/N per pixel is prohibitive for the shortwave channel. However, hot pixels are still characterized, and the overall temporal evolution of the dark current can be monitored with the median of the full frame. Dark frames are particularly important for subarrays because of ‘glow’ from the amplifiers, which accumulates each time a pixel is read out. Since subarrays have short frametimes, the glow accumulates much faster than it does in the full frame images. The glow may produce significant structure across subarrays, and is also expected to change if the ASICs are re-tuned. For this activity, the pupil wheels will be set to the “Dark” position. We will obtain 3 epochs of darks, with a similar cadence for the full-frame and subarray darks. For Cycle 4, we include 12 epochs of short full-frame darks for each module taken every month to monitor the rate of new bad pixels. We also include 6 epochs of darks using the new DHS multistriple subarrays which will be used for creating calibration files to support processing observations taken with the new SW grism time series capability.

This calibration program is provisional and may change in response to system developments and the final Cycle 4 science program.

OBSERVING DESCRIPTION

February 2025 A. Canipe

APT allows ramps as long as 4152s, but this program restricts the full-frame Darks to 150 frames/ramp (1605s) since we generally recommend keeping ramps \sim <1500s. This will be revisited later if approved science programs in Cycle 4 require longer ramps. For FULL darks, the RAPID pattern with 150 groups can be used to reconstruct the BRIGHT1, BRIGHT2, SHALLOW2, SHALLOW4, MEDIUM2, MEDIUM8, MEDIUMDEEP2, and MEDIUMDEEP8 readout patterns since they all require <100 frames. To reconstruct the DEEP patterns, we have two options: (1) use RAPID with NGROUP=150 (to achieve DEEP2/8 with NGROUP=8, or 1520s/1583s), or (2) use DEEP2/8 with NGROUP=8 in addition to the RAPID-150 observations. The first option uses less time, the second option uses less data volume. This program is designed following the first option because, at the time of writing, the JWST pipeline requires dark reference files to be in RAPID. The large data volume in RAPID

JWST Proposal 8758 (Created: Wednesday, March 19, 2025, 4:00:43PM Eastern Standard Time) - Overview

mode requires the modules (5 detectors each) to be observed separately. The DEEP patterns (if used) can be observed using both modules simultaneously. To construct a superbias, we require multiple integrations that we will build up over Cycle 4, while also monitoring read noise. We will aim for 6 full-frame ramps in each module to decrease the noise by including 3 sets throughout Cycle 4, each with 2 integrations.

For subarrays, we use the RAPID readout pattern with enough groups to reconstruct all readout patterns in a way that reflects the science usage for the subarray. The subarrays do not produce too much data volume to preclude using larger numbers of groups (e.g., NGROUP=100). To construct a superbias for subarrays, we use 7 to 10 total integrations that will be obtained in 3 epochs. By distributing these epochs throughout Cycle 4, we can monitor changes over time. For module A, we include subarrays for: SUBP, Grism TSO, Coronagraphy, and DHS. For module B, we include subarrays for: SUBP, SUBX (extended src), and Coronagraphy. Additional redundant subarrays (e.g., Grism subarrays on module B) exist, but won't be implemented unless there is a problem with the primary module. We do not include those here.

For Cycle 4, we reduce the number of epochs of short full-frame darks (<15mins) used for bad pixel monitoring from 24 to 12, one set taken each month. By catching new bad pixels earlier in the process, we can more adequately plan for updating on-board flats as needed. We also include 6 epochs of darks using the new DHS multistripe subarrays which will be used for creating calibration files to support processing observations taken with the new SW grism time series capability. For Epochs 4 through 6, we place the SUB82S2 and SUB260S4 subarray observations on hold, since those are not currently used in the accepted proposals for this mode; however, we retain them in the program in case that changes after proposals are finalized.

TIMING CONSTRAINTS: Darks should be repeated in order to see how the noise properties depend on telescope temperature, attitude, downlink activity, cross-talk during parallels, etc. The read noise has been stable, so we require monitoring on a ~quarterly timescale to check stability. We are obtaining long darks in 3 epochs total to avoid issues with data volume. Additional epochs will be added if the darks do not prove to be stable. The short full-frame darks for bad pixel monitoring should be taken monthly to allow us to catch new bad pixels and update the on-board flats, if needed.

This calibration program is provisional and may change in response to system developments and the final Cycle 4 science program.

Proposal 8758 - Observation 1 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 1: A</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 1:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>150</td> <td>2</td> <td>1</td> <td>2</td> <td>3231.768</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	150	2	1	2	3231.768								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	150	2	1	2	3231.768																		
Special Requirements	<p>Between Dates 01-JUL-2025:00:00:00 and 31-AUG-2025:00:00:00</p> <p>Parallel</p> <p>Group Observations 1, 2 within 30 Days</p>																							

Proposal 8758 - Observation 2 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 2: B</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 2:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>150</td> <td>2</td> <td>1</td> <td>2</td> <td>3231.768</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	150	2	1	2	3231.768								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	150	2	1	2	3231.768																		
Special Requirements	<p>Between Dates 01-JUL-2025:00:00:00 and 31-AUG-2025:00:00:00</p> <p>Parallel</p> <p>Group Observations 1, 2 within 30 Days</p>																							

Proposal 8758 - Observation 3 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 3: A</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 3:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>150</td> <td>2</td> <td>1</td> <td>2</td> <td>3231.768</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	150	2	1	2	3231.768								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	150	2	1	2	3231.768																		
Special Requirements	<p>Between Dates 01-NOV-2025:00:00:00 and 31-DEC-2025:00:00:00</p> <p>Parallel</p> <p>Group Observations 3, 4 within 30 Days</p>																							

Proposal 8758 - Observation 4 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 4: B</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 4:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>150</td> <td>2</td> <td>1</td> <td>2</td> <td>3231.768</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	150	2	1	2	3231.768								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	150	2	1	2	3231.768																		
Special Requirements	<p>Between Dates 01-NOV-2025:00:00:00 and 31-DEC-2025:00:00:00</p> <p>Parallel</p> <p>Group Observations 3, 4 within 30 Days</p>																							

Proposal 8758 - Observation 5 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 5: A</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 5:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	A	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	150	2	1	2	3231.768	
Special Requirements	<p>Between Dates 01-MAR-2026:00:00:00 and 30-APR-2026:00:00:00</p> <p>Parallel</p> <p>Group Observations 5, 6 within 30 Days</p>							

Proposal 8758 - Observation 6 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 6: B</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 6:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	B	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	150	2	1	2	3231.768	
Special Requirements	<p>Between Dates 01-MAR-2026:00:00:00 and 30-APR-2026:00:00:00</p> <p>Parallel</p> <p>Group Observations 5, 6 within 30 Days</p>							

Proposal 8758 - Observation 7 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 7: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 01-JUL-2025:00:00:00 and 31-AUG-2025:00:00:00</p> <p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 8 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 8: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB640ASWB	Coronagraphy	MASKSWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 9 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 9: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB320A335R	Coronagraphy	MASK335R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 10 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 10: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 11 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 11: SUB400X256-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	7	1	7	751.656																	
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																						

Proposal 8758 - Observation 12 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 12: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 13 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 13: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 14 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 14: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 15 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 15: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 16 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 16: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 17 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 17: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	562.431																	
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																						

Proposal 8758 - Observation 18 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 18: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																						
Diagnostics	<p>(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUBGRISM64	GrismTimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	285.567																	
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																						

Proposal 8758 - Observation 19 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 19: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUBGRISM64	GrismTimeSeries		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	285.567																	
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																						

Proposal 8758 - Observation 20 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 20: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 21 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 21: SUBGRISM256 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																						
Diagnostics	<p>(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUBGRISM256	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	80	7	1	7	763.717																	
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																						

Proposal 8758 - Observation 22 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 22: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 23 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 23: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	142.005																	
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																						

Proposal 8758 - Observation 24 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 24: SUBGRISM64 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 25 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 25: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4											
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																		
A	SUBGRISM64	GrismTimeSeries		4																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	20	10	1	10	71.579																
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																					

Proposal 8758 - Observation 26 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 26: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>								Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1						
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>								#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939	
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 01-NOV-2025:00:00:00 and 31-DEC-2025:00:00:00 Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 27 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 27: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB640ASWB	Coronagraphy	MASKSWB	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	108	7	1	7	3193.939																	
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																						

Proposal 8758 - Observation 28 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 28: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB320A335R	Coronagraphy	MASK335R	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	7	1	7	755.955																	
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																						

Proposal 8758 - Observation 29 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 29: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 30 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 30: SUB400X256-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	100	7	1	7	751.656																	
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																						

Proposal 8758 - Observation 31 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 31: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 32 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 32: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	A	SUB160P	TimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	114.294	
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>							

Proposal 8758 - Observation 33 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 33: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	A	SUB64P	TimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	50.687	
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>							

Proposal 8758 - Observation 34 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 34: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 35 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 35: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 36 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 36: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 37 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 37: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 38 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 38: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 39 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 39: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 40 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 40: SUBGRISM256 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Parallel Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 41 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 41: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUBGRISM128	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	20	10	1	10	142.005																	
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																						

Proposal 8758 - Observation 42 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 42: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 43 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 43: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 44 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 44: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 45 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 45: SUB640-210R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640A210R</td> <td>Coronagraphy</td> <td>MASK210R</td> <td>1</td> </tr> </tbody> </table>								Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB640A210R	Coronagraphy	MASK210R	1						
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB640A210R	Coronagraphy	MASK210R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>								#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939	
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	108	7	1	7	3193.939																		
Special Requirements	<p>Between Dates 01-MAR-2026:00:00:00 and 30-APR-2026:00:00:00</p> <p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 46 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 46: SUB640-SWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB640ASWB</td> <td>Coronagraphy</td> <td>MASKSWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB640ASWB	Coronagraphy	MASKSWB	1												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB640ASWB	Coronagraphy	MASKSWB	1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>108</td> <td>7</td> <td>1</td> <td>7</td> <td>3193.939</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	108	7	1	7	3193.939							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	108	7	1	7	3193.939																	
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																						

Proposal 8758 - Observation 47 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 47: SUB320-335R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A335R</td> <td>Coronagraphy</td> <td>MASK335R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB320A335R	Coronagraphy	MASK335R	1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB320A335R	Coronagraphy	MASK335R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 48 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 48: SUB320-430R</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB320A430R</td> <td>Coronagraphy</td> <td>MASK430R</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB320A430R	Coronagraphy	MASK430R	1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB320A430R	Coronagraphy	MASK430R	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>755.955</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	755.955								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	755.955																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 49 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 49: SUB400X256-LWB</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400X256ALWB</td> <td>Coronagraphy</td> <td>MASKLWB</td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB400X256ALWB	Coronagraphy	MASKLWB	1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB400X256ALWB	Coronagraphy	MASKLWB	1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>751.656</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	751.656								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	751.656																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 50 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 50: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 51 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 51: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 51:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 52 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 52: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 52:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	A	SUB64P	TimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	100	10	1	10	50.687	
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>							

Proposal 8758 - Observation 53 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 53: SUBGRISM256</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 53:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>3013.635</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	3013.635								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	3013.635																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 54 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 54: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 54:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 55 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 55: SUBGRISM128</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>562.431</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	562.431								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	562.431																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 56 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 56: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 57 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 57: SUBGRISM64</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>285.567</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	285.567								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	285.567																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 58 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 58: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB160	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 59 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 59: SUBGRISM256 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 59:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM256</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM256	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM256	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>80</td> <td>7</td> <td>1</td> <td>7</td> <td>763.717</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	80	7	1	7	763.717								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	80	7	1	7	763.717																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 60 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 60: SUBGRISM128 Nout=4 Diagnostic Status: Warning Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 60:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM128	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	142.005																		
Special Requirements	<p>Parallel Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 61 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 61: SUBGRISM128 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																					
Diagnostics	<p>(Visit 61:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM128</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM128	GrismTimeSeries		4											
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																		
A	SUBGRISM128	GrismTimeSeries		4																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>142.005</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	142.005						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	20	10	1	10	142.005																
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																					

Proposal 8758 - Observation 62 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 62: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 62:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 63 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 63: SUBGRISM64 Nout=4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 63:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUBGRISM64</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUBGRISM64	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUBGRISM64	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>20</td> <td>10</td> <td>1</td> <td>10</td> <td>71.579</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	20	10	1	10	71.579								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	20	10	1	10	71.579																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 64 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 64: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 64:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB640	Imaging		1												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
B	SUB640	Imaging		1																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	40	10	1	10	1716.399																	
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																						

Proposal 8758 - Observation 65 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 65: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 65:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 66 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 66: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 66:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 67 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 67: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 67:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 68 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 68: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 68:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 69 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 69: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 69:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>Group Observations 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 64, 65, 66, 67, 68, 69 within 45 Days</p>																							

Proposal 8758 - Observation 70 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 70: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 70:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 71 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 71: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 71:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB320	Imaging		1											
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																		
B	SUB320	Imaging		1																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	100	10	1	10	1079.935																
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																					

Proposal 8758 - Observation 72 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 72: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 72:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 73 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 73: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 73:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 74 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 74: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 74:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	B	SUB160P	TimeSeries		1			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	40	10	1	10	114.294	
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>							

Proposal 8758 - Observation 75 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 75: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 75:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>Group Observations 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 70, 71, 72, 73, 74, 75 within 45 Days</p>																							

Proposal 8758 - Observation 76 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 76: SUB640</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 76:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB640</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB640	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB640	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>1716.399</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	1716.399								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	1716.399																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 77 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 77: SUB320</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 77:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB320</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB320	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB320	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>1079.935</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	1079.935								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	1079.935																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 78 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 78: SUB160</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 78:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160</td> <td>Imaging</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB160	Imaging		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB160	Imaging		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>281.478</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	281.478								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	281.478																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 79 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 79: SUB400P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 79:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB400P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB400P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB400P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>7</td> <td>1</td> <td>7</td> <td>1171.105</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	7	1	7	1171.105								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	7	1	7	1171.105																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 80 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 80: SUB160P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 80:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB160P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB160P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB160P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>40</td> <td>10</td> <td>1</td> <td>10</td> <td>114.294</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	40	10	1	10	114.294								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	40	10	1	10	114.294																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 81 - CAL-NRC-401: NIRCam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 81: SUB64P</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCam Dark</p>																							
Diagnostics	<p>(Visit 81:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>SUB64P</td> <td>TimeSeries</td> <td></td> <td>1</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	B	SUB64P	TimeSeries		1													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
B	SUB64P	TimeSeries		1																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>100</td> <td>10</td> <td>1</td> <td>10</td> <td>50.687</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	100	10	1	10	50.687								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	100	10	1	10	50.687																		
Special Requirements	<p>Parallel</p> <p>Group Observations 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 76, 77, 78, 79, 80, 81 within 45 Days</p>																							

Proposal 8758 - Observation 82 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 82: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 82:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-JUL-2025:00:00:00 and 31-JUL-2025:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 83 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 83: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 83:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-AUG-2025:00:00:00 and 31-AUG-2025:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 84 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 84: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 84:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-SEP-2025:00:00:00 and 30-SEP-2025:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 85 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 85: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 85:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-OCT-2025:00:00:00 and 31-OCT-2025:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 86 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 86: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 86:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	ALL	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	SHALLOW4	10	1	1	1	526.102	
Special Requirements	<p>Between Dates 01-NOV-2025:00:00:00 and 30-NOV-2025:00:00:00 Parallel</p>							

Proposal 8758 - Observation 87 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 87: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 87:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-DEC-2025:00:00:00 and 31-DEC-2025:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 88 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 88: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 88:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	ALL	FULL	Imaging		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	SHALLOW4	10	1	1	1	526.102	
Special Requirements	<p>Between Dates 01-JAN-2026:00:00:00 and 31-JAN-2026:00:00:00 Parallel</p>							

Proposal 8758 - Observation 89 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 89: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 89:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-FEB-2026:00:00:00 and 28-FEB-2026:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 90 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 90: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 90:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-MAR-2026:00:00:00 and 31-MAR-2026:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 91 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 91: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 91:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-APR-2026:00:00:00 and 30-APR-2026:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 92 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 92: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 92:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-MAY-2026:00:00:00 and 31-MAY-2026:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 93 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 93: ALL Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 93:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>ALL</td> <td>FULL</td> <td>Imaging</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	ALL	FULL	Imaging		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
ALL	FULL	Imaging		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SHALLOW4</td> <td>10</td> <td>1</td> <td>1</td> <td>1</td> <td>526.102</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SHALLOW4	10	1	1	1	526.102								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	SHALLOW4	10	1	1	1	526.102																		
Special Requirements	<p>Between Dates 01-JUN-2026:00:00:00 and 30-JUN-2026:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 94 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 94: SUB41S1 long Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																						
Diagnostics	(Visit 94:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB41S1_2-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB41S1_2-SPECTRA	GrismTimeSeries		4												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB41S1_2-SPECTRA	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>80</td> <td>1</td> <td>80</td> <td>1146.106</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	80	1	80	1146.106							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	64	80	1	80	1146.106																	
Special Requirements	<p>Before Date 01-AUG-2025:00:00:00 Parallel</p>																						

Proposal 8758 - Observation 96 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 96: SUB164S4 long</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 96:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 96:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB164S4_8-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB164S4_8-SPECTRA	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB164S4_8-SPECTRA	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>80</td> <td>1</td> <td>80</td> <td>4497.61</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	80	1	80	4497.61								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	64	80	1	80	4497.61																		
Special Requirements	<p>Before Date 01-AUG-2025:00:00:00</p> <p>Parallel</p>																							

Proposal 8758 - Observation 98 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 98: SUB41S1 long</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 98:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB41S1_2-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB41S1_2-SPECTRA	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB41S1_2-SPECTRA	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>40</td> <td>1</td> <td>40</td> <td>573.053</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	40	1	40	573.053								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	64	40	1	40	573.053																		
Special Requirements	<p>Between Dates 01-AUG-2025:00:00:00 and 01-SEP-2025:00:00:00</p> <p>Parallel</p>																							

Proposal 8758 - Observation 100 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 100: SUB164S4 long Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>							
Diagnostics	<p>(Visit 100:1) Warning (Form): Data Excess over lower threshold (Visit 100:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	A	SUB164S4_8-SPECTRA	GrismTimeSeries		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	64	40	1	40	2248.805	
Special Requirements	<p>Between Dates 01-AUG-2025:00:00:00 and 01-SEP-2025:00:00:00 Parallel</p>							

Proposal 8758 - Observation 102 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 102: SUB41S1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 102:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB41S1_2-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB41S1_2-SPECTRA	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB41S1_2-SPECTRA	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>40</td> <td>1</td> <td>40</td> <td>573.053</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	40	1	40	573.053								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	64	40	1	40	573.053																		
Special Requirements	<p>Between Dates 01-SEP-2025:00:00:00 and 01-OCT-2025:00:00:00</p> <p>Parallel</p>																							

Proposal 8758 - Observation 104 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 104: SUB164S4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 104:1) Warning (Form): Data Excess over lower threshold</p> <p>(Visit 104:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB164S4_8-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB164S4_8-SPECTRA	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB164S4_8-SPECTRA	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>40</td> <td>1</td> <td>40</td> <td>2248.805</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	40	1	40	2248.805								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	64	40	1	40	2248.805																		
Special Requirements	<p>Between Dates 01-SEP-2025:00:00:00 and 01-OCT-2025:00:00:00</p> <p>Parallel</p>																							

Proposal 8758 - Observation 106 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 106: SUB41S1</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 106:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB41S1_2-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB41S1_2-SPECTRA	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB41S1_2-SPECTRA	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>286.527</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	286.527								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	64	20	1	20	286.527																		
Special Requirements	<p>Between Dates 01-OCT-2025:00:00:00 and 01-DEC-2025:00:00:00</p> <p>Parallel</p>																							

Proposal 8758 - Observation 107 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 107: SUB82S2</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 107:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB82S2_4-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB82S2_4-SPECTRA	GrismTimeSeries		4											
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																		
A	SUB82S2_4-SPECTRA	GrismTimeSeries		4																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>565.819</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	565.819						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	64	20	1	20	565.819																
Special Requirements	<p>Parallel On Hold This observation has been put on hold as a contingency in the event that one of the accepted GO programs switches to this subarray and we need more calibration data.</p>																					

Proposal 8758 - Observation 108 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 108: SUB164S4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	(Visit 108:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB164S4_8-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB164S4_8-SPECTRA	GrismTimeSeries		4												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB164S4_8-SPECTRA	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>1124.403</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	1124.403							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	64	20	1	20	1124.403																	
Special Requirements	<p>Between Dates 01-OCT-2025:00:00:00 and 01-DEC-2025:00:00:00</p> <p>Parallel</p>																						

Proposal 8758 - Observation 109 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 109: SUB260S4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 109:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB260S4_8-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB260S4_8-SPECTRA	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB260S4_8-SPECTRA	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>1778.355</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	1778.355								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	64	20	1	20	1778.355																		
Special Requirements	<p>Parallel On Hold This observation has been put on hold as a contingency in the event that one of the accepted GO programs switches to this subarray and we need more calibration data.</p>																							

Proposal 8758 - Observation 110 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 110: SUB41S1 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 110:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB41S1_2-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB41S1_2-SPECTRA	GrismTimeSeries		4												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB41S1_2-SPECTRA	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>286.527</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	286.527							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	64	20	1	20	286.527																	
Special Requirements	<p>Between Dates 01-DEC-2025:00:00:00 and 01-FEB-2026:00:00:00 Parallel</p>																						

Proposal 8758 - Observation 111 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 111: SUB82S2</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 111:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB82S2_4-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB82S2_4-SPECTRA	GrismTimeSeries		4												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB82S2_4-SPECTRA	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>565.819</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	565.819							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	64	20	1	20	565.819																	
Special Requirements	<p>Parallel On Hold This observation has been put on hold as a contingency in the event that one of the accepted GO programs switches to this subarray and we need more calibration data.</p>																						

Proposal 8758 - Observation 112 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 112: SUB164S4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 112:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB164S4_8-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB164S4_8-SPECTRA	GrismTimeSeries		4												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB164S4_8-SPECTRA	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>1124.403</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	1124.403							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	64	20	1	20	1124.403																	
Special Requirements	<p>Between Dates 01-DEC-2025:00:00:00 and 01-FEB-2026:00:00:00</p> <p>Parallel</p>																						

Proposal 8758 - Observation 113 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 113: SUB260S4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 113:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB260S4_8-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB260S4_8-SPECTRA	GrismTimeSeries		4											
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																		
A	SUB260S4_8-SPECTRA	GrismTimeSeries		4																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>1778.355</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	1778.355						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	64	20	1	20	1778.355																
Special Requirements	<p>Parallel On Hold This observation has been put on hold as a contingency in the event that one of the accepted GO programs switches to this subarray and we need more calibration data.</p>																					

Proposal 8758 - Observation 114 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 114: SUB41S1 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																							
Diagnostics	<p>(Visit 114:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																							
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB41S1_2-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB41S1_2-SPECTRA	GrismTimeSeries		4													
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																				
A	SUB41S1_2-SPECTRA	GrismTimeSeries		4																				
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>286.527</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	286.527								
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																	
1	RAPID	64	20	1	20	286.527																		
Special Requirements	<p>Between Dates 01-FEB-2026:00:00:00 and 01-APR-2026:00:00:00 Parallel</p>																							

Proposal 8758 - Observation 115 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 115: SUB82S2 Diagnostic Status: Warning Observing Template: NIRCcam Dark</p>																					
Diagnostics	<p>(Visit 115:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																					
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB82S2_4-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB82S2_4-SPECTRA	GrismTimeSeries		4											
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																		
A	SUB82S2_4-SPECTRA	GrismTimeSeries		4																		
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>565.819</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	565.819						
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID															
1	RAPID	64	20	1	20	565.819																
Special Requirements	<p>Parallel On Hold This observation has been put on hold as a contingency in the event that one of the accepted GO programs switches to this subarray and we need more calibration data.</p>																					

Proposal 8758 - Observation 116 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 116: SUB164S4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>							
Diagnostics	(Visit 116:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Template	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels			
	A	SUB164S4_8-SPECTRA	GrismTimeSeries		4			
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	RAPID	64	20	1	20	1124.403	
Special Requirements	<p>Between Dates 01-FEB-2026:00:00:00 and 01-APR-2026:00:00:00</p> <p>Parallel</p>							

Proposal 8758 - Observation 117 - CAL-NRC-401: NIRCcam Dark Current and Read-Noise Monitor

Wed Mar 19 21:00:44 GMT 2025

Observation	<p>Proposal 8758, Observation 117: SUB260S4</p> <p>Diagnostic Status: Warning</p> <p>Observing Template: NIRCcam Dark</p>																						
Diagnostics	<p>(Visit 117:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																						
Template	<table border="1"> <thead> <tr> <th>Module</th> <th>Subarray</th> <th>Science Template</th> <th>Occulting Mask</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>SUB260S4_8-SPECTRA</td> <td>GrismTimeSeries</td> <td></td> <td>4</td> </tr> </tbody> </table>	Module	Subarray	Science Template	Occulting Mask	No. of Output Channels	A	SUB260S4_8-SPECTRA	GrismTimeSeries		4												
Module	Subarray	Science Template	Occulting Mask	No. of Output Channels																			
A	SUB260S4_8-SPECTRA	GrismTimeSeries		4																			
Spectral Elements	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>RAPID</td> <td>64</td> <td>20</td> <td>1</td> <td>20</td> <td>1778.355</td> <td></td> </tr> </tbody> </table>	#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	RAPID	64	20	1	20	1778.355							
#	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																
1	RAPID	64	20	1	20	1778.355																	
Special Requirements	<p>Parallel On Hold This observation has been put on hold as a contingency in the event that one of the accepted GO programs switches to this subarray and we need more calibration data.</p>																						