



1324 - Through the looking GLASS: a JWST exploration of galaxy formation and evolution from cosmic dawn to present day

Cycle: 1, Proposal Category: ERS

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Prof. Tommaso L. Treu (PI)	University of California - Los Angeles	tt@astro.ucla.edu
Dr. Louis Evan Abramson (CoI)	Carnegie Institution of Washington	labramson@carnegiescience.edu
Prof. Marusa Bradac (CoI)	University of Ljubljana, Dept. of Physics	marusa@physics.ucdavis.edu
Dr. Gabriel Brammer (CoI) (ESA Member)	University of Copenhagen, Niels Bohr Institute	gabriel.brammer@nbi.ku.dk
Dr. Adriano Fontana (CoI) (ESA Member)	INAF, Osservatorio Astronomico di Roma	adriano.fontana@inaf.it
Dr. Alaina L. Henry (CoI)	Space Telescope Science Institute	ahenry@stsci.edu
Dr. Kuang-Han Huang (CoI)	University of California - Davis	khhuang@ucdavis.edu
Mr. Austin Hoag (CoI)	University of California - Los Angeles	hoag@ms.physics.ucdavis.edu
Dr. Charlotte Mason (CoI) (ESA Member)	University of Copenhagen, Niels Bohr Institute	charlotte.mason@nbi.ku.dk
Dr. Takahiro Morishita (CoI)	California Institute of Technology	takahiro@ipac.caltech.edu
Dr. Laura Pentericci (CoI) (ESA Member)	INAF, Osservatorio Astronomico di Roma	laura.pentericci@inaf.it
Dr. Xin Wang (CoI)	University of Chinese Academy of Sciences	albertfxwang@gmail.com

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
NIRISS Prime NIRCAM Parallel Abell 2744				
	1	A2744	NIRISS Wide Field Slitless Spectroscopy	(1) ABELL2744
NIRISS Prime NIRCAM Parallel Abell 2744 - WOPR				
	7	A2744	NIRISS Wide Field Slitless Spectroscopy	(1) ABELL2744
NIRSpec Prime NIRCAM Parallel				
	6	FinalPlan_270922	NIRSpec MultiObject Spectroscopy	(2) MPTCAT092722

ABSTRACT

We propose a carefully designed set of observations of the lensing cluster Abell 2744 to study intrinsically faint magnified galaxies from the epoch of reionization to redshift of 1, demonstrating and characterizing complementary spectroscopic modes with NIRSPEC and NIRISS. The observations are designed to address the questions: 1) when did reionization happen and what were the sources of reionizing photons? 2) How do baryons cycle in and out of galaxies? This dataset with deep spectroscopy on the cluster and deep multiband NIRCAM imaging in parallel will enable a wealth of investigations and will thus be of interest to a broad section of the astronomical community.

The dataset will illustrate the power and challenges of: 1) combining rest frame UV and optical NIRSPEC spectroscopy for galaxies at the epoch of reionization, 2) obtaining spatially resolved emission line maps with NIRISS, 3) combining NIRISS and NIRSPEC spectroscopy. Building on our extensive experience with HST slitless spectroscopy and imaging in clusters of galaxies as part of the GLASS, WISP, SURFSUP, and ASTRODEEP projects, we will provide the following science-enabling products to the community: 1) quantitative comparison of spatially resolved (NIRISS) and spectrally resolved (NIRSPEC) spectroscopy, 2) Object based interactive exploration tools for multi-instrument datasets, 3) Interface for easy forced extraction of slitless spectra based on coordinates, 4) UV-optical spectroscopic templates of high redshift galaxies, 5) NIRCAM parallel catalogs and a list of 26 $z \geq 9$ dropouts for spectroscopic follow-up in Cycle-2.

This proposal is the follow-up to NoI number 26.

OBSERVING DESCRIPTION

We will target the Frontier Field Cluster, Abell 2744, using both NIRISS and NIRSPEC. In each case, observations include NIRCAM parallel imaging. The details of the observations are given below.

NIRSPEC + NIRCAM parallels:

Our science requires 5 hours of exposure in each of the three high-resolution gratings: G140H/F100LP, G235H/F170LP, and G395H/F290LP. In order to create MOS configurations, we compiled a catalog of photometrically selected and spectroscopically confirmed objects in Abell 2744. These include objects selected in the WFC3 Frontier Field footprint and MUSE catalogs, supplemented by galaxies in the ACS field. Since the ACS field is well-matched to the size of the micro shutter array (MSA), we are able to make efficient use of the MOS multiplexing. The targets in the catalog were weighted, with higher redshift objects given greater priority. In total, our catalog has 512 galaxies, and 35 "positions" marking intercluster light (a lower priority).

JWST Proposal 1324 (Created: Monday, October 24, 2022 at 5:00:38 PM Eastern Standard Time) - Overview

We use the MSA planning tool to design the MOS configurations and create the observations. First, we select our entire catalog as the source of primary targets, and do not include secondary targets. We carried out several tests using subsets of the catalog as primary and filler targets and we find no difference. As a corollary, we note that all MOS observed targets are completed in all exposures, rather than a subset of the nods. Second, we use a three shutter slitlet with the "Entire Open Shutter Area" source centering constraint. This relaxed constraint improves multiplexing, and since our sources are extended, there is little additional loss from objects being off-center in their slits.

For dithering, we choose to nod in the 3-shutter slitlet. While the standard pipeline subtraction of each nod may be inappropriate for extended galaxies, we can still add the nods to obtain dithered data, and use non-local background subtraction. This approach has less overhead and maximizes multiplexing efficiency, compared to the fixed or flexible dithering options that require additional MSA configurations. At the time of flight-ready program submission, we will include extra background shutters in empty parts of the MSA, in order to ensure reliable background subtraction. We will also obtain an additional small sub-shutter dither ("2-POINT-WITH-NIRCAM-SIZE2") in each exposure, in order to improve PSF sampling of our NIRCAM parallel imaging.

We set up our NIRSPEC exposures using NRSIRS2, which is recommended for deep observations. Each NIRSPEC band is given 20 Groups, 1 integration, and 2 exposures. This gives six exposure slots, for which we plan NIRCAM imaging parallels. Packing the NIRSPEC observations as 20 Groups, 2 integrations, and 1 exposure would reduce exposure setup overhead, but would not provide sufficient flexibility for our seven bands of parallel imaging. For NIRSPEC, each dither/nod point is then 1473.5 seconds; with 3 nods, 2 sub-shutter dithers, and 2 separate exposures, the total time per band is 1473.5 seconds times 12, or 4.9 hours.

We define the NIRCAM parallel imaging, adding F090W + F444W in parallel to exposures 1 and 2, F115W + F444W in parallel to exposures 3 and 4, F150W + F277W in parallel to exposure 5, and F200W+F356W in parallel to exposure 6. In each, we use the DEEP8 readout pattern, with 7 groups and 1 integration. Each of the six exposure slots contain 8,310 seconds of imaging. In this way, we will obtain 4.6 hours each of F090W and F115W, 2.3 hours in F150W, F200W, and F356W, and 9.2 hours in F444W, reaching AB magnitudes limits of ~ 29.4 in each filter.

Finally, we note that multiple NIRSPEC APAs were tested, in order to ensure that our proposal was not sensitive to varying orient. We find 44-48 targets are observed in all orientations. Fortuitously, during the ERS period, the visible angles for Abell 2744 align the axes of the NIRSPEC MSA with the ACS footprint. Following the currently recommended practice, we do not define target acquisition (TA) at the time of proposal submission. Since the targeted galaxy cluster contains many compact, early-type galaxies in HST imaging, we anticipate that these will serve as reasonable TA sources, should stars prove to be insufficient.

NIRISS + NIRCAM parallels:

We will observe the cluster fields with NIRISS direct imaging and the two orthogonal R=150 grisms in three broad-band filters F115W, F150W and F200W to cover the wavelength range 1 to 2.2 micron. The total exposure time per filter per grism is divided into 4 exposures of 1300s each with small dithers between them, using both GR150R and GR150C grisms, for a total of 2.9 hours per filter. As part of the Wide Field Slitless Spectroscopy (WFSS) observing sequence we obtain four direct images per filter (before and after each orthogonal grism with extra dithers to cover the FOV of both grisms) of 350s each for a total observing time of 2830s per filter, used to determine the flux, trace position and wavelength in the grism data. Grism continuum sensitivity at 3-sigma per pixel is AB=26.3, 26.0, 25.5 in F115W, F150W, F200W. Sensitivity limits for spatially-resolved information will be correspondingly shallower due to the larger area over which flux is distributed. Direct imaging sensitivity is 28.6AB in F115W, 28.7AB in F150W, and 28.9 in F200W (5 sigma).

In parallel with NIRISS observations, we include NIRCAM imaging. In the LW arm of NIRCAM, we use the three wide filters F277W, F356W and F444W. The simultaneous NIRCAM SW filters are F090W, F115W, F150W, F200W. For each direct image exposure (2 per grism angle per filter) in NIRISS we observe with one SW and one LW NIRCAM filter in 6 groups of 311s each dither with the SHALLOW4 readout mode, and during each NIRISS grism exposure (6 exposures with small dithers) we observe with NIRCAM for 6 groups totalling 4640s in the DEEP8 readout mode. In total, we observe with F444W for ~6.5 hours, F090W and F115W for a total of ~3.2 hours each, F150W and F356W ~1.7 hours each, and F200W and F277W for ~1.5 hours. Based on the pre-launch ETC v.1.7, with this strategy we expect to reach 5-sigma point source AB magnitude limits of ~29.0-29.5 in each filter.

Proposal 1324 - Targets - Through the looking GLASS: a JWST exploration of galaxy formation and evolution from cosmic dawn to pr...

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	ABELL2744	RA: 00 14 22.6373 (3.5943221d) Dec: -30 23 44.50 (-30.39569d) Equinox: J2000 <i>Comments:</i> Category=Clusters of Galaxies Description=[Abell clusters]		
(2)	MPTCAT092722	RA: 00 14 20.7167 (3.5863196d) Dec: -30 23 46.63 (-30.39629d) Equinox: J2000 <i>Comments:</i> Description=[]			

Proposal 1324 - Observation 1 - Through the looking GLASS: a JWST exploration of galaxy formation and evolution from cosmic daw...

Mon Oct 24 22:00:38 GMT 2022

Observation	Proposal 1324, Observation 1: A2744 Diagnostic Status: Warning Observing Template: NIRISS Wide Field Slitless Spectroscopy Coordinated Parallel Template(s): NIRCам Imaging											
	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(1)	ABELL2744	RA: 00 14 22.6373 (3.5943221d) Dec: -30 23 44.50 (-30.39569d) Equinox: J2000									
Template	NIRISS Wide Field Slitless Spectroscopy						NIRCам Imaging					
							Module: ALL Subarray: FULL					
Dithers	#	Image Dithers					Pattern Size					
	1	4					MEDIUM					
Direct Image	NIRISS Wide Field Slitless Spectroscopy	Exposure Type	Filter	Grism	Readout Pattern	Groups/Int	Integrations/Exp	Two Extra Dithers	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	DIRECT	F115W		NIS	8	1	YES	1	1	354.313	
	2	DIRECT	F115W		NIS	8	1	YES	4	4	1417.254	
	3	DIRECT	F115W		NIS	8	1	YES	3	3	1062.94	
	4	DIRECT	F150W		NIS	8	1	YES	1	1	354.313	
	5	DIRECT	F150W		NIS	8	1	YES	4	4	1417.254	
	6	DIRECT	F150W		NIS	8	1	YES	3	3	1062.94	
	7	DIRECT	F200W		NIS	8	1	YES	1	1	354.313	
	8	DIRECT	F200W		NIS	8	1	YES	4	4	1417.254	
	9	DIRECT	F200W		NIS	8	1	YES	3	3	1062.94	
Spectral Elements	NIRISS Wide Field Slitless Spectroscopy	Exposure Type	Filter	Grism	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	
	1	GRISM	F115W	GR150R	NIS	30	1	4	4	5196.597		
	2	GRISM	F115W	GR150C	NIS	30	1	4	4	5196.597		
	3	GRISM	F150W	GR150R	NIS	30	1	4	4	5196.597		
	4	GRISM	F150W	GR150C	NIS	30	1	4	4	5196.597		
	5	GRISM	F200W	GR150R	NIS	30	1	4	4	5196.597		
	6	GRISM	F200W	GR150C	NIS	30	1	4	4	5196.597		

Proposal 1324 - Observation 1 - Through the looking GLASS: a JWST exploration of galaxy formation and evolution from cosmic daw...

	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	ETC Wkbk.Calc ID
Spectral Elements	1	F090W	F444W	SHALLOW4	6	1	1	1	311.366	
	2	F090W	F444W	DEEP8	6	1	4	4	4638.285	
	3	F090W	F444W	SHALLOW4	6	1	4	4	1245.465	
	4	F090W	F444W	DEEP8	6	1	4	4	4638.285	
	5	F090W	F444W	SHALLOW4	6	1	3	3	934.099	
	6	F115W	F444W	SHALLOW4	6	1	1	1	311.366	
	7	F115W	F444W	DEEP8	6	1	4	4	4638.285	
	8	F115W	F444W	SHALLOW4	6	1	4	4	1245.465	
	9	F115W	F444W	DEEP8	6	1	4	4	4638.285	
	10	F115W	F444W	SHALLOW4	6	1	3	3	934.099	
	11	F150W	F356W	SHALLOW4	6	1	1	1	311.366	
	12	F150W	F356W	DEEP8	6	1	4	4	4638.285	
	13	F150W	F356W	SHALLOW4	6	1	4	4	1245.465	
	14	F200W	F277W	DEEP8	6	1	4	4	4638.285	
	15	F200W	F277W	SHALLOW4	6	1	3	3	934.099	
Special Requirements	No Parallel									
	Same Aperture PA 1, 7									

Proposal 1324 - Observation 7 - Through the looking GLASS: a JWST exploration of galaxy formation and evolution from cosmic daw...

Mon Oct 24 22:00:38 GMT 2022

Observation	Proposal 1324, Observation 7: A2744 Diagnostic Status: Warning Observing Template: NIRISS Wide Field Slitless Spectroscopy Coordinated Parallel Template(s): NIRCам Imaging											
	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(1)	ABELL2744	RA: 00 14 22.6373 (3.5943221d) Dec: -30 23 44.50 (-30.39569d) Equinox: J2000									
<i>Comments:</i> Category=Clusters of Galaxies Description=[Abell clusters]												
Template	NIRISS Wide Field Slitless Spectroscopy						NIRCам Imaging					
							Module: ALL Subarray: FULL					
Dithers	#	Image Dithers						Pattern Size				
	1	4						MEDIUM				
Direct Image	NIRISS Wide Field Slitless Spectroscopy	Exposure Type	Filter	Grism	Readout Pattern	Groups/Int	Integrations/Exp	Two Extra Dithers	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	DIRECT	F115W		NIS	8	1	YES	1	1	354.313	
	2	DIRECT	F115W		NIS	8	1	YES	4	4	1417.254	
	3	DIRECT	F115W		NIS	8	1	YES	3	3	1062.94	
	4	DIRECT	F150W		NIS	8	1	YES	1	1	354.313	
	5	DIRECT	F150W		NIS	8	1	YES	4	4	1417.254	
	6	DIRECT	F150W		NIS	8	1	YES	3	3	1062.94	
Spectral Elements	NIRISS Wide Field Slitless Spectroscopy	Exposure Type	Filter	Grism	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	
	1	GRISM	F115W	GR150R	NIS	30	1	4	4	5196.597		
	2	GRISM	F115W	GR150C	NIS	30	1	4	4	5196.597		
	3	GRISM	F150W	GR150R	NIS	30	1	4	4	5196.597		
	4	GRISM	F150W	GR150C	NIS	30	1	4	4	5196.597		

Proposal 1324 - Observation 7 - Through the looking GLASS: a JWST exploration of galaxy formation and evolution from cosmic daw...

	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	ETC Wkbk.Calc ID
Spectral Elements	1	F090W	F356W	SHALLOW4	6	1	1	1	311.366	
	2	F090W	F356W	DEEP8	6	1	4	4	4638.285	
	3	F090W	F444W	SHALLOW4	6	1	4	4	1245.465	
	4	F090W	F444W	DEEP8	6	1	4	4	4638.285	
	5	F090W	F444W	SHALLOW4	6	1	3	3	934.099	
	6	F115W	F277W	SHALLOW4	6	1	1	1	311.366	
	7	F115W	F277W	DEEP8	6	1	4	4	4638.285	
	8	F115W	F444W	SHALLOW4	6	1	4	4	1245.465	
	9	F115W	F444W	DEEP8	6	1	4	4	4638.285	
	10	F115W	F444W	SHALLOW4	6	1	3	3	934.099	
Special Requirements	No Parallel									
	Same Aperture PA 1, 7									

Proposal 1324 - Observation 6 - Through the looking GLASS: a JWST exploration of galaxy formation and evolution from cosmic daw...

Mon Oct 24 22:00:38 GMT 2022

Observation	Proposal 1324, Observation 6: FinalPlan_270922 Diagnostic Status: Warning Observing Template: NIRSpec MultiObject Spectroscopy Coordinated Parallel Template(s): NIRCam Imaging										
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(2)	MPTCAT092722	RA: 00 14 20.7167 (3.5863196d) Dec: -30 23 46.63 (-30.39629d) Equinox: J2000								
<i>Comments: Description=[]</i>											
Acquisition	NIRSpec MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	Filter: F110W; Readout: NRSRAPIDD6; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F110W	Auto Acq MSA Config	NRSRAPIDD6	3	1	4	687.153	
Template	NIRSpec MultiObject Spectroscopy					NIRCam Imaging					
	TA Method: MSATA Obtain Confirmation Images: No Science Aperture: MSA Center Primary Candidate List: Primary (663 sources) Filler Candidate List: Filler (3013 sources) Spectral Overlap Map: jwst-nirspec-hr Spectral Overlap Threshold: 1.5					Module: ALL Subarray: FULL					
Reference Stars	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude	
	1	320023	3.610363	-30.414991	22.82354545593261 7	1	320089	3.570270	-30.387376	23.94972991943359 4	
	1	320031	3.582012	-30.423828	23.36301040649414	1	320100	3.608385	-30.387633	21.39690399169922	
	1	320033	3.607680	-30.419696	22.43421554565429 7	1	320121	3.574065	-30.414680	23.74800872802734 4	
	1	320037	3.608209	-30.409855	21.32521820068359 4	1	320126	3.574579	-30.415319	23.76030731201172	
Dithers	#	Dither Type									
	1	2-POINT-WITH-NIRCam-SIZE2									

Proposal 1324 - Observation 6 - Through the looking GLASS: a JWST exploration of galaxy formation and evolution from cosmic daw...

	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
Spectral Elements	1	1 (G140H/F100LP)	c1-2	3 Shutter Slitlet	3.59532875 Degrees - 30.403127777777 797 Degrees	181.76845029046 868			6	6	8840.867
	2	2 (G140H/F100LP)	c1-2	3 Shutter Slitlet	3.59532875 Degrees - 30.403127777777 797 Degrees	181.76845029046 868			6	6	8840.867
	3	3 (G235H/F170LP)	c1-2	3 Shutter Slitlet	3.59532875 Degrees - 30.403127777777 797 Degrees	181.76845029046 868			6	6	8840.867
	4	4 (G235H/F170LP)	c1-2	3 Shutter Slitlet	3.59532875 Degrees - 30.403127777777 797 Degrees	181.76845029046 868			6	6	8840.867
	5	5 (G395H/F290LP)	c1-2	3 Shutter Slitlet	3.59532875 Degrees - 30.403127777777 797 Degrees	181.76845029046 868			6	6	8840.867
	6	6 (G395H/F290LP)	c1-2	3 Shutter Slitlet	3.59532875 Degrees - 30.403127777777 797 Degrees	181.76845029046 868			6	6	8840.867
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	ETC Wkbk.Calc ID	
	1	F090W	F444W	DEEP8	7	1	6	6	8245.839		
	2	F090W	F444W	DEEP8	7	1	6	6	8245.839		
	3	F115W	F444W	DEEP8	7	1	6	6	8245.839		
	4	F115W	F444W	DEEP8	7	1	6	6	8245.839		
	5	F150W	F277W	DEEP8	7	1	6	6	8245.839		
6	F200W	F356W	DEEP8	7	1	6	6	8245.839			
Special Requirements	No Parallel On Hold for orient assignment MSA Scheduled Aperture PA 181.7729877 to 181.7729877 Degrees (V3 43.198418 to 43.198418)										