



# 1366 - The Transiting Exoplanet Community Early Release Science Program

Cycle: 1, Proposal Category: ERS

## INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
<b>Dr. Natalie Batalha (PI)</b>	<b>University of California - Santa Cruz</b>	<b>natalie.batalha@ucsc.edu</b>
Dr. Kevin Stevenson (CoI) (CoPI)	The Johns Hopkins University Applied Physics Laboratory	kevin.stevenson@jhuapl.edu
Prof. Jacob L. Bean (CoI) (CoPI)	University of Chicago	jbean@astro.uchicago.edu
Prof. David K. Sing (CoI)	The Johns Hopkins University	dsing@jhu.edu
Dr. Michael Line (CoI)	Arizona State University	mrline@asu.edu
Dr. Heather A. Knutson (CoI)	California Institute of Technology	hknutson@caltech.edu
Dr. Laura Kreidberg (CoI) (ESA Member)	Max Planck Institute for Astronomy	kreidberg@mpia.de
Prof. Jean-Michel Desert (CoI) (ESA Member)	Universiteit van Amsterdam	desert@uva.nl
Dr. Hannah Wakeford (CoI) (ESA Member)	University of Bristol	hannah.wakeford@bristol.ac.uk
Dr. Nicolas Michael Crouzet (CoI) (ESA Member)	European Space Agency - ESTEC	ncrouzet@iac.es
Dr. Julianne I. Moses (CoI)	Space Science Institute	jmoses@spacescience.org
Prof. Bjorn Benneke (CoI) (CSA Member)	Universite de Montreal	bbenneke@astro.umontreal.ca
Prof. Eliza M.-R. Kempton (CoI)	University of Maryland	ekempton@astro.umd.edu
Dr. Mercedes Lopez-Morales (CoI)	Smithsonian Institution Astrophysical Observatory	mlopez-morales@cfa.harvard.edu
Dr. Zach K. Berta-Thompson (CoI)	University of Colorado at Boulder	zach.bertathompson@colorado.edu
Dr. Munazza Alam (CoI)	Carnegie Institution of Washington	malam@carnegiescience.edu
Dr. Natasha Batalha (CoI)	NASA Ames Research Center	natasha.e.batalha@nasa.gov
Dr. Jasmina Blečić (CoI)	New York University	jasmina@nyu.edu
Dr. Giovanni Bruno (CoI) (ESA Member)	INAF, Osservatorio Astrofisico di Catania	giovanni.bruno@inaf.it
Aarynn Carter (CoI)	University of California - Santa Cruz	aarynn.carter@ucsc.edu
Mr. John Chapman (CoI)	Jet Propulsion Laboratory	john.w.chapman@jpl.nasa.gov
Leen Decin (CoI) (ESA Member)	Institute of Astronomy, KU Leuven	leen.decin@kuleuven.be

JWST Proposal 1366 (Created: Friday, July 1, 2022 at 5:00:59 PM Eastern Standard Time) - Overview

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Prof. Brice-Olivier Demory (CoI) (ESA Member)	University of Bern	brice.demory@csh.unibe.ch
Dr. Diana Dragomir (CoI)	University of New Mexico	dragomir@unm.edu
Dr. Thomas Mikal-Evans (CoI) (ESA Member)	Max Planck Institute for Astronomy	tmevans@mpia.de
Prof. Jonathan Fortney (CoI)	University of California - Santa Cruz	jfortney@ucsc.edu
Dr. Jonathan Fraine (CoI)	Space Science Institute	jfraine@spacescience.org
Dr. Peter Gao (CoI)	Carnegie Institution of Washington	pgao@carnegiescience.edu
Dr. Antonio Garcia Munoz (CoI) (ESA Member)	CEA, Universite Paris-Saclay	antonio.garciamunoz@cea.fr
Dr. Neale Gibson (CoI) (ESA Member)	University of Dublin, Trinity College	n.gibson@tcd.ie
Dr. Jayesh Goyal (CoI)	Cornell University	jgoyal@astro.cornell.edu
Dr. Joseph Harrington (CoI)	University of Central Florida Board of Trustees	jh@physics.ucf.edu
Prof. Kevin Heng (CoI) (ESA Member)	University of Bern	kevinheng@gmail.com
Dr. Renyu Hu (CoI)	Jet Propulsion Laboratory	renyu.hu@jpl.nasa.gov
Dr. Brian Kilpatrick (CoI)	Space Telescope Science Institute	brian@planetkil.com
Dr. Jessica Krick (CoI)	California Institute of Technology	jkrick@ipac.caltech.edu
Dr. Pierre-Olivier Lagage (CoI) (ESA Member)	Commissariat a l'Energie Atomique (CEA)	pierre-olivier.lagage@cea.fr
Prof. Monika Lendl (CoI) (ESA Member)	University of Geneva, Department of Astronomy	monika.lendl@unige.ch
Dr. Tom Louden (CoI) (ESA Member)	The University of Warwick	t.m.louden@warwick.ac.uk
Dr. Nikku Madhusudhan (CoI) (ESA Member)	University of Cambridge	nmadhu@ast.cam.ac.uk
Dr. Avi Mandell (CoI)	NASA Goddard Space Flight Center	avram.m.mandell@nasa.gov
Dr. Erin M May (CoI)	The Johns Hopkins University Applied Physics Laboratory	erin.may@jhuapl.edu
Dr. Giuseppe Morello (CoI) (ESA Member)	Instituto de Astrofisica de Canarias	gmorello@iac.es
Dr. Caroline Morley (CoI)	University of Texas at Austin	cmorley@utexas.edu
Dr. Nikolay Nikolov (CoI)	Space Telescope Science Institute	nnikolov@stsci.edu
Dr. Vivien Parmentier (CoI) (ESA Member)	University of Oxford	vivien.parmentier@physics.ox.ac.uk
Dr. Seth Redfield (CoI)	Wesleyan University	sredfield@wesleyan.edu
Dr. Jessica Libby-Roberts (CoI)	The Pennsylvania State University	jer5346@psu.edu
Everett Schlawin (CoI)	University of Arizona	eas342@email.arizona.edu
Jessica Spake (CoI)	California Institute of Technology	jspake@caltech.edu
Dr. Adam Showman (CoI)	University of Arizona	showman@lpl.arizona.edu
Dr. Mark Raboin Swain (CoI)	Jet Propulsion Laboratory	mark.r.swain@jpl.nasa.gov
Dr. Kamen Todorov (CoI) (ESA Member)	Universiteit van Amsterdam	kamen.o.todorov@gmail.com
Dr. Angelos Tsiaras (CoI) (ESA Member)	University College London (UCL)	angelos.tsiaras.14@ucl.ac.uk

JWST Proposal 1366 (Created: Friday, July 1, 2022 at 5:00:59 PM Eastern Standard Time) - Overview

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Dr. Olivia Venot (CoI) (ESA Member)	Laboratoire Interuniversitaire des Systèmes Atmosphériques	olivia.venot@lisa.u-pec.fr
William Waalkes (CoI)	University of Colorado at Boulder	william.waalkes@colorado.edu
Prof. Peter J. Wheatley (CoI) (ESA Member)	The University of Warwick	p.j.wheatley@warwick.ac.uk
Dr. Rob Zelle (CoI)	Jet Propulsion Laboratory	robert.t.zelle@jpl.nasa.gov
Dr. Ian Crossfield (CoI)	University of Kansas Center for Research, Inc.	ianc@ku.edu
Sarah Kendrew (CoI)	Space Telescope Science Institute - ESA - JWST	skendrew@stsci.edu
Dr. Megan Mansfield (CoI)	University of Arizona	meganmansfield@arizona.edu

**OBSERVATIONS**

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Transmission - WASP-39b				
	1	NIRISS SOSS	NIRISS Single-Object Slitless Spectroscopy	(1) WASP-39
	2	NIRCam F322W2	NIRCam Grism Time Series	(1) WASP-39
	3	NIRSpec G395H	NIRSpec Bright Object Time Series	(1) WASP-39
	4	NIRSpec PRISM	NIRSpec Bright Object Time Series	(1) WASP-39
Phase Curve - WASP-43b				
	11	MIRI LRS Phase Curve	MIRI Low Resolution Spectroscopy	(2) WASP-43
Bright Object - WASP-18b				
	21	NIRISS SOSS Eclipse	NIRISS Single-Object Slitless Spectroscopy	(3) WASP-18

**ABSTRACT**

JWST presents the opportunity to transform our understanding of planets and the origins of life by revealing the atmospheric compositions, structures, and dynamics of transiting exoplanets in unprecedented detail. However, the high-precision, time-series observations required for such investigations have unique technical challenges, and our prior experience with HST, Spitzer, and Kepler indicates that there will be a steep learning curve when JWST becomes operational.

We propose an ERS program to accelerate the acquisition and diffusion of technical expertise for transiting exoplanet observations with JWST. This program will also provide a compelling set of representative datasets, which will enable immediate scientific breakthroughs. We will exercise the time-series modes of all four instruments that have been identified as the consensus highest priority by the community, observe the full suite of transiting planet characterization geometries (transits, eclipses, and phase curves), and target planets with host stars that span an illustrative range of

brightnesses. The proposed observations were defined through an inclusive and transparent process that had participation from JWST instrument experts and international leaders in transiting exoplanet studies. The targets have been vetted with previous measurements, will be observable early in the mission, and have exceptional scientific merit. We will engage the community with a two-phase Data Challenge that culminates with the delivery of planetary spectra, time-series instrument performance reports, and open-source data analysis toolkits.

Co-PIs: Natalie Batalha, Jacob Bean, & Kevin Stevenson

NOI reference number: 179

## **OBSERVING DESCRIPTION**

As laid out more fully in the following sections, observations of the atmospheres of transiting exoplanets should be a major component of the JWST mission. However, as high-contrast targets, they pose one of the greatest observational challenges in modern astronomy. We will perform time-series observations of three exoplanets to address the most pressing technical issues in this area: characterization of instrument systematics on the variety of timescales relevant for transiting planet observations, cross-checking and validation of instrument performance at overlapping wavelengths, and identification of instrumental noise floors. To achieve this, the proposed program uses three modes of exoplanet characterization, including:

- 1) Transit observations of WASP-39b using all three NIR instruments and four unique modes that yield overlapping wavelength coverage,
- 2) A single phase curve observation of WASP-43b using MIRI/LRS, and
- 3) A secondary eclipse observation using NIRISS/SOSS of WASP-18b, whose host star is bright.

The fundamental parameter that determines the length of our time-series observations is the transit duration. Additionally, for each visit, we will require a few hours of baseline both before and after the transit to identify and effectively model any instrument systematics. Such systematics typically introduce red noise, which can occur on varying timescales and requires longer observational baselines to identify, characterize, and remove. We compute the exposure times and signal-to-noise ratio (SNR) for each observation based on the JWST ETC and PandExo estimates. We require a total of 80.4 hours (including overheads) for the given primary targets, but request some flexibility (either more or less time) should a delay in the launch schedule require that alternative targets be selected. Below we describe the technical details of each observation. We have vetted all primary and alternative targets with the available target overlap tools to minimize contamination from nearby stars.

- 1) Four primary transit observations of WASP-39b using NIRISS/SOSS, NIRCам/F322W2, NIRSpec/G395H, and NIRSpec/PRISM:

The NIRISS/SOSS observations use the GR700XD grism (in combination with a clear filter) to obtain spectroscopy from 0.6-2.8 microns. Since our primary target has a  $K_{mag}$  of 10.2, we will use the “nominal” SUBSTRIP256 subarray, which is 256x2048 pixels, to acquire both 1st and 2nd

## JWST Proposal 1366 (Created: Friday, July 1, 2022 at 5:00:59 PM Eastern Standard Time) - Overview

orders simultaneously. With 9 groups per integration (49.5 sec) and 538 integrations per exposure, we will achieve a total exposure time of 8.25 hours at ~80% of saturation. The total science time is 7.4 hours, marking a 90% observation efficiency. Target acquisition (TA) for SOSS is performed using the 64x64 subarray centered on the “sweet spot” using the F480M filter. Using 13 groups and the SOSS Faint TA mode, we will achieve a SNR of >100 on our target (minimum SNR of 20 is required for all TA). We will also acquire 3 integrations using the F277W filter to isolate the 1st spectral order in the wavelength interval 2.4–2.8  $\mu\text{m}$ , where the 1st and 2nd orders overlap in the standard GR700XD/CLEAR exposure.

The NIRCcam observations will use the grism time-series observing mode with the F322W2 filter (2.4-4.0 microns). In this mode, the Module A Grism R is used to disperse the target spectrum across 2048 pixel columns. We will use the SUBGRISM256 subarray mode with 4 output amplifiers and the BRIGHT2 readout pattern. With 30 groups per integration (82 sec), we require 361 integrations for a 8.25 hour exposure. The observation efficiency is 98%. We will position the target at one of the defined field points on the detector to obtain the full wavelength coverage within the subarray. We will use 17 groups in the SUB32 subarray to perform target acquisition and achieve a SNR of >100 on our target.

The NIRSpec observations are conducted in BOTS (Bright Object Time Series) mode, which requires the S1600A1 aperture with a fixed 1.6"x1.6" field of view (FoV). The first exposure will use the PRISM mode (0.6–5.0 microns) and SUB512 subarray with 5 groups per integration (1.4 sec) and 21530 integrations total. Although this number of groups will saturate 64 pixels (28 of which saturate at the end of the first group), we can still achieve our program goals. The second exposure will use the G395H+F290LP combination (2.87-5.27 microns) and SUB2048 subarray with 87 groups per integration (79.4 sec) and 374 integrations total. Each 8.25-hour observation is designed to stay below 80% of saturation. For target acquisition, we will utilize the Wide Aperture Target Acquisition (WATA) mode on WASP-39 with the F110W filter. The center pixel saturates, but precise centroiding should still be feasible.

Our primary target, WASP-39b, transits its host star in 2.8 hours. We require ~2 hours of baseline both before and after the transit to identify and correct the systematics plus 60 minutes to account for the JWST observation start window. Including overheads, we require 10.5 hours of telescope time per visit, or 42 hours for all four visits. Alternative targets for this program include WASP-43b and WASP-62b.

### 2) A single phase curve observation of WASP-43b using MIRI/LRS:

It is imperative that the phase curve observation be completed in a single visit to understand the long-term stability of the instrument. We must cover the full phase curve, commencing shortly before secondary eclipse and ending shortly after the following secondary eclipse, in order to mitigate degeneracies between the planetary signal, multi-timescale instrument systematics, and long-timescale (~1 day) stellar brightness variations.

Implementing multiple visits is inefficient due to significant overhead for time series observations, and would compromise the removal of expected systematics.

MIRI spectroscopic time-series observations use the LRS SLITLESSPRISM mode without dithers. This yields 5-12 micron spectra with resolving power of  $R=40-160$ . This slitless mode is recommended for time-series observations since minor pointing instabilities would otherwise result in a time-dependent systematic in the measured flux that would be degenerate with our astrophysical signal. We will obtain three 8.2-hour exposures so as to not exceed the maximum number of frames per exposure. Each exposure consists of 2865 integrations and each 10.3-sec integration consists of 65 groups, leaving us well below the saturation limit of the detector ( $\sim 60\%$ ). The long duration of this visit will provide an excellent opportunity to test persistence and detector stability over day-long timescales, understand the repeatability of high gain antenna moves (which occur every 10,000 seconds), and mitigate their impact on time-series observations. We select the F1500W for target acquisition. This filter is adjacent to the LRS prism in the filter wheel; therefore, the star will not irradiate the detector through intermediate filters as the wheel rotates into position. Using 6 groups yields sufficient SNR ( $\sim 537$ ) to perform successful TA without causing a bright persistent image.

The period of WASP-43b is 19.52 hours. To this we add 1.16 hours to cover the duration of the second secondary eclipse and four hours of baseline ( $2.25 \pm 0.5$  hours before the first eclipse and  $1.75 \pm 0.5$  hours after the second) to adequately measure the anticipated systematics while accounting for the 1 hour observation start window. This results in a total of 24.7 hours of science/exposure time ( $>99\%$  efficient), or 29.5 hours when including overheads. Alternative targets for this program include WASP-103b and KELT-16b.

### 3) A secondary eclipse observation of WASP-18b using NIRISS/SOSS:

This NIRISS/SOSS observation is similar to that described above for WASP-39b, with the following exceptions. We will use the SUBSTRIP96 mode (96x2048 pixels) to avoid saturating our  $K=8.1$  primary target. This slightly reduces our wavelength coverage to 0.85-2.8 microns. With 4 groups per integration (11.1 sec) and 2172 integrations per exposure, we will achieve a total exposure time of 6.68 hours at  $\sim 80\%$  of saturation (5% non-linearity) for the most illuminated pixels. For target acquisition, we will achieve a SNR of  $\sim 77$  using 19 groups in the SOSS Bright mode. Alternative targets for this program include WASP-38b and KELT-7b.

# Proposal 1366 - Targets - The Transiting Exoplanet Community Early Release Science Program

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	WASP-39	RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000	Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5	
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Star Description=[Exoplanet Systems]				
(2)	WASP-43	RA: 10 19 37.9649 (154.9081871d) Dec: -09 48 23.19 (-9.80644d) Equinox: J2000	Proper Motion RA: -0.002840976884844842 sec of time/yr Proper Motion Dec: -0.038003999998181826 arcsec/yr Epoch of Position: 2015.5	
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Star Description=[Exoplanet Systems]				
(3)	WASP-18	RA: 01 37 25.0708 (24.3544617d) Dec: -45 40 40.06 (-45.67779d) Equinox: J2000	Proper Motion RA: 0.002408593746637531 sec of time/yr Proper Motion Dec: 0.020597 arcsec/yr Epoch of Position: 2015.5	
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Star Description=[Exoplanet Systems]				

Fixed Targets

Proposal 1366 - Observation 1 - The Transiting Exoplanet Community Early Release Science Program

Fri Jul 01 22:00:59 GMT 2022

<b>Observation</b>	<p><b>Proposal 1366, Observation 1: NIRISS SOSS</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRISS Single-Object Slitless Spectroscopy</p>																																	
<b>Diagnostics</b>	<p>(NIRISS SOSS (Obs 1)) Warning (Form): Exposure Duration exceeds the limit of 10000.0 seconds. Above this limit it is possible that a High Gain Antenna move may occur during the exposure.</p> <p>(Exposure) Warning (Form): Exposure Duration exceeds the limit of 10000.0 seconds. Above this limit it is possible that a High Gain Antenna move may occur during the exposure.</p> <p>(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																																	
<b>Fixed Targets</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>WASP-39</td> <td>RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000</td> <td>Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5</td> <td></td> </tr> </tbody> </table> <p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i>  <i>Category=Star</i>  <i>Description=[Exoplanet Systems]</i></p>										#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous	(1)	WASP-39	RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000	Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5															
#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous																														
(1)	WASP-39	RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000	Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5																															
<b>Acquisition</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Target</th> <th>Acquisition Mode</th> <th>Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SAME</td> <td>SOSSFAINT</td> <td>F480M</td> <td>NISRAPID</td> <td>13</td> <td>1</td> <td>1</td> <td>0.723</td> <td>114814</td> </tr> </tbody> </table>										#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SAME	SOSSFAINT	F480M	NISRAPID	13	1	1	0.723	114814				
#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																									
1	SAME	SOSSFAINT	F480M	NISRAPID	13	1	1	0.723	114814																									
<b>Template</b>	<table border="1"> <thead> <tr> <th>Subarray</th> <th>Include F277W Exposure?</th> </tr> </thead> <tbody> <tr> <td>SUBSTRIP256</td> <td>true</td> </tr> </tbody> </table>										Subarray	Include F277W Exposure?	SUBSTRIP256	true																				
Subarray	Include F277W Exposure?																																	
SUBSTRIP256	true																																	
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Dithers</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NISRAPID</td> <td>9</td> <td>537</td> <td>1</td> <td>537</td> <td>29513.778</td> <td>114814</td> </tr> <tr> <td>2</td> <td>NISRAPID</td> <td>9</td> <td>10</td> <td>1</td> <td>10</td> <td>549.605</td> <td></td> </tr> </tbody> </table>										#	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NISRAPID	9	537	1	537	29513.778	114814	2	NISRAPID	9	10	1	10	549.605	
#	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																											
1	NISRAPID	9	537	1	537	29513.778	114814																											
2	NISRAPID	9	10	1	10	549.605																												
<b>Special Requirements</b>	<p>Phase 0.95248 to 0.96275 with period 4.05527999 Days and zero-phase 2457792.356338 HJD  Aperture PA Range 95 to 106 Degrees (V3 94.43873283 to 105.43873283)  Aperture PA Range 123 to 130 Degrees (V3 122.43873283 to 129.43873283)  Time Series Observation  No Parallel</p>																																	



Proposal 1366 - Observation 2 - The Transiting Exoplanet Community Early Release Science Program

Fri Jul 01 22:00:59 GMT 2022

<b>Observation</b>	<p><b>Proposal 1366, Observation 2: NIRCam F322W2</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRCam Grism Time Series</p>																													
<b>Diagnostics</b>	<p>(NIRCam F322W2 (Obs 2)) Warning (Form): Exposure Duration exceeds the limit of 10000.0 seconds. Above this limit it is possible that a High Gain Antenna move may occur during the exposure.</p> <p>(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																													
<b>Fixed Targets</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>WASP-39</td> <td>RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000</td> <td>Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5</td> <td></td> </tr> </tbody> </table> <p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i>  <i>Category=Star</i>  <i>Description=[Exoplanet Systems]</i></p>										#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous	(1)	WASP-39	RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000	Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5											
#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous																										
(1)	WASP-39	RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000	Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5																											
<b>Acquisition</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Target</th> <th>Subarray</th> <th>Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SAME</td> <td>SUB32TATSGRIS M</td> <td>F335M</td> <td>RAPID</td> <td>17</td> <td>1</td> <td>1</td> <td>0.272</td> <td>114814</td> </tr> </tbody> </table>										#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SAME	SUB32TATSGRIS M	F335M	RAPID	17	1	1	0.272	114814
#	Target	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																					
1	SAME	SUB32TATSGRIS M	F335M	RAPID	17	1	1	0.272	114814																					
<b>Template</b>	<table border="1"> <thead> <tr> <th>Subarray</th> <th>No. of Output Channels</th> </tr> </thead> <tbody> <tr> <td>SUBGRISM256</td> <td>4</td> </tr> </tbody> </table>										Subarray	No. of Output Channels	SUBGRISM256	4																
Subarray	No. of Output Channels																													
SUBGRISM256	4																													
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Short Pupil+Filter</th> <th>Long Pupil+Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>WLP8+F210M</td> <td>GRISMR+F322W2</td> <td>SHALLOW4</td> <td>12</td> <td>366</td> <td>1</td> <td>366</td> <td>29580.808</td> <td>114814</td> </tr> </tbody> </table>										#	Short Pupil+Filter	Long Pupil+Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	WLP8+F210M	GRISMR+F322W2	SHALLOW4	12	366	1	366	29580.808	114814
#	Short Pupil+Filter	Long Pupil+Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																					
1	WLP8+F210M	GRISMR+F322W2	SHALLOW4	12	366	1	366	29580.808	114814																					
<b>Special Requirements</b>	<p>Phase 0.95248 to 0.96275 with period 4.05527999 Days and zero-phase 2457792.356338 HJD  Aperture PA Range 100 to 109 Degrees (V3 99.76697302 to 108.76697302)  Aperture PA Range 117 to 130 Degrees (V3 116.76697302 to 129.76697302)  Time Series Observation  No Parallel</p>																													

Proposal 1366 - Observation 3 - The Transiting Exoplanet Community Early Release Science Program

Fri Jul 01 22:00:59 GMT 2022

<b>Observation</b>	<p><b>Proposal 1366, Observation 3: NIRSpec G395H</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Bright Object Time Series</p>																															
<b>Diagnostics</b>	<p>(NIRSpec G395H (Obs 3)) Warning (Form): Exposure Duration exceeds the limit of 10000.0 seconds. Above this limit it is possible that a High Gain Antenna move may occur during the exposure.</p> <p>(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																															
<b>Fixed Targets</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th colspan="4">Targ. Coord. Corrections</th> <th colspan="4">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>WASP-39</td> <td>RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000</td> <td colspan="4">Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5</td> <td colspan="4"></td> </tr> </tbody> </table> <p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i></p> <p><i>Category=Star</i></p> <p><i>Description=[Exoplanet Systems]</i></p>										#	Name	Target Coordinates	Targ. Coord. Corrections				Miscellaneous				(1)	WASP-39	RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000	Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5							
#	Name	Target Coordinates	Targ. Coord. Corrections				Miscellaneous																									
(1)	WASP-39	RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000	Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5																													
<b>Acquisition</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Target</th> <th>TA Method</th> <th>Subarray</th> <th>Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1 WASP-39</td> <td>WATA</td> <td>SUB32</td> <td>F110W</td> <td>NRSRAPID</td> <td>3</td> <td>1</td> <td>1</td> <td>0.08</td> <td>114814</td> </tr> </tbody> </table>										#	Target	TA Method	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	1 WASP-39	WATA	SUB32	F110W	NRSRAPID	3	1	1	0.08	114814
#	Target	TA Method	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																						
1	1 WASP-39	WATA	SUB32	F110W	NRSRAPID	3	1	1	0.08	114814																						
<b>Template</b>	<p>Subarray</p> <p>SUB2048</p>																															
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Grating/Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Dithers</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>G395H/F290LP</td> <td>NRSRAPID</td> <td>70</td> <td>465</td> <td>1</td> <td>1</td> <td>465</td> <td>29789.053</td> <td>114814</td> </tr> </tbody> </table>										#	Grating/Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	G395H/F290LP	NRSRAPID	70	465	1	1	465	29789.053	114814		
#	Grating/Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																							
1	G395H/F290LP	NRSRAPID	70	465	1	1	465	29789.053	114814																							
<b>Special Requirements</b>	<p>Phase 0.95248 to 0.96275 with period 4.05527999 Days and zero-phase 2457792.356338 HJD</p> <p>Aperture PA Range 200 to 300 Degrees (V3 61.15551758 to 161.15551758)</p> <p>Time Series Observation</p> <p>No Parallel</p>																															

Proposal 1366 - Observation 4 - The Transiting Exoplanet Community Early Release Science Program

Fri Jul 01 22:00:59 GMT 2022

<b>Observation</b>	<p><b>Proposal 1366, Observation 4: NIRSpec PRISM</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRSpec Bright Object Time Series</p>																															
<b>Diagnostics</b>	<p>(NIRSpec PRISM (Obs 4)) Warning (Form): Exposure Duration exceeds the limit of 10000.0 seconds. Above this limit it is possible that a High Gain Antenna move may occur during the exposure.</p> <p>(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																															
<b>Fixed Targets</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th colspan="4">Targ. Coord. Corrections</th> <th colspan="4">Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>WASP-39</td> <td>RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000</td> <td colspan="4">Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5</td> <td colspan="4"></td> </tr> </tbody> </table> <p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i></p> <p><i>Category=Star</i></p> <p><i>Description=[Exoplanet Systems]</i></p>										#	Name	Target Coordinates	Targ. Coord. Corrections				Miscellaneous				(1)	WASP-39	RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000	Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5							
#	Name	Target Coordinates	Targ. Coord. Corrections				Miscellaneous																									
(1)	WASP-39	RA: 14 29 18.3955 (217.3266479d) Dec: -03 26 40.20 (-3.44450d) Equinox: J2000	Proper Motion RA: -0.0012724988124342739 sec of time/yr Proper Motion Dec: 3.45E-4 arcsec/yr Epoch of Position: 2015.5																													
<b>Acquisition</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Target</th> <th>TA Method</th> <th>Subarray</th> <th>Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1 WASP-39</td> <td>WATA</td> <td>SUB32</td> <td>F110W</td> <td>NRSRAPID</td> <td>3</td> <td>1</td> <td>1</td> <td>0.08</td> <td>114814</td> </tr> </tbody> </table>										#	Target	TA Method	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	1 WASP-39	WATA	SUB32	F110W	NRSRAPID	3	1	1	0.08	114814
#	Target	TA Method	Subarray	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																						
1	1 WASP-39	WATA	SUB32	F110W	NRSRAPID	3	1	1	0.08	114814																						
<b>Template</b>	<p>Subarray</p> <p>SUB512</p>																															
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Grating/Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Exposures/Dith</th> <th>Total Dithers</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>PRISM/CLEAR</td> <td>NRSRAPID</td> <td>5</td> <td>21500</td> <td>1</td> <td>1</td> <td>21500</td> <td>29614.96</td> <td>114814</td> </tr> </tbody> </table>										#	Grating/Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	PRISM/CLEAR	NRSRAPID	5	21500	1	1	21500	29614.96	114814		
#	Grating/Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																							
1	PRISM/CLEAR	NRSRAPID	5	21500	1	1	21500	29614.96	114814																							
<b>Special Requirements</b>	<p>Phase 0.95248 to 0.96275 with period 4.05527999 Days and zero-phase 2457792.356338 HJD</p> <p>Aperture PA Range 200 to 300 Degrees (V3 61.15551758 to 161.15551758)</p> <p>Time Series Observation</p> <p>No Parallel</p>																															

Proposal 1366 - Observation 11 - The Transiting Exoplanet Community Early Release Science Program

Fri Jul 01 22:00:59 GMT 2022

<b>Observation</b>	<b>Proposal 1366, Observation 11: MIRI LRS Phase Curve</b> <b>Diagnostic Status: Warning</b> Observing Template: MIRI Low Resolution Spectroscopy <i>Comments: Doubled WASP-43b's period, halved its phase range in the MIRI Special Requirements</i>																										
	(MIRI LRS Phase Curve (Obs 11)) Warning (Form): Exposure Duration exceeds the limit of 10000.0 seconds. Above this limit it is possible that a High Gain Antenna move may occur during the exposure. (Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																										
<b>Diagnosics</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(2)</td> <td>WASP-43</td> <td>RA: 10 19 37.9649 (154.9081871d) Dec: -09 48 23.19 (-9.80644d) Equinox: J2000</td> <td>Proper Motion RA: -0.002840976884844842 sec of time/yr Proper Motion Dec: -0.038003999998181826 arcsec/yr Epoch of Position: 2015.5</td> <td></td> </tr> </tbody> </table>									#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous	(2)	WASP-43	RA: 10 19 37.9649 (154.9081871d) Dec: -09 48 23.19 (-9.80644d) Equinox: J2000	Proper Motion RA: -0.002840976884844842 sec of time/yr Proper Motion Dec: -0.038003999998181826 arcsec/yr Epoch of Position: 2015.5									
	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous																						
(2)	WASP-43	RA: 10 19 37.9649 (154.9081871d) Dec: -09 48 23.19 (-9.80644d) Equinox: J2000	Proper Motion RA: -0.002840976884844842 sec of time/yr Proper Motion Dec: -0.038003999998181826 arcsec/yr Epoch of Position: 2015.5																								
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Star Description=[Exoplanet Systems]																											
<b>Fixed Targets</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Target</th> <th>Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2 WASP-43</td> <td>F1500W</td> <td>FAST</td> <td>6</td> <td>1</td> <td>1</td> <td>0.954</td> <td>25034</td> </tr> </tbody> </table>									#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	2 WASP-43	F1500W	FAST	6	1	1	0.954	25034
	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																		
1	2 WASP-43	F1500W	FAST	6	1	1	0.954	25034																			
<table border="1"> <thead> <tr> <th>Subarray</th> <th>Obtain Verification Image?</th> </tr> </thead> <tbody> <tr> <td>SLITLESSPRISM</td> <td>true</td> </tr> </tbody> </table>									Subarray	Obtain Verification Image?	SLITLESSPRISM	true															
Subarray	Obtain Verification Image?																										
SLITLESSPRISM	true																										
<b>Acquisition</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Dither Type</th> <th>No. Spectral Steps</th> <th>Spectral Step Offset</th> <th>No. Spatial Steps</th> <th>Spatial Step Offset</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NONE</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>									#	Dither Type	No. Spectral Steps	Spectral Step Offset	No. Spatial Steps	Spatial Step Offset	1	NONE										
	#	Dither Type	No. Spectral Steps	Spectral Step Offset	No. Spatial Steps	Spatial Step Offset																					
1	NONE																										
<b>Template</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>FAST</td> <td>6</td> <td>1</td> <td>1</td> <td>0.954</td> <td>25034</td> </tr> </tbody> </table>									#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	FAST	6	1	1	0.954	25034				
	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																				
1	FAST	6	1	1	0.954	25034																					
<b>Dithers</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>FAST</td> <td>6</td> <td>1</td> <td>1</td> <td>0.954</td> <td>25034</td> </tr> </tbody> </table>									#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	FAST	6	1	1	0.954	25034				
	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																				
1	FAST	6	1	1	0.954	25034																					
<b>Pointing Verification</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>FAST</td> <td>6</td> <td>1</td> <td>1</td> <td>0.954</td> <td>25034</td> </tr> </tbody> </table>									#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	FAST	6	1	1	0.954	25034				
	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																				
1	FAST	6	1	1	0.954	25034																					
<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>FAST</td> <td>6</td> <td>1</td> <td>1</td> <td>0.954</td> <td>25034</td> </tr> </tbody> </table>									#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	FAST	6	1	1	0.954	25034					
#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																					
1	FAST	6	1	1	0.954	25034																					

Proposal 1366 - Observation 11 - The Transiting Exoplanet Community Early Release Science Program

Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Exposures/Dith	Total Dithers	Total Exposure Time	ETC Wkbk.Calc ID
Special Requirements	1	FASTR1	64	3072	9216	3	1	95270.844	25034
	Before Date 11-DEC-2022:00:00:00 Phase 0.13912 to 0.16473 with period 1.62694828 Days and zero-phase 2456047.051715 HJD Aperture PA Range 75 to 125 Degrees (V3 70.16455103 to 120.16455103) Aperture PA Range 275 to 325 Degrees (V3 270.16455103 to 320.16455103) Time Series Observation No Parallel								

Proposal 1366 - Observation 21 - The Transiting Exoplanet Community Early Release Science Program

Fri Jul 01 22:00:59 GMT 2022

<b>Observation</b>	<p><b>Proposal 1366, Observation 21: NIRISS SOSS Eclipse</b></p> <p><b>Diagnostic Status: Warning</b></p> <p>Observing Template: NIRISS Single-Object Slitless Spectroscopy</p>																																	
<b>Diagnostics</b>	<p>(NIRISS SOSS Eclipse (Obs 21)) Warning (Form): Exposure Duration exceeds the limit of 10000.0 seconds. Above this limit it is possible that a High Gain Antenna move may occur during the exposure.</p> <p>(Exposure) Warning (Form): Exposure Duration exceeds the limit of 10000.0 seconds. Above this limit it is possible that a High Gain Antenna move may occur during the exposure.</p> <p>(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.</p>																																	
<b>Fixed Targets</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(3)</td> <td>WASP-18</td> <td>RA: 01 37 25.0708 (24.3544617d) Dec: -45 40 40.06 (-45.67779d) Equinox: J2000</td> <td>Proper Motion RA: 0.002408593746637531 sec of time/yr Proper Motion Dec: 0.020597 arcsec/yr Epoch of Position: 2015.5</td> <td></td> </tr> </tbody> </table> <p><i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i>  <i>Category=Star</i>  <i>Description=[Exoplanet Systems]</i></p>										#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous	(3)	WASP-18	RA: 01 37 25.0708 (24.3544617d) Dec: -45 40 40.06 (-45.67779d) Equinox: J2000	Proper Motion RA: 0.002408593746637531 sec of time/yr Proper Motion Dec: 0.020597 arcsec/yr Epoch of Position: 2015.5															
#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous																														
(3)	WASP-18	RA: 01 37 25.0708 (24.3544617d) Dec: -45 40 40.06 (-45.67779d) Equinox: J2000	Proper Motion RA: 0.002408593746637531 sec of time/yr Proper Motion Dec: 0.020597 arcsec/yr Epoch of Position: 2015.5																															
<b>Acquisition</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Target</th> <th>Acquisition Mode</th> <th>Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>SAME</td> <td>SOSSBRIGHT</td> <td>F480M</td> <td>NISRAPID</td> <td>19</td> <td>1</td> <td>1</td> <td>1.024</td> <td>103439</td> </tr> </tbody> </table>										#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	SAME	SOSSBRIGHT	F480M	NISRAPID	19	1	1	1.024	103439				
#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																									
1	SAME	SOSSBRIGHT	F480M	NISRAPID	19	1	1	1.024	103439																									
<b>Template</b>	<table border="1"> <thead> <tr> <th>Subarray</th> <th>Include F277W Exposure?</th> </tr> </thead> <tbody> <tr> <td>SUBSTRIP96</td> <td>true</td> </tr> </tbody> </table>										Subarray	Include F277W Exposure?	SUBSTRIP96	true																				
Subarray	Include F277W Exposure?																																	
SUBSTRIP96	true																																	
<b>Spectral Elements</b>	<table border="1"> <thead> <tr> <th>#</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Dithers</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NISRAPID</td> <td>3</td> <td>2720</td> <td>1</td> <td>2720</td> <td>24144.026</td> <td>103439</td> </tr> <tr> <td>2</td> <td>NISRAPID</td> <td>3</td> <td>15</td> <td>1</td> <td>15</td> <td>133.147</td> <td>103439</td> </tr> </tbody> </table>										#	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	NISRAPID	3	2720	1	2720	24144.026	103439	2	NISRAPID	3	15	1	15	133.147	103439
#	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																											
1	NISRAPID	3	2720	1	2720	24144.026	103439																											
2	NISRAPID	3	15	1	15	133.147	103439																											
<b>Special Requirements</b>	<p>Phase 0.32450 to 0.36875 with period 0.941452540 Days and zero-phase 2455562.110070 HJD  Aperture PA Range 40 to 62 Degrees (V3 39.43873283 to 61.43873283)  Aperture PA Range 270 to 320 Degrees (V3 269.43873283 to 319.43873283)  Aperture PA Range 340 to 5 Degrees (V3 339.43873283 to 4.43873283)  Time Series Observation  No Parallel</p>																																	