



2561 - UNCOVER: Ultra-deep NIRCам and NIRSspec Observations Before the Epoch of Reionization

Cycle: 1, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Prof. Ivo Labbe (PI)	Swinburne University of Technology
Dr. Rachel Bezanson (CoI) (CoPI) (US Admin CoI) (Contact)	University of Pittsburgh
Prof. Marijn Franx (CoI) (ESA Member)	Universiteit Leiden
Dr. Katherine E. Whitaker (CoI)	University of Massachusetts - Amherst
Dr. Christina C Williams (CoI)	University of Arizona
Prof. Mariska Kriek (CoI) (ESA Member)	Leiden Observatory
Prof. Pieter van Dokkum (CoI)	Yale University
Prof. Pascal Oesch (CoI) (ESA Member)	University of Geneva, Department of Astronomy
Dr. Gabriel Brammer (CoI) (ESA Member)	University of Copenhagen, Niels Bohr Institute
Dr. Pratika Dayal (CoI) (ESA Member)	Kapteyn Astronomical Institute
Dr. Casey Papovich (CoI)	Texas A & M University
Dr. Susan Kassin (CoI)	Space Telescope Science Institute
Dr. Dan Coe (CoI)	The Johns Hopkins University
Prof. Karl Glazebrook (CoI)	Swinburne University of Technology
Dr. Joel Leja (CoI)	The Pennsylvania State University
Prof. Adi Zitrin (CoI)	Ben Gurion University of the Negev
Dr. Hakim Atek (CoI) (ESA Member)	CNRS, Institut d'Astrophysique de Paris
Prof. Michael Maseda (CoI)	University of Wisconsin - Madison
Prof. Erica Nelson (CoI)	University of Colorado at Boulder
Prof. Jenny Emma Greene (CoI)	Princeton University
Dr. Themiya Nanayakkara (CoI)	Swinburne University of Technology

<i>Name</i>	<i>Institution</i>
Dr. N. M. Forster Schreiber (CoI) (ESA Member)	Max-Planck-Institut fur extraterrestrische Physik
Dr. Sedona H. Price (CoI)	University of Pittsburgh
Prof. Alice E. Shapley (CoI)	University of California - Los Angeles
Prof. Robert Feldmann (CoI) (ESA Member)	Institute for Computational Science, University of Zurich
Dr. Adam Muzzin (CoI) (CSA Member)	York University
Dr. Danilo Marchesini (CoI)	Tufts University
Dr. Camilla Pacifici (CoI)	Space Telescope Science Institute
Dr. Mauro Stefanon (CoI) (ESA Member)	Universitat de Valencia
Dr. Stephanie Juneau (CoI)	NOIRLab - (AZ)
Dr. Edward N Taylor (CoI)	Swinburne University of Technology
Dr. Lamiya Mowla (CoI) (CSA Member)	University of Toronto
Dr. Anna G de Graaff (CoI) (ESA Member)	Max Planck Institute for Astronomy
Prof. Marla C. Geha (CoI)	Yale University

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
NIRCam prime + NIRISS parallel				
	1		NIRCam Imaging	(3) ABELL2744-PREIMG
	3		NIRCam Imaging	(6) ABELL2744-PREIMG-REPEAT1-19N47D
NIRSpec prime + NIRCam parallel				
	2	uncover nircam 13.8	NIRSpec MultiObject Spectroscopy	(1) uncover_nircam
	6	uncover nirspec repeat	NIRSpec MultiObject Spectroscopy	(1) uncover_nircam

ABSTRACT

We propose an efficient public Treasury program that immediately establishes a NIRCam imaging deep field and ultra-deep low-resolution NIRSpec/PRISM follow-up spectroscopy in the gravitational lensing cluster Frontier Field Abell 2744. Assisted by strong lensing, these observations reach 1-2 magnitudes fainter than even the deepest ERS & GTO programs. Such depths are essential to achieve two core science goals of JWST: finding First Light galaxies during the Dark Ages at $z > 10$ and studying the ultra-low luminosity galaxies at later times that were responsible for reionization. Offering the community early access to deep imaging of 4000 $z > 6$ galaxies and spectroscopy of 500 galaxies ensures that this envisioned flagship science is guaranteed early in the mission, establishes from the start a vibrant and diverse user base for the observatory, and optimizes the efficiency of JWST by providing targets for higher resolution spectroscopic follow up in subsequent cycles. In support of this, we

included imaging parallels to enhance the deep imaging legacy on and around the cluster. Beyond the immediate science goals, these data will support a broad array of legacy science including stellar mass complete studies to $z=10$, the role of dust obscuration at high redshift, and the various pathways of quenching star formation. Our experienced team commits to rapidly releasing the imaging to the public before the Cycle 2 deadline followed by the delivery of a joint photometric and spectroscopic database.

OBSERVING DESCRIPTION

The basic plan is to first obtain deep 4-6 hour / filter NIRCcam pre-imaging on the A2744 cluster to 29.5-30AB magnitude in 8 filters. Six months later, within cycle 1, we target sources detected in NIRCcam with ultradeep 19 hour NIRSpec/PRISM low-resolution spectroscopy. In both observations we include deep parallel imaging (in NIRISS and NIRCcam, respectively), to increase the area for deep photometric studies of high-redshift galaxies at mild lensing magnification 1.1-1.3x.

We forward model theoretical luminosity functions of Mason+2015 through the CATS v4.1 lens model of A2744 (Jauzac+2015) to predict the number of $z=6-16$ galaxies to our detection limit. The number of $z>10$ galaxies is maximized by a 2-pointing gap-filled NIRCcam mosaic. To reach $MUV=-14.0$ at $z=6-7$ with less than <3 magnitudes of lensing (where models are considered robust, requires 29.8AB 5 sigma, which can be reached in ~ 4 hours per in F200W and ~ 6 hours in F115W according to JWST ETC 1.5.2.

The NIRCcam imaging is designed to detect objects to the highest redshifts $z=10-16$ and ultra low luminosities $MUV>-14$ with gravitational lensing. NIRSpec/PRISM will deliver robust redshifts at $z=1-20$, measurements of the stellar continuum, emission lines to $z<12$, and Lyman break measurements $z>12$.

To ensure the broadest possible legacy science we image in all broadband NIRCcam filters, except for optical bands if ultradeep ACS data is available. For the cluster pre-imaging map we use: F115W (6h) F150W (6h) F200W (4h): F277W (4h), F356W (4h), F444W (4h). Following the GTO best-practice we add the medium band F410M, which is sensitive to emission lines and improves photometric redshifts and stellar masses of high- z galaxies.

The NIRCcam parallel (with NIRSpec/PRISM as primary) uses the same filters as our NIRCcam pre-imaging, integrating 4.6h in F115W, F150W, adding deep F090W (5.3h), as no deep optical data exists, and 2.3h in F200W, F277W, F356W, F444W, F335M, F410M. For the NIRISS parallel we remove need to remove some filters as it lacks NIRCcam's dichroic and flexibility in parallel mode is limited. We remove F277W and F410M which have the least scientific impact, keeping F115W, F150W, F200W, F356W, F444W. For our favored roll angle, NIRISS fortuitously overlaps with the

42-orbit 29 AB F814W Hubble A2744 ACS parallel field, obviating the need for optical data.

A primary goal of UNCOVER is to take NIRSpec PRISM R=100 spectra to measure continuum redshifts of any faint high redshift object detected securely with NIRCам to ~ 10 sigma or ~ 29 AB. In 20 hours PRISM reaches a SNR ~ 3 per resolution element for 29AB sources at 1.5 micron, which is sufficient for continuum redshifts. Emission lines can be measured at >5 sigma for any sources to 30AB and $EW_{\text{obs}} > 600 \text{ \AA}$ (typical sources should have lines 5x stronger than that).

NIRCам selected sources will be analyzed by constructing HST/ACS + JWST/NIRCам multiwavelength SEDs, detecting in F200W for young star-forming galaxies at $z=8-15$ and $z < 4$ quiescent galaxies, F277W for $z=15-20$, while selecting in F444W for mass-complete samples to $z < 10$ (including quiescent and dusty galaxies at $z > 4$). Redshift selection will be determined by the photometric redshift probability distribution using software such as EAZY (Brammer+2008).

To reach our key science goals and support a range of legacy science goals we prioritize spectroscopic targets according to scientific value and rarity: 1) any $z > 12$ candidates, 2) $z > 9$ galaxies prioritized by brightness, 3) $z > 6$ Pop III candidate sources, 4) faint highly magnified $z=6-7$ galaxies, 5) quiescent galaxies $z > 4$, 6) $z > 6$ AGN, 7) dusty galaxies $z > 4$, 8) low mass quiescent galaxies at $z=1-4$, 9) any unusual or unexpected sources, 10) Extreme emission line galaxies, 11) mass-selected galaxies sampled in bins of mass and redshift.

We estimate that we can accommodate 15-20 high priority sources to our full depth of 19 hours. Other sources require less exposure time. The NIRSpec integration times naturally split up in 7 dithered sequences of 2.7 hours each. We therefore design 7 masks with exposure time ranging from 2.7-19 hours, repeating the high priority objects. Given the high target density of some lower priority targets (there are 1000s of high- z emission line galaxies), we expect to fill each mask with ~ 100 targets for a total of 500 spectra in the spectroscopic sample.

Proposal 2561 - Targets - UNCOVER: Ultra-deep NIRCам and NIRSspec Observations Before the Epoch of Reionization

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	uncover_nircam	RA: 00 14 18.5231 (3.5771796d) Dec: -30 22 34.15 (-30.37615d) Equinox: J2000		
<i>Comments:</i> <i>Description=[]</i>				
(3)	ABELL2744-PREIMG	RA: 00 14 18.2514 (3.5760475d) Dec: -30 22 46.04 (-30.37946d) Equinox: J2000		
<i>Comments:</i> <i>Category=Clusters of Galaxies</i> <i>Description=[Abell clusters]</i>				
(6)	ABELL2744-PREIMG-REPEAT1-19N47D	RA: 00 14 21.0155 (3.5875646d) Dec: -30 21 35.83 (-30.35995d) Equinox: J2000		
<i>Comments:</i> <i>Category=Clusters of Galaxies</i> <i>Description=[Abell clusters]</i>				

Proposal 2561 - Observation 1 - UNCOVER: Ultra-deep NIRCcam and NIRSpec Observations Before the Epoch of Reionization

Tue Oct 10 00:01:12 GMT 2023

Observation	Proposal 2561, Observation 1 Diagnostic Status: Warning Observing Template: NIRCcam Imaging Coordinated Parallel Template(s): NIRISS Imaging																																																																					
Diagnostics	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 1:2) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 1:3) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 1:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.																																																																					
Fixed Targets	<table border="1"> <thead> <tr> <th>#</th> <th>Name</th> <th>Target Coordinates</th> <th>Targ. Coord. Corrections</th> <th>Miscellaneous</th> </tr> </thead> <tbody> <tr> <td>(3)</td> <td>ABELL2744-PREIMG</td> <td>RA: 00 14 18.2514 (3.5760475d) Dec: -30 22 46.04 (-30.37946d) Equinox: J2000</td> <td></td> <td></td> </tr> <tr> <td colspan="5"><i>Comments:</i></td> </tr> <tr> <td colspan="5"><i>Category=Clusters of Galaxies</i></td> </tr> <tr> <td colspan="5"><i>Description=[Abell clusters]</i></td> </tr> </tbody> </table>										#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous	(3)	ABELL2744-PREIMG	RA: 00 14 18.2514 (3.5760475d) Dec: -30 22 46.04 (-30.37946d) Equinox: J2000			<i>Comments:</i>					<i>Category=Clusters of Galaxies</i>					<i>Description=[Abell clusters]</i>																																							
#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous																																																																		
(3)	ABELL2744-PREIMG	RA: 00 14 18.2514 (3.5760475d) Dec: -30 22 46.04 (-30.37946d) Equinox: J2000																																																																				
<i>Comments:</i>																																																																						
<i>Category=Clusters of Galaxies</i>																																																																						
<i>Description=[Abell clusters]</i>																																																																						
Template	NIRCcam Imaging Module: ALL Subarray: FULL Target Placement: Module Gap					NIRISS Imaging																																																																
Mosaic	<table border="1"> <thead> <tr> <th>Rows</th> <th>Columns</th> <th>Row Overlap %</th> <th>Column Overlap %</th> <th>Row shift (deg)</th> <th>Column shift (deg)</th> <th>Tile Order</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>2</td> <td>5.0</td> <td>85.0</td> <td>0.0</td> <td>0.0</td> <td>DEFAULT</td> </tr> </tbody> </table>										Rows	Columns	Row Overlap %	Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order	2	2	5.0	85.0	0.0	0.0	DEFAULT																																														
Rows	Columns	Row Overlap %	Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order																																																																
2	2	5.0	85.0	0.0	0.0	DEFAULT																																																																
Dithers	<table border="1"> <thead> <tr> <th>#</th> <th>Primary Dither Type</th> <th>Primary Dithers</th> <th>Dither Size</th> <th>Subpixel Positions</th> <th>Coordinated Parallel Subpixel Selector</th> <th>Dither Direct Images Primes</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>INTRAMODULEX</td> <td>8</td> <td></td> <td>1</td> <td>NIRCcam Only</td> <td>NO_DITHERING</td> </tr> </tbody> </table>										#	Primary Dither Type	Primary Dithers	Dither Size	Subpixel Positions	Coordinated Parallel Subpixel Selector	Dither Direct Images Primes	1	INTRAMODULEX	8		1	NIRCcam Only	NO_DITHERING																																														
#	Primary Dither Type	Primary Dithers	Dither Size	Subpixel Positions	Coordinated Parallel Subpixel Selector	Dither Direct Images Primes																																																																
1	INTRAMODULEX	8		1	NIRCcam Only	NO_DITHERING																																																																
Spectral Elements	<table border="1"> <thead> <tr> <th>NIRCcam Imaging</th> <th>Short Filter</th> <th>Long Filter</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Integrations</th> <th>Total Dithers</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>F115W</td> <td>F277W</td> <td>MEDIUM8</td> <td>8</td> <td>1</td> <td>8</td> <td>8</td> <td>6699.744</td> <td>64243</td> </tr> <tr> <td>2</td> <td>F150W</td> <td>F356W</td> <td>MEDIUM8</td> <td>8</td> <td>1</td> <td>8</td> <td>8</td> <td>6699.744</td> <td></td> </tr> <tr> <td>3</td> <td>F200W</td> <td>F410M</td> <td>MEDIUM8</td> <td>8</td> <td>1</td> <td>8</td> <td>8</td> <td>6699.744</td> <td></td> </tr> <tr> <td>4</td> <td>F115W</td> <td>F444W</td> <td>MEDIUM8</td> <td>5</td> <td>1</td> <td>8</td> <td>8</td> <td>4122.92</td> <td></td> </tr> <tr> <td>5</td> <td>F150W</td> <td>F444W</td> <td>MEDIUM8</td> <td>5</td> <td>1</td> <td>8</td> <td>8</td> <td>4122.92</td> <td></td> </tr> </tbody> </table>										NIRCcam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	ETC Wkbk.Calc ID	1	F115W	F277W	MEDIUM8	8	1	8	8	6699.744	64243	2	F150W	F356W	MEDIUM8	8	1	8	8	6699.744		3	F200W	F410M	MEDIUM8	8	1	8	8	6699.744		4	F115W	F444W	MEDIUM8	5	1	8	8	4122.92		5	F150W	F444W	MEDIUM8	5	1	8	8	4122.92	
NIRCcam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	ETC Wkbk.Calc ID																																																													
1	F115W	F277W	MEDIUM8	8	1	8	8	6699.744	64243																																																													
2	F150W	F356W	MEDIUM8	8	1	8	8	6699.744																																																														
3	F200W	F410M	MEDIUM8	8	1	8	8	6699.744																																																														
4	F115W	F444W	MEDIUM8	5	1	8	8	4122.92																																																														
5	F150W	F444W	MEDIUM8	5	1	8	8	4122.92																																																														
Spectral Elements	<table border="1"> <thead> <tr> <th>NIRISS Imaging</th> <th>Filter</th> <th>Grism</th> <th>Readout Pattern</th> <th>Groups/Int</th> <th>Integrations/Exp</th> <th>Total Dithers</th> <th>Total Integrations</th> <th>Total Exposure Time</th> <th>ETC Wkbk.Calc ID</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>F115W</td> <td></td> <td>NIS</td> <td>19</td> <td>1</td> <td>8</td> <td>8</td> <td>6613.85</td> <td>64244</td> </tr> <tr> <td>2</td> <td>F150W</td> <td></td> <td>NIS</td> <td>19</td> <td>1</td> <td>8</td> <td>8</td> <td>6613.85</td> <td></td> </tr> <tr> <td>3</td> <td>F200W</td> <td></td> <td>NIS</td> <td>19</td> <td>1</td> <td>8</td> <td>8</td> <td>6613.85</td> <td></td> </tr> <tr> <td>4</td> <td>F356W</td> <td></td> <td>NIS</td> <td>11</td> <td>1</td> <td>8</td> <td>8</td> <td>3865.237</td> <td></td> </tr> <tr> <td>5</td> <td>F444W</td> <td></td> <td>NIS</td> <td>11</td> <td>1</td> <td>8</td> <td>8</td> <td>3865.237</td> <td></td> </tr> </tbody> </table>										NIRISS Imaging	Filter	Grism	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	1	F115W		NIS	19	1	8	8	6613.85	64244	2	F150W		NIS	19	1	8	8	6613.85		3	F200W		NIS	19	1	8	8	6613.85		4	F356W		NIS	11	1	8	8	3865.237		5	F444W		NIS	11	1	8	8	3865.237	
NIRISS Imaging	Filter	Grism	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID																																																													
1	F115W		NIS	19	1	8	8	6613.85	64244																																																													
2	F150W		NIS	19	1	8	8	6613.85																																																														
3	F200W		NIS	19	1	8	8	6613.85																																																														
4	F356W		NIS	11	1	8	8	3865.237																																																														
5	F444W		NIS	11	1	8	8	3865.237																																																														

Proposal 2561 - Observation 1 - UNCOVER: Ultra-deep NIRCam and NIRSpec Observations Before the Epoch of Reionization

Special Requirements

Sequence Visits within 28.0 Days
Aperture PA Range 35.88744876 to 45.88744876 Degrees (V3 35.95880186 to 45.95880186)
Visits Same PA
No Parallel Attachments
Background Limited. Background no more than 20th percentile above minimum
2 After 1 by 60.0 Days to <None specified>
6 After 1 by 60.0 Days to <None specified>

Proposal 2561 - Observation 3 - UNCOVER: Ultra-deep NIRCcam and NIRSpec Observations Before the Epoch of Reionization

Tue Oct 10 00:01:12 GMT 2023

Observation	Proposal 2561, Observation 3 Diagnostic Status: Warning Observing Template: NIRCcam Imaging Coordinated Parallel Template(s): NIRISS Imaging									
	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(6)	ABELL2744-PREIMG-REPEAT1-19N47D	RA: 00 14 21.0155 (3.5875646d) Dec: -30 21 35.83 (-30.35995d) Equinox: J2000							
<i>Comments:</i> Category=Clusters of Galaxies Description=[Abell clusters]										
Template	NIRCcam Imaging					NIRISS Imaging				
	Module: ALL Subarray: FULL Target Placement: Module Gap									
Dithers	#	Primary Dither Type		Primary Dithers	Dither Size	Subpixel Positions		Coordinated Parallel Subpixel Selector		Dither Direct Images Primes
	1	INTRAMODULEX		8		1		NIRCcam Only		NO_DITHERING
Spectral Elements	NIRCcam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	ETC Wkbk.Calc ID
	1	F115W	F277W	MEDIUM8	8	1	8	8	6699.744	64243
	2	F150W	F356W	MEDIUM8	8	1	8	8	6699.744	
	3	F200W	F410M	MEDIUM8	8	1	8	8	6699.744	
	4	F115W	F444W	MEDIUM8	5	1	8	8	4122.92	
	5	F150W	F444W	MEDIUM8	5	1	8	8	4122.92	
Spectral Elements	NIRISS Imaging	Filter	Grism	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1	F115W		NIS	19	1	8	8	6613.85	64244
	2	F150W		NIS	19	1	8	8	6613.85	
	3	F200W		NIS	19	1	8	8	6613.85	
	4	F356W		NIS	11	1	8	8	3865.237	
	5	F444W		NIS	11	1	8	8	3865.237	

Proposal 2561 - Observation 3 - UNCOVER: Ultra-deep NIRCam and NIRSpec Observations Before the Epoch of Reionization

Special Requirements

Aperture PA Range 37 to 47 Degrees (V3 37.0713531 to 47.0713531)
No Parallel Attachments
Background Limited. Background no more than 50th percentile above minimum

Proposal 2561 - Observation 2 - UNCOVER: Ultra-deep NIRCcam and NIRSpec Observations Before the Epoch of Reionization

Observation	Proposal 2561, Observation 2: uncover nircam 13.8	Tue Oct 10 00:01:12 GMT 2023
	Diagnostic Status: Warning	
	Observing Template: NIRSpec MultiObject Spectroscopy	
	Coordinated Parallel Template(s): NIRCcam Imaging	
	<i>Comments: The target list and mask target position are preliminary.</i>	
	<i>NIRCcam pre-imaging (observation 1) is taken in advance and will be used to provide the final target list of high redshift galaxies.</i>	
	<i>Therefore the final mask positions may move by a few arcmin for optimal placement within the NIRCcam mosaic.</i>	

Proposal 2561 - Observation 2 - UNCOVER: Ultra-deep NIRCcam and NIRSpect Observations Before the Epoch of Reionization

(uncover nircam 13.8 (Obs 2)) Warning (Form): Config msa7 (#19) has 14 master background shutters affected by failed open or closed shutters.
(uncover nircam 13.8 (Obs 2)) Warning (Form): Config msa7 (#19) has 2 primary slits affected by failed closed shutters.
(uncover nircam 13.8 (Obs 2)) Warning (Form): Config msa7 (#19) has 32 primary slit traces affected by failed open shutters.
(uncover nircam 13.8 (Obs 2)) Warning (Form): Config msa7 (#20) has 14 master background shutters affected by failed open or closed shutters.
(uncover nircam 13.8 (Obs 2)) Warning (Form): Config msa7 (#20) has 2 primary slits affected by failed closed shutters.
(uncover nircam 13.8 (Obs 2)) Warning (Form): Config msa7 (#20) has 32 primary slit traces affected by failed open shutters.
(Visit 2:1) Warning (Form): Data Excess over lower threshold
(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.
(Visit 2:2) Warning (Form): Data Excess over lower threshold
(Visit 2:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.
(Visit 2:3) Warning (Form): Data Excess over lower threshold
(Visit 2:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.
(Visit 2:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.
(Visit 2:5) Warning (Form): Data Excess over lower threshold
(Visit 2:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	uncover_nircam	RA: 00 14 18.5231 (3.5771796d) Dec: -30 22 34.15 (-30.37615d) Equinox: J2000		
	<i>Comments:</i> Description=[]				

Acquisition	NIRSpect MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1		Filter: F140X; Readout: NRSRAPIDD6; 8 sources in 3 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPIDD6	3	1	4	687.153
2		Filter: F140X; Readout: NRSRAPIDD6; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPIDD6	3	1	4	687.153	
3		Filter: F140X; Readout: NRSRAPIDD6; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPIDD6	3	1	4	687.153	
4		Filter: CLEAR; Readout: NRSRAPIDD6; 8 sources in 3 quads; [Optimal TA Accuracy]	SAME	CLEAR	Auto Acq MSA Config	NRSRAPIDD6	3	1	4	687.153	
5		Filter: F140X; Readout: NRSRAPIDD6; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPIDD6	3	1	4	687.153	

Proposal 2561 - Observation 2 - UNCOVER: Ultra-deep NIRCам and NIRSpec Observations Before the Epoch of Reionization

Template	NIRSpec MultiObject Spectroscopy	NIRCам Imaging
	TA Method: MSATA Obtain Confirmation Images: After Target ACQ and New MSA Config Science Aperture: MSA Center Primary Candidate List: uncover_nircam (1122 sources) Filler Candidate List: null Spectral Overlap Map: jwst-nirspec-hr Spectral Overlap Threshold: 1.5	Module: ALL Subarray: FULL Target Placement: Module Gap

Proposal 2561 - Observation 2 - UNCOVER: Ultra-deep NIRC*am* and NIRS*pec* Observations Before the Epoch of Reionization

Reference Stars	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude
	1	2243	3.591488	-30.431959	24.05844585362915	1	15562	3.596312	-30.396365	24.117752158789017
	1	2625	3.596101	-30.430048	23.900207959619628	1	16181	3.605208	-30.395379	23.251885405886792
	1	2887	3.578512	-30.428794	23.638910047412157	1	18171	3.613261	-30.391097	24.19190290823762
	1	5138	3.587063	-30.420671	23.378284966829064	1	29464	3.596362	-30.372641	23.920487146617656
	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude
	2	11666	3.615079	-30.404380	22.872052721922604	2	18022	3.576655	-30.391370	24.08585938638986
	2	15088	3.642466	-30.397339	23.138866058739694	2	26736	3.611094	-30.376581	22.924911940932137
	2	15562	3.596312	-30.396365	24.117752158789017	2	37044	3.597615	-30.360088	22.864642373006568
	2	17873	3.587276	-30.391621	24.179239275058872	2	38857	3.604864	-30.356730	23.816851813290743
	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude
	3	16348	3.574002	-30.394799	24.07377916188152	3	37044	3.597615	-30.360088	22.864642373006568
	3	17873	3.587276	-30.391621	24.179239275058872	3	37102	3.609843	-30.359923	24.28183897403707
	3	26736	3.611094	-30.376581	22.924911940932137	3	38857	3.604864	-30.356730	23.816851813290743
	3	33911	3.548311	-30.365480	24.23295337779807	3	46746	3.578149	-30.341588	23.597326776062506
	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude
	4	22443	3.576157	-30.382755	24.772015156258878	4	46214	3.556592	-30.342725	25.04603050857335
	4	24298	3.571672	-30.379683	23.213438023308427	4	47567	3.570430	-30.339481	25.021337735167958
	4	32998	3.592284	-30.367190	25.110264879937592	4	47704	3.552108	-30.339172	25.55041325494309
	4	42620	3.574433	-30.350095	24.370778769627655	4	49740	3.565380	-30.333714	24.990319151937904
Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude	
5	15562	3.596312	-30.396365	24.117752158789017	5	29464	3.596362	-30.372641	23.920487146617656	
5	17873	3.587276	-30.391621	24.179239275058872	5	30177	3.590973	-30.371515	23.888004713106795	
5	18022	3.576655	-30.391370	24.08585938638986	5	31403	3.559369	-30.369993	23.627912545654034	
5	20440	3.554377	-30.386595	24.197703726544706	5	46348	3.591422	-30.343635	23.130441944472963	
Dithers	#	Dither Type								
	1	2-POINT-WITH-NIRC <i>am</i> -SIZE2								

Proposal 2561 - Observation 2 - UNCOVER: Ultra-deep NIRCam and NIRSpec Observations Before the Epoch of Reionization

	NIRSpec MultiObject Spectroscopy	Confirmation Type	Conf. Readout Pattern	Conf. Groups/Int	Conf. Integrations/Exp	Conf. Total Integrations	Conf. Total Exposure Time
Confirmation	1	msa1	NRSIRS2RAPID	6	1	2	204.244
	2	msa2	NRSIRS2RAPID	6	1	2	204.244
	3	msa3	NRSIRS2RAPID	6	1	2	204.244
	4	msa4	NRSIRS2RAPID	6	1	2	204.244
	5	msa5	NRSIRS2RAPID	6	1	2	204.244
	6	msa6	NRSIRS2RAPID	6	1	2	204.244
	7	msa7	NRSIRS2RAPID	6	1	2	204.244

Proposal 2561 - Observation 2 - UNCOVER: Ultra-deep NIRCам and NIRSspec Observations Before the Epoch of Reionization

	NIRSspec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
Spectral Elements	1	1 (PRISM/CLEAR)	msa1	3 Shutter Slitlet	3.5839127916666 67 Degrees - 30.3998611111111 136 Degrees	44.571144852715 825			6	6	3238.734
	2	1 (PRISM/CLEAR)	msa1	3 Shutter Slitlet	3.5839127916666 67 Degrees - 30.3998611111111 136 Degrees	44.571144852715 825			6	6	3238.734
	3	1 (PRISM/CLEAR)	msa1	3 Shutter Slitlet	3.5839127916666 67 Degrees - 30.3998611111111 136 Degrees	44.571144852715 825			6	6	3238.734
	4	1 (PRISM/CLEAR)	msa2	3 Shutter Slitlet	3.6084097916666 664 Degrees - 30.3911336111111 115 Degrees	44.558772955710 23			6	6	3238.734
	5	1 (PRISM/CLEAR)	msa2	3 Shutter Slitlet	3.6084097916666 664 Degrees - 30.3911336111111 115 Degrees	44.558772955710 23			6	6	3238.734
	6	1 (PRISM/CLEAR)	msa2	3 Shutter Slitlet	3.6084097916666 664 Degrees - 30.3911336111111 115 Degrees	44.558772955710 23			6	6	3238.734
	7	1 (PRISM/CLEAR)	msa3	3 Shutter Slitlet	3.5732805 Degrees - 30.3686749999999 996 Degrees	44.576587580973 445			6	6	3238.734
	8	1 (PRISM/CLEAR)	msa3	3 Shutter Slitlet	3.5732805 Degrees - 30.3686749999999 996 Degrees	44.576587580973 445			6	6	3238.734
	9	1 (PRISM/CLEAR)	msa3	3 Shutter Slitlet	3.5732805 Degrees - 30.3686749999999 996 Degrees	44.576587580973 445			6	6	3238.734
	10	2 (PRISM/CLEAR)	msa4	3 Shutter Slitlet	3.5586419166666 667 Degrees - 30.3564066666666 658 Degrees	44.584017110242 44			6	6	5339.534
	11	2 (PRISM/CLEAR)	msa4	3 Shutter Slitlet	3.5586419166666 667 Degrees - 30.3564066666666 658 Degrees	44.584017110242 44			6	6	5339.534
	12	2 (PRISM/CLEAR)	msa4	3 Shutter Slitlet	3.5586419166666 667 Degrees - 30.3564066666666 658 Degrees	44.584017110242 44			6	6	5339.534
	13	3 (PRISM/CLEAR)	msa5	3 Shutter Slitlet	3.5808445 Degrees - 30.3723049999999 983 Degrees	44.572754218239 695			6	6	5339.534
	14	3 (PRISM/CLEAR)	msa5	3 Shutter Slitlet	3.5808445 Degrees - 30.3723049999999 983 Degrees	44.572754218239 695			6	6	5339.534

Proposal 2561 - Observation 2 - UNCOVER: Ultra-deep NIRCам and NIRSPEC Observations Before the Epoch of Reionization

	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	15	3 (PRISM/CLEAR)	msa5	3 Shutter Slitlet	3.5808445 Degrees - 30.372304999999 983 Degrees	44.572754218239 695			6	6	5339.534
	16	3 (PRISM/CLEAR)	msa6	3 Shutter Slitlet	3.5803515833333 335 Degrees - 30.372163611111 09 Degrees	44.573003826016 69			6	6	5339.534
	17	3 (PRISM/CLEAR)	msa6	3 Shutter Slitlet	3.5803515833333 335 Degrees - 30.372163611111 09 Degrees	44.573003826016 69			6	6	5339.534
	18	3 (PRISM/CLEAR)	msa6	3 Shutter Slitlet	3.5803515833333 335 Degrees - 30.372163611111 09 Degrees	44.573003826016 69			6	6	5339.534
	19	3 (PRISM/CLEAR)	msa7	3 Shutter Slitlet	3.5808445 Degrees - 30.372304999999 983 Degrees	44.572754218239 695			6	6	5339.534
	20	3 (PRISM/CLEAR)	msa7	3 Shutter Slitlet	3.5808445 Degrees - 30.372304999999 983 Degrees	44.572754218239 695			6	6	5339.534
Spectral Elements	NIRCам Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	ETC Wkbk.Calc ID	
	1	F115W	F277W	MEDIUM8	5	1	6	6	3092.19		
	2	F150W	F356W	MEDIUM8	5	1	6	6	3092.19		
	3	F200W	F444W	MEDIUM8	5	1	6	6	3092.19		
	4	F115W	F277W	MEDIUM8	5	1	6	6	3092.19		
	5	F150W	F356W	MEDIUM8	5	1	6	6	3092.19		
	6	F200W	F444W	MEDIUM8	5	1	6	6	3092.19		
	7	F115W	F277W	MEDIUM8	5	1	6	6	3092.19		
	8	F150W	F356W	MEDIUM8	5	1	6	6	3092.19		
	9	F200W	F444W	MEDIUM8	5	1	6	6	3092.19		
	10	F115W	F277W	MEDIUM8	8	1	6	6	5024.808		
	11	F150W	F356W	MEDIUM8	8	1	6	6	5024.808		
	12	F200W	F444W	MEDIUM8	8	1	6	6	5024.808		
	13	F090W	F410M	MEDIUM8	8	1	6	6	5024.808		
	14	F090W	F480M	MEDIUM8	8	1	6	6	5024.808		
	15	F115W	F277W	MEDIUM8	8	1	6	6	5024.808		
	16	F150W	F356W	MEDIUM8	8	1	6	6	5024.808		
	17	F200W	F444W	MEDIUM8	8	1	6	6	5024.808		
	18	F115W	F277W	MEDIUM8	8	1	6	6	5024.808		
	19	F150W	F356W	MEDIUM8	8	1	6	6	5024.808		
	20	F200W	F444W	MEDIUM8	8	1	6	6	5024.808		

Proposal 2561 - Observation 2 - UNCOVER: Ultra-deep NIRCam and NIRSpec Observations Before the Epoch of Reionization

Special Requirements

Sequence Visits within 53.0 Days
Aperture PA Range 44.5746 to 44.5746 Degrees (V3 266.0000303 to 266.0000303) [MSA Selected]
Visits Same PA
No Parallel Attachments
Background Limited. Background no more than 20th percentile above minimum
MSA Scheduled Aperture PA 44.5746 to 44.5746 Degrees (V3 266.0000303 to 266.0000303)
2 After 1 by 60.0 Days to <None specified>

Proposal 2561 - Observation 6 - UNCOVER: Ultra-deep NIRCcam and NIRSpec Observations Before the Epoch of Reionization

Tue Oct 10 00:01:12 GMT 2023

Observation	Proposal 2561, Observation 6: uncover nirspec repeat Diagnostic Status: Warning Observing Template: NIRSpec MultiObject Spectroscopy Coordinated Parallel Template(s): NIRCcam Imaging										
	(uncover nirspec repeat (Obs 6)) Warning (Form): Config msa1 (#1) has 23 master background shutters affected by failed open or closed shutters. (uncover nirspec repeat (Obs 6)) Warning (Form): Config msa1 (#2) has 23 master background shutters affected by failed open or closed shutters. (uncover nirspec repeat (Obs 6)) Warning (Form): Config msa1 (#3) has 23 master background shutters affected by failed open or closed shutters. (uncover nirspec repeat (Obs 6)) Warning (Form): Config msa3 (#4) has 18 master background shutters affected by failed open or closed shutters. (uncover nirspec repeat (Obs 6)) Warning (Form): Config msa3 (#5) has 18 master background shutters affected by failed open or closed shutters. (uncover nirspec repeat (Obs 6)) Warning (Form): Config msa3 (#6) has 18 master background shutters affected by failed open or closed shutters. (Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 6:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Diagnosics											
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(1)	uncover_nircam	RA: 00 14 18.5231 (3.5771796d) Dec: -30 22 34.15 (-30.37615d) Equinox: J2000								
Comments: Description=[]											
Acquisition	NIRSpec MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
	2		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	NIRSpec MultiObject Spectroscopy					NIRCcam Imaging					
	TA Method: MSATA Obtain Confirmation Images: No Science Aperture: MSA Center Primary Candidate List: uncover_nircam (1122 sources) Filler Candidate List: uncover_nircam (1122 sources) Spectral Overlap Map: jwst-nirspec-prism Spectral Overlap Threshold: 1.5					Module: ALL Subarray: FULL Target Placement: Module Gap					
Reference Stars											
Dithers	#	Dither Type									
	1	2-POINT-WITH-NIRCcam-SIZE2									

Proposal 2561 - Observation 6 - UNCOVER: Ultra-deep NIRCам and NIRSpec Observations Before the Epoch of Reionization

	NIRSpect MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
Spectral Elements	1	1 (PRISM/CLEAR)	msa1	3 Shutter Slitlet	3.5839127916666 67 Degrees - 30.3998611111111 136 Degrees	44.571144852715 825			6	6	3588.867
	2	1 (PRISM/CLEAR)	msa1	3 Shutter Slitlet	3.5839127916666 67 Degrees - 30.3998611111111 136 Degrees	44.571144852715 825			6	6	3588.867
	3	1 (PRISM/CLEAR)	msa1	3 Shutter Slitlet	3.5839127916666 67 Degrees - 30.3998611111111 136 Degrees	44.571144852715 825			6	6	3588.867
	4	1 (PRISM/CLEAR)	msa3	3 Shutter Slitlet	3.5732805 Degrees - 30.3686749999999 996 Degrees	44.576587580973 445			6	6	3588.867
	5	1 (PRISM/CLEAR)	msa3	3 Shutter Slitlet	3.5732805 Degrees - 30.3686749999999 996 Degrees	44.576587580973 445			6	6	3588.867
	6	1 (PRISM/CLEAR)	msa3	3 Shutter Slitlet	3.5732805 Degrees - 30.3686749999999 996 Degrees	44.576587580973 445			6	6	3588.867
Spectral Elements	NIRCам Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	ETC Wkbk.Calc ID	
	1	F115W	F277W	MEDIUM8	5	1	6	6	3092.19		
	2	F150W	F356W	MEDIUM8	5	1	6	6	3092.19		
	3	F200W	F444W	MEDIUM8	5	1	6	6	3092.19		
	4	F115W	F277W	MEDIUM8	5	1	6	6	3092.19		
	5	F150W	F356W	MEDIUM8	5	1	6	6	3092.19		
6	F200W	F444W	MEDIUM8	5	1	6	6	3092.19			
Special Requirements	Sequence Visits within 53.0 Days Visits Same PA No Parallel Attachments Background Limited. Background no more than 20th percentile above minimum MSA Planned Aperture PA 44.5746 to 44.5746 Degrees (V3 266.0000303 to 266.0000303) 6 After 1 by 60.0 Days to <None specified>										