



17677 - WFC3 IR Dark Monitor

Cycle: 32, Proposal Category: CAL/WFC3

(Availability Mode: RESTRICTED)

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Frederick Dauphin (PI) (Contact)	Space Telescope Science Institute
Dr. Joel David Green (CoI) (Contact)	Space Telescope Science Institute
Aidan J Pidgeon (CoI) (Contact)	Space Telescope Science Institute

VISITS

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
01	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:25.0	yes
02	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:25.0	yes
03	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:26.0	yes
04	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:26.0	yes
05	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:26.0	yes
06	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:26.0	yes

Proposal 17677 (STScI Edit Number: 0, Created: Friday, July 26, 2024 at 2:01:49 PM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
07	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:27.0	yes
08	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:27.0	yes
09	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:27.0	yes
10	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:27.0	yes
11	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:28.0	yes
12	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:28.0	yes
13	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:28.0	yes
14	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:29.0	yes
15	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:29.0	yes
16	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:29.0	yes
17	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:29.0	yes
18	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:30.0	yes
19	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:30.0	yes
20	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:30.0	yes

Proposal 17677 (STScI Edit Number: 0, Created: Friday, July 26, 2024 at 2:01:49 PM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
21	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:30.0	yes
22	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:31.0	yes
23	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:31.0	yes
24	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:31.0	yes
25	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:32.0	yes
26	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:32.0	yes
27	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:32.0	yes
28	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:33.0	yes
29	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:33.0	yes
30	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:34.0	yes
31	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:35.0	yes
32	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:35.0	yes
33	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:36.0	yes
34	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:36.0	yes

Proposal 17677 (STScI Edit Number: 0, Created: Friday, July 26, 2024 at 2:01:49 PM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
35	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:37.0	yes
36	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:37.0	yes
37	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:38.0	yes
38	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:38.0	yes
39	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:38.0	yes
40	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:38.0	yes
41	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:39.0	yes
42	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:39.0	yes
43	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:39.0	yes
44	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:39.0	yes
45	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:40.0	yes
46	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:40.0	yes
47	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:40.0	yes
48	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:40.0	yes

Proposal 17677 (STScI Edit Number: 0, Created: Friday, July 26, 2024 at 2:01:49 PM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
49	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:41.0	yes
50	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:41.0	yes
51	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:41.0	yes
52	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:42.0	yes
53	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:42.0	yes
54	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:43.0	yes
55	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:43.0	yes
56	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:43.0	yes
57	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:44.0	yes
58	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:44.0	yes
59	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:44.0	yes
60	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:45.0	yes
61	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:45.0	yes
62	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:46.0	yes

Proposal 17677 (STScI Edit Number: 0, Created: Friday, July 26, 2024 at 2:01:49 PM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
63	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:46.0	yes
64	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:47.0	yes
65	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:47.0	yes
66	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:47.0	yes
67	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:48.0	yes
68	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:48.0	yes
69	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:48.0	yes
70	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:48.0	yes
71	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:49.0	yes
72	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:49.0	yes
73	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:49.0	yes
74	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:50.0	yes
75	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:50.0	yes
76	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:50.0	yes

Proposal 17677 (STScI Edit Number: 0, Created: Friday, July 26, 2024 at 2:01:49 PM Eastern Standard Time) - Overview

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
77	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:51.0	yes
78	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:52.0	yes
79	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:53.0	yes
80	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:53.0	yes
81	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:55.0	yes
82	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:55.0	yes
83	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:57.0	yes
84	DARK	S/C WFC3/IR	1	26-Jul-2024 15:00:59.0	yes
85	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:00.0	yes
86	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:01.0	yes
87	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:01.0	yes
88	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:02.0	yes
89	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:02.0	yes
90	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:03.0	yes

<i>Visit</i>	<i>Targets used in Visit</i>	<i>Configurations used in Visit</i>	<i>Orbits Used</i>	<i>Last Orbit Planner Run</i>	<i>OP Current with Visit?</i>
91	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:03.0	yes
92	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:04.0	yes
93	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:04.0	yes
94	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:05.0	yes
95	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:19.0	yes
96	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:34.0	yes
97	DARK	S/C WFC3/IR	1	26-Jul-2024 15:01:48.0	yes

97 Total Orbits Used

ABSTRACT

This program acquires various WFC3/IR darks to support the removal and study of dark current, which is critical to WFC3's success. Similar to previous IR dark monitor programs, about a quarter of the orbits are used to periodically obtain SPARS200/full-frame dark observations. These long observations are used to monitor trends in the bad pixels (for example, hot, unstable, dead), zeroth read level, and dark current. The remaining orbits collect dark ramps for generating stacked IR dark calibration files for use by the MAST pipeline. The ramps will be collected for each observing mode at a cadence roughly scaled with the newness of the observing mode as well as its popularity in approved recent proposals.

OBSERVING DESCRIPTION

Full-frame and subarray dark calibration images will be collected using the observing configurations listed below. The total number of images collected during the cycle for a given mode is based on 1) the total number of input ramps used in the current superdark for that mode and 2) the popularity of that mode in external science observations.

The IR dark current has remained nearly unchanged since launch (Sunnquist et al., WFC3 ISR 2017-04), which allows for more relaxed scheduling constraints compared to other WFC3/IR dark monitor programs. With the exception of the SPARS200/Full-Frame hot-pixel monitoring observations (which occur once every 2 weeks), all observations have no set scheduling parameters other than that they have to be taken sometime during Cycle 32. The BETWEENs for visits 27-97 were set to preserve continuity from Cycle 31's program 17357.

Full-Frame Observations

- > SPARS200 (Monitoring): 2 orbits per month over a ~12-month period, 26 ramps total. Visits 01-26.
- > RAPID: 4 orbits, 16 ramps total. Visits 27-30.
- > SPARS25: 4 orbits, 12 ramps total. Visits 32-35.
- > SPARS50: 9 orbits, 9 ramps total. Visits 36-44.
- > SPARS100: 7 orbits, 7 ramps total. Visits 45-51.
- > STEP200: 5 orbits, 5 ramps total. Visits 53-57.
- > SPARS10: 4 orbits, 12 ramps total. Visits 58-61.
- > STEP25: 2 orbits, 6 ramps total. Visits 62-63.
- > STEP50: 5 orbits, 10 ramps total. Visits 64-68.
- > STEP100: 6 orbits, 6 ramps total. Visits 69-74.
- > STEP400: 2 orbits, 2 ramps total. Visits 75-76.
- > SPARS5: 1 orbit, 4 ramps total. Visit 85.

Subarray Observations

- > SPARS5:
 - SUB512: 4 orbits, 23 ramps total. Visits 37, 83-84, 86.
 - SUB256: 5 orbits, 25 ramps total. Visits 36, 83-86.
- > SPARS10:

Proposal 17677 (STScI Edit Number: 0, Created: Friday, July 26, 2024 at 2:01:49 PM Eastern Standard Time) - Overview

SUB512: 2 orbits, 20 ramps total. Visits 31, 52.

SUB256: 6 orbits, 42 ramps total. Visits 77-82.

SUB128: 6 orbits, 30 ramps total. Visits 77-82.

> SPARS25:

SUB512: 5 orbits, 10 ramps total. Visits 88-92.

SUB256: 6 orbits, 14 ramps total. Visits 87-92.

> STEP25:

SUB512: 2 orbits, 10 ramps total. Visits 93-94.

> RAPID:

SUB512: 3 orbits, 24 ramps total. Visits 95-97.

SUB256: 3 orbits, 24 ramps total. Visits 95-97.

SUB128: 3 orbits, 30 ramps total. Visits 95-97.

SUB64: 3 orbits, 24 ramps total. Visits 95-97.

----- Calibration Justification -----

These new darks collected in Cycle 32 will be used to update the IR dark reference files for use in the WFC3 calibration pipeline. The SPARS200 darks taken twice every month provide a monitor of the bad pixels (for example, hot, unstable, dead), zeroth read level, and dark current patterns. If necessary, any changes in these areas will be incorporated into the bad pixel and/or super zero calibration reference files.

----- Additional Comments -----

These visits exceed the recommended duration for an internal orbit and generate "MAXIMUM DURATION EXCEEDED" warnings due to an 1800-second non-interruptible hold preceding the dark sequences. However, this hold is necessary to help protect the dark observations from persistence effects from earlier IR observations. The internal orbit warning limit does not apply here. The durations for 17677 are 4986 seconds.


Proposal 17677 - Visit 01 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:49 GMT 2024

Visit	Proposal 17677, Visit 01 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 17-NOV-2024:23:59:59; PARALLEL <i>Comments: SPARS200/FF Orbit 1/26</i>
--------------	--

Diagnostics	(Visit 01) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 01	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 01	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 02 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:49 GMT 2024

Visit	Proposal 17677, Visit 02 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 18-NOV-2024:00:00:00 AND 01-DEC-2024:23:59:59; PARALLEL Comments: SPARS200/FF Orbit 2/26
--------------	---

Diagnostics	(Visit 02) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 02	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 02	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 03 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:49 GMT 2024

Visit	Proposal 17677, Visit 03 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 02-DEC-2024:00:00:00 AND 15-DEC-2024:23:59:59; PARALLEL Comments: SPARS200/FF Orbit 3/26
--------------	---

Diagnostics	(Visit 03) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 03	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 03	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 04 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:49 GMT 2024

Visit	Proposal 17677, Visit 04 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 16-DEC-2024:00:00:00 AND 29-DEC-2024:23:59:59; PARALLEL Comments: SPARS200/FF Orbit 4/26
--------------	---

Diagnostics	(Visit 04) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 04	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 04	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 05 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:49 GMT 2024

Visit	Proposal 17677, Visit 05 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 30-DEC-2024:00:00:00 AND 11-JAN-2025:23:59:59; PARALLEL <i>Comments: SPARS200/FF Orbit 5/26</i>
--------------	--

Diagnostics	(Visit 05) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 05	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 05	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 06 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:49 GMT 2024

Visit	Proposal 17677, Visit 06 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 12-JAN-2025:00:00:00 AND 25-JAN-2025:23:59:59; PARALLEL <i>Comments: SPARS200/FF Orbit 6/26</i>
--------------	--

Diagnostics	(Visit 06) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 06	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 06	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 07 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:49 GMT 2024

Visit	<p>Proposal 17677, Visit 07</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 26-JAN-2025:00:00:00 AND 08-FEB-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 7/26</i></p>
--------------	---

Diagnostics	(Visit 07) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 07	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 07	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 08 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:49 GMT 2024

Visit	<p>Proposal 17677, Visit 08</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 09-FEB-2025:00:00:00 AND 22-FEB-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 8/26</i></p>
--------------	---

Diagnostics	(Visit 08) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 08	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 08	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 09 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 09</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 23-FEB-2025:00:00:00 AND 08-MAR-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 9/26</i></p>
--------------	---

Diagnostics	(Visit 09) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 09	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 09	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 10 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 10 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 09-MAR-2025:00:00:00 AND 22-MAR-2025:23:59:59; PARALLEL Comments: SPARS200/FF Orbit 10/26
--------------	--

Diagnostics	(Visit 10) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 10	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 10	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 11 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 11 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 23-MAR-2025:00:00:00 AND 05-APR-2025:23:59:59; PARALLEL Comments: SPARS200/FF Orbit 11/26
--------------	--

Diagnostics	(Visit 11) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 11	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 11	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 12 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 12</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 06-APR-2025:00:00:00 AND 19-APR-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 12/26</i></p>
--------------	--

Diagnostics	(Visit 12) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 12	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 12	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 13 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 13</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 20-APR-2025:00:00:00 AND 03-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 13/26</i></p>
--------------	--

Diagnostics	(Visit 13) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 13	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 13	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 14 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 14</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-MAY-2025:00:00:00 AND 17-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 14/26</i></p>
--------------	--

Diagnostics	(Visit 14) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 14	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 14	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 15 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 15</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 18-MAY-2025:00:00:00 AND 31-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 15/26</i></p>
--------------	--

Diagnostics	(Visit 15) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 15	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 15	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 16 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 16 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 01-JUN-2025:00:00:00 AND 14-JUN-2025:23:59:59; PARALLEL <i>Comments: SPARS200/FF Orbit 16/26</i>
--------------	---

Diagnostics	(Visit 16) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 16	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 16	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 17 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 17 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 15-JUN-2025:00:00:00 AND 28-JUN-2025:23:59:59; PARALLEL Comments: SPARS200/FF Orbit 17/26
--------------	--

Diagnostics	(Visit 17) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 17	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 17	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 18 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 18 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 29-JUN-2025:00:00:00 AND 12-JUL-2025:23:59:59; PARALLEL Comments: SPARS200/FF Orbit 18/26
--------------	--

Diagnostics	(Visit 18) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 18	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 18	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 19 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 19</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 13-JUL-2025:00:00:00 AND 26-JUL-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 19/26</i></p>
--------------	--

Diagnostics	(Visit 19) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 19	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 19	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 20 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 20</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 27-JUL-2025:00:00:00 AND 09-AUG-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 20/26</i></p>
--------------	--

Diagnostics	(Visit 20) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 20	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 20	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 21 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 21</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 10-AUG-2025:00:00:00 AND 23-AUG-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 21/26</i></p>
--------------	--

Diagnostics	(Visit 21) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 21	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 21	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 22 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 22</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 24-AUG-2025:00:00:00 AND 06-SEP-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 22/26</i></p>
--------------	--

Diagnostics	(Visit 22) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 22	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 22	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 23 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 23</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 07-SEP-2025:00:00:00 AND 20-SEP-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 23/26</i></p>
--------------	--

Diagnostics	(Visit 23) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 23	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 23	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 24 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 24 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 21-SEP-2025:00:00:00 AND 04-OCT-2025:23:59:59; PARALLEL <i>Comments: SPARS200/FF Orbit 24/26</i>
--------------	---

Diagnostics	(Visit 24) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 24	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 24	2802.933229 Secs (2802.933 Secs) [==>]	[1]




Proposal 17677 - Visit 25 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 25</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 05-OCT-2025:00:00:00 AND 18-OCT-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 25/26</i></p>
--------------	--

Diagnostics	(Visit 25) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 25	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 25	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 26 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 26</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 19-OCT-2025:00:00:00 AND 01-NOV-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS200/FF Orbit 26/26</i></p>
--------------	--

Diagnostics	(Visit 26) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 26	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS200_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 26	2802.933229 Secs (2802.933 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 27 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 27</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: RAPID/FF Orbit 1/4</i></p>
--------------	---

Diagnostics	(Visit 27) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 27	1800 Secs (1800 Secs)	
								[==>]	[1]
2	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 27	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]
3	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-5 Non-Int in Visit 27	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]
4	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-5 Non-Int in Visit 27	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]
5	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-5 Non-Int in Visit 27	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]




Proposal 17677 - Visit 28 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 28 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: RAPID/FF Orbit 2/4
--------------	---

Diagnostics	(Visit 28) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 28	1800 Secs (1800 Secs) [==>]	[1]
2	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=RAPID	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 28	43.984365 Secs (43.984 Secs) [==>]	[1]
3	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=RAPID		Sequence 1-5 Non-Int in Visit 28	43.984365 Secs (43.984 Secs) [==>]	[1]
4	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=RAPID		Sequence 1-5 Non-Int in Visit 28	43.984365 Secs (43.984 Secs) [==>]	[1]
5	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=RAPID		Sequence 1-5 Non-Int in Visit 28	43.984365 Secs (43.984 Secs) [==>]	[1]




Proposal 17677 - Visit 29 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 29</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: RAPID/FF Orbit 3/4</i></p>
--------------	---

Diagnostics	(Visit 29) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 29	1800 Secs (1800 Secs)	
								[==>]	[1]
2	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 29	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]
3	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-5 Non-Int in Visit 29	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]
4	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-5 Non-Int in Visit 29	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]
5	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-5 Non-Int in Visit 29	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]




Proposal 17677 - Visit 30 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 30</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: RAPID/FF Orbit 4/4</i></p>
--------------	---

Diagnostics	(Visit 30) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 30	1800 Secs (1800 Secs)	
								[==>]	[1]
2	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 30	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]
3	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-5 Non-Int in Visit 30	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]
4	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-5 Non-Int in Visit 30	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]
5	RAPID_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-5 Non-Int in Visit 30	43.984365 Secs (43.984 Secs)	
					SAMP-SEQ=RAPID			[==>]	[1]



Proposal 17677 - Visit 31 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 31 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: SPARS10/512 Orbit 1/2										
	Diagnostics	(Visit 31) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE					Sequence 1-11 Non-Int in Visit 31	1800 Secs (1800 Secs)	
									[==>]	[1]	
	2	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT		Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)	
									[==>]	[1]	
	3	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)	
									[==>]	[1]	
	4	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)	
									[==>]	[1]	
	5	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)	
									[==>]	[1]	
	6	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)	
								[==>]	[1]		
7	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)		
								[==>]	[1]		
8	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)		
								[==>]	[1]		
9	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)		
								[==>]	[1]		
10	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)		
								[==>]	[1]		
11	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-11 Non-Int in Visit 31	111.756813 Secs (111.757 Secs)		
								[==>]	[1]		




Proposal 17677 - Visit 32 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 32</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/FF Orbit 1/4</i></p>
--------------	---

Diagnostics	(Visit 32) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 32	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS25	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 32	352.939501 Secs (352.94 Secs) [==>]	[1]
3	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-4 Non-Int in Visit 32	352.939501 Secs (352.94 Secs) [==>]	[1]
4	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-4 Non-Int in Visit 32	352.939501 Secs (352.94 Secs) [==>]	[1]




Proposal 17677 - Visit 33 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 33</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/FF Orbit 2/4</i></p>
--------------	---

Diagnostics	(Visit 33) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 33	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS25	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 33	352.939501 Secs (352.94 Secs) [==>]	[1]
3	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-4 Non-Int in Visit 33	352.939501 Secs (352.94 Secs) [==>]	[1]
4	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-4 Non-Int in Visit 33	352.939501 Secs (352.94 Secs) [==>]	[1]




Proposal 17677 - Visit 34 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 34</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/FF Orbit 3/4</i></p>
--------------	---

Diagnostics	(Visit 34) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 34	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 34	352.939501 Secs (352.94 Secs)	
					SAMP-SEQ=SPARS25			[==>]	[1]
3	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-4 Non-Int in Visit 34	352.939501 Secs (352.94 Secs)	
					SAMP-SEQ=SPARS25			[==>]	[1]
4	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-4 Non-Int in Visit 34	352.939501 Secs (352.94 Secs)	
					SAMP-SEQ=SPARS25			[==>]	[1]




Proposal 17677 - Visit 35 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 35</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/FF Orbit 4/4</i></p>
--------------	---

Diagnostics	(Visit 35) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 35	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS25	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 35	352.939501 Secs (352.94 Secs) [==>]	[1]
3	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-4 Non-Int in Visit 35	352.939501 Secs (352.94 Secs) [==>]	[1]
4	SPARS25_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-4 Non-Int in Visit 35	352.939501 Secs (352.94 Secs) [==>]	[1]




Proposal 17677 - Visit 36 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 36</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS50/FF Orbit 1/9, SPARS5/256 Orbit 1/5</i></p>
--------------	---

Diagnostics	(Visit 36) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 36	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS50_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS50	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 36	702.938605 Secs (702.939 Secs) [==>]	[1]
3	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-4 Non-Int in Visit 36	33.16592 Secs (33.166 Secs) [==>]	[1]
4	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-4 Non-Int in Visit 36	33.16592 Secs (33.166 Secs) [==>]	[1]




Proposal 17677 - Visit 37 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 37</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS50/FF Orbit 2/9, SPARS5/512 Orbit 1/4</i></p>
--------------	---

Diagnostics	(Visit 37) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 37	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS50_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS50	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 37	702.938605 Secs (702.939 Secs) [==>]	[1]
3	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-4 Non-Int in Visit 37	41.754125 Secs (41.754 Secs) [==>]	[1]
4	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-4 Non-Int in Visit 37	41.754125 Secs (41.754 Secs) [==>]	[1]




Proposal 17677 - Visit 38 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 38</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS50/FF Orbit 3/9</i></p>
--------------	---

Diagnostics	(Visit 38) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 38	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS50_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS50	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 38	702.938605 Secs (702.939 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 39 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 39</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS50/FF Orbit 4/9</i></p>
--------------	---

Diagnostics	(Visit 39) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 39	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS50_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS50	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 39	702.938605 Secs (702.939 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 40 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 40</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS50/FF Orbit 5/9</i></p>
--------------	---

Diagnostics	(Visit 40) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 40	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS50_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS50	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 40	702.938605 Secs (702.939 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 41 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 41</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS50/FF Orbit 6/9</i></p>
--------------	---

Diagnostics	(Visit 41) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 41	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS50_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS50	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 41	702.938605 Secs (702.939 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 42 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 42</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS50/FF Orbit 7/9</i></p>
--------------	---

Diagnostics	(Visit 42) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 42	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS50_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS50	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 42	702.938605 Secs (702.939 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 43 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 43</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS50/FF Orbit 8/9</i></p>
--------------	---

Diagnostics	(Visit 43) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 43	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS50_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS50	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 43	702.938605 Secs (702.939 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 44 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 44</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS50/FF Orbit 9/9</i></p>
--------------	---

Diagnostics	(Visit 44) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 44	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS50_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS50	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 44	702.938605 Secs (702.939 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 45 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 45</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS100/FF Orbit 1/8</i></p>
--------------	--

Diagnostics	(Visit 45) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 45	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS100_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 45	1402.936813 Secs (1402.937 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 46 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 46</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS100/FF Orbit 2/8</i></p>
--------------	--

Diagnostics	(Visit 46) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 46	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS100_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 46	1402.936813 Secs (1402.937 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 47 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 47 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: SPARS100/FF Orbit 3/8
--------------	--

Diagnostics	(Visit 47) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 47	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS100_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 47	1402.936813 Secs (1402.937 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 48 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 48</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS100/FF Orbit 4/8</i></p>
--------------	--

Diagnostics	(Visit 48) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 48	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS100_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 48	1402.936813 Secs (1402.937 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 49 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 49</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS100/FF Orbit 5/8</i></p>
--------------	--

Diagnostics	(Visit 49) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 49	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS100_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 49	1402.936813 Secs (1402.937 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 50 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 50 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: SPARS100/FF Orbit 6/8
--------------	--

Diagnostics	(Visit 50) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 50	1800 Secs (1800 Secs)	
								[==>]	[1]
2	SPARS100_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 50	1402.936813 Secs (1402.937 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 51 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 51 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: SPARS100/FF Orbit 7/8
--------------	--

Diagnostics	(Visit 51) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 51	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS100_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 51	1402.936813 Secs (1402.937 Secs) [==>]	[1]



Proposal 17677 - Visit 52 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 52 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: SPARS10/512 Orbit 2/2										
	Diagnostics	(Visit 52) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE					Sequence 1-11 Non-Int in Visit 52	1800 Secs (1800 Secs)	
									[==>]	[1]	
	2	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT	Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)		
									[==>]	[1]	
	3	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)		
									[==>]	[1]	
	4	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)		
									[==>]	[1]	
	5	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)		
									[==>]	[1]	
	6	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)		
								[==>]	[1]		
7	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)			
								[==>]	[1]		
8	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)			
								[==>]	[1]		
9	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)			
								[==>]	[1]		
10	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)			
								[==>]	[1]		
11	SPARS10_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-11 Non-Int in Visit 52	111.756813 Secs (111.757 Secs)			
								[==>]	[1]		




Proposal 17677 - Visit 53 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 53</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP200/FF Orbit 1/5</i></p>
--------------	---

Diagnostics	(Visit 53) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 53	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP200_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 53	1599.231469 Secs (1599.231 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 54 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 54 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: STEP200/FF Orbit 2/5
--------------	---

Diagnostics	(Visit 54) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 54	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP200_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 54	1599.231469 Secs (1599.231 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 55 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 55</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP200/FF Orbit 3/5</i></p>
--------------	---

Diagnostics	(Visit 55) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 55	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP200_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 55	1599.231469 Secs (1599.231 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 56 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 56</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP200/FF Orbit 4/5</i></p>
--------------	---

Diagnostics	(Visit 56) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 56	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP200_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 56	1599.231469 Secs (1599.231 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 57 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 57</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP200/FF Orbit 5/5</i></p>
--------------	---

Diagnostics	(Visit 57) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 57	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP200_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP200	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 57	1599.231469 Secs (1599.231 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 58 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 58 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: SPARS10/FF Orbit 1/4
--------------	---

Diagnostics	(Visit 58) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 58	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 58	142.945773 Secs (142.946 Secs) [==>]	[1]
3	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-4 Non-Int in Visit 58	142.945773 Secs (142.946 Secs) [==>]	[1]
4	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-4 Non-Int in Visit 58	142.945773 Secs (142.946 Secs) [==>]	[1]




Proposal 17677 - Visit 59 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 59 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: SPARS10/FF Orbit 2/4
--------------	---

Diagnostics	(Visit 59) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 59	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 59	142.945773 Secs (142.946 Secs) [==>]	[1]
3	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-4 Non-Int in Visit 59	142.945773 Secs (142.946 Secs) [==>]	[1]
4	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-4 Non-Int in Visit 59	142.945773 Secs (142.946 Secs) [==>]	[1]




Proposal 17677 - Visit 60 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	<p>Proposal 17677, Visit 60</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS10/FF Orbit 3/4</i></p>
--------------	---

Diagnostics	(Visit 60) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 60	1800 Secs (1800 Secs)	
							[==>]		[1]
2	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 60	142.945773 Secs (142.946 Secs)	
					SAMP-SEQ=SPARS10		[==>]		[1]
3	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-4 Non-Int in Visit 60	142.945773 Secs (142.946 Secs)	
					SAMP-SEQ=SPARS10		[==>]		[1]
4	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-4 Non-Int in Visit 60	142.945773 Secs (142.946 Secs)	
					SAMP-SEQ=SPARS10		[==>]		[1]




Proposal 17677 - Visit 61 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 61 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: SPARS10/FF Orbit 4/4
--------------	---

Diagnostics	(Visit 61) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 61	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 61	142.945773 Secs (142.946 Secs) [==>]	[1]
3	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-4 Non-Int in Visit 61	142.945773 Secs (142.946 Secs) [==>]	[1]
4	SPARS10_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-4 Non-Int in Visit 61	142.945773 Secs (142.946 Secs) [==>]	[1]




Proposal 17677 - Visit 62 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:50 GMT 2024

Visit	Proposal 17677, Visit 62 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: STEP25/FF Orbit 1/2
--------------	--

Diagnostics	(Visit 62) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 62	1800 Secs (1800 Secs) [==>]	[1]
2	STEP25_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP25	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 62	274.234861 Secs (274.235 Secs) [==>]	[1]
3	STEP25_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP25		Sequence 1-4 Non-Int in Visit 62	274.234861 Secs (274.235 Secs) [==>]	[1]
4	STEP25_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP25		Sequence 1-4 Non-Int in Visit 62	274.234861 Secs (274.235 Secs) [==>]	[1]




Proposal 17677 - Visit 63 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 63</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP25/FF Orbit 2/2</i></p>
--------------	--

Diagnostics	(Visit 63) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-4 Non-Int in Visit 63	1800 Secs (1800 Secs) [==>]	[1]
2	STEP25_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP25	NEW ALIGNMENT	Sequence 1-4 Non-Int in Visit 63	274.234861 Secs (274.235 Secs) [==>]	[1]
3	STEP25_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP25		Sequence 1-4 Non-Int in Visit 63	274.234861 Secs (274.235 Secs) [==>]	[1]
4	STEP25_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP25		Sequence 1-4 Non-Int in Visit 63	274.234861 Secs (274.235 Secs) [==>]	[1]




Proposal 17677 - Visit 64 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 64</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP50/FF Orbit 1/5</i></p>
--------------	--

Diagnostics	(Visit 64) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-3 Non-Int in Visit 64	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;	NEW ALIGNMENT	Sequence 1-3 Non-Int in Visit 64	499.234285 Secs (499.234 Secs)	
					SAMP-SEQ=STEP50			[==>]	[1]
3	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-3 Non-Int in Visit 64	499.234285 Secs (499.234 Secs)	
					SAMP-SEQ=STEP50			[==>]	[1]




Proposal 17677 - Visit 65 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 65</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP50/FF Orbit 2/5</i></p>
--------------	--

Diagnostics	(Visit 65) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-3 Non-Int in Visit 65	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;	NEW ALIGNMENT	Sequence 1-3 Non-Int in Visit 65	499.234285 Secs (499.234 Secs)	
					SAMP-SEQ=STEP50			[==>]	[1]
3	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;		Sequence 1-3 Non-Int in Visit 65	499.234285 Secs (499.234 Secs)	
					SAMP-SEQ=STEP50			[==>]	[1]




Proposal 17677 - Visit 66 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	Proposal 17677, Visit 66 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: STEP50/FF Orbit 3/5
--------------	--

Diagnostics	(Visit 66) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-3 Non-Int in Visit 66	1800 Secs (1800 Secs) [==>]	[1]
2	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP50	NEW ALIGNMENT	Sequence 1-3 Non-Int in Visit 66	499.234285 Secs (499.234 Secs) [==>]	[1]
3	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP50		Sequence 1-3 Non-Int in Visit 66	499.234285 Secs (499.234 Secs) [==>]	[1]




Proposal 17677 - Visit 67 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 67</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP50/FF Orbit 4/5</i></p>
--------------	--

Diagnostics	(Visit 67) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-3 Non-Int in Visit 67	1800 Secs (1800 Secs) [==>]	[1]
2	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP50	NEW ALIGNMENT	Sequence 1-3 Non-Int in Visit 67	499.234285 Secs (499.234 Secs) [==>]	[1]
3	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP50		Sequence 1-3 Non-Int in Visit 67	499.234285 Secs (499.234 Secs) [==>]	[1]




Proposal 17677 - Visit 68 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	Proposal 17677, Visit 68 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: STEP50/FF Orbit 5/5
--------------	--

Diagnostics	(Visit 68) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-3 Non-Int in Visit 68	1800 Secs (1800 Secs) [==>]	[1]
2	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP50	NEW ALIGNMENT	Sequence 1-3 Non-Int in Visit 68	499.234285 Secs (499.234 Secs) [==>]	[1]
3	STEP50_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP50		Sequence 1-3 Non-Int in Visit 68	499.234285 Secs (499.234 Secs) [==>]	[1]




Proposal 17677 - Visit 69 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 69</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP100/FF Orbit 1/6</i></p>
--------------	---

Diagnostics	(Visit 69) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 69	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP100_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 69	899.233261 Secs (899.233 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 70 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 70</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP100/FF Orbit 2/6</i></p>
--------------	---

Diagnostics	(Visit 70) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 70	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP100_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 70	899.233261 Secs (899.233 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 71 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	Proposal 17677, Visit 71 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: STEP100/FF Orbit 3/6
--------------	---

Diagnostics	(Visit 71) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 71	1800 Secs (1800 Secs) [==>]	[1]
2	STEP100_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 71	899.233261 Secs (899.233 Secs) [==>]	[1]




Proposal 17677 - Visit 72 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 72</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP100/FF Orbit 4/6</i></p>
--------------	---

Diagnostics	(Visit 72) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 72	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP100_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 72	899.233261 Secs (899.233 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 73 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 73</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP100/FF Orbit 5/6</i></p>
--------------	---

Diagnostics	(Visit 73) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 73	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP100_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 73	899.233261 Secs (899.233 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 74 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	Proposal 17677, Visit 74 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: STEP100/FF Orbit 6/6
--------------	---

Diagnostics	(Visit 74) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 74	1800 Secs (1800 Secs) [==>]	[1]
2	STEP100_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP100	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 74	899.233261 Secs (899.233 Secs) [==>]	[1]




Proposal 17677 - Visit 75 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 75</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP400/FF Orbit 1/2</i></p>
--------------	---

Diagnostics	(Visit 75) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 75	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP400_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP400	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 75	2799.234541 Secs (2799.235 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 76 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 76</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: STEP400/FF Orbit 2/2</i></p>
--------------	---

Diagnostics	(Visit 76) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-2 Non-Int in Visit 76	1800 Secs (1800 Secs)	
								[==>]	[1]
2	STEP400_F	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=STEP400	NEW ALIGNMENT	Sequence 1-2 Non-Int in Visit 76	2799.234541 Secs (2799.235 Secs)	
								[==>]	[1]




Proposal 17677 - Visit 77 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 77</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS10/256, 128 Orbit 1/6</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 77) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 77 - WFC3 IR Dark Monitor

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-13 Non-Int in Visit 77	1800 Secs (1800 Secs)	[1]
	2	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT	Sequence 1-13 Non-Int in Visit 77	103.128633 Secs (103.129 Secs)	[1]
	3	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	103.128633 Secs (103.129 Secs)	[1]
	4	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	103.128633 Secs (103.129 Secs)	[1]
	5	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	103.128633 Secs (103.129 Secs)	[1]
	6	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	103.128633 Secs (103.129 Secs)	[1]
	7	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	103.128633 Secs (103.129 Secs)	[1]
	8	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	103.128633 Secs (103.129 Secs)	[1]
	9	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	100.651983 Secs (100.652 Secs)	[1]
	10	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	100.651983 Secs (100.652 Secs)	[1]
	11	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	100.651983 Secs (100.652 Secs)	[1]
	12	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	100.651983 Secs (100.652 Secs)	[1]
13	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 77	100.651983 Secs (100.652 Secs)	[1]	




Proposal 17677 - Visit 78 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 78</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS10/256, 128 Orbit 2/6</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 78) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 78 - WFC3 IR Dark Monitor

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-13 Non-Int in Visit 78	1800 Secs (1800 Secs)	[1]
	2	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT	Sequence 1-13 Non-Int in Visit 78	103.128633 Secs (103.129 Secs)	[1]
	3	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	103.128633 Secs (103.129 Secs)	[1]
	4	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	103.128633 Secs (103.129 Secs)	[1]
	5	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	103.128633 Secs (103.129 Secs)	[1]
	6	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	103.128633 Secs (103.129 Secs)	[1]
	7	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	103.128633 Secs (103.129 Secs)	[1]
	8	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	103.128633 Secs (103.129 Secs)	[1]
	9	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	100.651983 Secs (100.652 Secs)	[1]
	10	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	100.651983 Secs (100.652 Secs)	[1]
	11	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	100.651983 Secs (100.652 Secs)	[1]
	12	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	100.651983 Secs (100.652 Secs)	[1]
13	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 78	100.651983 Secs (100.652 Secs)	[1]	




Proposal 17677 - Visit 79 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 79 Fri Jul 26 19:01:51 GMT 2024 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL <i>Comments: SPARS10/256, 128 Orbit 3/6</i></p>
Diagnostics	<p>(Visit 79) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT</p>

Proposal 17677 - Visit 79 - WFC3 IR Dark Monitor

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-13 Non-Int in Visit 79	1800 Secs (1800 Secs)	[1]
	2	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT	Sequence 1-13 Non-Int in Visit 79	103.128633 Secs (103.129 Secs)	[1]
	3	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	103.128633 Secs (103.129 Secs)	[1]
	4	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	103.128633 Secs (103.129 Secs)	[1]
	5	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	103.128633 Secs (103.129 Secs)	[1]
	6	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	103.128633 Secs (103.129 Secs)	[1]
	7	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	103.128633 Secs (103.129 Secs)	[1]
	8	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	103.128633 Secs (103.129 Secs)	[1]
	9	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	100.651983 Secs (100.652 Secs)	[1]
	10	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	100.651983 Secs (100.652 Secs)	[1]
	11	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	100.651983 Secs (100.652 Secs)	[1]
	12	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	100.651983 Secs (100.652 Secs)	[1]
13	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 79	100.651983 Secs (100.652 Secs)	[1]	




Proposal 17677 - Visit 80 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 80</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS10/256, 128 Orbit 4/6</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 80) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 80 - WFC3 IR Dark Monitor

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-13 Non-Int in Visit 80	1800 Secs (1800 Secs)	[1]
	2	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT	Sequence 1-13 Non-Int in Visit 80	103.128633 Secs (103.129 Secs)	[1]
	3	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	103.128633 Secs (103.129 Secs)	[1]
	4	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	103.128633 Secs (103.129 Secs)	[1]
	5	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	103.128633 Secs (103.129 Secs)	[1]
	6	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	103.128633 Secs (103.129 Secs)	[1]
	7	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	103.128633 Secs (103.129 Secs)	[1]
	8	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	103.128633 Secs (103.129 Secs)	[1]
	9	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	100.651983 Secs (100.652 Secs)	[1]
	10	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	100.651983 Secs (100.652 Secs)	[1]
	11	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	100.651983 Secs (100.652 Secs)	[1]
	12	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	100.651983 Secs (100.652 Secs)	[1]
13	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 80	100.651983 Secs (100.652 Secs)	[1]	




Proposal 17677 - Visit 81 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 81</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS10/256, 128 Orbit 5/6</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 81) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 81 - WFC3 IR Dark Monitor

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-13 Non-Int in Visit 81	1800 Secs (1800 Secs)	[1]
	2	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT	Sequence 1-13 Non-Int in Visit 81	103.128633 Secs (103.129 Secs)	[1]
	3	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	103.128633 Secs (103.129 Secs)	[1]
	4	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	103.128633 Secs (103.129 Secs)	[1]
	5	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	103.128633 Secs (103.129 Secs)	[1]
	6	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	103.128633 Secs (103.129 Secs)	[1]
	7	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	103.128633 Secs (103.129 Secs)	[1]
	8	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	103.128633 Secs (103.129 Secs)	[1]
	9	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	100.651983 Secs (100.652 Secs)	[1]
	10	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	100.651983 Secs (100.652 Secs)	[1]
	11	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	100.651983 Secs (100.652 Secs)	[1]
	12	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	100.651983 Secs (100.652 Secs)	[1]
13	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10		Sequence 1-13 Non-Int in Visit 81	100.651983 Secs (100.652 Secs)	[1]	




Proposal 17677 - Visit 82 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 82</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS10/256, 128 Orbit 6/6</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 82) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 82 - WFC3 IR Dark Monitor

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	1800 sec hold	DARK	S/C, DATA, NONE					Sequence 1-13 Non-Int in Visit 82	1800 Secs (1800 Secs)	
									[==>]	[1]	
	2	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10	NEW ALIGNMENT		Sequence 1-13 Non-Int in Visit 82	103.128633 Secs (103.129 Secs)	
									[==>]	[1]	
	3	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	103.128633 Secs (103.129 Secs)	
									[==>]	[1]	
	4	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	103.128633 Secs (103.129 Secs)	
									[==>]	[1]	
	5	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	103.128633 Secs (103.129 Secs)	
									[==>]	[1]	
	6	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	103.128633 Secs (103.129 Secs)	
									[==>]	[1]	
7	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	103.128633 Secs (103.129 Secs)		
								[==>]	[1]		
8	SPARS10_2_56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	103.128633 Secs (103.129 Secs)		
								[==>]	[1]		
9	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	100.651983 Secs (100.652 Secs)		
								[==>]	[1]		
10	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	100.651983 Secs (100.652 Secs)		
								[==>]	[1]		
11	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	100.651983 Secs (100.652 Secs)		
								[==>]	[1]		
12	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	100.651983 Secs (100.652 Secs)		
								[==>]	[1]		
13	SPARS10_1_28	DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=SPARS10			Sequence 1-13 Non-Int in Visit 82	100.651983 Secs (100.652 Secs)		
								[==>]	[1]		




Proposal 17677 - Visit 83 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 83</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS5/512 Orbit 2/4, SPARS5/256 Orbit 2/5</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 83) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 83 - WFC3 IR Dark Monitor

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-15 Non-Int in Visit 83	1800 Secs (1800 Secs)	[1]
	2	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5	NEW ALIGNMENT	Sequence 1-15 Non-Int in Visit 83	41.754125 Secs (41.754 Secs)	[1]
	3	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	41.754125 Secs (41.754 Secs)	[1]
	4	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	41.754125 Secs (41.754 Secs)	[1]
	5	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	41.754125 Secs (41.754 Secs)	[1]
	6	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	41.754125 Secs (41.754 Secs)	[1]
	7	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	41.754125 Secs (41.754 Secs)	[1]
	8	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	41.754125 Secs (41.754 Secs)	[1]
	9	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	33.16592 Secs (33.166 Secs)	[1]
	10	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	33.16592 Secs (33.166 Secs)	[1]
	11	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	33.16592 Secs (33.166 Secs)	[1]
	12	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	33.16592 Secs (33.166 Secs)	[1]
	13	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	33.16592 Secs (33.166 Secs)	[1]
	14	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	33.16592 Secs (33.166 Secs)	[1]
15	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 83	33.16592 Secs (33.166 Secs)	[1]	




Proposal 17677 - Visit 84 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 84</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARSS/512 Orbit 3/4, SPARSS/256 Orbit 3/5</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 84) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 84 - WFC3 IR Dark Monitor


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	1800 sec hold	DARK	S/C, DATA, NONE					Sequence 1-15 Non-Int in Visit 84	1800 Secs (1800 Secs)	
									[==>]	[1]	
	2	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5	NEW ALIGNMENT		Sequence 1-15 Non-Int in Visit 84	41.754125 Secs (41.754 Secs)	
									[==>]	[1]	
	3	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	41.754125 Secs (41.754 Secs)	
									[==>]	[1]	
	4	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	41.754125 Secs (41.754 Secs)	
									[==>]	[1]	
	5	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	41.754125 Secs (41.754 Secs)	
									[==>]	[1]	
	6	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	41.754125 Secs (41.754 Secs)	
									[==>]	[1]	
	7	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	41.754125 Secs (41.754 Secs)	
									[==>]	[1]	
8	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	41.754125 Secs (41.754 Secs)		
								[==>]	[1]		
9	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	33.16592 Secs (33.166 Secs)		
								[==>]	[1]		
10	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	33.16592 Secs (33.166 Secs)		
								[==>]	[1]		
11	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	33.16592 Secs (33.166 Secs)		
								[==>]	[1]		
12	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	33.16592 Secs (33.166 Secs)		
								[==>]	[1]		
13	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	33.16592 Secs (33.166 Secs)		
								[==>]	[1]		
14	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	33.16592 Secs (33.166 Secs)		
								[==>]	[1]		
15	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5			Sequence 1-15 Non-Int in Visit 84	33.16592 Secs (33.166 Secs)		
								[==>]	[1]		



Proposal 17677 - Visit 85 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	Proposal 17677, Visit 85 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: SPARS5/FF Orbit 1/1, SPARS5/256 Orbit 4/5										
	Diagnostics	(Visit 85) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE					Sequence 1-7 Non-Int in Visit 85	1800 Secs (1800 Secs)	
									[==>]	[1]	
	2	SPARS5_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;	NEW ALIGNMENT		Sequence 1-7 Non-Int in Visit 85	72.943085 Secs (72.943 Secs)	
						SAMP-SEQ=SPARS5			[==>]	[1]	
	3	SPARS5_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;			Sequence 1-7 Non-Int in Visit 85	72.943085 Secs (72.943 Secs)	
						SAMP-SEQ=SPARS5			[==>]	[1]	
	4	SPARS5_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;			Sequence 1-7 Non-Int in Visit 85	72.943085 Secs (72.943 Secs)	
					SAMP-SEQ=SPARS5			[==>]	[1]		
5	SPARS5_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15;			Sequence 1-7 Non-Int in Visit 85	72.943085 Secs (72.943 Secs)		
					SAMP-SEQ=SPARS5			[==>]	[1]		
6	SPARS5_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15;			Sequence 1-7 Non-Int in Visit 85	33.16592 Secs (33.166 Secs)		
					SAMP-SEQ=SPARS5			[==>]	[1]		
7	SPARS5_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15;			Sequence 1-7 Non-Int in Visit 85	33.16592 Secs (33.166 Secs)		
					SAMP-SEQ=SPARS5			[==>]	[1]		




Proposal 17677 - Visit 86 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 86</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARSS/512 Orbit 4/4, SPARSS/256 Orbit 5/5</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 86) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 86 - WFC3 IR Dark Monitor

Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-15 Non-Int in Visit 86	1800 Secs (1800 Secs)	[1]
	2	SPARS5_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS5	NEW ALIGNMENT	Sequence 1-15 Non-Int in Visit 86	72.943085 Secs (72.943 Secs)	[1]
	3	SPARS5_FF	DARK	WFC3/IR, MULTIACCUM, IR	BLANK	NSAMP=15; SAMP-SEQ=SPARS5	NEW ALIGNMENT	Sequence 1-15 Non-Int in Visit 86	72.943085 Secs (72.943 Secs)	[1]
	4	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	41.754125 Secs (41.754 Secs)	[1]
	5	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	41.754125 Secs (41.754 Secs)	[1]
	6	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	41.754125 Secs (41.754 Secs)	[1]
	7	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	41.754125 Secs (41.754 Secs)	[1]
	8	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	41.754125 Secs (41.754 Secs)	[1]
	9	SPARS5_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	41.754125 Secs (41.754 Secs)	[1]
	10	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	33.16592 Secs (33.166 Secs)	[1]
	11	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	33.16592 Secs (33.166 Secs)	[1]
	12	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	33.16592 Secs (33.166 Secs)	[1]
	13	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	33.16592 Secs (33.166 Secs)	[1]
	14	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	33.16592 Secs (33.166 Secs)	[1]
15	SPARS5_25_6	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS5		Sequence 1-15 Non-Int in Visit 86	33.16592 Secs (33.166 Secs)	[1]	




Proposal 17677 - Visit 87 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 87</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/256 Orbit 1/6</i></p>
--------------	--

Diagnostics	(Visit 87) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 87	1800 Secs (1800 Secs)	[1]
2	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 87	313.122361 Secs (313.122 Secs)	[1]
3	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 87	313.122361 Secs (313.122 Secs)	[1]
4	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 87	313.122361 Secs (313.122 Secs)	[1]
5	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 87	313.122361 Secs (313.122 Secs)	[1]




Proposal 17677 - Visit 88 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 88</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/512 Orbit 1/5, SPARS25/256 Orbit 2/6</i></p>
--------------	---

Diagnostics	(Visit 88) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 88	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS25	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 88	321.750541 Secs (321.751 Secs) [==>]	[1]
3	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 88	321.750541 Secs (321.751 Secs) [==>]	[1]
4	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 88	313.122361 Secs (313.122 Secs) [==>]	[1]
5	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 88	313.122361 Secs (313.122 Secs) [==>]	[1]




Proposal 17677 - Visit 89 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 89</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/512 Orbit 2/5, SPARS25/256 Orbit 3/6</i></p>
--------------	---

Diagnostics	(Visit 89) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 89	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS25	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 89	321.750541 Secs (321.751 Secs) [==>]	[1]
3	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 89	321.750541 Secs (321.751 Secs) [==>]	[1]
4	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 89	313.122361 Secs (313.122 Secs) [==>]	[1]
5	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 89	313.122361 Secs (313.122 Secs) [==>]	[1]




Proposal 17677 - Visit 90 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 90</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/512 Orbit 3/5, SPARS25/256 Orbit 4/6</i></p>
--------------	---

Diagnostics	(Visit 90) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 90	1800 Secs (1800 Secs)	[1]
2	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS25	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 90	321.750541 Secs (321.751 Secs)	[1]
3	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 90	321.750541 Secs (321.751 Secs)	[1]
4	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 90	313.122361 Secs (313.122 Secs)	[1]
5	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 90	313.122361 Secs (313.122 Secs)	[1]




Proposal 17677 - Visit 91 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 91</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/512 Orbit 4/5, SPARS25/256 Orbit 5/6</i></p>
--------------	---

Diagnostics	(Visit 91) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 91	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS25	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 91	321.750541 Secs (321.751 Secs) [==>]	[1]
3	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 91	321.750541 Secs (321.751 Secs) [==>]	[1]
4	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 91	313.122361 Secs (313.122 Secs) [==>]	[1]
5	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPARS25		Sequence 1-5 Non-Int in Visit 91	313.122361 Secs (313.122 Secs) [==>]	[1]




Proposal 17677 - Visit 92 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	<p>Proposal 17677, Visit 92</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: SPARS25/512 Orbit 5/5, SPARS25/256 Orbit 6/6</i></p>
--------------	---

Diagnostics	(Visit 92) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT
--------------------	---


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
1	1800 sec hold	DARK	S/C, DATA, NONE				Sequence 1-5 Non-Int in Visit 92	1800 Secs (1800 Secs) [==>]	[1]
2	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPAR S25	NEW ALIGNMENT	Sequence 1-5 Non-Int in Visit 92	321.750541 Secs (321.751 Secs) [==>]	[1]
3	SPARS25_5 12	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=SPAR S25		Sequence 1-5 Non-Int in Visit 92	321.750541 Secs (321.751 Secs) [==>]	[1]
4	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPAR S25		Sequence 1-5 Non-Int in Visit 92	313.122361 Secs (313.122 Secs) [==>]	[1]
5	SPARS25_2 56	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=SPAR S25		Sequence 1-5 Non-Int in Visit 92	313.122361 Secs (313.122 Secs) [==>]	[1]



Proposal 17677 - Visit 93 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024


Visit	Proposal 17677, Visit 93 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: STEP25/512 Orbit 1/2										
	Diagnostics	(Visit 93) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK	S/C, DATA, NONE					Sequence 1-6 Non-Int in Visit 93	1800 Secs (1800 Secs)	
									[==>]	[1]	
	2	STEP25_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25	NEW ALIGNMENT		Sequence 1-6 Non-Int in Visit 93	243.045901 Secs (243.046 Secs)	
									[==>]	[1]	
	3	STEP25_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25			Sequence 1-6 Non-Int in Visit 93	243.045901 Secs (243.046 Secs)	
									[==>]	[1]	
4	STEP25_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25			Sequence 1-6 Non-Int in Visit 93	243.045901 Secs (243.046 Secs)		
								[==>]	[1]		
5	STEP25_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25			Sequence 1-6 Non-Int in Visit 93	243.045901 Secs (243.046 Secs)		
								[==>]	[1]		
6	STEP25_51_2	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25			Sequence 1-6 Non-Int in Visit 93	243.045901 Secs (243.046 Secs)		
								[==>]	[1]		



Proposal 17677 - Visit 94 - WFC3 IR Dark Monitor

Fri Jul 26 19:01:51 GMT 2024

Visit	Proposal 17677, Visit 94 Diagnostic Status: Warning Scientific Instruments: WFC3/IR, S/C Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL Comments: STEP25/512 Orbit 2/2										
	Diagnostics	(Visit 94) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT									
Exposures		#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
	1	1800 sec hold	DARK		S/C, DATA, NONE				Sequence 1-6 Non-Int in Visit 94	1800 Secs (1800 Secs)	
									[==>]	[1]	
	2	STEP25_51_2	DARK		WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25	NEW ALIGNMENT	Sequence 1-6 Non-Int in Visit 94	243.045901 Secs (243.046 Secs)	
									[==>]	[1]	
	3	STEP25_51_2	DARK		WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25		Sequence 1-6 Non-Int in Visit 94	243.045901 Secs (243.046 Secs)	
									[==>]	[1]	
4	STEP25_51_2	DARK		WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25		Sequence 1-6 Non-Int in Visit 94	243.045901 Secs (243.046 Secs)		
								[==>]	[1]		
5	STEP25_51_2	DARK		WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25		Sequence 1-6 Non-Int in Visit 94	243.045901 Secs (243.046 Secs)		
								[==>]	[1]		
6	STEP25_51_2	DARK		WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=STEP25		Sequence 1-6 Non-Int in Visit 94	243.045901 Secs (243.046 Secs)		
								[==>]	[1]		



Proposal 17677 - Visit 95 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 95</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: RAPID/512, 256, 128, 64 Orbit 1/3</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 95) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 95 - WFC3 IR Dark Monitor


Exposures	#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit	
	1	1800 sec hold	DARK	S/C, DATA, NONE					Sequence 1-35 Non-Int in Visit 95	1800 Secs (1800 Secs)	
									[==>]	[1]	
	2	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	NEW ALIGNMENT		Sequence 1-35 Non-Int in Visit 95	12.795405 Secs (12.795 Secs)	
									[==>]	[1]	
	3	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	12.795405 Secs (12.795 Secs)	
									[==>]	[1]	
	4	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	12.795405 Secs (12.795 Secs)	
									[==>]	[1]	
	5	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	12.795405 Secs (12.795 Secs)	
									[==>]	[1]	
	6	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	12.795405 Secs (12.795 Secs)	
									[==>]	[1]	
	7	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	12.795405 Secs (12.795 Secs)	
									[==>]	[1]	
	8	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	12.795405 Secs (12.795 Secs)	
								[==>]	[1]		
9	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	12.795405 Secs (12.795 Secs)		
								[==>]	[1]		
10	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	4.167225 Secs (4.167 Secs)		
								[==>]	[1]		
11	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	4.167225 Secs (4.167 Secs)		
								[==>]	[1]		
12	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	4.167225 Secs (4.167 Secs)		
								[==>]	[1]		
13	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	4.167225 Secs (4.167 Secs)		
								[==>]	[1]		
14	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	4.167225 Secs (4.167 Secs)		
								[==>]	[1]		
15	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	4.167225 Secs (4.167 Secs)		
								[==>]	[1]		
16	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID			Sequence 1-35 Non-Int in Visit 95	4.167225 Secs (4.167 Secs)		
								[==>]	[1]		

Proposal 17677 - Visit 95 - WFC3 IR Dark Monitor

17	RAPID_256 DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	4.167225 Secs (4.167 Secs)	[1]
18	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
19	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
20	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
21	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
22	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
23	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
24	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
25	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
26	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
27	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	1.690575 Secs (1.691 Secs)	[1]
28	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	0.91161 Secs (0.912 Secs)	[1]
29	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	0.91161 Secs (0.912 Secs)	[1]
30	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	0.91161 Secs (0.912 Secs)	[1]
31	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	0.91161 Secs (0.912 Secs)	[1]
32	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	0.91161 Secs (0.912 Secs)	[1]

Proposal 17677 - Visit 95 - WFC3 IR Dark Monitor

33	RAPID_64	DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	0.91161 Secs (0.912 Secs)	
							[==>]	[1]
34	RAPID_64	DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	0.91161 Secs (0.912 Secs)	
							[==>]	[1]
35	RAPID_64	DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 95	0.91161 Secs (0.912 Secs)	
							[==>]	[1]



Proposal 17677 - Visit 96 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 96</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: RAPID/512, 256, 128, 64 Orbit 2/3</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 96) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 96 - WFC3 IR Dark Monitor


#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
Exposures	1	1800 sec hold	DARK	S/C, DATA, NONE			Sequence 1-35 Non-Int in Visit 96	1800 Secs (1800 Secs) [==>]	[1]
	2	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	NEW ALIGNMENT Sequence 1-35 Non-Int in Visit 96	12.795405 Secs (12.795 Secs) [==>]	[1]
	3	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	12.795405 Secs (12.795 Secs) [==>]	[1]
	4	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	12.795405 Secs (12.795 Secs) [==>]	[1]
	5	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	12.795405 Secs (12.795 Secs) [==>]	[1]
	6	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	12.795405 Secs (12.795 Secs) [==>]	[1]
	7	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	12.795405 Secs (12.795 Secs) [==>]	[1]
	8	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	12.795405 Secs (12.795 Secs) [==>]	[1]
	9	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	12.795405 Secs (12.795 Secs) [==>]	[1]
	10	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	4.167225 Secs (4.167 Secs) [==>]	[1]
	11	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	4.167225 Secs (4.167 Secs) [==>]	[1]
	12	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	4.167225 Secs (4.167 Secs) [==>]	[1]
	13	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	4.167225 Secs (4.167 Secs) [==>]	[1]
	14	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	4.167225 Secs (4.167 Secs) [==>]	[1]
	15	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	4.167225 Secs (4.167 Secs) [==>]	[1]
	16	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	4.167225 Secs (4.167 Secs) [==>]	[1]

Proposal 17677 - Visit 96 - WFC3 IR Dark Monitor

17	RAPID_256 DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	4.167225 Secs (4.167 Secs)	[1]
18	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
19	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
20	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
21	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
22	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
23	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
24	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
25	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
26	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
27	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	1.690575 Secs (1.691 Secs)	[1]
28	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	0.91161 Secs (0.912 Secs)	[1]
29	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	0.91161 Secs (0.912 Secs)	[1]
30	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	0.91161 Secs (0.912 Secs)	[1]
31	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	0.91161 Secs (0.912 Secs)	[1]
32	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	0.91161 Secs (0.912 Secs)	[1]

Proposal 17677 - Visit 96 - WFC3 IR Dark Monitor

33	RAPID_64	DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	0.91161 Secs (0.912 Secs)	
							[==>]	[1]
34	RAPID_64	DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	0.91161 Secs (0.912 Secs)	
							[==>]	[1]
35	RAPID_64	DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 96	0.91161 Secs (0.912 Secs)	
							[==>]	[1]



Proposal 17677 - Visit 97 - WFC3 IR Dark Monitor

Visit	<p>Proposal 17677, Visit 97</p> <p>Diagnostic Status: Warning</p> <p>Scientific Instruments: WFC3/IR, S/C</p> <p>Special Requirements: BETWEEN 04-NOV-2024:00:00:00 AND 01-MAY-2025:23:59:59; PARALLEL</p> <p><i>Comments: RAPID/512, 256, 128, 64 Orbit 3/3</i></p>	Fri Jul 26 19:01:51 GMT 2024
Diagnostics	(Visit 97) Warning (Orbit Planner): MAXIMUM DURATION EXCEEDED FOR INTERNAL OR EARTH CALIB VISIT	

Proposal 17677 - Visit 97 - WFC3 IR Dark Monitor

#	Label	Target	Config,Mode,Aperture	Spectral Els.	Opt. Params.	Special Reqs.	Groups	Exp. Time (Total)/[Actual Dur.]	Orbit
Exposures	1	1800 sec hold	DARK	S/C, DATA, NONE			Sequence 1-35 Non-Int in Visit 97	1800 Secs (1800 Secs) [==>]	[1]
	2	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	NEW ALIGNMENT Sequence 1-35 Non-Int in Visit 97	12.795405 Secs (12.795 Secs) [==>]	[1]
	3	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	12.795405 Secs (12.795 Secs) [==>]	[1]
	4	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	12.795405 Secs (12.795 Secs) [==>]	[1]
	5	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	12.795405 Secs (12.795 Secs) [==>]	[1]
	6	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	12.795405 Secs (12.795 Secs) [==>]	[1]
	7	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	12.795405 Secs (12.795 Secs) [==>]	[1]
	8	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	12.795405 Secs (12.795 Secs) [==>]	[1]
	9	RAPID_512	DARK	WFC3/IR, MULTIACCUM, IRSUB512	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	12.795405 Secs (12.795 Secs) [==>]	[1]
	10	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	4.167225 Secs (4.167 Secs) [==>]	[1]
	11	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	4.167225 Secs (4.167 Secs) [==>]	[1]
	12	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	4.167225 Secs (4.167 Secs) [==>]	[1]
	13	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	4.167225 Secs (4.167 Secs) [==>]	[1]
	14	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	4.167225 Secs (4.167 Secs) [==>]	[1]
	15	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	4.167225 Secs (4.167 Secs) [==>]	[1]
	16	RAPID_256	DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	4.167225 Secs (4.167 Secs) [==>]	[1]

Proposal 17677 - Visit 97 - WFC3 IR Dark Monitor

17	RAPID_256 DARK	WFC3/IR, MULTIACCUM, IRSUB256	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	4.167225 Secs (4.167 Secs)	[1]
18	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
19	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
20	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
21	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
22	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
23	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
24	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
25	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
26	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
27	RAPID_128 DARK	WFC3/IR, MULTIACCUM, IRSUB128	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	1.690575 Secs (1.691 Secs)	[1]
28	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	0.91161 Secs (0.912 Secs)	[1]
29	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	0.91161 Secs (0.912 Secs)	[1]
30	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	0.91161 Secs (0.912 Secs)	[1]
31	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	0.91161 Secs (0.912 Secs)	[1]
32	RAPID_64 DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	0.91161 Secs (0.912 Secs)	[1]

Proposal 17677 - Visit 97 - WFC3 IR Dark Monitor

33	RAPID_64	DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	0.91161 Secs (0.912 Secs)	
							[==>]	[1]
34	RAPID_64	DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	0.91161 Secs (0.912 Secs)	
							[==>]	[1]
35	RAPID_64	DARK	WFC3/IR, MULTIACCUM, IRSUB64	BLANK	NSAMP=15; SAMP-SEQ=RAPID	Sequence 1-35 Non-Int in Visit 97	0.91161 Secs (0.912 Secs)	
							[==>]	[1]

